

# Oracle® Database

## SQL Language Reference



23ai  
F47038-13  
May 2024

The Oracle logo, consisting of the word "ORACLE" in white, uppercase, sans-serif font, centered within a solid red square.

ORACLE®

Oracle Database SQL Language Reference, 23ai

F47038-13

Copyright © 1996, 2024, Oracle and/or its affiliates.

Primary Author: Usha Krishnamurthy

Contributors: Abhishek Munnolimath , Adrian Daniel Popescu, Alan Williams, Alfonso Colunga Sosa , Andy Witkowski, Atif Chaudhry, Beda Hammerschmidt, Bill Lee, Chris Saxon, Drew Adams, Gerald Venzl, Giridhar Ravipati, Gopal Mulagund, Gregg Christman, Hermann Baer, Huagang Li , Ian Neall, James Stamos, Jan Michels, Josh Spiegel, Laurent Daynes, Loic Lefevre, Mahesh Girkar, Mark Dilman, Martin Bach, Mary Beth Roeser, Meichun Hsu, Naveen Gopal, Nigel Bayliss, Nishant Chaudhary, Oskar Van Rest, Patricia Huey, Peter Knaggs, Sabrina Petride, Shashaanka Agrawal, Sriram Krishnamurthy, Sergiusz Wolicki, Thomas Baby, Vlad Ioan Haprian, Ya Li, Yanfei Fan, Yi Ouyang, Yunrui Li, Zhen Hua Li , Zhenqiang Fan

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

# Contents

## Preface

---

Audience	xxix
Documentation Accessibility	xxix
Related Documents	xxix
Conventions	xxx

## Changes in This Release for Oracle Database SQL Language Reference

---

Changes in Oracle Database Release 23ai	xxxii
-----------------------------------------	-------

## 1 Introduction to Oracle SQL

---

History of SQL	1-1
SQL Standards	1-1
How SQL Works	1-2
Common Language for All Relational Databases	1-2
Using Enterprise Manager	1-2
Lexical Conventions	1-3
Tools Support	1-3

## 2 Basic Elements of Oracle SQL

---

Data Types	2-1
Oracle Built-in Data Types	2-5
Character Data Types	2-8
Numeric Data Types	2-13
LONG Data Type	2-17
Datetime and Interval Data Types	2-19
RAW and LONG RAW Data Types	2-29
Large Object (LOB) Data Types	2-29
JSON Data Type	2-32
Extended Data Types	2-34

Boolean Data Type	2-35
Vector Data Type	2-40
Rowid Data Types	2-43
ROWID Data Type	2-43
UROWID Data Type	2-43
ANSI, DB2, and SQL/DS Data Types	2-44
User-Defined Types	2-45
Object Types	2-46
REF Data Types	2-46
Varrays	2-46
Nested Tables	2-47
Oracle-Supplied Types	2-47
Any Types	2-47
ANYTYPE	2-48
ANYDATA	2-48
ANYDATASET	2-48
XML Types	2-48
XMLType	2-48
URI Data Types	2-49
URIFactory Package	2-50
Spatial Types	2-50
SDO_GEOMETRY	2-50
SDO_TOPO_GEOMETRY	2-51
SDO_GEORASTER	2-51
Data Type Comparison Rules	2-51
Numeric Values	2-51
Datetime Values	2-52
Binary Values	2-52
Character Values	2-52
Object Values	2-56
Varrays and Nested Tables	2-56
Data Type Precedence	2-56
Data Conversion	2-56
Implicit and Explicit Data Conversion	2-56
Implicit Data Conversion	2-57
Implicit Data Conversion Examples	2-59
Explicit Data Conversion	2-60
Security Considerations for Data Conversion	2-62
Literals	2-63
Text Literals	2-63
Numeric Literals	2-65

Integer Literals	2-65
NUMBER and Floating-Point Literals	2-66
Datetime Literals	2-68
Interval Literals	2-72
INTERVAL YEAR TO MONTH	2-72
INTERVAL DAY TO SECOND	2-73
Format Models	2-75
Number Format Models	2-76
Number Format Elements	2-77
Datetime Format Models	2-79
Datetime Format Elements	2-80
Datetime Format Elements and Globalization Support	2-85
ISO Standard Date Format Elements	2-85
The RR Datetime Format Element	2-86
Datetime Format Element Suffixes	2-87
Format Model Modifiers	2-87
Format Model Examples	2-88
String-to-Date Conversion Rules	2-90
XML Format Model	2-91
Nulls	2-92
Nulls in SQL Functions	2-93
Nulls with Comparison Conditions	2-93
Nulls in Conditions	2-93
Comments	2-94
Comments Within SQL Statements	2-94
Comments on Schema and Nonschema Objects	2-95
Hints	2-95
Alphabetical Listing of Hints	2-101
ALL_ROWS Hint	2-102
APPEND Hint	2-102
APPEND_VALUES Hint	2-103
CACHE Hint	2-103
CHANGE_DUPKEY_ERROR_INDEX Hint	2-104
CLUSTER Hint	2-104
CLUSTERING Hint	2-105
COMPRESS_IMMEDIATE Hint	2-105
CONTAINERS Hint	2-105
CURSOR_SHARING_EXACT Hint	2-106
DISABLE_PARALLEL_DML Hint	2-106
DRIVING_SITE Hint	2-107
DYNAMIC_SAMPLING Hint	2-107

ENABLE_PARALLEL_DML Hint	2-108
FACT Hint	2-108
FIRST_ROWS Hint	2-108
FRESH_MV Hint	2-109
FULL Hint	2-109
GATHER_OPTIMIZER_STATISTICS Hint	2-110
GROUPING Hint	2-110
HASH Hint	2-111
IGNORE_ROW_ON_DUPKEY_INDEX Hint	2-111
INDEX Hint	2-112
INDEX_ASC Hint	2-113
INDEX_COMBINE Hint	2-113
INDEX_DESC Hint	2-113
INDEX_FFS Hint	2-114
INDEX_JOIN Hint	2-114
INDEX_SS Hint	2-115
INDEX_SS_ASC Hint	2-115
INDEX_SS_DESC Hint	2-116
INMEMORY Hint	2-116
INMEMORY_PRUNING Hint	2-116
LEADING Hint	2-117
MERGE Hint	2-117
MODEL_MIN_ANALYSIS Hint	2-118
MONITOR Hint	2-118
NATIVE_FULL_OUTER_JOIN Hint	2-118
NOAPPEND Hint	2-119
NOCACHE Hint	2-119
NO_CLUSTERING Hint	2-119
NO_EXPAND Hint	2-120
NO_FACT Hint	2-120
NO_GATHER_OPTIMIZER_STATISTICS Hint	2-120
NO_INDEX Hint	2-121
NO_INDEX_FFS Hint	2-122
NO_INDEX_SS Hint	2-122
NO_INMEMORY Hint	2-122
NO_INMEMORY_PRUNING Hint	2-122
NO_MERGE Hint	2-123
NO_MONITOR Hint	2-123
NO_NATIVE_FULL_OUTER_JOIN Hint	2-123
NO_PARALLEL Hint	2-124
NOPARALLEL Hint	2-124

NO_PARALLEL_INDEX Hint	2-124
NOPARALLEL_INDEX Hint	2-125
NO_PQ_CONCURRENT_UNION Hint	2-125
NO_PQ_SKEW Hint	2-125
NO_PUSH_PRED Hint	2-125
NO_PUSH_SUBQ Hint	2-126
NO_PX_JOIN_FILTER Hint	2-126
NO_QUERY_TRANSFORMATION Hint	2-126
NO_RESULT_CACHE Hint	2-126
NO_REWRITE Hint	2-127
NOREWRITE Hint	2-127
NO_STAR_TRANSFORMATION Hint	2-127
NO_STATEMENT_QUEUING Hint	2-127
NO_UNNEST Hint	2-128
NO_USE_BAND Hint	2-128
NO_USE_CUBE Hint	2-128
NO_USE_HASH Hint	2-129
NO_USE_MERGE Hint	2-129
NO_USE_NL Hint	2-129
NO_XML_QUERY_REWRITE Hint	2-130
NO_XMLINDEX_REWRITE Hint	2-130
NO_ZONEMAP Hint	2-130
OPTIMIZER_FEATURES_ENABLE Hint	2-131
OPT_PARAM Hint	2-131
ORDERED Hint	2-131
PARALLEL Hint	2-132
PARALLEL_INDEX Hint	2-134
PQ_CONCURRENT_UNION Hint	2-135
PQ_DISTRIBUTE Hint	2-135
PQ_FILTER Hint	2-138
PQ_SKEW Hint	2-138
PUSH_PRED Hint	2-138
PUSH_SUBQ Hint	2-139
PX_JOIN_FILTER Hint	2-139
QB_NAME Hint	2-139
RESULT_CACHE Hint	2-140
RETRY_ON_ROW_CHANGE Hint	2-141
REWRITE Hint	2-141
STAR_TRANSFORMATION Hint	2-142
STATEMENT_QUEUING Hint	2-142
UNNEST Hint	2-143

USE_BAND Hint	2-143
USE_CONCAT Hint	2-144
USE_CUBE Hint	2-144
USE_HASH Hint	2-145
USE_MERGE Hint	2-145
USE_NL Hint	2-145
USE_NL_WITH_INDEX Hint	2-146
Database Objects	2-147
Schema Objects	2-147
Nonschema Objects	2-147
Database Object Names and Qualifiers	2-148
Database Object Naming Rules	2-148
Schema Object Naming Examples	2-153
Schema Object Naming Guidelines	2-153
Syntax for Schema Objects and Parts in SQL Statements	2-153
How Oracle Database Resolves Schema Object References	2-154
References to Objects in Other Schemas	2-155
References to Objects in Remote Databases	2-156
Creating Database Links	2-156
References to Database Links	2-157
References to Partitioned Tables and Indexes	2-158
References to Object Type Attributes and Methods	2-160

## 3 Pseudocolumns

---

Hierarchical Query Pseudocolumns	3-1
CONNECT_BY_ISCYCLE Pseudocolumn	3-1
CONNECT_BY_ISLEAF Pseudocolumn	3-2
LEVEL Pseudocolumn	3-2
Sequence Pseudocolumns	3-3
Where to Use Sequence Values	3-4
How to Use Sequence Values	3-4
Version Query Pseudocolumns	3-6
COLUMN_VALUE Pseudocolumn	3-7
OBJECT_ID Pseudocolumn	3-8
OBJECT_VALUE Pseudocolumn	3-8
ORA_ROWSCN Pseudocolumn	3-9
ORA_SHARDSPACE_NAME Pseudocolumn	3-10
ROWID Pseudocolumn	3-10
ROWNUM Pseudocolumn	3-11



## 4 Operators

---

About SQL Operators	4-1
Unary and Binary Operators	4-1
Operator Precedence	4-2
Arithmetic Operators	4-2
COLLATE Operator	4-3
Concatenation Operator	4-4
Hierarchical Query Operators	4-5
PRIOR	4-5
CONNECT_BY_ROOT	4-6
Set Operators	4-6
Multiset Operators	4-7
MULTISET EXCEPT	4-7
MULTISET INTERSECT	4-8
MULTISET UNION	4-9
SHARD_CHUNK_ID Operator	4-10
User-Defined Operators	4-11
Data Quality Operators	4-11
FUZZY_MATCH	4-12
PHONIC_ENCODE	4-14
GRAPH_TABLE Operator	4-15
Graph Reference	4-19
Graph Pattern	4-20
Path Pattern	4-22
Element Pattern	4-25
Quantified Path Pattern	4-35
Parenthesized Path Pattern	4-38
Graph Pattern WHERE Clause	4-40
Graph Table Shape	4-41
COLUMNS Clause	4-42
Value Expressions for GRAPH_TABLE	4-44
Property Reference	4-44
Vertex and Edge ID Functions	4-46
Vertex and Edge Equal Predicates	4-48
SOURCE and Destination Predicates	4-49
Aggregation in GRAPH_TABLE	4-51

## 5 Expressions

---

About SQL Expressions	5-1
Simple Expressions	5-3
Analytic View Expressions	5-4
Examples of Analytic View Expressions	5-24
Compound Expressions	5-26
CASE Expressions	5-27
Column Expressions	5-30
CURSOR Expressions	5-30
Datetime Expressions	5-32
Function Expressions	5-33
Interval Expressions	5-34
JSON Object Access Expressions	5-35
Model Expressions	5-37
Object Access Expressions	5-39
Placeholder Expressions	5-40
Scalar Subquery Expressions	5-41
Type Constructor Expressions	5-41
Expression Lists	5-43
BOOLEAN Expressions	5-44

## 6 Conditions

---

About SQL Conditions	6-1
Condition Precedence	6-3
Comparison Conditions	6-4
Simple Comparison Conditions	6-5
Group Comparison Conditions	6-7
Floating-Point Conditions	6-8
Logical Conditions	6-9
Model Conditions	6-10
IS ANY Condition	6-10
IS PRESENT Condition	6-11
Multiset Conditions	6-13
IS A SET Condition	6-13
IS EMPTY Condition	6-13
MEMBER Condition	6-14
SUBMULTISET Condition	6-15
Pattern-matching Conditions	6-16
LIKE Condition	6-16
REGEXP_LIKE Condition	6-19

Null Conditions	6-21
XML Conditions	6-22
EQUALS_PATH Condition	6-22
UNDER_PATH Condition	6-23
SQL For JSON Conditions	6-24
IS JSON Condition	6-24
JSON_EQUAL Condition	6-30
JSON_EXISTS Condition	6-31
JSON_TEXTCONTAINS Condition	6-35
Compound Conditions	6-37
BETWEEN Condition	6-38
EXISTS Condition	6-39
IN Condition	6-39
IS OF type Condition	6-42
BOOLEAN Test Condition	6-43

## 7 Functions

---

About SQL Functions	7-2
Aggregate Functions	7-4
Analytic Functions	7-6
Data Cartridge Functions	7-14
Model Functions	7-14
Object Reference Functions	7-15
OLAP Functions	7-15
Single-Row Functions	7-15
Numeric Functions	7-15
Character Functions Returning Character Values	7-16
Character Functions Returning Number Values	7-17
Character Set Functions	7-17
Collation Functions	7-17
Datetime Functions	7-17
General Comparison Functions	7-18
Conversion Functions	7-18
Large Object Functions	7-19
Collection Functions	7-20
Hierarchical Functions	7-20
Oracle Machine Learning for SQL Functions	7-20
XML Functions	7-21
JSON Functions	7-22
Encoding and Decoding Functions	7-22

NULL-Related Functions	7-22
Environment and Identifier Functions	7-23
Domain Functions	7-23
Vector Functions	7-23
ABS	7-24
ACOS	7-25
ADD_MONTHS	7-25
ANY_VALUE	7-26
APPROX_COUNT	7-27
APPROX_COUNT_DISTINCT	7-28
APPROX_COUNT_DISTINCT_AGG	7-29
APPROX_COUNT_DISTINCT_DETAIL	7-30
APPROX_MEDIAN	7-33
APPROX_PERCENTILE	7-36
APPROX_PERCENTILE_AGG	7-39
APPROX_PERCENTILE_DETAIL	7-40
APPROX_RANK	7-44
APPROX_SUM	7-45
ASCII	7-46
ASCIISTR	7-46
ASIN	7-47
ATAN	7-48
ATAN2	7-48
AVG	7-49
BFILENAME	7-51
BIN_TO_NUM	7-52
BITAND	7-53
BIT_AND_AGG	7-55
BITMAP_BIT_POSITION	7-56
BITMAP_BUCKET_NUMBER	7-56
BITMAP_CONSTRUCT_AGG	7-57
BITMAP_COUNT	7-57
BITMAP_OR_AGG	7-58
BIT_OR_AGG	7-59
BIT_XOR_AGG	7-59
BOOLEAN_AND_AGG	7-60
BOOLEAN_OR_AGG	7-61
CARDINALITY	7-62
CAST	7-62
CEIL (datetime)	7-70
CEIL (interval)	7-71

CEIL (number)	7-72
CHARTOROWID	7-72
CHECKSUM	7-73
CHR	7-74
CLUSTER_DETAILS	7-75
CLUSTER_DISTANCE	7-79
CLUSTER_ID	7-81
CLUSTER_PROBABILITY	7-84
CLUSTER_SET	7-86
COALESCE	7-89
COLLATION	7-91
COLLECT	7-92
COMPOSE	7-93
CON_DBID_TO_ID	7-94
CON_GUID_TO_ID	7-95
CON_ID_TO_CON_NAME	7-95
CON_ID_TO_DBID	7-96
CON_ID_TO_GUID	7-97
CON_ID_TO_UID	7-97
CON_NAME_TO_ID	7-98
CON_UID_TO_ID	7-99
CONCAT	7-99
CONVERT	7-101
CORR	7-103
CORR_*	7-104
CORR_S	7-106
CORR_K	7-106
COS	7-107
COSH	7-107
COSINE_DISTANCE	7-108
COUNT	7-109
COVAR_POP	7-111
COVAR_SAMP	7-113
CUBE_TABLE	7-114
CUME_DIST	7-116
CURRENT_DATE	7-117
CURRENT_TIMESTAMP	7-118
CV	7-119
DATAOBJ_TO_MAT_PARTITION	7-121
DATAOBJ_TO_PARTITION	7-121
DBTIMEZONE	7-122

DECODE	7-123
DECOMPOSE	7-124
DENSE_RANK	7-126
DEPTH	7-127
DEREF	7-128
DOMAIN_CHECK	7-129
DOMAIN_CHECK_TYPE	7-135
DOMAIN_DISPLAY	7-139
DOMAIN_NAME	7-141
DOMAIN_ORDER	7-143
DUMP	7-146
EMPTY_BLOB, EMPTY_CLOB	7-147
EVERY	7-148
EXISTSNODE	7-148
EXP	7-149
EXTRACT (datetime)	7-150
EXTRACT (XML)	7-153
EXTRACTVALUE	7-154
FEATURE_COMPARE	7-155
FEATURE_DETAILS	7-157
FEATURE_ID	7-160
FEATURE_SET	7-162
FEATURE_VALUE	7-165
FIRST	7-168
FIRST_VALUE	7-170
FLOOR (datetime)	7-172
FLOOR (interval)	7-173
FLOOR (number)	7-174
FROM_TZ	7-175
FROM_VECTOR	7-175
GREATEST	7-177
GROUP_ID	7-178
GROUPING	7-179
GROUPING_ID	7-180
HEXTORAW	7-181
INITCAP	7-182
INNER_PRODUCT	7-183
INSTR	7-183
ITERATION_NUMBER	7-185
JSON_ARRAY	7-187
JSON_ARRAYAGG	7-190

JSON_DATAGUIDE	7-192
JSON_MERGEPATCH	7-194
JSON_OBJECT	7-195
JSON_OBJECTAGG	7-201
JSON_QUERY	7-204
JSON_SCALAR	7-210
JSON_SERIALIZE	7-211
JSON_TABLE	7-213
JSON_TRANSFORM	7-225
JSON_VALUE	7-237
JSON Type Constructor	7-245
KURTOSIS_POP	7-245
KURTOSIS_SAMP	7-246
L1_DISTANCE	7-246
L2_DISTANCE	7-247
LAG	7-248
LAST	7-249
LAST_DAY	7-250
LAST_VALUE	7-251
LEAD	7-254
LEAST	7-255
LENGTH	7-256
LISTAGG	7-257
LN	7-261
LNNVL	7-262
LOCALTIMESTAMP	7-263
LOG	7-264
LOWER	7-264
LPAD	7-265
LTRIM	7-266
MAKE_REF	7-267
MAX	7-268
MEDIAN	7-269
MIN	7-272
MOD	7-273
MONTHS_BETWEEN	7-274
NANVL	7-275
NCHR	7-276
NEW_TIME	7-276
NEXT_DAY	7-277
NLS_CHARSET_DECL_LEN	7-278

NLS_CHARSET_ID	7-278
NLS_CHARSET_NAME	7-279
NLS_COLLATION_ID	7-280
NLS_COLLATION_NAME	7-280
NLS_INITCAP	7-282
NLS_LOWER	7-283
NLS_UPPER	7-283
NLSSORT	7-284
NTH_VALUE	7-287
NTILE	7-289
NULLIF	7-290
NUMTODSINTERVAL	7-291
NUMTOYMINTERVAL	7-292
NVL	7-293
NVL2	7-294
ORA_DM_PARTITION_NAME	7-295
ORA_DST_AFFECTED	7-297
ORA_DST_CONVERT	7-297
ORA_DST_ERROR	7-298
ORA_HASH	7-299
ORA_INVOKING_USER	7-300
ORA_INVOKING_USERID	7-300
PATH	7-301
PERCENT_RANK	7-302
PERCENTILE_CONT	7-304
PERCENTILE_DISC	7-306
POWER	7-308
POWERMULTISET	7-309
POWERMULTISET_BY_CARDINALITY	7-310
PREDICTION	7-311
PREDICTION_BOUNDS	7-316
PREDICTION_COST	7-317
PREDICTION_DETAILS	7-321
PREDICTION_PROBABILITY	7-326
PREDICTION_SET	7-330
PRESENTNNV	7-334
PRESENTV	7-335
PREVIOUS	7-336
RANK	7-337
RATIO_TO_REPORT	7-339
RAWTOHEX	7-340



RAWTONHEX	7-341
REF	7-341
REFTOHEX	7-342
REGEXP_COUNT	7-343
REGEXP_INSTR	7-348
REGEXP_REPLACE	7-351
REGEXP_SUBSTR	7-357
REGR_ (Linear Regression) Functions	7-360
REMAINDER	7-365
REPLACE	7-366
ROUND (datetime)	7-367
ROUND (interval)	7-368
ROUND (number)	7-369
ROUND_TIES_TO_EVEN (number)	7-370
ROW_NUMBER	7-371
ROWIDTOCHAR	7-373
ROWIDTONCHAR	7-373
RPAD	7-374
RTRIM	7-375
SCN_TO_TIMESTAMP	7-376
SESSIONTIMEZONE	7-377
SET	7-378
SIGN	7-379
SIN	7-379
SINH	7-380
SKEWNESS_POP	7-381
SKEWNESS_SAMP	7-381
SOUNDEX	7-382
SQRT	7-383
STANDARD_HASH	7-383
STATS_BINOMIAL_TEST	7-384
STATS_CROSSTAB	7-386
STATS_F_TEST	7-387
STATS_KS_TEST	7-388
STATS_MODE	7-389
STATS_MW_TEST	7-391
STATS_ONE_WAY_ANOVA	7-392
STATS_T_TEST_*	7-394
STATS_T_TEST_ONE	7-395
STATS_T_TEST_PAIRED	7-395
STATS_T_TEST_INDEP and STATS_T_TEST_INDEPU	7-396

STATS_WSR_TEST	7-397
STDDEV	7-398
STDDEV_POP	7-399
STDDEV_SAMP	7-401
SUBSTR	7-402
SUM	7-404
SYS_CONNECT_BY_PATH	7-405
SYS_CONTEXT	7-406
SYS_DBURIGEN	7-415
SYS_EXTRACT_UTC	7-416
SYS_GUID	7-417
SYS_OP_ZONE_ID	7-417
SYS_ROW_ETAG	7-419
SYS_TYPEID	7-420
SYS_XMLAGG	7-421
SYS_XMLGEN	7-422
SYSDATE	7-423
SYSTIMESTAMP	7-424
TAN	7-425
TANH	7-425
TIMESTAMP_TO_SCN	7-426
TO_APPROX_COUNT_DISTINCT	7-427
TO_APPROX_PERCENTILE	7-428
TO_BINARY_DOUBLE	7-429
TO_BINARY_FLOAT	7-431
TO_BLOB (bfile)	7-432
TO_BLOB (raw)	7-433
TO_BOOLEAN	7-434
TO_CHAR (bfile blob)	7-435
TO_CHAR (boolean)	7-435
TO_CHAR (character)	7-436
TO_CHAR (datetime)	7-438
TO_CHAR (number)	7-443
TO_CLOB (bfile blob)	7-446
TO_CLOB (character)	7-446
TO_DATE	7-447
TO_DSINTERVAL	7-449
TO_LOB	7-451
TO_MULTI_BYTE	7-453
TO_NCHAR (boolean)	7-453
TO_NCHAR (character)	7-454

TO_NCHAR (datetime)	7-455
TO_NCHAR (number)	7-456
TO_NCLOB	7-456
TO_NUMBER	7-457
TO_SINGLE_BYTE	7-458
TO_TIMESTAMP	7-459
TO_TIMESTAMP_TZ	7-460
TO_UTC_TIMESTAMP_TZ	7-462
TO_VECTOR	7-464
TO_YMINTERVAL	7-465
TRANSLATE	7-467
TRANSLATE ... USING	7-468
TREAT	7-470
TRIM	7-471
TRUNC (datetime)	7-472
TRUNC (interval)	7-474
TRUNC (number)	7-475
TZ_OFFSET	7-476
UID	7-477
UNISTR	7-477
UPPER	7-478
USER	7-479
USERENV	7-479
VALIDATE_CONVERSION	7-481
VALUE	7-484
VAR_POP	7-484
VAR_SAMP	7-486
VARIANCE	7-487
VECTOR	7-488
VECTOR_CHUNKS	7-489
VECTOR_DISTANCE	7-497
VECTOR_DIMS	7-499
VECTOR_DIMENSION_COUNT	7-500
VECTOR_DIMENSION_FORMAT	7-500
VECTOR_EMBEDDING	7-501
VECTOR_NORM	7-503
VECTOR_SERIALIZE	7-504
VSIZE	7-505
WIDTH_BUCKET	7-505
XMLAGG	7-507
XMLCAST	7-508

XMLCDATA	7-509
XMLCOLATTVAL	7-510
XMLCOMMENT	7-511
XMLCONCAT	7-511
XMLDIFF	7-512
XMLELEMENT	7-514
XMLEXISTS	7-517
XMLFOREST	7-517
XMLISVALID	7-518
XMLPARSE	7-519
XMLPATCH	7-520
XMLPI	7-521
XMLQUERY	7-522
XMLSEQUENCE	7-523
XMLSERIALIZE	7-525
XMLTABLE	7-526
XMLTRANSFORM	7-529
CEIL, FLOOR, ROUND, and TRUNC Date Functions	7-530
About User-Defined Functions	7-532
Prerequisites	7-533
Name Precedence	7-533
Naming Conventions	7-534

## 8 Common SQL DDL Clauses

---

allocate_extent_clause	8-1
constraint	8-3
deallocate_unused_clause	8-33
file_specification	8-34
logging_clause	8-44
parallel_clause	8-47
physical_attributes_clause	8-50
size_clause	8-53
storage_clause	8-53
annotations_clause	8-63

## 9 SQL Queries and Subqueries

---

About Queries and Subqueries	9-1
Creating Simple Queries	9-2
Hierarchical Queries	9-2

Hierarchical Query Examples	9-5
The Set Operators	9-8
Sorting Query Results	9-12
Joins	9-12
Join Conditions	9-13
Equijoins	9-13
Band Joins	9-13
Self Joins	9-14
Cartesian Products	9-14
Inner Joins	9-14
Outer Joins	9-14
Antijoins	9-16
Semijoins	9-16
Using Subqueries	9-17
Unnesting of Nested Subqueries	9-18
Selecting from the DUAL Table	9-19
Distributed Queries	9-20

## 10 SQL Statements: ADMINISTER KEY MANAGEMENT to ALTER JAVA

---

Types of SQL Statements	10-1
Data Definition Language (DDL) Statements	10-2
Data Manipulation Language (DML) Statements	10-3
Transaction Control Statements	10-3
Session Control Statements	10-4
System Control Statement	10-4
Embedded SQL Statements	10-4
How the SQL Statement Chapters are Organized	10-4
ADMINISTER KEY MANAGEMENT	10-5
ALTER ANALYTIC VIEW	10-35
ALTER ATTRIBUTE DIMENSION	10-37
ALTER AUDIT POLICY (Unified Auditing)	10-38
ALTER CLUSTER	10-43
ALTER DATABASE	10-48
ALTER DATABASE DICTIONARY	10-105
ALTER DATABASE LINK	10-107
ALTER DIMENSION	10-108
ALTER DISKGROUP	10-111
ALTER DOMAIN	10-146
ALTER FLASHBACK ARCHIVE	10-149
ALTER FUNCTION	10-152

ALTER HIERARCHY	10-153
ALTER INDEX	10-154
ALTER INDEXTYPE	10-179
ALTER INMEMORY JOIN GROUP	10-181
ALTER JAVA	10-183

## 11 SQL Statements: ALTER LIBRARY to ALTER SESSION

---

ALTER LIBRARY	11-1
ALTER LOCKDOWN PROFILE	11-3
ALTER MATERIALIZED VIEW	11-17
ALTER MATERIALIZED VIEW LOG	11-40
ALTER MATERIALIZED ZONEMAP	11-48
ALTER MLE ENV	11-52
ALTER MLE MODULE	11-54
ALTER OPERATOR	11-55
ALTER OUTLINE	11-58
ALTER PACKAGE	11-60
ALTER PLUGGABLE DATABASE	11-61
ALTER PMEM FILESTORE	11-90
ALTER PROCEDURE	11-92
ALTER PROFILE	11-93
ALTER PROPERTY GRAPH	11-96
ALTER RESOURCE COST	11-98
ALTER ROLE	11-100
ALTER ROLLBACK SEGMENT	11-102
ALTER SEQUENCE	11-105
ALTER SESSION	11-109
Initialization Parameters and ALTER SESSION	11-117
Session Parameters and ALTER SESSION	11-118

## 12 SQL Statements: ALTER SYNONYM to COMMENT

---

ALTER SYNONYM	12-1
ALTER SYSTEM	12-3
ALTER TABLE	12-30
ALTER TABLESPACE	12-188
ALTER TABLESPACE SET	12-206
ALTER TRIGGER	12-209
ALTER TYPE	12-211
ALTER USER	12-213

ALTER VIEW	12-227
ANALYZE	12-230
ASSOCIATE STATISTICS	12-239
AUDIT (Traditional Auditing)	12-243
AUDIT (Unified Auditing)	12-243
CALL	12-248
COMMENT	12-252

## 13 SQL Statements: COMMIT to CREATE JAVA

---

COMMIT	13-1
CREATE ANALYTIC VIEW	13-6
CREATE ATTRIBUTE DIMENSION	13-15
CREATE AUDIT POLICY (Unified Auditing)	13-26
CREATE CLUSTER	13-38
CREATE CONTEXT	13-49
CREATE CONTROLFILE	13-52
CREATE DATABASE	13-59
CREATE DATABASE LINK	13-77
CREATE DIMENSION	13-83
CREATE DIRECTORY	13-89
CREATE DISKGROUP	13-92
CREATE DOMAIN	13-102
CREATE EDITION	13-118
CREATE FLASHBACK ARCHIVE	13-122
CREATE FUNCTION	13-125
CREATE HIERARCHY	13-127
CREATE INDEX	13-131
CREATE INDEXTYPE	13-169
CREATE INMEMORY JOIN GROUP	13-174
CREATE JAVA	13-176

## 14 SQL Statements: CREATE JSON RELATIONAL DUALITY VIEW to CREATE SCHEMA

---

CREATE JSON RELATIONAL DUALITY VIEW	14-1
CREATE LIBRARY	14-12
CREATE LOCKDOWN PROFILE	14-14
CREATE LOGICAL PARTITION TRACKING	14-16
CREATE MATERIALIZED VIEW	14-16
CREATE MATERIALIZED VIEW LOG	14-52

CREATE MATERIALIZED ZONEMAP	14-65
CREATE MLE ENV	14-74
CREATE MLE MODULE	14-75
CREATE OPERATOR	14-77
CREATE OUTLINE	14-82
CREATE PACKAGE	14-85
CREATE PACKAGE BODY	14-87
CREATE PFILE	14-89
CREATE PLUGGABLE DATABASE	14-92
CREATE PMEM FILESTORE	14-117
CREATE PROCEDURE	14-118
CREATE PROFILE	14-121
CREATE PROPERTY GRAPH	14-132
CREATE RESTORE POINT	14-146
CREATE ROLE	14-150
CREATE ROLLBACK SEGMENT	14-155
CREATE SCHEMA	14-158

## 15 SQL Statements: CREATE SEQUENCE to DROP CLUSTER

---

CREATE SEQUENCE	15-1
CREATE SPFILE	15-9
CREATE SYNONYM	15-13
CREATE TABLE	15-18
CREATE TABLESPACE	15-165
CREATE TABLESPACE SET	15-187
CREATE TRIGGER	15-190
CREATE TRUE CACHE	15-192
CREATE TYPE	15-193
CREATE TYPE BODY	15-195
CREATE USER	15-197
CREATE VECTOR INDEX	15-210
CREATE VIEW	15-212
DELETE	15-230
DISASSOCIATE STATISTICS	15-241
DROP ANALYTIC VIEW	15-243
DROP ATTRIBUTE DIMENSION	15-244
DROP AUDIT POLICY (Unified Auditing)	15-245
DROP CLUSTER	15-246



## 16 SQL Statements: DROP CONTEXT to DROP JAVA

---

DROP CONTEXT	16-1
DROP DATABASE	16-2
DROP DATABASE LINK	16-3
DROP DIMENSION	16-4
DROP DIRECTORY	16-5
DROP DISKGROUP	16-7
DROP DOMAIN	16-8
DROP EDITION	16-10
DROP FLASHBACK ARCHIVE	16-12
DROP FUNCTION	16-12
DROP HIERARCHY	16-14
DROP INDEX	16-15
DROP INDEXTYPE	16-17
DROP INMEMORY JOIN GROUP	16-18
DROP JAVA	16-19

## 17 SQL Statements: DROP LIBRARY to DROP SYNONYM

---

DROP LIBRARY	17-1
DROP LOCKDOWN PROFILE	17-2
DROP MATERIALIZED VIEW	17-3
DROP MATERIALIZED VIEW LOG	17-5
DROP MATERIALIZED ZONEMAP	17-7
DROP MLE ENV	17-8
DROP MLE MODULE	17-9
DROP OPERATOR	17-9
DROP OUTLINE	17-11
DROP PACKAGE	17-12
DROP PLUGGABLE DATABASE	17-13
DROP PMEM FILESTORE	17-15
DROP PROCEDURE	17-16
DROP PROFILE	17-17
DROP PROPERTY GRAPH	17-18
DROP RESTORE POINT	17-19
DROP ROLE	17-20
DROP ROLLBACK SEGMENT	17-21
DROP SEQUENCE	17-22
DROP SYNONYM	17-23

## 18 SQL Statements: DROP TABLE to LOCK TABLE

---

DROP TABLE	18-1
DROP TABLESPACE	18-5
DROP TABLESPACE SET	18-9
DROP TRIGGER	18-10
DROP TYPE	18-11
DROP TYPE BODY	18-14
DROP USER	18-15
DROP VIEW	18-17
EXPLAIN PLAN	18-18
FLASHBACK DATABASE	18-22
FLASHBACK TABLE	18-25
GRANT	18-32
INSERT	18-72
LOCK TABLE	18-94

## 19 SQL Statements: MERGE to UPDATE

---

MERGE	19-1
NOAUDIT (Traditional Auditing)	19-11
NOAUDIT (Unified Auditing)	19-16
PURGE	19-21
RENAME	19-23
REVOKE	19-25
ROLLBACK	19-37
SAVEPOINT	19-39
SELECT	19-40
SET CONSTRAINT[S]	19-141
SET ROLE	19-143
SET TRANSACTION	19-145
TRUNCATE CLUSTER	19-148
TRUNCATE TABLE	19-150
UPDATE	19-154

## A How to Read Syntax Diagrams

---

Graphic Syntax Diagrams	A-1
Required Keywords and Parameters	A-2
Optional Keywords and Parameters	A-3
Syntax Loops	A-4
Multipart Diagrams	A-4

## B Automatic and Manual Locking Mechanisms During SQL Operations

---

List of Nonblocking DDLs	B-1
Automatic Locks in DML Operations	B-3
Automatic Locks in DDL Operations	B-6
Exclusive DDL Locks	B-6
Share DDL Locks	B-6
Breakable Parse Locks	B-7
Manual Data Locking	B-7

## C Oracle and Standard SQL

---

ANSI Standards	C-1
ISO Standards	C-2
Oracle Compliance to Core SQL	C-3
Oracle Support for Optional Features of SQL/Foundation	C-8
Oracle Compliance with SQL/CLI	C-26
Oracle Compliance with SQL/PSM	C-26
Oracle Compliance with SQL/MED	C-26
Oracle Compliance with SQL/OLB	C-26
Oracle Compliance with SQL/JRT	C-26
Oracle Compliance with SQL/XML	C-26
Oracle Compliance with FIPS 127-2	C-32
Oracle Extensions to Standard SQL	C-33
Oracle Compliance with Older Standards	C-33
Character Set Support	C-34

## D Oracle Regular Expression Support

---

Multilingual Regular Expression Syntax	D-1
Regular Expression Operator Multilingual Enhancements	D-2
Perl-influenced Extensions in Oracle Regular Expressions	D-3

## E Oracle SQL Reserved Words and Keywords

---

Oracle SQL Reserved Words	E-1
Oracle SQL Keywords	E-4

## F Extended Examples

---

Using Extensible Indexing	F-1
Using XML in SQL Statements	F-8

## Index

---

# Preface

This reference contains a complete description of the Structured Query Language (SQL) used to manage information in an Oracle Database. Oracle SQL is a superset of the American National Standards Institute (ANSI) and the International Organization for Standardization (ISO) SQL standard.

This Preface contains these topics:

- [Audience](#)
- [Documentation Accessibility](#)
- [Related Documents](#)
- [Conventions](#)

## Audience

The *Oracle Database SQL Language Reference* is intended for all users of Oracle SQL.

## Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

### Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

## Related Documents

For more information, see these Oracle resources:

- *Oracle Database PL/SQL Language Reference* for information on PL/SQL, the procedural language extension to Oracle SQL
- *Pro\*C/C++ Programmer's Guide* and *Pro\*COBOL Programmer's Guide* for detailed descriptions of Oracle embedded SQL

Many of the examples in this book use the sample schemas, which are installed by default when you select the Basic Installation option with an Oracle Database installation. Refer to *Oracle Database Sample Schemas* for information on how these schemas were created and how you can use them yourself.

## Conventions

The following text conventions are used in this document:

Convention	Meaning
<b>boldface</b>	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
<code>monospace</code>	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

# Changes in This Release for Oracle Database SQL Language Reference

This preface contains:

- [Changes in Oracle Database Release 23ai](#)

## Changes in Oracle Database Release 23ai

### New Features

The following features are new in Release 23ai:

#### **Vector Utility API**

The Vector Utility API provides a SQL function `VECTOR_CHUNKS` which processes text into pieces (chunks) in preparation for the generation of embeddings to be used with a vector index. The API is configurable in terms of size of chunks and rules for splitting chunks.

#### **Support for ONNX-Format Models as First-Class Database Objects**

The Open Neural Network Exchange (ONNX) is an open format to represent machine learning models. It facilitates the exchange of models between systems and is supported by an ONNX runtime environment that enables using models for scoring/inference.

You can import ONNX-format models to Oracle Database for the machine learning techniques classification, regression, clustering, and embeddings.

The models will be imported as first-class `MINING MODEL` objects in your schema. Inference can be done using the family of OML scoring operators, including `PREDICTION`, `CLUSTER`, and `VECTOR_EMBEDDING`.

#### **Vector Data Type**

This feature provides a built-in `VECTOR` data type that enables vector similarity searches within the database.

With a built-in `VECTOR` data type, you can run AI-powered vector similarity searches within the database instead of having to move business data to a separate vector database. Avoiding data movement reduces complexity, improves security, and enables searches on current data. You also can run far more powerful searches with Oracle AI Vector Search by combining sophisticated business data searches with AI vector similarity search using simple, intuitive SQL and the full power of the converged database - JSON, Graph, Text, Spatial, Relational and Vector - all within a single query.

## Support of Vector Data type in JSON Type

This functionality extends the standard JSON scalar types, to include the new Vector data type. It is fully supported by all Oracle JSON constructs, and a vector scalar JSON value is convertible to/from a JSON array of numbers.

Embedding vector values in JSON-type data is important for interoperability between SQL values and JSON values. For example, a table with a `VECTOR` column can be exposed in JSON data without a loss of data-type information allowing developers to create the next generation of AI applications.

## Vector Indexes

### SQL Support for Boolean Datatype

Oracle Database now supports the `BOOLEAN` data type in compliance with the ISO SQL standard.

With the `BOOLEAN` data type you can store `TRUE` and `FALSE` values inside tables use boolean expressions in SQL statements.

### Native Representation of Graphs in Oracle Database

Oracle Database now has native support for property graph data structures and graph queries.

Property graphs provide an intuitive way to find direct or indirect dependencies in data elements and extract insights from these relationships. The enterprise-grade manageability, security features, and performance features of Oracle Database are extended to property graphs. Developers can easily build graph applications using existing tools, languages, and development frameworks. They can use graphs in conjunction with transactional data, JSON, Spatial, and other data types.

### Support for the ISO/IEC SQL Property Graph Queries (SQL/PGQ) Standard

The ISO SQL standard has been extended to include comprehensive support for property graph queries and creating property graphs in SQL. Oracle is among the first commercial software products to support this standard.

Developers can easily build graph applications with SQL using existing SQL development tools and frameworks. Support of the ISO SQL standard allows for greater code portability and reduces the risk of application lock-in.

### Direct Joins for UPDATE and DELETE Statements

Join the target table in `UPDATE` and `DELETE` statements to other tables using the `FROM` clause. These other tables can limit the rows changed or be the source of new values. Direct joins make it easier to write SQL to change and delete data.

### Multilingual Engine Module Calls

Multilingual Engine (MLE) Module Calls allow you to invoke JavaScript functions stored in modules from SQL and PL/SQL. Call Specifications written in PL/SQL link JavaScript to PL/SQL code units.



### DEFAULT ON NULL for UPDATE Statements

You can define columns as `DEFAULT ON NULL` for update operations, which was previously only possible for insert operations. Columns specified as `DEFAULT ON NULL` are automatically updated to the specific default value when an update operation tries to update a value to `NULL`.

### GROUP BY Column Alias or Position

You can now use column alias or `SELECT` item position in `GROUP BY`, `GROUP BY CUBE`, `GROUP BY ROLLUP`, and `GROUP BY GROUPING SETS` clauses. Additionally, the `HAVING` clause supports column aliases. These enhancements make it easier to write `GROUP BY` and `HAVING` clauses. It can make SQL queries much more readable and maintainable while providing better SQL code portability.

### SELECT Without FROM Clause

You can now run `SELECT` expression-only queries without a `FROM` clause. This new feature improves SQL code portability and ease of use.

### SQL UPDATE RETURN Clause Enhancements

The `RETURNING INTO` clause for `INSERT`, `UPDATE`, and `DELETE` statements are enhanced to report old and new values affected by the respective statement. This allows developers to use the same logic for each of these DML types to obtain values before and after statement execution. Old and new values are valid only for `UPDATE` statements. `INSERT` statements do not report old values and `DELETE` statements do not report new values.

### Data Use Case Domains

A data use case domain is a dictionary object that belongs to a schema and encapsulates a set of optional properties and constraints for common values, such as credit card numbers or email addresses. After you define a data use case domain, you can define table columns to be associated with that domain, thereby explicitly applying the domain's optional properties and constraints to those columns.

With data use case domains, you can define how you intend to use data centrally. This makes it easier to ensure you handle values consistently across applications and improve data quality.

### DBMS Blockchain Versions

The blockchain table row version feature allows you to have multiple historical versions of a row that is maintained within a blockchain table corresponding to a set of user-defined columns. A view `bctable_last$` on top of the blockchain table allows you to see just the latest version of a row. This feature allows you to guarantee row versioning when using tamper-resistant blockchain tables in your application.

### CEIL FLOOR for DATE, TIMESTAMP, and INTERVAL Types

You can now pass `DATE`, `TIMESTAMP`, and `INTERVAL` values to the `CEIL` and `FLOOR` functions. These functions include an optional second argument to specify a rounding unit. You can also pass `INTERVAL` values to `ROUND` and `TRUNC` functions.

These functions make it easy to find the upper and lower bounds for date and time values for a specified unit.

### **IF [NOT] EXISTS Syntax Support**

DDL object creation, modification, and deletion now support the `IF EXISTS` and `IF NOT EXISTS` syntax modifiers. This enables you to control whether an error should be raised if a given object exists or does not exist.

### **Schema Annotations**

Annotations help you use database objects in the same way across all applications. This simplifies development and improves data quality. Annotations enable you to store and retrieve metadata about database objects. These are name-value pairs or simply a name. These are freeform text fields applications can use to customize business logic or user interfaces.

### **JSON-Relational Duality View**

JSON Relational Duality Views are fully updatable JSON views over relational data. Data is still stored in relational tables in a highly efficient normalized format but can be accessed by applications in the form of JSON documents.

## Deprecated Features

The following features are deprecated since Release 23, and may be desupported in a future release:

Starting from Oracle Database Release 23, the `GOST256` and `SEED128` encryption algorithms are deprecated and no longer available for new encryption keys. Oracle recommends that you use the stronger `AES256` or `ARIA256` encryption algorithms.

## Desupported Features

The following features are desupported in Oracle Database Release 23:

- 

For a full list of desupported features for Release 23, please see the *Oracle Database Upgrade Guide*.

# 1

## Introduction to Oracle SQL

Structured Query Language (SQL) is the set of statements with which all programs and users access data in an Oracle Database. Application programs and Oracle tools often allow users access to the database without using SQL directly, but these applications in turn must use SQL when executing the user's request. This chapter provides background information on SQL as used by most database systems.

This chapter contains these topics:

- [History of SQL](#)
- [SQL Standards](#)
- [Lexical Conventions](#)
- [Tools Support](#)

### History of SQL

Dr. E. F. Codd published the paper, "A Relational Model of Data for Large Shared Data Banks", in June 1970 in the Association of Computer Machinery (ACM) journal, *Communications of the ACM*. Codd's model is now accepted as the definitive model for relational database management systems (RDBMS). The language, Structured English Query Language (SEQUEL) was developed by IBM Corporation, Inc., to use Codd's model. SEQUEL later became SQL (still pronounced "sequel"). In 1979, Relational Software, Inc. (now Oracle) introduced the first commercially available implementation of SQL. Today, SQL is accepted as the standard RDBMS language.

### SQL Standards

Oracle strives to comply with industry-accepted standards and participates actively in SQL standards committees. Industry-accepted committees are the American National Standards Institute (ANSI) and the International Organization for Standardization (ISO), which is affiliated with the International Electrotechnical Commission (IEC). Both ANSI and the ISO/IEC have accepted SQL as the standard language for relational databases. When a new SQL standard is simultaneously published by these organizations, the names of the standards conform to conventions used by the organization, but the standards are technically identical.



#### See Also:

[Oracle and Standard SQL](#) for a detailed description of Oracle Database conformance to the SQL standard

## How SQL Works

The strengths of SQL provide benefits for all types of users, including application programmers, database administrators, managers, and end users. Technically speaking, SQL is a data sublanguage. The purpose of SQL is to provide an interface to a relational database such as Oracle Database, and all SQL statements are instructions to the database. In this SQL differs from general-purpose programming languages like C and BASIC. Among the features of SQL are the following:

- It processes sets of data as groups rather than as individual units.
- It provides automatic navigation to the data.
- It uses statements that are complex and powerful individually, and that therefore stand alone. Flow-control statements, such as begin-end, if-then-else, loops, and exception condition handling, were initially not part of SQL and the SQL standard, but they can now be found in ISO/IEC 9075-4 - Persistent Stored Modules (SQL/PSM). The PL/SQL extension to Oracle SQL is similar to PSM.

SQL lets you work with data at the logical level. You need to be concerned with the implementation details only when you want to manipulate the data. For example, to retrieve a set of rows from a table, you define a condition used to filter the rows. All rows satisfying the condition are retrieved in a single step and can be passed as a unit to the user, to another SQL statement, or to an application. You need not deal with the rows one by one, nor do you have to worry about how they are physically stored or retrieved. All SQL statements use the **optimizer**, a part of Oracle Database that determines the most efficient means of accessing the specified data. Oracle also provides techniques that you can use to make the optimizer perform its job better.

SQL provides statements for a variety of tasks, including:

- Querying data
- Inserting, updating, and deleting rows in a table
- Creating, replacing, altering, and dropping objects
- Controlling access to the database and its objects
- Guaranteeing database consistency and integrity

SQL unifies all of the preceding tasks in one consistent language.

## Common Language for All Relational Databases

All major relational database management systems support SQL, so you can transfer all skills you have gained with SQL from one database to another. In addition, all programs written in SQL are portable. They can often be moved from one database to another with very little modification.

## Using Enterprise Manager

Many of the operations you can accomplish using SQL syntax can be done much more easily using Enterprise Manager. For more information, see the Oracle Enterprise Manager documentation set, *Oracle Database 2 Day DBA*, or any of the *Oracle Database 2 Day* + books.

## Lexical Conventions

The following lexical conventions for issuing SQL statements apply specifically to the Oracle Database implementation of SQL, but are generally acceptable in other SQL implementations.

When you issue a SQL statement, you can include one or more tabs, carriage returns, spaces, or comments anywhere a space occurs within the definition of the statement. Thus, Oracle Database evaluates the following two statements in the same manner:

```
SELECT last_name,salary*12,MONTHS_BETWEEN(SYSDATE,hire_date)
FROM employees
WHERE department_id = 30
ORDER BY last_name;
```

```
SELECT last_name,
       salary * 12,
       MONTHS_BETWEEN( SYSDATE, hire_date )
FROM employees
WHERE department_id=30
ORDER BY last_name;
```

Case is insignificant in reserved words, keywords, identifiers, and parameters. However, case is significant in text literals and quoted names. Refer to [Text Literals](#) for a syntax description of text literals.



### Note:

SQL statements are terminated differently in different programming environments. This documentation set uses the default SQL\*Plus character, the semicolon (;).

## Tools Support

Oracle provides a number of utilities to facilitate your SQL development process:

- Oracle SQL Developer is a graphical tool that lets you browse, create, edit, and delete (drop) database objects, edit and debug PL/SQL code, run SQL statements and scripts, manipulate and export data, and create and view reports.

Using SQL Developer, you can connect to any target Oracle Database schema using standard Oracle Database authentication. DBAs can also use SQL Developer to administer and monitor their database, with interfaces for Data Pump, RMAN, and Auditing also included.

Once connected, you can perform operations on objects in the database. You can also connect to schemas for selected databases, such as MySQL, Microsoft SQL Server, and Amazon Redshift, view metadata and data in these databases, and migrate these databases to Oracle Database.

- Oracle SQL Developer Command Line (SQLcl) is a free command line interface for Oracle Database. It allows you to interactively or batch execute SQL and PL/SQL.

SQLcl offers integrated Oracle Cloud (OCI) support, client side scripting with JavaScript, custom commands, and updated SQL\*Plus commands (INFO vs DESC). Additionally,

SQLcl provides native vi or Emacs editing, statement completion, and persistent command recall for a feature-rich experience, all while supporting your previously written SQL\*Plus scripts.

- Database Actions delivers your favorite Oracle Database desktop tool's features and experience to your web browser. Delivered as a single-page web application, Database Actions is powered by Oracle REST Data Services (ORDS).

Database Actions offers a worksheet for running queries and scripts, the ability to manage and browse your data dictionary, a REST development environment for your REST APIs and AUTOREST enabled objects, an interface for Oracle's JSON Document Store (SODA), a DBA console for managing the database, a data model reporting solution, and access to PerfHub. Database Actions is also available automatically for any Oracle Autonomous Database OCI Service.

- SQL\*Plus is an interactive and batch query tool that is installed with every Oracle Database server or client installation. It has a command-line user interface.

 **See Also:**

*SQL\*Plus User's Guide and Reference* and *Oracle APEX App Builder User's Guide* for more information on these products

The Oracle Call Interface and Oracle precompilers let you embed standard SQL statements within a procedure programming language.

- The Oracle Call Interface (OCI) lets you embed SQL statements in C programs.
- The Oracle precompilers, Pro\*C/C++ and Pro\*COBOL, interpret embedded SQL statements and translate them into statements that can be understood by C/C++ and COBOL compilers, respectively.

 **See Also:**

*Oracle C++ Call Interface Developer's Guide*, *Pro\*COBOL Developer's Guide*, and *Oracle Call Interface Developer's Guide* for additional information on the embedded SQL statements allowed in each product

Most (but not all) Oracle tools also support all features of Oracle SQL. This reference describes the complete functionality of SQL. If the Oracle tool that you are using does not support this complete functionality, then you can find a discussion of the restrictions in the manual describing the tool, such as *SQL\*Plus User's Guide and Reference*.

# 2

## Basic Elements of Oracle SQL

This chapter contains reference information on the basic elements of Oracle SQL. These elements are the simplest building blocks of SQL statements. Therefore, before using the SQL statements described in this book, you should familiarize yourself with the concepts covered in this chapter.

This chapter contains these sections:

- [Data Types](#)
- [Data Type Comparison Rules](#)
- [Literals](#)
- [Format Models](#)
- [Nulls](#)
- [Comments](#)
- [Database Objects](#)
- [Database Object Names and Qualifiers](#)
- [Syntax for Schema Objects and Parts in SQL Statements](#)

### Data Types

Each value manipulated by Oracle Database has a **data type**. The data type of a value associates a fixed set of properties with the value. These properties cause Oracle to treat values of one data type differently from values of another. For example, you can add values of `NUMBER` data type, but not values of `RAW` data type.

When you create a table or cluster, you must specify a data type for each of its columns. When you create a procedure or stored function, you must specify a data type for each of its arguments. These data types define the domain of values that each column can contain or each argument can have. For example, `DATE` columns cannot accept the value February 29 (except for a leap year) or the values 2 or 'SHOE'. Each value subsequently placed in a column assumes the data type of the column. For example, if you insert '01-JAN-98' into a `DATE` column, then Oracle treats the '01-JAN-98' character string as a `DATE` value after verifying that it translates to a valid date.

Oracle Database provides a number of built-in data types as well as several categories for user-defined types that can be used as data types. The syntax of Oracle data types appears in the diagrams that follow. The text of this section is divided into the following sections:

- [Oracle Built-in Data Types](#)
- [ANSI, DB2, and SQL/DS Data Types](#)
- [User-Defined Types](#)
- [Oracle-Supplied Types](#)
- [Data Type Comparison Rules](#)

- [Data Conversion](#)

A data type is either scalar or nonscalar. A scalar type contains an atomic value, whereas a nonscalar (sometimes called a "collection") contains a set of values. A large object (LOB) is a special form of scalar data type representing a large scalar value of binary or character data. LOBs are subject to some restrictions that do not affect other scalar types because of their size. Those restrictions are documented in the context of the relevant SQL syntax.




### See Also:

[Restrictions on LOB Columns](#)


The Oracle precompilers recognize other data types in embedded SQL programs. These data types are called **external data types** and are associated with host variables. Do not confuse built-in data types and user-defined types with external data types. For information on external data types, including how Oracle converts between them and built-in data types or user-defined types, see *Pro\*COBOL Developer's Guide*, and *Pro\*C/C++ Developer's Guide*.

***datatypes::=***




The Oracle built-in data types appear in the figures that follows. For descriptions, refer to [Oracle Built-in Data Types](#).

***Oracle\_built\_in\_datatypes::=***







***character\_datatypes::=***




***number\_datatypes::=***




***long\_and\_raw\_datatypes::=***




***datetime\_datatypes::=***



**large\_object\_datatypes::=**




**rowid\_datatypes::=**



The ANSI-supported data types appear in the figure that follows. [ANSI, DB2, and SQL/DS Data Types](#) discusses the mapping of ANSI-supported data types to Oracle built-in data types.


**ANSI\_supported\_datatypes::=**




For descriptions of user-defined types, refer to [User-Defined Types](#) .

The Oracle-supplied data types appear in the figures that follows. For descriptions, refer to [Oracle-Supplied Types](#) .

***Oracle\_supplied\_types::=***




***any\_types::=***




For descriptions of the `Any` types, refer to [Any Types](#) .

***XML\_types::=***



For descriptions of the XML types, refer to [XML Types](#) .

***spatial\_types::=***



For descriptions of the spatial types, refer to [Spatial Types](#) .

## Oracle Built-in Data Types

The **Built-In Data Type Summary** table lists the built-in data types available. Oracle Database uses a code to identify the data type internally. This is the number in the **Code** column of the **Built-In Data Type Summary** table. You can verify the codes in the table using the `DUMP` function.

In addition to the built-in data types listed in the **Built-In Data Type Summary** table, Oracle Database uses many data types internally that are visible via the `DUMP` function.

**Table 2-1 Built-In Data Type Summary**

Code	Data Type	Description
1	<code>VARCHAR2(size [BYTE   CHAR])</code>	<p>Variable-length character string having maximum length <i>size</i> bytes or characters. You must specify <i>size</i> for <code>VARCHAR2</code>. Minimum <i>size</i> is 1 byte or 1 character. Maximum size is:</p> <ul style="list-style-type: none"> <li>32767 bytes or characters if <code>MAX_STRING_SIZE = EXTENDED</code></li> <li>4000 bytes or characters if <code>MAX_STRING_SIZE = STANDARD</code></li> </ul> <p>Refer to <a href="#">Extended Data Types</a> for more information on the <code>MAX_STRING_SIZE</code> initialization parameter.</p> <p><code>BYTE</code> indicates that the column will have byte length semantics. <code>CHAR</code> indicates that the column will have character semantics.</p>
1	<code>NVARCHAR2(size)</code>	<p>Variable-length Unicode character string having maximum length <i>size</i> characters. You must specify <i>size</i> for <code>NVARCHAR2</code>. The number of bytes can be up to two times <i>size</i> for <code>AL16UTF16</code> encoding and three times <i>size</i> for <code>UTF8</code> encoding. Maximum <i>size</i> is determined by the national character set definition, with an upper limit of:</p> <ul style="list-style-type: none"> <li>32767 bytes if <code>MAX_STRING_SIZE = EXTENDED</code></li> <li>4000 bytes if <code>MAX_STRING_SIZE = STANDARD</code></li> </ul> <p>Refer to <a href="#">Extended Data Types</a> for more information on the <code>MAX_STRING_SIZE</code> initialization parameter.</p>
2	<code>NUMBER [(p [, s])]</code>	<p>Number having precision <i>p</i> and scale <i>s</i>. The precision <i>p</i> can range from 1 to 38. The scale <i>s</i> can range from -84 to 127. Both precision and scale are in decimal digits. A <code>NUMBER</code> value requires from 1 to 22 bytes.</p>
2	<code>FLOAT [(p)]</code>	<p>A subtype of the <code>NUMBER</code> data type having precision <i>p</i>. A <code>FLOAT</code> value is represented internally as <code>NUMBER</code>. The precision <i>p</i> can range from 1 to 126 binary digits. A <code>FLOAT</code> value requires from 1 to 22 bytes.</p>
8	<code>LONG</code>	<p>Character data of variable length up to 2 gigabytes, or <math>2^{31} - 1</math> bytes. Provided for backward compatibility.</p>
12	<code>DATE</code>	<p>Valid date range from January 1, 4712 BC, to December 31, 9999 AD. The default format is determined explicitly by the <code>NLS_DATE_FORMAT</code> parameter or implicitly by the <code>NLS_TERRITORY</code> parameter. The size is fixed at 7 bytes. This data type contains the datetime fields <code>YEAR</code>, <code>MONTH</code>, <code>DAY</code>, <code>HOURL</code>, <code>MINUTE</code>, and <code>SECOND</code>. It does not have fractional seconds or a time zone.</p>
100	<code>BINARY_FLOAT</code>	<p>32-bit floating point number. This data type requires 4 bytes.</p>
101	<code>BINARY_DOUBLE</code>	<p>64-bit floating point number. This data type requires 8 bytes.</p>

Table 2-1 (Cont.) Built-In Data Type Summary

Code	Data Type	Description
180	TIMESTAMP [[ <i>fractional_seconds_precision</i> ]]	Year, month, and day values of date, as well as hour, minute, and second values of time, where <i>fractional_seconds_precision</i> is the number of digits in the fractional part of the SECOND datetime field. Accepted values of <i>fractional_seconds_precision</i> are 0 to 9. The default is 6. The default format is determined explicitly by the NLS_TIMESTAMP_FORMAT parameter or implicitly by the NLS_TERRITORY parameter. The size is 7 or 11 bytes, depending on the precision. This data type contains the datetime fields YEAR, MONTH, DAY, HOUR, MINUTE, and SECOND. It contains fractional seconds but does not have a time zone.
181	TIMESTAMP [[ <i>fractional_seconds_precision</i> ]] WITH TIME ZONE	All values of TIMESTAMP as well as time zone displacement value, where <i>fractional_seconds_precision</i> is the number of digits in the fractional part of the SECOND datetime field. Accepted values are 0 to 9. The default is 6. The default date format for the TIMESTAMP WITH TIME ZONE data type is determined by the NLS_TIMESTAMP_TZ_FORMAT initialization parameter. The size is fixed at 13 bytes. This data type contains the datetime fields YEAR, MONTH, DAY, HOUR, MINUTE, SECOND, TIMEZONE_HOUR, and TIMEZONE_MINUTE. It has fractional seconds and an explicit time zone.
231	TIMESTAMP [[ <i>fractional_seconds_precision</i> ]] WITH LOCAL TIME ZONE	All values of TIMESTAMP WITH TIME ZONE, with the following exceptions: <ul style="list-style-type: none"> <li>Data is normalized to the database time zone when it is stored in the database.</li> <li>When the data is retrieved, users see the data in the session time zone.</li> </ul> The default format is determined explicitly by the NLS_TIMESTAMP_FORMAT parameter or implicitly by the NLS_TERRITORY parameter. The size is 7 or 11 bytes, depending on the precision.
182	INTERVAL YEAR [( <i>year_precision</i> )] TO MONTH	Stores a period of time in years and months, where <i>year_precision</i> is the number of digits in the YEAR datetime field. Accepted values are 0 to 9. The default is 2. The size is fixed at 5 bytes.
183	INTERVAL DAY [( <i>day_precision</i> )] TO SECOND [[ <i>fractional_seconds_precision</i> ]]	Stores a period of time in days, hours, minutes, and seconds, where <ul style="list-style-type: none"> <li><i>day_precision</i> is the maximum number of digits in the DAY datetime field. Accepted values are 0 to 9. The default is 2.</li> <li><i>fractional_seconds_precision</i> is the number of digits in the fractional part of the SECOND field. Accepted values are 0 to 9. The default is 6.</li> </ul> The size is fixed at 11 bytes.
23	RAW( <i>size</i> )	Raw binary data of length <i>size</i> bytes. You must specify <i>size</i> for a RAW value. Maximum <i>size</i> is: <ul style="list-style-type: none"> <li>32767 bytes if MAX_STRING_SIZE = EXTENDED</li> <li>2000 bytes if MAX_STRING_SIZE = STANDARD</li> </ul> Refer to <a href="#">Extended Data Types</a> for more information on the MAX_STRING_SIZE initialization parameter.

Table 2-1 (Cont.) Built-In Data Type Summary

Code	Data Type	Description
24	LONG RAW	Raw binary data of variable length up to 2 gigabytes.
69	ROWID	Base 64 string representing the unique address of a row in its table. This data type is primarily for values returned by the ROWID pseudocolumn.
208	UROWID [(size)]	Base 64 string representing the logical address of a row of an index-organized table. The optional <i>size</i> is the size of a column of type UROWID. The maximum size and default is 4000 bytes.
96	CHAR [(size [BYTE   CHAR])]	Fixed-length character data of length <i>size</i> bytes or characters. Maximum <i>size</i> is 2000 bytes or characters. Default and minimum <i>size</i> is 1 byte.  BYTE and CHAR have the same semantics as for VARCHAR2.
96	NCHAR[(size)]	Fixed-length character data of length <i>size</i> characters. The number of bytes can be up to two times <i>size</i> for AL16UTF16 encoding and three times <i>size</i> for UTF8 encoding. Maximum <i>size</i> is determined by the national character set definition, with an upper limit of 2000 bytes. Default and minimum <i>size</i> is 1 character.
112	CLOB	A character large object containing single-byte or multibyte characters. Both fixed-width and variable-width character sets are supported, both using the database character set. Maximum size is (4 gigabytes - 1) * (database block size).
112	NCLOB	A character large object containing Unicode characters. Both fixed-width and variable-width character sets are supported, both using the database national character set. Maximum size is (4 gigabytes - 1) * (database block size). Stores national character set data.
113	BLOB	A binary large object. Maximum size is (4 gigabytes - 1) * (database block size).
114	BFILE	Contains a locator to a large binary file stored outside the database. Enables byte stream I/O access to external LOBs residing on the database server. Maximum size is 4 gigabytes.
119	JSON	Maximum size is 32 megabytes.
252	BOOLEAN	The BOOLEAN data type comprises the distinct truth values <i>True</i> and <i>False</i> . Unless prohibited by a NOT NULL constraint, the boolean data type also supports the truth value <i>UNKOWN</i> as the null value.

The sections that follow describe the Oracle data types as they are stored in Oracle Database. For information on specifying these data types as literals, refer to [Literals](#).

## Character Data Types

Character data types store character (alphanumeric) data, which are words and free-form text, in the database character set or national character set. They are less restrictive than other data types and consequently have fewer properties. For example, character columns can store all alphanumeric values, but NUMBER columns can store only numeric values.

Character data is stored in strings with byte values corresponding to one of the character sets, such as 7-bit ASCII or EBCDIC, specified when the database was created. Oracle Database supports both single-byte and multibyte character sets.

These data types are used for character data:

- [CHAR Data Type](#)
- [NCHAR Data Type](#)
- [VARCHAR2 Data Type](#)
- [NVARCHAR2 Data Type](#)

For information on specifying character data types as literals, refer to [Text Literals](#) .

## CHAR Data Type

The `CHAR` data type specifies a fixed-length character string in the database character set. You specify the database character set when you create your database.

When you create a table with a `CHAR` column, you specify the column length as *size* optionally followed by a length qualifier. The qualifier `BYTE` denotes byte length semantics while the qualifier `CHAR` denotes character length semantics. In the byte length semantics, *size* is the number of bytes to store in the column. In the character length semantics, *size* is the number of code points in the database character set to store in the column. A code point may have from 1 to 4 bytes depending on the database character set and the particular character encoded by the code point. Oracle recommends that you specify one of the length qualifiers to explicitly document the desired length semantics of the column. If you do not specify a qualifier, the value of the `NLS_LENGTH_SEMANTICS` parameter of the session creating the column defines the length semantics, unless the table belongs to the schema `SYS`, in which case the default semantics is `BYTE`.

Oracle ensures that all values stored in a `CHAR` column have the length specified by *size* in the selected length semantics. If you insert a value that is shorter than the column length, then Oracle blank-pads the value to column length. If you try to insert a value that is too long for the column, then Oracle returns an error. Note that if the column length is expressed in characters (code points), blank-padding does not guarantee that all column values have the same byte length.

You can omit *size* from the column definition. The default value is 1.

The maximum value of *size* is 2000, which means 2000 bytes or characters (code points), depending on the selected length semantics. However, independently, the absolute maximum length of any character value that can be stored into a `CHAR` column is 2000 bytes. For example, even if you define the column length to be 2000 characters, Oracle returns an error if you try to insert a 2000-character value in which one or more code points are wider than 1 byte. The value of *size* in characters is a length constraint, not guaranteed capacity. If you want a `CHAR` column to be always able to store *size* characters in any database character set, use a value of *size* that is less than or equal to 500.

To ensure proper data conversion between databases and clients with different character sets, you must ensure that `CHAR` data consists of well-formed strings.

 **See Also:**

*Oracle Database Globalization Support Guide* for more information on character set support and [Data Type Comparison Rules](#) for information on comparison semantics

## NCHAR Data Type

The `NCHAR` data type specifies a fixed-length character string in the national character set. You specify the national character set as either `AL16UTF16` or `UTF8` when you create your database. `AL16UTF16` and `UTF8` are two encoding forms of the Unicode character set (UTF-16 and CESU-8, correspondingly) and hence `NCHAR` is a Unicode-only data type.

When you create a table with an `NCHAR` column, you specify the column length as *size* characters, or more precisely, code points in the national character set. One code point has always 2 bytes in `AL16UTF16` and from 1 to 3 bytes in `UTF8`, depending on the particular character encoded by the code point.

Oracle ensures that all values stored in an `NCHAR` column have the length of *size* characters. If you insert a value that is shorter than the column length, then Oracle blank-pads the value to the column length. If you try to insert a value that is too long for the column, then Oracle returns an error. Note that if the national character set is `UTF8`, blank-padding does not guarantee that all column values have the same byte length.

You can omit *size* from the column definition. The default value is 1.

The maximum value of *size* is 1000 characters when the national character set is `AL16UTF16`, and 2000 characters when the national character set is `UTF8`. However, independently, the absolute maximum length of any character value that can be stored into an `NCHAR` column is 2000 bytes. For example, even if you define the column length to be 1000 characters, Oracle returns an error if you try to insert a 1000-character value but the national character set is `UTF8` and all code points are 3 bytes wide. The value of *size* is a length constraint, not guaranteed capacity. If you want an `NCHAR` column to be always able to store *size* characters in both national character sets, use a value of *size* that is less than or equal to 666.

To ensure proper data conversion between databases and clients with different character sets, you must ensure that `NCHAR` data consists of well-formed strings.

If you assign a `CHAR` value to an `NCHAR` column, the value is implicitly converted from the database character set to the national character set. If you assign an `NCHAR` value to a `CHAR` column, the value is implicitly converted from the national character set to the database character set. If some of the characters from the `NCHAR` value cannot be represented in the database character set, then if the value of the session parameter `NLS_NCHAR_CONV_EXCP` is `TRUE`, then Oracle reports an error. If the value of the parameter is `FALSE`, non-representable characters are replaced with the default replacement character of the database character set, which is usually the question mark '?' or the inverted question mark '¿'.



 **See Also:**

*Oracle Database Globalization Support Guide* for information on Unicode data type support

## VARCHAR2 Data Type

The `VARCHAR2` data type specifies a variable-length character string in the database character set. You specify the database character set when you create your database.

When you create a table with a `VARCHAR2` column, you must specify the column length as *size* optionally followed by a length qualifier. The qualifier `BYTE` denotes byte length semantics while the qualifier `CHAR` denotes character length semantics. In the byte length semantics, *size* is the maximum number of bytes that can be stored in the column. In the character length semantics, *size* is the maximum number of code points in the database character set that can be stored in the column. A code point may have from 1 to 4 bytes depending on the database character set and the particular character encoded by the code point. Oracle recommends that you specify one of the length qualifiers to explicitly document the desired length semantics of the column. If you do not specify a qualifier, the value of the `NLS_LENGTH_SEMANTICS` parameter of the session creating the column defines the length semantics, unless the table belongs to the schema `SYS`, in which case the default semantics is `BYTE`.

Oracle stores a character value in a `VARCHAR2` column exactly as you specify it, without any blank-padding, provided the value does not exceed the length of the column. If you try to insert a value that exceeds the specified length, then Oracle returns an error.

The minimum value of *size* is 1. The maximum value is:

- 32767 bytes if `MAX_STRING_SIZE = EXTENDED`
- 4000 bytes if `MAX_STRING_SIZE = STANDARD`

Refer to [Extended Data Types](#) for more information on the `MAX_STRING_SIZE` initialization parameter and the internal storage mechanisms for extended data types.

While *size* may be expressed in bytes or characters (code points) the independent absolute maximum length of any character value that can be stored into a `VARCHAR2` column is 32767 or 4000 bytes, depending on `MAX_STRING_SIZE`. For example, even if you define the column length to be 32767 characters, Oracle returns an error if you try to insert a 32767-character value in which one or more code points are wider than 1 byte. The value of *size* in characters is a length constraint, not guaranteed capacity. If you want a `VARCHAR2` column to be always able to store *size* characters in any database character set, use a value of *size* that is less than or equal to 8191, if `MAX_STRING_SIZE = EXTENDED`, or 1000, if `MAX_STRING_SIZE = STANDARD`.

Oracle compares `VARCHAR2` values using non-padded comparison semantics.

To ensure proper data conversion between databases with different character sets, you must ensure that `VARCHAR2` data consists of well-formed strings. See *Oracle Database Globalization Support Guide* for more information on character set support.

**See Also:**

[Data Type Comparison Rules](#) for information on comparison semantics

## VARCHAR Data Type

Do not use the `VARCHAR` data type. Use the `VARCHAR2` data type instead. Although the `VARCHAR` data type is currently synonymous with `VARCHAR2`, the `VARCHAR` data type is scheduled to be redefined as a separate data type used for variable-length character strings compared with different comparison semantics.

## NVARCHAR2 Data Type

The `NVARCHAR2` data type specifies a variable-length character string in the national character set. You specify the national character set as either `AL16UTF16` or `UTF8` when you create your database. `AL16UTF16` and `UTF8` are two encoding forms of the Unicode character set (UTF-16 and CESU-8, correspondingly) and hence `NVARCHAR2` is a Unicode-only data type.

When you create a table with an `NVARCHAR2` column, you must specify the column length as *size* characters, or more precisely, code points in the national character set. One code point has always 2 bytes in `AL16UTF16` and from 1 to 3 bytes in `UTF8`, depending on the particular character encoded by the code point.

Oracle stores a character value in an `NVARCHAR2` column exactly as you specify it, without any blank-padding, provided the value does not exceed the length of the column. If you try to insert a value that exceeds the specified length, then Oracle returns an error.

The minimum value of *size* is 1. The maximum value is:

- 16383 if `MAX_STRING_SIZE = EXTENDED` and the national character set is `AL16UTF16`
- 32767 if `MAX_STRING_SIZE = EXTENDED` and the national character set is `UTF8`
- 2000 if `MAX_STRING_SIZE = STANDARD` and the national character set is `AL16UTF16`
- 4000 if `MAX_STRING_SIZE = STANDARD` and the national character set is `UTF8`

Refer to [Extended Data Types](#) for more information on the `MAX_STRING_SIZE` initialization parameter and the internal storage mechanisms for extended data types.

Independently of the maximum column length in characters, the absolute maximum length of any value that can be stored into an `NVARCHAR2` column is 32767 or 4000 bytes, depending on `MAX_STRING_SIZE`. For example, even if you define the column length to be 16383 characters, Oracle returns an error if you try to insert a 16383-character value but the national character set is `UTF8` and all code points are 3 bytes wide. The value of *size* is a length constraint, not guaranteed capacity. If you want an `NVARCHAR2` column to be always able to store *size* characters in both national character sets, use a value of *size* that is less than or equal to 10922, if `MAX_STRING_SIZE = EXTENDED`, or 1333, if `MAX_STRING_SIZE = STANDARD`.

Oracle compares `NVARCHAR2` values using non-padded comparison semantics.

To ensure proper data conversion between databases and clients with different character sets, you must ensure that `NVARCHAR2` data consists of well-formed strings.

If you assign a `VARCHAR2` value to an `NVARCHAR2` column, the value is implicitly converted from the database character set to the national character set. If you assign an `NVARCHAR2` value to a `VARCHAR2` column, the value is implicitly converted from the national character set to the database character set. If some of the characters from the `NVARCHAR2` value cannot be represented in the database character set, then if the value of the session parameter `NLS_NCHAR_CONV_EXCP` is `TRUE`, then Oracle reports an error. If the value of the parameter is `FALSE`, non-representable characters are replaced with the default replacement character of the database character set, which is usually the question mark '?' or the inverted question mark '¿'.



#### See Also:

*Oracle Database Globalization Support Guide* for information on Unicode data type support.

## Numeric Data Types

The Oracle Database numeric data types store positive and negative fixed and floating-point numbers, zero, infinity, and values that are the undefined result of an operation—"not a number" or `NAN`. For information on specifying numeric data types as literals, refer to [Numeric Literals](#).

### NUMBER Data Type

The `NUMBER` data type stores zero as well as positive and negative fixed numbers with absolute values from  $1.0 \times 10^{-130}$  to but not including  $1.0 \times 10^{126}$ . If you specify an arithmetic expression whose value has an absolute value greater than or equal to  $1.0 \times 10^{126}$ , then Oracle returns an error. Each `NUMBER` value requires from 1 to 22 bytes.

Specify a fixed-point number using the following form:

```
NUMBER (p, s)
```

where:

- *p* is the **precision**, or the maximum number of significant decimal digits, where the most significant digit is the left-most nonzero digit, and the least significant digit is the right-most known digit. Oracle guarantees the portability of numbers with precision of up to 20 base-100 digits, which is equivalent to 39 or 40 decimal digits depending on the position of the decimal point.
- *s* is the **scale**, or the number of digits from the decimal point to the least significant digit. The scale can range from -84 to 127.
  - Positive scale is the number of significant digits to the right of the decimal point to and including the least significant digit.
  - Negative scale is the number of significant digits to the left of the decimal point, to but not including the least significant digit. For negative scale the least significant digit is on the left side of the decimal point, because the actual data is rounded to the

specified number of places to the left of the decimal point. For example, a specification of (10,-2) means to round to hundreds.

Scale can be greater than precision, most commonly when *e* notation is used. When scale is greater than precision, the precision specifies the maximum number of significant digits to the right of the decimal point. For example, a column defined as `NUMBER(4,5)` requires a zero for the first digit after the decimal point and rounds all values past the fifth digit after the decimal point.

It is good practice to specify the scale and precision of a fixed-point number column for extra integrity checking on input. Specifying scale and precision does not force all values to a fixed length. If a value exceeds the precision, then Oracle returns an error. If a value exceeds the scale, then Oracle rounds it.

Specify an integer using the following form:

```
NUMBER(p)
```

This represents a fixed-point number with precision *p* and scale 0 and is equivalent to `NUMBER(p,0)`.

Specify a floating-point number using the following form:

```
NUMBER
```

The absence of precision and scale designators specifies the maximum range and precision for an Oracle number.



**See Also:**

[Floating-Point Numbers](#)

Table 2-2 show how Oracle stores data using different precisions and scales.

**Table 2-2 Storage of Scale and Precision**

Actual Data	Specified As	Stored As
123.89	NUMBER	123.89
123.89	NUMBER(3)	124
123.89	NUMBER(3,2)	exceeds precision
123.89	NUMBER(4,2)	exceeds precision
123.89	NUMBER(5,2)	123.89
123.89	NUMBER(6,1)	123.9
123.89	NUMBER(6,-2)	100
.01234	NUMBER(4,5)	.01234
.00012	NUMBER(4,5)	.00012
.000127	NUMBER(4,5)	.00013
.0000012	NUMBER(2,7)	.0000012
.00000123	NUMBER(2,7)	.0000012

**Table 2-2 (Cont.) Storage of Scale and Precision**

Actual Data	Specified As	Stored As
1.2e-4	NUMBER(2,5)	0.00012
1.2e-5	NUMBER(2,5)	0.00001

## FLOAT Data Type

The `FLOAT` data type is a subtype of `NUMBER`. It can be specified with or without precision, which has the same definition it has for `NUMBER` and can range from 1 to 126. Scale cannot be specified, but is interpreted from the data. Each `FLOAT` value requires from 1 to 22 bytes.

To convert from binary to decimal precision, multiply  $n$  by 0.30103. To convert from decimal to binary precision, multiply the decimal precision by 3.32193. The maximum of 126 digits of binary precision is roughly equivalent to 38 digits of decimal precision.

The difference between `NUMBER` and `FLOAT` is best illustrated by example. In the following example the same values are inserted into `NUMBER` and `FLOAT` columns:

```
CREATE TABLE test (col1 NUMBER(5,2), col2 FLOAT(5));
```

```
INSERT INTO test VALUES (1.23, 1.23);
INSERT INTO test VALUES (7.89, 7.89);
INSERT INTO test VALUES (12.79, 12.79);
INSERT INTO test VALUES (123.45, 123.45);
```

```
SELECT * FROM test;
```

```

      COL1      COL2
-----
      1.23      1.2
      7.89      7.9
     12.79      13
    123.45     120
```

In this example, the `FLOAT` value returned cannot exceed 5 binary digits. The largest decimal number that can be represented by 5 binary digits is 31. The last row contains decimal values that exceed 31. Therefore, the `FLOAT` value must be truncated so that its significant digits do not require more than 5 binary digits. Thus 123.45 is rounded to 120, which has only two significant decimal digits, requiring only 4 binary digits.

Oracle Database uses the Oracle `FLOAT` data type internally when converting ANSI `FLOAT` data. Oracle `FLOAT` is available for you to use, but Oracle recommends that you use the `BINARY_FLOAT` and `BINARY_DOUBLE` data types instead, as they are more robust. Refer to [Floating-Point Numbers](#) for more information.

## Floating-Point Numbers

Floating-point numbers can have a decimal point anywhere from the first to the last digit or can have no decimal point at all. An exponent may optionally be used following the number to increase the range, for example,  $1.777 \times 10^{-20}$ . A scale value is not applicable to floating-point numbers, because the number of digits that can appear after the decimal point is not restricted.

Binary floating-point numbers differ from `NUMBER` in the way the values are stored internally by Oracle Database. Values are stored using decimal precision for `NUMBER`. All literals that are within the range and precision supported by `NUMBER` are stored exactly as `NUMBER`. Literals are stored exactly because literals are expressed using decimal precision (the digits 0 through 9). Binary floating-point numbers are stored using binary precision (the digits 0 and 1). Such a storage scheme cannot represent all values using decimal precision exactly. Frequently, the error that occurs when converting a value from decimal to binary precision is undone when the value is converted back from binary to decimal precision. The literal 0.1 is such an example.

Oracle Database provides two numeric data types exclusively for floating-point numbers:

## BINARY\_FLOAT

`BINARY_FLOAT` is a 32-bit, single-precision floating-point number data type. Each `BINARY_FLOAT` value requires 4 bytes.

## BINARY\_DOUBLE

`BINARY_DOUBLE` is a 64-bit, double-precision floating-point number data type. Each `BINARY_DOUBLE` value requires 8 bytes.

In a `NUMBER` column, floating point numbers have decimal precision. In a `BINARY_FLOAT` or `BINARY_DOUBLE` column, floating-point numbers have binary precision. The binary floating-point numbers support the special values infinity and `NaN` (not a number).

You can specify floating-point numbers within the limits listed in [Table 2-3](#). The format for specifying floating-point numbers is defined in [Numeric Literals](#).

**Table 2-3 Floating Point Number Limits**

Value	BINARY_FLOAT	BINARY_DOUBLE
Maximum positive finite value	3.40282E+38F	1.79769313486231E+308
Minimum positive finite value	1.17549E-38F	2.22507485850720E-308

## IEEE754 Conformance

The Oracle implementation of floating-point data types conforms substantially with the Institute of Electrical and Electronics Engineers (IEEE) Standard for Binary Floating-Point Arithmetic, IEEE Standard 754-1985 (IEEE754). The floating-point data types conform to IEEE754 in the following areas:

- The SQL function `SQRT` implements square root. See [SQRT](#).
- The SQL function `REMAINDER` implements remainder. See [REMAINDER](#).
- Arithmetic operators conform. See [Arithmetic Operators](#).
- Comparison operators conform, except for comparisons with `NaN`. Oracle orders `NaN` greatest with respect to all other values, and evaluates `NaN` equal to `NaN`. See [Floating-Point Conditions](#).
- Conversion operators conform. See [Conversion Functions](#).
- The default rounding mode is supported.

- The default exception handling mode is supported.
- The special values `INF`, `-INF`, and `NaN` are supported. See [Floating-Point Conditions](#).
- Rounding of `BINARY_FLOAT` and `BINARY_DOUBLE` values to integer-valued `BINARY_FLOAT` and `BINARY_DOUBLE` values is provided by the SQL functions `ROUND`, `TRUNC`, `CEIL`, and `FLOOR`.
- Rounding of `BINARY_FLOAT/BINARY_DOUBLE` to decimal and decimal to `BINARY_FLOAT/BINARY_DOUBLE` is provided by the SQL functions `TO_CHAR`, `TO_NUMBER`, `TO_NCHAR`, `TO_BINARY_FLOAT`, `TO_BINARY_DOUBLE`, and `CAST`.

The floating-point data types do not conform to IEEE754 in the following areas:

- `-0` is coerced to `+0`.
- Comparison with `NaN` is not supported.
- All `NaN` values are coerced to either `BINARY_FLOAT_NAN` or `BINARY_DOUBLE_NAN`.
- Non-default rounding modes are not supported.
- Non-default exception handling mode are not supported.

## Numeric Precedence

**Numeric precedence** determines, for operations that support numeric data types, the data type Oracle uses if the arguments to the operation have different data types. `BINARY_DOUBLE` has the highest numeric precedence, followed by `BINARY_FLOAT`, and finally by `NUMBER`. Therefore, in any operation on multiple numeric values:

- If any of the operands is `BINARY_DOUBLE`, then Oracle attempts to convert all the operands implicitly to `BINARY_DOUBLE` before performing the operation.
- If none of the operands is `BINARY_DOUBLE` but any of the operands is `BINARY_FLOAT`, then Oracle attempts to convert all the operands implicitly to `BINARY_FLOAT` before performing the operation.
- Otherwise, Oracle attempts to convert all the operands to `NUMBER` before performing the operation.

If any implicit conversion is needed and fails, then the operation fails. Refer to [Table 2-9](#) for more information on implicit conversion.

In the context of other data types, numeric data types have lower precedence than the datetime/interval data types and higher precedence than character and all other data types.

## LONG Data Type



### Note:

All forms of `LONG` data types (`LONG`, `LONG RAW`, `LONG VARCHAR`, `LONG VARRAW`) were deprecated in Oracle8i Release 8.1.6. For succeeding releases, the `LONG` data type was provided for backward compatibility with existing applications. In new applications developed with later releases, Oracle strongly recommends that you use `CLOB` and `NCLOB` data types for large amounts of character data.

Do not create tables with `LONG` columns. Use LOB columns (`CLOB`, `NCLOB`, `BLOB`) instead. `LONG` columns are supported only for backward compatibility.

`LONG` columns store variable-length character strings containing up to 2 gigabytes -1, or  $2^{31}-1$  bytes. `LONG` columns have many of the characteristics of `VARCHAR2` columns. You can use `LONG` columns to store long text strings. The length of `LONG` values may be limited by the memory available on your computer. `LONG` literals are formed as described for [Text Literals](#).

Oracle also recommends that you convert existing `LONG` columns to LOB columns. LOB columns are subject to far fewer restrictions than `LONG` columns. Further, LOB functionality is enhanced in every release, whereas `LONG` functionality has been static for several releases. See the `modify_col_properties` clause of [ALTER TABLE](#) and [TO\\_LOB](#) for more information on converting `LONG` columns to LOB.

You can reference `LONG` columns in SQL statements in these places:

- `SELECT` lists
- `SET` clauses of `UPDATE` statements
- `VALUES` clauses of `INSERT` statements

The use of `LONG` values is subject to these restrictions:

- A table can contain only one `LONG` column.
- You cannot create an object type with a `LONG` attribute.
- `LONG` columns cannot appear in `WHERE` clauses or in integrity constraints (except that they can appear in `NULL` and `NOT NULL` constraints).
- `LONG` columns cannot be indexed.
- `LONG` data cannot be specified in regular expressions.
- A stored function cannot return a `LONG` value.
- You can declare a variable or argument of a PL/SQL program unit using the `LONG` data type. However, you cannot then call the program unit from SQL.
- Within a single SQL statement, all `LONG` columns, updated tables, and locked tables must be located on the same database.
- `LONG` and `LONG RAW` columns cannot be used in distributed SQL statements and cannot be replicated.
- If a table has both `LONG` and LOB columns, then you cannot bind more than 4000 bytes of data to both the `LONG` and LOB columns in the same SQL statement. However, you can bind more than 4000 bytes of data to either the `LONG` or the LOB column.

In addition, `LONG` columns cannot appear in these parts of SQL statements:

- `GROUP BY` clauses, `ORDER BY` clauses, or `CONNECT BY` clauses or with the `DISTINCT` operator in `SELECT` statements
- The `UNIQUE` operator of a `SELECT` statement
- The column list of a `CREATE CLUSTER` statement
- The `CLUSTER` clause of a `CREATE MATERIALIZED VIEW` statement



- SQL built-in functions, expressions, or conditions
- SELECT lists of queries containing GROUP BY clauses
- SELECT lists of subqueries or queries combined by the UNION, INTERSECT, or MINUS set operators
- SELECT lists of CREATE TABLE ... AS SELECT statements
- ALTER TABLE ... MOVE statements
- SELECT lists in subqueries in INSERT statements

Triggers can use the LONG data type in the following manner:

- A SQL statement within a trigger can insert data into a LONG column.
- If data from a LONG column can be converted to a constrained data type (such as CHAR and VARCHAR2), then a LONG column can be referenced in a SQL statement within a trigger.
- Variables in triggers cannot be declared using the LONG data type.
- :NEW and :OLD cannot be used with LONG columns.

You can use Oracle Call Interface functions to retrieve a portion of a LONG value from the database.



#### See Also:

*Oracle Call Interface Developer's Guide*

## Datetime and Interval Data Types

The datetime data types are DATE, TIMESTAMP, TIMESTAMP WITH TIME ZONE, and TIMESTAMP WITH LOCAL TIME ZONE. Values of datetime data types are sometimes called **datetimes**. The interval data types are INTERVAL YEAR TO MONTH and INTERVAL DAY TO SECOND. Values of interval data types are sometimes called **intervals**. For information on expressing datetime and interval values as literals, refer to [Datetime Literals](#) and [Interval Literals](#).

Both datetimes and intervals are made up of fields. The values of these fields determine the value of the data type. [Table 2-4](#) lists the datetime fields and their possible values for datetimes and intervals.

To avoid unexpected results in your DML operations on datetime data, you can verify the database and session time zones by querying the built-in SQL functions DBTIMEZONE and SESSIONTIMEZONE. If the time zones have not been set manually, then Oracle Database uses the operating system time zone by default. If the operating system time zone is not a valid Oracle time zone, then Oracle uses UTC as the default value.

**Table 2-4 Datetime Fields and Values**

Datetime Field	Valid Values for Datetime	Valid Values for INTERVAL
YEAR	-4712 to 9999 (excluding year 0)	Any positive or negative integer

Table 2-4 (Cont.) Datetime Fields and Values

Datetime Field	Valid Values for Datetime	Valid Values for INTERVAL
MONTH	01 to 12	0 to 11
DAY	01 to 31 (limited by the values of MONTH and YEAR, according to the rules of the current NLS calendar parameter)	Any positive or negative integer
HOUR	00 to 23	0 to 23
MINUTE	00 to 59	0 to 59
SECOND	00 to 59.9(n), where 9(n) is the precision of time fractional seconds. The 9(n) portion is not applicable for DATE.	0 to 59.9(n), where 9(n) is the precision of interval fractional seconds
TIMEZONE_HOUR	-12 to 14 (This range accommodates daylight saving time changes.) Not applicable for DATE or TIMESTAMP.	Not applicable
TIMEZONE_MINUTE (See note at end of table)	00 to 59. Not applicable for DATE or TIMESTAMP.	Not applicable
TIMEZONE_REGION	Query the TZNAME column of the V\$TIMEZONE_NAMES data dictionary view. Not applicable for DATE or TIMESTAMP. For a complete listing of all time zone region names, refer to <i>Oracle Database Globalization Support Guide</i> .	Not applicable
TIMEZONE_ABBR	Query the TZABBREV column of the V\$TIMEZONE_NAMES data dictionary view. Not applicable for DATE or TIMESTAMP.	Not applicable

**Note:**

TIMEZONE\_HOUR and TIMEZONE\_MINUTE are specified together and interpreted as an entity in the format `+|- hh:mi`, with values ranging from `-12:59` to `+14:00`. Refer to *Oracle Data Provider for .NET Developer's Guide* for information on specifying time zone values for that API.

## DATE Data Type

The DATE data type stores date and time information. Although date and time information can be represented in both character and number data types, the DATE data type has special associated properties. For each DATE value, Oracle stores the following information: year, month, day, hour, minute, and second.

You can specify a DATE value as a literal, or you can convert a character or numeric value to a date value with the TO\_DATE function. For examples of expressing DATE values in both these ways, refer to [Datetime Literals](#).

## Using Julian Days

A Julian day number is the number of days since January 1, 4712 BC. Julian days allow continuous dating from a common reference. You can use the date format model "J" with date functions `TO_DATE` and `TO_CHAR` to convert between Oracle `DATE` values and their Julian equivalents.

### Note:

Oracle Database uses the astronomical system of calculating Julian days, in which the year 4713 BC is specified as -4712. The historical system of calculating Julian days, in contrast, specifies 4713 BC as -4713. If you are comparing Oracle Julian days with values calculated using the historical system, then take care to allow for the 365-day difference in BC dates. For more information, see <http://aa.usno.navy.mil/faq/docs/millennium.php>.

The default date values are determined as follows:

- The year is the current year, as returned by `SYSDATE`.
- The month is the current month, as returned by `SYSDATE`.
- The day is 01 (the first day of the month).
- The hour, minute, and second are all 0.

These default values are used in a query that requests date values where the date itself is not specified, as in the following example, which is issued in the month of May:

```
SELECT TO_DATE('2009', 'YYYY')
       FROM DUAL;
```

```
TO_DATE('
-----
01-MAY-09
```

### Example

This statement returns the Julian equivalent of January 1, 2009:

```
SELECT TO_CHAR(TO_DATE('01-01-2009', 'MM-DD-YYYY'), 'J')
       FROM DUAL;
```

```
TO_CHAR
-----
2454833
```

### See Also:

[Selecting from the DUAL Table](#) for a description of the `DUAL` table

## TIMESTAMP Data Type

The `TIMESTAMP` data type is an extension of the `DATE` data type. It stores the year, month, and day of the `DATE` data type, plus hour, minute, and second values. This data type is useful for storing precise time values and for collecting and evaluating date information across geographic regions. Specify the `TIMESTAMP` data type as follows:

```
TIMESTAMP [(fractional_seconds_precision)]
```

where *fractional\_seconds\_precision* optionally specifies the number of digits Oracle stores in the fractional part of the `SECOND` datetime field. When you create a column of this data type, the value can be a number in the range 0 to 9. The default is 6.



### See Also:

[TO\\_TIMESTAMP](#) for information on converting character data to `TIMESTAMP` data

## TIMESTAMP WITH TIME ZONE Data Type

`TIMESTAMP WITH TIME ZONE` is a variant of `TIMESTAMP` that includes a **time zone region name** or a **time zone offset** in its value. The time zone offset is the difference (in hours and minutes) between local time and UTC (Coordinated Universal Time—formerly Greenwich Mean Time). This data type is useful for preserving local time zone information.

Specify the `TIMESTAMP WITH TIME ZONE` data type as follows:

```
TIMESTAMP [(fractional_seconds_precision)] WITH TIME ZONE
```

where *fractional\_seconds\_precision* optionally specifies the number of digits Oracle stores in the fractional part of the `SECOND` datetime field. When you create a column of this data type, the value can be a number in the range 0 to 9. The default is 6.

Oracle time zone data is derived from the public domain information available at <http://www.iana.org/time-zones/>. Oracle time zone data may not reflect the most recent data available at this site.

 **See Also:**

- *Oracle Database Globalization Support Guide* for more information on Oracle time zone data
- [Support for Daylight Saving Times](#) and [Table 2-20](#) for information on daylight saving support
- [TO\\_TIMESTAMP\\_TZ](#) for information on converting character data to `TIMESTAMP WITH TIME ZONE` data
- [ALTER SESSION](#) for information on the `ERROR_ON_OVERLAP_TIME` session parameter

## TIMESTAMP WITH LOCAL TIME ZONE Data Type

`TIMESTAMP WITH LOCAL TIME ZONE` is another variant of `TIMESTAMP` that is sensitive to time zone information. It differs from `TIMESTAMP WITH TIME ZONE` in that data stored in the database is normalized to the database time zone, and the time zone information is not stored as part of the column data. When a user retrieves the data, Oracle returns it in the user's local session time zone. This data type is useful for date information that is always to be displayed in the time zone of the client system in a two-tier application.

Specify the `TIMESTAMP WITH LOCAL TIME ZONE` data type as follows:

```
TIMESTAMP [(fractional_seconds_precision)] WITH LOCAL TIME ZONE
```

where *fractional\_seconds\_precision* optionally specifies the number of digits Oracle stores in the fractional part of the `SECOND` datetime field. When you create a column of this data type, the value can be a number in the range 0 to 9. The default is 6.

Oracle time zone data is derived from the public domain information available at <http://www.iana.org/time-zones/>. Oracle time zone data may not reflect the most recent data available at this site.

 **See Also:**

- *Oracle Database Globalization Support Guide* for more information on Oracle time zone data
- *Oracle Database Development Guide* for examples of using this data type and [CAST](#) for information on converting character data to `TIMESTAMP WITH LOCAL TIME ZONE`

## INTERVAL YEAR TO MONTH Data Type

`INTERVAL YEAR TO MONTH` stores a period of time using the `YEAR` and `MONTH` datetime fields. This data type is useful for representing the difference between two datetime values when only the year and month values are significant.

Specify `INTERVAL YEAR TO MONTH` as follows:

```
INTERVAL YEAR [(year_precision)] TO MONTH
```

where *year\_precision* is the number of digits in the YEAR datetime field. The default value of *year\_precision* is 2.

You have a great deal of flexibility when specifying interval values as literals. Refer to [Interval Literals](#) for detailed information on specifying interval values as literals. Also see [Datetime and Interval Examples](#) for an example using intervals.

## INTERVAL DAY TO SECOND Data Type

INTERVAL DAY TO SECOND stores a period of time in terms of days, hours, minutes, and seconds. This data type is useful for representing the precise difference between two datetime values.

Specify this data type as follows:

```
INTERVAL DAY [(day_precision)]  
TO SECOND [(fractional_seconds_precision)]
```

where

- *day\_precision* is the number of digits in the DAY datetime field. Accepted values are 0 to 9. The default is 2.
- *fractional\_seconds\_precision* is the number of digits in the fractional part of the SECOND datetime field. Accepted values are 0 to 9. The default is 6.

You have a great deal of flexibility when specifying interval values as literals. Refer to [Interval Literals](#) for detailed information on specify interval values as literals. Also see [Datetime and Interval Examples](#) for an example using intervals.

## Datetime/Interval Arithmetic

You can perform a number of arithmetic operations on date (DATE), timestamp (TIMESTAMP, TIMESTAMP WITH TIME ZONE, and TIMESTAMP WITH LOCAL TIME ZONE) and interval (INTERVAL DAY TO SECOND and INTERVAL YEAR TO MONTH) data. Oracle calculates the results based on the following rules:

- You can use NUMBER constants in arithmetic operations on date and timestamp values, but not interval values. Oracle internally converts timestamp values to date values and interprets NUMBER constants in arithmetic datetime and interval expressions as numbers of days. For example, SYSDATE + 1 is tomorrow. SYSDATE - 7 is one week ago. SYSDATE + (10/1440) is ten minutes from now. Subtracting the hire\_date column of the sample table employees from SYSDATE returns the number of days since each employee was hired. You cannot multiply or divide date or timestamp values.
- Oracle implicitly converts BINARY\_FLOAT and BINARY\_DOUBLE operands to NUMBER.
- Each DATE value contains a time component, and the result of many date operations include a fraction. This fraction means a portion of one day. For example, 1.5 days is 36 hours. These fractions are also returned by Oracle built-in functions for common operations on DATE data. For example, the MONTHS\_BETWEEN function returns the number of months between two dates. The fractional portion of the result represents that portion of a 31-day month.

- If one operand is a `DATE` value or a numeric value, neither of which contains time zone or fractional seconds components, then:
  - Oracle implicitly converts the other operand to `DATE` data. The exception is multiplication of a numeric value times an interval, which returns an interval.
  - If the other operand has a time zone value, then Oracle uses the session time zone in the returned value.
  - If the other operand has a fractional seconds value, then the fractional seconds value is lost.
- When you pass a timestamp, interval, or numeric value to a built-in function that was designed only for the `DATE` data type, Oracle implicitly converts the non-`DATE` value to a `DATE` value. Refer to [Datetime Functions](#) for information on which functions cause implicit conversion to `DATE`.

- When interval calculations return a datetime value, the result must be an actual datetime value or the database returns an error. For example, the next two statements return errors:

```
SELECT TO_DATE('31-AUG-2004','DD-MON-YYYY') + TO_YMINTERVAL('0-1')
      FROM DUAL;
```

```
SELECT TO_DATE('29-FEB-2004','DD-MON-YYYY') + TO_YMINTERVAL('1-0')
      FROM DUAL;
```

The first fails because adding one month to a 31-day month would result in September 31, which is not a valid date. The second fails because adding one year to a date that exists only every four years is not valid. However, the next statement succeeds, because adding four years to a February 29 date is valid:

```
SELECT TO_DATE('29-FEB-2004','DD-MON-YYYY') + TO_YMINTERVAL('4-0')
      FROM DUAL;
```

```
TO_DATE('
-----
29-FEB-08
```

- Oracle performs all timestamp arithmetic in UTC time. For `TIMESTAMP WITH LOCAL TIME ZONE`, Oracle converts the datetime value from the database time zone to UTC and converts back to the database time zone after performing the arithmetic. For `TIMESTAMP WITH TIME ZONE`, the datetime value is always in UTC, so no conversion is necessary.

[Table 2-5](#) is a matrix of datetime arithmetic operations. Dashes represent operations that are not supported.

**Table 2-5 Matrix of Datetime Arithmetic**

Operand & Operator	DATE	TIMESTAMP	INTERVAL	Numeric
<b>DATE</b>				
+	–	–	DATE	DATE
–	NUMBER	INTERVAL	DATE	DATE
*	–	–	–	–
/	–	–	–	–
<b>TIMESTAMP</b>				

Table 2-5 (Cont.) Matrix of Datetime Arithmetic

Operand & Operator	DATE	TIMESTAMP	INTERVAL	Numeric
+	–	–	TIMESTAMP	DATE
–	INTERVAL	INTERVAL	TIMESTAMP	DATE
*	–	–	–	–
/	–	–	–	–
<b>INTERVAL</b>				
+	DATE	TIMESTAMP	INTERVAL	–
–	–	–	INTERVAL	–
*	–	–	–	INTERVAL
/	–	–	–	INTERVAL
<b>Numeric</b>				
+	DATE	DATE	–	NA
–	–	–	–	NA
*	–	–	INTERVAL	NA
/	–	–	–	NA

### Examples

You can add an interval value expression to a start time. Consider the sample table `oe.orders` with a column `order_date`. The following statement adds 30 days to the value of the `order_date` column:

```
SELECT order_id, order_date + INTERVAL '30' DAY AS "Due Date"
   FROM orders
  ORDER BY order_id, "Due Date";
```

## Support for Daylight Saving Times

Oracle Database automatically determines, for any given time zone region, whether daylight saving is in effect and returns local time values accordingly. The datetime value is sufficient for Oracle to determine whether daylight saving time is in effect for a given region in all cases except **boundary cases**. A boundary case occurs during the period when daylight saving goes into or comes out of effect. For example, in the US-Pacific region, when daylight saving goes into effect, the time changes from 2:00 a.m. to 3:00 a.m. The one hour interval between 2 and 3 a.m. does not exist. When daylight saving goes out of effect, the time changes from 2:00 a.m. back to 1:00 a.m., and the one-hour interval between 1 and 2 a.m. is repeated.

To resolve these boundary cases, Oracle uses the `TZR` and `TZD` format elements, as described in [Table 2-20](#). `TZR` represents the time zone region name in datetime input strings. Examples are 'Australia/North', 'UTC', and 'Singapore'. `TZD` represents an abbreviated form of the time zone region name with daylight saving information. Examples are 'PST' for US/Pacific standard time and 'PDT' for US/Pacific daylight time. To see a listing of valid values for the `TZR` and `TZD` format elements, query the `TZNAME` and `TZABBREV` columns of the `V$TIMEZONE_NAMES` dynamic performance view.



 **Note:**

Time zone region names are needed by the daylight saving feature. These names are stored in two types of time zone files: one large and one small. One of these files is the default file, depending on your environment and the release of Oracle Database you are using. For more information regarding time zone files and names, see *Oracle Database Globalization Support Guide*.

For a complete listing of the time zone region names in both files, refer to *Oracle Database Globalization Support Guide*.

Oracle time zone data is derived from the public domain information available at <http://www.iana.org/time-zones/>. Oracle time zone data may not reflect the most recent data available at this site.

 **See Also:**

- [Datetime Format Models](#) for information on the format elements and the session parameter `ERROR_ON_OVERLAP_TIME`.
- *Oracle Database Globalization Support Guide* for more information on Oracle time zone data
- *Oracle Database Reference* for information on the dynamic performance views

## Datetime and Interval Examples

The following example shows an `INTERVAL` aggregation query:

```
SELECT job_name,
       SUM( cpu_used )
FROM   DBA_SCHEDULER_JOB_RUN_DETAILS
GROUP BY job_name
HAVING SUM ( cpu_used ) > interval '5' minute;
```

The view `DBA_SCHEDULER_JOB_RUN_DETAILS` contains the log run details for all scheduler jobs in the database. The column `CPU_USED` of type `INTERVAL DAY(3) TO SECOND(2)` displays the amount of CPU used for the job run. This query returns the names of all the scheduler jobs that have lasted more than 5 minutes.

The following example shows how to specify some datetime and interval data types.

```
CREATE TABLE time_table
( start_time    TIMESTAMP,
  duration_1    INTERVAL DAY (6) TO SECOND (5),
  duration_2    INTERVAL YEAR TO MONTH);
```

The `start_time` column is of type `TIMESTAMP`. The implicit fractional seconds precision of `TIMESTAMP` is 6.

The `duration_1` column is of type `INTERVAL DAY TO SECOND`. The maximum number of digits in field `DAY` is 6 and the maximum number of digits in the fractional second is 5. The maximum number of digits in all other datetime fields is 2.

The `duration_2` column is of type `INTERVAL YEAR TO MONTH`. The maximum number of digits of the value in each field (`YEAR` and `MONTH`) is 2.

Interval data types do not have format models. Therefore, to adjust their presentation, you must combine character functions such as `EXTRACT` and concatenate the components. For example, the following examples query the `hr.employees` and `oe.orders` tables, respectively, and change interval output from the form "`yy-mm`" to "`yy years mm months`" and from "`dd-hh`" to "`dddd days hh hours`":

```
SELECT last_name, EXTRACT(YEAR FROM (SYSDATE - hire_date) YEAR TO MONTH)
       || ' years '
       || EXTRACT(MONTH FROM (SYSDATE - hire_date) YEAR TO MONTH)
       || ' months' "Interval"
FROM employees;
```

LAST_NAME	Interval
-----	-----
OConnell	2 years 3 months
Grant	1 years 9 months
Whalen	6 years 1 months
Hartstein	5 years 8 months
Fay	4 years 2 months
Mavris	7 years 4 months
Baer	7 years 4 months
Higgins	7 years 4 months
Gietz	7 years 4 months
. . .	

```
SELECT order_id, EXTRACT(DAY FROM (SYSDATE - order_date) DAY TO SECOND)
       || ' days '
       || EXTRACT(HOUR FROM (SYSDATE - order_date) DAY TO SECOND)
       || ' hours' "Interval"
FROM orders;
```

ORDER_ID	Interval
-----	-----
2458	780 days 23 hours
2397	685 days 22 hours
2454	733 days 21 hours
2354	447 days 20 hours
2358	635 days 20 hours
2381	508 days 18 hours
2440	765 days 17 hours
2357	1365 days 16 hours
2394	602 days 15 hours
2435	763 days 15 hours
. . .	

## RAW and LONG RAW Data Types

 **Note:**

All forms of `LONG` data types (`LONG`, `LONG RAW`, `LONG VARCHAR`, `LONG VARRAW`) were deprecated in Oracle8i Release 8.1.6. For succeeding releases, the `LONG` data type was provided for backward compatibility with existing applications. In new applications developed with later releases, Oracle strongly recommends that you use `CLOB` and `NCLOB` data types for large amounts of character data.

The `RAW` and `LONG RAW` data types store data that is not to be explicitly converted by Oracle Database when moving data between different systems. These data types are intended for binary data or byte strings. For example, you can use `LONG RAW` to store graphics, sound, documents, or arrays of binary data, for which the interpretation is dependent on the use.

Oracle strongly recommends that you convert `LONG RAW` columns to binary LOB (`BLOB`) columns. LOB columns are subject to far fewer restrictions than `LONG` columns. See [TO\\_LOB](#) for more information.

`RAW` is a variable-length data type like `VARCHAR2`, except that Oracle Net (which connects client software to a database or one database to another) and the Oracle import and export utilities do not perform character conversion when transmitting `RAW` or `LONG RAW` data. In contrast, Oracle Net and the Oracle import and export utilities automatically convert `CHAR`, `VARCHAR2`, and `LONG` data between different database character sets, if data is transported between databases, or between the database character set and the client character set, if data is transported between a database and a client. The client character set is determined by the type of the client interface, such as OCI or JDBC, and the client configuration (for example, the `NLS_LANG` environment variable).

When Oracle implicitly converts `RAW` or `LONG RAW` data to character data, the resulting character value contains a hexadecimal representation of the binary input, where each character is a hexadecimal digit (0-9, A-F) representing four consecutive bits of `RAW` data. For example, one byte of `RAW` data with bits 11001011 becomes the value `CB`.

When Oracle implicitly converts character data to `RAW` or `LONG RAW`, it interprets each consecutive input character as a hexadecimal representation of four consecutive bits of binary data and builds the resulting `RAW` or `LONG RAW` value by concatenating those bits. If any of the input characters is not a hexadecimal digit (0-9, A-F, a-f), then an error is reported. If the number of characters is odd, then the result is undefined.

The SQL functions `RAWTOHEX` and `HEXTORAW` perform explicit conversions that are equivalent to the above implicit conversions. Other types of conversions between `RAW` and character data are possible with functions in the Oracle-supplied PL/SQL packages `UTL_RAW` and `UTL_I18N`.

## Large Object (LOB) Data Types

The built-in LOB data types `BLOB`, `CLOB`, and `NCLOB` (stored internally) and `BFILE` (stored externally) can store large and unstructured data such as text, image, video, and spatial data. The size of `BLOB`, `CLOB`, and `NCLOB` data can be up to  $(2^{32}-1)$  bytes \* (the value of the `CHUNK` parameter of LOB storage). If the tablespaces in your database are of standard block size, and if you have used the default value of the `CHUNK` parameter of LOB storage when creating

a LOB column, then this is equivalent to  $(2^{32}-1 \text{ bytes}) * (\text{database block size})$ . `BFILE` data can be up to  $2^{64}-1$  bytes, although your operating system may impose restrictions on this maximum.

When creating a table, you can optionally specify different tablespace and storage characteristics for LOB columns or LOB object attributes from those specified for the table.

`CLOB`, `NCLOB`, and `BLOB` values up to approximately 4000 bytes are stored inline if you enable storage in row at the time the LOB column is created. LOBs greater than 4000 bytes are always stored externally. Refer to [ENABLE STORAGE IN ROW](#) for more information.

LOB columns contain LOB locators that can refer to internal (in the database) or external (outside the database) LOB values. Selecting a LOB from a table actually returns the LOB locator and not the entire LOB value. The `DBMS_LOB` package and Oracle Call Interface (OCI) operations on LOBs are performed through these locators.

LOBs are similar to `LONG` and `LONG RAW` types, but differ in the following ways:

- LOBs can be attributes of an object type (user-defined data type).
- The LOB locator is stored in the table column, either with or without the actual LOB value. `BLOB`, `NCLOB`, and `CLOB` values can be stored in separate tablespaces. `BFILE` data is stored in an external file on the server.
- When you access a LOB column, the locator is returned.
- A LOB can be up to  $(2^{32}-1 \text{ bytes}) * (\text{database block size})$  in size. `BFILE` data can be up to  $2^{64}-1$  bytes, although your operating system may impose restrictions on this maximum.
- LOBs permit efficient, random, piece-wise access to and manipulation of data.
- You can define more than one LOB column in a table.
- With the exception of `NCLOB`, you can define one or more LOB attributes in an object.
- You can declare LOB bind variables.
- You can select LOB columns and LOB attributes.
- You can insert a new row or update an existing row that contains one or more LOB columns or an object with one or more LOB attributes. In update operations, you can set the internal LOB value to `NULL`, empty, or replace the entire LOB with data. You can set the `BFILE` to `NULL` or make it point to a different file.
- You can update a LOB row-column intersection or a LOB attribute with another LOB row-column intersection or LOB attribute.
- You can delete a row containing a LOB column or LOB attribute and thereby also delete the LOB value. For `BFILES`, the actual operating system file is not deleted.

You can access and populate rows of an inline LOB column (a LOB column stored in the database) or a LOB attribute (an attribute of an object type column stored in the database) simply by issuing an `INSERT` or `UPDATE` statement.

### Restrictions on LOB Columns

LOB columns are subject to a number of rules and restrictions. See *Oracle Database SecureFiles and Large Objects Developer's Guide* for a complete listing.

 **See Also:**

- *Oracle Database PL/SQL Packages and Types Reference* and *Oracle Call Interface Developer's Guide* for more information about these interfaces and LOBs
- the `modify_col_properties` clause of [ALTER TABLE](#) and [TO\\_LOB](#) for more information on converting `LONG` columns to LOB columns

## BFILE Data Type

The `BFILE` data type enables access to binary file LOBs that are stored in file systems outside Oracle Database. A `BFILE` column or attribute stores a `BFILE` locator, which serves as a pointer to a binary file on the server file system. The locator maintains the directory name and the filename.

You can change the filename and path of a `BFILE` without affecting the base table by using the `BFILENAME` function. Refer to [BFILENAME](#) for more information on this built-in SQL function.

Binary file LOBs do not participate in transactions and are not recoverable. Rather, the underlying operating system provides file integrity and durability. `BFILE` data can be up to  $2^{64}-1$  bytes, although your operating system may impose restrictions on this maximum.

The database administrator must ensure that the external file exists and that Oracle processes have operating system read permissions on the file.

The `BFILE` data type enables read-only support of large binary files. You cannot modify or replicate such a file. Oracle provides APIs to access file data. The primary interfaces that you use to access file data are the `DBMS_LOB` package and Oracle Call Interface (OCI).

 **See Also:**

*Oracle Database SecureFiles and Large Objects Developer's Guide* and *Oracle Call Interface Programmer's Guide* for more information about LOBs and [CREATE DIRECTORY](#)

## BLOB Data Type

The `BLOB` data type stores unstructured binary large objects. `BLOB` objects can be thought of as bitstreams with no character set semantics. `BLOB` objects can store binary data up to  $(4 \text{ gigabytes} - 1) * (\text{the value of the } \text{CHUNK} \text{ parameter of LOB storage})$ . If the tablespaces in your database are of standard block size, and if you have used the default value of the `CHUNK` parameter of LOB storage when creating a LOB column, then this is equivalent to  $(4 \text{ gigabytes} - 1) * (\text{database block size})$ .

`BLOB` objects have full transactional support. Changes made through SQL, the `DBMS_LOB` package, or Oracle Call Interface (OCI) participate fully in the transaction. `BLOB` value manipulations can be committed and rolled back. However, you cannot save a `BLOB` locator in a PL/SQL or OCI variable in one transaction and then use it in another transaction or session.

## CLOB Data Type

The `CLOB` data type stores single-byte and multibyte character data. Both fixed-width and variable-width character sets are supported, and both use the database character set. `CLOB` objects can store up to  $(4 \text{ gigabytes} - 1) * (\text{the value of the } \text{CHUNK} \text{ parameter of LOB storage})$  of character data. If the tablespaces in your database are of standard block size, and if you have used the default value of the `CHUNK` parameter of LOB storage when creating a LOB column, then this is equivalent to  $(4 \text{ gigabytes} - 1) * (\text{database block size})$ .

`CLOB` objects have full transactional support. Changes made through SQL, the `DBMS_LOB` package, or Oracle Call Interface (OCI) participate fully in the transaction. `CLOB` value manipulations can be committed and rolled back. However, you cannot save a `CLOB` locator in a PL/SQL or OCI variable in one transaction and then use it in another transaction or session.

## NCLOB Data Type

The `NCLOB` data type stores Unicode data. Both fixed-width and variable-width character sets are supported, and both use the national character set. `NCLOB` objects can store up to  $(4 \text{ gigabytes} - 1) * (\text{the value of the } \text{CHUNK} \text{ parameter of LOB storage})$  of character text data. If the tablespaces in your database are of standard block size, and if you have used the default value of the `CHUNK` parameter of LOB storage when creating a LOB column, then this is equivalent to  $(4 \text{ gigabytes} - 1) * (\text{database block size})$ .


`NCLOB` objects have full transactional support. Changes made through SQL, the `DBMS_LOB` package, or OCI participate fully in the transaction. `NCLOB` value manipulations can be committed and rolled back. However, you cannot save an `NCLOB` locator in a PL/SQL or OCI variable in one transaction and then use it in another transaction or session.

### See Also:

*Oracle Database Globalization Support Guide* for information on Unicode data type support

## JSON Data Type

**`json_type_column::=`**



See `IS_JSON` condition [#unique\\_106/unique\\_106\\_Connect\\_42\\_FIG\\_K4S\\_LXJ\\_2BC](#) for the syntax of `json_column_modifier`.

Release 21c introduces a dedicated `JSON` data type.

You can use the `JSON` data type to store JSON data natively in binary format. This improves query performance because textual JSON data no longer needs to be parsed. You can create `JSON` type instances from other SQL data, and conversely.

You must set the database initialization parameter `compatible` to 20 in order to use the new `JSON` data type.

The other SQL data types that support JSON data, besides `JSON` type, are `VARCHAR2`, `CLOB`, and `BLOB`. Non-JSON type data is called textual, or serialized, JSON data. It is unparsed character data.

You can use the `JSON` constructor function to convert textual JSON data to `JSON` type data.

To convert `JSON` type data to textual data, you can use the `JSON_SERIALIZE` function.

You can create complex `JSON` type data from non-JSON type data using the JSON generation functions: `JSON_OBJECT`, `JSON_ARRAY`, `JSON_OBJECTAGG`, and `JSON_ARRAYAGG`.

You can create a `JSON` type instance with a scalar JSON value using the function `JSON_SCALAR`.

In the other direction, you can use the function `JSON_VALUE` to query `JSON` type data and return an instance of a SQL object type or collection type.

When defining a `JSON`-type column you can follow the type keyword `JSON` with a `JSON`-type modifier, in parentheses: `(OBJECT)`, `(ARRAY)`, or `(SCALAR)`. This requires the column content to be a JSON object, array, or scalar value, respectively. (This is similar to using `VARCHAR(42)` instead of just `VARCHAR2`.)

Modifier keyword `SCALAR` can be followed by a keyword that specifies the required type of scalar: `BOOLEAN`, `BINARY`, `BINARY_DOUBLE`, `BINARY_FLOAT`, `DATE`, `INTERVAL DAY TO SECOND`, `INTERVAL YEAR TO MONTH`, `NULL`, `NUMBER`, `STRING`, `TIMESTAMP`, or `TIMESTAMP WITH TIME ZONE`.

You can provide more than one modifier between the parentheses, separating them with commas. For example, `(OBJECT, ARRAY)` requires nonscalar values, and `(OBJECT, SCALAR DATE)` allows only objects or dates.

### Create a Table with a JSON Type Column of JSON OBJECT: Example

The following table definition requires the `JSON` data type column `po_document` to be a `JSON` object by using a `JSON` modifier:

```
CREATE TABLE j_purchaseorder
(id VARCHAR2 (32) NOT NULL PRIMARY KEY,
 date_loaded TIMESTAMP (6) WITH TIME ZONE,
 po_document JSON (OBJECT));
```

#### See Also:

- *JSON Data Type of the JSON Developer's Guide.*
- For more information on creating a `JSON` column see *Creating a Table with a JSON Column of the JSON developer's Guide.*
- For the syntax of `JSON` modifiers see [IS JSON Condition](#)

## Extended Data Types

Beginning with Oracle Database 12c, you can specify a maximum size of 32767 bytes for the `VARCHAR2`, `NVARCHAR2`, and `RAW` data types. You can control whether your database supports this new maximum size by setting the initialization parameter `MAX_STRING_SIZE` as follows:

- If `MAX_STRING_SIZE = STANDARD`, then the size limits for releases prior to Oracle Database 12c apply: 4000 bytes for the `VARCHAR2` and `NVARCHAR2` data types, and 2000 bytes for the `RAW` data type. This is the default.
- If `MAX_STRING_SIZE = EXTENDED`, then the size limit is 32767 bytes for the `VARCHAR2`, `NVARCHAR2`, and `RAW` data types.

### See Also:

Setting `MAX_STRING_SIZE = EXTENDED` may update database objects and possibly invalidate them. Refer to *Oracle Database Reference* for complete information on the implications of this parameter and how to set and enable this new functionality.

A `VARCHAR2` or `NVARCHAR2` data type with a declared size of greater than 4000 bytes, or a `RAW` data type with a declared size of greater than 2000 bytes, is an **extended data type**. Extended data type columns are stored out-of-line, leveraging Oracle's LOB technology. The LOB storage is always aligned with the table. In tablespaces managed with Automatic Segment Space Management (ASSM), extended data type columns are stored as SecureFiles LOBs. Otherwise, they are stored as BasicFiles LOBs. The use of LOBs as a storage mechanism is internal only. Therefore, you cannot manipulate these LOBs using the `DBMS_LOB` package.

### Note:

- Oracle strongly recommends the use of SecureFiles LOBs as a storage mechanism. Note that BasicFiles LOBs impose restrictions on the capabilities of extended data type columns.
- Extended data types are subject to the same rules and restrictions as LOBs. Refer to *Oracle Database SecureFiles and Large Objects Developer's Guide* for more information.

Note that, although you must set `MAX_STRING_SIZE = EXTENDED` in order to set the size of a `RAW` data type to greater than 2000 bytes, a `RAW` data type is stored as an out-of-line LOB only if it has a size of greater than 4000 bytes. For example, you must set `MAX_STRING_SIZE = EXTENDED` in order to declare a `RAW(3000)` data type. However, the column is stored inline.

You can use extended data types just as you would standard data types, with the following considerations:



- For special considerations when creating an index on an extended data type column, or when requiring an index to enforce a primary key or unique constraint, see [Creating an Index on an Extended Data Type Column](#).
- If the partitioning key column for a list partition is an extended data type column, then the list of values that you want to specify for a partition may exceed the 4K byte limit for the partition bounds. See the [list\\_partitions](#) clause of `CREATE TABLE` for information on how to work around this issue.
- The value of the initialization parameter `MAX_STRING_SIZE` affects the following:
  - The maximum length of a text literal. See [Text Literals](#) for more information.
  - The size limit for concatenating two character strings. See [Concatenation Operator](#) for more information.
  - The length of the collation key returned by the `NLSSORT` function. See [NLSSORT](#).
  - The size of some of the attributes of the `XMLFormat` object. See [XML Format Model](#) for more information.
  - The size of some expressions in the following XML functions: [XMLCOLATTVAL](#), [XMLELEMENT](#), [XMLFOREST](#), [XMLPI](#), and [XMLTABLE](#).

## Boolean Data Type

Release 23 introduces the SQL boolean data type. The data type `boolean` has the truth values `TRUE` and `FALSE`. If there is no `NOT NULL` constraint, the boolean data type also supports the truth value `UNKNOWN` as the null value.

You can use the boolean data type wherever `datatype` appears in Oracle SQL syntax. For example, you can specify a boolean column with the keywords `BOOLEAN` or `BOOL` in `CREATE TABLE`:

```
CREATE TABLE example (id NUMBER, c1 BOOLEAN, c2 BOOL);
```

You can use SQL keywords `TRUE`, `FALSE` and `NULL` to represent states “TRUE”, “FALSE”, and “NULL” respectively. For example, using the table `example` created above, you can insert the following:

```
INSERT INTO example VALUES (1, TRUE, NULL);
```

```
INSERT INTO example VALUES (2, FALSE, true);
```

You can use literals to represent “TRUE” and “FALSE” states. Case is not enforced in “TRUE” and “FALSE”, you can have all lower case, all upper case, or a combination of upper and lower case. Leading and trailing white spaces are ignored.

**Table 2-6 String Literals To Represent “TRUE” and “FALSE”**

STATE	TRUE	FALSE
-	'true'	'false'
-	'yes'	'no'
-	'on'	'off'
-	'1'	'0'

**Table 2-6 (Cont.) String Literals To Represent "TRUE" and "FALSE"**

STATE	TRUE	FALSE
-	't'	'f'
-	'y'	'n'

Note that numbers are translated into boolean as follows:

- 0 translates to FALSE.
- Non 0 values like 42 or -3.14 translate to TRUE.

Given the table `example` created below with two boolean columns `c1` and `c2`:

```
CREATE TABLE example (id NUMBER, c1 BOOLEAN, c2 BOOL);
```

Insert into `example` the following rows:

```
INSERT INTO example VALUES (1, TRUE, NULL);
INSERT INTO example VALUES (2, FALSE, true);
INSERT INTO example VALUES (3, 0, 'off');
INSERT INTO example VALUES (4, 'no', 'yes');
INSERT INTO example VALUES (5, 'f', 't' );
INSERT INTO example VALUES (6, false, true);
INSERT INTO example VALUES (7, 'on', 'off');
INSERT INTO example VALUES (8, -3.14, 1);
```

SELECT of a boolean type column always returns TRUE , FALSE. A value of NULL returns nothing.

```
SELECT * FROM example;
ID          C1          C2
-----
1          TRUE
2          FALSE      TRUE
3          FALSE      FALSE
4          FALSE      TRUE
5          FALSE      TRUE
6          FALSE      TRUE
7          TRUE       FALSE
8          TRUE       TRUE
8 rows selected.
```

### Constraints on Boolean Columns

The following constraints are supported on boolean columns:

- NOT NULL
- UNIQUE
- PRIMARY KEY
- FOREIGN KEY
- CHECK

## Comparison and Assignment of Booleans

The following comparison operators are supported to compare boolean values: =, !=, <, >, <=, >=, GREATEST, LEAST, [NOT] IN

```
SELECT * FROM example WHERE c1 = c2;
```

ID	C1	C2
3	FALSE	FALSE
8	TRUE	TRUE

```
SELECT * FROM example e1
WHERE c1 >= ALL (SELECT c2 FROM example e2 WHERE e2.id > e1.id);
```

ID	C1	C2
1	TRUE	
7	TRUE	FALSE
8	TRUE	TRUE

## Operations on Booleans that Return Booleans

You can use the NOT, AND, and OR operators on SQL conditions, boolean columns, and boolean constants. For example:

```
SELECT * FROM example WHERE NOT c2;
```

ID	C1	C2
3	FALSE	FALSE
7	TRUE	FALSE

```
SELECT * FROM example WHERE c1 AND c2;
```

ID	C1	C2
8	TRUE	TRUE

```
SELECT * FROM example WHERE c1 AND TRUE;
```

ID	C1	C2
7	TRUE	FALSE
8	TRUE	TRUE
1	TRUE	

```
SELECT * FROM example WHERE c1 OR c2;
```

ID	C1	C2
1	TRUE	
2	FALSE	TRUE
4	FALSE	TRUE

```

5    FALSE    TRUE
6    FALSE    TRUE
7    TRUE     FALSE
8    TRUE     TRUE

```

7 rows selected.

### Boolean Operator NOT

The NOT (TRUE) is FALSE. NOT (FALSE) is true. NOT (NULL) is NULL.

### Boolean Operator AND

#### Truth Table for the AND Boolean Operator

<b>AND</b>	<u>TRUE</u>	<u>FALSE</u>	<u>NULL</u>
<u>TRUE</u>	TRUE	FALSE	NULL
<u>FALSE</u>	FALSE	FALSE	FALSE
<u>NULL</u>	FALSE	FALSE	NULL

### Boolean Operator OR

#### Truth Table for the OR Boolean Operator

<b>OR</b>	<u>TRUE</u>	<u>FALSE</u>	<u>NULL</u>
<u>TRUE</u>	TRUE	TRUE	TRUE
<u>FALSE</u>	TRUE	FALSE	NULL
<u>NULL</u>	TRUE	NULL	NULL

### Boolean Operator IS

#### Truth Table for the IS Boolean Operator

<b>IS</b>	<u>TRUE</u>	<u>FALSE</u>	<u>NULL</u>
<u>TRUE</u>	TRUE	FALSE	FALSE
<u>FALSE</u>	FALSE	TRUE	FALSE
<u>NULL</u>	FALSE	FALSE	TRUE

### Boolean Operator IS NOT

#### Truth Table for the IS NOT Boolean Operator

<b>IS NOT</b>	<u>TRUE</u>	<u>FALSE</u>	<u>NULL</u>
<u>TRUE</u>	FALSE	TRUE	TRUE
<u>FALSE</u>	TRUE	FALSE	TRUE
<u>NULL</u>	TRUE	TRUE	FALSE

In addition to supporting SQL conditions, the `NOT`, `AND`, and `OR` operators support operations on boolean columns and boolean constants. For example, these are all valid statements:

```
SELECT * FROM example WHERE NOT c2;
SELECT * FROM example WHERE c1 AND c2;
SELECT * FROM example WHERE c1 AND TRUE;
SELECT * FROM example WHERE c1 OR c2;
```

You can use `IS [NOT] NULL` on a boolean value expression to determine its state. For example:

```
SELECT * FROM example WHERE c2 IS NULL;
```

```

      ID C1          C2
-----
1      TRUE

```

### Booleans in SQL Expressions

Boolean expressions are supported in SQL syntax wherever *expr* is used.

SQL expressions and conditions have been enhanced to support the new boolean data type. Links to relevant SQL syntax:

- [BOOLEAN Expressions](#)

### CAST Between Boolean Data Type and Other Oracle Built-In Data Types

The rules to cast between `BOOLEAN` and other Oracle built-in data types are as follows:

When casting `BOOLEAN` to numeric :

- If the boolean value is true, then resulting value is 1.
- If the boolean value is false, then resulting value is 0.

When casting numeric to `BOOLEAN` :

- If the numeric value is non-zero (e.g., 1, 2, -3, 1.2), then resulting value is true.
- If the numeric value is zero, then resulting value is false.

When casting `BOOLEAN` to `CHAR(n)` and `NCHAR(n)` :

- If the boolean value is true and *n* is not less than 4, then the resulting value is 'TRUE' extended on the right by *n* - 4 spaces.
- If the boolean value is false and *n* is not less than 5, then the resulting value is 'FALSE' extended on the right by *n* - 5 spaces.
- Otherwise, a data exception error is raised.

When casting a character string to boolean, leading and trailing spaces of the character string are ignored. If the resulting character string is one of the accepted literals used to determine a valid boolean value, then the result is that valid boolean value.

When casting `BOOLEAN` to `VARCHAR(n)`, `NVARCHAR(n)`

- If the boolean value is true and *n* is not less than 4, then resulting value is true.
- If the boolean value is false and *n* is not less than 5, then resulting value is false.
- Otherwise, a data exception error is raised.

You can use the function `TO_BOOLEAN` to explicitly convert character value expressions or numeric value expressions to boolean values.

Functions `TO_CHAR`, `TO_NCHAR`, `TO_CLOB`, `TO_NCLOB`, `TO_NUMBER`, `TO_BINARY_DOUBLE`, and `TO_BINARY_FLOAT` have boolean overloads to convert boolean values to number or character types.

**Note:**`TO_BOOLEAN`

## Vector Data Type

Vector is a new Oracle built-in data type. This data type represents a vector as a series of numbers stored in one of the following formats:

- `INT8` (8-bit integers)
- `FLOAT32` (32-bit floating-point numbers)
- `FLOAT64` (64-bit floating-point numbers)

`FLOAT32` and `FLOAT64` are IEEE standards. Oracle Database automatically casts the values as needed.

You can declare a column as vector data type, and optionally specify the number of dimensions and its storing format.

**Syntax Examples:**

```
CREATE TABLE t (v VECTOR);
CREATE TABLE t (v VECTOR(*, *));
CREATE TABLE t (v VECTOR(100));
CREATE TABLE t (v VECTOR(100, *));
CREATE TABLE t (v VECTOR(*, FLOAT32));
CREATE TABLE t (v VECTOR(100, FLOAT32));
```

**Rules**

- If you specify the number of dimensions at declaration, then you must input the same number of dimensions.  
If you do not specify the number of dimensions, then you can input any number of dimensions.
- If you specify the storage format at declaration and the input's format is different from the declared format, it is converted, either up or down, to the declared format.  
If the storage format is not specified, every vector will have its dimensions stored without format modification.
- The number of dimensions must be an integer greater than 0. Note that the number of dimensions must not be 0.
- Vectors are nullable, but dimensions are not (e.g., you cannot have `[1.1, NULL, 2.2]`).

- In an `UNION ALL` statement, if the number of dimensions and the storage format are different between any two branches, then the result vector's number of dimensions and format are flexible.

### Declaration Formats for the VECTOR Data Type

The following table lists the possible declaration format for a `VECTOR` data type:

Possible Declaration Format	Explanation
<code>VECTOR</code>	Vectors can have an arbitrary number of dimensions and formats.
<code>VECTOR(*, *)</code>	Vectors can have an arbitrary number of dimensions and formats. <code>VECTOR</code> and <code>VECTOR(*, *)</code> are equivalent.
<code>VECTOR(number_of_dimensions, *)</code> equivalent to <code>VECTOR(number_of_dimensions)</code>	Vectors must all have the specified number of dimensions or an error is thrown. Every vector will have its dimensions stored without format modification.
<code>VECTOR(*, dimension_element_format)</code>	Vectors can have an arbitrary number of dimensions, but their format will be up-converted or down-converted to the specified dimension element format ( <code>INT8</code> , <code>FLOAT32</code> , or <code>FLOAT64</code> ).

A vector can be `NULL` but its dimensions cannot (for example, you cannot have a `VECTOR` with a `NULL` dimension such as `[1.1, NULL, 2.2]`).

The following example shows how the system interprets various vector definitions:

```
CREATE TABLE my_vect_tab (
  v1 VECTOR(3, FLOAT32),
  v2 VECTOR(2, FLOAT64),
  v3 VECTOR(1, INT8),
  v4 VECTOR(1, *),
  v5 VECTOR(*, FLOAT32),
  v6 VECTOR(*, *),
  v7 VECTOR
);
```

Table created.

```
DESC my_vect_tab;
```

Name	Null?	Type
V1		VECTOR(3 , FLOAT32)
V2		VECTOR(2 , FLOAT64)
V3		VECTOR(1 , INT8)
V4		VECTOR(1 , *)
V5		VECTOR(* , FLOAT32)
V6		VECTOR(* , *)
V7		VECTOR(* , *)

## Restrictions

You cannot define `VECTOR` columns in:

- External Tables
- IOTs (neither as Primary Key nor as non-Key column)
- Clusters or Cluster Tables
- Global Temporary Tables
- MSSM tablespaces (only SYS user can create VECTORS as Basicfiles in MSSM tablespace)
- CQN queries
- Non-vector indexes such as B-tree, Bitmap, Reverse Key, Text, Spatial indexes

You cannot define a `VECTOR` column as a:

- Partitioning or Subpartitioning Key
- Primary Key
- Foreign Key
- Unique Constraint
- Check Constraint
- Default Value
- Modify Column

Oracle Database does not support the following SQL constructs with `VECTOR` columns:

- Distinct, Count Distinct
- Order By, Group By
- Join condition
- Comparison operators (>, <, =)

## Create Tables with Column as a VECTOR Data Type

### Example 1: Create a table with a column of type vector

The following command creates a table `my_vectors` with two columns: `id` of type `NUMBER` and `embedding` of type `VECTOR`:

```
CREATE TABLE my_vectors (id NUMBER, embedding VECTOR);
```

### Example 2: Create a table with a column of type vector and specify dimensions and format

```
CREATE TABLE my_vectors (id NUMBER, embedding VECTOR(768, INT8)) ;
```

In the `my_vectors` table above, each vector that is stored:

- Must have 768 dimensions.
- Each dimension must be formatted as `INT8`.



- The number of dimensions must be strictly greater than zero with no practical upper limit.
- There are a new set of SQL functions that use the `VECTOR` data type. See [Vector Functions](#)

## Rowid Data Types

Each row in the database has an address. The sections that follow describe the two forms of row address in an Oracle Database.

### ROWID Data Type

The rows in heap-organized tables that are native to Oracle Database have row addresses called **rowids**. You can examine a rowid row address by querying the pseudocolumn `ROWID`. Values of this pseudocolumn are strings representing the address of each row. These strings have the data type `ROWID`. Refer to [Pseudocolumns](#) for more information on the `ROWID` pseudocolumn.

Rowids contain the following information:

- The **data block** of the data file containing the row. The length of this string depends on your operating system.
- The **row** in the data block.
- The **database file** containing the row. The first data file has the number 1. The length of this string depends on your operating system.
- The **data object number**, which is an identification number assigned to every database segment. You can retrieve the data object number from the data dictionary views `USER_OBJECTS`, `DBA_OBJECTS`, and `ALL_OBJECTS`. Objects that share the same segment (clustered tables in the same cluster, for example) have the same object number.

Rowids are stored as base 64 values that can contain the characters A-Z, a-z, 0-9, and the plus sign (+) and forward slash (/). Rowids are not available directly. You can use the supplied package `DBMS_ROWID` to interpret rowid contents. The package functions extract and provide information on the four rowid elements listed above.

#### See Also:

*Oracle Database PL/SQL Packages and Types Reference* for information on the functions available with the `DBMS_ROWID` package and how to use them

### UROWID Data Type

The rows of some tables have addresses that are not physical or permanent or were not generated by Oracle Database. For example, the row addresses of index-organized tables are stored in index leaves, which can move. Rowids of foreign tables (such as DB2 tables accessed through a gateway) are not standard Oracle rowids.

Oracle uses universal rowids (**urowids**) to store the addresses of index-organized and foreign tables. Index-organized tables have logical urowids and foreign tables have foreign urowids. Both types of urowid are stored in the `ROWID` pseudocolumn (as are the physical rowids of heap-organized tables).

Oracle creates logical rowids based on the primary key of the table. The logical rowids do not change as long as the primary key does not change. The `ROWID` pseudocolumn of an index-organized table has a data type of `UROWID`. You can access this pseudocolumn as you would the `ROWID` pseudocolumn of a heap-organized table (using a `SELECT ... ROWID` statement). If you want to store the rowids of an index-organized table, then you can define a column of type `UROWID` for the table and retrieve the value of the `ROWID` pseudocolumn into that column.

## ANSI, DB2, and SQL/DS Data Types

SQL statements that create tables and clusters can also use ANSI data types and data types from the IBM products SQL/DS and DB2. Oracle recognizes the ANSI or IBM data type name that differs from the Oracle Database data type name. It converts the data type to the equivalent Oracle data type, records the Oracle data type as the name of the column data type, and stores the column data in the Oracle data type based on the conversions shown in the tables that follow.

**Table 2-7 ANSI Data Types Converted to Oracle Data Types**

ANSI SQL Data Type	Oracle Data Type
CHARACTER (n) CHAR (n)	CHAR (n)
CHARACTER VARYING (n) CHAR VARYING (n)	VARCHAR2 (n)
NATIONAL CHARACTER (n) NATIONAL CHAR (n) NCHAR (n)	NCHAR (n)
NATIONAL CHARACTER VARYING (n) NATIONAL CHAR VARYING (n) NCHAR VARYING (n)	NVARCHAR2 (n)
NUMERIC [ (p, s) ] DECIMAL [ (p, s) ] <b>(Note 1)</b>	NUMBER (p, s)
INTEGER INT SMALLINT	NUMBER (38)
FLOAT <b>(Note 2)</b>	FLOAT (126)
DOUBLE PRECISION <b>(Note 3)</b>	FLOAT (126)
REAL <b>(Note 4)</b>	FLOAT (63)

### Notes:

1. The `NUMERIC` and `DECIMAL` data types can specify only fixed-point numbers. For those data types, the scale (`s`) defaults to 0.
2. The `FLOAT` data type is a floating-point number with a binary precision `b`. The default precision for this data type is 126 binary, or 38 decimal.
3. The `DOUBLE PRECISION` data type is a floating-point number with binary precision 126.

4. The `REAL` data type is a floating-point number with a binary precision of 63, or 18 decimal.

Do not define columns with the following SQL/DS and DB2 data types, because they have no corresponding Oracle data type:

- `GRAPHIC`
- `LONG VARGRAPHIC`
- `VARGRAPHIC`
- `TIME`

Note that data of type `TIME` can also be expressed as Oracle datetime data.



### See Also:

[Datetime and Interval Data Types](#)

**Table 2-8 SQL/DS and DB2 Data Types Converted to Oracle Data Types**

SQL/DS or DB2 Data Type	Oracle Data Type
<code>CHARACTER (n)</code>	<code>CHAR (n)</code>
<code>VARCHAR (n)</code>	<code>VARCHAR (n)</code>
<code>LONG VARCHAR</code>	<code>LONG</code>
<code>DECIMAL (p, s)</code> ( <b>Note 1</b> )	<code>NUMBER (p, s)</code>
<code>INTEGER</code>	<code>NUMBER (p, 0)</code>
<code>SMALLINT</code>	
<code>FLOAT</code> ( <b>Note 2</b> )	<code>NUMBER</code>

#### Notes:

1. The `DECIMAL` data type can specify only fixed-point numbers. For this data type, *s* defaults to 0.
2. The `FLOAT` data type is a floating-point number with a binary precision *b*. The default precision for this data type is 126 binary or 38 decimal.

## User-Defined Types

User-defined data types use Oracle built-in data types and other user-defined data types as the building blocks of object types that model the structure and behavior of data in applications. The sections that follow describe the various categories of user-defined types.

 **See Also:**

- *Oracle Database Concepts* for information about Oracle built-in data types
- [CREATE TYPE](#) and the [CREATE TYPE BODY](#) for information about creating user-defined types
- *Oracle Database Object-Relational Developer's Guide* for information about using user-defined types

## Object Types

Object types are abstractions of the real-world entities, such as purchase orders, that application programs deal with. An object type is a schema object with three kinds of components:

- A **name**, which identifies the object type uniquely within that schema.
- **Attributes**, which are built-in types or other user-defined types. Attributes model the structure of the real-world entity.
- **Methods**, which are functions or procedures written in PL/SQL and stored in the database, or written in a language like C or Java and stored externally. Methods implement operations the application can perform on the real-world entity.

## REF Data Types

An **object identifier** (represented by the keyword `OID`) uniquely identifies an object and enables you to reference the object from other objects or from relational tables. A data type category called `REF` represents such references. A `REF` data type is a container for an object identifier. `REF` values are pointers to objects.

When a `REF` value points to a nonexistent object, the `REF` is said to be "dangling". A dangling `REF` is different from a null `REF`. To determine whether a `REF` is dangling or not, use the condition `IS [NOT] DANGLING`. For example, given object view `oc_orders` in the sample schema `oe`, the column `customer_ref` is of type `REF` to type `customer_typ`, which has an attribute `cust_email`:

```
SELECT o.customer_ref.cust_email
   FROM oc_orders o
  WHERE o.customer_ref IS NOT DANGLING;
```

## Varrays

An array is an ordered set of data elements. All elements of a given array are of the same data type. Each element has an **index**, which is a number corresponding to the position of the element in the array.

The number of elements in an array is the size of the array. Oracle arrays are of variable size, which is why they are called **varrays**. You must specify a maximum size when you declare the varray.

When you declare a varray, it does not allocate space. It defines a type, which you can use as:

- The data type of a column of a relational table
- An object type attribute
- A PL/SQL variable, parameter, or function return type

Oracle normally stores an array object either in line (as part of the row data) or out of line (in a LOB), depending on its size. However, if you specify separate storage characteristics for a varray, then Oracle stores it out of line, regardless of its size. Refer to the [varray\\_col\\_properties](#) of [CREATE TABLE](#) for more information about varray storage.

## Nested Tables

A nested table type models an unordered set of elements. The elements may be built-in types or user-defined types. You can view a nested table as a single-column table or, if the nested table is an object type, as a multicolumn table, with a column for each attribute of the object type.

A nested table definition does not allocate space. It defines a type, which you can use to declare:

- The data type of a column of a relational table
- An object type attribute
- A PL/SQL variable, parameter, or function return type

When a nested table appears as the type of a column in a relational table or as an attribute of the underlying object type of an object table, Oracle stores all of the nested table data in a single table, which it associates with the enclosing relational or object table.

## Oracle-Supplied Types

Oracle provides SQL-based interfaces for defining new types when the built-in or ANSI-supported types are not sufficient. The behavior for these types can be implemented in C/C++, Java, or PL/SQL. Oracle Database automatically provides the low-level infrastructure services needed for input-output, heterogeneous client-side access for new data types, and optimizations for data transfers between the application and the database.

These interfaces can be used to build user-defined (or object) types and are also used by Oracle to create some commonly useful data types. Several such data types are supplied with the server, and they serve both broad horizontal application areas (for example, the `Any` types) and specific vertical ones (for example, the spatial types).

The Oracle-supplied types, along with cross-references to the documentation of their implementation and use, are described in the following sections:

- [Any Types](#)
- [XML Types](#)
- [Spatial Types](#)

## Any Types

The `Any` types provide highly flexible modeling of procedure parameters and table columns where the actual type is not known. These data types let you dynamically encapsulate and access type descriptions, data instances, and sets of data instances of any other SQL type. These types have OCI and PL/SQL interfaces for construction and access.

## ANYTYPE

This type can contain a type description of any named SQL type or unnamed transient type.

## ANYDATA

This type contains an instance of a given type, with data, plus a description of the type. `ANYDATA` can be used as a table column data type and lets you store heterogeneous values in a single column. The values can be of SQL built-in types as well as user-defined types.

## ANYDATASET

This type contains a description of a given type plus a set of data instances of that type. `ANYDATASET` can be used as a procedure parameter data type where such flexibility is needed. The values of the data instances can be of SQL built-in types as well as user-defined types.

### See Also:

*Oracle Database PL/SQL Packages and Types Reference* for information on the `ANYTYPE`, `ANYDATA`, and `ANYDATASET` types

## XML Types

Extensible Markup Language (XML) is a standard format developed by the World Wide Web Consortium (W3C) for representing structured and unstructured data on the World Wide Web. Universal resource identifiers (URIs) identify resources such as Web pages anywhere on the Web. Oracle provides types to handle XML and URI data, as well as a class of URIs called `DBURIRef` types to access data stored within the database itself. It also provides a set of types to store and access both external and internal URIs from within the database.

## XMLType

This Oracle-supplied type can be used to store and query XML data in the database. `XMLType` has member functions you can use to access, extract, and query the XML data using XPath expressions. XPath is another standard developed by the W3C committee to traverse XML documents. Oracle `XMLType` functions support many W3C XPath expressions. Oracle also provides a set of SQL functions and PL/SQL packages to create `XMLType` values from existing relational or object-relational data.

`XMLType` is a system-defined type, so you can use it as an argument of a function or as the data type of a table or view column. You can also create tables and views of `XMLType`. When you create an `XMLType` column in a table, you can choose to store the XML data in a `CLOB` column, as binary XML (stored internally as a `BLOB`), or object relationally.

You can also register the schema (using the `DBMS_XMLSCHEMA` package) and create a table or column conforming to the registered schema. In this case Oracle stores the XML data in underlying object-relational columns by default, but you can specify storage in a `CLOB` or binary XML column even for schema-based data.

Queries and DML on `XMLType` columns operate the same regardless of the storage mechanism.



### See Also:

*Oracle XML DB Developer's Guide* for information about using `XMLType` columns

## URI Data Types

Oracle supplies a family of URI types—`URIType`, `DBURIType`, `XDBURIType`, and `HTTPURIType`—which are related by an inheritance hierarchy. `URIType` is an object type and the others are subtypes of `URIType`. Since `URIType` is the supertype, you can create columns of this type and store `DBURIType` or `HTTPURIType` type instances in this column.

### HTTPURIType

You can use `HTTPURIType` to store URLs to external Web pages or to files. Oracle accesses these files using HTTP (Hypertext Transfer Protocol).

### XDBURIType

You can use `XDBURIType` to expose documents in the XML database hierarchy as URIs that can be embedded in any `URIType` column in a table. The `XDBURIType` consists of a URL, which comprises the hierarchical name of the XML document to which it refers and an optional fragment representing the XPath syntax. The fragment is separated from the URL part by a pound sign (`#`). The following lines are examples of `XDBURIType`:

```
/home/oe/doc1.xml
/home/oe/doc1.xml#/orders/order_item
```

### DBURIType

`DBURIType` can be used to store `DBURIRef` values, which reference data inside the database. Storing `DBURIRef` values lets you reference data stored inside or outside the database and access the data consistently.

`DBURIRef` values use an XPath-like representation to reference data inside the database. If you imagine the database as an XML tree, then you would see the tables, rows, and columns as elements in the XML document. For example, the sample human resources user `hr` would see the following XML tree:

```
<HR>
  <EMPLOYEES>
    <ROW>
      <EMPLOYEE_ID>205</EMPLOYEE_ID>
      <LAST_NAME>Higgins</LAST_NAME>
      <SALARY>12008</SALARY>
      .. <!-- other columns -->
    </ROW>
    ... <!-- other rows -->
```

```
</EMPLOYEES>
<!-- other tables.-->
</HR>
<!-- other user schemas on which you have some privilege on.-->
```

The `DBURIRef` is an XPath expression over this virtual XML document. So to reference the `SALARY` value in the `EMPLOYEES` table for the employee with employee number 205, you can write a `DBURIRef` as,

```
/HR/EMPLOYEES/ROW[EMPLOYEE_ID=205]/SALARY
```

Using this model, you can reference data stored in `CLOB` columns or other columns and expose them as URLs to the external world.

## URIFactory Package

Oracle also provides the `URIFactory` package, which can create and return instances of the various subtypes of the `URITypes`. The package analyzes the URL string, identifies the type of URL (`HTTP`, `DBURI`, and so on), and creates an instance of the subtype. To create a `DBURI` instance, the URL must begin with the prefix `/oradb`. For example, `URIFactory.getURI('/oradb/HR/EMPLOYEES')` would create a `DBURIType` instance and `URIFactory.getUri('/sys/schema')` would create an `XDBURIType` instance.

### See Also:

- *Oracle Database Object-Relational Developer's Guide* for general information on object types and type inheritance
- *Oracle XML DB Developer's Guide* for more information about these supplied types and their implementation
- *Oracle Database Advanced Queuing User's Guide* for information about using `XMLType` with Oracle Advanced Queuing

## Spatial Types

Oracle Spatial and Graph is designed to make spatial data management easier and more natural to users of location-enabled applications, geographic information system (GIS) applications, and geoinaging applications. After the spatial data is stored in an Oracle Database, you can easily manipulate, retrieve, and relate it to all the other data stored in the database. The following data types are available only if you have installed Oracle Spatial and Graph.

### SDO\_GEOMETRY

The geometric description of a spatial object is stored in a single row, in a single column of object type `SDO_GEOMETRY` in a user-defined table. Any table that has a column of type `SDO_GEOMETRY` must have another column, or set of columns, that defines a unique primary key for that table. Tables of this sort are sometimes called geometry tables.

The `SDO_GEOMETRY` object type has the following definition:



```
CREATE TYPE SDO_GEOMETRY AS OBJECT
(sgo_gtype      NUMBER,
 sdo_srid       NUMBER,
 sdo_point      SDO_POINT_TYPE,
 sdo_elem_info  SDO_ELEM_INFO_ARRAY,
 sdo_ordinates  SDO_ORDINATE_ARRAY);
/
```

## SDO\_TOPO\_GEOMETRY

This type describes a topology geometry, which is stored in a single row, in a single column of object type `SDO_TOPO_GEOMETRY` in a user-defined table.

The `SDO_TOPO_GEOMETRY` object type has the following definition:

```
CREATE TYPE SDO_TOPO_GEOMETRY AS OBJECT
(tg_type        NUMBER,
 tg_id          NUMBER,
 tg_layer_id    NUMBER,
 topology_id    NUMBER);
/
```

## SDO\_GEOASTER

In the GeoRaster object-relational model, a raster grid or image object is stored in a single row, in a single column of object type `SDO_GEOASTER` in a user-defined table. Tables of this sort are called GeoRaster tables.

The `SDO_GEOASTER` object type has the following definition:

```
CREATE TYPE SDO_GEOASTER AS OBJECT
(rasterType     NUMBER,
 spatialExtent  SDO_GEOMETRY,
 rasterDataTable VARCHAR2(32),
 rasterID       NUMBER,
 metadata       XMLType);
/
```

### See Also:

*Oracle Spatial Developer's Guide, Oracle Spatial Topology and Network Data Model Developer's Guide, and Oracle Spatial GeoRaster Developer's Guide* for information on the full implementation of the spatial data types and guidelines for using them

## Data Type Comparison Rules

This section describes how Oracle Database compares values of each data type.

### Numeric Values

A larger value is considered greater than a smaller one. All negative numbers are less than zero and all positive numbers. Thus, -1 is less than 100; -100 is less than -1.

The floating-point value `NaN` (not a number) is greater than any other numeric value and is equal to itself.



#### See Also:

[Numeric Precedence](#) and [Floating-Point Numbers](#) for more information on comparison semantics

## Datetime Values

A later date or timestamp is considered greater than an earlier one. For example, the date equivalent of '29-MAR-2005' is less than that of '05-JAN-2006' and the timestamp equivalent of '05-JAN-2006 1:35pm' is greater than that of '05-JAN-2005 10:09am'.

When two timestamps with time zone are compared, they are first normalized to UTC, that is, to the timezone offset '+00:00'. For example, the timestamp with time zone equivalent of '16-OCT-2016 05:59am Europe/Warsaw' is equal to that of '15-OCT-2016 08:59pm US/Pacific'. Both represent the same absolute point in time, which represented in UTC is October 16th, 2016, 03:59am.

## Binary Values

A binary value of the data type `RAW` or `BLOB` is a sequence of bytes. When two binary values are compared, the corresponding, consecutive bytes of the two byte sequences are compared in turn. If the first bytes of both compared values are different, the binary value that contains the byte with the lower numeric value is considered smaller. If the first bytes are equal, second bytes are compared analogously, and so on, until either the compared bytes differ or the comparison process reaches the end of one of the values. In the latter case, the value that is shorter is considered smaller.

Binary values of the data type `BLOB` cannot be compared directly in comparison conditions. However, they can be compared with the PL/SQL function `DBMS_LOB.COMPARE`.



#### See Also:

*Oracle Database PL/SQL Packages and Types Reference* for more information on the `DBMS_LOB.COMPARE` function

## Character Values

Character values are compared on the basis of two measures:

- Binary or linguistic collation
- Blank-padded or nonpadded comparison semantics

The following subsections describe the two measures.

## Binary and Linguistic Collation

In binary collation, which is the default, Oracle compares character values like binary values. Two sequences of bytes that form the encodings of two character values in their storage character set are treated as binary values and compared as described in [Binary Values](#). The result of this comparison is returned as the result of the binary comparison of the source character values.

### See Also:

*Oracle Database Globalization Support Guide* for more information on character sets

For many languages, the binary collation can yield a linguistically incorrect ordering of character values. For example, in most common character sets, all the uppercase Latin letters have character codes with lower values than all the lowercase Latin letters. Hence, the binary collation yields the following order:

```
MacDonald  
MacIntosh  
Macdonald  
Macintosh
```

However, most users expect these four values to be presented in the order:

```
MacDonald  
Macdonald  
MacIntosh  
Macintosh
```

This shows that binary collation may not be suitable even for English character values.

Oracle Database supports linguistic collations that order strings according to rules of various spoken languages. It also supports collation variants that match character values case- and accent-insensitively. Linguistic collations are more expensive but they provide superior user experience.

### See Also:

*Oracle Database Globalization Support Guide* for more information about linguistic sorting

## Restrictions for Linguistic Collations

Comparison conditions, ORDER BY, GROUP BY and MATCH\_RECOGNIZE query clauses, COUNT (DISTINCT) and statistical aggregate functions, LIKE conditions, and ORDER BY and PARTITION BY analytic clauses generate collation keys when using linguistic collations. The

collation keys are the same values that are returned by the function `NLSSORT` and are subject to the same restrictions that are described in [NLSSORT](#).

### Blank-Padded and Nonpadded Comparison Semantics

With blank-padded semantics, if the two values have different lengths, then Oracle first adds blanks to the end of the shorter one so their lengths are equal. Oracle then compares the values character by character up to the first character that differs. The value with the greater character in the first differing position is considered greater. If two values have no differing characters, then they are considered equal. This rule means that two values are equal if they differ only in the number of trailing blanks. Oracle uses blank-padded comparison semantics only when both values in the comparison are either expressions of data type `CHAR`, `NCHAR`, text literals, or values returned by the `USER` function.

With nonpadded semantics, Oracle compares two values character by character up to the first character that differs. The value with the greater character in that position is considered greater. If two values of different length are identical up to the end of the shorter one, then the longer value is considered greater. If two values of equal length have no differing characters, then the values are considered equal. Oracle uses nonpadded comparison semantics whenever one or both values in the comparison have the data type `VARCHAR2` or `NVARCHAR2`.

The results of comparing two character values using different comparison semantics may vary. The table that follows shows the results of comparing five pairs of character values using each comparison semantic. Usually, the results of blank-padded and nonpadded comparisons are the same. The last comparison in the table illustrates the differences between the blank-padded and nonpadded comparison semantics.

Blank-Padded	Nonpadded
'ac' > 'ab'	'ac' > 'ab'
'ab' > 'a '	'ab' > 'a '
'ab' > 'a'	'ab' > 'a'
'ab' = 'ab'	'ab' = 'ab'
'a ' = 'a'	'a ' > 'a'

### Data-Bound Collation

Starting with Oracle Database 12c Release 2 (12.2), the collation to use when comparing or matching a given character value is associated with the value itself. It is called the **data-bound collation**. The data-bound collation can be viewed as an attribute of the data type of the value.

In previous Oracle Database releases, the session parameters `NLS_COMP` and `NLS_SORT` coarsely determined the collation for all collation-sensitive SQL operations in a database session. The data-bound collation architecture enables applications to consistently apply language-specific comparison rules to exactly the data that needs these rules.

Oracle Database 12c Release 2 (12.2) allows you to declare a collation for a table column. When a column is passed as an argument to a collation-sensitive SQL operation, the SQL operation uses the column's declared collation to process the column's values. If the SQL operation has multiple character arguments that are

compared to each other, the **collation determination rules** determine the collation to use.

There are two types of data-bound collations:

- **Named Collation:** This collation is a particular set of collating rules specified by a collation name. Named collations are the same collations that are specified as values for the `NLS_SORT` parameter. A named collation can be either a binary collation or a linguistic collation.
- **Pseudo-collation:** This collation does not directly specify the collating rules for a SQL operation. Instead, it instructs the operation to check the values of the session parameters `NLS_SORT` and `NLS_COMP` for the actual named collation to use. Pseudo-collations are the bridge between the new declarative method of specifying collations and the old method that uses session parameters. In particular, the pseudo-collation `USING_NLS_COMP` directs a SQL operation to behave exactly as it used to behave before Oracle Database 12c Release 2.

When you declare a named collation for a column, you statically determine how the column values are compared. When you declare a pseudo-collation, you can dynamically control comparison behavior with the session parameter `NLS_COMP` and `NLS_SORT`. However, static objects, such as indexes and constraints, defined on a column declared with a pseudo-collation, fall back to using a binary collation. Dynamically settable collating rules cannot be used to compare values for a static object.

The collation for a character literal or bind variable that is used in an expression is derived from the default collation of the database object containing the expression, such as a view or materialized view query, a PL/SQL stored unit code, a user-defined type method code, or a standalone DML or query statement. In Oracle Database 12c Release 2, the default collation of PL/SQL stored units, user-defined type methods, and standalone SQL statements is always the pseudo-collation `USING_NLS_COMP`. The default collation of views and materialized views can be specified in the `DEFAULT COLLATION` clause of the `CREATE VIEW` and `CREATE MATERIALIZED VIEW` statements.

If a SQL operation returns character values, the **collation derivation rules** determine the **derived collation** for the result, so that its collation is known, when the result is passed as an argument to another collation-sensitive SQL operation in the expression tree or to a top-level consumer, such as an SQL statement clause in a `SELECT` statement. If a SQL operation operates on character argument values, then the derived collation of its character result is based on the collations of the arguments. Otherwise, the derivation rules are the same as for a character literal.

You can override the derived collation of an expression node, such as a simple expression or an operator result, by using the `COLLATE` operator.

Oracle Database allows you to declare a case-insensitive collation for a column, table or schema, so that the column or all character columns in a table or a schema can be always compared in a case-insensitive way.

#### See Also:

- *Oracle Database Globalization Support Guide* for more information on data-bound collation architecture, including the detailed collation derivation and determination rules
- [COLLATE Operator](#)

## Object Values

Object values are compared using one of two comparison functions: `MAP` and `ORDER`. Both functions compare object type instances, but they are quite different from one another. These functions must be specified as part of any object type that will be compared with other object types.



### See Also:

[CREATE TYPE](#) for a description of `MAP` and `ORDER` methods and the values they return

## Varrays and Nested Tables

Comparison of nested tables is described in [Comparison Conditions](#).

## Data Type Precedence

Oracle uses data type precedence to determine implicit data type conversion, which is discussed in the section that follows. Oracle data types take the following precedence:

- Datetime and interval data types
- `BINARY_DOUBLE`
- `BINARY_FLOAT`
- `NUMBER`
- Character data types
- All other built-in data types

## Data Conversion

Generally an expression cannot contain values of different data types. For example, an expression cannot multiply 5 by 10 and then add 'JAMES'. However, Oracle supports both implicit and explicit conversion of values from one data type to another.

## Implicit and Explicit Data Conversion

Oracle recommends that you specify explicit conversions, rather than rely on implicit or automatic conversions, for these reasons:

- SQL statements are easier to understand when you use explicit data type conversion functions.
- Implicit data type conversion can have a negative impact on performance, especially if the data type of a column value is converted to that of a constant rather than the other way around.
- Implicit conversion depends on the context in which it occurs and may not work the same way in every case. For example, implicit conversion from a datetime

value to a VARCHAR2 value may return an unexpected year depending on the value of the NLS\_DATE\_FORMAT parameter.

- Algorithms for implicit conversion are subject to change across software releases and among Oracle products. Behavior of explicit conversions is more predictable.
- If implicit data type conversion occurs in an index expression, then Oracle Database might not use the index because it is defined for the pre-conversion data type. This can have a negative impact on performance.

## Implicit Data Conversion

Oracle Database automatically converts a value from one data type to another when such a conversion makes sense.

Table 2-9 is a matrix of Oracle implicit conversions. The table shows all possible conversions, without regard to the direction of the conversion or the context in which it is made.

The cells with an 'X' indicate the possible implicit conversions from source to destination data type.

Table 2-9 Implicit Type Conversion Matrix

Data Type	CHAR	VARCHAR2	NCHAR	NVARCHAR2	DATE	DATETIME/INTERVAL	NUMBER	BINARY_FLOAT	BINARY_DOUBLE	LONG	RAW	ROWID	CL	BL	NCLOB	BOOLEAN
CHAR	--	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
VARCHAR2	X	--	X	X	X	X	X	X	X	X	X	X	X	X	--	X
NCHAR	X	X	--	X	X	X	X	X	X	X	X	X	X	--	X	X
NVARCHAR2	X	X	X	--	X	X	X	X	X	X	X	X	X	--	X	--
DATE	X	X	X	X	--	--	--	--	--	--	--	--	--	--	--	--
DATETIME/INTERVAL	X	X	X	X	--	--	--	--	--	X	--	--	--	--	--	--
NUMBER	X	X	X	X	--	--	--	X	X	--	--	--	--	--	--	X
BINARY_FLOAT	X	X	X	X	--	--	X	--	X	--	--	--	--	--	--	X
BINARY_DOUBLE	X	X	X	X	--	--	X	X	--	--	--	--	--	--	--	X
LONG	X	X	X	X	--	X <sup>1</sup>	--	--	--	--	X	--	X	--	X	--
RAW	X	X	X	X	--	--	--	--	--	X	--	--	--	X	--	--
ROWID	X	X	X	X	--	--	--	--	--	--	--	--	--	--	--	--

Table 2-9 (Cont.) Implicit Type Conversion Matrix

Data Type	CHAR	VARCHAR	NCLOB	NVARCHAR	DATE	DATE TIME	NUMB	BINARY	BINARY	LONG	RAW	ROWID	CHAR	BLOB	NCLOB	BOOLEAN
CLOB	X	X	X	X	--	--	--	--	-	X	--	--	--	--	X	--
BLOB	--	--	--	--	--	--	--	--	-	--	X	--	--	--	--	--
NCLOB	X	X	X	X	--	--	--	--	-	X	--	--	X	--	--	--
JSON	--	X	--	--	--	--	--	--	--	--	--	--	X	X	--	--
BOOLEAN	X	X	X	X	--	--	X	X	X	--	--	--	--	--	--	--

<sup>1</sup> You cannot convert LONG to INTERVAL directly, but you can convert LONG to VARCHAR2 using TO\_CHAR(interval), and then convert the resulting VARCHAR2 value to INTERVAL.

### Implicit Data Type Conversion Rules

- During INSERT and UPDATE operations, Oracle converts the value to the data type of the affected column.
- During SELECT FROM operations, Oracle converts the data from the column to the type of the target variable.
- When manipulating numeric values, Oracle usually adjusts precision and scale to allow for maximum capacity. In such cases, the numeric data type resulting from such operations can differ from the numeric data type found in the underlying tables.
- When comparing a character value with a numeric value, Oracle converts the character data to a numeric value.
- Conversions between character values or NUMBER values and floating-point number values can be inexact, because the character types and NUMBER use decimal precision to represent the numeric value, and the floating-point numbers use binary precision.
- When converting a CLOB value into a character data type such as VARCHAR2, or converting BLOB to RAW data, if the data to be converted is larger than the target data type, then the database returns an error.
- During conversion from a timestamp value to a DATE value, the fractional seconds portion of the timestamp value is truncated. This behavior differs from earlier releases of Oracle Database, when the fractional seconds portion of the timestamp value was rounded.
- Conversions from BINARY\_FLOAT to BINARY\_DOUBLE are exact.
- Conversions from BINARY\_DOUBLE to BINARY\_FLOAT are inexact if the BINARY\_DOUBLE value uses more bits of precision than supported by the BINARY\_FLOAT.



- When comparing a character value with a `DATE` value, Oracle converts the character data to `DATE`.
- When you use a SQL function or operator with an argument of a data type other than the one it accepts, Oracle converts the argument to the accepted data type.
- When making assignments, Oracle converts the value on the right side of the equal sign (=) to the data type of the target of the assignment on the left side.
- During concatenation operations, Oracle converts from noncharacter data types to `CHAR` or `NCHAR`.
- During arithmetic operations on and comparisons between character and noncharacter data types, Oracle converts from any character data type to a numeric, date, or rowid, as appropriate. In arithmetic operations between `CHAR/VARCHAR2` and `NCHAR/NVARCHAR2`, Oracle converts to a `NUMBER`.
- Most SQL character functions are enabled to accept `CLOBs` as parameters, and Oracle performs implicit conversions between `CLOB` and character types. Therefore, functions that are not yet enabled for `CLOBs` can accept `CLOBs` through implicit conversion. In such cases, Oracle converts the `CLOBs` to `CHAR` or `VARCHAR2` before the function is invoked. If the `CLOB` is larger than 4000 bytes, then Oracle converts only the first 4000 bytes to `CHAR`.
- When converting `RAW` or `LONG RAW` data to or from character data, the binary data is represented in hexadecimal form, with one hexadecimal character representing every four bits of `RAW` data. Refer to "[RAW and LONG RAW Data Types](#)" for more information.
- Comparisons between `CHAR` and `VARCHAR2` and between `NCHAR` and `NVARCHAR2` types may entail different character sets. The default direction of conversion in such cases is from the database character set to the national character set. [Table 2-10](#) shows the direction of implicit conversions between different character types.

**Table 2-10 Conversion Direction of Different Character Types**

Source Data Type	to CHAR	to VARCHAR2	to NCHAR	to NVARCHAR2
<b>from CHAR</b>	-	VARCHAR2	NCHAR	NVARCHAR2
<b>from VARCHAR2</b>	VARCHAR2	-	NVARCHAR2	NVARCHAR2
<b>from NCHAR</b>	NCHAR	NCHAR	-	NVARCHAR2
<b>from NVARCHAR2</b>	NVARCHAR2	NVARCHAR2	NVARCHAR2	-

User-defined types such as collections cannot be implicitly converted, but must be explicitly converted using `CAST ... MULTISET`.

## Implicit Data Conversion Examples

### Text Literal Example

The text literal '10' has data type `CHAR`. Oracle implicitly converts it to the `NUMBER` data type if it appears in a numeric expression as in the following statement:

```
SELECT salary + '10'
FROM employees;
```

### Character and Number Values Example

When a condition compares a character value and a `NUMBER` value, Oracle implicitly converts the character value to a `NUMBER` value, rather than converting the `NUMBER` value to a character value. In the following statement, Oracle implicitly converts '200' to 200:

```
SELECT last_name
   FROM employees
  WHERE employee_id = '200';
```

### Date Example

In the following statement, Oracle implicitly converts '24-JUN-06' to a `DATE` value using the default date format 'DD-MON-YY':

```
SELECT last_name
   FROM employees
  WHERE hire_date = '24-JUN-06';
```

## Explicit Data Conversion

You can explicitly specify data type conversions using SQL conversion functions. [Table 2-11](#) shows SQL functions that explicitly convert a value from one data type to another.

You cannot specify `LONG` and `LONG RAW` values in cases in which Oracle can perform implicit data type conversion. For example, `LONG` and `LONG RAW` values cannot appear in expressions with functions or operators. Refer to [LONG Data Type](#) for information on the limitations on `LONG` and `LONG RAW` data types.

**Table 2-11** Explicit Type Conversions

Source Data Type	to CHAR, VARCHAR2, NCHAR, NVARCHAR2	to NUMBER	to Datetime/Interval	to RAW	to ROWID	to LONG, LONG RAW	to CLOB, NCLOB, BLOB	to BINARY_FLOAT, BINARY_DOUBLE	to BINARY_INTEGER	to BOOLEAN
<b>from</b> <b>CHAR,</b> <b>VARCHAR2,</b> <b>NCHAR,</b> <b>NVARCHAR2</b>	TO_CHAR (char.) TO_NCHAR (char.)	TO_NUMBER	TO_DATE TO_TIMESTAMP TO_TIMESTAMP AMP_TZ TO_YMINTERVAL RVAL TO_DSINTERVAL RVAL	HEXTORAW	CHARTOROWID	-- TO_CLOB TO_NCLOB TO_BLOB	TO_BINARY_FLOAT ARY_FLT OAT UBLE	TO_BINARY_INTEGER ARY_INT	TO_BOOLEAN	

Table 2-11 (Cont.) Explicit Type Conversions

Source Data Type	to CHAR, VARCHAR2, NCHAR, NVARCHAR2	to NUMBER	to Datetime/Interval	to RAW	to ROWID	to LONG, LONG RAW	to CLOB, NCLOB, BLOB	to BINARY_FLOAT, BINARY_DOUBLE	to BINARY_FLOAT, BINARY_DOUBLE	to BOOLEAN
<b>from NUMBER</b>	TO_CHAR (number) TO_NCHAR (number)	--	TO_DATE NUMTOYM-INTERVAL NUMTODS-INTERVAL	--	--	--	--	TO_BINARY_FLOAT TO_BINARY_DOUBLE	TO_BINARY_FLOAT TO_BINARY_DOUBLE	TO_BOOLEAN
<b>from Datetime/Interval</b>	TO_CHAR (date) TO_NCHAR (datetime)	--	--	--	--	--	--	--	--	--
<b>from RAW</b>	RAWTOHEX RAWTONHEX	--	--	--	--	--	TO_BLOB	--	--	--
<b>from ROWID</b>	ROWIDTOCHAR	--	--	--	--	--	--	--	--	--
<b>from LONG / LONG RAW</b>	--	--	--	--	--	--	TO_LOB	--	--	--
<b>from CLOB, NCLOB, BLOB</b>	TO_CHAR TO_NCHAR	--	--	--	--	--	TO_CLOB TO_NCLOB	--	--	--
<b>from CLOB, NCLOB, BLOB</b>	TO_CHAR TO_NCHAR	--	--	--	--	--	TO_CLOB TO_NCLOB	--	--	--
<b>from BINARY_FLOAT</b>	TO_CHAR (char.) TO_NCHAR (char.)	TO_NUMBER	--	--	--	--	--	TO_BINARY_FLOAT TO_BINARY_DOUBLE	TO_BINARY_FLOAT TO_BINARY_DOUBLE	TO_BOOLEAN
<b>from BINARY_DOUBLE</b>	TO_CHAR (char.) TO_NCHAR (char.)	TO_NUMBER	--	--	--	--	--	TO_BINARY_FLOAT TO_BINARY_DOUBLE	TO_BINARY_FLOAT TO_BINARY_DOUBLE	TO_BOOLEAN
<b>from BOOLEAN</b>	TO_CHAR (boolean) TO_NCHAR (boolean)	TO_NUMBER	--	--	--	--	--	TO_BINARY_FLOAT TO_BINARY_DOUBLE	TO_BINARY_FLOAT TO_BINARY_DOUBLE	TO_BOOLEAN

**See Also:**

[Conversion Functions](#) for details on all of the explicit conversion functions

## Security Considerations for Data Conversion

When a datetime value is converted to text, either by implicit conversion or by explicit conversion that does not specify a format model, the format model is defined by one of the globalization session parameters. Depending on the source data type, the parameter name is `NLS_DATE_FORMAT`, `NLS_TIMESTAMP_FORMAT`, or `NLS_TIMESTAMP_TZ_FORMAT`. The values of these parameters can be specified in the client environment or in an `ALTER SESSION` statement.

The dependency of format models on session parameters can have a negative impact on database security when conversion without an explicit format model is applied to a datetime value that is being concatenated to text of a dynamic SQL statement. Dynamic SQL statements are those statements whose text is concatenated from fragments before being passed to a database for execution. Dynamic SQL is frequently associated with the built-in PL/SQL package `DBMS_SQL` or with the PL/SQL statement `EXECUTE IMMEDIATE`, but these are not the only places where dynamically constructed SQL text may be passed as argument. For example:

```
EXECUTE IMMEDIATE  
'SELECT last_name FROM employees WHERE hire_date > '' || start_date || ''';
```

where `start_date` has the data type `DATE`.

In the above example, the value of `start_date` is converted to text using a format model specified in the session parameter `NLS_DATE_FORMAT`. The result is concatenated into SQL text. A datetime format model can consist simply of literal text enclosed in double quotation marks. Therefore, any user who can explicitly set globalization parameters for a session can decide what text is produced by the above conversion. If the SQL statement is executed by a PL/SQL procedure, the procedure becomes vulnerable to SQL injection through the session parameter. If the procedure runs with definer's rights, with higher privileges than the session itself, the user can gain unauthorized access to sensitive data.

**See Also:**

*Oracle Database PL/SQL Language Reference* for further examples and for recommendations on avoiding this security risk

**Note:**

This security risk also applies to middle-tier applications that construct SQL text from datetime values converted to text by the database or by OCI datetime functions. Those applications are vulnerable if session globalization parameters are obtained from a user preference.

Implicit and explicit conversion for numeric values may also suffer from the analogous problem, as the conversion result may depend on the session parameter `NLS_NUMERIC_CHARACTERS`. This parameter defines the decimal and group separator characters. If the decimal separator is defined to be the quotation mark or the double quotation mark, some potential for SQL injection emerges.



#### See Also:

- [Oracle Database Globalization Support Guide](#) for detailed descriptions of the session globalization parameters
- [Format Models](#) for information on the format models

## Literals

The terms **literal** and **constant value** are synonymous and refer to a fixed data value. For example, 'JACK', 'BLUE ISLAND', and '101' are all character literals; 5001 is a numeric literal. Character literals are enclosed in single quotation marks so that Oracle can distinguish them from schema object names.

This section contains these topics:

- [Text Literals](#)
- [Numeric Literals](#)
- [Datetime Literals](#)
- [Interval Literals](#)

Many SQL statements and functions require you to specify character and numeric literal values. You can also specify literals as part of expressions and conditions. You can specify character literals with the `'text'` notation, national character literals with the `N'text'` notation, and numeric literals with the `integer`, or `number` notation, depending on the context of the literal. The syntactic forms of these notations appear in the sections that follow.


To specify a datetime or interval data type as a literal, you must take into account any optional precisions included in the data types. Examples of specifying datetime and interval data types as literals are provided in the relevant sections of [Data Types](#).

## Text Literals

Use the text literal notation to specify values whenever `string` appears in the syntax of expressions, conditions, SQL functions, and SQL statements in other parts of this reference. This reference uses the terms **text literal**, **character literal**, and **string** interchangeably. Text, character, and string literals are always surrounded by single quotation marks. If the syntax uses the term `char`, then you can specify either a text literal or another expression that resolves to character data — for example, the `last_name` column of the `hr.employees` table. When `char` appears in the syntax, the single quotation marks are not used.

The syntax of text literals or strings follows:

**string::=**



where `N` or `n` specifies the literal using the national character set (`NCHAR` or `NVARCHAR2` data). By default, text entered using this notation is translated into the national character set by way of the database character set when used by the server. To avoid potential loss of data during the text literal conversion to the database character set, set the environment variable `ORA_NCHAR_LITERAL_REPLACE` to `TRUE`. Doing so transparently replaces the `n` internally and preserves the text literal for SQL processing.



#### See Also:

*Oracle Database Globalization Support Guide* for more information about N-quoted literals

In the top branch of the syntax:

- `c` is any member of the user's character set. A single quotation mark (') within the literal must be preceded by an escape character. To represent one single quotation mark within a literal, enter two single quotation marks.
- '' are two single quotation marks that begin and end text literals.

In the bottom branch of the syntax:

- `Q` or `q` indicates that the alternative quoting mechanism will be used. This mechanism allows a wide range of delimiters for the text string.
- The outermost ' ' are two single quotation marks that precede and follow, respectively, the opening and closing `quote_delimiter`.
- `c` is any member of the user's character set. You can include quotation marks (") in the text literal made up of `c` characters. You can also include the `quote_delimiter`, as long as it is not immediately followed by a single quotation mark.
- `quote_delimiter` is any single- or multibyte character except space, tab, and return. The `quote_delimiter` can be a single quotation mark. However, if the `quote_delimiter` appears in the text literal itself, ensure that it is not immediately followed by a single quotation mark.

If the opening `quote_delimiter` is one of `[`, `{`, `<`, or `(`, then the closing `quote_delimiter` must be the corresponding `]`, `}`, `>`, or `)`. In all other cases, the opening and closing `quote_delimiter` must be the same character.

Text literals have properties of both the `CHAR` and `VARCHAR2` data types:

- Within expressions and conditions, Oracle treats text literals as though they have the data type `CHAR` by comparing them using blank-padded comparison semantics.
- A text literal can have a maximum length of 4000 bytes if the initialization parameter `MAX_STRING_SIZE = STANDARD`, and 32767 bytes if `MAX_STRING_SIZE = EXTENDED`. See [Extended Data Types](#) for more information.

Here are some valid text literals:

```
'Hello'
'ORACLE.dbs'
'Jackie's raincoat'
'09-MAR-98'
N'nchar literal'
```

Here are some valid text literals using the alternative quoting mechanism:

```
q'!name LIKE '%DBMS_%%!'
q'<'So,' she said, 'It's finished.'>'
q'{SELECT * FROM employees WHERE last_name = 'Smith';}'
nq'i Ÿ1234 i'
q"\"name like '['"
```



### See Also:

[Blank-Padded and Nonpadded Comparison Semantics](#)

## Numeric Literals


Use numeric literal notation to specify fixed and floating-point numbers.

### Integer Literals

You must use the integer notation to specify an integer whenever *integer* appears in expressions, conditions, SQL functions, and SQL statements described in other parts of this reference.

The syntax of *integer* follows:

***integer*::=**



where *digit* is one of 0, 1, 2, 3, 4, 5, 6, 7, 8, 9.

An integer can store a maximum of 38 digits of precision.

Here are some valid integers:


```
7
+255
```

## NUMBER and Floating-Point Literals

You must use the number or floating-point notation to specify values whenever *number* or *n* appears in expressions, conditions, SQL functions, and SQL statements in other parts of this reference.

The syntax of *number* follows:

***number*::=**



where

- + or - indicates a positive or negative value. If you omit the sign, then a positive value is the default.
- *digit* is one of 0, 1, 2, 3, 4, 5, 6, 7, 8 or 9.
- e or E indicates that the number is specified in scientific notation. The digits after the E specify the exponent. The exponent can range from -130 to 125.
- f or F indicates that the number is a 32-bit binary floating point number of type `BINARY_FLOAT`.
- d or D indicates that the number is a 64-bit binary floating point number of type `BINARY_DOUBLE`.

If you omit f or F and d or D, then the number is of type `NUMBER`.

The suffixes f (F) and d (D) are supported only in floating-point number literals, not in character strings that are to be converted to `NUMBER`. For example, if Oracle is expecting a `NUMBER` and it encounters the string '9', then it converts the string to the number 9. However, if Oracle encounters the string '9E', then conversion fails and an error is returned.

A number of type `NUMBER` can store a maximum of 38 digits of precision. If the literal requires more precision than provided by `NUMBER`, `BINARY_FLOAT`, or `BINARY_DOUBLE`, then Oracle truncates the value. If the range of the literal exceeds the range supported by `NUMBER`, `BINARY_FLOAT`, or `BINARY_DOUBLE`, then Oracle raises an error.

Numeric literals are SQL syntax elements, which are not sensitive to NLS settings. The decimal separator character in numeric literals is always the period (.). However, if a text literal is specified where a numeric value is expected, then the text literal is



implicitly converted to a number in an NLS-sensitive way. The decimal separator contained in the text literal must be the one established with the initialization parameter `NLS_NUMERIC_CHARACTERS`. Oracle recommends that you use numeric literals in SQL scripts to make them work independently of the NLS environment.

The following examples illustrate the behavior of decimal separators in numeric literals and text literals. These examples assume that you have established the comma (,) as the NLS decimal separator for the current session with the following statement:

```
ALTER SESSION SET NLS_NUMERIC_CHARACTERS=',.');
```

The previous statement also establishes the period (.) as the NLS group separator, but that is irrelevant for these examples.

This example uses the required decimal separator (.) in the numeric literal `1.23` and the established NLS decimal separator (,) in the text literal `'2,34'`. The text literal is converted to the numeric value `2.34`, and the output is displayed using commas for the decimal separators.

```
SELECT 2 * 1.23, 3 * '2,34' FROM DUAL;
```

```
      2*1.23      3*'2,34'
-----
      2,46      7,02
```

The next example shows that a comma is not treated as part of a numeric literal. Rather, the comma is treated as the delimiter in a list of two numeric expressions: `2*1` and `23`.

```
SELECT 2 * 1,23 FROM DUAL;
```

```
      2*1      23
-----
      2      23
```

The next example shows that the decimal separator in a text literal must match the NLS decimal separator in order for implicit text-to-number conversion to succeed. The following statement fails because the decimal separator (.) does not match the established NLS decimal separator (,):

```
SELECT 3 * '2.34' FROM DUAL;
*
ERROR at line 1:
ORA-01722: invalid number
```



### See Also:

[ALTER SESSION](#) and *Oracle Database Reference*

Here are some valid `NUMBER` literals:

```
25
+6.34
0.5
25e-03
-1
```

Here are some valid floating-point number literals:

```
25f
+6.34F
0.5d
-1D
```

You can also use the following supplied floating-point literals in situations where a value cannot be expressed as a numeric literal:

**Table 2-12 Floating-Point Literals**

Literal	Meaning	Example
<code>binary_float_nan</code>	A value of type <code>BINARY_FLOAT</code> for which the condition <code>IS NAN</code> is true	<pre>SELECT COUNT(*) FROM employees WHERE TO_BINARY_FLOAT(commission_pct)       != BINARY_FLOAT_NAN;</pre>
<code>binary_float_infinity</code>	Single-precision positive infinity	<pre>SELECT COUNT(*) FROM employees WHERE salary &lt; BINARY_FLOAT_INFINITY;</pre>
<code>binary_double_nan</code>	A value of type <code>BINARY_DOUBLE</code> for which the condition <code>IS NAN</code> is true	<pre>SELECT COUNT(*) FROM employees WHERE TO_BINARY_FLOAT(commission_pct)       != BINARY_FLOAT_NAN;</pre>
<code>binary_double_infinity</code>	Double-precision positive infinity	<pre>SELECT COUNT(*) FROM employees WHERE salary &lt; BINARY_DOUBLE_INFINITY;</pre>

## Datetime Literals

Oracle Database supports four datetime data types: `DATE`, `TIMESTAMP`, `TIMESTAMP WITH TIME ZONE`, and `TIMESTAMP WITH LOCAL TIME ZONE`.

### Date Literals

You can specify a `DATE` value as a string literal, or you can convert a character or numeric value to a date value with the `TO_DATE` function. `DATE` literals are the only case in which Oracle Database accepts a `TO_DATE` expression in place of a string literal.

To specify a `DATE` value as a literal, you must use the Gregorian calendar. You can specify an ANSI literal, as shown in this example:

```
DATE '1998-12-25'
```

The ANSI date literal contains no time portion, and must be specified in the format `'YYYY-MM-DD'`. Alternatively you can specify an Oracle date value, as in the following example:

```
TO_DATE('98-DEC-25 17:30','YY-MON-DD HH24:MI')
```

The default date format for an Oracle `DATE` value is specified by the initialization parameter `NLS_DATE_FORMAT`. This example date format includes a two-digit number for

the day of the month, an abbreviation of the month name, the last two digits of the year, and a 24-hour time designation.

Oracle automatically converts character values that are in the default date format into date values when they are used in date expressions.

If you specify a date value without a time component, then the default time is midnight (00:00:00 or 12:00:00 for 24-hour and 12-hour clock time, respectively). If you specify a date value without a date, then the default date is the first day of the current month.

Oracle `DATE` columns always contain both the date and time fields. Therefore, if you query a `DATE` column, then you must either specify the time field in your query or ensure that the time fields in the `DATE` column are set to midnight. Otherwise, Oracle may not return the query results you expect. You can use the `TRUNC` date function to set the time field to midnight, or you can include a greater-than or less-than condition in the query instead of an equality or inequality condition.

Here are some examples that assume a table `my_table` with a number column `row_num` and a `DATE` column `datecol`:

```
INSERT INTO my_table VALUES (1, SYSDATE);
INSERT INTO my_table VALUES (2, TRUNC(SYSDATE));

SELECT *
  FROM my_table;

  ROW_NUM DATECOL
-----
         1 03-OCT-02
         2 03-OCT-02

SELECT *
  FROM my_table
 WHERE datecol > TO_DATE('02-OCT-02', 'DD-MON-YY');

  ROW_NUM DATECOL
-----
         1 03-OCT-02
         2 03-OCT-02

SELECT *
  FROM my_table
 WHERE datecol = TO_DATE('03-OCT-02', 'DD-MON-YY');

  ROW_NUM DATECOL
-----
         2 03-OCT-02
```

If you know that the time fields of your `DATE` column are set to midnight, then you can query your `DATE` column as shown in the immediately preceding example, or by using the `DATE` literal:

```
SELECT *
  FROM my_table
 WHERE datecol = DATE '2002-10-03';

  ROW_NUM DATECOL
-----
         2 03-OCT-02
```

However, if the `DATE` column contains values other than midnight, then you must filter out the time fields in the query to get the correct result. For example:

```
SELECT *
  FROM my_table
 WHERE TRUNC(datecol) = DATE '2002-10-03';
```

```

ROW_NUM DATECOL
-----
1 03-OCT-02
2 03-OCT-02
```

Oracle applies the `TRUNC` function to each row in the query, so performance is better if you ensure the midnight value of the time fields in your data. To ensure that the time fields are set to midnight, use one of the following methods during inserts and updates:

- Use the `TO_DATE` function to mask out the time fields:

```
INSERT INTO my_table
  VALUES (3, TO_DATE('3-OCT-2002', 'DD-MON-YYYY'));
```

- Use the `DATE` literal:

```
INSERT INTO my_table
  VALUES (4, '03-OCT-02');
```

- Use the `TRUNC` function:

```
INSERT INTO my_table
  VALUES (5, TRUNC(SYSDATE));
```

The date function `SYSDATE` returns the current system date and time. The function `CURRENT_DATE` returns the current session date. For information on `SYSDATE`, the `TO_*` datetime functions, and the default date format, see [Datetime Functions](#).

### TIMESTAMP Literals

The `TIMESTAMP` data type stores year, month, day, hour, minute, and second, and fractional second values. When you specify `TIMESTAMP` as a literal, the *fractional\_seconds\_precision* value can be any number of digits up to 9, as follows:

```
TIMESTAMP '1997-01-31 09:26:50.124'
```

### TIMESTAMP WITH TIME ZONE Literals

The `TIMESTAMP WITH TIME ZONE` data type is a variant of `TIMESTAMP` that includes a time zone region name or time zone offset. When you specify `TIMESTAMP WITH TIME ZONE` as a literal, the *fractional\_seconds\_precision* value can be any number of digits up to 9. For example:

```
TIMESTAMP '1997-01-31 09:26:56.66 +02:00'
```

Two `TIMESTAMP WITH TIME ZONE` values are considered identical if they represent the same instant in UTC, regardless of the `TIME ZONE` offsets stored in the data. For example,

```
TIMESTAMP '1999-04-15 8:00:00 -8:00'
```

is the same as

```
TIMESTAMP '1999-04-15 11:00:00 -5:00'
```

8:00 a.m. Pacific Standard Time is the same as 11:00 a.m. Eastern Standard Time.

You can replace the UTC offset with the `TZR` (time zone region name) format element. For example, the following example has the same value as the preceding example:

```
TIMESTAMP '1999-04-15 8:00:00 US/Pacific'
```

To eliminate the ambiguity of boundary cases when the daylight saving time switches, use both the `TZR` and a corresponding `TZD` format element. The following example ensures that the preceding example will return a daylight saving time value:

```
TIMESTAMP '1999-10-29 01:30:00 US/Pacific PDT'
```

You can also express the time zone offset using a datetime expression:

```
SELECT TIMESTAMP '2009-10-29 01:30:00' AT TIME ZONE 'US/Pacific'
FROM DUAL;
```



### See Also:

[Datetime Expressions](#) for more information

If you do not add the `TZD` format element, and the datetime value is ambiguous, then Oracle returns an error if you have the `ERROR_ON_OVERLAP_TIME` session parameter set to `TRUE`. If that parameter is set to `FALSE`, then Oracle interprets the ambiguous datetime as standard time in the specified region.

## TIMESTAMP WITH LOCAL TIME ZONE Literals

The `TIMESTAMP WITH LOCAL TIME ZONE` data type differs from `TIMESTAMP WITH TIME ZONE` in that data stored in the database is normalized to the database time zone. The time zone offset is not stored as part of the column data. There is no literal for `TIMESTAMP WITH LOCAL TIME ZONE`. Rather, you represent values of this data type using any of the other valid datetime literals. The table that follows shows some of the formats you can use to insert a value into a `TIMESTAMP WITH LOCAL TIME ZONE` column, along with the corresponding value returned by a query.

**Table 2-13** `TIMESTAMP WITH LOCAL TIME ZONE` Literals

Value Specified in INSERT Statement	Value Returned by Query
'19-FEB-2004'	19-FEB-2004.00.00.000000 AM
SYSTIMESTAMP	19-FEB-04 02.54.36.497659 PM
TO_TIMESTAMP('19-FEB-2004', 'DD-MON-YYYY')	19-FEB-04 12.00.00.000000 AM
SYSDATE	19-FEB-04 02.55.29.000000 PM
TO_DATE('19-FEB-2004', 'DD-MON-YYYY')	19-FEB-04 12.00.00.000000 AM
TIMESTAMP'2004-02-19 8:00:00 US/Pacific'	19-FEB-04 08.00.00.000000 AM

Notice that if the value specified does not include a time component (either explicitly or implicitly), then the value returned defaults to midnight.

## Interval Literals

An interval literal specifies a period of time. You can specify these differences in terms of years and months, or in terms of days, hours, minutes, and seconds. Oracle Database supports two types of interval literals, `YEAR TO MONTH` and `DAY TO SECOND`. Each type contains a leading field and may contain a trailing field. The leading field defines the basic unit of date or time being measured. The trailing field defines the smallest increment of the basic unit being considered. For example, a `YEAR TO MONTH` interval considers an interval of years to the nearest month. A `DAY TO MINUTE` interval considers an interval of days to the nearest minute.

If you have date data in numeric form, then you can use the `NUMTOYMINTERVAL` or `NUMTODSINTERVAL` conversion function to convert the numeric data into interval values.

Interval literals are used primarily with analytic functions.




### See Also:

[Analytic Functions](#) , [NUMTODSINTERVAL](#) , and [NUMTOYMINTERVAL](#)

## INTERVAL YEAR TO MONTH

Specify `YEAR TO MONTH` interval literals using the following syntax:

*interval\_year\_to\_month*::=



where

- `'integer [-integer]'` specifies integer values for the leading and optional trailing field of the literal. If the leading field is `YEAR` and the trailing field is `MONTH`, then the range of integer values for the month field is 0 to 11.
- `precision` is the maximum number of digits in the leading field. The valid range of the leading field precision is 0 to 9 and its default value is 2.

### Restriction on the Leading Field

If you specify a trailing field, then it must be less significant than the leading field. For example, `INTERVAL '0-1' MONTH TO YEAR` is not valid.

The following `INTERVAL YEAR TO MONTH` literal indicates an interval of 123 years, 2 months:

```
INTERVAL '123-2' YEAR(3) TO MONTH
```

Examples of the other forms of the literal follow, including some abbreviated versions:

**Table 2-14** Forms of INTERVAL YEAR TO MONTH Literals


Form of Interval Literal	Interpretation
<code>INTERVAL '123-2' YEAR(3) TO MONTH</code>	An interval of 123 years, 2 months. You must specify the leading field precision if it is greater than the default of 2 digits.
<code>INTERVAL '123' YEAR(3)</code>	An interval of 123 years 0 months.
<code>INTERVAL '300' MONTH(3)</code>	An interval of 300 months.
<code>INTERVAL '4' YEAR</code>	Maps to <code>INTERVAL '4-0' YEAR TO MONTH</code> and indicates 4 years.
<code>INTERVAL '50' MONTH</code>	Maps to <code>INTERVAL '4-2' YEAR TO MONTH</code> and indicates 50 months or 4 years 2 months.
<code>INTERVAL '123' YEAR</code>	Returns an error, because the default precision is 2, and '123' has 3 digits.

You can add or subtract one INTERVAL YEAR TO MONTH literal to or from another to yield another INTERVAL YEAR TO MONTH literal. For example:

```
INTERVAL '5-3' YEAR TO MONTH + INTERVAL '20' MONTH =
INTERVAL '6-11' YEAR TO MONTH
```

## INTERVAL DAY TO SECOND

Specify DAY TO SECOND interval literals using the following syntax:

***interval\_day\_to\_second::=***

where

- *integer* specifies the number of days. If this value contains more digits than the number specified by the leading precision, then Oracle returns an error.
- *time\_expr* specifies a time in the format *HH[:MI[:SS[.n]]]* or *MI[:SS[.n]]* or *SS[.n]*, where *n* specifies the fractional part of a second. If *n* contains more digits than the number specified by *fractional\_seconds\_precision*, then *n* is rounded to the number of digits specified by the *fractional\_seconds\_precision* value. You can specify *time\_expr* following an integer and a space only if the leading field is *DAY*.
- *leading\_precision* is the number of digits in the leading field. Accepted values are 0 to 9. The default is 2.
- *fractional\_seconds\_precision* is the number of digits in the fractional part of the *SECOND* datetime field. Accepted values are 1 to 9. The default is 6.

**Restriction on the Leading Field:**

If you specify a trailing field, then it must be less significant than the leading field. For example, `INTERVAL MINUTE TO DAY` is not valid. As a result of this restriction, if `SECOND` is the leading field, the interval literal cannot have any trailing field.

The valid range of values for the trailing field are as follows:

- `HOUR`: 0 to 23
- `MINUTE`: 0 to 59



- SECOND: 0 to 59.999999999

Examples of the various forms of INTERVAL DAY TO SECOND literals follow, including some abbreviated versions:

**Table 2-15 Forms of INTERVAL DAY TO SECOND Literals**

Form of Interval Literal	Interpretation
INTERVAL '4 5:12:10.222' DAY TO SECOND(3)	4 days, 5 hours, 12 minutes, 10 seconds, and 222 thousandths of a second.
INTERVAL '4 5:12' DAY TO MINUTE	4 days, 5 hours and 12 minutes.
INTERVAL '400 5' DAY(3) TO HOUR	400 days 5 hours.
INTERVAL '400' DAY(3)	400 days.
INTERVAL '11:12:10.2222222' HOUR TO SECOND(7)	11 hours, 12 minutes, and 10.2222222 seconds.
INTERVAL '11:20' HOUR TO MINUTE	11 hours and 20 minutes.
INTERVAL '10' HOUR	10 hours.
INTERVAL '10:22' MINUTE TO SECOND	10 minutes 22 seconds.
INTERVAL '10' MINUTE	10 minutes.
INTERVAL '4' DAY	4 days.
INTERVAL '25' HOUR	25 hours.
INTERVAL '40' MINUTE	40 minutes.
INTERVAL '120' HOUR(3)	120 hours.
INTERVAL '30.12345' SECOND(2,4)	30.1235 seconds. The fractional second '12345' is rounded to '1235' because the precision is 4.

You can add or subtract one DAY TO SECOND interval literal from another DAY TO SECOND literal. For example.

```
INTERVAL'20' DAY - INTERVAL'240' HOUR = INTERVAL'10-0' DAY TO SECOND
```

## Format Models

A **format model** is a character literal that describes the format of datetime or numeric data stored in a character string. A format model does not change the internal representation of the value in the database. When you convert a character string into a date or number, a format model determines how Oracle Database interprets the string. In SQL statements, you can use a format model as an argument of the TO\_CHAR and TO\_DATE functions to specify:

- The format for Oracle to use to return a value from the database
- The format for a value you have specified for Oracle to store in the database

For example:

- The datetime format model for the string '17:45:29' is 'HH24:MI:SS'.
- The datetime format model for the string '11-Nov-1999' is 'DD-Mon-YYYY'.
- The number format model for the string '\$2,304.25' is '\$9,999.99'.

For lists of number and datetime format model elements, see [Table 2-16](#) and [Table 2-18](#).

The values of some formats are determined by the value of initialization parameters. For such formats, you can specify the characters returned by these format elements implicitly using the initialization parameter `NLS_TERRITORY`. You can change the default date format for your session with the `ALTER SESSION` statement.

 **See Also:**

- [ALTER SESSION](#) for information on changing the values of these parameters and [Format Model Examples](#) for examples of using format models
- [TO\\_CHAR \(datetime\)](#) , [TO\\_CHAR \(number\)](#) , and [TO\\_DATE](#)
- *Oracle Database Reference* and *Oracle Database Globalization Support Guide* for information on these parameters

This remainder of this section describes how to use the following format models:

- [Number Format Models](#)
- [Datetime Format Models](#)
- [Format Model Modifiers](#)

## Number Format Models

You can use number format models in the following functions:

- In the `TO_CHAR` function to translate a value of `NUMBER`, `BINARY_FLOAT`, or `BINARY_DOUBLE` data type to `VARCHAR2` data type
- In the `TO_NUMBER` function to translate a value of `CHAR` or `VARCHAR2` data type to `NUMBER` data type
- In the `TO_BINARY_FLOAT` and `TO_BINARY_DOUBLE` functions to translate `CHAR` and `VARCHAR2` expressions to `BINARY_FLOAT` or `BINARY_DOUBLE` values

All number format models cause the number to be rounded to the specified number of significant digits. If a value has more significant digits to the left of the decimal place than are specified in the format, then pound signs (#) replace the value. This event typically occurs when you are using `TO_CHAR` with a restrictive number format string, causing a rounding operation.

- If a positive `NUMBER` value is extremely large and cannot be represented in the specified format, then the infinity sign (∞) replaces the value. Likewise, if a negative `NUMBER` value is extremely small and cannot be represented by the specified format, then the negative infinity sign replaces the value (−∞).
- If a `BINARY_FLOAT` or `BINARY_DOUBLE` value is converted to `CHAR` or `NCHAR`, and the input is either infinity or NaN (not a number), then Oracle always returns the pound signs to replace the value. However, if you omit the format model, then Oracle returns either `Inf` or `Nan` as a string.

## Number Format Elements

A number format model is composed of one or more number format elements. The tables that follow list the elements of a number format model and provide some examples.

Negative return values automatically contain a leading negative sign and positive values automatically contain a leading space unless the format model contains the `MI`, `S`, or `PR` format element.

**Table 2-16 Number Format Elements**

Element	Example	Description
, (comma)	9,999	Returns a comma in the specified position. You can specify multiple commas in a number format model. <b>Restrictions:</b> <ul style="list-style-type: none"> <li>• A comma element cannot begin a number format model.</li> <li>• A comma cannot appear to the right of a decimal character or period in a number format model.</li> </ul>
. (period)	99.99	Returns a decimal point, which is a period (.) in the specified position. <b>Restriction:</b> You can specify only one period in a number format model.
\$	\$9999	Returns value with a leading dollar sign.
0	0999 9990	Returns leading zeros. Returns trailing zeros.
9	9999	Returns value with the specified number of digits with a leading space if positive or with a leading minus if negative. Leading zeros are blank, except for a zero value, which returns a zero for the integer part of the fixed-point number.
B	B9999	Returns blanks for the integer part of a fixed-point number when the integer part is zero (regardless of zeros in the format model).
C	C999	Returns in the specified position the ISO currency symbol (the current value of the <code>NLS_ISO_CURRENCY</code> parameter).
D	99D99	Returns in the specified position the decimal character, which is the current value of the <code>NLS_NUMERIC_CHARACTER</code> parameter. The default is a period (.). <b>Restriction:</b> You can specify only one decimal character in a number format model.
EEEE	9.9EEEE	Returns a value using in scientific notation.
G	9G999	Returns in the specified position the group separator (the current value of the <code>NLS_NUMERIC_CHARACTER</code> parameter). You can specify multiple group separators in a number format model. <b>Restriction:</b> A group separator cannot appear to the right of a decimal character or period in a number format model.
L	L999	Returns in the specified position the local currency symbol (the current value of the <code>NLS_CURRENCY</code> parameter).
MI	9999MI	Returns negative value with a trailing minus sign (-). Returns positive value with a trailing blank. <b>Restriction:</b> The MI format element can appear only in the last position of a number format model.

Table 2-16 (Cont.) Number Format Elements

Element	Example	Description
PR	9999PR	Returns negative value in <angle brackets>. Returns positive value with a leading and trailing blank. <b>Restriction:</b> The PR format element can appear only in the last position of a number format model.
RN	RN	Returns a value as Roman numerals in uppercase.
rn	rn	Returns a value as Roman numerals in lowercase. Value can be an integer between 1 and 3999.
S	S9999 9999S	Returns negative value with a leading minus sign (-). Returns positive value with a leading plus sign (+). Returns negative value with a trailing minus sign (-). Returns positive value with a trailing plus sign (+). <b>Restriction:</b> The S format element can appear only in the first or last position of a number format model.
TM	TM	The text minimum number format model returns (in decimal output) the smallest number of characters possible. This element is case insensitive. The default is TM9, which returns the number in fixed notation unless the output exceeds 64 characters. If the output exceeds 64 characters, then Oracle Database automatically returns the number in scientific notation. <b>Restrictions:</b> <ul style="list-style-type: none"> <li>You cannot precede this element with any other element.</li> <li>You can follow this element only with one 9 or one E (or e), but not with any combination of these. The following statement returns an error: <pre>SELECT TO_CHAR(1234, 'TM9e') FROM DUAL;</pre></li> </ul>
U	U9999	Returns in the specified position the Euro (or other) dual currency symbol, determined by the current value of the NLS_DUAL_CURRENCY parameter.
V	999V99	Returns a value multiplied by 10 <sup>n</sup> (and if necessary, round it up), where <i>n</i> is the number of 9's after the V.
X	XXXX xxxx	Returns the hexadecimal value of the specified number of digits. If the specified number is not an integer, then Oracle Database rounds it to an integer. <b>Restrictions:</b> <ul style="list-style-type: none"> <li>This element accepts only positive values or 0. Negative values return an error.</li> <li>You can precede this element only with 0 (which returns leading zeroes) or FM. Any other elements return an error. If you specify neither 0 nor FM with X, then the return always has one leading blank. Refer to the format model modifier <b>FM</b> for more information.</li> </ul>

Table 2-17 shows the results of the following query for different values of *number* and '*fmt*':

```
SELECT TO_CHAR(number, 'fmt')
FROM DUAL;
```

Table 2-17 Results of Number Conversions

number	'fmt'	Result
-1234567890	9999999999S	'1234567890-'

**Table 2-17 (Cont.) Results of Number Conversions**

number	'fmt'	Result
0	99.99	' .00 '
+0.1	99.99	' .10 '
-0.2	99.99	' -.20 '
0	90.99	' 0.00 '
+0.1	90.99	' 0.10 '
-0.2	90.99	' -0.20 '
0	9999	' 0 '
1	9999	' 1 '
0	B9999	' '
1	B9999	' 1 '
0	B90.99	' '
+123.456	999.999	' 123.456 '
-123.456	999.999	' -123.456 '
+123.456	FM999.009	'123.456'
+123.456	9.9EEEE	' 1.2E+02 '
+1E+123	9.9EEEE	' 1.0E+123 '
+123.456	FM9.9EEEE	'1.2E+02'
+123.45	FM999.009	'123.45'
+123.0	FM999.009	'123.00'
+123.45	L999.99	' \$123.45 '
+123.45	FML999.99	'\$123.45'
+1234567890	9999999999S	'1234567890+'

## Datetime Format Models

You can use datetime format models in the following functions:

- In the `TO_*` datetime functions to translate a character value that is in a format other than the default format into a datetime value. (The `TO_*` datetime functions are `TO_DATE`, `TO_TIMESTAMP`, and `TO_TIMESTAMP_TZ`.)
- In the `TO_CHAR` function to translate a datetime value into a character value that is in a format other than the default format (for example, to print the date from an application)

The total length of a datetime format model cannot exceed 22 characters.

The default datetime formats are specified either explicitly with the NLS session parameters `NLS_DATE_FORMAT`, `NLS_TIMESTAMP_FORMAT`, and `NLS_TIMESTAMP_TZ_FORMAT`, or implicitly with the NLS session parameter `NLS_TERRITORY`. You can change the default datetime formats for your session with the `ALTER SESSION` statement.

 **See Also:**

[ALTER SESSION](#) and *Oracle Database Globalization Support Guide* for information on the NLS parameters

## Datetime Format Elements

A datetime format model is composed of one or more datetime format elements as listed in [Table 2-18](#).

- For input format models, format items cannot appear twice, and format items that represent similar information cannot be combined. For example, you cannot use 'SYYYY' and 'BC' in the same format string.
- The second column indicates whether the format element can be used in the `TO_*` datetime functions. All format elements can be used in the `TO_CHAR` function.
- The following datetime format elements can be used in timestamp and interval format models, but not in the original `DATE` format model: `FF`, `TZD`, `TZH`, `TZM`, and `TZR`.
- Many datetime format elements are padded with blanks or leading zeroes to a specific length. Refer to the format model modifier [FM](#) for more information.

 **Note:**

Oracle recommends that you use the 4-digit year element (`YYYY`) instead of the shorter year elements for these reasons:

- The 4-digit year element eliminates ambiguity.
- The shorter year elements may affect query optimization because the year is not known at query compile time and can only be determined at run time.

## Uppercase Letters in Date Format Elements

Capitalization in a spelled-out word, abbreviation, or Roman numeral follows capitalization in the corresponding format element. For example, the date format model 'DAY' produces capitalized words like 'MONDAY'; 'Day' produces 'Monday'; and 'day' produces 'monday'.

## Punctuation and Character Literals in Datetime Format Models

You can include these characters in a date format model:

- Punctuation such as hyphens, slashes, commas, periods, and colons
- Character literals, enclosed in double quotation marks

These characters appear in the return value in the same location as they appear in the format model.

Table 2-18 Datetime Format Elements

Element	TO_* datetime functions?	Description
- / ' . ; : "text"	Yes	Punctuation and quoted text is reproduced in the result.
AD A.D.	Yes	AD indicator with or without periods.
AM A.M.	Yes	Meridian indicator with or without periods.
BC B.C.	Yes	BC indicator with or without periods.
CC SCC		<p>Century.</p> <ul style="list-style-type: none"> <li>If the last 2 digits of a 4-digit year are between 01 and 99 (inclusive), then the century is one greater than the first 2 digits of that year.</li> <li>If the last 2 digits of a 4-digit year are 00, then the century is the same as the first 2 digits of that year.</li> </ul> <p>For example, 2002 returns 21; 2000 returns 20.</p>
D	Yes	Day of week (1-7). This element depends on the NLS territory of the session.
DAY	Yes	Name of day.
DD	Yes	Day of month (1-31).
DDD	Yes	Day of year (1-366).
DL	Yes	<p>Returns a value in the long date format, which is an extension of the Oracle Database DATE format, determined by the current value of the NLS_DATE_FORMAT parameter. Makes the appearance of the date components (day name, month number, and so forth) depend on the NLS_TERRITORY and NLS_LANGUAGE parameters. For example, in the AMERICAN_AMERICA locale, this is equivalent to specifying the format 'fmDay, Month dd, yyyy'. In the GERMAN_GERMANY locale, it is equivalent to specifying the format 'fmDay, dd. Month yyyy'.</p> <p><b>Restriction:</b> You can specify this format only with the TS element, separated by white space.</p>

Table 2-18 (Cont.) Datetime Format Elements

Element	TO_* datetime functions?	Description
DS	Yes	Returns a value in the short date format. Makes the appearance of the date components (day name, month number, and so forth) depend on the <code>NLS_TERRITORY</code> and <code>NLS_LANGUAGE</code> parameters. For example, in the <code>AMERICAN_AMERICA</code> locale, this is equivalent to specifying the format 'MM/DD/RRRR'. In the <code>ENGLISH_UNITED_KINGDOM</code> locale, it is equivalent to specifying the format 'DD/MM/RRRR'. <b>Restriction:</b> You can specify this format only with the <code>TS</code> element, separated by white space.
DY	Yes	Abbreviated name of day.
E	Yes	Abbreviated era name (Japanese Imperial, ROC Official, and Thai Buddha calendars).
EE	Yes	Full era name (Japanese Imperial, ROC Official, and Thai Buddha calendars).
FF [1..9]	Yes	Fractional seconds; no radix character is printed. Use the <code>X</code> format element to add the radix character. Use the numbers 1 to 9 after <code>FF</code> to specify the number of digits in the fractional second portion of the datetime value returned. If you do not specify a digit, then Oracle Database uses the precision specified for the datetime data type or the data type's default precision. Valid in timestamp and interval formats, but not in <code>DATE</code> formats. <b>Examples:</b> 'HH:MI:SS.FF' <code>SELECT TO_CHAR(SYSTIMESTAMP, 'SS.FF3') from DUAL;</code>
FM	Yes	Returns a value with no leading or trailing blanks. <b>See Also:</b> <a href="#">FM</a>
FX	Yes	Requires exact matching between the character data and the format model. <b>See Also:</b> <a href="#">FX</a>
HH HH12	Yes	Hour of day (1-12).
HH24	Yes	Hour of day (0-23).
IW		Calendar week of year (1-52 or 1-53), as defined by the ISO 8601 standard. <ul style="list-style-type: none"> <li>• A calendar week starts on Monday.</li> <li>• The first calendar week of the year includes January 4.</li> <li>• The first calendar week of the year may include December 29, 30 and 31.</li> <li>• The last calendar week of the year may include January 1, 2, and 3.</li> </ul>
IYYY		4-digit year of the year containing the calendar week, as defined by the ISO 8601 standard.
IYY IY I		Last 3, 2, or 1 digit(s) of the year containing the calendar week, as defined by the ISO 8601 standard.



Table 2-18 (Cont.) Datetime Format Elements

Element	TO_* datetime functions?	Description
J	Yes	Julian day; the number of days since January 1, 4712 BC. Number specified with J must be integers.
MI	Yes	Minute (0-59).
MM	Yes	Month (01-12; January = 01).
MON	Yes	Abbreviated name of month.
MONTH	Yes	Name of month.
PM P.M.	Yes	Meridian indicator with or without periods.
Q		Quarter of year (1, 2, 3, 4; January - March = 1).
RM	Yes	Roman numeral month (I-XII; January = I).
RR	Yes	Lets you store 20th century dates in the 21st century using only two digits. <b>See Also:</b> <a href="#">The RR Datetime Format Element</a>
RRRR	Yes	Round year. Accepts either 4-digit or 2-digit input. If 2-digit, provides the same return as RR. If you do not want this functionality, then enter the 4-digit year.
SS	Yes	Second (0-59).
SSSSS	Yes	Seconds past midnight (0-86399).
TS	Yes	Returns a value in the short time format. Makes the appearance of the time components (hour, minutes, and so forth) depend on the NLS_TERRITORY and NLS_LANGUAGE initialization parameters. <b>Restriction:</b> You can specify this format only with the DL or DS element, separated by white space.
TZD	Yes	Daylight saving information. The TZD value is an abbreviated time zone string with daylight saving information. It must correspond with the region specified in TZR. Valid in timestamp and interval formats, but not in DATE formats. <b>Example:</b> PST (for US/Pacific standard time); PDT (for US/Pacific daylight time).
TZH	Yes	Time zone hour. (See TZM format element.) Valid in timestamp and interval formats, but not in DATE formats. <b>Example:</b> 'HH:MI:SS.FFTZH:TZM'.
TZM	Yes	Time zone minute. (See TZH format element.) Valid in timestamp and interval formats, but not in DATE formats. <b>Example:</b> 'HH:MI:SS.FFTZH:TZM'.

Table 2-18 (Cont.) Datetime Format Elements

Element	TO_* datetime functions?	Description
TZR	Yes	Time zone region information. The value must be one of the time zone region names supported in the database. Valid in timestamp and interval formats, but not in DATE formats. <b>Example:</b> US/Pacific
WW		Week of year (1-53) where week 1 starts on the first day of the year and continues to the seventh day of the year.
W		Week of month (1-5) where week 1 starts on the first day of the month and ends on the seventh.
X	Yes	Local radix character. <b>Example:</b> 'HH:MI:SSXFF'.
Y,YYY	Yes	Year with comma in this position.
YEAR SYEAR		Year, spelled out; S prefixes BC dates with a minus sign (-).
YYYY SYYYY	Yes	4-digit year; S prefixes BC dates with a minus sign.
YYY YY Y	Yes	Last 3, 2, or 1 digit(s) of year.

Oracle Database converts strings to dates with some flexibility. For example, when the TO\_DATE function is used, a format model containing punctuation characters matches an input string lacking some or all of these characters, provided each numerical element in the input string contains the maximum allowed number of digits—for example, two digits '05' for 'MM' or four digits '2007' for 'YYYY'. The following statement does not return an error:

```
SELECT TO_CHAR(TO_DATE('0207','MM/YY'), 'MM/YY') FROM DUAL;
```

```
TO_CH
-----
02/07
```

However, the following format string does return an error, because the FX (format exact) format modifier requires an exact match of the expression and the format string:

```
SELECT TO_CHAR(TO_DATE('0207', 'fxmm/yy'), 'mm/yy') FROM DUAL;
SELECT TO_CHAR(TO_DATE('0207', 'fxmm/yy'), 'mm/yy') FROM DUAL;
```

```

*
ERROR at line 1:
ORA-01861: literal does not match format string
```

Any non-alphanumeric character is allowed to match the punctuation characters in the format model. For example, the following statement does not return an error:

```
SELECT TO_CHAR (TO_DATE('02#07', 'MM/YY'), 'MM/YY') FROM DUAL;

TO_CH
-----
02/07
```

**See Also:**

[Format Model Modifiers](#) and [String-to-Date Conversion Rules](#) for more information

## Datetime Format Elements and Globalization Support

The functionality of some datetime format elements depends on the country and language in which you are using Oracle Database. For example, these datetime format elements return spelled values:

- MONTH
- MON
- DAY
- DY
- BC or AD or B.C. or A.D.
- AM or PM or A.M or P.M.

The language in which these values are returned is specified either explicitly with the initialization parameter `NLS_DATE_LANGUAGE` or implicitly with the initialization parameter `NLS_LANGUAGE`. The values returned by the `YEAR` and `SYEAR` datetime format elements are always in English.

The datetime format element `D` returns the number of the day of the week (1-7). The day of the week that is numbered 1 is specified implicitly by the initialization parameter `NLS_TERRITORY`.

**See Also:**

*Oracle Database Reference* and *Oracle Database Globalization Support Guide* for information on globalization support initialization parameters

## ISO Standard Date Format Elements

Oracle calculates the values returned by the datetime format elements `IYYY`, `IYY`, `IY`, `I`, and `IW` according to the ISO standard. For information on the differences between these values and those returned by the datetime format elements `YYYY`, `YYY`, `YY`, `Y`, and `WW`, see the discussion of globalization support in *Oracle Database Globalization Support Guide*.

## The RR Datetime Format Element

The `RR` datetime format element is similar to the `YY` datetime format element, but it provides additional flexibility for storing date values in other centuries. The `RR` datetime format element lets you store 20th century dates in the 21st century by specifying only the last two digits of the year.

If you use the `TO_DATE` function with the `YY` datetime format element, then the year returned always has the same first 2 digits as the current year. If you use the `RR` datetime format element instead, then the century of the return value varies according to the specified two-digit year and the last two digits of the current year.

That is:

- If the specified two-digit year is 00 to 49, then
  - If the last two digits of the current year are 00 to 49, then the returned year has the same first two digits as the current year.
  - If the last two digits of the current year are 50 to 99, then the first 2 digits of the returned year are 1 greater than the first 2 digits of the current year.
- If the specified two-digit year is 50 to 99, then
  - If the last two digits of the current year are 00 to 49, then the first 2 digits of the returned year are 1 less than the first 2 digits of the current year.
  - If the last two digits of the current year are 50 to 99, then the returned year has the same first two digits as the current year.

The following examples demonstrate the behavior of the `RR` datetime format element.

### RR Datetime Format Examples

Assume these queries are issued between 1950 and 1999:

```
SELECT TO_CHAR(TO_DATE('27-OCT-98', 'DD-MON-RR'), 'YYYY') "Year" FROM DUAL;
```

```
Year  
----  
1998
```

```
SELECT TO_CHAR(TO_DATE('27-OCT-17', 'DD-MON-RR'), 'YYYY') "Year" FROM DUAL;
```

```
Year  
----  
2017
```

Now assume these queries are issued between 2000 and 2049:

```
SELECT TO_CHAR(TO_DATE('27-OCT-98', 'DD-MON-RR'), 'YYYY') "Year" FROM DUAL;
```

```
Year  
----  
1998
```

```
SELECT TO_CHAR(TO_DATE('27-OCT-17', 'DD-MON-RR'), 'YYYY') "Year" FROM DUAL;
```

```
Year
```

```
----
2017
```

Note that the queries return the same values regardless of whether they are issued before or after the year 2000. The RR datetime format element lets you write SQL statements that will return the same values from years whose first two digits are different.

## Datetime Format Element Suffixes

Table 2-19 lists suffixes that can be added to datetime format elements:

**Table 2-19 Date Format Element Suffixes**

Suffix	Meaning	Example Element	Example Value
TH	Ordinal Number	DDTH	4TH
SP	Spelled Number	DDSP	FOUR
SPTH or THSP	Spelled, ordinal number	DDSPTH	FOURTH

### Notes on date format element suffixes:

- When you add one of these suffixes to a datetime format element, the return value is always in English.
- Datetime suffixes are valid only to format output. You cannot use them to insert a date into the database.

## Format Model Modifiers

The FM and FX modifiers, used in format models in the TO\_CHAR function, control blank padding and exact format checking.

A modifier can appear in a format model more than once. In such a case, each subsequent occurrence toggles the effects of the modifier. Its effects are enabled for the portion of the model following its first occurrence, and then disabled for the portion following its second, and then reenabled for the portion following its third, and so on.

### FM

Fill mode. Oracle uses trailing blank characters and leading zeroes to fill format elements to a constant width. The width is equal to the display width of the largest element for the relevant format model:

- Numeric elements are padded with leading zeros to the width of the maximum value allowed for the element. For example, the YYYY element is padded to four digits (the length of '9999'), HH24 to two digits (the length of '23'), and DDD to three digits (the length of '366').
- The character elements MONTH, MON, DAY, and DY are padded with trailing blanks to the width of the longest full month name, the longest abbreviated month name, the longest full date name, or the longest abbreviated day name, respectively, among valid names determined by the values of NLS\_DATE\_LANGUAGE and NLS\_CALENDAR parameters. For example, when NLS\_DATE\_LANGUAGE is AMERICAN and NLS\_CALENDAR is GREGORIAN (the default), the largest element for MONTH is SEPTEMBER, so all values of the MONTH format element are padded to nine display characters. The values of the NLS\_DATE\_LANGUAGE

and `NLS_CALENDAR` parameters are specified in the third argument to `TO_CHAR` and `TO_*` datetime functions or they are retrieved from the NLS environment of the current session.

- The character element `RM` is padded with trailing blanks to the length of 4, which is the length of `'viii'`.
- Other character elements and spelled-out numbers (`SP`, `SPTH`, and `THSP` suffixes) are not padded.

The `FM` modifier suppresses the above padding in the return value of the `TO_CHAR` function.

## FX

Format exact. This modifier specifies exact matching for the character argument and datetime format model of a `TO_DATE` function:

- Punctuation and quoted text in the character argument must exactly match (except for case) the corresponding parts of the format model.
- The character argument cannot have extra blanks. Without `FX`, Oracle ignores extra blanks.
- Numeric data in the character argument must have the same number of digits as the corresponding element in the format model. Without `FX`, numbers in the character argument can omit leading zeros.

When `FX` is enabled, you can disable this check for leading zeros by using the `FM` modifier as well.

If any portion of the character argument violates any of these conditions, then Oracle returns an error message.

## Format Model Examples

The following statement uses a date format model to return a character expression:

```
SELECT TO_CHAR(SYSDATE, 'fmDDTH') || ' of ' ||
       TO_CHAR(SYSDATE, 'fmMonth') || ', ' ||
       TO_CHAR(SYSDATE, 'YYYY') "Ides"
FROM DUAL;
```

```
Ides
-----
3RD of April, 2008
```

The preceding statement also uses the `FM` modifier. If `FM` is omitted, then the month is blank-padded to nine characters:

```
SELECT TO_CHAR(SYSDATE, 'DDTH') || ' of ' ||
       TO_CHAR(SYSDATE, 'Month') || ', ' ||
       TO_CHAR(SYSDATE, 'YYYY') "Ides"
FROM DUAL;
```

```
Ides
-----
03RD of April    , 2008
```

The following statement places a single quotation mark in the return value by using a date format model that includes two consecutive single quotation marks:

```
SELECT TO_CHAR(SYSDATE, 'fmDay') || '''s Special' "Menu"
      FROM DUAL;
```

```
Menu
-----
Tuesday's Special
```

Two consecutive single quotation marks can be used for the same purpose within a character literal in a format model.

[Table 2-20](#) shows whether the following statement meets the matching conditions for different values of *char* and *fmt* using FX (the table named *table* has a column *date\_column* of data type DATE):

```
UPDATE table
      SET date_column = TO_DATE(char, 'fmt');
```

**Table 2-20 Matching Character Data and Format Models with the FX Format Model Modifier**

char	fmt	Match or Error?
'15/ JAN /1998'	'DD-MON-YYYY'	Match
' 15! JAN % /1998'	'DD-MON-YYYY'	Error
'15/JAN/1998'	'FXDD-MON-YYYY'	Error
'15-JAN-1998'	'FXDD-MON-YYYY'	Match
'1-JAN-1998'	'FXDD-MON-YYYY'	Error
'01-JAN-1998'	'FXDD-MON-YYYY'	Match
'1-JAN-1998'	'FXFMDD-MON-YYYY'	Match

### Format of Return Values: Examples

You can use a format model to specify the format for Oracle to use to return values from the database to you.

The following statement selects the salaries of the employees in Department 80 and uses the TO\_CHAR function to convert these salaries into character values with the format specified by the number format model '\$99,990.99':

```
SELECT last_name employee, TO_CHAR(salary, '$99,990.99')
      FROM employees
      WHERE department_id = 80;
```

Because of this format model, Oracle returns salaries with leading dollar signs, commas every three digits, and two decimal places.

The following statement selects the date on which each employee from Department 20 was hired and uses the TO\_CHAR function to convert these dates to character strings with the format specified by the date format model 'fmMonth DD, YYYY':

```
SELECT last_name employee, TO_CHAR(hire_date, 'fmMonth DD, YYYY') hiredate
      FROM employees
      WHERE department_id = 20;
```

With this format model, Oracle returns the hire dates without blank padding (as specified by fm), two digits for the day, and the century included in the year.

**See Also:**

[Format Model Modifiers](#) for a description of the `fm` format element

**Supplying the Correct Format Model: Examples**

When you insert or update a column value, the data type of the value that you specify must correspond to the column data type of the column. You can use format models to specify the format of a value that you are converting from one data type to another data type required for a column.

For example, a value that you insert into a `DATE` column must be a value of the `DATE` data type or a character string in the default date format (Oracle implicitly converts character strings in the default date format to the `DATE` data type). If the value is in another format, then you must use the `TO_DATE` function to convert the value to the `DATE` data type. You must also use a format model to specify the format of the character string.

The following statement updates Hunold's hire date using the `TO_DATE` function with the format mask 'YYYY MM DD' to convert the character string '2008 05 20' to a `DATE` value:

```
UPDATE employees
   SET hire_date = TO_DATE('2008 05 20','YYYY MM DD')
   WHERE last_name = 'Hunold';
```

## String-to-Date Conversion Rules

The following additional formatting rules apply when converting string values to date values (unless you have used the `FX` or `FXFM` modifiers in the format model to control exact format checking):

- You can omit punctuation included in the format string from the date string if all the digits of the numerical format elements, including leading zeros, are specified. For example, specify 02 and not 2 for two-digit format elements such as MM, DD, and YY.
- You can omit time fields found at the end of a format string from the date string.
- You can use any non-alphanumeric character in the date string to match the punctuation symbol in the format string.
- If a match fails between a datetime format element and the corresponding characters in the date string, then Oracle attempts alternative format elements, as shown in [Table 2-21](#).

**Table 2-21 Oracle Format Matching**

Original Format Element	Additional Format Elements to Try in Place of the Original
'MM'	'MON' and 'MONTH'
'MON'	'MONTH'
'MONTH'	'MON'



**Table 2-21 (Cont.) Oracle Format Matching**

Original Format Element	Additional Format Elements to Try in Place of the Original
'YY'	'YYYY'
'RR'	'RRRR'

## XML Format Model

The `SYS_XMLAgg` and `SYS_XMLGen` (deprecated) functions return an instance of type `XMLType` containing an XML document. Oracle provides the `XMLFormat` object, which lets you format the output of these functions.

[Table 2-22](#) lists and describes the attributes of the `XMLFormat` object. The function that implements this type follows the table.



### See Also:

- [SYS\\_XMLAGG](#) for information on the `SYS_XMLAgg` function
- [SYS\\_XMLGEN](#) for information on the `SYS_XMLGen` function
- *Oracle XML DB Developer's Guide* for more information on the implementation of the `XMLFormat` object and its use

**Table 2-22 Attributes of the XMLFormat Object**

Attribute	Data Type	Purpose
<code>enclTag</code>	<code>VARCHAR2(4000)</code> or <code>VARCHAR2(32767)</code> <sup>1</sup>	The name of the enclosing tag for the result of the <code>SYS_XMLAgg</code> or <code>SYS_XMLGen</code> (deprecated) function. <code>SYS_XMLAgg</code> : The default is <code>ROWSET</code> . <code>SYS_XMLGen</code> : If the input to the function is a column name, then the default is the column name. Otherwise the default is <code>ROW</code> . When <code>schemaType</code> is set to <code>USE_GIVEN_SCHEMA</code> , this attribute also gives the name of the <code>XMLSchema</code> element.
<code>schemaType</code>	<code>VARCHAR2(100)</code>	The type of schema generation for the output document. Valid values are <code>'NO_SCHEMA'</code> and <code>'USE_GIVEN_SCHEMA'</code> . The default is <code>'NO_SCHEMA'</code> .
<code>schemaName</code>	<code>VARCHAR2(4000)</code> or <code>VARCHAR2(32767)</code> <sup>1</sup>	The name of the target schema Oracle uses if the value of the <code>schemaType</code> is <code>'USE_GIVEN_SCHEMA'</code> . If you specify <code>schemaName</code> , then Oracle uses the enclosing tag as the element name.
<code>targetNameSpace</code>	<code>VARCHAR2(4000)</code> or <code>VARCHAR2(32767)</code> <sup>1</sup>	The target namespace if the schema is specified (that is, <code>schemaType</code> is <code>GEN_SCHEMA_*</code> , or <code>USE_GIVEN_SCHEMA</code> )
<code>dburlPrefix</code>	<code>VARCHAR2(4000)</code> or <code>VARCHAR2(32767)</code> <sup>1</sup>	The URL to the database to use if <code>WITH_SCHEMA</code> is specified. If this attribute is not specified, then Oracle declares the URL to the types as a relative URL reference.
<code>processingIns</code>	<code>VARCHAR2(4000)</code> or <code>VARCHAR2(32767)</code> <sup>1</sup>	User-provided processing instructions, which are appended to the top of the function output before the element.

- <sup>1</sup> The data type for this attribute is VARCHAR2 (4000) if the initialization parameter MAX\_STRING\_SIZE = STANDARD, and VARCHAR2 (32767) if MAX\_STRING\_SIZE = EXTENDED. See [Extended Data Types](#) for more information.

The function that implements the XMLFormat object follows:

```

STATIC FUNCTION createFormat(
    enclTag IN varchar2 := 'ROWSET',
    schemaType IN varchar2 := 'NO_SCHEMA',
    schemaName IN varchar2 := null,
    targetNameSpace IN varchar2 := null,
    dburlPrefix IN varchar2 := null,
    processingIns IN varchar2 := null) RETURN XMLGenFormatType
    deterministic parallel_enable,
MEMBER PROCEDURE genSchema (spec IN varchar2),
MEMBER PROCEDURE setSchemaName(schemaName IN varchar2),
MEMBER PROCEDURE setTargetNameSpace(targetNameSpace IN varchar2),
MEMBER PROCEDURE setEnclosingElementName(enclTag IN varchar2),
MEMBER PROCEDURE setDbUrlPrefix(prefix IN varchar2),
MEMBER PROCEDURE setProcessingIns(pi IN varchar2),
CONSTRUCTOR FUNCTION XMLGenFormatType (
    enclTag IN varchar2 := 'ROWSET',
    schemaType IN varchar2 := 'NO_SCHEMA',
    schemaName IN varchar2 := null,
    targetNameSpace IN varchar2 := null,
    dbUrlPrefix IN varchar2 := null,
    processingIns IN varchar2 := null) RETURN SELF AS RESULT
    deterministic parallel_enable,
STATIC function createFormat2(
    enclTag in varchar2 := 'ROWSET',
    flags in raw) return sys.xmlgenformattype
    deterministic parallel_enable
);

```

## Nulls

If a column in a row has no value, then the column is said to be **null**, or to contain null. Nulls can appear in columns of any data type that are not restricted by NOT NULL or PRIMARY KEY integrity constraints. Use a null when the actual value is not known or when a value would not be meaningful.

Oracle Database treats a character value with a length of zero as null. However, do not use null to represent a numeric value of zero, because they are not equivalent.

### Note:

Oracle Database currently treats a character value with a length of zero as null. However, this may not continue to be true in future releases, and Oracle recommends that you do not treat empty strings the same as nulls.

Any arithmetic expression containing a null always evaluates to null. For example, null added to 10 is null. In fact, all operators (except concatenation) return null when given a null operand.

## Nulls in SQL Functions

For information on null handling in SQL functions, see [Nulls in SQL Functions](#) .

## Nulls with Comparison Conditions

To test for nulls, use only the comparison conditions `IS NULL` and `IS NOT NULL`. If you use any other condition with nulls and the result depends on the value of the null, then the result is `UNKNOWN`. Because null represents a lack of data, a null cannot be equal or unequal to any value or to another null. However, Oracle considers two nulls to be equal when evaluating a `DECODE` function. Refer to [DECODE](#) for syntax and additional information.

Oracle also considers two nulls to be equal if they appear in compound keys. That is, Oracle considers identical two compound keys containing nulls if all the non-null components of the keys are equal.

## Nulls in Conditions

A condition that evaluates to `UNKNOWN` acts almost like `FALSE`. For example, a `SELECT` statement with a condition in the `WHERE` clause that evaluates to `UNKNOWN` returns no rows. However, a condition evaluating to `UNKNOWN` differs from `FALSE` in that further operations on an `UNKNOWN` condition evaluation will evaluate to `UNKNOWN`. Thus, `NOT FALSE` evaluates to `TRUE`, but `NOT UNKNOWN` evaluates to `UNKNOWN`.

[Table 2-23](#) shows examples of various evaluations involving nulls in conditions. If the conditions evaluating to `UNKNOWN` were used in a `WHERE` clause of a `SELECT` statement, then no rows would be returned for that query.

**Table 2-23** Conditions Containing Nulls

Condition	Value of A	Evaluation
<code>a IS NULL</code>	10	FALSE
<code>a IS NOT NULL</code>	10	TRUE
<code>a IS NULL</code>	NULL	TRUE
<code>a IS NOT NULL</code>	NULL	FALSE
<code>a = NULL</code>	10	UNKNOWN
<code>a != NULL</code>	10	UNKNOWN
<code>a = NULL</code>	NULL	UNKNOWN
<code>a != NULL</code>	NULL	UNKNOWN
<code>a = 10</code>	NULL	UNKNOWN
<code>a != 10</code>	NULL	UNKNOWN

For the truth tables showing the results of logical conditions containing nulls, see [Table 6-5](#), [Table 6-6](#), and [Table 6-7](#).

## Comments

You can create two types of comments:

- Comments within SQL statements are stored as part of the application code that executes the SQL statements.
- Comments associated with individual schema or nonschema objects are stored in the data dictionary along with metadata on the objects themselves.

## Comments Within SQL Statements

Comments can make your application easier for you to read and maintain. For example, you can include a comment in a statement that describes the purpose of the statement within your application. With the exception of hints, comments within SQL statements do not affect the statement execution. Refer to [Hints](#) on using this particular form of comment.

A comment can appear between any keywords, parameters, or punctuation marks in a statement. You can include a comment in a statement in two ways:

- Begin the comment with a slash and an asterisk (`/*`). Proceed with the text of the comment. This text can span multiple lines. End the comment with an asterisk and a slash (`*/`). The opening and terminating characters need not be separated from the text by a space or a line break.
- Begin the comment with `--` (two hyphens). Proceed with the text of the comment. This text cannot extend to a new line. End the comment with a line break.

Some of the tools used to enter SQL have additional restrictions. For example, if you are using SQL\*Plus, by default you cannot have a blank line inside a multiline comment. For more information, refer to the documentation for the tool you use as an interface to the database.

A SQL statement can contain multiple comments of both styles. The text of a comment can contain any printable characters in your database character set.

### Example

These statements contain many comments:

```
SELECT last_name, employee_id, salary + NVL(commission_pct, 0),
       job_id, e.department_id
/* Select all employees whose compensation is
greater than that of Pataballa.*/
FROM employees e, departments d
/*The DEPARTMENTS table is used to get the department name.*/
WHERE e.department_id = d.department_id
AND salary + NVL(commission_pct,0) > /* Subquery:          */
   (SELECT salary + NVL(commission_pct,0)
    /* total compensation is salary + commission_pct */
    FROM employees
    WHERE last_name = 'Pataballa')
ORDER BY last_name, employee_id;

SELECT last_name,                -- select the name
       employee_id              -- employee id
       salary + NVL(commission_pct, 0), -- total compensation
```

```

        job_id,                -- job
        e.department_id       -- and department
FROM employees e,           -- of all employees
     departments d
WHERE e.department_id = d.department_id
     AND salary + NVL(commission_pct, 0) >
        (SELECT salary + NVL(commission_pct,0)
         FROM employees
         WHERE last_name = 'Pataballa')
ORDER BY last_name
        employee_id         -- and employee id.
;

```

## Comments on Schema and Nonschema Objects

You can use the `COMMENT` command to associate a comment with a schema object (table, view, materialized view, operator, indextype, mining model) or a nonschema object (edition) using the `COMMENT` command. You can also create a comment on a column, which is part of a table schema object. Comments associated with schema and nonschema objects are stored in the data dictionary. Refer to [COMMENT](#) for a description of this form of comment.

## Hints

Hints are comments in a SQL statement that pass instructions to the Oracle Database optimizer. The optimizer uses these hints to choose an execution plan for the statement, unless some condition exists that prevents the optimizer from doing so.

Hints were introduced in Oracle7, when users had little recourse if the optimizer generated suboptimal plans. Now Oracle provides a number of tools, including the SQL Tuning Advisor, SQL plan management, and SQL Performance Analyzer, to help you address performance problems that are not solved by the optimizer. Oracle strongly recommends that you use those tools rather than hints. The tools are far superior to hints, because when used on an ongoing basis, they provide fresh solutions as your data and database environment change.

Hints should be used sparingly, and only after you have collected statistics on the relevant tables and evaluated the optimizer plan without hints using the `EXPLAIN PLAN` statement. Changing database conditions as well as query performance enhancements in subsequent releases can have significant impact on how hints in your code affect performance.


The remainder of this section provides information on some commonly used hints. If you decide to use hints rather than the more advanced tuning tools, be aware that any short-term benefit resulting from the use of hints may not continue to result in improved performance over the long term.

### Using Hints

A statement block can have only one comment containing hints, and that comment must follow the `SELECT`, `UPDATE`, `INSERT`, `MERGE`, or `DELETE` keyword.

The following syntax diagram shows hints contained in both styles of comments that Oracle supports within a statement block. The hint syntax must follow immediately after an `INSERT`, `UPDATE`, `DELETE`, `SELECT`, or `MERGE` keyword that begins the statement block.

**hint::=**



where:

- The plus sign (+) causes Oracle to interpret the comment as a list of hints. The plus sign must follow immediately after the comment delimiter. No space is permitted.
- *hint* is one of the hints discussed in this section. The space between the plus sign and the hint is optional. If the comment contains multiple hints, then separate the hints by at least one space.
- *string* is other commenting text that can be interspersed with the hints.

The `--+` syntax requires that the entire comment be on a single line.

Oracle Database ignores hints and does not return an error under the following circumstances:

- The hint contains misspellings or syntax errors. However, the database does consider other correctly specified hints in the same comment.
- The comment containing the hint does not follow a `DELETE`, `INSERT`, `MERGE`, `SELECT`, or `UPDATE` keyword.
- A combination of hints conflict with each other. However, the database does consider other hints in the same comment.
- The database environment uses PL/SQL version 1, such as Forms version 3 triggers, Oracle Forms 4.5, and Oracle Reports 2.5.
- A global hint refers to multiple query blocks. Refer to [Specifying Multiple Query Blocks in a Global Hint](#) for more information.

With 19c you can use `DBMS_XPLAN` to find out whether a hint is used or not used. For more information, see the *Database SQL Tuning Guide*.

### Specifying a Query Block in a Hint

You can specify an optional query block name in many hints to specify the query block to which the hint applies. This syntax lets you specify in the outer query a hint that applies to an inline view.

The syntax of the query block argument is of the form `@queryblock`, where *queryblock* is an identifier that specifies a query block in the query. The *queryblock* identifier can either be system-generated or user-specified. When you specify a hint in the query block itself to which the hint applies, you omit the `@queryblock` syntax.

- The system-generated identifier can be obtained by using `EXPLAIN PLAN` for the query. Pretransformation query block names can be determined by running


`EXPLAIN PLAN` for the query using the `NO_QUERY_TRANSFORMATION` hint. See [NO\\_QUERY\\_TRANSFORMATION Hint](#).

- The user-specified name can be set with the `QB_NAME` hint. See [QB\\_NAME Hint](#).

### Specifying Global Hints

Many hints can apply both to specific tables or indexes and more globally to tables within a view or to columns that are part of indexes. The syntactic elements *tablespec* and *indexspec* define these **global hints**.

***tablespec*::=**




You must specify the table to be accessed exactly as it appears in the statement. If the statement uses an alias for the table, then use the alias rather than the table name in the hint. However, do not include the schema name with the table name within the hint, even if the schema name appears in the statement.

#### Note:

Specifying a global hint using the *tablespec* clause does not work for queries that use ANSI joins, because the optimizer generates additional views during parsing. Instead, specify `@queryblock` to indicate the query block to which the hint applies.

***indexspec*::=**



When *tablespec* is followed by *indexspec* in the specification of a hint, a comma separating the table name and index name is permitted but not required. Commas are also permitted, but not required, to separate multiple occurrences of *indexspec*.

### Specifying Multiple Query Blocks in a Global Hint

Oracle Database ignores global hints that refer to multiple query blocks. To avoid this issue, Oracle recommends that you specify the object alias in the hint instead of using *tablespec* and *indexspec*.

For example, consider the following view `v` and table `t`:

```

CREATE VIEW v AS
  SELECT e.last_name, e.department_id, d.location_id
  FROM employees e, departments d
  
```

```

WHERE e.department_id = d.department_id;

CREATE TABLE t AS
  SELECT * from employees
  WHERE employee_id < 200;

```

 **Note:**

The following examples use the `EXPLAIN PLAN` statement, which enables you to display the execution plan and determine if a hint is honored or ignored. Refer to [EXPLAIN PLAN](#) for more information.

The `LEADING` hint is ignored in the following query because it refers to multiple query blocks, that is, the main query block containing table `t` and the view query block `v`:

```

EXPLAIN PLAN
  SET STATEMENT_ID = 'Test 1'
  INTO plan_table FOR
  (SELECT /*+ LEADING(v.e v.d t) */ *
   FROM t, v
   WHERE t.department_id = v.department_id);

```

The following `SELECT` statement returns the execution plan, which shows that the `LEADING` hint was ignored:

```

SELECT id, LPAD(' ',2*(LEVEL-1))||operation operation, options, object_name,
object_alias
  FROM plan_table
  START WITH id = 0 AND statement_id = 'Test 1'
  CONNECT BY PRIOR id = parent_id AND statement_id = 'Test 1'
  ORDER BY id;

```

ID	OPERATION	OPTIONS	OBJECT_NAME	OBJECT_ALIAS
0	SELECT STATEMENT			
1	HASH JOIN			
2	HASH JOIN			
3	TABLE ACCESS	FULL	DEPARTMENTS	D@SEL\$2
4	TABLE ACCESS	FULL	EMPLOYEES	E@SEL\$2
5	TABLE ACCESS	FULL	T	T@SEL\$1

The `LEADING` hint is honored in the following query because it refers to object aliases, which can be found in the execution plan that was returned by the previous query:

```

EXPLAIN PLAN
  SET STATEMENT_ID = 'Test 2'
  INTO plan_table FOR
  (SELECT /*+ LEADING(E@SEL$2 D@SEL$2 T@SEL$1) */ *
   FROM t, v
   WHERE t.department_id = v.department_id);

```

The following `SELECT` statement returns the execution plan, which shows that the `LEADING` hint was honored:

```

SELECT id, LPAD(' ',2*(LEVEL-1))||operation operation, options,
object_name, object_alias
  FROM plan_table

```



```
START WITH id = 0 AND statement_id = 'Test 2'
CONNECT BY PRIOR id = parent_id AND statement_id = 'Test 2'
ORDER BY id;
```

ID	OPERATION	OPTIONS	OBJECT_NAME	OBJECT_ALIAS
0	SELECT STATEMENT			
1	HASH JOIN			
2	HASH JOIN			
3	TABLE ACCESS	FULL	EMPLOYEES	E@SEL\$2
4	TABLE ACCESS	FULL	DEPARTMENTS	D@SEL\$2
5	TABLE ACCESS	FULL	T	T@SEL\$1

### See Also:

The *Oracle Database SQL Tuning Guide* describes hints and the `EXPLAIN PLAN`.

## Hints by Functional Category

[Table 2-24](#) lists the hints by functional category and contains cross-references to the syntax and semantics for each hint. An alphabetical reference of the hints follows the table.

**Table 2-24 Hints by Functional Category**

Hint	Link to Syntax and Semantics
<b>Optimization Goals and Approaches</b>	<a href="#">ALL_ROWS Hint</a> <a href="#">FIRST_ROWS Hint</a>
<b>Access Path Hints</b>	<a href="#">CLUSTER Hint</a>
--	<a href="#">CLUSTERING Hint</a> <a href="#">NO_CLUSTERING Hint</a>
--	<a href="#">FULL Hint</a>
--	<a href="#">HASH Hint</a>
--	<a href="#">INDEX Hint</a> <a href="#">NO_INDEX Hint</a>
--	<a href="#">INDEX_ASC Hint</a> <a href="#">INDEX_DESC Hint</a>
--	<a href="#">INDEX_COMBINE Hint</a>
--	<a href="#">INDEX_JOIN Hint</a>
--	<a href="#">INDEX_FFS Hint</a>
--	<a href="#">INDEX_SS Hint</a>
--	<a href="#">INDEX_SS_ASC Hint</a>
--	<a href="#">INDEX_SS_DESC Hint</a>
--	<a href="#">NATIVE_FULL_OUTER_JOIN Hint</a> <a href="#">NO_NATIVE_FULL_OUTER_JOIN Hint</a>
--	<a href="#">NO_INDEX_FFS Hint</a>
--	<a href="#">NO_INDEX_SS Hint</a>

Table 2-24 (Cont.) Hints by Functional Category

Hint	Link to Syntax and Semantics
--	<a href="#">NO_ZONEMAP Hint</a>
<b>In-Memory Column Store Hints</b>	<a href="#">INMEMORY Hint</a> <a href="#">NO_INMEMORY Hint</a>
--	<a href="#">INMEMORY_PRUNING Hint</a> <a href="#">NO_INMEMORY_PRUNING Hint</a>
<b>Join Order Hints</b>	<a href="#">ORDERED Hint</a>
--	<a href="#">LEADING Hint</a>
<b>Join Operation Hints</b>	<a href="#">USE_BAND Hint</a> <a href="#">NO_USE_BAND Hint</a>
--	<a href="#">USE_CUBE Hint</a> <a href="#">NO_USE_CUBE Hint</a>
--	<a href="#">USE_HASH Hint</a> <a href="#">NO_USE_HASH Hint</a>
--	<a href="#">USE_MERGE Hint</a> <a href="#">NO_USE_MERGE Hint</a>
--	<a href="#">USE_NL Hint</a> <a href="#">USE_NL_WITH_INDEX Hint</a> <a href="#">NO_USE_NL Hint</a>
<b>Parallel Execution Hints</b>	<a href="#">ENABLE_PARALLEL_DML Hint</a> <a href="#">DISABLE_PARALLEL_DML Hint</a>
--	<a href="#">PARALLEL Hint</a> <a href="#">NO_PARALLEL Hint</a>
--	<a href="#">PARALLEL_INDEX Hint</a> <a href="#">NO_PARALLEL_INDEX Hint</a>
--	<a href="#">PQ_CONCURRENT_UNION Hint</a> <a href="#">NO_PQ_CONCURRENT_UNION Hint</a>
--	<a href="#">PQ_DISTRIBUTE Hint</a>
--	<a href="#">PQ_FILTER Hint</a>
--	<a href="#">PQ_SKEW Hint</a> <a href="#">NO_PQ_SKEW Hint</a>
<b>Online Application Upgrade Hints</b>	<a href="#">CHANGE_DUPKEY_ERROR_INDEX Hint</a>
--	<a href="#">IGNORE_ROW_ON_DUPKEY_INDEX Hint</a>
--	<a href="#">RETRY_ON_ROW_CHANGE Hint</a>
<b>Query Transformation Hints</b>	<a href="#">FACT Hint</a> <a href="#">NO_FACT Hint</a>
--	<a href="#">MERGE Hint</a> <a href="#">NO_MERGE Hint</a>
--	<a href="#">NO_EXPAND Hint</a> <a href="#">USE_CONCAT Hint</a>


Table 2-24 (Cont.) Hints by Functional Category

Hint	Link to Syntax and Semantics
--	<a href="#">REWRITE Hint</a> <a href="#">NO_REWRITE Hint</a>
--	<a href="#">UNNEST Hint</a> <a href="#">NO_UNNEST Hint</a>
--	<a href="#">STAR_TRANSFORMATION Hint</a> <a href="#">NO_STAR_TRANSFORMATION Hint</a>
--	<a href="#">NO_QUERY_TRANSFORMATION Hint</a>
<b>XML Hints</b>	<a href="#">NO_XMLINDEX_REWRITE Hint</a>
--	<a href="#">NO_XML_QUERY_REWRITE Hint</a>
<b>Other Hints</b>	<a href="#">APPEND Hint</a> <a href="#">APPEND_VALUES Hint</a> <a href="#">NOAPPEND Hint</a>
--	<a href="#">CACHE Hint</a> <a href="#">NOCACHE Hint</a>
--	<a href="#">CONTAINERS Hint</a>
--	<a href="#">CURSOR_SHARING_EXACT Hint</a>
--	<a href="#">DRIVING_SITE Hint</a>
--	<a href="#">DYNAMIC_SAMPLING Hint</a>
	<a href="#">FRESH_MV Hint</a>
--	<a href="#">GATHER_OPTIMIZER_STATISTICS Hint</a> <a href="#">NO_GATHER_OPTIMIZER_STATISTICS Hint</a>
	<a href="#">GROUPING Hint</a>
--	<a href="#">MODEL_MIN_ANALYSIS Hint</a>
--	<a href="#">MONITOR Hint</a>
--	<a href="#">NO_MONITOR Hint</a>
--	<a href="#">OPT_PARAM Hint</a>
--	<a href="#">PUSH_PRED Hint</a> <a href="#">NO_PUSH_PRED Hint</a>
--	<a href="#">PUSH_SUBQ Hint</a> <a href="#">NO_PUSH_SUBQ Hint</a>
--	<a href="#">PX_JOIN_FILTER Hint</a> <a href="#">NO_PX_JOIN_FILTER Hint</a>
--	<a href="#">QB_NAME Hint</a>

## Alphabetical Listing of Hints

This section provides syntax and semantics for all hints in alphabetical order.

## ALL\_ROWS Hint



The `ALL_ROWS` hint instructs the optimizer to optimize a statement block with a goal of best throughput, which is minimum total resource consumption. For example, the optimizer uses the query optimization approach to optimize this statement for best throughput:

```
SELECT /*+ ALL_ROWS */ employee_id, last_name, salary, job_id
  FROM employees
 WHERE employee_id = 107;
```

If you specify either the `ALL_ROWS` or the `FIRST_ROWS` hint in a SQL statement, and if the data dictionary does not have statistics about tables accessed by the statement, then the optimizer uses default statistical values, such as allocated storage for such tables, to estimate the missing statistics and to subsequently choose an execution plan. These estimates might not be as accurate as those gathered by the `DBMS_STATS` package, so you should use the `DBMS_STATS` package to gather statistics.

If you specify hints for access paths or join operations along with either the `ALL_ROWS` or `FIRST_ROWS` hint, then the optimizer gives precedence to the access paths and join operations specified by the hints.

## APPEND Hint



The `APPEND` hint instructs the optimizer to use direct-path `INSERT` with the subquery syntax of the `INSERT` statement.

- Conventional `INSERT` is the default in serial mode. In serial mode, direct path can be used only if you include the `APPEND` hint.
- Direct-path `INSERT` is the default in parallel mode. In parallel mode, conventional insert can be used only if you specify the `NOAPPEND` hint.

The decision whether the `INSERT` will go parallel or not is independent of the `APPEND` hint.


In direct-path `INSERT`, data is appended to the end of the table, rather than using existing space currently allocated to the table. As a result, direct-path `INSERT` can be considerably faster than conventional `INSERT`.

The `APPEND` hint is only supported with the subquery syntax of the `INSERT` statement, not the `VALUES` clause. If you specify the `APPEND` hint with the `VALUES` clause, it is ignored and conventional insert will be used. To use direct-path `INSERT` with the `VALUES` clause, refer to "[APPEND\\_VALUES Hint](#)".

 **See Also:**

[NOAPPEND Hint](#) for information on that hint and *Oracle Database Administrator's Guide* for information on direct-path inserts

## APPEND\_VALUES Hint



The `APPEND_VALUES` hint instructs the optimizer to use direct-path `INSERT` with the `VALUES` clause. If you do not specify this hint, then conventional `INSERT` is used.

In direct-path `INSERT`, data is appended to the end of the table, rather than using existing space currently allocated to the table. As a result, direct-path `INSERT` can be considerably faster than conventional `INSERT`.

The `APPEND_VALUES` hint can be used to greatly enhance performance. Some examples of its uses are:


- In an Oracle Call Interface (OCI) program, when using large array binds or array binds with row callbacks
- In PL/SQL, when loading a large number of rows with a `FORALL` loop that has an `INSERT` statement with a `VALUES` clause

The `APPEND_VALUES` hint is only supported with the `VALUES` clause of the `INSERT` statement. If you specify the `APPEND_VALUES` hint with the subquery syntax of the `INSERT` statement, it is ignored and conventional insert will be used. To use direct-path `INSERT` with a subquery, refer to "[APPEND Hint](#)".

 **See Also:**

*Oracle Database Administrator's Guide* for information on direct-path inserts

## CACHE Hint



(See [Specifying a Query Block in a Hint](#) , `tablespec::=`)


The `CACHE` hint instructs the optimizer to place the blocks retrieved for the table at the most recently used end of the LRU list in the buffer cache when a full table scan is performed. This hint is useful for small lookup tables.

In the following example, the `CACHE` hint overrides the default caching specification of the table:

```
SELECT /*+ FULL (hr_emp) CACHE(hr_emp) */ last_name
FROM employees hr_emp;
```

The `CACHE` and `NOCACHE` hints affect system statistics table scans (long tables) and table scans (short tables), as shown in the `V$SYSSTAT` data dictionary view.

## CHANGE\_DUPKEY\_ERROR\_INDEX Hint



**Note:**

The `CHANGE_DUPKEY_ERROR_INDEX`, `IGNORE_ROW_ON_DUPKEY_INDEX`, and `RETRY_ON_ROW_CHANGE` hints are unlike other hints in that they have a semantic effect. The general philosophy explained in [Hints](#) does not apply for these three hints.

The `CHANGE_DUPKEY_ERROR_INDEX` hint provides a mechanism to unambiguously identify a unique key violation for a specified set of columns or for a specified index. When a unique key violation occurs for the specified index, an ORA-38911 error is reported instead of an ORA-001.


This hint applies to `INSERT`, `UPDATE` operations. If you specify an index, then the index must exist and be unique. If you specify a column list instead of an index, then a unique index whose columns match the specified columns in number and order must exist.

This use of this hint results in error messages if specific rules are violated. Refer to [IGNORE\\_ROW\\_ON\\_DUPKEY\\_INDEX Hint](#) for details.

**Note:**

This hint disables both `APPEND` mode and parallel DML.

## CLUSTER Hint



(See [Specifying a Query Block in a Hint](#) , `tablespec::=`)

The `CLUSTER` hint instructs the optimizer to use a cluster scan to access the specified table. This hint applies only to tables in an indexed cluster.

## CLUSTERING Hint

→ `(/*+)` → `CLUSTERING` → `(*/)` →

This hint is valid only for `INSERT` and `MERGE` operations on tables that are enabled for attribute clustering. The `CLUSTERING` hint enables attribute clustering for direct-path inserts (serial or parallel). This results in partially-clustered data, that is, data that is clustered per each insert or merge operation. This hint overrides a `NO ON LOAD` setting in the DDL that created or altered the table. This hint has no effect on tables that are not enabled for attribute clustering.

### See Also:

- [clustering\\_when](#) clause of `CREATE TABLE` for more information on the `NO ON LOAD` setting
- [NO\\_CLUSTERING Hint](#)

## COMPRESS\_IMMEDIATE Hint

### Syntax

→ `(/*+)` → `COMPRESS_IMMEDIATE` → `(*/)` →

`COMPRESS_IMMEDIATE` forces compression to happen immediately during direct load.

When Automatic Storage Compression is enabled via `DBMS_ILM_ADMIN.ENABLE_AUTO_OPTIMIZE`, compression is delayed for new direct loads. Use this hint to override the delay and compress the direct load immediately.

## CONTAINERS Hint

→ `(/*+)` → `CONTAINERS` → `(` → `DEFAULT_PDB_HINT` → `=` → `'` → `hint` → `'` → `)` → `(*/)` →

The `CONTAINERS` hint is useful in a multitenant container database (CDB). You can specify this hint in a `SELECT` statement that contains the `CONTAINERS ( )` clause. Such a statement lets you query data in the specified table or view across all containers in a CDB or application container.

- To query data in a CDB, you must be a common user connected to the CDB root, and the table or view must exist in the root and all PDBs. The query returns all rows from the table or view in the CDB root and in all open PDBs.
- To query data in an application container, you must be a common user connected to the application root, and the table or view must exist in the application root and all PDBs in the application container. The query returns all rows from the table or view in the application root and in all open PDBs in the application container.

Statements that contain the `CONTAINERS()` clause generate and execute recursive SQL statements in each queried PDB. You can use the `CONTAINERS` hint to pass a default PDB hint to each recursive SQL statement. For *hint*, you can specify any SQL hint that is appropriate for the `SELECT` statement.

In the following example, the `NO_PARALLEL` hint is passed to each recursive SQL statement that is executed as part of the evaluation of the `CONTAINERS()` clause:

```
SELECT /*+ CONTAINERS(DEFAULT_PDB_HINT='NO_PARALLEL') */
      (CASE WHEN COUNT(*) < 10000
           THEN 'Less than 10,000'
           ELSE '10,000 or more' END) "Number of Tables"
FROM CONTAINERS(DBA_TABLES);
```



#### See Also:

[containers\\_clause](#) for more information on the `CONTAINERS()` clause

## CURSOR\_SHARING\_EXACT Hint

→ (/\*+ →) CURSOR\_SHARING\_EXACT (\*/ →)

Oracle can replace literals in SQL statements with bind variables, when it is safe to do so. This replacement is controlled with the `CURSOR_SHARING` initialization parameter. The `CURSOR_SHARING_EXACT` hint instructs the optimizer to switch this behavior off. When you specify this hint, Oracle executes the SQL statement without any attempt to replace literals with bind variables.


## DISABLE\_PARALLEL\_DML Hint

→ (/\*+ →) DISABLE\_PARALLEL\_DML (\*/ →)

The `DISABLE_PARALLEL_DML` hint disables parallel DML for `DELETE`, `INSERT`, `MERGE`, and `UPDATE` statements. You can use this hint to disable parallel DML for an individual statement when parallel DML is enabled for the session with the `ALTER SESSION ENABLE PARALLEL DML` statement.



## DRIVING\_SITE Hint



(See [Specifying a Query Block in a Hint](#) , `tablespec::=`)


The `DRIVING_SITE` hint instructs the optimizer to execute the query at a different site than that selected by the database. This hint is useful if you are using distributed query optimization.

For example:

```
SELECT /*+ DRIVING_SITE(departments) */ *
  FROM employees, departments@rsite
 WHERE employees.department_id = departments.department_id;
```

If this query is executed without the hint, then rows from `departments` are sent to the local site, and the join is executed there. With the hint, the rows from `employees` are sent to the remote site, and the query is executed there and the result set is returned to the local site.

## DYNAMIC\_SAMPLING Hint



(See [Specifying a Query Block in a Hint](#) , `tablespec::=`)

The `DYNAMIC_SAMPLING` hint instructs the optimizer how to control dynamic sampling to improve server performance by determining more accurate predicate selectivity and statistics for tables and indexes.

You can set the value of `DYNAMIC_SAMPLING` to a value from 0 to 10. The higher the level, the more effort the compiler puts into dynamic sampling and the more broadly it is applied. Sampling defaults to cursor level unless you specify `tablespec`.

The `integer` value is 0 to 10, indicating the degree of sampling.

If a cardinality statistic already exists for the table, then the optimizer uses it. Otherwise, the optimizer enables dynamic sampling to estimate the cardinality statistic.

If you specify `tablespec` and the cardinality statistic already exists, then:

- If there is no single-table predicate (a `WHERE` clause that evaluates only one table), then the optimizer trusts the existing statistics and ignores this hint. For example, the following query will not result in any dynamic sampling if `employees` is analyzed:

```
SELECT /*+ DYNAMIC_SAMPLING(e 1) */ count(*)
  FROM employees e;
```

- If there is a single-table predicate, then the optimizer uses the existing cardinality statistic and estimates the selectivity of the predicate using the existing statistics.

To apply dynamic sampling to a specific table, use the following form of the hint:

```
SELECT /*+ DYNAMIC_SAMPLING(employees 1) */ *
FROM employees
WHERE ...
```

 **See Also:**

*Oracle Database SQL Tuning Guide* for information about dynamic sampling and the sampling levels that you can set

## ENABLE\_PARALLEL\_DML Hint

→ (/\*+ → ENABLE\_PARALLEL\_DML → \*/) →

The `ENABLE_PARALLEL_DML` hint enables parallel DML for `DELETE`, `INSERT`, `MERGE`, and `UPDATE` statements. You can use this hint to enable parallel DML for an individual statement, rather than enabling parallel DML for the session with the `ALTER SESSION ENABLE PARALLEL DML` statement.

 **See Also:**

*Oracle Database VLDB and Partitioning Guide* for information about enabling parallel DML

## FACT Hint

→ (/\*+ → FACT → ( → @ → queryblock → tablespec → ) → \*/) →

(See [Specifying a Query Block in a Hint](#) , `tablespec::=`)

The `FACT` hint is used in the context of the star transformation. It instructs the optimizer that the table specified in `tablespec` should be considered as a fact table.

## FIRST\_ROWS Hint

→ (/\*+ → FIRST\_ROWS → ( → integer → ) → \*/) →

The `FIRST_ROWS` hint instructs Oracle to optimize an individual SQL statement for fast response, choosing the plan that returns the first *n* rows most efficiently. For *integer*, specify the number of rows to return.

For example, the optimizer uses the query optimization approach to optimize the following statement for best response time:

```
SELECT /*+ FIRST_ROWS(10) */ employee_id, last_name, salary, job_id
  FROM employees
 WHERE department_id = 20;
```

In this example each department contains many employees. The user wants the first 10 employees of department 20 to be displayed as quickly as possible.

The optimizer ignores this hint in `DELETE` and `UPDATE` statement blocks and in `SELECT` statement blocks that include any blocking operations, such as sorts or groupings. Such statements cannot be optimized for best response time, because Oracle Database must retrieve all rows accessed by the statement before returning the first row. If you specify this hint in any such statement, then the database optimizes for best throughput.



#### See Also:

[ALL\\_ROWS Hint](#) for additional information on the `FIRST_ROWS` hint and statistics

## FRESH\_MV Hint



The `FRESH_MV` hint applies when querying a real-time materialized view. This hint instructs the optimizer to use on-query computation to fetch up-to-date data from the materialized view, even if the materialized view is stale.


The optimizer ignores this hint in `SELECT` statement blocks that query an object that is not a real-time materialized view, and in all `UPDATE`, `INSERT`, `MERGE`, and `DELETE` statement blocks.



#### See Also:

The `{ ENABLE | DISABLE } ON QUERY COMPUTATION` clause of `CREATE MATERIALIZED VIEW` for more information on real-time materialized views

## FULL Hint



(See [Specifying a Query Block in a Hint](#) , `tablespec::=`)

The `FULL` hint instructs the optimizer to perform a full table scan for the specified table. For example:

```
SELECT /*+ FULL(e) */ employee_id, last_name
  FROM hr.employees e
 WHERE last_name LIKE :b1;
```

Oracle Database performs a full table scan on the `employees` table to execute this statement, even if there is an index on the `last_name` column that is made available by the condition in the `WHERE` clause.

The `employees` table has alias `e` in the `FROM` clause, so the hint must refer to the table by its alias rather than by its name. Do not specify schema names in the hint even if they are specified in the `FROM` clause.

## GATHER\_OPTIMIZER\_STATISTICS Hint

→ `/*+ GATHER_OPTIMIZER_STATISTICS */` →

The `GATHER_OPTIMIZER_STATISTICS` hint instructs the optimizer to enable statistics gathering during the following types of bulk loads:

- `CREATE TABLE ... AS SELECT`
- `INSERT INTO ... SELECT` into an empty table using a direct-path insert



### See Also:

*Oracle Database SQL Tuning Guide* for more information on statistics gathering for bulk loads

## GROUPING Hint

→ `/*+ GROUPING */` →


The `GROUPING` hint applies to data mining scoring functions when scoring partitioned models. This hint results in partitioning the input data set into distinct data slices so that each partition is scored in its entirety before advancing to the next partition; however, parallelism by partition is still available. Data slices are determined by the partitioning key columns that were used when the model was built. This method can be used with any data mining function against a partitioned model. The hint may yield a query performance gain when scoring large data that is associated with many partitions, but may negatively impact performance when scoring large data with few partitions on large systems. Typically, there is no performance gain if you use this hint for single row queries.

In the following example, the `GROUPING` hint is used in the `PREDICTION` function.

```
SELECT PREDICTION(/*+ GROUPING */my_model USING *) pred FROM <input
table>;
```

**See Also:**[Oracle Machine Learning for SQL Functions](#)


## HASH Hint



(See [Specifying a Query Block in a Hint](#) , `tablespec::=`)

The `HASH` hint instructs the optimizer to use a hash scan to access the specified table. This hint applies only to tables in a hash cluster.

## IGNORE\_ROW\_ON\_DUPKEY\_INDEX Hint

**Note:**

The `CHANGE_DUPKEY_ERROR_INDEX`, `IGNORE_ROW_ON_DUPKEY_INDEX`, and `RETRY_ON_ROW_CHANGE` hints are unlike other hints in that they have a semantic effect. The general philosophy explained in [Hints](#) does not apply for these three hints.

The `IGNORE_ROW_ON_DUPKEY_INDEX` hint applies only to single-table `INSERT` operations. It is not supported for `UPDATE`, `DELETE`, `MERGE`, or multitable insert operations.

`IGNORE_ROW_ON_DUPKEY_INDEX` causes the statement to ignore a unique key violation for a specified set of columns or for a specified index. When a unique key violation is encountered, a row-level rollback occurs and execution resumes with the next input row. If you specify this hint when inserting data with DML error logging enabled, then the unique key violation is not logged and does not cause statement termination.

The semantic effect of this hint results in error messages if specific rules are violated:

- If you specify `index`, then the index must exist and be unique. Otherwise, the statement causes ORA-38913.
- You must specify exactly one index. If you specify no index, then the statement causes ORA-38912. If you specify more than one index, then the statement causes ORA-38915.

- You can specify either a `CHANGE_DUPKEY_ERROR_INDEX` or `IGNORE_ROW_ON_DUPKEY_INDEX` hint in an `INSERT` statement, but not both. If you specify both, then the statement causes ORA-38915.

As with all hints, a syntax error in the hint causes it to be silently ignored. The result will be that ORA-00001 will be caused, just as if no hint were used.



#### Note:


This hint disables both `APPEND` mode and parallel DML.



#### See Also:

[CHANGE\\_DUPKEY\\_ERROR\\_INDEX Hint](#)

## INDEX Hint



(See [Specifying a Query Block in a Hint](#) , `tablespec::=` , `indexspec::=`)

The `INDEX` hint instructs the optimizer to use an index scan for the specified table. You can use the `INDEX` hint for function-based, domain, B-tree, bitmap, and bitmap join indexes.


The behavior of the hint depends on the `indexspec` specification:

- If the `INDEX` hint specifies a single available index, then the database performs a scan on this index. The optimizer does not consider a full table scan or a scan of another index on the table.
- For a hint on a combination of multiple indexes, Oracle recommends using `INDEX_COMBINE` rather than `INDEX`, because it is a more versatile hint. If the `INDEX` hint specifies a list of available indexes, then the optimizer considers the cost of a scan on each index in the list and then performs the index scan with the lowest cost. The database can also choose to scan multiple indexes from this list and merge the results, if such an access path has the lowest cost. The database does not consider a full table scan or a scan on an index not listed in the hint.
- If the `INDEX` hint specifies no indexes, then the optimizer considers the cost of a scan on each available index on the table and then performs the index scan with the lowest cost. The database can also choose to scan multiple indexes and merge the results, if such an access path has the lowest cost. The optimizer does not consider a full table scan.

For example:

```
SELECT /*+ INDEX (employees emp_department_ix)*/ employee_id, department_id
FROM employees
WHERE department_id > 50;
```

## INDEX\_ASC Hint




(See [Specifying a Query Block in a Hint](#) , [tablespec::=](#) , [indexspec::=](#))

The `INDEX_ASC` hint instructs the optimizer to use an index scan for the specified table. If the statement uses an index range scan, then Oracle Database scans the index entries in ascending order of their indexed values. Each parameter serves the same purpose as in [INDEX Hint](#) .

The default behavior for a range scan is to scan index entries in ascending order of their indexed values, or in descending order for a descending index. This hint does not change the default order of the index, and therefore does not specify anything more than the `INDEX` hint. However, you can use the `INDEX_ASC` hint to specify ascending range scans explicitly should the default behavior change.

## INDEX\_COMBINE Hint




(See [Specifying a Query Block in a Hint](#) , [tablespec::=](#) , [indexspec::=](#))

The `INDEX_COMBINE` hint can use any type of index: bitmap, b-tree, or domain. If you do not specify `indexspec` in the `INDEX_COMBINE` hint, the optimizer implicitly applies the `INDEX` hint to all indexes, using as many indexes as possible. If you specify `indexspec`, then the optimizer uses all the hinted indexes that are legal and valid to use, regardless of cost. Each parameter serves the same purpose as in [INDEX Hint](#) . For example:

```
SELECT /*+ INDEX_COMBINE(e emp_manager_ix emp_department_ix) */ *
FROM employees e
WHERE manager_id = 108
OR department_id = 110;
```

## INDEX\_DESC Hint



(See [Specifying a Query Block in a Hint](#) , [tablespec::=](#) , [indexspec::=](#))

The `INDEX_DESC` hint instructs the optimizer to use a descending index scan for the specified table. If the statement uses an index range scan and the index is ascending, then Oracle scans the index entries in descending order of their indexed values. In a partitioned index, the results are in descending order within each partition. For a descending index, this hint effectively cancels out the descending order, resulting in a scan of the index entries in ascending order. Each parameter serves the same purpose as in [INDEX Hint](#) . For example:


```
SELECT /*+ INDEX_DESC(e emp_name_ix) */ *
      FROM employees e;
```



### See Also:

*Oracle Database SQL Tuning Guide* for information on full scans

## INDEX\_FFS Hint




(See [Specifying a Query Block in a Hint](#) , [tablespec::=](#) , [indexspec::=](#))

The `INDEX_FFS` hint instructs the optimizer to perform a fast full index scan rather than a full table scan.

Each parameter serves the same purpose as in [INDEX Hint](#) . For example:

```
SELECT /*+ INDEX_FFS(e emp_name_ix) */ first_name
      FROM employees e;
```

## INDEX\_JOIN Hint



(See [Specifying a Query Block in a Hint](#) , [tablespec::=](#) , [indexspec::=](#))

The `INDEX_JOIN` hint instructs the optimizer to use an index join as an access path. For the hint to have a positive effect, a sufficiently small number of indexes must exist that contain all the columns required to resolve the query.


Each parameter serves the same purpose as in [INDEX Hint](#) . For example, the following query uses an index join to access the `manager_id` and `department_id` columns, both of which are indexed in the `employees` table.

```
SELECT /*+ INDEX_JOIN(e emp_manager_ix emp_department_ix) */ department_id
      FROM employees e
```



```
WHERE manager_id < 110
AND department_id < 50;
```

## INDEX\_SS Hint



(See [Specifying a Query Block in a Hint](#) , [tablespec::=](#) , [indexspec::=](#))

The `INDEX_SS` hint instructs the optimizer to perform an index skip scan for the specified table. If the statement uses an index range scan, then Oracle scans the index entries in ascending order of their indexed values. In a partitioned index, the results are in ascending order within each partition.

Each parameter serves the same purpose as in [INDEX Hint](#) . For example:


```
SELECT /*+ INDEX_SS(e emp_name_ix) */ last_name
FROM employees e
WHERE first_name = 'Steven';
```



### See Also:

*Oracle Database SQL Tuning Guide* for information on index skip scans

## INDEX\_SS\_ASC Hint



(See [Specifying a Query Block in a Hint](#) , [tablespec::=](#) , [indexspec::=](#))


The `INDEX_SS_ASC` hint instructs the optimizer to perform an index skip scan for the specified table. If the statement uses an index range scan, then Oracle Database scans the index entries in ascending order of their indexed values. In a partitioned index, the results are in ascending order within each partition. Each parameter serves the same purpose as in [INDEX Hint](#) .

The default behavior for a range scan is to scan index entries in ascending order of their indexed values, or in descending order for a descending index. This hint does not change the default order of the index, and therefore does not specify anything more than the `INDEX_SS` hint. However, you can use the `INDEX_SS_ASC` hint to specify ascending range scans explicitly should the default behavior change.

 **See Also:**

*Oracle Database SQL Tuning Guide* for information on index skip scans

## INDEX\_SS\_DESC Hint



(See [Specifying a Query Block in a Hint](#) , *tablespec::=* , *indexspec::=*)

The `INDEX_SS_DESC` hint instructs the optimizer to perform an index skip scan for the specified table. If the statement uses an index range scan and the index is ascending, then Oracle scans the index entries in descending order of their indexed values. In a partitioned index, the results are in descending order within each partition. For a descending index, this hint effectively cancels out the descending order, resulting in a scan of the index entries in ascending order.

Each parameter serves the same purpose as in the [INDEX Hint](#) . For example:

```


SELECT /*+ INDEX_SS_DESC(e emp_name_ix) */ last_name
  FROM employees e
 WHERE first_name = 'Steven';

```

 **See Also:**

*Oracle Database SQL Tuning Guide* for information on index skip scans

## INMEMORY Hint




(See [Specifying a Query Block in a Hint](#) , *tablespec::=*)

The `INMEMORY` hint enables In-Memory queries.

This hint does not instruct the optimizer to perform a full table scan. If a full table scan is desired, then also specify the [FULL Hint](#) .


## INMEMORY\_PRUNING Hint



(See [Specifying a Query Block in a Hint](#) , *tablespec::=*)

The `INMEMORY_PRUNING` hint enables pruning of In-Memory queries.

## LEADING Hint



(See [Specifying a Query Block in a Hint](#) , *tablespec::=*)


The `LEADING` hint is a multitable hint that can specify more than one table or view. `LEADING` instructs the optimizer to use the specified set of tables as the prefix in the execution plan. The first table specified is used to start the join.

This hint is more versatile than the `ORDERED` hint. For example:

```
SELECT /*+ LEADING(e j) */ *
      FROM employees e, departments d, job_history j
      WHERE e.department_id = d.department_id
            AND e.hire_date = j.start_date;
```

The `LEADING` hint is ignored if the tables specified cannot be joined first in the order specified because of dependencies in the join graph. If you specify two or more conflicting `LEADING` hints, then all of them are ignored. If you specify the `ORDERED` hint, it overrides all `LEADING` hints.

## MERGE Hint



(See [Specifying a Query Block in a Hint](#) , *tablespec::=*)

The `MERGE` hint lets you merge views in a query.

If a view's query block contains a `GROUP BY` clause or `DISTINCT` operator in the `SELECT` list, then the optimizer can merge the view into the accessing statement only if complex view merging is enabled. Complex merging can also be used to merge an `IN` subquery into the accessing statement if the subquery is uncorrelated.

For example:

```
SELECT /*+ MERGE(v) */ e1.last_name, e1.salary, v.avg_salary
      FROM employees e1,
           (SELECT department_id, avg(salary) avg_salary
            FROM employees e2
            GROUP BY department_id) v
      WHERE e1.department_id = v.department_id
```

```
AND e1.salary > v.avg_salary  
ORDER BY e1.last_name;
```

When the `MERGE` hint is used without an argument, it should be placed in the view query block. When `MERGE` is used with the view name as an argument, it should be placed in the surrounding query.

## MODEL\_MIN\_ANALYSIS Hint

→ (/\*+ → MODEL\_MIN\_ANALYSIS → \*/) →

The `MODEL_MIN_ANALYSIS` hint instructs the optimizer to omit some compile-time optimizations of spreadsheet rules—primarily detailed dependency graph analysis. Other spreadsheet optimizations, such as creating filters to selectively populate spreadsheet access structures and limited rule pruning, are still used by the optimizer.

This hint reduces compilation time because spreadsheet analysis can be lengthy if the number of spreadsheet rules is more than several hundreds.

## MONITOR Hint

→ (/\*+ → MONITOR → \*/) →

The `MONITOR` hint forces real-time SQL monitoring for the query, even if the statement is not long running. This hint is valid only when the parameter `CONTROL_MANAGEMENT_PACK_ACCESS` is set to `DIAGNOSTIC+TUNING`.

### See Also:

*Oracle Database SQL Tuning Guide* for more information about real-time SQL monitoring

## NATIVE\_FULL\_OUTER\_JOIN Hint

→ (/\*+ → NATIVE\_FULL\_OUTER\_JOIN → \*/) →

The `NATIVE_FULL_OUTER_JOIN` hint instructs the optimizer to use native full outer join, which is a native execution method based on a hash join.

 **See Also:**

- [NO\\_NATIVE\\_FULL\\_OUTER\\_JOIN Hint](#)
- *Oracle Database SQL Tuning Guide* for more information about native full outer joins


## NOAPPEND Hint



The `NOAPPEND` hint instructs the optimizer to use conventional `INSERT` by disabling parallel mode for the duration of the `INSERT` statement. Conventional `INSERT` is the default in serial mode, and direct-path `INSERT` is the default in parallel mode.

The `NOAPPEND` hint instructs the optimizer to use conventional `INSERT` even when `INSERT` is performed in parallel mode.

## NOCACHE Hint




(See [Specifying a Query Block in a Hint](#) , `tablespec::=`)

The `NOCACHE` hint instructs the optimizer to place the blocks retrieved for the table at the least recently used end of the LRU list in the buffer cache when a full table scan is performed. This is the normal behavior of blocks in the buffer cache. For example:

```
SELECT /*+ FULL(hr_emp) NOCACHE(hr_emp) */ last_name
FROM employees hr_emp;
```

The `CACHE` and `NOCACHE` hints affect system statistics `table scans(long tables)` and `table scans(short tables)`, as shown in the `V$SYSSTAT` view.

## NO\_CLUSTERING Hint




This hint is valid only for `INSERT` and `MERGE` operations on tables that are enabled for attribute clustering. The `NO_CLUSTERING` hint disables attribute clustering for direct-path inserts (serial or parallel). This hint overrides a `YES ON LOAD` setting in the DDL that created or altered the table. This hint has no effect on tables that are not enabled for attribute clustering.

 **See Also:**

- [clustering\\_when](#) clause of CREATE TABLE for more information on the YES ON LOAD setting
- [CLUSTERING](#) Hint

## NO\_EXPAND Hint



(See [Specifying a Query Block in a Hint](#) )

The NO\_EXPAND hint instructs the optimizer not to consider OR-expansion for queries having OR conditions or IN-lists in the WHERE clause. Usually, the optimizer considers using OR expansion and uses this method if it decides that the cost is lower than not using it. For example:

```


SELECT /*+ NO_EXPAND */ *
  FROM employees e, departments d
 WHERE e.manager_id = 108
        OR d.department_id = 110;

```

 **See Also:**

The [USE\\_CONCAT](#) Hint , which is the opposite of this hint

## NO\_FACT Hint



(See [Specifying a Query Block in a Hint](#) , [tablespec::=](#))

The NO\_FACT hint is used in the context of the star transformation. It instructs the optimizer that the queried table should not be considered as a fact table.

## NO\_GATHER\_OPTIMIZER\_STATISTICS Hint



The `NO_GATHER_OPTIMIZER_STATISTICS` hint instructs the optimizer to disable statistics gathering during the following types of bulk loads:

- `CREATE TABLE AS SELECT`
- `INSERT INTO ... SELECT` into an empty table using a direct path insert


The `NO_GATHER_OPTIMIZER_STATISTICS` hint is applicable to a conventional load. If this hint is specified in the conventional insert statement, Oracle will obey the hint and not collect real-time statistics.



### See Also:

*Oracle Database SQL Tuning Guide* for more information on online statistics gathering for conventional loads.

## NO\_INDEX Hint



(See [Specifying a Query Block in a Hint](#) , `tablespec::=` , `indexspec::=`)

The `NO_INDEX` hint instructs the optimizer not to use one or more indexes for the specified table. For example:


```
SELECT /*+ NO_INDEX(employees emp_empid) */ employee_id
  FROM employees
 WHERE employee_id > 200;
```

Each parameter serves the same purpose as in [INDEX Hint](#) with the following modifications:

- If this hint specifies a single available index, then the optimizer does not consider a scan on this index. Other indexes not specified are still considered.
- If this hint specifies a list of available indexes, then the optimizer does not consider a scan on any of the specified indexes. Other indexes not specified in the list are still considered.
- If this hint specifies no indexes, then the optimizer does not consider a scan on any index on the table. This behavior is the same as a `NO_INDEX` hint that specifies a list of all available indexes for the table.

The `NO_INDEX` hint applies to function-based, B-tree, bitmap, cluster, or domain indexes. If a `NO_INDEX` hint and an index hint (`INDEX`, `INDEX_ASC`, `INDEX_DESC`, `INDEX_COMBINE`, or `INDEX_FFS`) both specify the same indexes, then the database ignores both the `NO_INDEX` hint and the index hint for the specified indexes and considers those indexes for use during execution of the statement.

## NO\_INDEX\_FFS Hint




(See [Specifying a Query Block in a Hint](#) , [tablespec::=](#) , [indexspec::=](#))

The `NO_INDEX_FFS` hint instructs the optimizer to exclude a fast full index scan of the specified indexes on the specified table. Each parameter serves the same purpose as in the [NO\\_INDEX Hint](#) . For example:

```
SELECT /*+ NO_INDEX_FFS(items item_order_ix) */ order_id
FROM order_items items;
```

## NO\_INDEX\_SS Hint



(See [Specifying a Query Block in a Hint](#) , [tablespec::=](#) , [indexspec::=](#))


The `NO_INDEX_SS` hint instructs the optimizer to exclude a skip scan of the specified indexes on the specified table. Each parameter serves the same purpose as in the [NO\\_INDEX Hint](#) .



### See Also:

*Oracle Database SQL Tuning Guide* for information on index skip scans


## NO\_INMEMORY Hint



(See [Specifying a Query Block in a Hint](#) , [tablespec::=](#))

The `NO_INMEMORY` hint disables In-Memory queries.

## NO\_INMEMORY\_PRUNING Hint






(See [Specifying a Query Block in a Hint](#) , *tablespec::=*)

The `NO_INMEMORY_PRUNING` hint disables pruning of In-Memory queries.

## NO\_MERGE Hint



(See [Specifying a Query Block in a Hint](#) , *tablespec::=*)


The `NO_MERGE` hint instructs the optimizer not to combine the outer query and any inline view queries into a single query.

This hint lets you have more influence over the way in which the view is accessed. For example, the following statement causes view `seattle_dept` not to be merged:

```
SELECT /*+ NO_MERGE(seattle_dept) */ e1.last_name, seattle_dept.department_name
  FROM employees e1,
       (SELECT location_id, department_id, department_name
        FROM departments
        WHERE location_id = 1700) seattle_dept
 WHERE e1.department_id = seattle_dept.department_id;
```


When you use the `NO_MERGE` hint in the view query block, specify it without an argument. When you specify `NO_MERGE` in the surrounding query, specify it with the view name as an argument.

## NO\_MONITOR Hint



The `NO_MONITOR` hint disables real-time SQL monitoring for the query, even if the query is long running.


## NO\_NATIVE\_FULL\_OUTER\_JOIN Hint



The `NO_NATIVE_FULL_OUTER_JOIN` hint instructs the optimizer to exclude the native execution method when joining each specified table. Instead, the full outer join is executed as a union of left outer join and anti-join.

**See Also:**[NATIVE\\_FULL\\_OUTER\\_JOIN Hint](#)

## NO\_PARALLEL Hint



(See [Specifying a Query Block in a Hint](#) , [tablespec::=](#))

The `NO_PARALLEL` hint instructs the optimizer to run the statement serially. This hint overrides the value of the `PARALLEL_DEGREE_POLICY` initialization parameter. It also overrides a `PARALLEL` parameter in the DDL that created or altered the table. For example, the following `SELECT` statement will run serially:

```
ALTER TABLE employees PARALLEL 8;
SELECT /*+ NO_PARALLEL(hr_emp) */ last_name
FROM employees hr_emp;
```


**See Also:**

- [Note on Parallel Hints](#) for more information on the parallel hints
- *Oracle Database Reference* for more information on the `PARALLEL_DEGREE_POLICY` initialization parameter

## NOPARALLEL Hint

The `NOPARALLEL` hint has been deprecated. Use the `NO_PARALLEL` hint instead.

## NO\_PARALLEL\_INDEX Hint



(See [Specifying a Query Block in a Hint](#) , [tablespec::=](#) , [indexspec::=](#))

The `NO_PARALLEL_INDEX` hint overrides a `PARALLEL` parameter in the DDL that created or altered the index, thus avoiding a parallel index scan operation.




**See Also:**

[Note on Parallel Hints](#) for more information on the parallel hints

## NOPARALLEL\_INDEX Hint

The `NOPARALLEL_INDEX` hint has been deprecated. Use the `NO_PARALLEL_INDEX` hint instead.

## NO\_PQ\_CONCURRENT\_UNION Hint



(See [Specifying a Query Block in a Hint](#) )


The `NO_PQ_CONCURRENT_UNION` hint instructs the optimizer to disable concurrent processing of `UNION` and `UNION ALL` operations.



**See Also:**

- [PQ\\_CONCURRENT\\_UNION Hint](#)
- *Oracle Database VLDB and Partitioning Guide* for information about using this hint


## NO\_PQ\_SKEW Hint



(See [Specifying a Query Block in a Hint](#) , `tablespec::=`)

The `NO_PQ_SKEW` hint advises the optimizer that the distribution of the values of the join keys for a parallel join is not skewed—that is, a high percentage of rows do not have the same join key values. The table specified in `tablespec` is the probe table of the hash join.

## NO\_PUSH\_PRED Hint




(See [Specifying a Query Block in a Hint](#) , *tablespec::=*)

The `NO_PUSH_PRED` hint instructs the optimizer not to push a join predicate into the view. For example:

```
SELECT /*+ NO_MERGE(v) NO_PUSH_PRED(v) */ *
  FROM employees e,
       (SELECT manager_id
        FROM employees) v
 WHERE e.manager_id = v.manager_id(+)
        AND e.employee_id = 100;
```

## NO\_PUSH\_SUBQ Hint



(See [Specifying a Query Block in a Hint](#) )


The `NO_PUSH_SUBQ` hint instructs the optimizer to evaluate nonmerged subqueries as the last step in the execution plan. Doing so can improve performance if the subquery is relatively expensive or does not reduce the number of rows significantly.

## NO\_PX\_JOIN\_FILTER Hint



This hint prevents the optimizer from using parallel join bitmap filtering.


## NO\_QUERY\_TRANSFORMATION Hint



The `NO_QUERY_TRANSFORMATION` hint instructs the optimizer to skip all query transformations, including but not limited to `OR`-expansion, view merging, subquery unnesting, star transformation, and materialized view rewrite. For example:

```
SELECT /*+ NO_QUERY_TRANSFORMATION */ employee_id, last_name
  FROM (SELECT * FROM employees e) v
 WHERE v.last_name = 'Smith';
```


## NO\_RESULT\_CACHE Hint



The optimizer caches query results in the result cache if the `RESULT_CACHE_MODE` initialization parameter is set to `FORCE`. In this case, the `NO_RESULT_CACHE` hint disables such caching for the current query.

If the query is executed from OCI client and OCI client result cache is enabled, then the `NO_RESULT_CACHE` hint disables caching for the current query.

## NO\_REWRITE Hint



(See [Specifying a Query Block in a Hint](#) )


The `NO_REWRITE` hint instructs the optimizer to disable query rewrite for the query block, overriding the setting of the parameter `QUERY_REWRITE_ENABLED`. For example:

```
SELECT /*+ NO_REWRITE */ sum(s.amount_sold) AS dollars
  FROM sales s, times t
 WHERE s.time_id = t.time_id
 GROUP BY t.calendar_month_desc;
```

## NOREWRITE Hint

The `NOREWRITE` hint has been deprecated. Use the `NO_REWRITE` hint instead.

## NO\_STAR\_TRANSFORMATION Hint



(See [Specifying a Query Block in a Hint](#) )

The `NO_STAR_TRANSFORMATION` hint instructs the optimizer not to perform star query transformation.

## NO\_STATEMENT\_QUEUEING Hint



The `NO_STATEMENT_QUEUEING` hint influences whether or not a statement is queued with parallel statement queuing.

When `PARALLEL_DEGREE_POLICY` is set to `AUTO`, this hint enables a statement to bypass the parallel statement queue. However, a statement that bypasses the statement queue can potentially cause the system to exceed the maximum number of parallel execution servers

defined by the value of the `PARALLEL_SERVERS_TARGET` initialization parameter, which determines the limit at which parallel statement queuing is initiated.

There is no guarantee that the statement that bypasses the parallel statement queue receives the number of parallel execution servers requested because only the number of parallel execution servers available on the system, up to the value of the `PARALLEL_MAX_SERVERS` initialization parameter, can be allocated.

For example:


```
SELECT /*+ NO_STATEMENT_QUEUING */ emp.last_name, dpt.department_name
FROM employees emp, departments dpt
WHERE emp.department_id = dpt.department_id;
```



**See Also:**

[STATEMENT\\_QUEUING Hint](#)


## NO\_UNNEST Hint



(See [Specifying a Query Block in a Hint](#) )

Use of the `NO_UNNEST` hint turns off unnesting .

## NO\_USE\_BAND Hint




(See [Specifying a Query Block in a Hint](#) , [tablespec::=](#))

The `NO_USE_BAND` hint instructs the optimizer to exclude band joins when joining each specified table to another row source. For example:

```
SELECT /*+ NO_USE_BAND(e1 e2) */
  e1.last_name
  || ' has salary between 100 less and 100 more than '
  || e2.last_name AS "SALARY COMPARISON"
FROM employees e1, employees e2
WHERE e1.salary BETWEEN e2.salary - 100 AND e2.salary + 100;
```


## NO\_USE\_CUBE Hint



(See [Specifying a Query Block in a Hint](#) , *tablespec::=*)

The `NO_USE_CUBE` hint instructs the optimizer to exclude cube joins when joining each specified table to another row source using the specified table as the inner table.

## NO\_USE\_HASH Hint




(See [Specifying a Query Block in a Hint](#) , *tablespec::=*)

The `NO_USE_HASH` hint instructs the optimizer to exclude hash joins when joining each specified table to another row source using the specified table as the inner table. For example:

```
SELECT /*+ NO_USE_HASH(e d) */ *
  FROM employees e, departments d
 WHERE e.department_id = d.department_id;
```

## NO\_USE\_MERGE Hint




(See [Specifying a Query Block in a Hint](#) , *tablespec::=*)

The `NO_USE_MERGE` hint instructs the optimizer to exclude sort-merge joins when joining each specified table to another row source using the specified table as the inner table. For example:

```
SELECT /*+ NO_USE_MERGE(e d) */ *
  FROM employees e, departments d
 WHERE e.department_id = d.department_id
 ORDER BY d.department_id;
```

## NO\_USE\_NL Hint



(See [Specifying a Query Block in a Hint](#) , *tablespec::=*)


The `NO_USE_NL` hint instructs the optimizer to exclude nested loops joins when joining each specified table to another row source using the specified table as the inner table. For example:

```
SELECT /*+ NO_USE_NL(l h) */ *
  FROM orders h, order_items l
```

```
WHERE l.order_id = h.order_id
AND l.order_id > 2400;
```

When this hint is specified, only hash join and sort-merge joins are considered for the specified tables. However, in some cases tables can be joined only by using nested loops. In such cases, the optimizer ignores the hint for those tables.

## NO\_XML\_QUERY\_REWRITE Hint



The `NO_XML_QUERY_REWRITE` hint instructs the optimizer to prohibit the rewriting of XPath expressions in SQL statements. By prohibiting the rewriting of XPath expressions, this hint also prohibits the use of any XMLIndexes for the current query. For example:


```
SELECT /*+NO_XML_QUERY_REWRITE*/ XMLQUERY('<A/>' RETURNING CONTENT)
FROM DUAL;
```



**See Also:**

[NO\\_XMLINDEX\\_REWRITE Hint](#)

## NO\_XMLINDEX\_REWRITE Hint



The `NO_XMLINDEX_REWRITE` hint instructs the optimizer not to use any XMLIndex indexes for the current query. For example:


```
SELECT /*+NO_XMLINDEX_REWRITE*/ count(*)
FROM warehouses
WHERE existsNode(warehouse_spec, '/Warehouse/Building') = 1;
```



**See Also:**

[NO\\_XML\\_QUERY\\_REWRITE Hint](#) for another way to disable the use of XMLIndexes

## NO\_ZONEMAP Hint





(See [Specifying a Query Block in a Hint](#) , `tablespec::=`)

The `NO_ZONEMAP` hint disables the use of a zone map for different types of pruning. This hint overrides an `ENABLE PRUNING` setting in the DDL that created or altered the zone map.

Specify one of the following options:

- `SCAN` - Disables the use of a zone map for scan pruning.
- `JOIN` - Disables the use of a zone map for join pruning.
- `PARTITION` - Disables the use of a zone map for partition pruning.

#### See Also:


- [ENABLE | DISABLE PRUNING](#) clause of `CREATE MATERIALIZED ZONEMAP`
- *Oracle Database Data Warehousing Guide* for more information on pruning with zone maps

## OPTIMIZER\_FEATURES\_ENABLE Hint

This hint is fully documented in the Database Reference book.

Please see Database Reference for details.

## OPT\_PARAM Hint



The `OPT_PARAM` hint lets you set an initialization parameter for the duration of the current query only. This hint is valid only for the following parameters: `APPROX_FOR_AGGREGATION`, `APPROX_FOR_COUNT_DISTINCT`, `APPROX_FOR_PERCENTILE`, `OPTIMIZER_DYNAMIC_SAMPLING`, `OPTIMIZER_INDEX_CACHING`, `OPTIMIZER_INDEX_COST_ADJ`, and `STAR_TRANSFORMATION_ENABLED`.

For example, the following hint sets the parameter `STAR_TRANSFORMATION_ENABLED` to `TRUE` for the statement to which it is added:

```
SELECT /*+ OPT_PARAM('star_transformation_enabled' 'true') */ *
FROM ... ;
```

Parameter values that are strings are enclosed in single quotation marks. Numeric parameter values are specified without quotation marks.

## ORDERED Hint



The `ORDERED` hint instructs Oracle to join tables in the order in which they appear in the `FROM` clause. Oracle recommends that you use the `LEADING` hint, which is more versatile than the `ORDERED` hint.

When you omit the `ORDERED` hint from a SQL statement requiring a join, the optimizer chooses the order in which to join the tables. You might want to use the `ORDERED` hint to specify a join order if you know something that the optimizer does not know about the number of rows selected from each table. Such information lets you choose an inner and outer table better than the optimizer could.

The following query is an example of the use of the `ORDERED` hint:

```
SELECT /*+ ORDERED */ o.order_id, c.customer_id, l.unit_price * l.quantity
FROM customers c, order_items l, orders o
WHERE c.cust_last_name = 'Taylor'
AND o.customer_id = c.customer_id
AND o.order_id = l.order_id;
```


## PARALLEL Hint

### Note on Parallel Hints


Beginning with Oracle Database 11g Release 2, the `PARALLEL` and `NO_PARALLEL` hints are statement-level hints and supersede the earlier object-level hints: `PARALLEL_INDEX`, `NO_PARALLEL_INDEX`, and previously specified `PARALLEL` and `NO_PARALLEL` hints. For `PARALLEL`, if you specify *integer*, then that degree of parallelism will be used for the statement. If you omit *integer*, then the database computes the degree of parallelism. All the access paths that can use parallelism will use the specified or computed degree of parallelism.

In the syntax diagrams below, *parallel\_hint\_statement* shows the syntax for statement-level hints, and *parallel\_hint\_object* shows the syntax for object-level hints. Object-level hints are supported for backward compatibility, and are superseded by statement-level hints.

***parallel\_hint\_statement::=***



***parallel\_hint\_object::=***



(See [Specifying a Query Block in a Hint](#) , `tablespec::=`)

The `PARALLEL` hint instructs the optimizer to use the specified number of concurrent servers for a parallel operation. This hint overrides the value of the `PARALLEL_DEGREE_POLICY` initialization parameter. It applies to the `SELECT`, `INSERT`, `MERGE`, `UPDATE`, and `DELETE` portions of a statement, as well as to the table scan portion. If any parallel restrictions are violated, then the hint is ignored.

 **Note:**

The number of servers that can be used is twice the value in the `PARALLEL` hint, if sorting or grouping operations also take place.

For a **statement-level `PARALLEL` hint**:

- `PARALLEL`: The statement results in a degree of parallelism equal to or greater than the computed degree of parallelism, except when parallelism is not feasible for the lowest cost plan. When parallelism is not feasible, the statement runs serially.
- `PARALLEL (DEFAULT)`: The optimizer calculates a degree of parallelism equal to the number of CPUs available on all participating instances times the value of the `PARALLEL_THREADS_PER_CPU` initialization parameter.
- `PARALLEL (AUTO)`: The statement results in a degree of parallelism that is equal to or greater than the computed degree of parallelism, except when parallelism is not feasible for the lowest cost plan. When parallelism is not feasible, the statement runs serially.
- `PARALLEL (MANUAL)`: The optimizer is forced to use the parallel settings of the objects in the statement.
- `PARALLEL (integer)`: The optimizer uses the degree of parallelism specified by *integer*.

In the following example, the optimizer calculates the degree of parallelism. The statement always runs in parallel.

```
SELECT /*+ PARALLEL */ last_name
FROM employees;
```

In the following example, the optimizer calculates the degree of parallelism, but that degree may be 1, in which case the statement will run serially.

```
SELECT /*+ PARALLEL (AUTO) */ last_name
FROM employees;
```

In the following example, the `PARALLEL` hint advises the optimizer to use the degree of parallelism currently in effect for the table itself, which is 5:

```
CREATE TABLE parallel_table (col1 number, col2 VARCHAR2(10)) PARALLEL 5;

SELECT /*+ PARALLEL (MANUAL) */ col2
FROM parallel_table;
```

For an **object-level `PARALLEL` hint**:

- `PARALLEL`: The query coordinator should examine the settings of the initialization parameters to determine the default degree of parallelism.
- `PARALLEL (integer)`: The optimizer uses the degree of parallelism specified by *integer*.

- **PARALLEL (DEFAULT)**: The optimizer calculates a degree of parallelism equal to the number of CPUs available on all participating instances times the value of the `PARALLEL_THREADS_PER_CPU` initialization parameter.

In the following example, the `PARALLEL` hint overrides the degree of parallelism specified in the `employees` table definition:

```
SELECT /*+ FULL(hr_emp) PARALLEL(hr_emp, 5) */ last_name
FROM employees hr_emp;
```

In the next example, the `PARALLEL` hint overrides the degree of parallelism specified in the `employees` table definition and instructs the optimizer to calculate a degree of parallelism equal to the number of CPUs available on all participating instances times the value of the `PARALLEL_THREADS_PER_CPU` initialization parameter.


```
SELECT /*+ FULL(hr_emp) PARALLEL(hr_emp, DEFAULT) */ last_name
FROM employees hr_emp;
```

Refer to [CREATE TABLE](#) and *Oracle Database Concepts* for more information on parallel execution.

#### See Also:

- [CREATE TABLE](#) and *Oracle Database Concepts* for more information on parallel execution.
- *Oracle Database PL/SQL Packages and Types Reference* for information on the `DBMS_PARALLEL_EXECUTE` package, which provides methods to apply table changes in chunks of rows. Changes to each chunk are independently committed when there are no errors.
- *Oracle Database Reference* for more information on the `PARALLEL_DEGREE_POLICY` initialization parameter
- [NO\\_PARALLEL Hint](#)

## PARALLEL\_INDEX Hint



(See [Specifying a Query Block in a Hint](#) , `tablespec::=` , `indexspec::=`)

The `PARALLEL_INDEX` hint instructs the optimizer to use the specified number of concurrent servers to parallelize index range scans, full scans, and fast full scans for partitioned indexes.

The *integer* value indicates the degree of parallelism for the specified index. Specifying `DEFAULT` or no value signifies that the query coordinator should examine the settings of the initialization parameters to determine the default degree of parallelism. For example, the following hint indicates three parallel execution processes are to be used:


```
SELECT /*+ PARALLEL_INDEX(table1, index1, 3) */
```



### See Also:

[Note on Parallel Hints](#) for more information on the parallel hints

## PQ\_CONCURRENT\_UNION Hint



(See [Specifying a Query Block in a Hint](#) )


The `PQ_CONCURRENT_UNION` hint instructs the optimizer to enable concurrent processing of `UNION` and `UNION ALL` operations.



### See Also:

- [NO\\_PQ\\_CONCURRENT\\_UNION Hint](#)
- *Oracle Database VLDB and Partitioning Guide* for information about using this hint

## PQ\_DISTRIBUTE Hint



(See [Specifying a Query Block in a Hint](#) , `tablespec::=`)

The `PQ_DISTRIBUTE` hint instructs the optimizer how to distribute rows among producer and consumer query servers. You can control the distribution of rows for either joins or for load.

### Control of Distribution for Load

You can control the distribution of rows for `parallel INSERT ... SELECT` and `parallel CREATE TABLE ... AS SELECT` statements to direct how rows should be distributed between the producer (query) and the consumer (load) servers. Use the upper branch of the syntax by specifying a single distribution method. The values of the distribution methods and their semantics are described in [Table 2-25](#).

**Table 2-25 Distribution Values for Load**

Distribution	Description
NONE	<p>No distribution. That is the query and load operation are combined into each query server. All servers will load all partitions. This lack of distribution is useful to avoid the overhead of distributing rows where there is no skew. Skew can occur due to empty segments or to a predicate in the statement that filters out all rows evaluated by the query. If skew occurs due to using this method, then use either <code>RANDOM</code> or <code>RANDOM_LOCAL</code> distribution instead.</p> <p><b>Note:</b> Use this distribution with care. Each partition loaded requires a minimum of 512 KB per process of PGA memory. If you also use compression, then approximately 1.5 MB of PGA memory is consumer per server.</p>
PARTITION	<p>This method uses the partitioning information of <code>tablespec</code> to distribute the rows from the query servers to the load servers. Use this distribution method when it is not possible or desirable to combine the query and load operations, when the number of partitions being loaded is greater than or equal to the number of load servers, and the input data will be evenly distributed across the partitions being loaded—that is, there is no skew.</p>
RANDOM	<p>This method distributes the rows from the producers in a round-robin fashion to the consumers. Use this distribution method when the input data is highly skewed.</p>
RANDOM_LOCAL	<p>This method distributes the rows from the producers to a set of servers that are responsible for maintaining a given set of partitions. Two or more servers can be loading the same partition, but no servers are loading all partitions. Use this distribution method when the input data is skewed and combining query and load operations is not possible due to memory constraints.</p>

For example, in the following direct-path insert operation, the query and load portions of the operation are combined into each query server:

```
INSERT /*+ APPEND PARALLEL(target_table, 16) PQ_DISTRIBUTE(target_table, NONE) */
  INTO target_table
  SELECT * FROM source_table;
```

In the following table creation example, the optimizer uses the partitioning of `target_table` to distribute the rows:

```
CREATE /*+ PQ_DISTRIBUTE(target_table, PARTITION) */ TABLE target_table
  NOLOGGING PARALLEL 16
  PARTITION BY HASH (l_orderkey) PARTITIONS 512
  AS SELECT * FROM source_table;
```

### Control of Distribution for Joins

You control the distribution method for joins by specifying two distribution methods, as shown in the lower branch of the syntax diagram, one distribution for the outer table and one distribution for the inner table.

- `outer_distribution` is the distribution for the outer table.

- `inner_distribution` is the distribution for the inner table.

The values of the distributions are `HASH`, `BROADCAST`, `PARTITION`, and `NONE`. Only six combinations table distributions are valid, as described in [Table 2-26](#):

**Table 2-26 Distribution Values for Joins**

Distribution	Description
HASH, HASH	The rows of each table are mapped to consumer query servers, using a hash function on the join keys. When mapping is complete, each query server performs the join between a pair of resulting partitions. This distribution is recommended when the tables are comparable in size and the join operation is implemented by hash-join or sort merge join.
BROADCAST, NONE	All rows of the outer table are broadcast to each query server. The inner table rows are randomly partitioned. This distribution is recommended when the outer table is very small compared with the inner table. As a general rule, use this distribution when the inner table size multiplied by the number of query servers is greater than the outer table size.
NONE, BROADCAST	All rows of the inner table are broadcast to each consumer query server. The outer table rows are randomly partitioned. This distribution is recommended when the inner table is very small compared with the outer table. As a general rule, use this distribution when the inner table size multiplied by the number of query servers is less than the outer table size.
PARTITION, NONE	The rows of the outer table are mapped using the partitioning of the inner table. The inner table must be partitioned on the join keys. This distribution is recommended when the number of partitions of the outer table is equal to or nearly equal to a multiple of the number of query servers; for example, 14 partitions and 15 query servers. <b>Note:</b> The optimizer ignores this hint if the inner table is not partitioned or not equijoin on the partitioning key.
NONE, PARTITION	The rows of the inner table are mapped using the partitioning of the outer table. The outer table must be partitioned on the join keys. This distribution is recommended when the number of partitions of the outer table is equal to or nearly equal to a multiple of the number of query servers; for example, 14 partitions and 15 query servers. <b>Note:</b> The optimizer ignores this hint if the outer table is not partitioned or not equijoin on the partitioning key.
NONE, NONE	Each query server performs the join operation between a pair of matching partitions, one from each table. Both tables must be equipartitioned on the join keys.


For example, given two tables `r` and `s` that are joined using a hash join, the following query contains a hint to use hash distribution:

```
SELECT /*+ORDERED PQ_DISTRIBUTE(s HASH, HASH) USE_HASH (s)*/ column_list
  FROM r,s
 WHERE r.c=s.c;
```

To broadcast the outer table `r`, the query is:

```
SELECT /*+ORDERED PQ_DISTRIBUTE(s BROADCAST, NONE) USE_HASH (s) */ column_list
  FROM r,s
 WHERE r.c=s.c;
```


## PQ\_FILTER Hint



The `PQ_FILTER` hint instructs the optimizer on how to process rows when filtering correlated subqueries.

- **SERIAL:** Process rows serially on the left and right sides of the filter. Use this option when the overhead of parallelization is too high for the query, for example, when the left side has very few rows.
- **NONE:** Process rows in parallel on the left and right sides of the filter. Use this option when there is no skew in the distribution of the data on the left side of the filter and you would like to avoid distribution of the left side, for example, due to the large size of the left side.
- **HASH:** Process rows in parallel on the left side of the filter using a hash distribution. Process rows serially on the right side of the filter. Use this option when there is no skew in the distribution of data on the left side of the filter.
- **RANDOM:** Process rows in parallel on the left side of the filter using a random distribution. Process rows serially on the right side of the filter. Use this option when there is skew in the distribution of data on the left side of the filter.


## PQ\_SKEW Hint



(See [Specifying a Query Block in a Hint](#) , `tablespec::=`)

The `PQ_SKEW` hint advises the optimizer that the distribution of the values of the join keys for a parallel join is highly skewed—that is, a high percentage of rows have the same join key values. The table specified in `tablespec` is the probe table of the hash join.

## PUSH\_PRED Hint






(See [Specifying a Query Block in a Hint](#) , *tablespec::=*)

The `PUSH_PRED` hint instructs the optimizer to push a join predicate into the view. For example:

```
SELECT /*+ NO_MERGE(v) PUSH_PRED(v) */ *
  FROM employees e,
       (SELECT manager_id
        FROM employees) v
 WHERE e.manager_id = v.manager_id(+)
        AND e.employee_id = 100;
```

## PUSH\_SUBQ Hint




(See [Specifying a Query Block in a Hint](#) )

The `PUSH_SUBQ` hint instructs the optimizer to evaluate nonmerged subqueries at the earliest possible step in the execution plan. Generally, subqueries that are not merged are executed as the last step in the execution plan. If the subquery is relatively inexpensive and reduces the number of rows significantly, then evaluating the subquery earlier can improve performance.


This hint has no effect if the subquery is applied to a remote table or one that is joined using a merge join.

## PX\_JOIN\_FILTER Hint



This hint forces the optimizer to use parallel join bitmap filtering.

## QB\_NAME Hint




(See [Specifying a Query Block in a Hint](#) )

Use the `QB_NAME` hint to define a name for a query block. This name can then be used in a hint in the outer query or even in a hint in an inline view to affect query execution on the tables appearing in the named query block.

If two or more query blocks have the same name, or if the same query block is hinted twice with different names, then the optimizer ignores all the names and the hints referencing that query block. Query blocks that are not named using this hint have unique system-generated names. These names can be displayed in the plan table and can also be used in hints within the query block, or in query block hints. For example:

```
SELECT /*+ QB_NAME(qb) FULL(@qb e) */ employee_id, last_name
FROM employees e
WHERE last_name = 'Smith';
```

## RESULT\_CACHE Hint



The `RESULT_CACHE` hint instructs the database to cache the results of the current query or query fragment in memory and then to use the cached results in future executions of the query or query fragment. The hint is recognized in the top-level query, the *subquery\_factoring\_clause*, or `FROM` clause inline view. The cached results reside in the result cache memory portion of the shared pool.

A cached result is automatically invalidated whenever a database object used in its creation is successfully modified.

If `TEMP` has a value of `TRUE`, then the query will be allowed to spill to disk and allocate space in the temporary tablespace, if needed.

If `TEMP` has a value of `FALSE`, then the query will not be allowed to spill to disk and use the temporary tablespace for caching the result.

Both values `TRUE` and `FALSE` override the value of the `RESULT_CACHE_MODE` initialization parameter.

If you do not specify `TEMP`, then the value of `RESULT_CACHE_MODE` holds.

The initialization parameter `RESULT_CACHE_INTEGRITY` specifies whether the result cache will consider queries using non-deterministic constructs - such as PL/SQL functions that are not declared as deterministic as queries that can be cached.


- If you set `RESULT_CACHE_INTEGRITY` to `ENFORCED`, then only deterministic constructs will be eligible for result caching. The `ENFORCED` setting overrides the setting of `RESULT_CACHE_MODE` or specified hints. For example, queries using PL/SQL functions that are not declared as deterministic will never be cached and must be declared as deterministic.
- If you set `RESULT_CACHE_INTEGRITY` to `TRUSTED`, then the database honors the setting of `RESULT_CACHE_MODE` and specified hints and considers queries using possibly non-deterministic constructs as candidates for result caching. For example, queries using PL/SQL functions that are not declared as deterministic can be cached. Note, however, that results that are known to be nondeterministic will not be cached, e.g. `SYSDATE` or constructs involving `SYSDATE`.

If the query is executed from an OCI client and the OCI client result cache is enabled, then the `RESULT_CACHE` hint enables client caching for the current query.

**See Also:**

*Oracle Database Performance Tuning Guide* for information about using this hint, *Oracle Database Reference* for information about the `RESULT_CACHE_MODE` initialization parameter, and *Oracle Call Interface Developer's Guide* for more information about the OCI result cache and usage guidelines

## RETRY\_ON\_ROW\_CHANGE Hint

**Note:**


The `CHANGE_DUPKEY_ERROR_INDEX`, `IGNORE_ROW_ON_DUPKEY_INDEX`, and `RETRY_ON_ROW_CHANGE` hints are unlike other hints in that they have a semantic effect. The general philosophy explained in [Hints](#) does not apply for these three hints.

This hint is valid only for `UPDATE` and `DELETE` operations. It is not supported for `INSERT` or `MERGE` operations. When you specify this hint, the operation is retried when the `ORA_ROWSCN` for one or more rows in the set has changed from the time the set of rows to be modified is determined to the time the block is actually modified.

**See Also:**

[IGNORE\\_ROW\\_ON\\_DUPKEY\\_INDEX Hint](#) and [CHANGE\\_DUPKEY\\_ERROR\\_INDEX Hint](#)

## REWRITE Hint



(See [Specifying a Query Block in a Hint](#) )


The `REWRITE` hint instructs the optimizer to rewrite a query in terms of materialized views, when possible, without cost consideration. Use the `REWRITE` hint with or without a view list. If you use `REWRITE` with a view list and the list contains an eligible materialized view, then Oracle uses that view regardless of its cost.

Oracle does not consider views outside of the list. If you do not specify a view list, then Oracle searches for an eligible materialized view and always uses it regardless of the cost of the final plan.

#### See Also:

- *Oracle Database Concepts* for more information on materialized views
- *Oracle Database Data Warehousing Guide* for more information on using `REWRITE` with materialized views

## STAR\_TRANSFORMATION Hint



(See [Specifying a Query Block in a Hint](#) )

The `STAR_TRANSFORMATION` hint instructs the optimizer to use the best plan in which the transformation has been used. Without the hint, the optimizer could make a query optimization decision to use the best plan generated without the transformation, instead of the best plan for the transformed query. For example:

```

SELECT /*+ STAR_TRANSFORMATION */ s.time_id, s.prod_id, s.channel_id
  FROM sales s, times t, products p, channels c
 WHERE s.time_id = t.time_id
        AND s.prod_id = p.prod_id
        AND s.channel_id = c.channel_id
        AND c.channel_desc = 'Tele Sales';

```

Even if the hint is specified, there is no guarantee that the transformation will take place. The optimizer generates the subqueries only if it seems reasonable to do so. If no subqueries are generated, then there is no transformed query, and the best plan for the untransformed query is used, regardless of the hint.

#### See Also:

- *Oracle Database Data Warehousing Guide* for a full discussion of star transformation.
- *Oracle Database Reference* for more information on the `STAR_TRANSFORMATION_ENABLED` initialization parameter.

## STATEMENT\_QUEUING Hint



The `NO_STATEMENT_QUEUING` hint influences whether or not a statement is queued with parallel statement queuing.

When `PARALLEL_DEGREE_POLICY` is not set to `AUTO`, this hint enables a statement to be considered for parallel statement queuing, but to run only when enough parallel processes are available to run at the requested DOP. The number of available parallel execution servers, before queuing is enabled, is equal to the difference between the number of parallel execution servers in use and the maximum number allowed in the system, which is defined by the `PARALLEL_SERVERS_TARGET` initialization parameter.

For example:


```
SELECT /*+ STATEMENT_QUEUING */ emp.last_name, dpt.department_name
FROM employees emp, departments dpt
WHERE emp.department_id = dpt.department_id;
```



**See Also:**

[NO\\_STATEMENT\\_QUEUING Hint](#)

## UNNEST Hint



(See [Specifying a Query Block in a Hint](#) )

The `UNNEST` hint instructs the optimizer to unnest and merge the body of the subquery into the body of the query block that contains it, allowing the optimizer to consider them together when evaluating access paths and joins.


Before a subquery is unnested, the optimizer first verifies whether the statement is valid. The statement must then pass heuristic and query optimization tests. The `UNNEST` hint instructs the optimizer to check the subquery block for validity only. If the subquery block is valid, then subquery unnesting is enabled without checking the heuristics or costs.



**See Also:**

- [Collection Unnesting: Examples](#) for more information on unnesting nested subqueries and the conditions that make a subquery block valid
- *Oracle Database SQL Tuning Guide* for additional information on subquery unnesting

## USE\_BAND Hint




(See [Specifying a Query Block in a Hint](#) , *tablespec::=*)

The `USE_BAND` hint instructs the optimizer to join each specified table with another row source using a band join. For example:

```
SELECT /*+ USE_BAND(e1 e2) */
  e1.last_name
  || ' has salary between 100 less and 100 more than '
  || e2.last_name AS "SALARY COMPARISON"
FROM employees e1, employees e2
WHERE e1.salary BETWEEN e2.salary - 100 AND e2.salary + 100;
```

The order the tables are listed in the `USE_BAND` hint does not specify a join order. To hint a specific join order, the `LEADING` hint is required.

## USE\_CONCAT Hint



(See [Specifying a Query Block in a Hint](#) )

The `USE_CONCAT` hint instructs the optimizer to transform combined `OR`-conditions in the `WHERE` clause of a query into a compound query using the `UNION ALL` set operator. Without this hint, this transformation occurs only if the cost of the query using the concatenations is cheaper than the cost without them. The `USE_CONCAT` hint overrides the cost consideration. For example:


```
SELECT /*+ USE_CONCAT */ *
  FROM employees e
  WHERE manager_id = 108
         OR department_id = 110;
```



### See Also:

The [NO\\_EXPAND Hint](#) , which is the opposite of this hint


## USE\_CUBE Hint



(See [Specifying a Query Block in a Hint](#) , *tablespec::=*)

When the right-hand side of the join is a cube, the `USE_CUBE` hint instructs the optimizer to join each specified table with another row source using a cube join. If the optimizer decides not to use the cube join based on statistical analysis, then you can use `USE_CUBE` to override that decision.

## USE\_HASH Hint




(See [Specifying a Query Block in a Hint](#) , *tablespec::=*)

The `USE_HASH` hint instructs the optimizer to join each specified table with another row source using a hash join. For example:

```
SELECT /*+ USE_HASH(l h) */ *
  FROM orders h, order_items l
  WHERE l.order_id = h.order_id
         AND l.order_id > 2400;
```

The order the tables are listed in the `USE_HASH` hint does not specify a join order. To hint a specific join order, the `LEADING` hint is required.

## USE\_MERGE Hint



(See [Specifying a Query Block in a Hint](#) , *tablespec::=*)


The `USE_MERGE` hint instructs the optimizer to join each specified table with another row source using a sort-merge join. For example:

```
SELECT /*+ USE_MERGE(employees departments) */ *
  FROM employees, departments
  WHERE employees.department_id = departments.department_id;
```

Use of the `USE_NL` and `USE_MERGE` hints is recommended with the `LEADING` and `ORDERED` hints. The optimizer uses those hints when the referenced table is forced to be the inner table of a join. The hints are ignored if the referenced table is the outer table.

## USE\_NL Hint

The `USE_NL` hint instructs the optimizer to join each specified table to another row source with a nested loops join, using the specified table as the inner table.



(See [Specifying a Query Block in a Hint](#) , *tablespec::=*)

Use of the `USE_NL` and `USE_MERGE` hints is recommended with the `LEADING` and `ORDERED` hints. The optimizer uses those hints when the referenced table is forced to be the inner table of a join. The hints are ignored if the referenced table is the outer table.

In the following example, where a nested loop is forced through a hint, `orders` is accessed through a full table scan and the filter condition `l.order_id = h.order_id` is applied to every row. For every row that meets the filter condition, `order_items` is accessed through the index `order_id`.

```
SELECT /*+ USE_NL(l h) */ h.customer_id, l.unit_price * l.quantity
  FROM orders h, order_items l
 WHERE l.order_id = h.order_id;
```


The order the tables are listed in the `USE_NL` hint does not specify a join order. To hint a specific join order, the `LEADING` hint is required.

### Example

```
select /*+ LEADING(t2) USE_NL(t1) */ sum(t1.a),sum(t2.a)
from   t1 , t2
where  t1.b = t2.b;
select * from table(dbms_xplan.display_cursor());
```

Adding an `INDEX` hint to the query could avoid the full table scan on `orders`, resulting in an execution plan similar to one used on larger systems, even though it might not be particularly efficient here.

## USE\_NL\_WITH\_INDEX Hint



(See [Specifying a Query Block in a Hint](#) , `tablespec::=` , `indexspec::=`)

The `USE_NL_WITH_INDEX` hint instructs the optimizer to join the specified table to another row source with a nested loops join using the specified table as the inner table. For example:

```
SELECT /*+ USE_NL_WITH_INDEX(l item_product_ix) */ *
  FROM orders h, order_items l
 WHERE l.order_id = h.order_id
        AND l.order_id > 2400;
```

The following conditions apply:

- If no index is specified, then the optimizer must be able to use some index with at least one join predicate as the index key.
- If an index is specified, then the optimizer must be able to use that index with at least one join predicate as the index key.



## Database Objects

Oracle Database recognizes objects that are associated with a particular schema and objects that are not associated with any particular schema, as described in the sections that follow.

### Schema Objects

A **schema** is a collection of logical structures of data, or schema objects. A schema is owned by a database user and has the same name as that user. Each user owns a single schema. Schema objects can be created and manipulated with SQL and include the following types of objects:

- Analytic views
- Attribute dimensions
- Clusters
- Constraints
- Database links
- Database triggers
- Dimensions
- External procedure libraries
- Hierarchies
- Index-organized tables
- Indexes
- Indextypes
- Java classes
- Java resources
- Java sources
- Join groups
- Materialized views
- Materialized view logs
- Mining models
- Object tables
- Object types
- Object views
- Operators
- Packages
- Property Graphs
- Sequences
- Stored functions
- Stored procedures
- Synonyms
- Tables
- Views
- Zone maps

### Nonschema Objects

Other types of objects are also stored in the database and can be created and manipulated with SQL but are not contained in a schema:

Contexts  
Directories  
Editions  
Flashback archives  
Lockdown profiles  
Profiles  
Restore points  
Roles  
Rollback segments  
Tablespaces  
Tablespace sets  
Unified audit policies  
Users

In this reference, each type of object is described in the section devoted to the statement that creates the database object. These statements begin with the keyword `CREATE`. For example, for the definition of a cluster, see [CREATE CLUSTER](#).



#### See Also:

*Oracle Database Concepts* for an overview of database objects

You must provide names for most types of database objects when you create them. These names must follow the rules listed in the sections that follow.

## Database Object Names and Qualifiers

Some database objects are made up of parts that you can or must name, such as the columns in a table or view, index and table partitions and subpartitions, integrity constraints on a table, and objects that are stored within a package, including procedures and stored functions. This section provides:

- Rules for naming database objects and database object location qualifiers
- Guidelines for naming database objects and qualifiers



#### Note:

Oracle uses system-generated names beginning with "SYS\_" for implicitly generated database objects and subobjects, and names beginning with "ORA\_" for some Oracle-supplied objects. Oracle discourages you from using these prefixes in the names you explicitly provide to your database objects and subobjects to avoid possible conflict in name resolution.

## Database Object Naming Rules

Every database object has a name. In a SQL statement, you represent the name of an object with a **quoted identifier** or a **nonquoted identifier**.

- A quoted identifier begins and ends with double quotation marks ("). If you name a schema object using a quoted identifier, then you must use the double quotation marks whenever you refer to that object.
- A nonquoted identifier is not surrounded by any punctuation.

You must use double quotation marks (") for schema names that begin with numbers or special characters.

You can use either quoted or nonquoted identifiers to name any database object. However, database names, global database names, database link names, disk group names, and pluggable database (PDB) names are always case insensitive and are stored as uppercase. If you specify such names as quoted identifiers, then the quotation marks are silently ignored.



#### See Also:

[CREATE USER](#) for additional rules for naming users and passwords



#### Note:

Oracle does not recommend using quoted identifiers for database object names. These quoted identifiers are accepted by SQL\*Plus, but they may not be valid when using other tools that manage database objects.

The following list of rules applies to both quoted and nonquoted identifiers unless otherwise indicated:

1. The maximum length of identifier names depends on the value of the `COMPATIBLE` initialization parameter.
  - **If `COMPATIBLE` is set to a value of 12.2 or higher**, then names must be from 1 to 128 bytes long with these exceptions:
    - Names of databases are limited to 8 bytes.
    - Names of disk groups, pluggable databases (PDBs), rollback segments, tablespaces, and tablespace sets are limited to 30 bytes.
    - From Release 21c onwards names of pluggable databases are limited to 64 bytes.

If an identifier includes multiple parts separated by periods, then each attribute can be up to 128 bytes long. Each period separator, as well as any surrounding double quotation marks, counts as one byte. For example, suppose you identify a column like this:

```
"schema"."table"."column"
```

The schema name can be 128 bytes, the table name can be 128 bytes, and the column name can be 128 bytes. Each of the quotation marks and periods is a single-byte character, so the total length of the identifier in this example can be up to 392 bytes.

- **If `COMPATIBLE` is set to a value lower than 12.2**, then names must be from 1 to 30 bytes long with these exceptions:

- Names of databases are limited to 8 bytes.
- Names of database links can be as long as 128 bytes.

If an identifier includes multiple parts separated by periods, then each attribute can be up to 30 bytes long. Each period separator, as well as any surrounding double quotation marks, counts as one byte. For example, suppose you identify a column like this:

```
"schema"."table"."column"
```

The schema name can be 30 bytes, the table name can be 30 bytes, and the column name can be 30 bytes. Each of the quotation marks and periods is a single-byte character, so the total length of the identifier in this example can be up to 98 bytes.

2. Nonquoted identifiers cannot be Oracle SQL reserved words. Quoted identifiers can be reserved words, although this is not recommended.

Depending on the Oracle product you plan to use to access a database object, names might be further restricted by other product-specific reserved words.

 **Note:**

The reserved word `ROWID` is an exception to this rule. You cannot use the uppercase word `ROWID`, either quoted or nonquoted, as a column name. However, you can use the uppercase word as a quoted identifier that is not a column name, and you can use the word with one or more lowercase letters (for example, `"Rowid"` or `"rowid"`) as any quoted identifier, including a column name.

 **See Also:**

- [Oracle SQL Reserved Words](#) for a listing of all Oracle SQL reserved words
- The manual for a specific product, such as *Oracle Database PL/SQL Language Reference*, for a list of the reserved words of that product

3. The Oracle SQL language contains other words that have special meanings. These words include data types, schema names, function names, the dummy system table `DUAL`, and keywords (the uppercase words in SQL statements, such as `DIMENSION`, `SEGMENT`, `ALLOCATE`, `DISABLE`, and so forth). These words are not reserved. However, Oracle uses them internally in specific ways. Therefore, if you use these words as names for objects and object parts, then your SQL statements may be more difficult to read and may lead to unpredictable results.

In particular, do not use words beginning with `SYS_` or `ORA_` as schema object names, and do not use the names of SQL built-in functions for the names of schema objects or user-defined functions.

 **See Also:**

- [Oracle SQL Keywords](#) for information how to obtain a list of keywords
- [Data Types](#) , [About SQL Functions](#) , and [Selecting from the DUAL Table](#)

4. You should use characters from the ASCII repertoire in database names, global database names, and database link names, because these characters provide optimal compatibility across different platforms and operating systems. You must use only characters from the ASCII repertoire in the names of common users, common roles, and common profiles in a multitenant container database (CDB).
5. You can include multibyte characters in passwords.
6. Nonquoted identifiers must begin with an alphabetic character from your database character set. Quoted identifiers can begin with any character.
7. Nonquoted identifiers can only contain alphanumeric characters from your database character set and the underscore (`_`), dollar sign (`$`), and pound sign (`#`). Database links can also contain periods (`.`) and "at" signs (`@`). Oracle strongly discourages you from using `$` and `#` in nonquoted identifiers.

Quoted identifiers can contain any characters and punctuations marks as well as spaces. However, neither quoted nor nonquoted identifiers can contain double quotation marks or the null character (`\0`).

8. Within a namespace, no two objects can have the same name.

The following schema objects share one namespace:

- Packages
- Private synonyms
- Sequences
- Stand-alone procedures
- Stand-alone stored functions
- Tables
- User-defined operators
- User-defined types
- Views

Each of the following schema objects has its own namespace:

- Clusters
- Constraints
- Database triggers
- Dimensions
- Indexes
- Materialized views (When you create a materialized view, the database creates an internal table of the same name. This table has the same namespace as the other tables in the schema. Therefore, a schema cannot contain a table and a materialized view of the same name.)

- Private database links

Because tables and sequences are in the same namespace, a table and a sequence in the same schema cannot have the same name. However, tables and indexes are in different namespaces. Therefore, a table and an index in the same schema can have the same name.

Each schema in the database has its own namespaces for the objects it contains. This means, for example, that two tables in different schemas are in different namespaces and can have the same name.

Each of the following nonschema objects also has its own namespace:

- Editions
- Parameter files (`PFILES`) and server parameter files (`SPFILES`)
- Profiles
- Public database links
- Public synonyms
- Tablespace
- User roles

Because the objects in these namespaces are not contained in schemas, these namespaces span the entire database.

9. Nonquoted identifiers are not case sensitive. Oracle interprets them as uppercase. Quoted identifiers are case sensitive.

By enclosing names in double quotation marks, you can give the following names to different objects in the same namespace:

```
"employees"  
"Employees"  
"EMPLOYEES"
```

Note that Oracle interprets the following names the same, so they cannot be used for different objects in the same namespace:

```
employees  
EMPLOYEES  
"EMPLOYEES"
```

10. When Oracle stores or compares identifiers in uppercase, the uppercase form of each character in the identifiers is determined by applying the uppercasing rules of the database character set. Language-specific rules determined by the session setting `NLS_SORT` are not considered. This behavior corresponds to applying the SQL function `UPPER` to the identifier rather than the function `NLS_UPPER`.

The database character set uppercasing rules can yield results that are incorrect when viewed as being in a certain natural language. For example, small letter sharp s ("ß"), used in German, does not have an uppercase form according to the database character set uppercasing rules. It is not modified when an identifier is converted into uppercase, while the expected uppercase form in German is the sequence of two characters capital letter S ("SS"). Similarly, the uppercase form of small letter i, according to the database character set uppercasing rules, is capital letter I. However, the expected uppercase form in Turkish and Azerbaijani is capital letter I with dot above.

The database character set uppercasing rules ensure that identifiers are interpreted the same in any linguistic configuration of a session. If you want an identifier to look correctly in a certain natural language, then you can quote it to preserve the lowercase form or you can use the linguistically correct uppercase form whenever you use that identifier.

11. Columns in the same table or view cannot have the same name. However, columns in different tables or views can have the same name.
12. Procedures or functions contained in the same package can have the same name, if their arguments are not of the same number and data types. Creating multiple procedures or functions with the same name in the same package with different arguments is called **overloading** the procedure or function.
13. Tablespace names are case sensitive, unlike other identifiers that are limited to 30 bytes.

## Schema Object Naming Examples

The following examples are valid schema object names:

```
last_name  
horse  
hr.hire_date  
"EVEN THIS & THAT!"  
a_very_long_and_valid_name
```

All of these examples adhere to the rules listed in [Database Object Naming Rules](#).

## Schema Object Naming Guidelines

Here are several helpful guidelines for naming objects and their parts:

- Use full, descriptive, pronounceable names (or well-known abbreviations).
- Use consistent naming rules.
- Use the same name to describe the same entity or attribute across tables.

When naming objects, balance the objective of keeping names short and easy to use with the objective of making names as descriptive as possible. When in doubt, choose the more descriptive name, because the objects in the database may be used by many people over a period of time. Your counterpart ten years from now may have difficulty understanding a table column with a name like `pmdd` instead of `payment_due_date`.

Using consistent naming rules helps users understand the part that each table plays in your application. One such rule might be to begin the names of all tables belonging to the `FINANCE` application with `fin_`.

Use the same names to describe the same things across tables. For example, the department number columns of the sample `employees` and `departments` tables are both named `department_id`.

## Syntax for Schema Objects and Parts in SQL Statements


This section tells you how to refer to schema objects and their parts in the context of a SQL statement. This section shows you:

- The general syntax for referring to an object
- How Oracle resolves a reference to an object

- How to refer to objects in schemas other than your own
- How to refer to objects in remote databases
- How to refer to table and index partitions and subpartitions

The following diagram shows the general syntax for referring to an object or a part:

***database\_object\_or\_part::=***



***(dblink::=)***

where:

- *object* is the name of the object.
- *schema* is the schema containing the object. The schema qualifier lets you refer to an object in a schema other than your own. You must be granted privileges to refer to objects in other schemas. If you omit *schema*, then Oracle assumes that you are referring to an object in your own schema.

Only schema objects can be qualified with *schema*. Schema objects are shown with list item 8. Nonschema objects, also shown with list item 8, cannot be qualified with *schema* because they are not schema objects. An exception is public synonyms, which can optionally be qualified with "PUBLIC". The quotation marks are required.

- *part* is a part of the object. This identifier lets you refer to a part of a schema object, such as a column or a partition of a table. Not all types of objects have parts.
- *dblink* applies only when you are using the Oracle Database distributed functionality. This is the name of the database containing the object. The *dblink* qualifier lets you refer to an object in a database other than your local database. If you omit *dblink*, then Oracle assumes that you are referring to an object in your local database. Not all SQL statements allow you to access objects on remote databases.

You can include spaces around the periods separating the components of the reference to the object, but it is conventional to omit them.

## How Oracle Database Resolves Schema Object References

When you refer to an object in a SQL statement, Oracle considers the context of the SQL statement and locates the object in the appropriate namespace. After locating the object, Oracle performs the operation specified by the statement on the object. If the named object cannot be found in the appropriate namespace, then Oracle returns an error.

The following example illustrates how Oracle resolves references to objects within SQL statements. Consider this statement that adds a row of data to a table identified by the name `departments`:

```
INSERT INTO departments
VALUES (280, 'ENTERTAINMENT_CLERK', 206, 1700);
```



Based on the context of the statement, Oracle determines that `departments` can be:

- A table in your own schema
- A view in your own schema
- A private synonym for a table or view
- A public synonym

Oracle always attempts to resolve an object reference within the namespaces in your own schema before considering namespaces outside your schema. In this example, Oracle attempts to resolve the name `departments` as follows:

1. First, Oracle attempts to locate the object in the namespace in your own schema containing tables, views, and private synonyms. If the object is a private synonym, then Oracle locates the object for which the synonym stands. This object could be in your own schema, another schema, or on another database. The object could also be another synonym, in which case Oracle locates the object for which this synonym stands.
2. If the object is in the namespace, then Oracle attempts to perform the statement on the object. In this example, Oracle attempts to add the row of data to `departments`. If the object is not of the correct type for the statement, then Oracle returns an error. In this example, `departments` must be a table, view, or a private synonym resolving to a table or view. If `departments` is a sequence, then Oracle returns an error.
3. If the object is not in any namespace searched in thus far, then Oracle searches the namespace containing public synonyms. If the object is in that namespace, then Oracle attempts to perform the statement on it. If the object is not of the correct type for the statement, then Oracle returns an error. In this example, if `departments` is a public synonym for a sequence, then Oracle returns an error.

If a public synonym has any dependent tables or user-defined types, then you cannot create an object with the same name as the synonym in the same schema as the dependent objects.

If a synonym does not have any dependent tables or user-defined types, then you can create an object with the same name in the same schema as the dependent objects. Oracle invalidates any dependent objects and attempts to revalidate them when they are next accessed.



#### See Also:

*Oracle Database PL/SQL Language Reference* for information about how PL/SQL resolves identifier names

## References to Objects in Other Schemas

To refer to objects in schemas other than your own, prefix the object name with the schema name:

`schema.object`

For example, this statement drops the `employees` table in the sample schema `hr`:

```
DROP TABLE hr.employees;
```

## References to Objects in Remote Databases

To refer to objects in databases other than your local database, follow the object name with the name of the database link to that database. A database link is a schema object that causes Oracle to connect to a remote database to access an object there. This section tells you:

- How to create database links
- How to use database links in your SQL statements

## Creating Database Links

You create a database link with the statement `CREATE DATABASE LINK`. The statement lets you specify this information about the database link:

- The name of the database link
- The database connect string to access the remote database
- The username and password to connect to the remote database


Oracle stores this information in the data dictionary.

## Database Link Names

When you create a database link, you must specify its name. Database link names are different from names of other types of objects. They can be as long as 128 bytes and can contain periods (.) and the "at" sign (@).

The name that you give to a database link must correspond to the name of the database to which the database link refers and the location of that database in the hierarchy of database names. The following syntax diagram shows the form of the name of a database link:

***dblink::=***



where:

- *database* should specify the *name* portion of the global name of the remote database to which the database link connects. This global name is stored in the data dictionary of the remote database. You can see this name in the `GLOBAL_NAME` data dictionary view.
- *domain* should specify the *domain* portion of the global name of the remote database to which the database link connects. If you omit *domain* from the name of a database link, then Oracle qualifies the database link name with the domain of your local database as it currently exists in the data dictionary.
- *connection\_qualifier* lets you further qualify a database link. Using connection qualifiers, you can create multiple database links to the same database. For example, you can use connection qualifiers to create multiple database links to

different instances of the Oracle Real Application Clusters that access the same database.

 **See Also:**

*Oracle Database Administrator's Guide* for more information on connection qualifiers

The combination *database.domain* is sometimes called the **service name**.

 **See Also:**

*Oracle Database Net Services Administrator's Guide*

## Username and Password

Oracle uses the username and password to connect to the remote database. The username and password for a database link are optional.

## Database Connect String

The database connect string is the specification used by Oracle Net to access the remote database. For information on writing database connect strings, see the Oracle Net documentation for your specific network protocol. The database connect string for a database link is optional.

## References to Database Links

Database links are available only if you are using Oracle distributed functionality. When you issue a SQL statement that contains a database link, you can specify the database link name in one of these forms:

- The complete database link name as stored in the data dictionary, including the *database*, *domain*, and optional *connection\_qualifier* components.
- The *partial* database link name is the *database* and optional *connection\_qualifier* components, but not the *domain* component.

Oracle performs these tasks before connecting to the remote database:

1. If the database link name specified in the statement is partial, then Oracle expands the name to contain the domain of the local database as found in the global database name stored in the data dictionary. (You can see the current global database name in the `GLOBAL_NAME` data dictionary view.)
2. Oracle first searches for a private database link in your own schema with the same name as the database link in the statement. Then, if necessary, it searches for a public database link with the same name.
  - Oracle always determines the username and password from the first matching database link (either private or public). If the first matching database link has an associated username and password, then Oracle uses it. If it does not have an

associated username and password, then Oracle uses your current username and password.

- If the first matching database link has an associated database string, then Oracle uses it. Otherwise Oracle searches for the next matching (public) database link. If no matching database link is found, or if no matching link has an associated database string, then Oracle returns an error.
3. Oracle uses the database string to access the remote database. After accessing the remote database, if the value of the `GLOBAL_NAMES` parameter is `true`, then Oracle verifies that the `database.domain` portion of the database link name matches the complete global name of the remote database. If this condition is true, then Oracle proceeds with the connection, using the username and password chosen in Step 2. If not, Oracle returns an error.
  4. If the connection using the database string, username, and password is successful, then Oracle attempts to access the specified object on the remote database using the rules for resolving object references and referring to objects in other schemas discussed earlier in this section.

You can disable the requirement that the `database.domain` portion of the database link name must match the complete global name of the remote database by setting to `FALSE` the initialization parameter `GLOBAL_NAMES` or the `GLOBAL_NAMES` parameter of the `ALTER SYSTEM` or `ALTER SESSION` statement.



#### See Also:

*Oracle Database Administrator's Guide* for more information on remote name resolution

## References to Partitioned Tables and Indexes

Tables and indexes can be partitioned. When partitioned, these schema objects consist of a number of parts called **partitions**, all of which have the same logical attributes. For example, all partitions in a table share the same column and constraint definitions, and all partitions in an index share the same index columns.


Partition-extended and subpartition-extended names let you perform some partition-level and subpartition-level operations, such as deleting all rows from a partition or subpartition, on only one partition or subpartition. Without extended names, such operations would require that you specify a predicate (`WHERE` clause). For range- and list-partitioned tables, trying to phrase a partition-level operation with a predicate can be cumbersome, especially when the range partitioning key uses more than one column. For hash partitions and subpartitions, using a predicate is more difficult still, because these partitions and subpartitions are based on a system-defined hash function.

Partition-extended names let you use partitions as if they were tables. An advantage of this method, which is most useful for range-partitioned tables, is that you can build partition-level access control mechanisms by granting (or revoking) privileges on these views to (or from) other users or roles. To use a partition as a table, create a view by selecting data from a single partition, and then use the view as a table.


### Syntax

You can specify partition-extended or subpartition-extended table names in any SQL statement in which the *partition\_extended\_name* or *subpartition\_extended\_name* element appears in the syntax.

#### *partition\_extended\_name*::=




#### *subpartition\_extended\_name*::=



The DML statements `INSERT`, `UPDATE`, and `DELETE` and the `ANALYZE` statement require parentheses around the partition or subpartition name. This small distinction is reflected in the *partition\_extension\_clause*:

#### *partition\_extension\_clause*::=



In *partition\_extended\_name*, *subpartition\_extended\_name*, and *partition\_extension\_clause*, the `PARTITION FOR` and `SUBPARTITION FOR` clauses let you refer to a partition without using its name. They are valid with any type of partitioning and are especially useful for interval partitions. Interval partitions are created automatically as needed when data is inserted into a table.

For the respective *partition\_key\_value* or *subpartition\_key\_value*, specify one value for each partitioning key column. For multicolumn partitioning keys, specify one value for each partitioning key. For composite partitions, specify one value for each partitioning key, followed by one value for each subpartitioning key. All partitioning key values are comma separated. For interval partitions, you can specify only one *partition\_key\_value*, and it must be a valid

NUMBER or datetime value. Your SQL statement will operate on the partition or subpartitions that contain the values you specify.



### See Also:

The CREATE TABLE [INTERVAL Clause](#) for more information on interval partitions

## Restrictions on Extended Names

Currently, the use of partition-extended and subpartition-extended table names has the following restrictions:

- No remote tables: A partition-extended or subpartition-extended table name cannot contain a database link (dblink) or a synonym that translates to a table with a dblink. To use remote partitions and subpartitions, create a view at the remote site that uses the extended table name syntax and then refer to the remote view.
- No synonyms: A partition or subpartition extension must be specified with a base table. You cannot use synonyms, views, or any other objects.
- The PARTITION FOR and SUBPARTITION FOR clauses are not valid for DDL operations on views.
- In the PARTITION FOR and SUBPARTITION FOR clauses, you cannot specify the keywords DEFAULT or MAXVALUE or a bind variable for the *partition\_key\_value* or *subpartition\_key\_value*.
- In the PARTITION and SUBPARTITION clauses, you cannot specify a bind variable for the partition or subpartition name.

## Example

In the following statement, `sales` is a partitioned table with partition `sales_q1_2000`. You can create a view of the single partition `sales_q1_2000`, and then use it as if it were a table. This example deletes rows from the partition.

```
CREATE VIEW Q1_2000_sales AS
  SELECT *
    FROM sales PARTITION (SALES_Q1_2000);

DELETE FROM Q1_2000_sales
  WHERE amount_sold < 0;
```

## References to Object Type Attributes and Methods

To refer to object type attributes or methods in a SQL statement, you must fully qualify the reference with a table alias. Consider the following example from the sample schema `oe`, which contains a type `cust_address_typ` and a table `customers` with a `cust_address` column based on the `cust_address_typ`:

```
CREATE TYPE cust_address_typ
  OID '82A4AF6A4CD1656DE034080020E0EE3D'
  AS OBJECT
  (street_address  VARCHAR2(40),
   postal_code     VARCHAR2(10),
```

```

        city          VARCHAR2(30),
        state_province VARCHAR2(10),
        country_id    CHAR(2);
/
CREATE TABLE customers
(customer_id          NUMBER(6),
 cust_first_name     VARCHAR2(20) CONSTRAINT cust_fname_nn NOT NULL,
 cust_last_name      VARCHAR2(20) CONSTRAINT cust_lname_nn NOT NULL,
 cust_address        cust_address_typ,
. . .

```

In a SQL statement, reference to the `postal_code` attribute must be fully qualified using a table alias, as illustrated in the following example:

```

SELECT c.cust_address.postal_code
FROM customers c;

UPDATE customers c
SET c.cust_address.postal_code = '14621-2604'
WHERE c.cust_address.city = 'Rochester'
AND c.cust_address.state_province = 'NY';

```

To reference a member method that does not accept arguments, you must provide empty parentheses. For example, the sample schema `oe` contains an object table `categories_tab`, based on `catalog_typ`, which contains the member function `getCatalogName`. In order to call this method in a SQL statement, you must provide empty parentheses as shown in this example:

```

SELECT TREAT(VALUE(c) AS catalog_typ).getCatalogName() "Catalog Type"
FROM categories_tab c
WHERE category_id = 90;

Catalog Type
-----
online catalog

```

# 3

## Pseudocolumns

A **pseudocolumn** behaves like a table column, but is not actually stored in the table. You can select from pseudocolumns, but you cannot insert, update, or delete their values. A pseudocolumn is also similar to a function without arguments (refer to [Functions](#)). However, functions without arguments typically return the same value for every row in the result set, whereas pseudocolumns typically return a different value for each row.

This chapter contains the following sections:

- [Hierarchical Query Pseudocolumns](#)
- [Sequence Pseudocolumns](#)
- [Version Query Pseudocolumns](#)
- [COLUMN\\_VALUE Pseudocolumn](#)
- [OBJECT\\_ID Pseudocolumn](#)
- [OBJECT\\_VALUE Pseudocolumn](#)
- [ORA\\_ROWSCN Pseudocolumn](#)
- [ROWID Pseudocolumn](#)
- [ROWNUM Pseudocolumn](#)
- [XMLDATA Pseudocolumn](#)

### Hierarchical Query Pseudocolumns

The hierarchical query pseudocolumns are valid only in hierarchical queries. The hierarchical query pseudocolumns are:

- [CONNECT\\_BY\\_ISCYCLE Pseudocolumn](#)
- [CONNECT\\_BY\\_ISLEAF Pseudocolumn](#)
- [LEVEL Pseudocolumn](#)

To define a hierarchical relationship in a query, you must use the `CONNECT BY` clause.

### CONNECT\_BY\_ISCYCLE Pseudocolumn

The `CONNECT_BY_ISCYCLE` pseudocolumn returns 1 if the current row has a child which is also its ancestor. Otherwise it returns 0.

You can specify `CONNECT_BY_ISCYCLE` only if you have specified the `NOCYCLE` parameter of the `CONNECT BY` clause. `NOCYCLE` enables Oracle to return the results of a query that would otherwise fail because of a `CONNECT BY` loop in the data.



 **See Also:**

[Hierarchical Queries](#) for more information about the `NOCYCLE` parameter and [Hierarchical Query Examples](#) for an example that uses the `CONNECT_BY_ISCYCLE` pseudocolumn

## CONNECT\_BY\_ISLEAF Pseudocolumn

The `CONNECT_BY_ISLEAF` pseudocolumn returns 1 if the current row is a leaf of the tree defined by the `CONNECT BY` condition. Otherwise it returns 0. This information indicates whether a given row can be further expanded to show more of the hierarchy.

### CONNECT\_BY\_ISLEAF Example

The following example shows the first three levels of the `hr.employees` table, indicating for each row whether it is a leaf row (indicated by 1 in the `IsLeaf` column) or whether it has child rows (indicated by 0 in the `IsLeaf` column):

```
SELECT last_name "Employee", CONNECT_BY_ISLEAF "IsLeaf",
       LEVEL, SYS_CONNECT_BY_PATH(last_name, '/') "Path"
FROM employees
WHERE LEVEL <= 3 AND department_id = 80
START WITH employee_id = 100
CONNECT BY PRIOR employee_id = manager_id AND LEVEL <= 4
ORDER BY "Employee", "IsLeaf";
```

Employee	IsLeaf	LEVEL	Path
Abel	1	3	/King/Zlotkey/Abel
Ande	1	3	/King/Errazuriz/Ande
Banda	1	3	/King/Errazuriz/Banda
Bates	1	3	/King/Cambrault/Bates
Bernstein	1	3	/King/Russell/Bernstein
Bloom	1	3	/King/Cambrault/Bloom
Cambrault	0	2	/King/Cambrault
Cambrault	1	3	/King/Russell/Cambrault
Doran	1	3	/King/Partners/Doran
Errazuriz	0	2	/King/Errazuriz
Fox	1	3	/King/Cambrault/Fox
. . .			

 **See Also:**


[Hierarchical Queries](#) and [SYS\\_CONNECT\\_BY\\_PATH](#)

## LEVEL Pseudocolumn

For each row returned by a hierarchical query, the `LEVEL` pseudocolumn returns 1 for a root row, 2 for a child of a root, and so on. A **root row** is the highest row within an inverted tree. A **child row** is any nonroot row. A **parent row** is any row that has

children. A **leaf row** is any row without children. [Figure 3-1](#) shows the nodes of an inverted tree with their `LEVEL` values.

**Figure 3-1 Hierarchical Tree**



#### See Also:

[Hierarchical Queries](#) for information on hierarchical queries in general and [IN Condition](#) for restrictions on using the `LEVEL` pseudocolumn

## Sequence Pseudocolumns

A **sequence** is a schema object that can generate unique sequential values. These values are often used for primary and unique keys. You can refer to sequence values in SQL statements with these pseudocolumns:

- `CURRVAL`: Returns the current value of a sequence
- `NEXTVAL`: Increments the sequence and returns the next value

You must qualify `CURRVAL` and `NEXTVAL` with the name of the sequence:

```
sequence.CURRVAL
sequence.NEXTVAL
```

To refer to the current or next value of a sequence in the schema of another user, you must have been granted either `SELECT` object privilege on the sequence or `SELECT ANY SEQUENCE` system privilege, and you must qualify the sequence with the schema containing it:

```
schema.sequence.CURRVAL
schema.sequence.NEXTVAL
```

To refer to the value of a sequence on a remote database, you must qualify the sequence with a complete or partial name of a database link:

```
schema.sequence.CURRVAL@dblink
schema.sequence.NEXTVAL@dblink
```

A sequence can be accessed by many users concurrently with no waiting or locking.

**See Also:**

[References to Objects in Remote Databases](#) for more information on referring to database links

## Where to Use Sequence Values

You can use `CURRVAL` and `NEXTVAL` in the following locations:

- The select list of a `SELECT` statement that is not contained in a subquery, materialized view, or view
- The select list of a subquery in an `INSERT` statement
- The `VALUES` clause of an `INSERT` statement
- The `SET` clause of an `UPDATE` statement

### Restrictions on Sequence Values

You cannot use `CURRVAL` and `NEXTVAL` in the following constructs:

- A subquery in a `DELETE`, `SELECT`, or `UPDATE` statement
- A query of a view or of a materialized view
- A `SELECT` statement with the `DISTINCT` operator
- A `SELECT` statement with a `GROUP BY` clause or `ORDER BY` clause
- A `SELECT` statement that is combined with another `SELECT` statement with the `UNION`, `INTERSECT`, or `MINUS` set operator
- The `WHERE` clause of a `SELECT` statement
- The condition of a `CHECK` constraint

Within a single SQL statement that uses `CURRVAL` or `NEXTVAL`, all referenced `LONG` columns, updated tables, and locked tables must be located on the same database.

## How to Use Sequence Values

When you create a sequence, you can define its initial value and the increment between its values. The first reference to `NEXTVAL` returns the initial value of the sequence. Subsequent references to `NEXTVAL` increment the sequence value by the defined increment and return the new value. Any reference to `CURRVAL` always returns the current value of the sequence, which is the value returned by the last reference to `NEXTVAL`.

Before you use `CURRVAL` for a sequence in your session, you must first initialize the sequence with `NEXTVAL`. Refer to [CREATE SEQUENCE](#) for information on sequences.

Within a single SQL statement containing a reference to `NEXTVAL`, Oracle increments the sequence once:

- For each row returned by the outer query block of a `SELECT` statement. Such a query block can appear in the following places:

- A top-level `SELECT` statement
- An `INSERT ... SELECT` statement (either single-table or multitable). For a multitable insert, the reference to `NEXTVAL` must appear in the `VALUES` clause, and the sequence is updated once for each row returned by the subquery, even though `NEXTVAL` may be referenced in multiple branches of the multitable insert.
- A `CREATE TABLE ... AS SELECT` statement
- A `CREATE MATERIALIZED VIEW ... AS SELECT` statement
- For each row updated in an `UPDATE` statement
- For each `INSERT` statement containing a `VALUES` clause
- For each `INSERT ... [ALL | FIRST]` statement (multitable insert). A multitable insert is considered a single SQL statement. Therefore, a reference to the `NEXTVAL` of a sequence will increase the sequence only once for each input record coming from the `SELECT` portion of the statement. If `NEXTVAL` is specified more than once in any part of the `INSERT ... [ALL | FIRST ]` statement, then the value will be the same for all insert branches, regardless of how often a given record might be inserted.
- For each row merged by a `MERGE` statement. The reference to `NEXTVAL` can appear in the `merge_insert_clause` or the `merge_update_clause` or both. The `NEXTVALUE` value is incremented for each row updated and for each row inserted, even if the sequence number is not actually used in the update or insert operation. If `NEXTVAL` is specified more than once in any of these locations, then the sequence is incremented once for each row and returns the same value for all occurrences of `NEXTVAL` for that row.
- For each input row in a multitable `INSERT ALL` statement. `NEXTVAL` is incremented once for each row returned by the subquery, regardless of how many occurrences of the `insert_into_clause` map to each row.

If any of these locations contains more than one reference to `NEXTVAL`, then Oracle increments the sequence once and returns the same value for all occurrences of `NEXTVAL`.

If any of these locations contains references to both `CURRVAL` and `NEXTVAL`, then Oracle increments the sequence and returns the same value for both `CURRVAL` and `NEXTVAL`.

### Finding the next value of a sequence: Example

This example selects the next value of the employee sequence in the sample schema `hr`:

```
SELECT employees_seq.nextval
FROM DUAL;
```

### Inserting sequence values into a table: Example

This example increments the employee sequence and uses its value for a new employee inserted into the sample table `hr.employees`:

```
INSERT INTO employees
VALUES (employees_seq.nextval, 'John', 'Doe', 'jdoe', '555-1212',
TO_DATE(SYSDATE), 'PU_CLERK', 2500, null, null, 30);
```

### Reusing the current value of a sequence: Example

This example adds a new order with the next order number to the master order table. It then adds suborders with this number to the detail order table:

```
INSERT INTO orders (order_id, order_date, customer_id)
VALUES (orders_seq.nextval, TO_DATE(SYSDATE), 106);

INSERT INTO order_items (order_id, line_item_id, product_id)
VALUES (orders_seq.currval, 1, 2359);

INSERT INTO order_items (order_id, line_item_id, product_id)
VALUES (orders_seq.currval, 2, 3290);

INSERT INTO order_items (order_id, line_item_id, product_id)
VALUES (orders_seq.currval, 3, 2381);
```

## Version Query Pseudocolumns

The version query pseudocolumns are valid only in Oracle Flashback Version Query, which is a form of Oracle Flashback Query. The version query pseudocolumns are:

- **VERSIONS\_STARTSCN** and **VERSIONS\_STARTTIME**: Starting System Change Number (SCN) or **TIMESTAMP** when the row version was created. This pseudocolumn identifies the time when the data first had the values reflected in the row version. Use this pseudocolumn to identify the past target time for Oracle Flashback Table or Oracle Flashback Query. If this pseudocolumn is **NULL**, then the row version was created before start.
- **VERSIONS\_ENDSCN** and **VERSIONS\_ENDTIME**: **SCN** or **TIMESTAMP** when the row version expired. If the pseudocolumn is **NULL**, then either the row version was current at the time of the query or the row corresponds to a **DELETE** operation.
- **VERSIONS\_XID**: Identifier (a **RAW** number) of the transaction that created the row version.
- **VERSIONS\_OPERATION**: Operation performed by the transaction: **I** for insertion, **D** for deletion, or **U** for update. The version is that of the row that was inserted, deleted, or updated; that is, the row after an **INSERT** operation, the row before a **DELETE** operation, or the row affected by an **UPDATE** operation.

For user updates of an index key, Oracle Flashback Version Query might treat an **UPDATE** operation as two operations, **DELETE** plus **INSERT**, represented as two version rows with a **D** followed by an **I** **VERSIONS\_OPERATION**.

### See Also:

- [flashback\\_query\\_clause](#) for more information on version queries
- *Oracle Database Development Guide* for more information on using Oracle Flashback Version Query
- Appendix C in *Oracle Database Globalization Support Guide* for the collation derivation rules for values of the **VERSIONS\_OPERATION** pseudocolumn

## COLUMN\_VALUE Pseudocolumn

When you refer to an `XMLTable` construct without the `COLUMNS` clause, or when you use the `TABLE` collection expression to refer to a scalar nested table type, the database returns a virtual table with a single column. This name of this pseudocolumn is `COLUMN_VALUE`.

In the context of `XMLTable`, the value returned is of data type `XMLType`. For example, the following two statements are equivalent, and the output for both shows `COLUMN_VALUE` as the name of the column being returned:

```
SELECT *
   FROM XMLTABLE('<a>123</a>');

COLUMN_VALUE
-----
<a>123</a>

SELECT COLUMN_VALUE
   FROM (XMLTable('<a>123</a>'));

COLUMN_VALUE
-----
<a>123</a>
```

In the context of a `TABLE` collection expression, the value returned is the data type of the collection element. The following statements create the two levels of nested tables illustrated in [Creating a Table: Multilevel Collection Example](#) to show the uses of `COLUMN_VALUE` in this context:

```
CREATE TYPE phone AS TABLE OF NUMBER;
/
CREATE TYPE phone_list AS TABLE OF phone;
/
```

The next statement uses `COLUMN_VALUE` to select from the `phone` type:

```
SELECT t.COLUMN_VALUE
   FROM TABLE(phone(1,2,3)) t;

COLUMN_VALUE
-----
          1
          2
          3
```

In a nested type, you can use the `COLUMN_VALUE` pseudocolumn in both the select list and the `TABLE` collection expression:

```
SELECT t.COLUMN_VALUE
   FROM TABLE(phone_list(phone(1,2,3))) p, TABLE(p.COLUMN_VALUE) t;

COLUMN_VALUE
-----
          1
          2
          3
```

The keyword `COLUMN_VALUE` is also the name that Oracle Database generates for the scalar value of an inner nested table without a column or attribute name, as shown in the example that follows. In this context, `COLUMN_VALUE` is not a pseudocolumn, but an actual column name.

```
CREATE TABLE my_customers (  
    cust_id      NUMBER,  
    name         VARCHAR2(25),  
    phone_numbers phone_list,  
    credit_limit NUMBER)  
NESTED TABLE phone_numbers STORE AS outer_ntab  
(NESTED TABLE COLUMN_VALUE STORE AS inner_ntab);
```

#### See Also:

- [XMLTABLE](#) for information on that function
- [table\\_collection\\_expression::=](#) for information on the `TABLE` collection expression
- `ALTER TABLE` examples in [Nested Tables: Examples](#)
- Appendix C in *Oracle Database Globalization Support Guide* for the collation derivation rules for values of the `COLUMN_VALUE` pseudocolumn

## OBJECT\_ID Pseudocolumn

The `OBJECT_ID` pseudocolumn returns the object identifier of a column of an object table or view. Oracle uses this pseudocolumn as the primary key of an object table. `OBJECT_ID` is useful in `INSTEAD OF` triggers on views and for identifying the ID of a substitutable row in an object table.

#### Note:

In earlier releases, this pseudocolumn was called `SYS_NC_OID$`. That name is still supported for backward compatibility. However, Oracle recommends that you use the more intuitive name `OBJECT_ID`.

#### See Also:

*Oracle Database Object-Relational Developer's Guide* for examples of the use of this pseudocolumn

## OBJECT\_VALUE Pseudocolumn

The `OBJECT_VALUE` pseudocolumn returns system-generated names for the columns of an object table, `XMLType` table, object view, or `XMLType` view. This pseudocolumn is

useful for identifying the value of a substitutable row in an object table and for creating object views with the `WITH OBJECT IDENTIFIER` clause.

 **Note:**

In earlier releases, this pseudocolumn was called `SYS_NC_ROWINFO$`. That name is still supported for backward compatibility. However, Oracle recommends that you use the more intuitive name `OBJECT_VALUE`.

 **See Also:**

- [object\\_table](#) and [object\\_view\\_clause](#) for more information on the use of this pseudocolumn
- *Oracle Database Object-Relational Developer's Guide* for examples of the use of this pseudocolumn

## ORA\_ROWSCN Pseudocolumn

`ORA_ROWSCN` reflects the system change-number (SCN) of the most recent change to a row. This change can be at the level of a block (coarse) or at the level of a row (fine-grained). The latter is provided by row-level dependency tracking. Refer to `CREATE TABLE ... NOROWDEPENDENCIES | ROWDEPENDENCIES` for more information on row-level dependency tracking. In the absence of row-level dependencies, `ORA_ROWSCN` reflects block-level dependencies.

Whether at the block level or at the row level, the `ORA_ROWSCN` should not be considered to be an exact SCN. For example, if a transaction changed row R in a block and committed at SCN 10, it is not always true that the `ORA_ROWSCN` for the row would return 10. While a value less than 10 would never be returned, any value greater than or equal to 10 could be returned. That is, the `ORA_ROWSCN` of a row is not always guaranteed to be the exact commit SCN of the transaction that last modified that row. However, with fine-grained `ORA_ROWSCN`, if two transactions T1 and T2 modified the same row R, one after another, and committed, a query on the `ORA_ROWSCN` of row R after the commit of T1 will return a value lower than the value returned after the commit of T2. If a block is queried twice, then it is possible for the value of `ORA_ROWSCN` to change between the queries even though rows have not been updated in the time between the queries. The only guarantee is that the value of `ORA_ROWSCN` in both queries is greater than the commit SCN of the transaction that last modified that row.

You cannot use the `ORA_ROWSCN` pseudocolumn in a query to a view. However, you can use it to refer to the underlying table when creating a view. You can also use this pseudocolumn in the `WHERE` clause of an `UPDATE` or `DELETE` statement.

`ORA_ROWSCN` is not supported for Flashback Query. Instead, use the version query pseudocolumns, which are provided explicitly for Flashback Query. Refer to the `SELECT ... flashback_query_clause` for information on Flashback Query and [Version Query Pseudocolumns](#) for additional information on those pseudocolumns.

**Restriction on `ORA_ROWSCN`:** This pseudocolumn is not supported for external tables.



### Example

The first statement below uses the `ORA_ROWSCN` pseudocolumn to get the system change number of the last operation on the `employees` table. The second statement uses the pseudocolumn with the `SCN_TO_TIMESTAMP` function to determine the timestamp of the operation:

```
SELECT ORA_ROWSCN, last_name
   FROM employees
  WHERE employee_id = 188;

SELECT SCN_TO_TIMESTAMP(ORA_ROWSCN), last_name
   FROM employees
  WHERE employee_id = 188;
```



**See Also:**

[SCN\\_TO\\_TIMESTAMP](#)

## ORA\_SHARDSPACE\_NAME Pseudocolumn

You can use the `ORA_SHARDSPACE_NAME` pseudocolumn to run queries across shards instead of a sharding key.

Before you can run cross-shard queries from the catalog, you must create users in the catalog with shared DDL enabled. Then you must grant these users access to the privately sharded tables.

The queries referencing the privately sharded tables will run across the shards in the catalog using the pseudocolumn `ORA_SHARDSPACE_NAME` associated to them. To run a cross shard query on a given shard, you must filter the query with the predicate `ORA_SHARDSPACE_NAME = <shardspace_name_belonging_to_name>`.

### Examples

```
SELECT CUST_NAME, CUST_ID FROM CUSTOMER WHERE ORA_SHARDSPACE_NAME = 'EUROPE'
```

This query will run on one of the shards belonging to the shardspace named Europe. The query will run on the primary shard of the shardspace Europe or on one of its standbys, depending on the value of the parameter `MULTISHARD_QUERY_DATA_CONSISTENCY`.

A query like:

```
SELECT CUST_NAME, CUST_ID FROM CUSTOMER
```

where the table `CUSTOMER` is marked as privately sharded, will run on all shards.

## ROWID Pseudocolumn

For each row in the database, the `ROWID` pseudocolumn returns the address of the row. Oracle Database rowid values contain information necessary to locate a row:

- The data object number of the object
- The data block in the data file in which the row resides
- The position of the row in the data block (first row is 0)
- The data file in which the row resides (first file is 1). The file number is relative to the tablespace.

Usually, a rowid value uniquely identifies a row in the database. However, rows in different tables that are stored together in the same cluster can have the same rowid.

Values of the `ROWID` pseudocolumn have the data type `ROWID` or `UROWID`. Refer to [Rowid Data Types](#) and [UROWID Data Type](#) for more information.

Rowid values have several important uses:

- They are the fastest way to access a single row.
- They can show you how the rows in a table are stored.
- They are unique identifiers for rows in a table.

You should not use `ROWID` as the primary key of a table. If you delete and reinsert a row with the Import and Export utilities, for example, then its rowid may change. If you delete a row, then Oracle may reassign its rowid to a new row inserted later.

Although you can use the `ROWID` pseudocolumn in the `SELECT` and `WHERE` clause of a query, these pseudocolumn values are not actually stored in the database. You cannot insert, update, or delete a value of the `ROWID` pseudocolumn.

### Example

This statement selects the address of all rows that contain data for employees in department 20:

```
SELECT ROWID, last_name
FROM employees
WHERE department_id = 20;
```

## ROWNUM Pseudocolumn

### Note:

- The `ROW_NUMBER` built-in SQL function provides superior support for ordering the results of a query. Refer to [ROW\\_NUMBER](#) for more information.
- The `row_limiting_clause` of the `SELECT` statement provides superior support for limiting the number of rows returned by a query. Refer to [row\\_limiting\\_clause](#) for more information.

For each row returned by a query, the `ROWNUM` pseudocolumn returns a number indicating the order in which Oracle selects the row from a table or set of joined rows. The first row selected has a `ROWNUM` of 1, the second has 2, and so on.

You can use `ROWNUM` to limit the number of rows returned by a query, as in this example:

```
SELECT *
  FROM employees
 WHERE ROWNUM < 11;
```

If an `ORDER BY` clause follows `ROWNUM` in the same query, then the rows will be reordered by the `ORDER BY` clause. The results can vary depending on the way the rows are accessed. For example, if the `ORDER BY` clause causes Oracle to use an index to access the data, then Oracle may retrieve the rows in a different order than without the index. Therefore, the following statement does not necessarily return the same rows as the preceding example:

```
SELECT *
  FROM employees
 WHERE ROWNUM < 11
 ORDER BY last_name;
```

If you embed the `ORDER BY` clause in a subquery and place the `ROWNUM` condition in the top-level query, then you can force the `ROWNUM` condition to be applied after the ordering of the rows. For example, the following query returns the employees with the 10 smallest employee numbers. This is sometimes referred to as **top-N reporting**:

```
SELECT *
  FROM (SELECT * FROM employees ORDER BY employee_id)
 WHERE ROWNUM < 11;
```

In the preceding example, the `ROWNUM` values are those of the top-level `SELECT` statement, so they are generated after the rows have already been ordered by `employee_id` in the subquery.

Conditions testing for `ROWNUM` values greater than a positive integer are always false. For example, this query returns no rows:

```
SELECT *
  FROM employees
 WHERE ROWNUM > 1;
```

The first row fetched is assigned a `ROWNUM` of 1 and makes the condition false. The second row to be fetched is now the first row and is also assigned a `ROWNUM` of 1 and makes the condition false. All rows subsequently fail to satisfy the condition, so no rows are returned.

You can also use `ROWNUM` to assign unique values to each row of a table, as in this example:

```
UPDATE my_table
  SET column1 = ROWNUM;
```

Refer to the function [ROW\\_NUMBER](#) for an alternative method of assigning unique numbers to rows.

**Note:**

Using `ROWNUM` in a query can affect view optimization.

## XMLDATA Pseudocolumn

Oracle stores `XMLType` data either in LOB or object-relational columns, based on XMLSchema information and how you specify the storage clause. The `XMLDATA` pseudocolumn lets you access the underlying LOB or object relational column to specify additional storage clause parameters, constraints, indexes, and so forth.

### Example

The following statements illustrate the use of this pseudocolumn. Suppose you create a simple table of `XMLType` with one `CLOB` column:

```
CREATE TABLE xml_lob_tab of XMLTYPE
  XMLTYPE STORE AS CLOB;
```

To change the storage characteristics of the underlying LOB column, you can use the following statement:

```
ALTER TABLE xml_lob_tab
  MODIFY LOB (XMLDATA) (STORAGE (MAXSIZE 2G) CACHE);
```

Now suppose you have created an XMLSchema-based table like the `xwarehouses` table created in [Using XML in SQL Statements](#). You could then use the `XMLDATA` column to set the properties of the underlying columns, as shown in the following statement:

```
ALTER TABLE xwarehouses
  ADD (UNIQUE(XMLDATA."WarehouseId"));
```

# 4

## Operators

An **operator** manipulates data items and returns a result. Syntactically, an operator appears before or after an operand or between two operands.

This chapter contains these sections:

- [About SQL Operators](#)
- [Arithmetic Operators](#)
- [COLLATE Operator](#)
- [Concatenation Operator](#)
- [Hierarchical Query Operators](#)
- [Set Operators](#)
- [Multiset Operators](#)
- [User-Defined Operators](#)

This chapter discusses nonlogical (non-Boolean) operators. These operators cannot by themselves serve as the condition of a `WHERE` or `HAVING` clause in queries or subqueries. For information on logical operators, which serve as conditions, refer to [Conditions](#).

### About SQL Operators

Operators manipulate individual data items called **operands** or **arguments**. Operators are represented by special characters or by keywords. For example, the multiplication operator is represented by an asterisk (\*).

If you have installed Oracle Text, then you can use the `SCORE` operator, which is part of that product, in Oracle Text queries. You can also create conditions with the built-in Text operators, including `CONTAINS`, `CATSEARCH`, and `MATCHES`. For more information on these Oracle Text elements, refer to *Oracle Text Reference*.

### Unary and Binary Operators

The two general classes of operators are:

- **unary**: A unary operator operates on only one operand. A unary operator typically appears with its operand in this format:

*operator operand*

- **binary**: A binary operator operates on two operands. A binary operator appears with its operands in this format:

*operand1 operator operand2*

Other operators with special formats accept more than two operands. If an operator is given a null operand, then the result is always null. The only operator that does not follow this rule is concatenation (`||`).

## Operator Precedence

**Precedence** is the order in which Oracle Database evaluates different operators in the same expression. When evaluating an expression containing multiple operators, Oracle evaluates operators with higher precedence before evaluating those with lower precedence. Oracle evaluates operators with equal precedence from left to right within an expression.

[Table 4-1](#) lists the levels of precedence among SQL operators from high to low. Operators listed on the same line have the same precedence.

**Table 4-1 SQL Operator Precedence**

Operator	Operation
+ , - (as unary operators), PRIOR, CONNECT_BY_ROOT, COLLATE	Identity, negation, location in hierarchy
* , /	Multiplication, division
+ , - (as binary operators),	Addition, subtraction, concatenation
<-> is the Euclidian distance operator, <=> is the cosine distance operator, <#> is the negative dot product operator	<a href="#">Shorthand Operators for Distances</a>
SQL conditions are evaluated after SQL operators	See " <a href="#">Condition Precedence</a> "

### Precedence Example

In the following expression, multiplication has a higher precedence than addition, so Oracle first multiplies 2 by 3 and then adds the result to 1.

```
1+2*3
```

You can use parentheses in an expression to override operator precedence. Oracle evaluates expressions inside parentheses before evaluating those outside.

SQL also supports set operators (UNION, UNION ALL, INTERSECT, and MINUS), which combine sets of rows returned by queries, rather than individual data items. All set operators have equal precedence.



#### See Also:

[Hierarchical Query Operators](#) and [Hierarchical Queries](#) for information on the PRIOR operator, which is used only in hierarchical queries

## Arithmetic Operators

You can use an arithmetic operator with one or two arguments to negate, add, subtract, multiply, and divide numeric values. Some of these operators are also used in datetime and interval arithmetic. The arguments to the operator must resolve to

numeric data types or to any data type that can be implicitly converted to a numeric data type.

Unary arithmetic operators return the same data type as the numeric data type of the argument. For binary arithmetic operators, Oracle determines the argument with the highest numeric precedence, implicitly converts the remaining arguments to that data type, and returns that data type. [Table 4-2](#) lists arithmetic operators.

 **See Also:**

[Table 2-9](#) for more information on implicit conversion, [Numeric Precedence](#) for information on numeric precedence, and [Datetime/Interval Arithmetic](#)

**Table 4-2 Arithmetic Operators**

Operator	Purpose	Example
+ -	When these denote a positive or negative expression, they are unary operators.	<pre>SELECT *   FROM order_items  WHERE quantity = -1  ORDER BY order_id,         line_item_id, product_id;  SELECT *   FROM employees  WHERE -salary &lt; 0  ORDER BY employee_id;</pre>
+ -	When they add or subtract, they are binary operators.	<pre>SELECT hire_date   FROM employees  WHERE SYSDATE - hire_date &gt; 365  ORDER BY hire_date;</pre>
* /	Multiply, divide. These are binary operators.	<pre>UPDATE employees    SET salary = salary * 1.1;</pre>

Do not use two consecutive minus signs (--) in arithmetic expressions to indicate double negation or the subtraction of a negative value. The characters -- are used to begin comments within SQL statements. You should separate consecutive minus signs with a space or parentheses. Refer to [Comments](#) for more information on comments within SQL statements.

## COLLATE Operator

The `COLLATE` operator determines the collation for an expression. This operator enables you to override the collation that the database would have derived for the expression using standard collation derivation rules.

`COLLATE` is a postfix unary operator. It has the same precedence as other unary operators, but it is evaluated after all prefix unary operators have been evaluated.

You can apply this operator to expressions of type `VARCHAR2`, `CHAR`, `LONG`, `NVARCHAR`, or `NCHAR`.

The `COLLATE` operator takes one argument, *collation\_name*, for which you can specify a named collation or pseudo-collation. If the collation name contains a space, then you must enclose the name in double quotation marks.

[Table 4-3](#) describes the `COLLATE` operator.

**Table 4-3** COLLATE Operator

Operator	Purpose	Example
<code>COLLATE collation_name</code>	Determines the collation for an expression	<pre>SELECT last_name FROM employees ORDER BY last_name COLLATE GENERIC_M;</pre>

 **See Also:**

- [Compound Expressions](#) for information on using the `COLLATE` operator in a compound expression
- *Oracle Database Globalization Support Guide* for more information on the `COLLATE` operator

## Concatenation Operator

The concatenation operator manipulates character strings and `CLOB` data. [Table 4-4](#) describes the concatenation operator.

**Table 4-4** Concatenation Operator

Operator	Purpose	Example
<code>  </code>	Concatenates character strings and <code>CLOB</code> data.	<pre>SELECT 'Name is '    last_name FROM employees ORDER BY last_name;</pre>

The result of concatenating two character strings is another character string. If both character strings are of data type `CHAR`, then the result has data type `CHAR` and is limited to 2000 characters. If either string is of data type `VARCHAR2`, then the result has data type `VARCHAR2` and is limited to 32767 characters if the initialization parameter `MAX_STRING_SIZE = EXTENDED` and 4000 characters if `MAX_STRING_SIZE = STANDARD`. Refer to [Extended Data Types](#) for more information. If either argument is a `CLOB`, the result is a temporary `CLOB`. Trailing blanks in character strings are preserved by concatenation, regardless of the data types of the string or `CLOB`.

On most platforms, the concatenation operator is two solid vertical bars, as shown in [Table 4-4](#). However, some IBM platforms use broken vertical bars for this operator. When moving SQL script files between systems having different character sets, such as between ASCII and EBCDIC, vertical bars might not be translated into the vertical bar required by the target Oracle Database environment. Oracle provides the `CONCAT`



character function as an alternative to the vertical bar operator for cases when it is difficult or impossible to control translation performed by operating system or network utilities. Use this function in applications that will be moved between environments with differing character sets.

Although Oracle treats zero-length character strings as nulls, concatenating a zero-length character string with another operand always results in the other operand, so null can result only from the concatenation of two null strings. However, this may not continue to be true in future versions of Oracle Database. To concatenate an expression that might be null, use the `NVL` function to explicitly convert the expression to a zero-length string.

#### See Also:

- [Character Data Types](#) for more information on the differences between the `CHAR` and `VARCHAR2` data types
- The functions `CONCAT` and `NVL`
- *Oracle Database SecureFiles and Large Objects Developer's Guide* for more information about `CLOBs`
- *Oracle Database Globalization Support Guide* for the collation derivation rules for the concatenation operator

### Concatenation Example

This example creates a table with both `CHAR` and `VARCHAR2` columns, inserts values both with and without trailing blanks, and then selects these values and concatenates them. Note that for both `CHAR` and `VARCHAR2` columns, the trailing blanks are preserved.

```
CREATE TABLE tab1 (col1 VARCHAR2(6), col2 CHAR(6),
                   col3 VARCHAR2(6), col4 CHAR(6));

INSERT INTO tab1 (col1, col2, col3, col4)
VALUES ('abc', 'def  ', 'ghi  ', 'jkl');

SELECT col1 || col2 || col3 || col4 "Concatenation"
FROM tab1;

Concatenation
-----
abcdef  ghi  jkl
```

## Hierarchical Query Operators

Two operators, `PRIOR` and `CONNECT_BY_ROOT`, are valid only in hierarchical queries.

### PRIOR

In a hierarchical query, one expression in the `CONNECT BY condition` must be qualified by the `PRIOR` operator. If the `CONNECT BY condition` is compound, then only one condition requires the `PRIOR` operator, although you can have multiple `PRIOR` conditions. `PRIOR` evaluates the immediately following expression for the parent row of the current row in a hierarchical query.

`PRIOR` is most commonly used when comparing column values with the equality operator. (The `PRIOR` keyword can be on either side of the operator.) `PRIOR` causes Oracle to use the value of the parent row in the column. Operators other than the equal sign (=) are theoretically possible in `CONNECT BY` clauses. However, the conditions created by these other operators can result in an infinite loop through the possible combinations. In this case Oracle detects the loop at run time and returns an error. Refer to [Hierarchical Queries](#) for more information on this operator, including examples.

## CONNECT\_BY\_ROOT

`CONNECT_BY_ROOT` is a unary operator that is valid only in hierarchical queries. When you qualify a column with this operator, Oracle returns the column value using data from the root row. This operator extends the functionality of the `CONNECT BY [PRIOR]` condition of hierarchical queries.

### Restriction on `CONNECT_BY_ROOT`

You cannot specify this operator in the `START WITH` condition or the `CONNECT BY` condition.



**See Also:**

[CONNECT\\_BY\\_ROOT Examples](#)

## Set Operators

Set operators combine the results of two component queries into a single result. Queries containing set operators are called compound queries. [Table 4-5](#) lists the SQL set operators. They are fully described with examples in [The Set Operators](#).

**Table 4-5 Set Operators**

Operator	Returns
<code>UNION</code>	All distinct rows selected by either query
<code>UNION ALL</code>	All rows selected by either query, including duplicates
<code>INTERSECT</code>	All distinct rows selected by both queries
<code>INTERSECT ALL</code>	All rows selected by both queries including duplicates
<code>MINUS</code>	All distinct rows selected by the first query but not the second
<code>MINUS ALL</code>	All rows selected by the first query but not the second including duplicates
<code>EXCEPT</code>	All distinct rows selected by the first query but not the second
<code>EXCEPT ALL</code>	All rows selected by the first query but not the second including duplicates

## Multiset Operators

Multiset operators combine the results of two nested tables into a single nested table.

The examples related to multiset operators require that two nested tables be created and loaded with data as follows:

First, make a copy of the `oe.customers` table called `customers_demo`:

```
CREATE TABLE customers_demo AS
  SELECT * FROM customers;
```

Next, create a table type called `cust_address_tab_typ`. This type will be used when creating the nested table columns.

```
CREATE TYPE cust_address_tab_typ AS
  TABLE OF cust_address_typ;
/
```

Now, create two nested table columns in the `customers_demo` table:

```
ALTER TABLE customers_demo
  ADD (cust_address_ntab cust_address_tab_typ,
       cust_address2_ntab cust_address_tab_typ)
  NESTED TABLE cust_address_ntab STORE AS cust_address_ntab_store
  NESTED TABLE cust_address2_ntab STORE AS cust_address2_ntab_store;
```


Finally, load data into the two new nested table columns using data from the `cust_address` column of the `oe.customers` table:

```
UPDATE customers_demo cd
  SET cust_address_ntab =
    CAST(MULTISET(SELECT cust_address
                  FROM customers c
                  WHERE c.customer_id =
                        cd.customer_id) as cust_address_tab_typ);

UPDATE customers_demo cd
  SET cust_address2_ntab =
    CAST(MULTISET(SELECT cust_address
                  FROM customers c
                  WHERE c.customer_id =
                        cd.customer_id) as cust_address_tab_typ);
```

## MULTISET EXCEPT

`MULTISET EXCEPT` takes as arguments two nested tables and returns a nested table whose elements are in the first nested table but not in the second nested table. The two input nested tables must be of the same type, and the returned nested table is of the same type as well.



- The **ALL** keyword instructs Oracle to return all elements in *nested\_table1* that are not in *nested\_table2*. For example, if a particular element occurs *m* times in *nested\_table1* and *n* times in *nested\_table2*, then the result will have  $(m-n)$  occurrences of the element if  $m > n$  and 0 occurrences if  $m \leq n$ . **ALL** is the default.
- The **DISTINCT** keyword instructs Oracle to eliminate any element in *nested\_table1* which is also in *nested\_table2*, regardless of the number of occurrences.
- The element types of the nested tables must be comparable. Refer to [Comparison Conditions](#) for information on the comparability of nonscalar types.

### Example

The following example compares two nested tables and returns a nested table of those elements found in the first nested table but not in the second nested table:


```
SELECT customer_id, cust_address_ntab
       MULTISET EXCEPT DISTINCT cust_address2_ntab multiset_except
FROM customers_demo
ORDER BY customer_id;

CUSTOMER_ID MULTISET_EXCEPT(STREET_ADDRESS, POSTAL_CODE, CITY, STATE_PROVINCE, COUNTRY_ID)
-----
101 CUST_ADDRESS_TAB_TYP()
102 CUST_ADDRESS_TAB_TYP()
103 CUST_ADDRESS_TAB_TYP()
104 CUST_ADDRESS_TAB_TYP()
105 CUST_ADDRESS_TAB_TYP()
. . .
```

The preceding example requires the table `customers_demo` and two nested table columns containing data. Refer to [Multiset Operators](#) to create this table and nested table columns.

## MULTISET INTERSECT

**MULTISET INTERSECT** takes as arguments two nested tables and returns a nested table whose values are common in the two input nested tables. The two input nested tables must be of the same type, and the returned nested table is of the same type as well.



- The **ALL** keyword instructs Oracle to return all common occurrences of elements that are in the two input nested tables, including duplicate common values and duplicate common **NULL** occurrences. For example, if a particular value occurs *m* times in *nested\_table1* and *n* times in *nested\_table2*, then the result would contain the element  $\min(m, n)$  times. **ALL** is the default.
- The **DISTINCT** keyword instructs Oracle to eliminate duplicates from the returned nested table, including duplicates of **NULL**, if they exist.
- The element types of the nested tables must be comparable. Refer to [Comparison Conditions](#) for information on the comparability of nonscalar types.

### Example

The following example compares two nested tables and returns a nested table of those elements found in both input nested tables:


```
SELECT customer_id, cust_address_ntab
   MULTISET INTERSECT DISTINCT cust_address2_ntab multiset_intersect
   FROM customers_demo
   ORDER BY customer_id;

CUSTOMER_ID MULTISET_INTERSECT(STREET_ADDRESS, POSTAL_CODE, CITY, STATE_PROVINCE, COUNTRY_ID)
-----
101 CUST_ADDRESS_TAB_TYP(CUST_ADDRESS_TYP('514 W Superior St', '46901', 'Kokomo', 'IN', 'US'))
102 CUST_ADDRESS_TAB_TYP(CUST_ADDRESS_TYP('2515 Bloyd Ave', '46218', 'Indianapolis', 'IN', 'US'))
103 CUST_ADDRESS_TAB_TYP(CUST_ADDRESS_TYP('8768 N State Rd 37', '47404', 'Bloomington', 'IN', 'US'))
104 CUST_ADDRESS_TAB_TYP(CUST_ADDRESS_TYP('6445 Bay Harbor Ln', '46254', 'Indianapolis', 'IN', 'US'))
105 CUST_ADDRESS_TAB_TYP(CUST_ADDRESS_TYP('4019 W 3Rd St', '47404', 'Bloomington', 'IN', 'US'))
. . .
```

The preceding example requires the table `customers_demo` and two nested table columns containing data. Refer to [Multiset Operators](#) to create this table and nested table columns.

## MULTISET UNION

`MULTISET UNION` takes as arguments two nested tables and returns a nested table whose values are those of the two input nested tables. The two input nested tables must be of the same type, and the returned nested table is of the same type as well.



- The `ALL` keyword instructs Oracle to return all elements that are in the two input nested tables, including duplicate values and duplicate `NULL` occurrences. This is the default.
- The `DISTINCT` keyword instructs Oracle to eliminate duplicates from the returned nested table, including duplicates of `NULL`, if they exist.
- The element types of the nested tables must be comparable. Refer to [Comparison Conditions](#) for information on the comparability of nonscalar types.

### Example

The following example compares two nested tables and returns a nested table of elements from both input nested tables:

```
SELECT customer_id, cust_address_ntab
   MULTISET UNION cust_address2_ntab multiset_union
   FROM customers_demo
   ORDER BY customer_id;

CUSTOMER_ID MULTISET_UNION(STREET_ADDRESS, POSTAL_CODE, CITY, STATE_PROVINCE, COUNTRY_ID)
-----
101 CUST_ADDRESS_TAB_TYP(CUST_ADDRESS_TYP('514 W Superior St', '46901', 'Kokomo', 'IN', 'US'),
   CUST_ADDRESS_TYP('514 W Superior St', '46901', 'Kokomo', 'IN', 'US'))
102 CUST_ADDRESS_TAB_TYP(CUST_ADDRESS_TYP('2515 Bloyd Ave', '46218', 'Indianapolis', 'IN', 'US'),
   CUST_ADDRESS_TYP('2515 Bloyd Ave', '46218', 'Indianapolis', 'IN', 'US'))
103 CUST_ADDRESS_TAB_TYP(CUST_ADDRESS_TYP('8768 N State Rd 37', '47404', 'Bloomington', 'IN', 'US'),
   CUST_ADDRESS_TYP('8768 N State Rd 37', '47404', 'Bloomington', 'IN', 'US'))
```

```

104 CUST_ADDRESS_TAB_TYP(CUST_ADDRESS_TYP('6445 Bay Harbor Ln', '46254', 'Indianapolis', 'IN',
'US'),
                                CUST_ADDRESS_TYP('6445 Bay Harbor Ln', '46254', 'Indianapolis', 'IN', 'US'))
105 CUST_ADDRESS_TAB_TYP(CUST_ADDRESS_TYP('4019 W 3Rd St', '47404', 'Bloomington', 'IN', 'US'),
                                CUST_ADDRESS_TYP('4019 W 3Rd St', '47404', 'Bloomington', 'IN', 'US'))
. . .

```

The preceding example requires the table `customers_demo` and two nested table columns containing data. Refer to [Multiset Operators](#) to create this table and nested table columns.

## SHARD\_CHUNK\_ID Operator

You can use the SQL operator `SHARD_CHUNK_ID` to get the chunk ID in a sharding environment. You must provide the table family ID and the sharding key as input.

This operator can be used in all three sharding types: system, user-defined, and composite. You can run the operator from the catalog and the shard.

### Syntax

```
SELECT SHARD_CHUNK_ID( table_family, sharding_key1 [,
sharding_key2 ...]) FROM table_name ...
```

### Semantics

#### *table\_family*

The first operand *table\_family* refers to the identifier of the table family. It can be:

- The table family id that can be queried from the `GSMADMIN_INTERNAL.TABLE_FAMILY` table, or
- The name of the root table in the form of `SCHEMA_NAME.TABLE_NAME`.

If there is only one table family across the entire sharding environment, *table\_family* can take `NULL` as input. This will default to the existing single table family.

#### *sharding\_key*

The second operand *sharding\_key* refers to a list of sharding keys. It can be a constant value or column name.

You must order the list of sharding keys as follows:

1. List of super-sharding keys in the order they are defined.
2. List of sharding keys in the order they are defined. For this refer to `GSMADMIN_INTERNAL.SHARDKEY_COLUMNS`.

In system and user-defined sharding environments, where super-sharding keys are not used, you only need to supply sharding keys.

### Example

Given the composite sharded table `customers` defined as follows:

```
CREATE SHARDED TABLE customers (
    custno          NUMBER NOT NULL,
```

```
name          VARCHAR2(50) NOT NULL,  
signup        DATE DEFAULT NULL,  
class         VARCHAR2(3) NOT NULL,  
CONSTRAINT cust_pk PRIMARY KEY(custno,name)  
PARTITIONSET BY LIST (class)  
PARTITION BY CONSISTENT HASH (custno,name)  
PARTITIONS AUTO  
(PARTITIONSET gold VALUES ('gld') TABLESPACE SET tbs1,  
 PARTITIONSET silver VALUES ('slv') TABLESPACE SET tbs2)  
;
```

You can query it for the chunk ID with the following statement:

```
SELECT SHARD_CHUNK_ID(null, class, custno, name) FROM customers;
```

#### See Also:

- *Using Oracle Sharding*

## User-Defined Operators

Like built-in operators, user-defined operators take a set of operands as input and return a result. However, you create them with the `CREATE OPERATOR` statement, and they are identified by user-defined names. They reside in the same namespace as tables, views, types, and standalone functions.

After you have defined a new operator, you can use it in SQL statements like any other built-in operator. For example, you can use user-defined operators in the select list of a `SELECT` statement, the condition of a `WHERE` clause, or in `ORDER BY` clauses and `GROUP BY` clauses. However, you must have `EXECUTE` privilege on the operator to do so, because it is a user-defined object.

#### See Also:

[CREATE OPERATOR](#) for an example of creating an operator and *Oracle Database Data Cartridge Developer's Guide* for more information on user-defined operators

## Data Quality Operators


You can expand data quality capabilities within Oracle Database with string matching operators `PHONIC_ENCODE` and `FUZZY_MATCH`.

These operators can help you find near duplicate rows by matching strings that sounds alike or have small differences in spelling, for example:

- "Chris" and "Kris", in strings that sound alike
- "kitten" and "sitten", in strings that have small differences in spelling

## FUZZY\_MATCH

`FUZZY_MATCH` takes the algorithm to be used as the first argument, the strings to be processed as the second and third arguments, and some optional arguments that control the quality of the desired output.



The `UTL_MATCH` package evaluates byte by byte, while `FUZZY_MATCH` evaluates character by character. Therefore `UTL_MATCH` only works for comparison between single-byte strings while `FUZZY_MATCH` handles multi-byte charactersets.

When the `UNSCALED` option is specified, `FUZZY_MATCH` returns a measure in characters for the following algorithms: `LEVENSHTTEIN`, `DAMERAU_LEVENSHTTEIN`, `BIGRAM`, `TRIGRAM`, `LONGEST_COMMON_SUBSTRING`.

### Arguments

The supported algorithms are:

- `LEVENSHTTEIN` corresponds to `UTL_MATCH.EDIT_DISTANCE` or `UTL_MATCH.EDIT_SIMILARITY` and gives a measure of character edit distance or similarity.
- `DAMERAU_LEVENSHTTEIN` distance differs from the classical `LEVENSHTTEIN` distance by including transpositions among its allowable operations in addition to the three classical single-character edit operations (insertions, deletions and substitutions).
- `JARO_WINKLER` corresponds to `UTL_MATCH.JARO_WINKLER` (a percentage between 0-1) or `UTL_MATCH.JARO_WINKLER_SIMILARITY` (the same but scaled from 0-100).
- `BIGRAM` and `TRIGRAM` are instances of the N-gram matching technique, which counts the number of common contiguous sub-strings (grams) between the two strings.
- `WHOLE_WORD_MATCH` corresponds to Word Match Percentage or Count comparison in Oracle Enterprise Data Quality. It calculates the `LEVENSHTTEIN` or edit distance of two phrases with words (instead of letters) as matching units.
- `LONGEST_COMMON_SUBSTRING` finds the longest common substring between the two strings.

Both `str` arguments can be any of the datatypes `CHAR`, `VARCHAR2`, `NCHAR`, `NVARCHAR2`.

### UNSCALED

The keyword `UNSCALED` is optional. If you specify `UNSCALED` the return is one of :



- LEVENSHTTEIN or edit distance
- JARO\_WINKLER value in percentage
- N-grams, the number of common substrings
- LCS, the length of the longest common substring

### RELATE\_TO\_SHORTER

The keyword `RELATE_TO_SHORTER` is optional. If you specify `RELATE_TO_SHORTER`, then the similarity measure is scaled by the length of the shorter input string. If you do not specify `RELATE_TO_SHORTER`, then the default behavior is that the longer string length is used as the denominator.

### EDIT\_TOLERANCE

The keyword `EDIT_TOLERANCE` is optional. You can only specify `EDIT_TOLERANCE` with the `WHOLE_WORD_MATCH` algorithm. If you specify `EDIT_TOLERANCE`, the character error tolerance is the maximum percentage of the number of characters in a word that you allow to be different, while still considering each word as the same.

### Returns

The operator returns `NUMBER`. By default, it is a similarity score normalized to be a percentage between 0-100.

### Examples

```
SQL> select fuzzy_match(LEVENSHTTEIN, 'Mohamed Tarik', 'Mo Tariq') from dual;
```

```
FUZZY_MATCH(LEVENSHTTEIN,'MOHAMEDTARIK','MOTARIQ')
```

```
-----  
54
```

1 row selected.

```
SQL> select fuzzy_match(LEVENSHTTEIN, 'Mohamed Tarik', 'Mo Tariq', unscaled) from dual;
```

```
FUZZY_MATCH(LEVENSHTTEIN,'MOHAMEDTARIK','MOTARIQ',UNSCALED)
```

```
-----  
6
```

1 row selected.

```
SQL> select fuzzy_match(DAMERAU_LEVENSHTTEIN, 'Mohamed Tarik', 'Mo Tariq',  
relate_to_shorter) from dual;
```

```
FUZZY_MATCH(DAMERAU_LEVENSHTTEIN,'MOHAMEDTARIK','MOTARIQ',RELATE_TO_SHORTER)
```

```
-----  
25
```

1 row selected.

```
SQL> select fuzzy_match(BIGRAM, 'Mohamed Tarik', 'Mo Tariq', unscaled) from dual;
```

```
FUZZY_MATCH(BIGRAM,'MOHAMEDTARIK','MOTARIQ',UNSCALED)
```

```
-----  
5
```

1 row selected.

```
SQL> select fuzzy_match(LONGEST_COMMON_SUBSTRING, 'Mohamed Tarik', 'Mo Tariq',
unscaled) from dual;
```

```
FUZZY_MATCH(LONGEST_COMMON_SUBSTRING, 'MOHAMEDTARIK', 'MOTARIQ', UNSCALED)
-----
5
```

1 row selected.

```
SQL> select fuzzy_match(WHOLE_WORD_MATCH, 'Mohamed Tarik', 'Mo Tariq') from
dual;
```

```
FUZZY_MATCH(WHOLE_WORD_MATCH, 'MOHAMEDTARIK', 'MOTARIQ')
-----
0
```

1 row selected


```
SQL> select fuzzy_match(WHOLE_WORD_MATCH, 'Pawan Kumar Goel', 'Pavan Kumar G',
EDIT_TOLERANCE 60) from dual;
```

```
FUZZY_MATCH(WHOLE_WORD_MATCH, 'PAWANKUMARGOEL', 'PAVANKUMARG', EDIT_TOLERANCE60)
-----
67
```

1 row selected.

## PHONIC\_ENCODE

**PHONIC\_ENCODE** takes the algorithm to be used as the first argument, the string to be processed as the second argument, and an optional `max_code_len` argument that controls the length of the desired output. `max_code_len` must be an integer between 1 and 12.



### Arguments

**DOUBLE\_METAPHONE** returns the primary code. **DOUBLE\_METAPHONE\_ALT** returns the alternative code if present. If the alternative code is not present, it returns the primary code.

*str* can be any of the datatypes CHAR, VARCHAR2, NCHAR, NVARCHAR2.

The optional argument `max_code_len` must be an integer. It allows codes longer than the default 4 characters to be returned for the original Metaphone algorithm.

### Returns

The operator returns VARCHAR2.

### Examples

```
SQL> select phonic_encode(DOUBLE_METAPHONE, 'smith') c1,
2 phonic_encode(DOUBLE_METAPHONE_ALT, 'smith') c2 from dual;
```

```

C1          C2
-----
SM0         XMT

1 row selected.

SQL> select phonic_encode(DOUBLE_METAPHONE,      'Schmidt') c1,
           2          phonic_encode(DOUBLE_METAPHONE_ALT, 'Schmidt') c2 from dual;

C1          C2
-----
XMT         SMT

1 row selected.

SQL> select phonic_encode(DOUBLE_METAPHONE,      'phone') c1,
           2          phonic_encode(DOUBLE_METAPHONE_ALT, 'phone') c2 from dual;

C1          C2
-----
FN          FN

1 row selected.

SQL> select phonic_encode(DOUBLE_METAPHONE,      'George') c1,
           2          phonic_encode(DOUBLE_METAPHONE_ALT, 'George') c2 from dual;

C1          C2
-----
JRJ         KRK

1 row selected.

SQL> -- PNNT / PKNNT
SQL> select phonic_encode(DOUBLE_METAPHONE,      'poignant') c1,
           2          phonic_encode(DOUBLE_METAPHONE_ALT, 'poignant') c2,
           3          phonic_encode(DOUBLE_METAPHONE_ALT, 'poignant', 10) c3 from dual;

C1          C2          C3
-----
PNNT        PKNN        PKNNT

```

## GRAPH\_TABLE Operator

### Purpose


The `GRAPH_TABLE` operator can be used as a table expression in a `FROM` clause. It takes a graph as input against which it matches a specified graph pattern. It then outputs a set of solutions in tabular form.

This topic consists of the following sub-topics:

- [Graph Reference](#)
- [Graph Pattern](#)
- [Graph Table Shape](#)
- [Value Expressions for GRAPH\\_TABLE](#)

## Syntax

***graph\_table ::=***



([graph\\_reference ::=](#), [graph\\_pattern ::=](#), [graph\\_table\\_shape ::=](#))

## Semantics

The `GRAPH_TABLE` operator starts with the keyword `GRAPH_TABLE` and consists of the following three parts that are placed between parentheses:

- *graph\_reference*: a reference to a graph to perform the pattern matching on. Note that any graph first needs to be created through a `CREATE PROPERTY GRAPH` statement before it can be referenced in a `GRAPH_TABLE`.
- *graph\_pattern*: a graph pattern consisting of vertex and edge patterns together with search conditions. The pattern is matched against the graph to obtain a set of solutions.
- *graph\_table\_shape*: a `COLUMNS` clause that projects the solutions into a tabular form.

A `FROM` clause in SQL may contain any number of `GRAPH_TABLE` operators as well as other types of table expressions. This allows for joining data from multiple graphs or for joining graph data with tabular, JSON, XML, or other types of data.

## Examples

### Setting Up Sample Data

This example creates a property graph, `students_graph`, using `persons`, `university`, `friendships`, and `students` as the underlying database tables for the graph.

The following statements first create the necessary tables and fill them with sample data:

```

CREATE TABLE university (
  id NUMBER GENERATED ALWAYS AS IDENTITY (START WITH 1 INCREMENT BY 1),
  name VARCHAR2(10),
  CONSTRAINT u_pk PRIMARY KEY (id));
INSERT INTO university (name) VALUES ('ABC');
INSERT INTO university (name) VALUES ('XYZ');

```

```

CREATE TABLE persons (
  person_id NUMBER GENERATED ALWAYS AS IDENTITY (START WITH 1 INCREMENT
  BY 1),
  name VARCHAR2(10),
  birthdate DATE,
  height FLOAT DEFAULT ON NULL 0,
  person_data JSON,
  CONSTRAINT person_pk PRIMARY KEY (person_id)
);

```

```
INSERT INTO persons (name, height, birthdate, person_data)
      VALUES ('John', 1.80, to_date('13/06/1963', 'DD/MM/YYYY'),
      '{"department":"IT","role":"Software Developer"}');

INSERT INTO persons (name, height, birthdate, person_data)
      VALUES ('Mary', 1.65, to_date('25/09/1982', 'DD/MM/YYYY'),
      '{"department":"HR","role":"HR Manager"}');

INSERT INTO persons (name, height, birthdate, person_data)
      VALUES ('Bob', 1.75, to_date('11/03/1966', 'DD/MM/YYYY'),
      '{"department":"IT","role":"Technical Consultant"}');

INSERT INTO persons (name, height, birthdate, person_data)
      VALUES ('Alice', 1.70, to_date('01/02/1987', 'DD/MM/YYYY'),
      '{"department":"HR","role":"HR Assistant"}');

CREATE TABLE students (
      s_id NUMBER GENERATED ALWAYS AS IDENTITY (START WITH 1 INCREMENT BY 1),
      s_univ_id NUMBER,
      s_person_id NUMBER,
      subject VARCHAR2(10),

      CONSTRAINT stud_pk PRIMARY KEY (s_id),
      CONSTRAINT stud_fk_person FOREIGN KEY (s_person_id) REFERENCES
persons(person_id),
      CONSTRAINT stud_fk_univ FOREIGN KEY (s_univ_id) REFERENCES university(id)
);

INSERT INTO students(s_univ_id, s_person_id,subject, height) VALUES (1,1,'Arts');
INSERT INTO students(s_univ_id, s_person_id,subject, height) VALUES (1,3,'Music');
INSERT INTO students(s_univ_id, s_person_id,subject, height) VALUES (2,2,'Math');
INSERT INTO students(s_univ_id, s_person_id,subject, height) VALUES (2,4,'Science');

CREATE TABLE friendships (
      friendship_id NUMBER GENERATED ALWAYS AS IDENTITY (START WITH 1 INCREMENT BY 1),
      person_a NUMBER,
      person_b NUMBER,
      meeting_date DATE,
      CONSTRAINT fk_person_a_id FOREIGN KEY (person_a) REFERENCES persons(person_id),
      CONSTRAINT fk_person_b_id FOREIGN KEY (person_b) REFERENCES persons(person_id),
      CONSTRAINT fs_pk PRIMARY KEY (friendship_id)
);

INSERT INTO friendships (person_a, person_b, meeting_date) VALUES (1, 3,
to_date('01/09/2000', 'DD/MM/YYYY'));
INSERT INTO friendships (person_a, person_b, meeting_date) VALUES (2, 4,
to_date('19/09/2000', 'DD/MM/YYYY'));
INSERT INTO friendships (person_a, person_b, meeting_date) VALUES (2, 1,
to_date('19/09/2000', 'DD/MM/YYYY'));
INSERT INTO friendships (person_a, person_b, meeting_date) VALUES (3, 2,
to_date('10/07/2001', 'DD/MM/YYYY'));
```

The following statement creates a graph on top of the tables:


```
CREATE PROPERTY GRAPH students_graph
      VERTEX TABLES (
      persons KEY (person_id)
```

```

LABEL person
  PROPERTIES (person_id, name, birthdate AS dob)
LABEL person_ht
  PROPERTIES (height),
university KEY (id)
)
EDGE TABLES (
  friendships AS friends
  KEY (friendship_id)
  SOURCE KEY (person_a) REFERENCES persons(person_id)
  DESTINATION KEY (person_b) REFERENCES persons(person_id)
  PROPERTIES (friendship_id, meeting_date),
  students AS student_of
  SOURCE KEY (s_person_id) REFERENCES persons(person_id)
  DESTINATION KEY (s_univ_id) REFERENCES university(id)
  PROPERTIES (subject)
);

```

This creates the following graph:



### Example: GRAPH\_TABLE Query

The following query matches a pattern on graph `students_graph` to find friends of a person named John:

```

SELECT *
FROM GRAPH_TABLE ( students_graph
  MATCH (a IS person) -[e IS friends]- (b IS person)
  WHERE a.name = 'John'
  COLUMNS (b.name)
);

```

In the query:

- `(a IS person)` is a vertex pattern that matches vertices labeled `person` and binds the solutions to a variable `a`.
- `-[e IS friends]-` is an edge pattern that matches either incoming or outgoing edges labeled `friends` and binds the solutions to a variable `e`.

- `(b IS person)` is another vertex pattern that matches vertices labeled `person` and binds the solutions to a variable `b`.
- `WHERE a.name = 'John'` is a search condition that accesses the property `name` from vertices bound to variable `a` to compare against the value `John`.
- `COLUMNS (b.name)` specifies to return the property `name` of vertex `b` as part of the output table.

The output is:

```
NAME
-----
Mary
Bob
```



#### See Also:

- [SQL Property Graph](#)
- For property graph definitions and terminology, see [CREATE PROPERTY GRAPH](#).

## Graph Reference

### Purpose

Each `GRAPH_TABLE` starts with a graph reference that references the graph to perform the pattern matching on.

### Syntax

***graph\_reference::=***

→ `(graph_name)` →

***graph\_name::=***

→ `(schema_qualified_name)` →

### Semantics

A graph name may be qualified with a schema name to allow for querying graphs created by other users.

### Example 1

The following query counts the number of persons in the `students_graph` owned by user `scott`:

```

SELECT COUNT(*)
FROM GRAPH_TABLE ( scott.students_graph
  MATCH (a IS person)
  COLUMNS (a.name)
);

```

The output is:

```

COUNT(*)
-----
         4

```

## Graph Pattern

### Purpose


A graph pattern consists of a set of vertex and edge patterns together with search conditions. A graph pattern is matched against a graph to obtain a set of solutions containing bindings for each vertex and edge variable in the pattern.

This topic has the following sub-topics:


- [Path Pattern](#)
- [Element Pattern](#)
- [Quantified Path Pattern](#)
- [Parenthesized Path Pattern](#)
- [Graph Pattern WHERE Clause](#)

### Syntax

***graph\_pattern::=***



***path\_pattern\_list::=***



### Semantics

A graph pattern contains the following parts:

- `MATCH` keyword.
- `path_pattern_list`: a list containing one or more comma-separated path patterns.



- *graph\_pattern\_where\_clause*: an optional `WHERE` clause defining a search condition that may reference vertices and edges from the pattern.

Two path patterns inside the same `GRAPH_TABLE` may share vertex and edge variables to allow for creating more complex, non-linear patterns. Variables may also be repeated within a single path pattern to create a cyclic pattern. If multiple vertex or edge patterns share a variable then all the label expressions and element pattern `WHERE` clauses in those patterns must satisfy for binding to the element variable to occur.

If there are no shared variables between two path patterns, then the solution set is a cross product of the solutions of the individual path patterns.

### Restrictions

A vertex variable may not have the same name as an edge variable.

### Examples

#### Example 1

The following query finds cyclic paths from `Mary` via two other persons back to `Mary`. Only incoming edges are matched (`<-[...]`).

```
SELECT *
FROM GRAPH_TABLE ( students_graph
  MATCH (a IS person) <-[e1 IS friends]- (b IS person)
        <-[e2 IS friends]- (c IS person)
        <-[e3 is friends]- (a IS person)
  WHERE a.name= 'Mary'
  COLUMNS (a.name AS person_a, b.name AS person_b, c.name AS person_c)
);
```

Here, the graph pattern consists of a single path pattern that has four vertex patterns and three edge patterns. The first vertex pattern shares a variable `a` with the last vertex pattern so that the pattern matches cyclic paths.

Only a single path matches the pattern:

```
PERSON_A  PERSON_B  PERSON_C
-----
Mary      Bob         John
```

Here, the output shows that a path was matched that starts in `Mary` with an incoming edge to `Bob`, followed by an incoming edge to `John`, followed by an incoming edge back to `Mary`.

The same query may also be expressed by breaking up the single path pattern into multiple path patterns as follows:

```
SELECT *
FROM GRAPH_TABLE ( students_graph
  MATCH (a IS person) <-[e1 IS friends]- (b IS person),
        (b) <-[e2 IS friends]- (c IS person),
        (c) <-[e3 is friends]- (a IS person)
  WHERE a.name= 'Mary'
  COLUMNS (a.name AS person_a, b.name AS person_b, c.name AS person_c)
);
```

Here, the first path pattern shares variable *b* with the second path pattern, the second path pattern shares variable *c* with the third path pattern, and the third path pattern shares variable *a* with the first path pattern.


## Path Pattern

### Purpose


A path pattern specifies a linear pattern that matches a string of vertices and edges. Path patterns are made up of the concatenation of one or more vertex and edge patterns. Vertex and edge patterns may be quantified as well as parenthesized.

### Syntax


***path\_pattern*::=**




***path\_pattern\_expression*::=**




***path\_term*::=**




***path\_factor*::=**



***path\_concatenation*::=**



***path\_primary*::=**



## Semantics

Syntactically, a path pattern is the concatenation of one or more element patterns, which are either vertex patterns or edge patterns.

The element patterns of a path pattern are not required to alternate between vertex and edge patterns; there may be two consecutive edge patterns or two consecutive vertex patterns. These topologically inconsistent patterns are understood during pattern matching as follows:

- Two consecutive vertex patterns bind to the same vertex.
- Two consecutive edge patterns conceptually have an implicit vertex pattern between them.

## Restrictions

Path patterns have the following restrictions:

- A path pattern may only contain two consecutive vertex patterns if one of the vertex patterns is contained in a parenthesized path pattern while the other one is not.
- A parenthesized path pattern must be quantified.

## Examples

### Example 1

The following query counts the number of vertices in the graph:

```
SELECT COUNT(*)
FROM GRAPH_TABLE ( students_graph
  MATCH (v)
  COLUMNS (1 AS dummy)
);
```

Note that the `COLUMNS` clause needs to contain at least one expression, hence a dummy value is projected but it is not returned from the query.

The result is:

```
  COUNT(*)
-----
         6
```

### Example 2

The following query counts the number of edges in the graph:

```
SELECT COUNT(*)
FROM GRAPH_TABLE ( students_graph
  MATCH -[e]->
  COLUMNS (1 AS dummy)
);
```

The result is:

```
  COUNT(*)
```

-----  
8

### Example 3

The following query finds persons that are two friend hops away from Mary, following either incoming or outgoing friends edges:

```
SELECT *
FROM GRAPH_TABLE ( students_graph
  MATCH (n IS person) -[IS friends]- () -[IS friends]- (m IS person)
  WHERE n.name = 'Mary' AND m.name <> n.name
  COLUMNS (m.name AS fof)
);
```

In the path pattern above:

- (n IS person) is a vertex pattern that has a variable n and a label expression IS person.
- -[IS friends]- is an any-directed edge pattern that has an implicit variable and a label expression IS friends.
- () is a vertex pattern that has an implicit variable and no label expression such that it matches vertices having any label(s).
- -[IS friends]- is again an any-directed edge pattern that has an implicit variable and a label expression IS friends.
- (m IS person) is a vertex pattern that has a variable m and a label expression IS person.

The result is:

```
FOF
-----
Bob
John
```

Note that the query above can also be expressed as:

```
SELECT *
FROM GRAPH_TABLE ( students_graph
  MATCH (n IS person) -[IS friends]- -[IS friends]- (m IS person)
  WHERE n.name = 'Mary' AND m.name <> n.name
  COLUMNS (m.name AS fof)
);
```

Here, the vertex pattern between the two edge patterns is implicit.

The same query can be expressed using a quantifier to avoid the repeated specification of the same edge pattern:

```
SELECT *
FROM GRAPH_TABLE ( students_graph
  MATCH (n IS person) -[IS friends]-{2}(m IS person)
  WHERE n.name = 'Mary' AND m.name <> n.name
```

```

    COLUMNS (m.name AS fof)
);

```

Quantified path patterns may be parenthesized:

```

SELECT *
FROM GRAPH_TABLE ( students_graph
    MATCH (n IS person) (-[IS friends]-){2}(m IS person)
    WHERE n.name = 'Mary' AND m.name <> n.name
    COLUMNS (m.name AS fof)
);

```

Note that each of the syntax variations above gives the same result:

```

FOF
-----
Bob
John

```

## Element Pattern

### Purpose


An element pattern is either a vertex pattern or an edge pattern. The result of matching an element pattern is the binding of vertices or edges to the implicitly or explicitly declared variable of the element pattern.

This section comprises the following sections:

- [Vertex Pattern](#)
- [Edge Pattern](#)
- [Element Pattern Filler](#)
- [Element Variable](#)
- [Label Expression](#)
- [Element Pattern WHERE Clause](#)

### Syntax

*element\_pattern*::=




## Vertex Pattern

### Purpose

A vertex pattern is a pattern that matches vertices in a graph. The result of such matching is the binding of a set of vertices to the implicitly or explicitly declared variable of the vertex pattern.

## Syntax

**vertex\_pattern::=**



## Semantics

Visually, a vertex pattern has two parentheses ( ) to mimic a circle since vertices are typically represented by circles in visualizations of graphs.

## Examples

### Example 1

The following query counts the number of vertices in the graph:

```

SELECT COUNT(*)
FROM GRAPH_TABLE ( students_graph
  MATCH (v)
  COLUMNS (1 AS dummy)
);

```

Note that the `COLUMNS` clause needs to contain at least one expression, hence a dummy value is projected but it is not returned from the query.

The result is:

```

COUNT(*)
-----
        6

```

### Example 2

The following query matches all persons with a date of birth greater than 1 January 1980:

```

SELECT name, birthday
FROM GRAPH_TABLE ( students_graph
  MATCH (p IS person WHERE p.dob > DATE '1980-01-01')
  COLUMNS (p.name, p.dob AS birthday)
)
ORDER BY birthday;

```

The result is:

```

NAME          BIRTHDAY
-----
Mary          25-SEP-82
Alice         01-FEB-87

```


## Edge Pattern

### Purpose


An edge pattern is a pattern that matches edges in a graph. The result of such matching is the binding of a set of edges to the implicitly or explicitly declared variable of the edge pattern.

### Syntax


**edge\_pattern ::=**




**full\_edge\_pattern ::=**




**full\_edge\_pointing\_right ::=**




**full\_edge\_pointing\_left ::=**



**full\_edge\_any\_direction ::=**



**abbreviated\_edge\_pattern ::=**



## Semantics

Visually, an edge pattern mimics an arrow since edges are typically represented by arrows in visualizations of graphs. For example, <-[ ]- or <- are incoming edge patterns because they look like incoming arrows, while -[ ]-> or -> are outgoing edge patterns because they look like outgoing arrows.

An edge\_pattern is either a full\_edge\_pattern or an abbreviated\_edge\_pattern. The full edge pattern has an element\_pattern\_filler with optional element pattern variable, label expression and element pattern WHERE clause, while the abbreviated edge pattern provides syntactic sugar in case none of the three optional filler parts are needed.

The following table summarizes the options:

**Table 4-6 Summary of Edge Patterns**

Directionality	Full Edge Pattern	Abbreviated Edge Pattern
Directed pointing to the right	-[ ]->	->
Directed pointing to the left	<-[ ]-	<-
Any-Directed: pointing to the right or the left	-[ ]- or <-[ ]->	-

Note that since the abbreviated syntax does not allow for providing a variable name, a label expression, or an element pattern WHERE clause, abbreviated edge patterns match with all edges in the graph that have the specified direction.

## Examples

### Example 1

The following query counts the number of edges in the graph:

```
SELECT COUNT(*)
FROM GRAPH_TABLE ( students_graph
  MATCH ->
  COLUMNS (1 AS dummy)
);
```

The result is:

```
  COUNT(*)
-----
         8
```

### Example 2

The following query matches all friends edges that have a property meeting\_date with a value greater than DATE '2000-01-01':

```
SELECT *
FROM GRAPH_TABLE ( students_graph
  MATCH -[e IS friends WHERE e.meeting_date > DATE '2001-01-01']->
  COLUMNS (e.meeting_date)
);
```



The result is:

```
MEETING_D
-----
10-JUL-01
```


## Element Pattern Filler

### Purpose

Vertex patterns and full edge patterns have a filler for providing an optional variable declaration, an optional label expression, and an optional `WHERE` clause.

### Syntax

***element\_pattern\_filler::=***



### Semantics

Vertex patterns and full edge patterns and have a filler containing the following parts:

- An optional *element\_variable\_declaration* for providing a variable name for the element pattern so that the element can be referenced elsewhere, for example in `WHERE` and `COLUMNS` clauses. If no variable name is specified, a variable is implicit and cannot be referenced.
- An optional *is\_label\_expression* for defining a label expression. Vertices and edges only match if they satisfy the specified label expression.
- An optional *element\_pattern\_where\_clause* for defining an in-lined search condition. Vertices and edges only match if they satisfy the specified search condition.

### Examples

#### Example 1

The following query finds persons that are two friend hops away from `Mary`, following either incoming or outgoing friends edges:

```
SELECT *
FROM GRAPH_TABLE ( students_graph
  MATCH (n IS person WHERE n.name = 'Mary')
        -[e IS friends WHERE e.meeting_date > DATE '2001-01-01']-
        () -[IS friends]- (m IS person)
  WHERE m.name <> n.name
  COLUMNS (m.name, e.meeting_date)
);
```

In the path pattern above:

- `(n IS person WHERE n.name = 'Mary')` is a vertex pattern that has a variable `n`, a label expression `IS person` and an element pattern `WHERE` clause `WHERE n.name = 'Mary'`.

- `-[e IS friends WHERE e.meeting_date > DATE '2001-01-01']-` is an any-directed edge pattern that has a variable `e`, a label expression `IS friends` and an element pattern `WHERE clause WHERE e.meeting_date > DATE '2001-01-01'`.
- `()` is a vertex pattern that has an implicit variable and neither has a label expression nor an element pattern `WHERE clause`.
- `-[IS friends]-` is an any-directed edge pattern that has an implicit variable, a label expression `IS friends` but no element pattern `WHERE clause`.
- `(n IS person)` is a vertex pattern that has a variable `n`, a label expression `IS person` but no element pattern `WHERE clause`.

The result is:

NAME	MEETING_D
-----	-----
John	10-JUL-01

## Element Variable

### Purpose

Element variables are either vertex or edge variables. During pattern matching, the variables will bind to sets of vertices or edges in the graph. Element variables can be referenced from other places in the query to access data of vertices and edges, such as their property values.

### Syntax

***element\_variable\_declaration::=***

→ `(element_variable)` →

***element\_variable::=***

→ `(identifier)` →

### Semantics

Syntactically, an *element\_variable\_declaration* is an identifier and can thus be either double quoted or unquoted. Declaring an element variable is optional and if no element variable is declared then the element pattern has an implicit variable with an (implicit) unique name. Implicit variables cannot be referenced elsewhere in the query.

Multiple vertex patterns may declare the same element variable and multiple edge patterns may also declare the same element variable. In such cases, there are not multiple variables but there is a single variable that is shared by the different vertex or edge patterns.

Declared variables are visible within the `GRAPH_TABLE` in which they are declared. They may be referenced in `WHERE` and `COLUMNS` clauses defined in the same `GRAPH_TABLE`.

If an element variable is declared in a quantified path pattern, then it may bind to more than one vertex or edge within a single solution to the pattern. References are interpreted contextually: if the reference occurs outside the quantified path pattern, then the reference is to the complete list of graph elements that are bound to the element variable. In this circumstance, the element variable is said to have group degree of reference. However, if the reference does not cross a quantifier, then the reference has singleton degree of reference.

For example, in `(X) -[E WHERE E.P > 1]->{1,10} (Y) WHERE SUM(E.P) < 100` the edge variable `E` is referenced twice: once in the edge pattern and once outside the edge pattern. Within the edge pattern, `E` has singleton degree of reference and the property reference `E.P` references a property of a single edge. On the other hand, the reference within the `SUM` aggregate has group degree of reference (because of the quantifier `{1,10}`) and references the list of edges that are bound to `E`.

### Restrictions

- A vertex pattern may not declare a variable with the same name as an edge pattern.
- A quantified path pattern may not declare a variable with the same name as an element variable declared outside of the quantified path pattern.

### Examples

#### Example 1

The following query finds friends of friends of John following incoming or outgoing edges that have a property `meeting_date` with a value greater than `DATE '2000-09-015'`:

```
SELECT DISTINCT name
FROM GRAPH_TABLE ( students_graph
  MATCH (a IS person) -[e IS friends WHERE e.meeting_date > DATE '2000-09-15']-{2}
  ("b" IS person)
  WHERE a.name = 'John' AND a.name <> "b".name
  COLUMNS ("b".name)
);
```

In the query above, `a` and `"b"` are vertex variables, `e` is an edge variable and `e.meeting_date`, `a.name` and `"b".name` are property references that access a property value of the referenced vertex or edge.

The result shows that John has two such friends of friends:

```
NAME
-----
Bob
Alice
```

#### Example 2

The following query finds friends of Mary and the universities that Mary and her friends went to:

```
SELECT *
FROM GRAPH_TABLE ( students_graph
  MATCH (p1 IS person) -[e1 IS friends]- (p2 IS person)
  , (p1) -[IS student_of]-> (u1 IS university)
  , (p2) -[IS student_of]-> (u2 IS university)
```

```

WHERE p1.name = 'Mary'
  COLUMNS (p1.name, p2.name AS friend, e1.meeting_date, u1.name AS univ_1,
u2.name AS univ_2)
);

```

In the query above, `p1`, `p2`, `u1` and `u2` are vertex variables, while `e1` is an edge variable. The pattern `-[IS student_of]->` appears twice and implicitly declares two unique variables that cannot be referenced. Furthermore, there are two vertex patterns that share variable `p1` and there are two vertex patterns that share variable `p2`. Vertices will only bind to such variable if both vertex patterns match.

The result shows that Mary has three friends, one of which goes to the same university XYZ, while two other friends go to a different university ABC:

NAME	FRIEND	MEETING_D	UNIV_1	UNIV_2
Mary	John	19-SEP-00	XYZ	ABC
Mary	Bob	10-JUL-01	XYZ	ABC
Mary	Alice	19-SEP-00	XYZ	XYZ

### Example 3

The following query finds all paths that have a length between 2 and 5 edges (`{2,5}`), starting from a person named Alice and following both incoming and outgoing edges labeled `friends`. Edges along paths should not be traversed twice (`COUNT(e.friendship_id) = COUNT(DISTINCT e.friendship_id)`). The query returns all friendship IDs along paths as well as the length of each path.

```

SELECT *
FROM GRAPH_TABLE ( students_graph
  MATCH (p IS person) -[e IS friends]-{2,5} (friend IS person)
  WHERE p.name = 'Alice' AND
        COUNT(e.friendship_id) = COUNT(DISTINCT e.friendship_id)
  COLUMNS (LISTAGG(e.friendship_id, ', ') AS friendship_ids,
            COUNT(e.friendship_id) AS path_length));

```

Note that in the element pattern `WHERE` clause of the query above, `p.name` references a property of a single edge, while `e.friendship_id` within the `COUNT` aggregate accesses a list of property values since the edge variable `e` is enclosed by the quantifier `{2,5}`. Similarly, the two property references in the `COLUMNS` clause both access a list of property values.

The result is:

FRIENDSHIP_IDS	PATH_LENGTH
2, 3	2
2, 4	2
2, 3, 1	3
2, 4, 1	3
2, 3, 1, 4	4
2, 4, 1, 3	4


## Label Expression

### Purpose


Label expressions are used to limit the search to only vertices or edges of a specific type.

### Syntax


***is\_label\_declaration ::=***




***label\_expression ::=***



***label\_disjunction ::=***



***label ::=***



### Semantics

Syntactically, an `is_label_declaration` starts with the keyword `IS` followed by a `label_expression`, which is either a `label` or a `label_disjunction` denoted by a vertical bar `|`. A `label` itself is an `identifier` and can thus be double quoted or unquoted.

An element pattern matches only vertices and edges that satisfy the label expression. If the label expression is omitted, then all vertices and edges are matched irrespective of their labels.

### Examples

#### Example 1

The following query matches all vertices labeled `person` or `university` and retrieves their name and date of birth properties:

```

SELECT *
FROM GRAPH_TABLE ( students_graph
  MATCH (x IS person|university)

```

```

    COLUMNS (x.name, x.dob)
  )
ORDER BY name;

```

The result is:

NAME	DOB
ABC	
Alice	01-FEB-87
Bob	11-MAR-66
John	13-JUN-63
Mary	25-SEP-82
XYZ	

Above, since universities do not have a date of birth, a null value is returned and shows up as empty string in the `DOB` column.

### Example 2

The following query matches outgoing edges labeled `student_of` or `friends` from a person named Mary to a vertex `m` that is labeled `university` or `"PERSON"`:

```

SELECT *
FROM GRAPH_TABLE ( students_graph
  MATCH (n IS person) -[e IS student_of|friends]-> (m IS university|"PERSON")
  WHERE n.name = 'Mary'
  COLUMNS (e.subject, e.meeting_date, m.name)
)
ORDER BY subject, meeting_date, name;

```

The result is:

SUBJECT	MEETING_D	NAME
Math		XYZ
	19-SEP-00	Alice
	19-SEP-00	John

## Element Pattern WHERE Clause

### Purpose

The element pattern `WHERE` clause specifies a search condition that is syntactically placed inside a vertex or an edge pattern and that needs to be satisfied by the vertex or edge for the pattern to match.

### Syntax

*element\_pattern\_where\_clause*::=

```

→ [ WHERE ] ( search_condition ) →

```

## Semantics

Syntactically, the *element\_pattern\_where\_clause* starts with the keyword `WHERE` and is followed by a *search\_condition*, which is an arbitrary boolean value expression.

The element pattern `WHERE` clause may reference any graph element variable in the graph pattern. If the variable has group degree of reference, then the reference must be inside the arguments of an aggregate function. See [Aggregation in GRAPH\\_TABLE](#). There is no requirement that the search condition must reference the variable of the element pattern itself, but for improved query readability it is generally recommended that it always does such that any search condition that does not reference the element variable is placed in the graph pattern `WHERE` clause instead.

## Examples

### Example 1

The following query finds all friends of John whom he met after 15 September 2000:

```
SELECT Gt.name
FROM GRAPH_TABLE ( students_graph
  MATCH (a IS person WHERE a.name = 'John')
        -[e IS friends WHERE e.meeting_date > DATE '2000-09-15']-
        (b IS person)
  COLUMNS (b.name)
) GT;
```

The example above contains two element pattern `WHERE` clauses:

- `WHERE a.name = 'John'`
- `WHERE e.meeting_date > DATE '2000-09-15'`.

The result is:

```
NAME
-----
Mary
```

## Quantified Path Pattern

### Purpose


Quantified path patterns allow for repeated matching of a path pattern, typically for the purpose of matching variable-length paths. The specified quantifier determines a minimum and maximum for the number of times to match the path pattern.

### Syntax


*quantified\_path\_primary*::=

→ (path\_primary) (graph\_pattern\_quantifier) →


***graph\_pattern\_quantifier::=***




***fixed\_quantifier::=***




***general\_quantifier::=***



***lower\_bound::=***



***upper\_bound::=***



### Semantics

A *quantified\_path\_primary* is a *path\_primary* together with a quantifier. Here, the *path primary* must be either an edge pattern or a parenthesized path pattern.

A *graph\_pattern\_quantifier* is either:

- A *fixed\_quantifier*, which is an unsigned integer placed between curly braces. The integer value specifies an exact number of times the pattern should be matched. In other words, the lower bound on the number of times to match the pattern is the same as the upper bound.
- A *general\_quantifier*, which has an optional *lower\_bound*, a comma (,) and a mandatory *upper\_bound*, all of which are placed between curly braces. Lower and upper bound are unsigned integers and specify a minimum and a maximum number of times to match the path pattern. If no lower bound is specified, then the lower bound is zero (0).

The following table summarizes the options:



**Table 4-7 Quantifier Table**

Quantifier	Meaning
{ n }	Exactly n
{ n, m }	Between n and m (inclusive)
{ , m }	Between zero (0) and m (inclusive)

**Restrictions**

The following restrictions apply to quantified path patterns:

- The path primary that is quantified must be either an edge pattern or a parenthesized path pattern. For example, vertex patterns cannot be quantified unless they appear together with at least one edge pattern inside a parenthesized path pattern.
- The lower bound should be between 0 and 10 (inclusive), while the upper bound should be between 1 and 10 (inclusive) and greater than or equal to the lower bound.
- Nested quantifiers are not allowed.

**Examples****Example 1**

The following query finds friends of friends of John following incoming or outgoing edges that have a property `meeting_date` with a value greater than DATE '2000-09-15':

```
SELECT DISTINCT name
FROM GRAPH_TABLE ( students_graph
  MATCH (a IS person)
        -[e IS friends WHERE e.meeting_date > DATE '2000-09-15']-{2}
        (b IS person)
  WHERE a.name = 'John' AND a.name <> b.name
  COLUMNS (b.name)
);
```

In the query above, the path pattern `-[e IS friends WHERE e.meeting_date > DATE '2000-09-15']-` is quantified with the fixed quantifier `{2}` to indicate that the edge pattern should match exactly twice.

The result is:

```
NAME
-----
Bob
Alice
```

The same query may be written using a parenthesized path pattern too. The following are all syntactic alternatives, the latter two use a parenthesized path pattern:

- `-[e IS friends WHERE e.meeting_date > DATE '2000-09-15']-{2}`
- `(-[e IS friends WHERE e.meeting_date > DATE '2000-09-15']-){2}`
- `(-[e IS friends]- WHERE e.meeting_date > DATE '2000-09-15'){2}`

## Example 2

The following query finds persons that can be reached from Mary within three hops, following only persons that are taller than Mary.

```
SELECT DISTINCT name, height
FROM GRAPH_TABLE ( students_graph
  MATCH (a IS person|person_ht)
        (-[e IS friends]- (x IS person_ht) WHERE x.height > a.height) {,3}
        (b IS person|person_ht)
  WHERE a.name = 'Mary'
  COLUMNS (b.name, b.height)
)
ORDER BY height;
```

The result is:

NAME	HEIGHT
Mary	1.65
Alice	1.7
Bob	1.75
John	1.8

Note that the reason Mary is included in the result is because the specified quantifier `{,3}` has a lower bound of zero such that the quantified pattern is allowed to match zero times in which case variables `a` and `b` bind to the same vertex corresponding to Mary.

## Example 3

The following query finds all paths between university `ABC` and university `XYZ` such that paths have a length of up to 3 edges (`{,3}`). For each path, a JSON array is returned such that the array contains the `friendship_id` value for edges labeled `friends`, and the subject value for edges labeled `student_of`. Note that the `friendship_id` property is cast to `VARCHAR(100)` to make it type-compatible with the subject property.

```
SELECT *
FROM GRAPH_TABLE ( students_graph
  MATCH (u1 IS university) -[e]-{,3} (u2 IS university)
  WHERE u1.name = 'ABC' AND u2.name = 'XYZ'
  COLUMNS (JSON_ARRAYAGG(CASE WHEN e.subject IS NOT NULL THEN e.subject
    ELSE CAST(e.friendship_id AS VARCHAR(100)) END) AS
path));
```

The result is:

```
PATH
-----
["Arts", "3", "Math"]
["Music", "4", "Math"]
```


## Parenthesized Path Pattern

### Purpose


Parenthesized path patterns allow for defining more complex quantified path pattern expressions.

## Syntax

***parenthesized\_path\_pattern\_expression::=***



***parenthesized\_path\_pattern\_where\_clause::=***



## Semantics

A *parenthesized\_path\_pattern\_expression* is a *path\_pattern\_expression* together with an optional *parenthesized\_path\_pattern\_where\_clause*, placed in between parentheses.

Parenthesized path patterns allow for the quantification of any path pattern expression that contains at least one edge pattern. Without parentheses, only a single edge pattern can be quantified.

The parenthesized path pattern `WHERE` clause may reference vertex and edge variables declared in the parenthesized path pattern itself as well as vertex and edge variables declared outside of the parenthesized path pattern. If the variable has group degree of reference, then the reference must be inside the arguments of an aggregate function. See [Aggregation in GRAPH\\_TABLE](#).

## Restrictions

The following restrictions apply to parenthesized path pattern expressions:

- Each parenthesized path pattern needs to be quantified.
- There can only be a single level of parentheses. Nesting of parenthesized path patterns is not allowed.

## Examples

### Example 1

The following query finds persons that can be reached from Bob within one to three hops `{1,3}` such that for each consecutive pair of persons along the path, the first person has a date of birth that is smaller than the date of birth of the second person.

```

SELECT DISTINCT name, birthday
FROM GRAPH_TABLE ( students_graph
  MATCH
    (a IS person)
    ( (x) -[e IS friends]- (y IS person)
      WHERE x.dob < y.dob ){1,3}
    (b IS person)
  WHERE a.name = 'Bob'
  COLUMNS (b.name, b.dob AS birthday)

```

```
)
ORDER BY birthday;
```

The result is:

NAME	BIRTHDAY
Mary	25-SEP-82
Alice	01-FEB-87

### Example 2

The following query finds all paths that have a length between 2 and 3 edges ({2,3}), starting from a person named John and following only outgoing edges labeled friends and vertices labeled person. Vertices along paths should not have the same person\_id as John (WHERE p.person\_id <> friend.person\_id).

```
SELECT *
FROM GRAPH_TABLE ( students_graph
MATCH (p IS person) ( -[e IS friends]-> (friend IS person)
WHERE p.person_id <> friend.person_id){2,3}
WHERE p.name = 'John'
COLUMNS (COUNT(e.friendship_id) AS path_length,
LISTAGG(friend.name, ', ') AS names,
LISTAGG(e.meeting_date, ', ') AS meeting_dates ));
```

Above, the COLUMNS clause contains three aggregates, the first to compute the length of each path, the second to create a comma-separated list of person names along paths, and the third to create a comma-separated list of meeting dates along paths.

The result of the query is:

PATH_LENGTH	NAMES	MEETING_DATES
2	Bob, Mary	01-SEP-00, 10-SEP-01
3	Bob, Mary, Alice	01-SEP-00, 10-JUL-01, 19-SEP-00

## Graph Pattern WHERE Clause

### Purpose

The graph pattern WHERE clause specifies a search condition that is syntactically placed at the end of the graph pattern and that needs to be satisfied by the complete graph pattern in order for the graph pattern to match.

### Syntax

***graph\_pattern\_where\_clause::=***

```
→ WHERE (search_condition) →
```

## Semantics

Syntactically, the graph pattern `WHERE` clause starts with the keyword `WHERE` and is followed by a *search\_condition*, which is an arbitrary boolean value expression.

The graph pattern `WHERE` clause may reference any element variables in the graph pattern. If the variable has group degree of reference, then the reference must be inside the arguments of an aggregate function. See [Aggregation in GRAPH\\_TABLE](#).

## Examples

### Example 1

The following query finds all friends of John whom he met after 15 September 2000:

```
SELECT Gt.name
FROM GRAPH_TABLE ( students_graph
  MATCH (a IS person) -[e IS friends]- (b IS person)
  WHERE a.name = 'John' AND e.meeting_date > DATE '2000-09-15'
  COLUMNS (b.name)
) GT;
```

Note that the two conditions are placed together in the graph pattern `WHERE` clause to form a single search that needs to be satisfied by the pattern: `WHERE a.name = 'John' AND e.meeting_date > DATE '2000-09-15'`.

The result is:

```
NAME
-----
Mary
```

## Graph Table Shape

### Purpose

A graph table shape defines how the result of pattern matching should be transformed into tabular form. This is done through the `COLUMNS` clause.

### Syntax

***graph\_table\_shape*::=**

→(graph\_table\_columns\_clause)→

- [COLUMNS Clause](#)


## COLUMNS Clause

### Purpose


The COLUMNS clause allows for defining a projection that transforms the result of graph pattern matching into a regular table that no longer contains graph objects like vertices and edges but instead regular data values only.

### Syntax


***graph\_table\_columns\_clause::=***




***graph\_table\_column\_definition::=***



***all\_properties\_reference::=***



***element\_reference::=***



### Semantics

Syntactically, the `COLUMNS` clause starts with the keyword `COLUMNS` and is followed by an opening parenthesis, a comma-separated list of one or more `graph_table_column_definition` and a closing parenthesis.

A `graph_table_column_definition` defines either:

- A single output column via an arbitrary value expression. The value expression may contain references to vertices and edges in the graph pattern, for example to access property values of vertices and edges. An optional alias, `AS column_name` provides a name for the column. The alias can only be omitted if the value expression is a property reference, in which case the alias defaults to the property name.

- An *all\_properties\_reference* that expands to the set of all valid properties based on the element type (vertex or edge) and any label expression specified for the element. The set of properties is the union of properties of the vertex (or edge) labels belonging to tables that have at least one label that satisfies the label expression. In case some of these matching tables define a property while other tables do not, then NULL values will be returned for those tables that do not define the property.

An optional alias, AS *column\_name* provides a name for the column. The alias can only be omitted if the value expression is a property reference, in which case the alias defaults to the property name.

### Restrictions

Value expressions may not contain aggregations and cannot reference variables enclosed by a quantifier since group degree of reference is not allowed.

### Examples

#### Example 1

The following example returns the name of each person as well as the height in feet by multiplying the height in meters by 3.281:

```
SELECT *
FROM GRAPH_TABLE ( students_graph
  MATCH (n IS person|person_ht)
  COLUMNS (n.name, n.height * 3.281 AS height_in_feet)
)
ORDER BY name;
```

In the query above, the COLUMNS clause defines two columns. Note that n.name is short for n.name AS name.

The result is:

NAME	HEIGHT_IN_FEET
Alice	5.5777

#### Example 2

The following query matches all FRIENDS edges between two persons P1 and P2 and uses all properties references P1.\* and E.\* to retrieve all the properties of vertex P1 as well as all properties of edge E:

```
SELECT *
FROM GRAPH_TABLE ( students_graph
  MATCH (p1 IS person) -[e IS friends]-> (p2 IS person)
  COLUMNS ( p1.*, p2.name AS p2_name, e.* )
)
ORDER BY 1, 2, 3, 4, 5;
```

The result is:

PERSON_ID	NAME	DOB	HEIGHT	P2_NAME	FRIENDSHIP_ID	MEETING_D
1	John	13-JUN-63	1.8	Bob		1 01-SEP-00

```

2 Mary 25-SEP-82  1.65 Alice          2 19-SEP-00
2 Mary 25-SEP-82  1.65 John           3 19-SEP-00
3 Bob  11-MAR-66  1.75 Mary           4 10-JUL-01

```

Note that the result for P1.\* includes properties PERSON\_ID, NAME and DOB of label PERSON as well as property HEIGHT of label PERSON\_HT. Furthermore, the result for E.\* includes properties FRIENDSHIP\_ID and MEETING\_DATE of label FRIENDS.

### Example 3

The following query matches all vertices in the graph and retrieves all their properties:

```

SELECT *
FROM GRAPH_TABLE ( students_graph
  MATCH (v)
  COLUMNS ( v.* )
)
ORDER BY 1, 2, 3, 4, 5;

```

The result is:

PERSON_ID	NAME	DOB	HEIGHT	ID
1	John	13-JUN-63	1.8	
2	Mary	25-SEP-82	1.65	
3	Bob	11-MAR-66	1.75	
4	Alice	01-FEB-87	1.7	
	ABC			1
	XYZ			2

Note that since PERSON vertices do not have an ID property, NULL values (empty strings) are returned. Similarly, UNIVERSITY vertices do not have PERSON\_ID, DOB and HEIGHT properties so again NULL values (empty strings) are returned.

## Value Expressions for GRAPH\_TABLE

### Purpose

Value expressions in WHERE and COLUMNS clauses inside GRAPH\_TABLE inherit all the functionality supported in value expressions outside of GRAPH\_TABLE. Additionally, inside GRAPH\_TABLE, the following value expressions are available:

- [Property Reference](#)
- [Vertex and Edge ID Functions](#)
- [Vertex and Edge Equal Predicates](#)
- [SOURCE and Destination Predicates](#)
- [Aggregation in GRAPH\\_TABLE](#)

## Property Reference


### Purpose

Property references allow for accessing property values of vertices and edges.




## Syntax

***property\_reference***::=



***property\_name***::=



## Semantics

Syntactically, a property access is an element variable followed by a dot (.) and the name of the property. A property name is an identifier and may thus be either double quoted or unquoted.

The label expression specified for an element pattern determines which properties can be referenced:

- If no label expression is specified, then depending on the type of element variable, either all vertex properties or all edge properties in the graph can be referenced.
- Otherwise, if a label expression is specified, then the set of properties that can be referenced is the union of the properties of labels belonging to vertex (or edge) tables that have at least one label that satisfies the label expression.

If multiple labels satisfy the label expression but they define the same property but of a different data type, then such properties may only be referenced if the data types are union compatible. The resulting value will then have the union compatible data type.

If multiple labels satisfy the label expression while some labels have a particular property that other labels do not, then such properties can still be referenced. The property reference will result in null values for any vertex or edge that does not have the property.

## Examples

### Example 1

The following query lists the date of birth of all persons and universities in the graph:

```

SELECT GT.name, GT.birthday
FROM GRAPH_TABLE ( students_graph
  MATCH (p IS person|university)
  COLUMNS (p.name, p.dob AS birthday)
) GT
ORDER BY GT.birthday, GT.name;

```

Note that since only persons John, Bob, Mary, Alice have dates of birth while universities (ABC and XYZ) do not, null values are returned for universities. These appear as empty strings in the output:

NAME	BIRTHDAY
------	----------

```

-----
John      13-JUN-63
Bob       11-MAR-66
Mary      25-SEP-82
Alice     01-FEB-87
ABC
XYZ
  
```

### Example 2

The following query matches all `PERSON` vertices and returns their `NAME` and `HEIGHT`:

```

SELECT *
FROM GRAPH_TABLE ( students_graph
  MATCH (n IS person)
  COLUMNS ( n.name, n.height )
)
ORDER BY height;
  
```

The result is:

```

NAME      HEIGHT
-----
Mary      1.65
Alice     1.7
Bob       1.75
John      1.8
  
```

Here, even though label `PERSON` does not have property `HEIGHT`, the property can still be referenced because vertex table `PERSONS` has labels `PERSON` and `PERSON_HT` and since label `PERSON` matches the label expression, the set of properties that can be referenced is the union of the properties of labels `PERSON` and `PERSON_HT`, which includes the property `HEIGHT` of label `PERSON_HT`.


## Vertex and Edge ID Functions

### Purpose


Vertex and edge ID functions allow for obtaining unique identifiers for graph elements.

### Syntax


***element\_id\_function ::=***




***vertex\_id\_function ::=***



**edge\_id\_function::=**



**element\_reference::=**



**Semantics**

Syntactically, the VERTEX\_ID and EDGE\_ID functions take an element reference, which should be a vertex reference in case of VERTEX\_ID and an edge reference in case of EDGE\_ID. The two functions generate identifiers for graph elements that are globally unique within a database.

Content-wise, vertex and edge identifiers are JSON object that contains the following information:

- Owner of the graph that the vertex or edge is part of.
- Name of the graph that the vertex or edge is part of.
- Element table that the vertex or edge is defined in.
- Key value of the vertex or edge.

**Examples**

**Example 1**

The following query lists the vertex identifiers of friends of Mary:

```

SELECT CAST(p2_id AS VARCHAR2(200)) AS p2_id
FROM GRAPH_TABLE ( students_graph
  MATCH (p1 IS person) -[e1 IS friends]- (p2 IS person)
  WHERE p1.name = 'Mary'
  COLUMNS (vertex_id(p2) AS p2_id)
)
ORDER BY p2_id;
  
```

The result is:

```

P2_ID
-----
{"GRAPH_OWNER":"SCOTT","GRAPH_NAME":"STUDENTS_GRAPH","ELEM_TABLE":"PERSONS","KEY_VALUE":
{"PERSON_ID":1}}
{"GRAPH_OWNER":"SCOTT","GRAPH_NAME":"STUDENTS_GRAPH","ELEM_TABLE":"PERSONS","KEY_VALUE":
{"PERSON_ID":3}}
{"GRAPH_OWNER":"SCOTT","GRAPH_NAME":"STUDENTS_GRAPH","ELEM_TABLE":"PERSONS","KEY_VALUE":
{"PERSON_ID":4}}
  
```

**Example 2**

The following query uses JSON dot-notation syntax to obtain a set of JSON objects representing the vertex keys of vertices corresponding to friends of Mary:

```
SELECT GT.p2_id.KEY_VALUE
FROM GRAPH_TABLE ( students_graph
  MATCH (p1 IS person) -[e1 IS friends]- (p2 IS person)
  WHERE p1.name = 'Mary'
  COLUMNS (vertex_id(p2) AS p2_id)
) GT
ORDER BY key_value;
```

The result is:

```
KEY_VALUE
-----
{"PERSON_ID":1}
{"PERSON_ID":3}
{"PERSON_ID":4}
```

### Example 3

The following query uses the `JSON_VALUE` function to obtain all the element table names of edges in the graph:

```
SELECT DISTINCT json_value(e_id, '$.ELEM_TABLE') AS elem_table
FROM GRAPH_TABLE ( students_graph
  MATCH -[e]-
  COLUMNS (edge_id(e) AS e_id)
)
ORDER BY elem_table;
```

The result is:

```
ELEM_TABLE
-----
FRIENDS
STUDENT_OF
```


## Vertex and Edge Equal Predicates

### Purpose


The vertex and edge equal predicates allow for specifying that two vertex variables (or two edge variables) should or should not bind to the same vertex (or edge).

### Syntax


*element\_equal\_predicate*::=



***vertex\_equal\_predicate ::=***



***edge\_equal\_predicate ::=***



## Examples

### Example 1

The following query finds friends of friends of Mary. Here, the *vertex\_equal predicate* is used to make sure Mary herself is not included in the result.

```
SELECT name
FROM GRAPH_TABLE ( students_graph
  MATCH (p IS person)
    -[IS friends]- (friend IS person)
    -[IS friends]- (friend_of_friend IS person)
  WHERE p.name = 'Mary' AND NOT vertex_equal(p, friend_of_friend)
  COLUMNS (friend_of_friend.name)
)
ORDER BY name;
```

The result is:

```
NAME
-----
Bob
John
```


## SOURCE and Destination Predicates


### Purpose

The *SOURCE* and *DESTINATION* predicates allow for testing if a vertex is the source or the destination of an edge. They are useful, for example, for determining the direction of edges that are matched via any-directed edge patterns.

### Syntax

***source\_predicate ::=***



**destination\_predicate::=****Semantics**

The `SOURCE` predicate takes a vertex and an edge as input and returns `TRUE` or `FALSE` depending on whether the vertex is (not) the source of the edge.

The `DESTINATION` predicate also takes a vertex and an edge as input and returns `TRUE` or `FALSE` depending on whether the vertex is (not) the destination of the edge.

**Examples****Example 1**

The following query matches `FRIENDS` edges that are either incoming or outgoing from Mary. For each edge, it return the `NAME` property for the source of the edge as well as the `NAME` property of the destination of the edge.

```

SELECT *
FROM GRAPH_TABLE ( students_graph
  MATCH (p1 IS person) -[e IS friends]- (p2 IS person)
  WHERE p1.name = 'Mary'
  COLUMNS (e.friendship_id,
            e.meeting_date,
            CASE WHEN p1 IS SOURCE OF e THEN p1.name ELSE p2.name END AS
from_person,
            CASE WHEN p1 IS DESTINATION OF e THEN p1.name ELSE p2.name END
AS to_person))
ORDER BY friendship_id;

```

FRIENDSHIP_ID	MEETING_DATE	FROM_PERSON	TO_PERSON
2	19-SEP-00	Mary	Alice
3	19-SEP-00	Mary	John
4	10-JUL-01	Bob	Mary

**Example 2**

The following query find friends of friends of John such that the two `FRIENDS` edges are either both incoming or outgoing.

```

SELECT *
FROM GRAPH_TABLE ( students_graph
  MATCH (p1 IS person) -[e1 IS friends]- (p2 IS person)
  -[e2 IS friends]- (p3 IS person)
  WHERE p1.name = 'John'
  AND ((p1 IS SOURCE OF e1 AND p2 IS SOURCE OF e2) OR
  (p1 IS DESTINATION OF e1 AND p2 IS DESTINATION OF e2))
  COLUMNS (p1.name AS person_1,
            CASE WHEN p1 IS SOURCE OF e1
            THEN 'Outgoing' ELSE 'Incoming'
            END AS e1_direction,

```

```

        p2.name AS person_2,
        CASE WHEN p2 IS SOURCE OF e2
             THEN 'Outgoing' ELSE 'Incoming'
        END AS e2_direction,
        p3.name AS person_3))
ORDER BY 1, 2, 3;

```

PERSON_1	E1_DIRECTION	PERSON_2	E2_DIRECTION	PERSON_3
John	Incoming	Mary	Incoming	Bob
John	Outgoing	Bob	Outgoing	Mary

Notice how the path from John via Mary to Alice is not part of the result since it has an incoming edge followed by an outgoing edge and thus not two edges in the same direction.

## Aggregation in GRAPH\_TABLE

### Purpose

Aggregations in GRAPH\_TABLE are used to compute one or more values for a set of vertices or edges in a variable-length path. This is done using the same Aggregate Functions that are also available for non-graph queries.

### Syntax

All the aggregate functions that are available for non-graph queries are also available for graph queries. See Aggregate Functions for the syntax of these functions.

Aggregate functions can be used in WHERE and COLUMNS clauses in GRAPH\_TABLE, with the restriction that WHERE clauses within quantified patterns may not contain aggregate functions.

Syntactically, the value expressions in the aggregations must contain references to vertices and edges in the graph pattern, rather than to columns of tables like in case of regular (non-graph) SQL queries.

### Semantics

See [Aggregate Functions](#) for the semantics of aggregate functions.

The arguments of the aggregate function must reference exactly one vertex or edge variable via property references and/or vertex and edge ID functions. Furthermore, the degree of reference must be group, meaning that the vertex or edge that is referenced must be in a quantified path pattern and the aggregation must be specified outside of a quantified path pattern. Also see Element Variable for more details on the contextual interpretation of graph element references.

The order in which values are aggregated in case of LISTAGG, JSON\_ARRAYAGG and XMLAGG is non-deterministic unless an ORDER BY clause is specified. For example:

```
LISTAGG(edge1.property1 ORDER BY edge1.property1)).
```

There is currently no way to explicitly order by path order in such a way that elements are ordered in the same order as the vertices or edges in the path. However, when omitting the ORDER BY clause, the current implementation nevertheless implicitly orders by path order, but it should not be relied upon as this behavior may change over time.

### Restrictions

- Only WHERE clauses that are not within a quantified pattern may contain aggregations. For example, the graph pattern WHERE clause as well as non-quantified element pattern WHERE

clauses may contain aggregations, while parenthesized path pattern `WHERE` clauses may not contain aggregations since parenthesized path patterns currently have a restriction that they must always be quantified.

- The arguments of an aggregate function in `GRAPH_TABLE` must reference exactly one vertex or edge variable. They may reference that variable multiple times.
- References to the vertex or edge variable must be placed in a property reference or a vertex or edge ID function. For example, `COUNT(edge1)` is not allowed but `COUNT(edge_id(edge1))` and `COUNT(edge1.some_property)` are.
- The referenced vertex or edge must have group degree of reference. For example, `MATCH -[e1]-> WHERE SUM(e1.prop) > 10` is not allowed since variable `e1` has singleton degree of reference within the `SUM` aggregate, while `MATCH -[e2]->{1,10} WHERE SUM(e2.prop) > 10` and `MATCH -[e3]->{1,1} WHERE SUM(e3.prop) > 10` are allowed since variables `e2` and `e3` have group degree of reference within the `SUM` aggregates.
- The arguments of an aggregate function in `GRAPH_TABLE` cannot reference anything other than a vertex or edge declared within the graph pattern of the `GRAPH_TABLE`. For example, it is not possible to reference a column that is passed from an outer query.
- In case of `LISTAGG`, `JSON_ARRAYAGG` and `XMLAGG` there is no way to specify that the order of elements in the result should be in the order of the vertices or edges in the path, although the current implement nevertheless implicitly orders by path order.

## Examples

### Example 1

The following query finds all paths that have a length between 2 and 5 edges (`{2,5}`), starting from a person named Alice and following both incoming and outgoing edges labeled friends. Edges along paths should not be traversed twice (`COUNT(edge_id(e)) = COUNT(DISTINCT edge_id(e))`). The query returns all friendship IDs along paths as well as the length of each path.

```
SELECT *
FROM GRAPH_TABLE ( students_graph
  MATCH (p IS person) -[e IS friends]-{2,5} (friend IS person)
  WHERE p.name = 'Alice' AND
        COUNT(edge_id(e)) = COUNT(DISTINCT edge_id(e))
  COLUMNS (LISTAGG(e.friendship_id, ', ') AS friendship_ids,
            COUNT(edge_id(e)) AS path_length))
ORDER BY path_length, friendship_ids;
```

Note that in the element pattern `WHERE` clause of the query above, `p.name` references a property of a single edge, while `edge_id(e)` within the `COUNT` aggregates accesses a list of element IDs since the edge variable `e` is enclosed by the quantifier `{2,5}`. Similarly, the two property references in the `COLUMNS` clause access a list of property values and edge ID values.

The result is:

FRIENDSHIP_IDS	PATH_LENGTH
2, 3	2
2, 4	2



```

2, 3, 1          3
2, 4, 1          3
2, 3, 1, 4      4
2, 4, 1, 3      4

```

### Example 2

The following query finds all paths between university ABC and university XYZ such that paths have a length of up to 3 edges ( $\{, 3\}$ ). For each path, a JSON array is returned such that the array contains the `friendship_id` value for edges labeled `friends`, and the subject value for edges labeled `student_of`. Note that the `friendship_id` property is cast to `VARCHAR(100)` to make it type-compatible with the subject property.

```

SELECT *
FROM GRAPH_TABLE ( students_graph
  MATCH (u1 IS university) -[e]-{,3} (u2 IS university)
  WHERE u1.name = 'ABC' AND u2.name = 'XYZ'
  COLUMNS (JSON_ARRAYAGG(CASE WHEN e.subject IS NOT NULL THEN e.subject
    ELSE CAST(e.friendship_id AS VARCHAR(100)) END) AS path))
ORDER BY path;
The result is:
PATH
-----
["Arts","3","Math"]
["Music","4","Math"]

```

### Example 3

Example 3 The following query finds all paths that have a length between 2 and 3 edges ( $\{2, 3\}$ ), starting from a person named John and following only outgoing edges labeled `friends` and vertices labeled `person`. Vertices along paths should not have the same `person_id` as John (`WHERE p.person_id <> friend.person_id`).

```

SELECT *
FROM GRAPH_TABLE ( students_graph
  MATCH (p IS person) ( -[e IS friends]-> (friend IS person)
    WHERE p.person_id <> friend.person_id){2,3}
  WHERE p.name = 'John'
  COLUMNS (COUNT(edge_id(e)) AS path_length,
    LISTAGG(friend.name, ', ') AS names,
    LISTAGG(e.meeting_date, ', ') AS meeting_dates ))
ORDER BY path_length;

```

Above, the `COLUMNS` clause contains three aggregates, the first to compute the length of each path, the second to create a comma-separated list of person names along paths, and the third to create a comma-separated list of meeting dates along paths.

The result of the query is:

```

PATH_LENGTH NAMES
MEETING_DATES
-----
-----
          2 Bob, Mary          01-SEP-00, 10-
JUL-01
          3 Bob, Mary, Alice   01-SEP-00, 10-JUL-01, 19-SEP-00

```

# 5

## Expressions

This chapter describes how to combine values, operators, and functions into **expressions**.

This chapter includes these sections:

- [About SQL Expressions](#)
- [Simple Expressions](#)
- [Analytic View Expressions](#)
- [Compound Expressions](#)
- [CASE Expressions](#)
- [Column Expressions](#)
- [CURSOR Expressions](#)
- [Datetime Expressions](#)
- [Function Expressions](#)
- [Interval Expressions](#)
- [JSON Object Access Expressions](#)
- [Model Expressions](#)
- [Object Access Expressions](#)
- [Placeholder Expressions](#)
- [Scalar Subquery Expressions](#)
- [Type Constructor Expressions](#)
- [Expression Lists](#)

### About SQL Expressions

An **expression** is a combination of one or more values, operators, and SQL functions that evaluates to a value. An expression generally assumes the data type of its components.

This simple expression evaluates to 4 and has data type `NUMBER` (the same data type as its components):

```
2*2
```

The following expression is an example of a more complex expression that uses both functions and operators. The expression adds seven days to the current date, removes the time component from the sum, and converts the result to `CHAR` data type:

```
TO_CHAR (TRUNC (SYSDATE+7) )
```

You can use expressions in:

- The select list of the `SELECT` statement

- A condition of the `WHERE` clause and `HAVING` clause
- The `CONNECT BY`, `START WITH`, and `ORDER BY` clauses
- The `VALUES` clause of the `INSERT` statement
- The `SET` clause of the `UPDATE` statement

For example, you could use an expression in place of the quoted string 'Smith' in this `UPDATE` statement `SET` clause:


```
SET last_name = 'Smith';
```

This `SET` clause has the expression `INITCAP(last_name)` instead of the quoted string 'Smith':

```
SET last_name = INITCAP(last_name);
```

Expressions have several forms, as shown in the following syntax:

***expr*::=**



***simple\_expression*::=,.....,*boolean\_expression*::=**


Oracle Database does not accept all forms of expressions in all parts of all SQL statements. Refer to the section devoted to a particular SQL statement in this book for information on restrictions on the expressions in that statement.

You must use appropriate expression notation whenever *expr* appears in conditions, SQL functions, or SQL statements in other parts of this reference. The sections that follow describe and provide examples of the various forms of expressions.

## Simple Expressions

A simple expression specifies a column, pseudocolumn, constant, sequence number, or null.

***simple\_expression*::=**



In addition to the schema of a user, *schema* can also be "PUBLIC" (double quotation marks required), in which case it must qualify a public synonym for a table, view, or materialized view. Qualifying a public synonym with "PUBLIC" is supported only in data manipulation language (DML) statements, not data definition language (DDL) statements.

You can specify `ROWID` only with a table, not with a view or materialized view. `NCHAR` and `NVARCHAR2` are not valid pseudocolumn data types.



### See Also:

[Pseudocolumns](#) for more information on pseudocolumns and  
[subquery\\_factoring\\_clause](#) for information on *query\_name*

Some valid simple expressions are:

```

employees.last_name
'this is a text string'
10
N'this is an NCHAR string'
  
```

## Analytic View Expressions

You can use analytic view expressions to create calculated measures within the definition of an analytic view or in a query that selects from an analytic view.

Analytic view expressions differ from other types of expressions in that they reference elements of hierarchies and analytic views rather than tables and columns.

An analytic view expression is one of the following:

- An *av\_meas\_expression*, which is based on a measure in an analytic view
- An *av\_hier\_expression*, which returns an attribute value of the related member


You use an analytic view expression as the *calc\_meas\_expression* parameter in a *calc\_measure\_clause* in a `CREATE ANALYTIC VIEW` statement and in the `WITH` or `FROM` clauses of a `SELECT` statement.

In defining a calculated measure, you may also use the following types of expression:


- Simple
- Case
- Compound
- Datetime
- Interval

### Syntax


***av\_expression*::=**




***av\_meas\_expression*::=**




***lead\_lag\_expression*::=**




**lead\_lag\_function\_name::=**




**lead\_lag\_clause::=**




**hierarchy\_ref::=**




**av\_window\_expression::=**




**av\_window\_clause::=**




***preceding\_boundary ::=***




***following\_boundary ::=***





***rank\_expression ::=***




***rank\_function\_name ::=***




***rank\_clause ::=***




***calc\_meas\_order\_by\_clause ::=***




**share\_of\_expression::=**




**share\_clause::=**




**member\_expression::=**




**level\_member\_literal::=**



**pos\_member\_keys::=**




**named\_member\_keys::=**







***hier\_navigation\_expression::=***




***hier\_ancestor\_expression::=***




***hier\_parent\_expression::=***




***hier\_lead\_lag\_expression::=***




***hier\_lead\_lag\_clause::=***




***hier\_first\_expression::=***




***hier\_last\_expression::=***




***hier\_member\_at\_expression::=***




***qdr\_expression::=***




***qualifier::=***




***av\_hier\_expression::=***




***hier\_function\_name::=***




**member\_set::=**




**member\_to\_set\_func::=**




**hier\_ancestors::=**




**hier\_descendants::=**




**hier\_siblings::=**




**self\_clause ::=**




***hier\_children::=***




***hier\_level\_members::=***




***set\_to\_set\_func::=***




***hier\_union::=***




***hier\_union\_all::=***



***hier\_intersect::=***




***hier\_minus::=***




***hier\_distinct::=***




***hier\_range::=***




***hier\_window::=***




***hier\_expand::=***




***hier\_member\_set::=***




***hier\_cond ::=***



***hier\_position ::=***



***hier\_count ::=***



**Semantics**

***av\_meas\_expression***

An expression that performs hierarchical navigation to locate related measure values.

***lead\_lag\_expression***

An expression that specifies a lead or lag operation that locates a related measure value by navigating forward or backward by some number of members within a hierarchy.

The *calc\_meas\_expression* parameter is evaluated in the new context created by the *lead\_lag\_expression*. This context has the same members as the outer context, except that the member of the specified hierarchy is changed to the related member specified by the lead or lag operation. The lead or lag function is run over the hierarchy members specified by the *lead\_lag\_clause* parameter.

***lead\_lag\_function\_name***

The lead or lag function may be one of the following:

- LAG returns the measure value of an earlier member.
- LAG\_DIFF returns the difference between the measure value of the current member and the measure value of an earlier member.
- LAG\_DIFF\_PERCENT returns the percent difference between the measure value of the current member and the measure value of an earlier member.
- LEAD returns the measure value of a later member.
- LEAD\_DIFF returns the difference between the measure value of the current member and the measure value of a later member.
- LEAD\_DIFF\_PERCENT returns the percent difference between the measure value of the current member and the measure value of a later member.

***lead\_lag\_clause***

Specifies the hierarchy to evaluate and an offset value. The parameters of the *lead\_lag\_clause* are the following:

- HIERARCHY *hierarchy\_ref* specifies the alias of a hierarchy as defined in the analytic view.
- OFFSET *offset\_expr* specifies a *calc\_meas\_expression* that resolves to a number. The number specifies how many members to move either forward or backward from the current member. The ordering of members within a level is determined by the definition of the attribute dimension used by the hierarchy.
- WITHIN LEVEL specifies locating the related member by moving forward or backward by the offset number of members within the members that have the same level depth as the current member. The ordering of members within the level is determined by the definition of the attribute dimension used by the hierarchy.  

The WITHIN LEVEL operation is the default if neither the WITHIN LEVEL nor the ACROSS ANCESTOR AT LEVEL keywords are specified.
- WITHIN PARENT specifies locating the related member by moving forward or backward by the offset number of members within the members that have the same parent as the current member.
- ACROSS ANCESTOR AT LEVEL *level\_ref* specifies locating the related member by navigating up to the ancestor (or to the member itself if no ancestor exists) of the current member at the level specified by *level\_ref*, and noting the position of

each ancestor member (including the member itself) within its parent. The *level\_ref* parameter is the name of a level in the specified hierarchy.

Once the ancestor member is found, navigation moves either forward or backward the offset number of members within the members that have the same depth as the ancestor member. After locating the related ancestor, navigation proceeds back down the hierarchy from this member, matching the position within the parent as recorded on the way up (in reverse order). The position within the parent is either an offset from the first child or the last child depending on whether `POSITION FROM BEGINNING` or `POSITION FROM END` is specified. The default value is `POSITION FROM BEGINNING`. The ordering of members within the level is determined by the definition of the attribute dimension used by the hierarchy.

### ***av\_window\_expression***

An *av\_window\_expression* selects the set of members that are in the specified range starting from the current member and that are at the same depth as the current member. You can further restrict the selection of members by specifying a hierarchical relationship using a `WITHIN` phrase. Aggregation is then performed over the selected measure values to produce a single result for the expression.

The parameters for an *av\_window\_expression* are the following:

- *aggregate\_function* is any existing SQL aggregate function except `COLLECT`, `GROUP_ID`, `GROUPING`, `GROUPING_ID`, `SYS_XMLAGG`, `XMLAGG`, and any multi-argument function. A user defined aggregate function is also allowed. The arguments to the aggregate function are *calc\_meas\_expression* expressions. These expressions are evaluated using the outer context, with the member of the specified hierarchy changed to each member in the related range. Therefore, each expression argument is evaluated once per related member. The results are then aggregated using the *aggregate\_function*.
- `OVER (av_window_clause)` specifies the hierarchy to use and the boundaries of the window to consider.



#### **See Also:**

[Aggregate Functions](#)

### ***av\_window\_clause***

The *av\_window\_clause* parameter selects a range of members related to the current member. The range is between the members specified by the *preceding\_boundary* or *following\_boundary* parameters. The range is always computed over members at the same level as the current member.

Use `IN member_set` to specify an arbitrary member set to be used as the window for the window expression.

The parameters for a *av\_window\_clause* are the following:

- `HIERARCHY hierarchy_ref` specifies the alias of the hierarchy as defined in the analytic view.
- `BETWEEN preceding_boundary` or `following_boundary` defines the set of members to relate to the current member.



- `WITHIN LEVEL` selects the related members by applying the boundary clause to all members of the current level. This is the default when the `WITHIN` keyword is not specified.
- `WITHIN PARENT` selects the related members by applying the boundary clause to all members that share a parent with the current member.
- `WITHIN ANCESTOR AT LEVEL` selects the related members by applying the boundary clause to all members at the current depth that share an ancestor (or is the member itself) at the specified level with the current member. The value of the window expression is `NULL` if the current member is above the specified level. If the level is not in the specified hierarchy, then an error occurs.

### ***preceding\_boundary***

The *preceding\_boundary* parameter defines a range of members from the specified number of members backward in the level from the current member and forward to the specified end of the boundary. The following parameters specify the range:

- `UNBOUNDED PRECEDING` begins the range at the first member in the level.
- `offset_expr PRECEDING` begins the range at the `offset_expr` number of members backward from the current member. The `offset_expr` expression is a `calc_meas_expression` that resolves to a number. If the offset number is greater than the number of members from the current member to the first member in the level, then the first member is used as the start of the range.
- `CURRENT MEMBER` ends the range at the current member.
- `offset_expr PRECEDING` ends the range at the member that is `offset_expr` backward from the current member.
- `offset_expr FOLLOWING` ends the range at the member that is `offset_expr` forward from the current member.
- `UNBOUNDED FOLLOWING` ends the range at the last member in the level.

### ***following\_boundary***

The *following\_boundary* parameter defines a range of members from the specified number of members from the current member forward to the specified end of the range. The following parameters specify the range:

- `CURRENT MEMBER` begins the range at the current member.
- `offset_expr FOLLOWING` begins the range at the member that is `offset_expr` forward from the current member.
- `offset_expr FOLLOWING` ends the range at the member that is `offset_expr` forward from the current member.
- `UNBOUNDED FOLLOWING` ends the range at the last member in the level.

### ***hierarchy\_ref***

A reference to a hierarchy of an analytic view. The *hier\_alias* parameter specifies the alias of a hierarchy in the definition of the analytic view. You may use double quotes to escape special characters or preserve case, or both.

The optional *attr\_dim\_alias* parameter specifies the alias of an attribute dimension in the definition of the analytic view. You may use the *attr\_dim\_alias* parameter to

resolve the ambiguity if the specified hierarchy alias conflicts with another hierarchy alias in the analytic view or if an attribute dimension is used more than once in the analytic view definition. You may use the *attr\_dim\_alias* parameter even when a name conflict does not exist.

### ***rank\_expression***

Hierarchical rank calculations rank the related members of the specified hierarchy based on the order of the specified measure values and return the rank of the current member within those results.

Hierarchical rank calculations locate a set of related members in the specified hierarchy, rank all the related members based on the order of the specified measure values, and then return the rank of the current member within those results. The related members are a set of members at the same level as the current member. You may optionally restrict the set by some hierarchical relationship, but the set always includes the current member. The ordering of the measure values is determined by the *calc\_meas\_order\_by\_clause* of the *rank\_clause*.

### ***rank\_function\_name***

Each hierarchical ranking function assigns an order number to each related member based on the *calc\_meas\_order\_by\_clause*, starting at 1. The functions differ in the way they treat measure values that are the same.

The functions and the differences between them are the following:

- **RANK**, which assigns the same rank to identical measure values. The rank after a set of tied values is the number of tied values plus the tied order value; therefore, the ordering may not be consecutive numbers.
- **DENSE\_RANK**, which assigns the same minimum rank to identical measure values. The rank after a set of tied values is always one more than the tied value; therefore, the ordering always has consecutive numbers.
- **AVERAGE\_RANK**, assigns the same average rank to identical values. The next value after the average rank value is the number of identical values plus 1, that sum divided by 2, plus the average rank value. For example, for the series of five values 4, 5, 10, 5, 7, **AVERAGE\_RANK** returns 1, 1.5, 1.5, 3, 4. For the series 2, 12, 10, 12, 17, 12, the returned ranks are 1, 2, 3, 3, 3, 5.
- **ROW\_NUMBER**, which assigns values that are unique and consecutive across the hierarchy members. If the *calc\_meas\_order\_by\_clause* results in equal values then the results are non-deterministic.

### ***rank\_clause***

The *rank\_clause* locates a range of hierarchy members related to the current member. The range is some subset of the members in the same level as the current member. The subset is determined from the **WITHIN** clause.

Valid values for the **WITHIN** clause are:

- **WITHIN LEVEL**, which specifies that the related members are all the members of the current level. This is the default subset if the **WITHIN** keyword is not specified.
- **WITHIN PARENT**, which specifies that the related members all share a parent with the current member

- `WITHIN ANCESTOR AT LEVEL`, which specifies that the related members are all of the members of the current level that share an ancestor (or self) at the specified level with the current member.

### ***share\_of\_expression***

A *share\_of\_expression* expression calculates the ratio of an expression's value for the current context over the expression's value at a related context. The expression is a *calc\_meas\_expression* that is evaluated at the current context and the related context. The *share\_clause* specification determines the related context to use.

### ***share\_clause***

A *share\_clause* modifies the outer context by setting the member for the specified hierarchy to a related member.

The parameters of the share clause are the following:

- `HIERARCHY hierarchy_ref` specifies the name of the hierarchy that is the outer context for the *share\_of\_expression* calculations.
- `PARENT` specifies that the related member is the parent of the current member.
- `LEVEL level_ref` specifies that the related member is the ancestor (or is the member itself) of the current member at the specified level in the hierarchy. If the current member is above the specified level, then `NULL` is returned for the share expression. If the level is not in the hierarchy, then an error occurs.
- `MEMBER member_expression` specifies that the related member is the member returned after evaluating the *member\_expression* in the current context. If the value of the specified member is `NULL`, then `NULL` is returned for the share expression.

### ***member\_expression***

A *member\_expression* a member expression is an expression that returns a single member in a hierarchy. A member set contains multiple members (possibly including duplicates), and may be empty. A multiple member expression is an expression that returns a member set.

The hierarchy can be determined from the outer expression (enforced by the syntax).

A *member\_expression* can be one of the following:

- *level\_member\_literal* expression specifies a particular member contained within a particular level. The member is identified by specifying a key value.
- *hier\_navigation\_expr* is an expression that relates one member of the hierarchy to another member.
- `CURRENT MEMBER` indicates that the function should operate on the current member of the hierarchy, typically the starting point of a function, used in the innermost function when nesting. For example, `HIER_PARENT(HIER_PARENT(CURRENT MEMBER))` returns the grandparent of the current member.

When used within a hierarchical window expression, for example, the current member is the one in which the window is currently operating. The current member can also be provided by some member set functions as well as in `QUALIFY`.

- The `NULL` keyword is simply a placeholder for a member that is not in the hierarchy, called an empty member. This can be specified explicitly, but can also be the result of a function. For example, `HIER_PARENT` on the `ALL` member of a hierarchy will result in the empty member. The empty member should not be confused with `NULL` members that are true hierarchy members of `SKIP WHEN NULL` levels.
- The `ALL` keyword specifies the `ALL` member, the ultimate ancestor of every other member in the hierarchy. Every hierarchy has an implicit `ALL` member contained within an implicit `ALL` level.

### ***level\_member\_literal***

A level member expression specifies a particular member contained within a particular level. The member is identified by specifying a key value. If the attribute name is not specified, it is assumed to be the primary key attribute. Typically, just a single attribute needs qualification.

In the case of a level with either a multi-column key or a `SKIP WHEN NULL` level, multiple attributes need to be qualified in order to uniquely identify a member. If the key attribute is specified, ordering is not important. If not specified, the ordering is assumed to be the ordering as defined in the `xxx_HIER_LEVEL_ID_ATTRS` data dictionary view.

### ***pos\_member\_keys***

The *member\_key\_expr* expression resolves to the key value for the member. When specified by position, all components of the key must be given in the order found in the `ALL_HIER_LEVEL_ID_ATTRS` dictionary view. For a hierarchy in which the specified level is not determined by the child level, then all member key values of all such child levels must be provided preceding the current level's member key or keys. Duplicate key components are only specified the first time they appear.

The primary key is used when *level\_member\_literal* is specified using the *pos\_member\_keys* phrase. You can reference an alternate key by using the *named\_member\_keys* phrase.

### ***named\_member\_keys***

The *member\_key\_expr* expression resolves to the key value for the member. The *attr\_name* parameter is an identifier for the name of the attribute. If all of the attribute names do not make up a key or alternate key of the specified level, then an error occurs.

When specified by name, all components of the key must be given and all must use the *attribute\_name = value* form, in any order. For a hierarchy in which the specified level is not determined by the child level, then all member key values of all such child levels must be provided, also using the named form. Duplicate key components are only specified once.

### ***hier\_navigation\_expression***

A *hier\_navigation\_expression* expression navigates from the specified member to a different member in the hierarchy.

### ***hier\_ancestor\_expression***

Returns the ancestor of the specified member at the given level. The level can either be specified by name or depth. If the member has no ancestor at the specified level, the empty member is returned.

The depth is specified as an expression that must resolve to a number. If the member is at a level or depth above the specified member, or the member is `NULL`, then `NULL` is returned for

the expression value. If the specified level is not in the context hierarchy, then an error occurs.

#### ***hier\_parent\_expression***

Returns the parent of the specified member, or the empty member if it has no parent (i.e. is the ALL member).

#### ***hier\_first\_expression***

Returns the first element in the specified member set. If the member set is empty, the empty member is returned.

#### ***hier\_last\_expression***

Returns the last element in the specified member set. If the member set is empty, the empty member is returned.

#### ***hier\_member\_at\_expression***

Returns the member in the specified member set at the position identified by the given expression representing the position, where positions are 1-based. If the specified position is greater than the number of elements in the member set, the empty member is returned. The expression must be coercible to a numeric type, and will be rounded to the nearest integer. If the expression resolves to an integer less than 1, the empty member is returned.

#### ***hier\_lead\_lag\_expression***

Navigates from the specified member to a related member by moving forward or backward some number of members within the context hierarchy. The HIER\_LEAD keyword returns a later member. The HIER\_LAG keyword returns an earlier member.

#### ***hier\_lead\_lag\_clause***

Navigates the *offset\_expr* number of members forward or backward from the specified member. The ordering of members within a level is specified in the definition of the attribute dimension.

The optional parameters of *hier\_lead\_lag\_clause* are the following:

- **WITHIN LEVEL** locates the related member by moving forward or backward *offset\_expr* members within the members that have the same depth as the current member. The ordering of members within the level is determined by the definition of the attribute dimension. The **WITHIN LEVEL** operation is the default if neither the **WITHIN** nor the **ACROSS** keywords are used.
- **WITHIN PARENT** locates the related member by moving forward or backward *offset\_expr* members within the members that have the same depth as the current member, but only considers members that share a parent with the current member. The ordering of members within the level is determined by the definition of the attribute dimension.
- **WITHIN ACROSS ANCESTOR AT LEVEL** locates the related member by navigating up to the ancestor of the current member (or to the member itself) at the specified level, noting the position of each ancestor member (including the member itself) within its parent. Once the ancestor member is found, navigation moves forward or

backward *offset\_expr* members within the members that have the same depth as the ancestor member.

After locating the related ancestor, navigation moves back down the hierarchy from that member, matching the position within the parent as recorded on the way up (in reverse order). The position within the parent is either an offset from the first child or the last child depending on whether `POSITION FROM BEGINNING` or `POSITION FROM END` is specified, defaulting to `POSITION FROM BEGINNING`. The ordering of members within the level is determined by the definition of the attribute dimension.

### ***qdr\_expression***

A *qdr\_expression* is a qualified data reference that evaluates the specified *calc\_meas\_expression* in a new context and sets the hierarchy member to the new value.

### ***qualifier***

A qualifier modifies the outer context by setting the member for the specified hierarchy to the member resulting from evaluating *member\_expression*. If *member\_expression* is `NULL`, then the result of the *qdr\_expression* selection is `NULL`.

### ***av\_hier\_expression***

An *av\_hier\_expression* performs hierarchy navigation to locate an attribute value of the related member. An *av\_hier\_expression* may be a top-level expression, whereas a *hier\_navigation\_expression* may only be used as a *member\_expression* argument.

For example, in the following query `HIER_MEMBER_NAME` is an *av\_hier\_expression* and `HIER_PARENT` is a *hier\_navigation\_expression*.

```
HIER_MEMBER_NAME (HIER_PARENT (CURRENT MEMBER) WITHIN HIERARCHY product_hier)
```

### ***hier\_function\_name***

The *hier\_function\_name* values are the following:

- `HIER_CAPTION`, which returns the caption of the related member in the hierarchy.
- `HIER_DEPTH`, which returns one less than the number of ancestors between the related member and the `ALL` member in the hierarchy. The depth of the `ALL` member is 0.
- `HIER_DESCRIPTION`, which returns the description of the related member in the hierarchy.
- `HIER_LEVEL`, which returns as a string value the name of the level to which the related member belongs in the hierarchy.
- `HIER_MEMBER_NAME`, which returns the member name of the related member in the hierarchy.
- `HIER_MEMBER_UNIQUE_NAME`, which returns the member unique name of the related member in the hierarchy.

### ***member\_set***

The primary purpose of member sets is to allow them to be used within hierarchical functions. A member set is the result of either a member to set function or a set to set function.

***member\_to\_set\_func***

All member to set functions take a member expression as input and produce a member set in hierarchy order. The variants that have a `self_clause` can specify whether or not the member specified in the given member expression itself should be included in the resulting member set, with the default being that it is excluded. If the given member is the empty member, all functions return an empty set even when `INCLUDE SELF` is specified.

***hier\_ancestors***

Returns a member set consisting of all ancestors of the specified member, optionally including the member itself. If the member has no ancestors (i.e. is the `ALL` member) and `self` is excluded, an empty set is returned.

***hier\_descendants***

Returns a member set consisting of all descendants of the specified member, optionally including the member itself. If the `AT` clause is specified, the set of descendants are filtered to only include members at the specified level or depth. If the member has no descendants (i.e. is a leaf) optionally filtered to the given level and `self` is excluded, an empty set is returned.

***hier\_siblings***

Returns a member set consisting of all siblings of the specified member, optionally including the member itself. A sibling is defined as any member whose parent is equal to the parent of the given member. If the member has no siblings and `self` is excluded, an empty set is returned.

***hier\_children***

Returns a member set consisting of all children of the specified member. If the member has no children, an empty set is returned.

***hier\_level\_members***

Returns a member set consisting of members at the same level as the given member that have a common ancestor as defined by the `WITHIN` clause. This function always includes `self`. `WITHIN PARENT` returns all members that are children of the given member's parent. `WITHIN ANCESTOR AT` returns all members at the same level as the given member that have the same ancestor at the specified level. `WITHIN LEVEL` returns all members at the same level as the given member. If the `WITHIN` clause is omitted, the default is `WITHIN LEVEL`.

***hier\_member\_set***

Returns a member set consisting of explicitly specified members, in the order specified. This function is in its own category as it is not really performing a navigation, but simply building a set from some number of given members. Duplicate members are allowed. Any empty members in the given set are ignored, as a member set will never include the empty member.

***set\_to\_set\_func***

The functions in this section all operate on a member set. They perform standard set operations and further hierarchical navigation.

***hier\_union***

Returns the distinct union of members among the two given sets by taking all distinct members of the first set followed by all members in the second set that are not in the first set.

***hier\_union\_all***

Returns all members in the first set followed by all members in the second set, retaining duplicates.

***hier\_intersect***

Returns all distinct members in order from the first set that also appear in the second set.

***hier\_minus***

Returns all distinct members in order from the first set that do not appear in the second set.

***hier\_distinct***

Returns the distinct members in order from the given set.

***hier\_range***

Returns members in order from the set that fall within the specified range. In all cases, *number* is an expression that is coercible to a number. When **PERCENT** is not specified, the expression must evaluate to a positive integer. **FIRST** will return the first *N* members in the set. If *N* is greater than the number of elements in the set, all elements are returned. **LAST** will return the last *N* members in the set. If *N* is greater than the number of elements in the set, all elements are returned. **BETWEEN** will return all elements whose position in the set is  $\geq$  the start position and  $\leq$  the given end position, with positions being 1-based. If the **PERCENT** keyword is specified, the *number* arguments all represent percentages and must evaluate to a number between 0 and 100.

***hier\_window***

Returns all members in order from the given set which fall within the specified boundary relative to the given member. If the given member is not in the given set, an empty set is returned.

***hier\_expand***

For each member in the given set, applies the specified member to set function. References to **CURRENT MEMBER** in the member to set function refer to the current member in the set to which it is being applied. The member sets produced for the members are combined using the semantics of **HIER\_UNION\_ALL** (i.e. retaining duplicates).

***hier\_cond***

Use **IN member\_set** to specify an arbitrary member set to use for the comparison.



***hier\_position***

Returns the numeric 1-based position of the first occurrence of the member identified by `mbr_expr` in the specified member set, with references to `CURRENT_MEMBER` referring to the current member in the set to which it is being applied. If the member does not appear in the set, `NULL` is returned. This could be useful if a user wanted to order the output of a query based on the set order.

***hier\_count***

Returns the number of members in the member set. If the `DISTINCT` keyword is included, returns the number of distinct members in the member set.

## Examples of Analytic View Expressions

This topic contains examples that show calculated measures defined in the `MEASURES` clause of an analytic view and in the `ADD MEASURES` clause of a `SELECT` statement.

The examples are the following:

- [Examples of LAG Expressions](#)
- [Example of a Window Expression](#)
- [Examples of SHARE OF Expressions](#)
- [Examples of QDR Expressions](#)
- [Example of an Added Measure Using the RANK Function](#)

For more examples, see the tutorials on analytic views at the SQL Live website at <https://livesql.oracle.com/apex/livesql/file/index.html>.

### Examples of LAG Expressions

These calculated measures different LAG operations.

```
-- These calculated measures are from the measures_clause of the
-- sales_av analytic view.
MEASURES
(sales FACT sales,                -- A base measure
 units FACT units,              -- A base measure
 sales_prior_period AS          -- Calculated measures
   (LAG(sales) OVER (HIERARCHY time_hier OFFSET 1)),
 sales_year_ago AS
   (LAG(sales) OVER (HIERARCHY time_hier OFFSET 1
   ACROSS ANCESTOR AT LEVEL year)),
 chg_sales_year_ago AS
   (LAG_DIFF(sales) OVER (HIERARCHY time_hier OFFSET 1
   ACROSS ANCESTOR AT LEVEL year)),
 pct_chg_sales_year_ago AS
   (LAG_DIFF_PERCENT(sales) OVER (HIERARCHY time_hier OFFSET 1
   ACROSS ANCESTOR AT LEVEL year)),
 sales_qtr_ago AS
   (LAG(sales) OVER (HIERARCHY time_hier OFFSET 1
   ACROSS ANCESTOR AT LEVEL quarter)),
 chg_sales_qtr_ago AS
```

```

      (LAG_DIFF(sales) OVER (HIERARCHY time_hier OFFSET 1
        ACROSS ANCESTOR AT LEVEL quarter)),
    pct_chg_sales_qtr_ago AS
      (LAG_DIFF_PERCENT(sales) OVER (HIERARCHY time_hier OFFSET 1
        ACROSS ANCESTOR AT LEVEL quarter))
  )

```

### Example of a Window Expression

This calculated measure uses a window operation.

```

MEASURES
  (sales FACT sales,
   units FACT units,
   sales_qtd AS
     (SUM(sales) OVER (HIERARCHY time_hier
       BETWEEN UNBOUNDED PRECEDING AND CURRENT MEMBER
       WITHIN ANCESTOR AT LEVEL QUARTER)),
   sales_ytd AS
     (SUM(sales) OVER (HIERARCHY time_hier
       BETWEEN UNBOUNDED PRECEDING AND CURRENT MEMBER
       WITHIN ANCESTOR AT LEVEL YEAR))
  )

```

### Examples of SHARE OF Expressions

These calculated measures use SHARE OF expressions.

```

MEASURES
  (sales FACT sales,
   units FACT units,
   sales_shr_parent_prod AS
     (SHARE_OF(sales HIERARCHY product_hier PARENT)),
   sales_shr_parent_geog AS
     (SHARE_OF(sales HIERARCHY geography_hier PARENT)),
   sales_shr_region AS
     (SHARE_OF(sales HIERARCHY geography_hier LEVEL REGION))
  )

```

### Examples of QDR Expressions

These calculated measures use the QUALIFY keyword to specify qualified data reference expressions.

```

MEASURES
  (sales FACT sales,
   units FACT units,
   sales_2011 AS
     (QUALIFY (sales, time_hier = year['11'])),
   sales_pct_chg_2011 AS
     ((sales - (QUALIFY (sales, time_hier = year['11']))) /
      (QUALIFY (sales, time_hier = year['11'])))
  )

```

### Example of an Added Measure Using the RANK Function

In this example, the `units_geog_rank_level` measure uses the `RANK` function to rank geography hierarchy members within a level based on units.


```
SELECT geography_hier.member_name AS "Region",
       units AS "Units",
       units_geog_rank_level AS "Rank"
FROM ANALYTIC VIEW (
  USING sales_av HIERARCHIES (geography_hier)
  ADD MEASURES (
    units_geog_rank_level AS (
      RANK() OVER (
        HIERARCHY geography_hier
        ORDER BY units desc nulls last
        WITHIN LEVEL))
    )
  )
WHERE geography_hier.level_name IN ('REGION')
ORDER BY units_geog_rank_level;
```

The following is the result of the query.

Regions	Units	Rank
Asia	56017849	1
South America	23904155	2
North America	20523698	3
Africa	12608308	4
Europe	8666520	5
Oceania	427664	6

## Compound Expressions

A compound expression specifies a combination of other expressions.

**compound\_expression::=**

You can use any built-in function as an expression ([Function Expressions](#)). However, in a compound expression, some combinations of functions are inappropriate and are rejected. For example, the `LENGTH` function is inappropriate within an aggregate function.

The `PRIOR` operator is used in `CONNECT BY` clauses of hierarchical queries.

The `COLLATE` operator determines the collation for an expression. This operator overrides the collation that the database would have derived for the expression using standard collation derivation rules.

 **See Also:**


- [Operator Precedence](#)
- [Hierarchical Queries](#)
- [COLLATE Operator](#)

Some valid compound expressions are:


```
('CLARK' || 'SMITH')
LENGTH('MOOSE') * 57
SQRT(144) + 72
my_fun(TO_CHAR(sysdate, 'DD-MMM-YY'))
name COLLATE BINARY_CI
```

## CASE Expressions


CASE expressions let you use `IF ... THEN ... ELSE` logic in SQL statements without having to invoke procedures. The syntax is:




***simple\_case\_expression::=***



***searched\_case\_expression::=***



***else\_clause::=***



In a simple `CASE` expression, Oracle Database searches for the first `WHEN ... THEN` pair for which `expr` is equal to `comparison_expr` and returns `return_expr`. If none of the `WHEN ... THEN` pairs meet this condition, and an `ELSE` clause exists, then Oracle returns `else_expr`. Otherwise, Oracle returns null.

In a searched `CASE` expression, Oracle searches from left to right until it finds an occurrence of `condition` that is true, and then returns `return_expr`. If no `condition` is found to be true, and an `ELSE` clause exists, then Oracle returns `else_expr`. Otherwise, Oracle returns null.

Oracle Database uses **short-circuit evaluation**. For a simple `CASE` expression, the database evaluates each `comparison_expr` value only before comparing it to `expr`, rather than evaluating all `comparison_expr` values before comparing any of them with `expr`. Consequently, Oracle never evaluates a `comparison_expr` if a previous `comparison_expr` is equal to `expr`. For a searched `CASE` expression, the database evaluates each `condition` to determine whether it is true, and never evaluates a `condition` if the previous `condition` was true.

For a simple `CASE` expression, the `expr` and all `comparison_expr` values must either have the same data type (`CHAR`, `VARCHAR2`, `NCHAR`, or `NVARCHAR2`, `NUMBER`, `BINARY_FLOAT`, or `BINARY_DOUBLE`) or must all have a numeric data type. If all expressions have a numeric data type, then Oracle determines the argument with the highest numeric precedence, implicitly converts the remaining arguments to that data type, and returns that data type.

For both simple and searched `CASE` expressions, all of the `return_expr`s must either have the same data type (`CHAR`, `VARCHAR2`, `NCHAR`, or `NVARCHAR2`, `NUMBER`, `BINARY_FLOAT`, or `BINARY_DOUBLE`) or must all have a numeric data type. If all return expressions have a numeric data type, then Oracle determines the argument with the

highest numeric precedence, implicitly converts the remaining arguments to that data type, and returns that data type.

The maximum number of arguments in a `CASE` expression is 65535. All expressions count toward this limit, including the initial expression of a simple `CASE` expression and the optional `ELSE` expression. Each `WHEN ... THEN` pair counts as two arguments. To avoid exceeding this limit, you can nest `CASE` expressions so that the `return_expr` itself is a `CASE` expression.

The comparison performed by the simple `CASE` expression is collation-sensitive if the compared arguments have a character data type (`CHAR`, `VARCHAR2`, `NCHAR`, or `NVARCHAR2`). The collation determination rules determine the collation to use.

### See Also:

- [Table 2-9](#) for more information on implicit conversion
- [Appendix C](#) in *Oracle Database Globalization Support Guide* for the collation derivation and determination rules for the `CASE` expression
- [Numeric Precedence](#) for information on numeric precedence
- [COALESCE](#) and [NULLIF](#) for alternative forms of `CASE` logic
- *Oracle Database Data Warehousing Guide* for examples using various forms of the `CASE` expression

### Simple CASE Example

For each customer in the sample `oe.customers` table, the following statement lists the credit limit as "Low" if it equals \$100, "High" if it equals \$5000, and "Medium" if it equals anything else.

```
SELECT cust_last_name,
       CASE credit_limit WHEN 100 THEN 'Low'
        WHEN 5000 THEN 'High'
        ELSE 'Medium' END AS credit
FROM customers
ORDER BY cust_last_name, credit;
```

CUST_LAST_NAME	CREDIT
-----	-----
Adjani	Medium
Adjani	Medium
Alexander	Medium
Alexander	Medium
Altman	High
Altman	Medium
. . .	

### Searched CASE Example

The following statement finds the average salary of the employees in the sample table `oe.employees`, using \$2000 as the lowest salary possible:

```
SELECT AVG(CASE WHEN e.salary > 2000 THEN e.salary
              ELSE 2000 END) "Average Salary" FROM employees e;
```

```
Average Salary
-----
6461.68224
```

## Column Expressions

A column expression, which is designated as *column\_expression* in subsequent syntax diagrams, is a limited form of *expr*. A column expression can be a simple expression, compound expression, function expression, boolean expression, or expression list, but it can contain only the following forms of expression:

- Columns of the subject table — the table being created, altered, or indexed
- Constants (strings or numbers)
- Deterministic functions — either SQL built-in functions or user-defined functions

No other expression forms described in this chapter are valid. In addition, compound expressions using the `PRIOR` keyword are not supported, nor are aggregate functions.

You can use a column expression for these purposes:

- To create a function-based index.
- To explicitly or implicitly define a virtual column. When you define a virtual column, the defining *column\_expression* must refer only to columns of the subject table that have already been defined, in the current statement or in a prior statement.


The combined components of a column expression must be deterministic. That is, the same set of input values must return the same set of output values.

### See Also:

[Simple Expressions](#) , [Compound Expressions](#) , [Function Expressions](#) , and [Expression Lists](#) for information on these forms of *expr*

## CURSOR Expressions

A `CURSOR` expression returns a nested cursor. This form of expression is equivalent to the PL/SQL `REF CURSOR` and can be passed as a `REF CURSOR` argument to a function.



A nested cursor is implicitly opened when the cursor expression is evaluated. For example, if the cursor expression appears in a select list, a nested cursor will be opened for each row fetched by the query. The nested cursor is closed only when:

- The nested cursor is explicitly closed by the user
- The parent cursor is reexecuted
- The parent cursor is closed

- The parent cursor is cancelled
- An error arises during fetch on one of its parent cursors (it is closed as part of the clean-up)

### Restrictions on CURSOR Expressions

The following restrictions apply to CURSOR expressions:

- If the enclosing statement is not a SELECT statement, then nested cursors can appear only as REF CURSOR arguments of a procedure.
- If the enclosing statement is a SELECT statement, then nested cursors can also appear in the outermost select list of the query specification or in the outermost select list of another nested cursor.
- Nested cursors cannot appear in views.
- You cannot perform BIND and EXECUTE operations on nested cursors.

### Examples

The following example shows the use of a CURSOR expression in the select list of a query:

```
SELECT department_name, CURSOR(SELECT salary, commission_pct
    FROM employees e
    WHERE e.department_id = d.department_id)
    FROM departments d
    ORDER BY department_name;
```

The next example shows the use of a CURSOR expression as a function argument. The example begins by creating a function in the sample OE schema that can accept the REF CURSOR argument. (The PL/SQL function body is shown in italics.)

```
CREATE FUNCTION f(cur SYS_REFCURSOR, mgr_hiredate DATE)
    RETURN NUMBER IS
    emp_hiredate DATE;
    before number :=0;
    after number:=0;
begin
    loop
        fetch cur into emp_hiredate;
        exit when cur%NOTFOUND;
        if emp_hiredate > mgr_hiredate then
            after:=after+1;
        else
            before:=before+1;
        end if;
    end loop;
    close cur;
    if before > after then
        return 1;
    else
        return 0;
    end if;
end;
/
```

The function accepts a cursor and a date. The function expects the cursor to be a query returning a set of dates. The following query uses the function to find those managers in the sample employees table, most of whose employees were hired before the manager.



```

SELECT e1.last_name FROM employees e1
WHERE f(
  CURSOR(SELECT e2.hire_date FROM employees e2
WHERE e1.employee_id = e2.manager_id),
  e1.hire_date) = 1
ORDER BY last_name;

```

```


LAST_NAME
-----
Cambrault
Higgins
Hunold
Kochhar
Mourgos
Zlotkey

```

## Datetime Expressions

A datetime expression yields a value of one of the datetime data types.

***datetime\_expression::=***



The initial *expr* is any expression, except a scalar subquery expression, that evaluates to a value of data type `TIMESTAMP`, `TIMESTAMP WITH TIME ZONE`, or `TIMESTAMP WITH LOCAL TIME ZONE`. The `DATE` data type is not supported. If this *expr* is itself a *datetime\_expression*, then it must be enclosed in parentheses.

Datetimes and intervals can be combined according to the rules defined in [Table 2-5](#). The three combinations that yield datetime values are valid in a datetime expression.

If you specify `AT LOCAL`, then Oracle uses the current session time zone.

The settings for `AT TIME ZONE` are interpreted as follows:

- The string `'[+|-]hh:mi'` specifies a time zone as an offset from UTC. For *hh*, specify the number of hours. For *mi*, specify the number of minutes.
- `DBTIMEZONE`: Oracle uses the database time zone established (explicitly or by default) during database creation.
- `SESSIONTIMEZONE`: Oracle uses the session time zone established by default or in the most recent `ALTER SESSION` statement.

- *time\_zone\_name*: Oracle returns the *datetime\_value\_expr* in the time zone indicated by *time\_zone\_name*. For a listing of valid time zone region names, query the `V$TIMEZONE_NAMES` dynamic performance view.

 **Note:**

Time zone region names are needed by the daylight saving feature. These names are stored in two types of time zone files: one large and one small. One of these files is the default file, depending on your environment and the release of Oracle Database you are using. For more information regarding time zone files and names, see *Oracle Database Globalization Support Guide*.

 **See Also:**

- *Oracle Database Globalization Support Guide* for a complete listing of the time zone region names in both files
  - *Oracle Database Reference* for information on the dynamic performance views
- *expr*: If *expr* returns a character string with a valid time zone format, then Oracle returns the input in that time zone. Otherwise, Oracle returns an error.

**Example**

The following example converts the datetime value of one time zone to another time zone:

```
SELECT FROM_TZ(CAST(TO_DATE('1999-12-01 11:00:00',
    'YYYY-MM-DD HH:MI:SS') AS TIMESTAMP), 'America/New_York')
    AT TIME ZONE 'America/Los_Angeles' "West Coast Time"
FROM DUAL;
```

West Coast Time

```
-----
01-DEC-99 08.00.00.000000 AM AMERICA/LOS_ANGELES
```

## Function Expressions

You can use any built-in SQL function or user-defined function as an expression. Some valid built-in function expressions are:

```
LENGTH('BLAKE')
ROUND(1234.567*43)
SYSDATE
```

 **See Also:**

[About SQL Functions](#) and [Aggregate Functions](#) for information on built-in functions

A user-defined function expression specifies a call to:

- A function in an Oracle-supplied package (see *Oracle Database PL/SQL Packages and Types Reference*)
- A function in a user-defined package or type or in a standalone user-defined function (see [About User-Defined Functions](#))
- A user-defined function or operator (see [CREATE OPERATOR](#), [CREATE FUNCTION](#), and *Oracle Database Data Cartridge Developer's Guide*)

Some valid user-defined function expressions are:

```
circle_area(radius)
payroll.tax_rate(empno)
hr.employees.comm_pct@remote(dependents, empno)
DBMS_LOB.getlength(column_name)
my_function(a_column)
```

In a user-defined function being used as an expression, positional, named, and mixed notation are supported. For example, all of the following notations are correct:

```
CALL my_function(arg1 => 3, arg2 => 4) ...
```

```
CALL my_function(3, 4) ...
```

```
CALL my_function(3, arg2 => 4) ...
```


### Restriction on User-Defined Function Expressions

You cannot pass arguments of object type or `XMLType` to remote functions and procedures.

## Interval Expressions

An interval expression yields a value of `INTERVAL YEAR TO MONTH` or `INTERVAL DAY TO SECOND`.

***interval\_expression ::=***



The expressions *expr1* and *expr2* can be any expressions that evaluate to values of data type `DATE`, `TIMESTAMP`, `TIMESTAMP WITH TIME ZONE`, or `TIMESTAMP WITH LOCAL TIME ZONE`.

Datetimes and intervals can be combined according to the rules defined in [Table 2-5](#). The six combinations that yield interval values are valid in an interval expression.

Both *leading\_field\_precision* and *fractional\_second\_precision* can be any integer from 0 to 9. If you omit the *leading\_field\_precision* for either `DAY` or `YEAR`, then Oracle Database uses the default value of 2. If you omit the

*fractional\_second\_precision* for second, then the database uses the default value of 6. If the value returned by a query contains more digits than the default precision, then Oracle Database returns an error. Therefore, it is good practice to specify a precision that you know will be at least as large as any value returned by the query.


For example, the following statement subtracts the value of the `order_date` column in the sample table `orders` (a datetime value) from the system timestamp (another datetime value) to yield an interval value expression. It is not known how many days ago the oldest order was placed, so the maximum value of 9 for the `DAY` leading field precision is specified:

```
SELECT (SYSTIMESTAMP - order_date) DAY(9) TO SECOND FROM orders
WHERE order_id = 2458;
```


## JSON Object Access Expressions

A JSON object access expression is used only when querying a column of JSON data. It yields a character string that contains one or more JSON values found in that data. The syntax for this type of expression is called dot-notation syntax.

**JSON\_object\_access\_expr::=**



**array\_step::=**



- For `table_alias`, specify the alias for the table that contains the column of JSON data. This table alias is required and must be assigned to the table elsewhere in the SQL statement.
- For `JSON_column`, specify the name of the column of JSON data. The column must be of data type `VARCHAR2`, `CLOB`, `BLOB`, or `JSON`.

Columns can have data of `JSON` data type if they are the result of JSON generation functions, of `JSON_QUERY`, or `TREAT`.

To identify non `JSON` type data types you can define the `IS JSON` check constraint on the column.

- You can optionally specify one or more JSON object keys. The object keys allow you to target specific JSON values in the JSON data. The first `JSON_object_key` must be a case-sensitive match to the key (property) name of an object member in the top level of the JSON data. If the value of that object member is another JSON object, then you can specify a second `JSON_object_key` that matches the key name of a member of that

object, and so on. If a JSON array is encountered during any of these iterations, and you do not specify an *array\_step*, then the array is implicitly unwrapped and the elements of the array are evaluated using the *JSON\_object\_key*.

- If the JSON value is an array, then you can optionally specify one or more *array\_step* clauses. This allows you to access specific elements of the JSON array.
  - Use *integer* to specify the element at index *integer* in a JSON array. Use *integer TO integer* to specify the range of elements between the two index *integer* values, inclusive. If the specified elements exist in the JSON array being evaluated, then the array step results in a match to those elements. Otherwise, the array step does not result in a match. The first element in a JSON array has index 0.
  - Use the asterisk wildcard symbol (\*) to specify all elements in a JSON array. If the JSON array being evaluated contains at least one element, then the array step results in a match to all elements in the JSON array. Otherwise, the array step does not result in a match.

A JSON object access expression yields a character string of data type `VARCHAR2(4000)`, which contains the targeted JSON value(s) as follows:

- For a single targeted value, the character string contains that value, whether it is a JSON scalar value, object, or array.
- For multiple targeted values, the character string contains a JSON array whose elements are those values.

If you omit *JSON\_object\_key*, then the expression yields a character string that contains the JSON data in its entirety. In this case, the character string is of the same data type as the column of JSON data being queried.

A JSON object access expression cannot return a value larger than 4K bytes. If the value surpasses this limit, then the expression returns null. To obtain the actual value, instead use the `JSON_QUERY` function or the `JSON_VALUE` function and specify an appropriate return type with the `RETURNING` clause.

The collation derivation rules for the JSON object access expression are the same as for the `JSON_QUERY` function.

#### See Also:

Appendix C in *Oracle Database Globalization Support Guide* for the collation derivation rules for the `JSON_QUERY` function

### Examples

The following examples use the `j_purchaseorder` table, which is created in [Creating a Table That Contains a JSON Document: Example](#). This table contains a column of JSON data called `po_document`. These examples return JSON values from column `po_document`.

The following statement returns the value of the property with key name `PONumber`. The value returned, 1600, is a SQL number.

```
SELECT po.po_document.PONumber.number()
       FROM j_purchaseorder po;
```

```
PONumber
-----
1600
```

The following statement first targets the property with key name `ShippingInstructions`, whose value is a JSON object. The statement then targets the property with key name `Phone` within that object. The statement returns the value of `Phone`, which is a JSON array.

```
SELECT po.po_document.ShippingInstructions.Phone
       FROM j_purchaseorder po;
```

```
SHIPPINGINSTRUCTIONS
-----
[{"type":"Office","number":"909-555-7307"}, {"type":"Mobile","number":"415-555-1234"}]
```

The following statement first targets the property with key name `LineItems`, whose value is a JSON array. The expression implicitly unwraps the array and evaluates its elements, which are JSON objects. Next, the statement targets the properties with key name `Part`, within the unwrapped objects, and finds two objects. The statement then targets the properties with key name `Description` within those two objects and finds string values. Because more than one value is returned, the values are returned as elements of a JSON array.

```
SELECT po.po_document.LineItems.Part.Description
       FROM j_purchaseorder po;
```

```
LINEITEMS
-----
[One Magic Christmas,Lethal Weapon]
```




#### See Also:

*Oracle Database JSON Developer's Guide* for more information on querying JSON data using dot-notation syntax

## Model Expressions

A model expression is used only in the *model\_clause* of a `SELECT` statement and then only on the right-hand side of a model rule. It yields a value for a cell in a measure column previously defined in the *model\_clause*. For additional information, refer to [model\\_clause](#).

***model\_expression ::=***



When you specify a measure column in a model expression, any conditions and expressions you specify must resolve to single values.

When you specify an aggregate function in a model expression, the argument to the function is a measure column that has been previously defined in the *model\_clause*. An aggregate function can be used only on the right-hand side of a model rule.

Specifying an analytic function on the right-hand side of the model rule lets you express complex calculations directly in the *model\_clause*. The following restrictions apply when using an analytic function in a model expression:

- Analytic functions can be used only in an `UPDATE` rule.
- You cannot specify an analytic function on the right-hand side of the model rule if the left-hand side of the rule contains a `FOR` loop or an `ORDER BY` clause.
- The arguments in the `OVER` clause of the analytic function cannot contain an aggregate.
- The arguments before the `OVER` clause of the analytic function cannot contain a cell reference.

#### See Also:

[The MODEL clause: Examples](#) for an example of using an analytic function on the right-hand side of a model rule

When *expr* is itself a model expression, it is referred to as a **nested cell reference**. The following restrictions apply to nested cell references:

- Only one level of nesting is allowed.
- A nested cell reference must be a single-cell reference.

- When `AUTOMATIC ORDER` is specified in the `model_rules_clause`, a nested cell reference can be used on the left-hand side of a model rule only if the measures used in the nested cell reference remain static.

The model expressions shown below are based on the `model_clause` of the following `SELECT` statement:

```
SELECT country,prod,year,s
FROM sales_view_ref
MODEL
PARTITION BY (country)
DIMENSION BY (prod, year)
MEASURES (sale s)
IGNORE NAV
UNIQUE DIMENSION
RULES UPSERT SEQUENTIAL ORDER
(
s[prod='Mouse Pad', year=2000] =
s['Mouse Pad', 1998] + s['Mouse Pad', 1999],
s['Standard Mouse', 2001] = s['Standard Mouse', 2000]
)
ORDER BY country, prod, year;
```

The following model expression represents a single cell reference using symbolic notation. It represents the sales of the Mouse Pad for the year 2000.

```
s[prod='Mouse Pad',year=2000]
```

The following model expression represents a multiple cell reference using positional notation, using the `CV` function. It represents the sales of the current value of the dimension column `prod` for the year 2001.

```
s[CV(prod), 2001]
```

The following model expression represents an aggregate function. It represents the sum of sales of the Mouse Pad for the years between the current value of the dimension column `year` less two and the current value of the dimension column `year` less one.

```
SUM(s)['Mouse Pad',year BETWEEN CV()-2 AND CV()-1]
```




#### See Also:

[CV](#) and [model\\_clause](#)

## Object Access Expressions

An object access expression specifies attribute reference and method invocation.



***object\_access\_expression::=***

The column parameter can be an object or REF column. If you specify *expr*, then it must resolve to an object type.

When a type's member function is invoked in the context of a SQL statement, if the SELF argument is null, Oracle returns null and the function is not invoked.

**Examples**

The following example creates a table based on the sample `oe.order_item_typ` object type, and then shows how you would update and select from the object column attributes.


```
CREATE TABLE short_orders (
  sales_rep VARCHAR2(25), item order_item_typ);

UPDATE short_orders s SET sales_rep = 'Unassigned';

SELECT o.item.line_item_id, o.item.quantity FROM short_orders o;
```

## Placeholder Expressions

A placeholder expression provides a location in a SQL statement for which a third-generation language bind variable will provide a value. You can specify the placeholder expression with an optional indicator variable. This form of expression can appear only in embedded SQL statements or SQL statements processed in an Oracle Call Interface (OCI) program.

***placeholder\_expression::=***

Some valid placeholder expressions are:

```
:employee_name INDICATOR :employee_name_indicator_var
:department_location
```

 **See Also:**

Appendix C in *Oracle Database Globalization Support Guide* for the collation derivation rules for the placeholder expression with a character data type

## Scalar Subquery Expressions

A scalar subquery expression is a subquery that returns exactly one column value from one row. The value of the scalar subquery expression is the value of the select list item of the subquery. If the subquery returns 0 rows, then the value of the scalar subquery expression is `NULL`. If the subquery returns more than one row, then Oracle returns an error.

You can use a scalar subquery expression in most syntax that calls for an expression (*expr*). In all cases, a scalar subquery must be enclosed in its own parentheses, even if its syntactic location already positions it within parentheses (for example, when the scalar subquery is used as the argument to a built-in function).


Scalar subqueries are not valid expressions in the following places:

- As default values for columns
- As hash expressions for clusters
- In the `RETURNING` clause of DML statements
- As the basis of a function-based index
- In `CHECK` constraints
- In `GROUP BY` clauses
- In statements that are unrelated to queries, such as `CREATE PROFILE`

## Type Constructor Expressions

A type constructor expression specifies a call to a constructor method. The argument to the type constructor is any expression. Type constructors can be invoked anywhere functions are invoked.

***type\_constructor\_expression*::=**



The `NEW` keyword applies to constructors for object types but not for collection types. It instructs Oracle to construct a new object by invoking an appropriate constructor. The use of the `NEW` keyword is optional, but it is good practice to specify it.

If *type\_name* is an **object type**, then the expressions must be an ordered list, where the first argument is a value whose type matches the first attribute of the object type, the second argument is a value whose type matches the second attribute of the object type, and so on.

The total number of arguments to the constructor must match the total number of attributes of the object type.

If *type\_name* is a **varray** or **nested table type**, then the expression list can contain zero or more arguments. Zero arguments implies construction of an empty collection. Otherwise, each argument corresponds to an element value whose type is the element type of the collection type.

### Restriction on Type Constructor Invocation

In an invocation of a type constructor method, the number of parameters (*expr*) specified cannot exceed 999, even if the object type has more than 999 attributes. This limitation applies only when the constructor is called from SQL. For calls from PL/SQL, the PL/SQL limitations apply.

#### See Also:

*Oracle Database Object-Relational Developer's Guide* for additional information on constructor methods and *Oracle Database PL/SQL Language Reference* for information on PL/SQL limitations on calls to type constructors

### Expression Example

This example uses the `cust_address_typ` type in the sample `oe` schema to show the use of an expression in the call to a constructor method (the PL/SQL is shown in italics):

```
CREATE TYPE address_book_t AS TABLE OF cust_address_typ;
DECLARE
    myaddr cust_address_typ := cust_address_typ(
        '500 Oracle Parkway', 94065, 'Redwood Shores', 'CA', 'USA');
    alladdr address_book_t := address_book_t();
BEGIN
    INSERT INTO customers VALUES (
        666999, 'Joe', 'Smith', myaddr, NULL, NULL, NULL, NULL,
        NULL, NULL, NULL, NULL, NULL, NULL, NULL);
END;
/
```

### Subquery Example

This example uses the `warehouse_typ` type in the sample schema `oe` to illustrate the use of a subquery in the call to the constructor method.

```
CREATE TABLE warehouse_tab OF warehouse_typ;

INSERT INTO warehouse_tab
VALUES (warehouse_typ(101, 'new_wh', 201));

CREATE TYPE facility_typ AS OBJECT (
    facility_id NUMBER,
    warehouse_ref REF warehouse_typ);

CREATE TABLE buildings (b_id NUMBER, building facility_typ);

INSERT INTO buildings VALUES (10, facility_typ(102,
    (SELECT REF(w) FROM warehouse_tab w
```

```

WHERE warehouse_name = 'new_wh')));

SELECT b.b_id, b.building.facility_id "FAC_ID",
       Deref(b.building.warehouse_ref) "WH" FROM buildings b;


   B_ID      FAC_ID WH(WAREHOUSE_ID, WAREHOUSE_NAME, LOCATION_ID)
-----
      10         102 WAREHOUSE_TYP(101, 'new_wh', 201)

```

## Expression Lists

An expression list is a combination of other expressions.

**expression\_list::=**



Expression lists can appear in comparison and membership conditions and in `GROUP BY` clauses of queries and subqueries. An expression lists in a comparison or membership condition is sometimes referred to as a **row value constructor** or **row constructor**.

Comparison and membership conditions appear in the conditions of `WHERE` clauses. They can contain either one or more comma-delimited expressions or one or more sets of expressions where each set contains one or more comma-delimited expressions. In the latter case (multiple sets of expressions):

- Each set is bounded by parentheses
- Each set must contain the same number of expressions
- The number of expressions in each set must match the number of expressions before the operator in the comparison condition or before the `IN` keyword in the membership condition.

A comma-delimited list of expressions can contain no more than 65,535 expressions. A comma-delimited list of sets of expressions can contain any number of sets, but each set can contain no more than 1000 expressions.

The following are some valid expression lists in conditions:

```

(10, 20, 40)
('SCOTT', 'BLAKE', 'TAYLOR')
( ('Guy', 'Himuro', 'GHIMURO'), ('Karen', 'Colmenares', 'KCOLMENA') )

```

In the third example, the number of expressions in each set must equal the number of expressions in the first part of the condition. For example:

```
SELECT * FROM employees
WHERE (first_name, last_name, email) IN
      (('Guy', 'Himuro', 'GHIMURO'),('Karen', 'Colmenares', 'KCOLMENA'))
```



### See Also:

[Comparison Conditions](#) and [IN Condition](#) conditions

In a simple GROUP BY clause, you can use either the upper or lower form of expression list:

```
SELECT department_id, MIN(salary) min, MAX(salary) max FROM employees
GROUP BY department_id, salary
ORDER BY department_id, min, max;
```

```
SELECT department_id, MIN(salary) min, MAX(salary) max FROM employees
GROUP BY (department_id, salary)
ORDER BY department_id, min, max;
```

In ROLLUP, CUBE, and GROUPING SETS clauses of GROUP BY clauses, you can combine individual expressions with sets of expressions in the same expression list. The following example shows several valid grouping sets expression lists in one SQL statement:

```
SELECT
prod_category, prod_subcategory, country_id, cust_city, count(*)
FROM products, sales, customers
WHERE sales.prod_id = products.prod_id
AND sales.cust_id=customers.cust_id
AND sales.time_id = '01-oct-00'
AND customers.cust_year_of_birth BETWEEN 1960 and 1970
GROUP BY GROUPING SETS
(
(prod_category, prod_subcategory, country_id, cust_city),
(prod_category, prod_subcategory, country_id),
(prod_category, prod_subcategory),
country_id
)
ORDER BY prod_category, prod_subcategory, country_id, cust_city;
```




### See Also:

[SELECT](#)


## BOOLEAN Expressions

You can now use boolean value expressions within SQL expressions wherever an expression appears in SQL syntax.


***boolean\_expression::=***



***condition::=***



***boolean\_test\_condition::=***



Use *boolean\_expression* to evaluate the input and return one of the following boolean values :

- IS TRUE
- IS NOT TRUE
- IS FALSE
- IS NOT FALSE

- IS NULL
- IS NOT NULL



**See Also:**

[About SQL Expressions](#)

# 6

## Conditions

A **condition** specifies a combination of one or more expressions and logical (Boolean) operators and returns a value of `TRUE`, `FALSE`, or `UNKNOWN`.

This chapter contains the following sections:


- [About SQL Conditions](#)
- [Comparison Conditions](#)
- [Floating-Point Conditions](#)
- [Logical Conditions](#)
- [Model Conditions](#)
- [Multiset Conditions](#)
- [Pattern-matching Conditions](#)
- [Null Conditions](#)
- [XML Conditions](#)
- [SQL For JSON Conditions](#)
- [Compound Conditions](#)
- [BETWEEN Condition](#)
- [EXISTS Condition](#)
- [IN Condition](#)
- [IS OF \*type\* Condition](#)

### About SQL Conditions

Conditions can have several forms, as shown in the following syntax.



**condition::=**



If you have installed Oracle Text, then you can create conditions with the built-in operators that are part of that product, including `CONTAINS`, `CATSEARCH`, and `MATCHES`. For more information on these Oracle Text elements, refer to *Oracle Text Reference*.

The sections that follow describe the various forms of conditions. You must use appropriate condition syntax whenever `condition` appears in SQL statements.

You can use a condition in the `WHERE` clause of these statements:

- `DELETE`
- `SELECT`
- `UPDATE`

You can use a condition in any of these clauses of the `SELECT` statement:

- `WHERE`
- `START WITH`
- `CONNECT BY`
- `HAVING`

A condition could be said to be of a logical data type, although Oracle Database does not formally support such a data type.

The following simple condition always evaluates to `TRUE`:

```
1 = 1
```

The following more complex condition adds the `salary` value to the `commission_pct` value (substituting the value 0 for null) and determines whether the sum is greater than the number constant 25000:

```
NVL(salary, 0) + NVL(salary + (salary*commission_pct, 0) > 25000)
```

Logical conditions can combine multiple conditions into a single condition. For example, you can use the `AND` condition to combine two conditions:

```
(1 = 1) AND (5 < 7)
```

Here are some valid conditions:

```
name = 'SMITH'
employees.department_id = departments.department_id
hire_date > '01-JAN-08'
job_id IN ('SA_MAN', 'SA_REP')
salary BETWEEN 5000 AND 10000
commission_pct IS NULL AND salary = 2100
```

Oracle Database does not accept all conditions in all parts of all SQL statements. Refer to the section devoted to a particular SQL statement in this book for information on restrictions on the conditions in that statement.

## Condition Precedence

**Precedence** is the order in which Oracle Database evaluates different conditions in the same expression. When evaluating an expression containing multiple conditions, Oracle evaluates conditions with higher precedence before evaluating those with lower precedence. Oracle evaluates conditions with equal precedence from left to right within an expression, with the following exceptions:

- Left to right evaluation is not guaranteed for multiple conditions connected using `AND`
- Left to right evaluation is not guaranteed for multiple conditions connected using `OR`

[Table 6-1](#) lists the levels of precedence among SQL condition from high to low. Conditions listed on the same line have the same precedence. As the table indicates, Oracle evaluates operators before conditions.

**Table 6-1 SQL Condition Precedence**

Type of Condition	Purpose
SQL operators are evaluated before SQL conditions	See <a href="#">Operator Precedence</a>
<code>=, !=, &lt;, &gt;, &lt;=, &gt;=,</code>	comparison
<code>IS [NOT] NULL  TRUE FALSE, LIKE, [NOT] BETWEEN, [NOT] IN, EXISTS, IS OF type</code>	comparison
<code>NOT</code>	exponentiation, logical negation
<code>AND</code>	conjunction
<code>OR</code>	disjunction

# Comparison Conditions

Comparison conditions compare one expression with another. The result of such a comparison can be `TRUE`, `FALSE`, or `UNKNOWN`.

Large objects (LOBs) are not supported in comparison conditions. However, you can use PL/SQL programs for comparisons on `CLOB` data.

When comparing numeric expressions, Oracle uses numeric precedence to determine whether the condition compares `NUMBER`, `BINARY_FLOAT`, or `BINARY_DOUBLE` values. Refer to [Numeric Precedence](#) for information on numeric precedence.

When comparing character expressions, Oracle uses the rules described in [Data Type Comparison Rules](#). The rules define how the character sets of the expressions are aligned before the comparison, the use of binary or linguistic comparison (collation), the use of blank-padded comparison semantics, and the restrictions resulting from limits imposed on collation keys, including reporting of the error `ORA-12742: unable to create the collation key`.

Two objects of nonscalar type are comparable if they are of the same named type and there is a one-to-one correspondence between their elements. In addition, nested tables of user-defined object types, even if their elements are comparable, must have `MAP` methods defined on them to be used in equality or `IN` conditions.

## See Also:

*Oracle Database Object-Relational Developer's Guide* for information on using `MAP` methods to compare objects

[Table 6-2](#) lists comparison conditions.

**Table 6-2 Comparison Conditions**

Type of Condition	Purpose	Example
=	Equality test.	<pre>SELECT *   FROM employees  WHERE salary = 2500  ORDER BY employee_id;</pre>
!= > <	Inequality test.	<pre>SELECT *   FROM employees  WHERE salary != 2500  ORDER BY employee_id;</pre>


Table 6-2 (Cont.) Comparison Conditions

Type of Condition	Purpose	Example
> <	Greater-than and less-than tests.	<pre>SELECT * FROM employees WHERE salary &gt; 2500 ORDER BY employee_id; SELECT * FROM employees WHERE salary &lt; 2500 ORDER BY employee_id;</pre>
>= <=	Greater-than-or-equal-to and less-than-or-equal-to tests.	<pre>SELECT * FROM employees WHERE salary &gt;= 2500 ORDER BY employee_id; SELECT * FROM employees WHERE salary &lt;= 2500 ORDER BY employee_id;</pre>
op ANY op SOME	<p>"op" must be one of =, !=, &gt;, &lt;, &lt;=, or &gt;=.</p> <p>op ANY compares a value on the left side either to each value in a list, or to each value returned by a query, whichever is specified on the right side, using the condition op.</p> <p>If any of these comparisons returns TRUE, op ANY returns TRUE.</p> <p>If all of these comparisons return FALSE, or the subquery on the right side returns no rows, op ANY returns FALSE. Otherwise, the return value is UNKNOWN.</p> <p>op ANY and op SOME are synonymous.</p>	<pre>SELECT * FROM employees WHERE salary = ANY (SELECT salary FROM employees WHERE department_id = 30) ORDER BY employee_id;</pre>
op ALL	<p>"op" must be one of =, !=, &gt;, &lt;, &lt;=, or &gt;=.</p> <p>op ALL compares a value on the left side either to each value in a list, or to each value returned by a subquery, whichever is specified on the right side, using the condition op.</p> <p>If any of these comparisons returns FALSE, op ALL returns FALSE.</p> <p>If all of these comparisons return TRUE, or the subquery on the right side returns no rows, op ALL returns TRUE. Otherwise, the return value is UNKNOWN.</p>	<pre>SELECT * FROM employees WHERE salary &gt;= ALL (1400, 3000) ORDER BY employee_id;</pre>


## Simple Comparison Conditions

A simple comparison condition specifies a comparison with expressions or subquery results.

***simple\_comparison\_condition::=***



***expression\_list::=***



If you use the lower form of this condition with a single expression to the left of the operator, then you can use the upper or lower form of *expression\_list*. If you use the lower form of this condition with multiple expressions to the left of the operator, then you must use the lower form of *expression\_list*. In either case, the expressions in *expression\_list* must match in number and data type the expressions to the left of the operator. If you specify *subquery*, then the values returned by the subquery must match in number and data type the expressions to the left of the operator.


**See Also:**

[Expression Lists](#) for more information about combining expressions and [SELECT](#) for information about subqueries


## Group Comparison Conditions

A group comparison condition specifies a comparison with any or all members in a list or subquery.

**group\_comparison\_condition::=**



**expression\_list::=**



If you use the upper form of this condition (with a single expression to the left of the operator), then you must use the upper form of `expression_list`. If you use the lower form of this

condition (with multiple expressions to the left of the operator), then you must use the lower form of *expression\_list*, and the expressions in each *expression\_list* must match in number and data type the expressions to the left of the operator. If you specify *subquery*, then the values returned by the subquery must match in number and data type the expressions to the left of the operator.


 See Also:

- [Expression Lists](#)
- [SELECT](#)
- Appendix C in *Oracle Database Globalization Support Guide* for the collation determination rules for comparison conditions

## Floating-Point Conditions

The floating-point conditions let you determine whether an expression is infinite or is the undefined result of an operation (is not a number or NaN).

***floating\_point\_condition::=***



In both forms of floating-point condition, *expr* must resolve to a numeric data type or to any data type that can be implicitly converted to a numeric data type. [Table 6-3](#) describes the floating-point conditions.

**Table 6-3 Floating-Point Conditions**

Type of Condition	Operation	Example
IS [NOT] NAN	Returns TRUE if <i>expr</i> is the special value NaN when NOT is not specified. Returns TRUE if <i>expr</i> is not the special value NaN when NOT is specified.	SELECT COUNT(*) FROM employees WHERE commission_pct IS NOT NAN;
IS [NOT] INFINITE	Returns TRUE if <i>expr</i> is the special value +INF or -INF when NOT is not specified. Returns TRUE if <i>expr</i> is neither +INF nor -INF when NOT is specified.	SELECT last_name FROM employees WHERE salary IS NOT INFINITE;

 See Also:

- [Floating-Point Numbers](#) for more information on the Oracle implementation of floating-point numbers
- [Implicit Data Conversion](#) for more information on how Oracle converts floating-point data types

## Logical Conditions

A logical condition combines the results of two component conditions to produce a single result based on them or to invert the result of a single condition. [Table 6-4](#) lists logical conditions.

**Table 6-4 Logical Conditions**

Type of Condition	Operation	Examples
NOT	Returns TRUE if the following condition is FALSE. Returns FALSE if it is TRUE. If it is UNKNOWN, then it remains UNKNOWN.	<pre>SELECT *   FROM employees  WHERE NOT (job_id IS NULL)  ORDER BY employee_id;  SELECT *   FROM employees  WHERE NOT  (salary BETWEEN 1000 AND 2000)  ORDER BY employee_id;</pre>
AND	Returns TRUE if both component conditions are TRUE. Returns FALSE if either is FALSE. Otherwise returns UNKNOWN.	<pre>SELECT *   FROM employees  WHERE job_id = 'PU_CLERK'  AND department_id = 30  ORDER BY employee_id;</pre>
OR	Returns TRUE if either component condition is TRUE. Returns FALSE if both are FALSE. Otherwise returns UNKNOWN.	<pre>SELECT *   FROM employees  WHERE job_id = 'PU_CLERK'  OR department_id = 10  ORDER BY employee_id;</pre>

[Table 6-5](#) shows the result of applying the NOT condition to an expression.

**Table 6-5 NOT Truth Table**

--	TRUE	FALSE	UNKNOWN
<b>NOT</b>	FALSE	TRUE	UNKNOWN

[Table 6-6](#) shows the results of combining the AND condition to two expressions.



**Table 6-6 AND Truth Table**

AND	TRUE	FALSE	UNKNOWN
TRUE	TRUE	FALSE	UNKNOWN
FALSE	FALSE	FALSE	FALSE
UNKNOWN	UNKNOWN	FALSE	UNKNOWN

For example, in the `WHERE` clause of the following `SELECT` statement, the `AND` logical condition is used to ensure that only those hired before 2004 and earning more than \$2500 a month are returned:

```
SELECT * FROM employees
WHERE hire_date < TO_DATE('01-JAN-2004', 'DD-MON-YYYY')
      AND salary > 2500
ORDER BY employee_id;
```

[Table 6-7](#) shows the results of applying `OR` to two expressions.

**Table 6-7 OR Truth Table**

OR	TRUE	FALSE	UNKNOWN
TRUE	TRUE	TRUE	TRUE
FALSE	TRUE	FALSE	UNKNOWN
UNKNOWN	TRUE	UNKNOWN	UNKNOWN

For example, the following query returns employees who have a 40% commission rate or a salary greater than \$20,000:

```
SELECT employee_id FROM employees
WHERE commission_pct = .4 OR salary > 20000
ORDER BY employee_id;
```


## Model Conditions

Model conditions can be used only in the `MODEL` clause of a `SELECT` statement.

### IS ANY Condition

The `IS ANY` condition can be used only in the `model_clause` of a `SELECT` statement. Use this condition to qualify all values of a dimension column, including `NULL`.

*is\_any\_condition*::=



The condition always returns a Boolean value of `TRUE` in order to qualify all values of the column.

**See Also:**

[model\\_clause](#) and [Model Expressions](#) for information

**Example**

The following example sets sales for each product for year 2000 to 0:

```

SELECT country, prod, year, s
  FROM sales_view_ref
  MODEL
    PARTITION BY (country)
    DIMENSION BY (prod, year)
    MEASURES (sale s)
    IGNORE NAV
    UNIQUE DIMENSION
    RULES UPSERT SEQUENTIAL ORDER
    (
      s[ANY, 2000] = 0
    )
  ORDER BY country, prod, year;

```

COUNTRY	PROD	YEAR	S
France	Mouse Pad	1998	2509.42
France	Mouse Pad	1999	3678.69
France	Mouse Pad	2000	0
France	Mouse Pad	2001	3269.09
France	Standard Mouse	1998	2390.83
France	Standard Mouse	1999	2280.45
France	Standard Mouse	2000	0
France	Standard Mouse	2001	2164.54
Germany	Mouse Pad	1998	5827.87
Germany	Mouse Pad	1999	8346.44
Germany	Mouse Pad	2000	0
Germany	Mouse Pad	2001	9535.08
Germany	Standard Mouse	1998	7116.11
Germany	Standard Mouse	1999	6263.14
Germany	Standard Mouse	2000	0
Germany	Standard Mouse	2001	6456.13

16 rows selected.

The preceding example requires the view `sales_view_ref`. Refer to [The MODEL clause: Examples](#) to create this view.

## IS PRESENT Condition

***is\_present\_condition::=***

The `IS PRESENT` condition can be used only in the `model_clause` of a `SELECT` statement. Use this condition to test whether the cell referenced is present prior to the execution of the `model_clause`.

```

→ (cell_reference) IS PRESENT →

```

The condition returns `TRUE` if the cell exists prior to the execution of the `model_clause` and `FALSE` if it does not.



### See Also:

[model\\_clause](#) and [Model Expressions](#) for information

### Example

In the following example, if sales of the Mouse Pad for year 1999 exist, then sales of the Mouse Pad for year 2000 is set to sales of the Mouse Pad for year 1999. Otherwise, sales of the Mouse Pad for year 2000 is set to 0.

```
SELECT country, prod, year, s
FROM sales_view_ref
MODEL
  PARTITION BY (country)
  DIMENSION BY (prod, year)
  MEASURES (sale s)
  IGNORE NAV
  UNIQUE DIMENSION
  RULES UPSERT SEQUENTIAL ORDER
  (
    s['Mouse Pad', 2000] =
      CASE WHEN s['Mouse Pad', 1999] IS PRESENT
        THEN s['Mouse Pad', 1999]
        ELSE 0
      END
  )
ORDER BY country, prod, year;
```

COUNTRY	PROD	YEAR	S
France	Mouse Pad	1998	2509.42
France	Mouse Pad	1999	3678.69
France	Mouse Pad	2000	3678.69
France	Mouse Pad	2001	3269.09
France	Standard Mouse	1998	2390.83
France	Standard Mouse	1999	2280.45
France	Standard Mouse	2000	1274.31
France	Standard Mouse	2001	2164.54
Germany	Mouse Pad	1998	5827.87
Germany	Mouse Pad	1999	8346.44
Germany	Mouse Pad	2000	8346.44
Germany	Mouse Pad	2001	9535.08
Germany	Standard Mouse	1998	7116.11
Germany	Standard Mouse	1999	6263.14
Germany	Standard Mouse	2000	2637.31
Germany	Standard Mouse	2001	6456.13

16 rows selected.

The preceding example requires the view `sales_view_ref`. Refer to [The MODEL clause: Examples](#) to create this view.


## Multiset Conditions

Multiset conditions test various aspects of nested tables.

### IS A SET Condition

Use `IS A SET` conditions to test whether a specified nested table is composed of unique elements. The condition returns `UNKNOWN` if the nested table is `NULL`. Otherwise, it returns `TRUE` if the nested table is a set, even if it is a nested table of length zero, and `FALSE` otherwise.

*is\_a\_set\_condition::=*



#### Example

The following example selects from the table `customers_demo` those rows in which the `cust_address_ntab` nested table column contains unique elements:

```

SELECT customer_id, cust_address_ntab
FROM customers_demo
WHERE cust_address_ntab IS A SET
ORDER BY customer_id;
  
```

```

CUSTOMER_ID CUST_ADDRESS_NTAB(STREET_ADDRESS, POSTAL_CODE, CITY, STATE_PROVINCE, COUNTRY_ID)
-----
  
```

```


101 CUST_ADDRESS_TAB_TYP(CUST_ADDRESS_TYP('514 W Superior St', '46901', 'Kokomo', 'IN', 'US'))
102 CUST_ADDRESS_TAB_TYP(CUST_ADDRESS_TYP('2515 Bloyd Ave', '46218', 'Indianapolis', 'IN', 'US'))
103 CUST_ADDRESS_TAB_TYP(CUST_ADDRESS_TYP('8768 N State Rd 37', '47404', 'Bloomington', 'IN', 'US'))
104 CUST_ADDRESS_TAB_TYP(CUST_ADDRESS_TYP('6445 Bay Harbor Ln', '46254', 'Indianapolis', 'IN', 'US'))
105 CUST_ADDRESS_TAB_TYP(CUST_ADDRESS_TYP('4019 W 3Rd St', '47404', 'Bloomington', 'IN', 'US'))
  
```

The preceding example requires the table `customers_demo` and a nested table column containing data. Refer to "[Multiset Operators](#)" to create this table and nested table column.

### IS EMPTY Condition

Use the `IS [NOT] EMPTY` conditions to test whether a specified nested table is empty. A nested table that consists of a single value, a `NULL`, is not considered an empty nested table.

*is\_empty\_condition::=*



The condition returns a Boolean value: `TRUE` for an `IS EMPTY` condition if the collection is empty, and `TRUE` for an `IS NOT EMPTY` condition if the collection is not empty. If you specify `NULL` for the nested table or varray, then the result is `NULL`.


### Example

The following example selects from the sample table `pm.print_media` those rows in which the `ad_textdocs_ntab` nested table column is not empty:

```
SELECT product_id, TO_CHAR(ad_finaltext) AS text
FROM print_media
WHERE ad_textdocs_ntab IS NOT EMPTY
ORDER BY product_id, text;
```

## MEMBER Condition

***member\_condition ::=***



A *member\_condition* is a membership condition that tests whether an element is a member of a nested table. The return value is `TRUE` if *expr* is equal to a member of the specified nested table or varray. The return value is `NULL` if *expr* is null or if the nested table is empty.

- *expr* must be of the same type as the element type of the nested table.
- The `OF` keyword is optional and does not change the behavior of the condition.
- The `NOT` keyword reverses the Boolean output: Oracle returns `FALSE` if *expr* is a member of the specified nested table.
- The element types of the nested table must be comparable. Refer to [Comparison Conditions](#) for information on the comparability of nonscalar types.

### Example

The following example selects from the table `customers_demo` those rows in which the `cust_address_ntab` nested table column contains the values specified in the `WHERE` clause:

```
SELECT customer_id, cust_address_ntab
FROM customers_demo
WHERE cust_address_typ('8768 N State Rd 37', 47404,
    'Bloomington', 'IN', 'US')
MEMBER OF cust_address_ntab
ORDER BY customer_id;

CUSTOMER_ID CUST_ADDRESS_NTAB(STREET_ADDRESS, POSTAL_CODE, CITY, STATE_PROVINCE, COUNTRY_ID)
-----
103 CUST_ADDRESS_TAB_TYP(CUST_ADDRESS_TYP('8768 N State Rd 37', '47404', 'Bloomington', 'IN', 'US'))
```

The preceding example requires the table `customers_demo` and a nested table column containing data. Refer to [Multiset Operators](#) to create this table and nested table column.

## SUBMULTISET Condition

The `SUBMULTISET` condition tests whether a specified nested table is a submultiset of another specified nested table.

The operator returns a Boolean value. `TRUE` is returned when `nested_table1` is a submultiset of `nested_table2`. `nested_table1` is a submultiset of `nested_table2` when one of the following conditions occur:


- `nested_table1` is not null and contains no rows. `TRUE` is returned even if `nested_table2` is null since an empty multiset is a submultiset of any non-null replacement for `nested_table2`.
- `nested_table1` and `nested_table2` are not null, `nested_table1` does not contain a null element, and there is a one-to-one mapping of each element in `nested_table1` to an equal element in `nested_table2`.

`NULL` is returned when one of the following conditions occurs:

- `nested_table1` is null.
- `nested_table2` is null, and `nested_table1` is not null and not empty.
- `nested_table1` is a submultiset of `nested_table2` after modifying each null element of `nested_table1` and `nested_table2` to some non-null value, enabling a one-to-one mapping of each element in `nested_table1` to an equal element in `nested_table2`.

If none of the above conditions occur, then `FALSE` is returned.

**`submultiset_condition::=`**



- The `OF` keyword is optional and does not change the behavior of the operator.
- The `NOT` keyword reverses the Boolean output: Oracle returns `FALSE` if `nested_table1` is a subset of `nested_table2`.
- The element types of the nested table must be comparable. Refer to [Comparison Conditions](#) for information on the comparability of nonscalar types.

### Example

The following example selects from the `customers_demo` table those rows in which the `cust_address_ntab` nested table is a submultiset of the `cust_address2_ntab` nested table:

```

SELECT customer_id, cust_address_ntab
FROM customers_demo
WHERE cust_address_ntab SUBMULTISET OF cust_address2_ntab
ORDER BY customer_id;
  
```

The preceding example requires the table `customers_demo` and two nested table columns containing data. Refer to [Multiset Operators](#) to create this table and nested table columns.


## Pattern-matching Conditions

The pattern-matching conditions compare character data.

### LIKE Condition

The `LIKE` conditions specify a test involving pattern matching. Whereas the equality operator (`=`) exactly matches one character value to another, the `LIKE` conditions match a portion of one character value to another by searching the first value for the pattern specified by the second. `LIKE` calculates strings using characters as defined by the input character set. `LIKEC` uses Unicode complete characters. `LIKE2` uses UCS2 code points. `LIKE4` uses UCS4 code points.

**like\_condition::=**



In this syntax:

- `char1` is a character expression, such as a character column, called the **search value**.
- `char2` is a character expression, usually a literal, called the **pattern**.
- `esc_char` is a character expression, usually a literal, called the **escape character**.

The `LIKE` condition is the best choice in almost all situations. Use the following guidelines to determine whether any of the variations would be helpful in your environment:

- Use `LIKE2` to process strings using UCS-2 semantics. `LIKE2` treats a Unicode supplementary character as two characters.
- Use `LIKE4` to process strings using UCS-4 semantics. `LIKE4` treats a Unicode supplementary character as one character.
- Use `LIKEC` to process strings using Unicode complete character semantics. `LIKEC` treats a composite character as one character.

For more on character length see the following:

- *Oracle Database Globalization Support Guide*
- *Oracle Database SecureFiles and Large Objects Developer's Guide*

If `esc_char` is not specified, then there is no default escape character. If any of `char1`, `char2`, or `esc_char` is null, then the result is unknown. Otherwise, the escape character, if specified, must be a character string of length 1.

All of the character expressions (*char1*, *char2*, and *esc\_char*) can be of any of the data types CHAR, VARCHAR2, NCHAR, or NVARCHAR2. If they differ, then Oracle converts all of them to the data type of *char1*.

The pattern can contain special pattern-matching characters:

- An underscore (`_`) in the pattern matches exactly one character (as opposed to one byte in a multibyte character set) in the value.
- A percent sign (`%`) in the pattern can match zero or more characters (as opposed to bytes in a multibyte character set) in the value. The pattern `'%'` cannot match a null.

You can include the actual characters `%` or `_` in the pattern by using the `ESCAPE` clause, which identifies the escape character. If the escape character precedes the character `%` or `_` in the pattern, then Oracle interprets this character literally in the pattern rather than as a special pattern-matching character. You can also search for the escape character itself by repeating it. For example, if `@` is the escape character, then you can use `@@` to search for `@`.



**Note:**

Only ASCII-equivalent underscore (`_`) and percent (`%`) characters are recognized as pattern-matching characters. Their full-width variants, present in East Asian character sets and in Unicode, are treated as normal characters.

Table 6-8 describes the `LIKE` conditions.

**Table 6-8 LIKE Condition**

Type of Condition	Operation	Example
<code>x [NOT] LIKE y [ESCAPE 'z']</code>	TRUE if <i>x</i> does [not] match the pattern <i>y</i> . Within <i>y</i> , the character <code>%</code> matches any string of zero or more characters except null. The character <code>_</code> matches any single character. Any character can follow <code>ESCAPE</code> except percent ( <code>%</code> ) and underbar ( <code>_</code> ). A wildcard character is treated as a literal if preceded by the escape character.	<pre>SELECT last_name FROM employees WHERE last_name LIKE '%A\_B%' ESCAPE '\ ' ORDER BY last_name;</pre>

To process the `LIKE` conditions, Oracle divides the pattern into subpatterns consisting of one or two characters each. The two-character subpatterns begin with the escape character and the other character is `%`, or `_`, or the escape character.

Let  $P_1, P_2, \dots, P_n$  be these subpatterns. The like condition is true if there is a way to partition the search value into substrings  $S_1, S_2, \dots, S_n$  so that for all  $i$  between 1 and  $n$ :

- If  $P_i$  is `_`, then  $S_i$  is a single character.
- If  $P_i$  is `%`, then  $S_i$  is any string.
- If  $P_i$  is two characters beginning with an escape character, then  $S_i$  is the second character of  $P_i$ .
- Otherwise,  $P_i = S_i$ .



With the `LIKE` conditions, you can compare a value to a pattern rather than to a constant. The pattern must appear after the `LIKE` keyword. For example, you can issue the following query to find the salaries of all employees with names beginning with R:

```
SELECT salary
   FROM employees
  WHERE last_name LIKE 'R%'
 ORDER BY salary;
```

The following query uses the `=` operator, rather than the `LIKE` condition, to find the salaries of all employees with the name 'R%':

```
SELECT salary
   FROM employees
  WHERE last_name = 'R%'
 ORDER BY salary;
```

The following query finds the salaries of all employees with the name 'SM%'. Oracle interprets 'SM%' as a text literal, rather than as a pattern, because it precedes the `LIKE` keyword:

```
SELECT salary
   FROM employees
  WHERE 'SM%' LIKE last_name
 ORDER BY salary;
```

### Collation and Case Sensitivity

The `LIKE` condition is collation-sensitive. Oracle Database compares the subpattern `Pi` to the substring `Si` in the processing algorithm above using the collation determined from the derived collations of `char1` and `char2`. If this collation is case-insensitive, the pattern-matching is case-insensitive as well.

#### See Also:

*Oracle Database Globalization Support Guide* for more information on case- and accent-insensitive collations and on collation determination rules for the `LIKE` condition

### Pattern Matching on Indexed Columns

When you use `LIKE` to search an indexed column for a pattern, Oracle can use the index to improve performance of a query if the leading character in the pattern is not `%` or `_`. In this case, Oracle can scan the index by this leading character. If the first character in the pattern is `%` or `_`, then the index cannot improve performance because Oracle cannot scan the index.

#### LIKE Condition: General Examples

This condition is true for all `last_name` values beginning with Ma:

```
last_name LIKE 'Ma%'
```

All of these `last_name` values make the condition true:

Mallin, Markle, Marlow, Marvins, Mavris, Matos

Case is significant, so `last_name` values beginning with `MA`, `ma`, and `mA` make the condition false.

Consider this condition:

```
last_name LIKE 'SMITH_'
```

This condition is true for these `last_name` values:

```
SMITHE, SMITHY, SMITHS
```

This condition is false for `SMITH` because the special underscore character (`_`) must match exactly one character of the `last_name` value.

### ESCAPE Clause Example

The following example searches for employees with the pattern `A_B` in their name:

```
SELECT last_name
   FROM employees
  WHERE last_name LIKE '%A\B%' ESCAPE '\'
   ORDER BY last_name;
```

The `ESCAPE` clause identifies the backslash (`\`) as the escape character. In the pattern, the escape character precedes the underscore (`_`). This causes Oracle to interpret the underscore literally, rather than as a special pattern matching character.

### Patterns Without % Example

If a pattern does not contain the `%` character, then the condition can be true only if both operands have the same length. Consider the definition of this table and the values inserted into it:

```
CREATE TABLE ducks (f CHAR(6), v VARCHAR2(6));
INSERT INTO ducks VALUES ('DUCK', 'DUCK');
SELECT '*'||f||'*' "char",
       '*'||v||'*' "varchar"
   FROM ducks;
```


```
char      varchar
-----
*DUCK * *DUCK*
```

Because Oracle blank-pads `CHAR` values, the value of `f` is blank-padded to 6 bytes. `v` is not blank-padded and has length 4.

## REGEXP\_LIKE Condition

`REGEXP_LIKE` is similar to the `LIKE` condition, except `REGEXP_LIKE` performs regular expression matching instead of the simple pattern matching performed by `LIKE`. This condition evaluates strings using characters as defined by the input character set.

This condition complies with the POSIX regular expression standard and the Unicode Regular Expression Guidelines. For more information, refer to [Oracle Regular Expression Support](#).

**regexp\_like\_condition::=**

- *source\_char* is a character expression that serves as the search value. It is commonly a character column and can be of any of the data types CHAR, VARCHAR2, NCHAR, NVARCHAR2, CLOB, or NCLOB.
- *pattern* is the **regular expression**. It is usually a text literal and can be of any of the data types CHAR, VARCHAR2, NCHAR, or NVARCHAR2. It can contain up to 512 bytes. If the data type of *pattern* is different from the data type of *source\_char*, Oracle converts *pattern* to the data type of *source\_char*. For a listing of the operators you can specify in *pattern*, refer to [Oracle Regular Expression Support](#).
- *match\_param* is a character expression of the data type VARCHAR2 or CHAR that lets you change the default matching behavior of the condition.

The value of *match\_param* can include one or more of the following characters:

- 'i' specifies case-insensitive matching, even if the determined collation of the condition is case-sensitive.
- 'c' specifies case-sensitive and accent-sensitive matching, even if the determined collation of the condition is case-insensitive or accent-insensitive.
- 'n' allows the period (.), which is the match-any-character wildcard character, to match the newline character. If you omit this parameter, then the period does not match the newline character.
- 'm' treats the source string as multiple lines. Oracle interprets ^ and \$ as the start and end, respectively, of any line anywhere in the source string, rather than only at the start or end of the entire source string. If you omit this parameter, then Oracle treats the source string as a single line.
- 'x' ignores whitespace characters. By default, whitespace characters match themselves.

If the value of *match\_param* contains multiple contradictory characters, then Oracle uses the last character. For example, if you specify 'ic', then Oracle uses case-sensitive and accent-sensitive matching. If the value contains a character other than those shown above, then Oracle returns an error.

If you omit *match\_param*, then:

- The default case and accent sensitivity are determined by the determined collation of the REGEXP\_LIKE condition.
- A period (.) does not match the newline character.
- The source string is treated as a single line.

Similar to the LIKE condition, the REGEXP\_LIKE condition is collation-sensitive.

 See Also:

- [LIKE Condition](#)
- [REGEXP\\_INSTR](#) , [REGEXP\\_REPLACE](#) , and [REGEXP\\_SUBSTR](#) for functions that provide regular expression support
- Appendix C in *Oracle Database Globalization Support Guide* for the collation determination rules for the `REGEXP_LIKE` condition

## Examples

The following query returns the first and last names for those employees with a first name of Steven or Stephen (where `first_name` begins with `Ste` and ends with `en` and in between is either `v` or `ph`):

```
SELECT first_name, last_name
FROM employees
WHERE REGEXP_LIKE (first_name, '^Ste(v|ph)en$')
ORDER BY first_name, last_name;
```

FIRST_NAME	LAST_NAME
-----	-----
Steven	King
Steven	Markle
Stephen	Stiles

The following query returns the last name for those employees with a double vowel in their last name (where `last_name` contains two adjacent occurrences of either `a`, `e`, `i`, `o`, or `u`, regardless of case):

```
SELECT last_name
FROM employees
WHERE REGEXP_LIKE (last_name, '([aeiou])\1', 'i')
ORDER BY last_name;
```

LAST_NAME
-----
De Haan
Greenberg
Khoo
Gee
Greene
Lee
Bloom
Feeney

## Null Conditions

A `NULL` condition tests for nulls. This is the only condition that you should use to test for nulls.

**`null_condition ::=`**




Table 6-9 lists the null conditions.

**Table 6-9 Null Condition**

Type of Condition	Operation	Example
IS [NOT] NULL	Tests for nulls. <b>See Also:</b> <a href="#">Nulls</a>	<pre>SELECT last_name FROM employees WHERE commission_pct IS NULL ORDER BY last_name;</pre>

## XML Conditions


XML conditions determine whether a specified XML resource can be found in a specified path.

### EQUALS\_PATH Condition

The `EQUALS_PATH` condition determines whether a resource in the Oracle XML database can be found in the database at a specified path.

Use this condition in queries to `RESOURCE_VIEW` and `PATH_VIEW`. These public views provide a mechanism for SQL access to data stored in the XML database repository. `RESOURCE_VIEW` contains one row for each resource in the repository, and `PATH_VIEW` contains one row for each unique path in the repository.

***equals\_path\_condition::=***



This condition applies only to the path as specified. It is similar to but more restrictive than `UNDER_PATH`.

For *path\_string*, specify the (absolute) path name to resolve. This can contain components that are hard or weak resource links.

The optional *correlation\_integer* argument correlates the `EQUALS_PATH` condition with its ancillary functions `DEPTH` and `PATH`.



#### See Also:

[UNDER\\_PATH Condition](#) , [DEPTH](#) , and [PATH](#)

#### Example

The view `RESOURCE_VIEW` computes the paths (in the `any_path` column) that lead to all XML resources (in the `res` column) in the database repository. The following example

queries the `RESOURCE_VIEW` view to find the paths to the resources in the sample schema `oe`. The `EQUALS_PATH` condition causes the query to return only the specified path:

```
SELECT ANY_PATH FROM RESOURCE_VIEW
       WHERE EQUALS_PATH(res, '/sys/schemas/OE/www.example.com')=1;

ANY_PATH
-----
/sys/schemas/OE/www.example.com
```


Compare this example with that for [UNDER\\_PATH Condition](#).

## UNDER\_PATH Condition

The `UNDER_PATH` condition determines whether resources specified in a column can be found under a particular path specified by `path_string` in the Oracle XML database repository. The path information is computed by the `RESOURCE_VIEW` view, which you query to use this condition.

Use this condition in queries to `RESOURCE_VIEW` and `PATH_VIEW`. These public views provide a mechanism for SQL access to data stored in the XML database repository. `RESOURCE_VIEW` contains one row for each resource in the repository, and `PATH_VIEW` contains one row for each unique path in the repository.

***under\_path\_condition::=***



The optional `levels` argument indicates the number of levels down from `path_string` Oracle should search. For `levels`, specify any nonnegative integer.

The optional `correlation_integer` argument correlates the `UNDER_PATH` condition with its ancillary functions `PATH` and `DEPTH`.

### See Also:

The related condition [EQUALS\\_PATH Condition](#) and the ancillary functions [DEPTH](#) and [PATH](#)

### Example

The view `RESOURCE_VIEW` computes the paths (in the `any_path` column) that lead to all XML resources (in the `res` column) in the database repository. The following example queries the `RESOURCE_VIEW` view to find the paths to the resources in the sample schema `oe`. The query returns the path of the XML schema that was created in [XMLType Table Examples](#):

```
SELECT ANY_PATH FROM RESOURCE_VIEW
       WHERE UNDER_PATH(res, '/sys/schemas/OE/www.example.com')=1;

ANY_PATH
```


-----  
/sys/schemas/OE/www.example.com/xwarehouses.xsd

## SQL For JSON Conditions

SQL for JSON conditions allow you to test JavaScript Object Notation (JSON) data as follows:

- **IS JSON Condition** lets you test whether an expression is syntactically correct JSON data
- **JSON\_EQUAL Condition** tests whether two JSON values are the same.
- **JSON\_EXISTS Condition** lets you test whether a specified JSON value exists in JSON data
- **JSON\_TEXTCONTAINS Condition** lets you test whether a specified character string exists in JSON property values.

**JSON\_condition::=**




## IS JSON Condition


Use this SQL JSON condition to test whether an expression is syntactically correct, well-formed, JSON data.

- If the data tested is syntactically correct and keyword `VALIDATE` is not present, then `IS JSON` returns true, and `IS NOT JSON` returns false.
- If keyword `VALIDATE` is present, then the data is tested to ensure that it is both well-formed and valid with respect to the specified JSON schema. Keyword `VALIDATE` (optionally followed by keyword `USING`) must be followed by a SQL string literal that is the JSON schema to validate against.
- If an error occurs during parsing or validating, and the data is considered to not be well-formed or not valid, then `IS JSON` returns false and `IS NOT JSON` returns true. Parsing and validation errors are handled by the condition itself returning true or false. Other errors that are neither from parsing or validation, these errors are raised.
- You can use `IS JSON` and `IS NOT JSON` in a `CASE` expression or the `WHERE` clause of a `SELECT` statement. You can use `IS JSON` in a check constraint.


**is\_JSON\_condition::=**




*is\_json\_args::=*




*JSON\_modifier\_list::=*



*JSON\_column\_modifier::=*



*JSON\_scalar\_modifier::=*





- Use *expr* to specify the JSON data to be evaluated. Specify an expression that evaluates to a text literal. If *expr* is a column, then the column must be of data type VARCHAR2, CLOB, or BLOB. If *expr* evaluates to null or a text literal of length zero, then this condition returns UNKNOWN.
- You must specify `FORMAT JSON` if *expr* is a column of data type BLOB.
- If you specify `STRICT`, then this condition considers only strict JSON syntax to be well-formed JSON data. If you specify `LAX`, then this condition also considers lax JSON syntax to be well-formed JSON data. The default is `LAX`. Refer to *Oracle Database JSON Developer's Guide* for more information on strict and lax JSON syntax.
- If you specify `WITH UNIQUE KEYS`, then this condition considers JSON data to be well-formed only if key names are unique within each object. If you specify `WITHOUT UNIQUE KEYS`, then this condition considers JSON data to be well-formed even if duplicate key names occur within an object. A `WITHOUT UNIQUE KEYS` test performs faster than a `WITH UNIQUE KEYS` test. The default is `WITHOUT UNIQUE KEYS`.
- Specify the optional keyword `VALIDATE` to test that the data is also valid with respect to a given JSON schema.
- To enforce that a JSON type value is a certain type, you can use JSON type modifiers. See *SQL/JSON Conditions IS JSON and IS NOT JSON of the JSON Developer's Guide*.

### JSON Schema Validation

A JSON schema typically specifies the allowed structure and data typing of other JSON documents. You can therefore use a JSON schema to validate JSON data. You can validate JSON data against a JSON schema in the following ways:

- Use condition `IS JSON` (or `IS NOT JSON`) with keyword `VALIDATE` and the name of a JSON schema, to test whether targeted data is valid (or invalid) against that schema. The schema can be provided as a literal string or a usage domain. (Keyword `VALIDATE` can optionally be followed by keyword `USING`.)

You can use `VALIDATE` with condition `is json` anywhere you can use that condition. This includes use in a `WHERE` clause, or as a check constraint to ensure that only valid data is inserted in a column.

When used as a check constraint for a JSON-type column, you can alternatively omit `is json`, and just use keyword `VALIDATE` directly. These two table creations are equivalent, for a JSON-type column:

```
CREATE TABLE tab (jcol JSON VALIDATE '{"type" : "object"}');
```

```
CREATE TABLE tab (jcol JSON CONSTRAINT jchk
  CHECK (jcol IS JSON VALIDATE '{"type" : "object"}'));
```

- Use a usage domain as a check constraint for JSON type data. For example:

```
CREATE DOMAIN jd AS JSON CONSTRAINT jchkd CHECK (jd IS JSON VALIDATE
  '{"type" : "object"}');
```

```
CREATE TABLE jtab(jcol JSON DOMAIN jd);
```

When creating a domain from a schema, you can alternatively omit the constraint and `is json`, and just use keyword `VALIDATE` directly. This domain creation is equivalent to the previous one:

```
CREATE DOMAIN jd AS JSON VALIDATE '{"type" : "object"}';
```

- For databases that support a binary JSON format, data can be encoded on the client. In such cases, the database does not have to convert textual JSON to its binary representation and hence validation using an extended data type can be performed.

If textual JSON is sent to the database, it is followed by an encoding process to a binary representation (server-side encoding). In such circumstances, the schema validator can operate in `CAST` mode. That is, the binary encoder can use the value specified for the extended data type keyword in the JSON schema and encode the scalar field to its binary representation. Only scalar types are eligible for casting.

```
CREATE TABLE jtab (
  id    NUMBER(9) PRIMARY KEY,
  jcol  JSON CHECK(jcol IS JSON VALIDATE CAST USING '{
    "type": "object",
    "properties": {
      "firstName": {
        "extendedType": "string",
        "maxLength": 50
      },
      "birthDate" : {
        "extendedType": "date"
      }
    },
    "required": ["firstName", "birthDate"]
  }'
);
```

The following textual JSON is a valid document per the above schema:

```
{
  "firstName": "Scott",
  "birthDate": "1990-04-02"
}
```

- Use PL/SQL functions explained fully in *JSON Schema* of the *JSON Developer's Guide*.

Static dictionary views `DBA_JSON_SCHEMA_COLUMNS`, `ALL_JSON_SCHEMA_COLUMNS`, and `USER_JSON_SCHEMA_COLUMNS` describe a JSON schema that you use as a check constraint.

Each row of these views contains the name of the table, the JSON column, and the constraint defined by the JSON schema, as well as the JSON schema itself and an indication of whether the cast mode is specified for the JSON schema. Views `DBA_JSON_SCHEMA_COLUMNS` and `ALL_JSON_SCHEMA_COLUMNS` also contain the name of the table owner.

## Examples

### IS JSON VALIDATE

The following example creates a schema `jsontab1` with a JSON constraint `jt1isj` that has a JSON validate check:

```
CREATE TABLE jsontab1(
  id NUMBER(4),
  j  JSON CONSTRAINT jt1isj CHECK (j IS JSON VALIDATE USING
  '{
    "type": "object",
    "minProperties": 2
```

```
    })
  );
```

The following example shows the error when you try to insert values other than a JSON object:

```
INSERT INTO jsontab1(j) VALUES ('["a", "b"]');
INSERT INTO jsontab1(j) VALUES ('["a", "b"]')
*
ERROR at line 1:
ORA-02290: check constraint (SYS.JT1ISJ) violated
```

The following two examples shows a row added with valid input :

```
INSERT INTO jsontab1(j) VALUES ('{"a": "a", "b": "b"}');

1 row created.

INSERT INTO jsontab1(jschd) VALUES (json('a json string'));

1 row created.
```

The following example adds another constraint `jschdsv` to table `jsontab1`:

```
ALTER TABLE jsontab1
ADD jschd JSON CONSTRAINT jschdsv
        CHECK (jschd IS JSON VALIDATE USING '{"type": "string"}');
```

Table altered.

```
SQL> INSERT INTO jsontab1(jschd) VALUES (json('3.1415'));
INSERT INTO jsontab1(jschd) VALUES (json('3.1415'))
*
ERROR at line 1:
ORA-02290: check constraint (SYS.JSCHDSV) violated
```

### IS JSON VALIDATE in WHERE Clause

```
SELECT COUNT(1) FROM jsontab1 WHERE j IS JSON
VALIDATE
    '{"type" : "object",
      "properties" : {
        "id" : {
          "type" : "number"
        }
      }
    }';
```

### Testing for STRICT or LAX JSON Syntax: Example

The following statement creates table `t` with column `col1`:

```
CREATE TABLE t (col1 VARCHAR2(100));
```

The following statements insert values into column `col1` of table `t`:

```
INSERT INTO t VALUES ( '[' LIT192", "CS141", "HIS160" ]' );
INSERT INTO t VALUES ( '{ "Name": "John" }' );
INSERT INTO t VALUES ( '{ "Grade Values" : { A : 4.0, B : 3.0, C : 2.0 } }' );
```

```

INSERT INTO t VALUES ( '{ "isEnrolled" : true }' );
INSERT INTO t VALUES ( '{ "isMatriculated" : False }' );
INSERT INTO t VALUES (NULL);
INSERT INTO t VALUES ('This is not well-formed JSON data');

```

The following statement queries table `t` and returns `col1` values that are well-formed JSON data. Because neither the `STRICT` nor `LAX` keyword is specified, this example uses the default `LAX` setting. Therefore, this query returns values that use strict or lax JSON syntax.

```

SELECT col1
  FROM t
 WHERE col1 IS JSON;

```

```

COL1
-----
[ "LIT192", "CS141", "HIS160" ]
{ "Name": "John" }
{ "Grade Values" : { A : 4.0, B : 3.0, C : 2.0 } }
{ "isEnrolled" : true }
{ "isMatriculated" : False }

```

The following statement queries table `t` and returns `col1` values that are well-formed JSON data. This example specifies the `STRICT` setting. Therefore, this query returns only values that use strict JSON syntax.

```

SELECT col1
  FROM t
 WHERE col1 IS JSON STRICT;

```

```

COL1
-----
[ "LIT192", "CS141", "HIS160" ]
{ "Name": "John" }
{ "isEnrolled" : true }

```

The following statement queries table `t` and returns `col1` values that use lax JSON syntax, but omits `col1` values that use strict JSON syntax. Therefore, this query returns only values that contain the exceptions allowed in lax JSON syntax.

```

SELECT col1
  FROM t
 WHERE col1 IS NOT JSON STRICT AND col1 IS JSON LAX;

```

```

COL1
-----
{ "Grade Values" : { A : 4.0, B : 3.0, C : 2.0 } }
{ "isMatriculated" : False }

```

### Testing for Unique Keys: Example

The following statement creates table `t` with column `col1`:

```

CREATE TABLE t (col1 VARCHAR2(100));

```

The following statements insert values into column `col1` of table `t`:

```

INSERT INTO t VALUES ('{a:100, b:200, c:300}');
INSERT INTO t VALUES ('{a:100, a:200, b:300}');
INSERT INTO t VALUES ('{a:100, b : {a:100, c:300}}');

```

The following statement queries table `t` and returns `col1` values that are well-formed JSON data with unique key names within each object:

```
SELECT col1 FROM t
   WHERE col1 IS JSON WITH UNIQUE KEYS;
```

```
COL1
-----
{a:100, b:200, c:300}
{a:100, b : {a:100, c:300}}
```

The second row is returned because, while the key name `a` appears twice, it is in two different objects.

The following statement queries table `t` and returns `col1` values that are well-formed JSON data, regardless of whether there are unique key names within each object:

```
SELECT col1 FROM t
   WHERE col1 IS JSON WITHOUT UNIQUE KEYS;
```

```
COL1
-----
{a:100, b:200, c:300}
{a:100, a:200, b:300}
{a:100, b : {a:100, c:300}}
```

### Using IS JSON as a Check Constraint: Example

The following statement creates table `j_purchaseorder`, which will store JSON data in column `po_document`. The statement uses the `IS JSON` condition as a check constraint to ensure that only well-formed JSON is stored in column `po_document`.

```
CREATE TABLE j_purchaseorder
(id RAW (16) NOT NULL,
 date_loaded TIMESTAMP(6) WITH TIME ZONE,
 po_document CLOB CONSTRAINT ensure_json CHECK (po_document IS JSON));
```



#### See Also:

*Conditions IS JSON and IS NOT JSON of the JSON Developer's Guide.*

## JSON\_EQUAL Condition

### Syntax

```
→ JSON_EQUAL → ( → expr → , → expr → ) →
```

### Purpose

The Oracle SQL condition `JSON_EQUAL` compares two JSON values and returns true if they are equal. It returns false if the two values are not equal. The input values must be valid JSON data.

The comparison ignores insignificant whitespace and insignificant object member order. For example, JSON objects are equal, if they have the same members, regardless of their order.

If either of the two compared inputs has one or more duplicate fields, then the value returned by `JSON_EQUAL` is unspecified.

`JSON_EQUAL` supports `ERROR ON ERROR`, `FALSE ON ERROR`, and `TRUE ON ERROR`. The default is `FALSE ON ERROR`. A typical example of an error is when the input expression is not valid JSON.

### Examples

The following statements return `TRUE`:

```
JSON_EQUAL('{}', '{ }')
JSON_EQUAL('{a:1, b:2}', '{b:2 , a:1 }')
```

The following statement return `FALSE`:

```
JSON_EQUAL('{a:"1"}', '{a:1 }') -> FALSE
```

The following statement results in a `ORA-40441 JSON syntax error`

```
JSON_EQUAL('[1]', '[]' ERROR ON ERROR)
```




#### See Also:

- *Oracle Database JSON Developer's Guide* for more information.




## JSON\_EXISTS Condition

Use the SQL/JSON condition `JSON_EXISTS` to test whether a specified JSON value exists in JSON data. This condition returns `TRUE` if the JSON value exists and `FALSE` if the JSON value does not exist.

**JSON\_exists\_condition::=**



(*JSON\_basic\_path\_expression*: See *Oracle Database JSON Developer's Guide*)

**JSON\_passing\_clause::=****JSON\_exists\_on\_error\_clause::=****JSON\_exists\_on\_empty\_clause::=****expr**

Use this clause to specify the JSON data to be evaluated. For *expr*, specify an expression that evaluates to a text literal. If *expr* is a column, then the column must be of data type `VARCHAR2`, `CLOB`, or `BLOB`. If *expr* evaluates to null or a text literal of length zero, then the condition returns `UNKNOWN`.

If *expr* is not a text literal of well-formed JSON data using strict or lax syntax, then the condition returns `FALSE` by default. You can use the *JSON\_exists\_on\_error\_clause* to override this default behavior. Refer to the [JSON\\_exists\\_on\\_error\\_clause](#).

**FORMAT JSON**

You must specify `FORMAT JSON` if *expr* is a column of data type `BLOB`.

**JSON\_basic\_path\_expression**

Use this clause to specify a SQL/JSON path expression. The condition uses the path expression to evaluate *expr* and determine if a JSON value that matches, or satisfies, the path expression exists. The path expression must be a text literal, but it can contain variables whose values are passed to the path expression by the *JSON\_passing\_clause*. See *Oracle Database JSON Developer's Guide* for the full semantics of *JSON\_basic\_path\_expression*.

**JSON\_passing\_clause**

Use this clause to pass values to the path expression. For *expr*, specify a value of data type `VARCHAR2`, `NUMBER`, `BINARY_DOUBLE`, `DATE`, `TIMESTAMP`, or `TIMESTAMP WITH TIME ZONE`. The result of evaluating *expr* is bound to the corresponding identifier in the *JSON\_basic\_path\_expression*.

### ***JSON\_exists\_on\_error\_clause***

Use this clause to specify the value returned by this condition when *expr* is not well-formed JSON data.

You can specify the following clauses:

- **ERROR ON ERROR** - Returns the appropriate Oracle error when *expr* is not well-formed JSON data.
- **TRUE ON ERROR** - Returns **TRUE** when *expr* is not well-formed JSON data.
- **FALSE ON ERROR** - Returns **FALSE** when *expr* is not well-formed JSON data. This is the default.

### ***JSON\_exists\_on\_empty\_clause***

Use this clause to specify the value returned by this function if no match is found when the JSON data is evaluated using the SQL/JSON path expression.

You can specify the following clauses:

- **ERROR ON EMPTY** - Returns the appropriate Oracle error when *expr* is not well-formed JSON data..
- **TRUE ON EMPTY** - Returns **TRUE** when *expr* is not well-formed JSON data..
- **FALSE ON EMPTY** - Returns **FALSE** when *expr* is not well-formed JSON data. This is the default. .

### **Examples**

The following statement creates table *t* with column *name*:

```
CREATE TABLE t (name VARCHAR2(100));
```

The following statements insert values into column *name* of table *t*:

```
INSERT INTO t VALUES ('[{first:"John"}, {middle:"Mark"}, {last:"Smith"}]');
INSERT INTO t VALUES ('[{first:"Mary"}, {last:"Jones"}]');
INSERT INTO t VALUES ('[{first:"Jeff"}, {last:"Williams"}]');
INSERT INTO t VALUES ('[{first:"Jean"}, {middle:"Anne"}, {last:"Brown"}]');
INSERT INTO t VALUES (NULL);
INSERT INTO t VALUES ('This is not well-formed JSON data');
```

The following statement queries column *name* in table *t* and returns JSON data that consists of an array whose first element is an object with property name *first*. The **ON ERROR** clause is not specified. Therefore, the **JSON\_EXISTS** condition returns **FALSE** for values that are not well-formed JSON data.

```
SELECT name FROM t
WHERE JSON_EXISTS(name, '$[0].first');
```

NAME

```
-----
[{first:"John"}, {middle:"Mark"}, {last:"Smith"}]
[{first:"Mary"}, {last:"Jones"}]
[{first:"Jeff"}, {last:"Williams"}]
[{first:"Jean"}, {middle:"Anne"}, {last:"Brown"}]
```



The following statement queries column `name` in table `t` and returns JSON data that consists of an array whose second element is an object with property name `middle`. The `ON ERROR` clause is not specified. Therefore, the `JSON_EXISTS` condition returns `FALSE` for values that are not well-formed JSON data.

```
SELECT name FROM t
  WHERE JSON_EXISTS(name, '$[1].middle');
```

NAME

```
-----
[{"first":"John"}, {"middle":"Mark"}, {"last":"Smith"}]
[{"first":"Jean"}, {"middle":"Anne"}, {"last":"Brown"}]
```

The following statement is similar to the previous statement, except that the `TRUE ON ERROR` clause is specified. Therefore, the `JSON_EXISTS` condition returns `TRUE` for values that are not well-formed JSON data.

```
SELECT name FROM t
  WHERE JSON_EXISTS(name, '$[1].middle' TRUE ON ERROR);
```

NAME

```
-----
[{"first":"John"}, {"middle":"Mark"}, {"last":"Smith"}]
[{"first":"Jean"}, {"middle":"Anne"}, {"last":"Brown"}]
This is not well-formed JSON data
```

The following statement queries column `name` in table `t` and returns JSON data that consists of an array that contains an element that is an object with property name `last`. The wildcard symbol (`*`) is specified for the array index. Therefore, the query returns arrays that contain such an object, regardless of its index number in the array.

```
SELECT name FROM t
  WHERE JSON_EXISTS(name, '$[*].last');
```

NAME

```
-----
[{"first":"John"}, {"middle":"Mark"}, {"last":"Smith"}]
[{"first":"Mary"}, {"last":"Jones"}]
[{"first":"Jeff"}, {"last":"Williams"}]
[{"first":"Jean"}, {"middle":"Anne"}, {"last":"Brown"}]
```

The following statement performs a filter expression using the passing clause. The SQL/JSON variable `$var1` in the comparison predicate (`@.middle == $var1`) gets its value from the bind variable `var1` of the `PASSING` clause.

Using bind variables for value comparisons avoids query re-compilation.

```
SELECT name FROM t
  WHERE JSON_EXISTS(name, '$[1]?(@.middle == $var1)' PASSING 'Anne' as "var1");
```

NAME

```
-----
[{"first":"Jean"}, {"middle":"Anne"}, {"last":"Brown"}]
```

**See Also:**Condition `JSON_Exists`

## JSON\_TEXTCONTAINS Condition

Use the SQL/JSON condition `JSON_TEXTCONTAINS` to test whether a specified character string exists in JSON property values. You can use this condition to filter JSON data on a specific word or number.

This condition takes the following arguments:

- A table or view column that contains JSON data. A JSON search index, which is an Oracle Text index designed specifically for use with JSON data, must be defined on the column. Each row of JSON data in the column is referred to as a **JSON document**.
- A SQL/JSON path expression. The path expression is applied to each JSON document in an attempt to match a specific JSON object within the document. The path expression can contain only JSON object steps; it cannot contain JSON array steps.
- A character string. The condition searches for the character string in all of the string and numeric property values in the matched JSON object, including array values. The string must exist as a separate word in the property value. For example, if you search for 'beth', then a match will be found for string property value "beth smith", but not for "elizabeth smith". If you search for '10', then a match will be found for numeric property value 10 or string property value "10 main street", but a match will not be found for numeric property value 110 or string property value "102 main street".

This condition returns `TRUE` if a match is found, and `FALSE` if a match is not found.

**See Also:**

JSON Full text search queries

***JSON\_textcontains\_condition::=***

```
→ JSON_TEXTCONTAINS ( ( column , JSON_basic_path_expression , string ) →
```

(*JSON\_basic\_path\_expression*: See *Oracle Database JSON Developer's Guide*)

***column***

Specify the name of the table or view column containing the JSON data to be tested. The column must be of data type `VARCHAR2`, `CLOB`, or `BLOB`. A JSON search index, which is an Oracle Text index designed specifically for use with JSON data, must be defined on the column. If a column value is a null or a text literal of length zero, then the condition returns `UNKNOWN`.

If a column value is not a text literal of well-formed JSON data using strict or lax syntax, then the condition returns `FALSE`.

### ***JSON\_basic\_path\_expression***

Use this clause to specify a SQL/JSON path expression. The condition uses the path expression to evaluate *column* and determine if a JSON value that matches, or satisfies, the path expression exists. The path expression must be a text literal. See *Oracle Database JSON Developer's Guide* for the full semantics of *JSON\_basic\_path\_expression*.

### ***string***

The condition searches for the character string specified by *string*. The string must be enclosed in single quotation marks.

### **Examples**

The following statement creates table *families* with column *family\_doc*:

```
CREATE TABLE families (family_doc VARCHAR2(200));
```

The following statement creates a JSON search index on column *family\_doc*:

```
CREATE INDEX ix
  ON families(family_doc)
  INDEXTYPE IS CTXSYS.CONTEXT
  PARAMETERS ('SECTION GROUP CTXSYS.JSON_SECTION_GROUP SYNC (ON COMMIT)');
```

The following statements insert JSON documents that describe families into column *family\_doc*:

```
INSERT INTO families
VALUES ('{family : {id:10, ages:[40,38,12], address : {street : "10 Main Street"}}}');

INSERT INTO families
VALUES ('{family : {id:11, ages:[42,40,10,5], address : {street : "200 East Street", apt : 20}}});

INSERT INTO families
VALUES ('{family : {id:12, ages:[25,23], address : {street : "300 Oak Street", apt : 10}}});
```

The following statement commits the transaction:

```
COMMIT;
```

The following query returns the JSON documents that contain 10 in any property value in the document:

```
SELECT family_doc FROM families
  WHERE JSON_TEXTCONTAINS(family_doc, '$', '10');

FAMILY_DOC
-----
{family : {id:10, ages:[40,38,12], address : {street : "10 Main Street"}}}
{family : {id:11, ages:[42,40,10,5], address : {street : "200 East Street", apt : 20}}
{family : {id:12, ages:[25,23], address : {street : "300 Oak Street", apt : 10}}}
```

The following query returns the JSON documents that contain 10 in the *id* property value:

```
SELECT family_doc FROM families
  where json_textcontains(family_doc, '$.family.id', '10');
```

FAMILY\_DOC

-----  
{family : {id:10, ages:[40,38,12], address : {street : "10 Main Street"}}

The following query returns the JSON documents that have a 10 in the array of values for the ages property:

```
SELECT family_doc FROM families
WHERE JSON_TEXTCONTAINS(family_doc, '$.family.ages', '10');
```

FAMILY\_DOC

-----  
{family : {id:11, ages:[42,40,10,5], address : {street : "200 East Street", apt : 20}}

The following query returns the JSON documents that have a 10 in the address property value:

```
SELECT family_doc FROM families
WHERE JSON_TEXTCONTAINS(family_doc, '$.family.address', '10');
```

FAMILY\_DOC

-----  
{family : {id:10, ages:[40,38,12], address : {street : "10 Main Street"}}-----  
{family : {id:12, ages:[25,23], address : {street : "300 Oak Street", apt : 10}}

The following query returns the JSON documents that have a 10 in the apt property value:

```
SELECT family_doc FROM families
WHERE JSON_TEXTCONTAINS(family_doc, '$.family.address.apt', '10');
```


FAMILY\_DOC

-----  
{family : {id:12, ages:[25,23], address : {street : "300 Oak Street", apt : 10}}

## Compound Conditions

A compound condition specifies a combination of other conditions.

**compound\_condition ::=**




### See Also:

[Logical Conditions](#) for more information about NOT, AND, and OR conditions

## BETWEEN Condition

A `BETWEEN` condition determines whether the value of one expression is in an interval defined by two other expressions.

**`between_condition::=`**



All three expressions must be numeric, character, or datetime expressions. In SQL, it is possible that `expr1` will be evaluated more than once. If the `BETWEEN` expression appears in PL/SQL, `expr1` is guaranteed to be evaluated only once. If the expressions are not all the same data type, then Oracle Database implicitly converts the expressions to a common data type. If it cannot do so, then it returns an error.



### See Also:

[Implicit Data Conversion](#) for more information on SQL data type conversion

The value of

```
expr1 NOT BETWEEN expr2 AND expr3
```

is the value of the expression

```
NOT (expr1 BETWEEN expr2 AND expr3)
```

And the value of

```
expr1 BETWEEN expr2 AND expr3
```

is the value of the boolean expression:

```
expr2 <= expr1 AND expr1 <= expr3
```

If `expr3 < expr2`, then the interval is empty. If `expr1` is `NULL`, then the result is `NULL`. If `expr1` is not `NULL`, then the value is `FALSE` in the ordinary case and `TRUE` when the keyword `NOT` is used.

The boolean operator `AND` may produce unexpected results. Specifically, in the expression `x AND y`, the condition `x IS NULL` is not sufficient to determine the value of the expression. The second operand still must be evaluated. The result is `FALSE` if the second operand has the value `FALSE` and `NULL` otherwise. See [Logical Conditions](#) for more information on `AND`.

**Table 6-10 BETWEEN Condition**

Type of Condition	Operation	Example
[NOT] BETWEEN x AND y	[NOT] ( <i>expr2</i> less than or equal to <i>expr1</i> AND <i>expr1</i> less than or equal to <i>expr3</i> )	SELECT * FROM employees WHERE salary BETWEEN 2000 AND 3000 ORDER BY employee_id;

## EXISTS Condition

An EXISTS condition tests for existence of rows in a subquery.




Table 6-11 shows the EXISTS condition.


**Table 6-11 EXISTS Condition**



Type of Condition	Operation	Example
EXISTS	TRUE if a subquery returns at least one row.	SELECT department_id FROM departments d WHERE EXISTS (SELECT * FROM employees e WHERE d.department_id = e.department_id) ORDER BY department_id;

## IN Condition

An *in\_condition* is a membership condition. It tests a value for membership in a list of values or subquery

***in\_condition*::=**



***expression\_list*::=*****values\_clause*::=**

If you use the upper form of the *in\_condition* condition (with a single expression to the left of the operator), then you must use the upper form of *expression\_list*. If you use the lower form of this condition (with multiple expressions to the left of the operator), then you must use the lower form of *expression\_list*, and the expressions in each *expression\_list* must match in number and data type the expressions to the left of the operator. You can specify up to 65535 expressions in *expression\_list*.

Oracle Database does not always evaluate the expressions in an *expression\_list* in the order in which they appear in the `IN` list. However, expressions in the select list of a subquery are evaluated in their specified order.

 **See Also:**

[Expression Lists](#)

Table 6-12 lists the form of `IN` condition.

Table 6-12 IN Condition

Type of Condition	Operation	Example
IN	Equal-to-any-member-of test. Equivalent to =ANY.	<pre>SELECT * FROM employees WHERE job_id IN ('PU_CLERK','SH_CLERK') ORDER BY employee_id; SELECT * FROM employees WHERE salary IN (SELECT salary FROM employees WHERE department_id =30) ORDER BY employee_id;</pre>
NOT IN	Equivalent to !=ALL. Evaluates to FALSE if any member of the set is NULL.	<pre>SELECT * FROM employees WHERE salary NOT IN (SELECT salary FROM employees WHERE department_id = 30) ORDER BY employee_id; SELECT * FROM employees WHERE job_id NOT IN ('PU_CLERK', 'SH_CLERK') ORDER BY employee_id;</pre>

**values\_clause**

For semantics of the *values\_clause* please see the *values\_clause* of the SELECT statement [values\\_clause](#) .

If any item in the list following a NOT IN operation evaluates to null, then all rows evaluate to FALSE or UNKNOWN, and no rows are returned. For example, the following statement returns the string 'True' for each row:

```
SELECT 'True' FROM employees
WHERE department_id NOT IN (10, 20);
```

However, the following statement returns no rows:

```
SELECT 'True' FROM employees
WHERE department_id NOT IN (10, 20, NULL);
```

The preceding example returns no rows because the WHERE clause condition evaluates to:

```
department_id != 10 AND department_id != 20 AND department_id != null
```

Because the third condition compares *department\_id* with a null, it results in an UNKNOWN, so the entire expression results in FALSE (for rows with *department\_id* equal to 10 or 20). This behavior can easily be overlooked, especially when the NOT IN operator references a subquery.

Moreover, if a NOT IN condition references a subquery that returns no rows at all, then all rows will be returned, as shown in the following example:

```
SELECT 'True' FROM employees
WHERE department_id NOT IN (SELECT 0 FROM DUAL WHERE 1=2);
```



For character arguments, the `IN` condition is collation-sensitive. The collation determination rules determine the collation to use.

### See Also:

Appendix C in *Oracle Database Globalization Support Guide* for the collation determination rules for the `IN` condition

### Restriction on LEVEL in WHERE Clauses

In a `[NOT] IN` condition in a `WHERE` clause, if the right-hand side of the condition is a subquery, you cannot use `LEVEL` on the left-hand side of the condition. However, you can specify `LEVEL` in a subquery of the `FROM` clause to achieve the same result. For example, the following statement is not valid:

```
SELECT employee_id, last_name FROM employees
   WHERE (employee_id, LEVEL)
         IN (SELECT employee_id, 2 FROM employees)
   START WITH employee_id = 2
   CONNECT BY PRIOR employee_id = manager_id;
```


But the following statement is valid because it encapsulates the query containing the `LEVEL` information in the `FROM` clause:

```
SELECT v.employee_id, v.last_name, v.lev FROM
   (SELECT employee_id, last_name, LEVEL lev
    FROM employees v
    START WITH employee_id = 100
    CONNECT BY PRIOR employee_id = manager_id) v
   WHERE (v.employee_id, v.lev) IN
   (SELECT employee_id, 2 FROM employees);
```

## IS OF type Condition

Use the `IS OF type` condition to test object instances based on their specific type information.

***is\_of\_type\_condition*::=**



You must have `EXECUTE` privilege on all types referenced by `type`, and all `types` must belong to the same type family.

This condition evaluates to null if `expr` is null. If `expr` is not null, then the condition evaluates to true (or false if you specify the `NOT` keyword) under either of these circumstances:

- The most specific type of `expr` is the subtype of one of the types specified in the `type` list and you have not specified `ONLY` for the type, or

- The most specific type of *expr* is explicitly specified in the *type* list.

The *expr* frequently takes the form of the `VALUE` function with a correlation variable.

The following example uses the sample table `oe.persons`, which is built on a type hierarchy in [Substitutable Table and Column Examples](#). The example uses the `IS OF type` condition to restrict the query to specific subtypes:

```
SELECT * FROM persons p
  WHERE VALUE(p) IS OF TYPE (employee_t);
```


NAME	SSN
Joe	32456
Tim	5678

```
SELECT * FROM persons p
  WHERE VALUE(p) IS OF (ONLY part_time_emp_t);
```

NAME	SSN
Tim	5678

## BOOLEAN Test Condition

### Syntax



# 7

## Functions

**Functions** are similar to operators in that they manipulate data items and return a result. Functions differ from operators in the format of their arguments. This format enables them to operate on zero, one, two, or more arguments:

```
function(argument, argument, ...)
```

A function without any arguments is similar to a pseudocolumn (refer to [Pseudocolumns](#)). However, a pseudocolumn typically returns a different value for each row in the result set, whereas a function without any arguments typically returns the same value for each row.

This chapter contains these sections:

- [About SQL Functions](#)
- [Single-Row Functions](#)
  - [Numeric Functions](#)
  - [Character Functions Returning Character Values](#)
  - [Character Functions Returning Number Values](#)
  - [Character Set Functions](#)
  - [Collation Functions](#)
  - [Datetime Functions](#)
  - [General Comparison Functions](#)
  - [Conversion Functions](#)
  - [Large Object Functions](#)
  - [Collection Functions](#)
  - [Hierarchical Functions](#)
  - [Oracle Machine Learning for SQL Functions](#)
  - [XML Functions](#)
  - [JSON Functions](#)
  - [Encoding and Decoding Functions](#)
  - [NULL-Related Functions](#)
  - [Environment and Identifier Functions](#)
- [Aggregate Functions](#)
- [Analytic Functions](#)
- [Object Reference Functions](#)
- [Model Functions](#)
- [OLAP Functions](#)
- [Data Cartridge Functions](#)

- [About User-Defined Functions](#)

## About SQL Functions

SQL functions are built into Oracle Database and are available for use in various appropriate SQL statements. Do not confuse SQL functions with user-defined functions written in PL/SQL.

If you call a SQL function with an argument of a data type other than the data type expected by the SQL function, then Oracle attempts to convert the argument to the expected data type before performing the SQL function.

### See Also:

[About User-Defined Functions](#) for information on user functions and [Data Conversion](#) for implicit conversion of data types

### Nulls in SQL Functions

Most scalar functions return null when given a null argument. You can use the `NVL` function to return a value when a null occurs. For example, the expression `NVL(commission_pct,0)` returns 0 if `commission_pct` is null or the value of `commission_pct` if it is not null.

For information on how aggregate functions handle nulls, see [Aggregate Functions](#) .

### Syntax for SQL Functions

In the syntax diagrams for SQL functions, arguments are indicated by their data types. When the parameter *function* appears in SQL syntax, replace it with one of the functions described in this section. Functions are grouped by the data types of their arguments and their return values.

### Note:

When you apply SQL functions to LOB columns, Oracle Database creates temporary LOBs during SQL and PL/SQL processing. You should ensure that temporary tablespace quota is sufficient for storing these temporary LOBs for your application.

A SQL function may be collation-sensitive, which means that character value comparison or matching that it performs is controlled by a collation. The particular collation to use by the function is determined from the collations of the function's arguments.


If the result of a SQL function has a character data type, the collation derivation rules define the collation to associate with the result.

 **See Also:**


Appendix C in *Oracle Database Globalization Support Guide* for the collation derivation and determination rules for SQL functions

The syntax showing the categories of functions follows:

***function::=***



***single\_row\_function::=***



The sections that follow list the built-in SQL functions in each of the groups illustrated in the preceding diagrams except user-defined functions. All of the built-in SQL functions are then described in alphabetical order.

**See Also:**

[About User-Defined Functions](#) and [CREATE FUNCTION](#)

## Aggregate Functions

Aggregate functions return a single result row based on groups of rows, rather than on single rows. Aggregate functions can appear in select lists and in `ORDER BY` and `HAVING` clauses. They are commonly used with the `GROUP BY` clause in a `SELECT` statement, where Oracle Database divides the rows of a queried table or view into groups. In a query containing a `GROUP BY` clause, the elements of the select list can be aggregate functions, `GROUP BY` expressions, constants, or expressions involving one of these. Oracle applies the aggregate functions to each group of rows and returns a single result row for each group.

If you omit the `GROUP BY` clause, then Oracle applies aggregate functions in the select list to all the rows in the queried table or view. You use aggregate functions in the `HAVING` clause to eliminate groups from the output based on the results of the aggregate functions, rather than on the values of the individual rows of the queried table or view.

**See Also:**

- [Using the GROUP BY Clause: Examples](#) and the [HAVING Clause](#) for more information on the `GROUP BY` clause and `HAVING` clauses in queries and subqueries
- Appendix C in *Oracle Database Globalization Support Guide* for the collation determination rules for expressions in the `ORDER BY` clause of an aggregate function

Many (but not all) aggregate functions that take a single argument accept these clauses:

- `DISTINCT` and `UNIQUE`, which are synonymous, cause an aggregate function to consider only distinct values of the argument expression. The syntax diagrams for aggregate functions in this chapter use the keyword `DISTINCT` for simplicity.
- `ALL` causes an aggregate function to consider all values, including all duplicates.

For example, the `DISTINCT` average of 1, 1, 1, and 3 is 2. The `ALL` average is 1.5. If you specify neither, then the default is `ALL`.

Some aggregate functions allow the *windowing\_clause*, which is part of the syntax of analytic functions. Refer to [windowing\\_clause](#) for information about this clause.

All aggregate functions except `COUNT(*)`, `GROUPING`, and `GROUPING_ID` ignore nulls. You can use the `NVL` function in the argument to an aggregate function to substitute a value for a null. `COUNT` and `REGR_COUNT` never return null, but return either a number or zero. For all the remaining aggregate functions, if the data set contains no rows, or contains only rows with nulls as arguments to the aggregate function, then the function returns null.

The aggregate functions `MIN`, `MAX`, `SUM`, `AVG`, `COUNT`, `VARIANCE`, and `STDDEV`, when followed by the `KEEP` keyword, can be used in conjunction with the `FIRST` or `LAST` function to operate on a set of values from a set of rows that rank as the `FIRST` or `LAST` with respect to a given sorting specification. Refer to [FIRST](#) for more information.

You can nest aggregate functions. For example, the following example calculates the average of the maximum salaries of all the departments in the sample schema `hr`:

```
SELECT AVG(MAX(salary))
       FROM employees
       GROUP BY department_id;
```

```
AVG(MAX(SALARY))
-----
      10926.3333
```

This calculation evaluates the inner aggregate (`MAX(salary)`) for each group defined by the `GROUP BY` clause (`department_id`), and aggregates the results again.

[ANY\\_VALUE](#)  
[APPROX\\_COUNT](#)  
[APPROX\\_COUNT\\_DISTINCT](#)  
[APPROX\\_COUNT\\_DISTINCT\\_AGG](#)  
[APPROX\\_COUNT\\_DISTINCT\\_DETAIL](#)  
[APPROX\\_MEDIAN](#)  
[APPROX\\_PERCENTILE](#)  
[APPROX\\_PERCENTILE\\_AGG](#)  
[APPROX\\_PERCENTILE\\_DETAIL](#)  
[APPROX\\_RANK](#)  
[APPROX\\_SUM](#)  
[AVG](#)  
[BIT\\_AND\\_AGG](#)  
[BIT\\_OR\\_AGG](#)  
[BIT\\_XOR\\_AGG](#)  
[BOOLEAN\\_AND\\_AGG](#)  
[BOOLEAN\\_OR\\_AGG](#)  
[CHECKSUM](#)  
[COLLECT](#)  
[CORR](#)  
[CORR\\_\\*](#)  
[COUNT](#)  
[COVAR\\_POP](#)  
[COVAR\\_SAMP](#)  
[CUME\\_DIST](#)  
[DENSE\\_RANK](#)  
[EVERY](#)  
[FIRST](#)

GROUP\_ID  
GROUPING  
GROUPING\_ID  
JSON\_ARRAYAGG  
JSON\_OBJECTAGG  
KURTOSIS\_POP  
KURTOSIS\_SAMP  
LAST  
LISTAGG  
MAX  
MEDIAN  
MIN  
PERCENT\_RANK  
PERCENTILE\_CONT  
PERCENTILE\_DISC  
RANK  
REGR\_ (Linear Regression) Functions  
SKEWNESS\_POP  
SKEWNESS\_SAMP  
STATS\_BINOMIAL\_TEST  
STATS\_CROSSTAB  
STATS\_F\_TEST  
STATS\_KS\_TEST  
STATS\_MODE  
STATS\_MW\_TEST  
STATS\_ONE\_WAY\_ANOVA  
STATS\_T\_TEST\_\*  
STATS\_WSR\_TEST  
STDDEV  
STDDEV\_POP  
STDDEV\_SAMP  
SUM  
SYS\_OP\_ZONE\_ID  
SYS\_XMLAGG  
TO\_APPROX\_COUNT\_DISTINCT  
TO\_APPROX\_PERCENTILE  
VAR\_POP  
VAR\_SAMP  
VARIANCE  
XMLAGG

## Analytic Functions


Analytic functions compute an aggregate value based on a group of rows. They differ from aggregate functions in that they return multiple rows for each group. The group of rows is called a **window** and is defined by the *analytic\_clause*. For each row, a sliding window of rows is defined. The window determines the range of rows used to perform the calculations for the current row. Window sizes can be based on either a physical number of rows or a logical interval such as time.




Analytic functions are the last set of operations performed in a query except for the final `ORDER BY` clause. All joins and all `WHERE`, `GROUP BY`, and `HAVING` clauses are completed before the analytic functions are processed. Therefore, analytic functions can appear only in the select list or `ORDER BY` clause.

Analytic functions are commonly used to compute cumulative, moving, centered, and reporting aggregates.


***analytic\_function::=***




***analytic\_clause::=***




***query\_partition\_clause::=***



***order\_by\_clause::=***



**windowing\_clause ::=**

The semantics of this syntax are discussed in the sections that follow.

**analytic\_function**

Specify the name of an analytic function (see the listing of analytic functions following this discussion of semantics).

**arguments**

Analytic functions take 0 to 3 arguments. The arguments can be any numeric data type or any nonnumeric data type that can be implicitly converted to a numeric data type. Oracle determines the argument with the highest numeric precedence and implicitly converts the remaining arguments to that data type. The return type is also that data type, unless otherwise noted for an individual function.

**See Also:**

[Numeric Precedence](#) for information on numeric precedence and [Table 2-9](#) for more information on implicit conversion

**analytic\_clause**

Use `OVER analytic_clause` to indicate that the function operates on a query result set. This clause is computed after the `FROM`, `WHERE`, `GROUP BY`, and `HAVING` clauses. You can specify analytic functions with this clause in the `select list` or `ORDER BY` clause. To filter the results of a query based on an analytic function, nest these functions within the parent query, and then filter the results of the nested subquery.

**Notes on the *analytic\_clause*:**

The following notes apply to the *analytic\_clause*:

- You cannot nest analytic functions by specifying any analytic function in any part of the *analytic\_clause*. However, you can specify an analytic function in a subquery and compute another analytic function over it.
- You can specify `OVER analytic_clause` with user-defined analytic functions as well as built-in analytic functions. See [CREATE FUNCTION](#) .
- The `PARTITION BY` and `ORDER BY` clauses in the *analytic\_clause* are collation-sensitive.

 **See Also:**

- Appendix C in *Oracle Database Globalization Support Guide* for the collation determination rules for the `OVER (PARTITION BY ... ORDER BY ... )` clause of an analytic function
- [window\\_clause](#) in the `SELECT` statement

***query\_partition\_clause***

Use the `PARTITION BY` clause to partition the query result set into groups based on one or more *value\_expr*. If you omit this clause, then the function treats all rows of the query result set as a single group.

To use the *query\_partition\_clause* in an analytic function, use the upper branch of the syntax (without parentheses). To use this clause in a model query (in the *model\_column\_clauses*) or a partitioned outer join (in the *outer\_join\_clause*), use the lower branch of the syntax (with parentheses).

You can specify multiple analytic functions in the same query, each with the same or different `PARTITION BY` keys.

If the objects being queried have the parallel attribute, and if you specify an analytic function with the *query\_partition\_clause*, then the function computations are parallelized as well.

Valid values of *value\_expr* are constants, columns, nonanalytic functions, function expressions, or expressions involving any of these.

***order\_by\_clause***

Use the *order\_by\_clause* to specify how data is ordered within a partition. For all analytic functions you can order the values in a partition on multiple keys, each defined by a *value\_expr* and each qualified by an ordering sequence.

Within each function, you can specify multiple ordering expressions. Doing so is especially useful when using functions that rank values, because the second expression can resolve ties between identical values for the first expression.

Whenever the *order\_by\_clause* results in identical values for multiple rows, the function behaves as follows:

- CUME\_DIST, DENSE\_RANK, NTILE, PERCENT\_RANK, and RANK return the same result for each of the rows.
- ROW\_NUMBER assigns each row a distinct value even if there is a tie based on the *order\_by\_clause*. The value is based on the order in which the row is processed, which may be nondeterministic if the ORDER BY does not guarantee a total ordering.
- For all other analytic functions, the result depends on the window specification. If you specify a logical window with the RANGE keyword, then the function returns the same result for each of the rows. If you specify a physical window with the ROWS keyword, then the result is nondeterministic.

### Restrictions on the ORDER BY Clause

The following restrictions apply to the ORDER BY clause:

- When used in an analytic function, the *order\_by\_clause* must take an expression (*expr*). The SIBLINGS keyword is not valid (it is relevant only in hierarchical queries). Position (*position*) and column aliases (*c\_alias*) are also invalid. Otherwise this *order\_by\_clause* is the same as that used to order the overall query or subquery.
- An analytic function that uses the RANGE keyword can use multiple sort keys in its ORDER BY clause if it specifies any of the following windows:
  - RANGE BETWEEN UNBOUNDED PRECEDING AND CURRENT ROW. The short form of this is RANGE UNBOUNDED PRECEDING.
  - RANGE BETWEEN CURRENT ROW AND UNBOUNDED FOLLOWING
  - RANGE BETWEEN CURRENT ROW AND CURRENT ROW
  - RANGE BETWEEN UNBOUNDED PRECEDING AND UNBOUNDED FOLLOWING

Window boundaries other than these four can have only one sort key in the ORDER BY clause of the analytic function. This restriction does not apply to window boundaries specified by the ROW keyword.

### ASC | DESC

Specify the ordering sequence (ascending or descending). ASC is the default.

### NULLS FIRST | NULLS LAST

Specify whether returned rows containing nulls should appear first or last in the ordering sequence.

NULLS LAST is the default for ascending order, and NULLS FIRST is the default for descending order.

Analytic functions always operate on rows in the order specified in the *order\_by\_clause* of the function. However, the *order\_by\_clause* of the function does not guarantee the order of the result. Use the *order\_by\_clause* of the query to guarantee the final result ordering.

**See Also:**

[order\\_by\\_clause](#) of [SELECT](#) for more information on this clause

***windowing\_clause***

Some analytic functions allow the *windowing\_clause*. In the listing of analytic functions at the end of this section, the functions that allow the *windowing\_clause* are followed by an asterisk (\*).

**ROWS | RANGE | GROUPS**

The keywords `ROWS`, `RANGE`, and `GROUPS` are options to define a window frame unit used for calculating the function result. The function is then applied to all the rows in the window. The window moves through the query result set or partition from top to bottom.

- Use `ROWS` to specify the window frame extent by counting rows forward or backward from the current row. `ROWS` allows any number of sort keys, of any ordered data types.
- Use `RANGE` to specify the window frame extent as a logical offset. `RANGE` allows only one sort key, and its declared data type must allow addition and subtraction operations, for example they must be numeric, datetime, or interval data types.
- Use `GROUPS` to specify the window frame extent with both `ROWS` and `RANGE` characteristics. Like `ROWS` a `GROUPS` window can have any number of sort keys, or any ordered types. Like `RANGE`, a `GROUPS` window does not make cutoffs between adjacent rows with the same values in the sort keys.

You cannot specify this clause unless you have specified the *order\_by\_clause*. Some window boundaries defined by the `RANGE` clause let you specify only one expression in the *order\_by\_clause*. Refer to [Restrictions on the ORDER BY Clause](#).

The value returned by an analytic function with a logical offset is always deterministic. However, the value returned by an analytic function with a physical offset may produce nondeterministic results unless the ordering expression results in a unique ordering. You may have to specify multiple columns in the *order\_by\_clause* to achieve this unique ordering.

**BETWEEN ... AND**

Use the `BETWEEN ... AND` clause to specify a start point and end point for the window. The first expression (before `AND`) defines the start point and the second expression (after `AND`) defines the end point.

If you omit `BETWEEN` and specify only one end point, then Oracle considers it the start point, and the end point defaults to the current row.

**UNBOUNDED PRECEDING**

Specify `UNBOUNDED PRECEDING` to indicate that the window starts at the first row of the partition. This is the start point specification and cannot be used as an end point specification.

**UNBOUNDED FOLLOWING**

Specify `UNBOUNDED FOLLOWING` to indicate that the window ends at the last row of the partition. This is the end point specification and cannot be used as a start point specification.

## CURRENT ROW

As a start point, `CURRENT ROW` specifies that the window begins at the current row or value (depending on whether you have specified `ROW` or `RANGE`, respectively). In this case the end point cannot be `value_expr PRECEDING`.

As an end point, `CURRENT ROW` specifies that the window ends at the current row or value (depending on whether you have specified `ROW` or `RANGE`, respectively). In this case the start point cannot be `value_expr FOLLOWING`.

## `value_expr PRECEDING` or `value_expr FOLLOWING`

For `RANGE` or `ROW`:

- If `value_expr FOLLOWING` is the start point, then the end point must be `value_expr FOLLOWING`.
- If `value_expr PRECEDING` is the end point, then the start point must be `value_expr PRECEDING`.

If you are defining a logical window defined by an interval of time in numeric format, then you may need to use conversion functions.



### See Also:

[NUMTOYMINTERVAL](#) and [NUMTODSINTERVAL](#) for information on converting numeric times into intervals

If you specified `ROWS`:

- `value_expr` is a physical offset. It must be a constant or expression and must evaluate to a positive numeric value.
- If `value_expr` is part of the start point, then it must evaluate to a row before the end point.

If you specified `RANGE`:

- `value_expr` is a logical offset. It must be a constant or expression that evaluates to a positive numeric value or an interval literal. Refer to [Literals](#) for information on interval literals.
- You can specify only one expression in the `order_by_clause`.
- If `value_expr` evaluates to a numeric value, then the `ORDER BY expr` must be a numeric or `DATE` data type.
- If `value_expr` evaluates to an interval value, then the `ORDER BY expr` must be a `DATE` data type.

If you omit the `windowing_clause` entirely, then the default is `RANGE BETWEEN UNBOUNDED PRECEDING AND CURRENT ROW`.

## EXCLUDE

You can remove rows, groups, and ties from the window frame with the `EXCLUDE` options:

- If you specify `EXCLUDE CURRENT ROW`, and the current row is in the window frame, then the current row is removed from the window frame.
- If you specify `EXCLUDE GROUP`, then the current row and any peers of the current row are removed from the window frame.
- If you specify `EXCLUDE TIES`, then the peers of the current row are removed from the window frame. The current row is retained. Note, that if the current row is previously removed from the window frame, it remains removed.
- If you specify `EXCLUDE NO OTHERS`, then no additional rows are removed from the window frame. This is the default option.

Analytic functions are commonly used in data warehousing environments. In the list of analytic functions that follows, functions followed by an asterisk (\*) allow the full syntax, including the *windowing\_clause*.

AVG \*  
BIT\_AND\_AGG\*  
BIT\_OR\_AGG\*  
BIT\_XOR\_AGG\*  
BOOLEAN\_AND\_AGG\*  
BOOLEAN\_OR\_AGG\*  
CHECKSUM\*  
CLUSTER\_DETAILS  
CLUSTER\_DISTANCE  
CLUSTER\_ID  
CLUSTER\_PROBABILITY  
CLUSTER\_SET  
CORR \*  
COUNT \*  
COVAR\_POP \*  
COVAR\_SAMP \*  
CUME\_DIST  
DENSE\_RANK  
EVERY\*  
FEATURE\_DETAILS  
FEATURE\_ID  
FEATURE\_SET  
FEATURE\_VALUE  
FIRST  
FIRST\_VALUE \*  
KURTOSIS\_POP\*  
KURTOSIS\_SAMP\*  
LAG  
LAST  
LAST\_VALUE \*  
LEAD  
LISTAGG

MAX \*  
MEDIAN  
MIN \*  
NTH\_VALUE \*  
NTILE  
PERCENT\_RANK  
PERCENTILE\_CONT  
PERCENTILE\_DISC  
PREDICTION  
PREDICTION\_COST  
PREDICTION\_DETAILS  
PREDICTION\_PROBABILITY  
PREDICTION\_SET  
RANK  
RATIO\_TO\_REPORT  
REGR\_ (Linear Regression) Functions \*  
ROW\_NUMBER  
STDDEV \*  
SKEWNESS\_POP\*  
SKEWNESS\_SAMP\*  
STDDEV\_POP \*  
STDDEV\_SAMP \*  
SUM \*  
VAR\_POP \*  
VAR\_SAMP \*  
VARIANCE \*

**See Also:**

*Oracle Database Data Warehousing Guide* for more information on these functions and for scenarios illustrating their use

## Data Cartridge Functions

Data Cartridge functions are useful for Data Cartridge developers. The Data Cartridge functions are:

DATAOBJ\_TO\_MAT\_PARTITION  
DATAOBJ\_TO\_PARTITION

## Model Functions

Model functions can be used only in the *model\_clause* of the `SELECT` statement. The model functions are:

CV  
ITERATION\_NUMBER  
PRESENTNNV



[PRESENTV](#)  
[PREVIOUS](#)

## Object Reference Functions

Object reference functions manipulate `REF` values, which are references to objects of specified object types. The object reference functions are:

[DEREF](#)  
[MAKE\\_REF](#)  
[REF](#)  
[REFTOHEX](#)  
[VALUE](#)

### See Also:

*Oracle Database Object-Relational Developer's Guide* for more information about `REF` data types

## OLAP Functions

OLAP functions returns data from a dimensional object in two-dimension relational format. The OLAP function is:

[CUBE\\_TABLE](#)

## Single-Row Functions

Single-row functions return a single result row for every row of a queried table or view. These functions can appear in `select` lists, `WHERE` clauses, `START WITH` and `CONNECT BY` clauses, and `HAVING` clauses.

## Numeric Functions

Numeric functions accept numeric input and return numeric values. Most numeric functions return `NUMBER` values that are accurate to 38 decimal digits. The transcendental functions `COS`, `COSH`, `EXP`, `LN`, `LOG`, `SIN`, `SINH`, `SQRT`, `TAN`, and `TANH` are accurate to 36 decimal digits. The transcendental functions `ACOS`, `ASIN`, `ATAN`, and `ATAN2` are accurate to 30 decimal digits. The numeric functions are:

[ABS](#)  
[ACOS](#)  
[ASIN](#)  
[ATAN](#)  
[ATAN2](#)  
[BITAND](#)  
[CEIL \(number\)](#)  
[COS](#)  
[COSH](#)

EXP  
FLOOR (number)  
LN  
LOG  
MOD  
NANVL  
POWER  
REMAINDER  
ROUND (number)  
SIGN  
SIN  
SINH  
SQRT  
TAN  
TANH  
TRUNC (number)  
WIDTH\_BUCKET

## Character Functions Returning Character Values

Character functions that return character values return values of the following data types unless otherwise documented:

- If the input argument is `CHAR` or `VARCHAR2`, then the value returned is `VARCHAR2`.
- If the input argument is `NCHAR` or `NVARCHAR2`, then the value returned is `NVARCHAR2`.

The length of the value returned by the function is limited by the maximum length of the data type returned.

- For functions that return `CHAR` or `VARCHAR2`, if the length of the return value exceeds the limit, then Oracle Database truncates it and returns the result without an error message.
- For functions that return `CLOB` values, if the length of the return values exceeds the limit, then Oracle raises an error and returns no data.

The character functions that return character values are:

CHR  
CONCAT  
INITCAP  
LOWER  
LPAD  
LTRIM  
NCHR  
NLS\_INITCAP  
NLS\_LOWER  
NLS\_UPPER  
NLSSORT  
REGEXP\_REPLACE  
REGEXP\_SUBSTR  
REPLACE  
RPAD

RTRIM  
SOUNDEX  
SUBSTR  
TRANSLATE  
TRANSLATE ... USING  
TRIM  
UPPER

## Character Functions Returning Number Values

Character functions that return number values can take as their argument any character data type. The character functions that return number values are:

ASCII  
INSTR  
LENGTH  
REGEXP\_COUNT  
REGEXP\_INSTR

## Character Set Functions

The character set functions return information about the character set. The character set functions are:

NLS\_CHARSET\_DECL\_LEN  
NLS\_CHARSET\_ID  
NLS\_CHARSET\_NAME

## Collation Functions

The collation functions return information about collation settings. The collation functions are:

COLLATION  
NLS\_COLLATION\_ID  
NLS\_COLLATION\_NAME

## Datetime Functions

Datetime functions operate on **date** (DATE), **timestamp** (TIMESTAMP, TIMESTAMP WITH TIME ZONE, and TIMESTAMP WITH LOCAL TIME ZONE), and **interval** (INTERVAL DAY TO SECOND, INTERVAL YEAR TO MONTH) values.

Some of the datetime functions were designed for the Oracle DATE data type (ADD\_MONTHS, CURRENT\_DATE, LAST\_DAY, NEW\_TIME, and NEXT\_DAY). If you provide a timestamp value as their argument, then Oracle Database internally converts the input type to a DATE value and returns a DATE value. The exceptions are the MONTHS\_BETWEEN function, which returns a number, and the ROUND and TRUNC functions, which do not accept timestamp or interval values at all.

The remaining datetime functions were designed to accept any of the three types of data (date, timestamp, and interval) and to return a value of one of these types.

All of the datetime functions that return current system datetime information, such as `SYSDATE`, `SYSTIMESTAMP`, `CURRENT_TIMESTAMP`, and so forth, are evaluated once for each SQL statement, regardless how many times they are referenced in that statement.

The datetime functions are:

- `ADD_MONTHS`
- `CEIL (datetime)`
- `CURRENT_DATE`
- `CURRENT_TIMESTAMP`
- `DBTIMEZONE`
- `EXTRACT (datetime)`
- `FLOOR (datetime)`
- `FROM_TZ`
- `LAST_DAY`
- `LOCALTIMESTAMP`
- `MONTHS_BETWEEN`
- `NEW_TIME`
- `NEXT_DAY`
- `NUMTODSINTERVAL`
- `NUMTOYMINTERVAL`
- `ORA_DST_AFFECTED`
- `ORA_DST_CONVERT`
- `ORA_DST_ERROR`
- `ROUND (datetime)`
- `SESSIONTIMEZONE`
- `SYS_EXTRACT_UTC`
- `SYSDATE`
- `SYSTIMESTAMP`
- `TO_CHAR (datetime)`
- `TO_DSINTERVAL`
- `TO_TIMESTAMP`
- `TO_TIMESTAMP_TZ`
- `TO_YMINTERVAL`
- `TRUNC (datetime)`
- `TZ_OFFSET`

## General Comparison Functions

The general comparison functions determine the greatest and or least value from a set of values. The general comparison functions are:

- `GREATEST`
- `LEAST`

## Conversion Functions

Conversion functions convert a value from one data type to another. Generally, the form of the function names follows the convention *datatype TO datatype*. The first

data type is the input data type. The second data type is the output data type. The SQL conversion functions are:

ASCIISTR  
BIN\_TO\_NUM  
CAST  
CHARTOROWID  
COMPOSE  
CONVERT  
DECOMPOSE  
HEXTORAW  
NUMTODSINTERVAL  
NUMTOYMINTERVAL  
RAWTOHEX  
RAWTONHEX  
ROWIDTOCHAR  
ROWIDTONCHAR  
SCN\_TO\_TIMESTAMP  
TIMESTAMP\_TO\_SCN  
TO\_BINARY\_DOUBLE  
TO\_BINARY\_FLOAT  
TO\_BLOB (bfile)  
TO\_BLOB (raw)  
TO\_CHAR (bfile|blob)  
TO\_CHAR (character)  
TO\_CHAR (datetime)  
TO\_CHAR (number)  
TO\_CLOB (bfile|blob)  
TO\_CLOB (character)  
TO\_DATE  
TO\_DSINTERVAL  
TO\_LOB  
TO\_MULTI\_BYTE  
TO\_NCHAR (character)  
TO\_NCHAR (datetime)  
TO\_NCHAR (number)  
TO\_NCLOB  
TO\_NUMBER  
TO\_SINGLE\_BYTE  
TO\_TIMESTAMP  
TO\_TIMESTAMP\_TZ  
TO\_YMINTERVAL  
TREAT  
UNISTR  
VALIDATE\_CONVERSION

## Large Object Functions

The large object functions operate on LOBs. The large object functions are:

BFILENAME  
EMPTY\_BLOB, EMPTY\_CLOB

## Collection Functions

The collection functions operate on nested tables and varrays. The SQL collection functions are:

CARDINALITY  
COLLECT  
POWERMULTISET  
POWERMULTISET\_BY\_CARDINALITY  
SET

## Hierarchical Functions

Hierarchical functions applies hierarchical path information to a result set. The hierarchical function is:

SYS\_CONNECT\_BY\_PATH

## Oracle Machine Learning for SQL Functions

The Oracle Machine Learning for SQL functions use analytics to score data. The functions can apply a mining model schema object to the data, or they can dynamically mine the data by executing an analytic clause. The OML4SQL functions can be applied to models built using the native algorithms of Oracle, as well as those built using R through the extensibility mechanism.

The Oracle Machine Learning for SQL functions are:

CLUSTER\_DETAILS  
CLUSTER\_DISTANCE  
CLUSTER\_ID  
CLUSTER\_PROBABILITY  
CLUSTER\_SET  
FEATURE\_COMPARE  
FEATURE\_DETAILS  
FEATURE\_ID  
FEATURE\_SET  
FEATURE\_VALUE  
ORA\_DM\_PARTITION\_NAME  
PREDICTION  
PREDICTION\_BOUNDS  
PREDICTION\_COST  
PREDICTION\_DETAILS  
PREDICTION\_PROBABILITY  
PREDICTION\_SET  
VECTOR\_EMBEDDING

 **See Also:**

- *Oracle Machine Learning for SQL Concepts* to learn about Oracle Machine Learning for SQL
- *Oracle Machine Learning for SQL User's Guide* for information about scoring

## XML Functions

The XML functions operate on or return XML documents or fragments. These functions use arguments that are not defined as part of the ANSI/ISO/IEC SQL Standard but are defined as part of the World Wide Web Consortium (W3C) standards. The processing and operations that the functions perform are defined by the relevant W3C standards. The table below provides a link to the appropriate section of the W3C standard for the rules and guidelines that apply to each of these XML-related arguments. A SQL statement that uses one of these XML functions, where any of the arguments does not conform to the relevant W3C syntax, will result in an error. Of special note is the fact that not every character that is allowed in the value of a database column is considered legal in XML.

Syntax Element	W3C Standard URL
<i>value_expr</i>	<a href="http://www.w3.org/TR/2006/REC-xml-20060816">http://www.w3.org/TR/2006/REC-xml-20060816</a>
<i>Xpath_string</i>	<a href="http://www.w3.org/TR/1999/REC-xpath-19991116">http://www.w3.org/TR/1999/REC-xpath-19991116</a>
<i>XQuery_string</i>	<a href="http://www.w3.org/TR/2007/REC-xquery-semantics-20070123/">http://www.w3.org/TR/2007/REC-xquery-semantics-20070123/</a> <a href="http://www.w3.org/TR/xquery-update-10/">http://www.w3.org/TR/xquery-update-10/</a>
<i>namespace_string</i>	<a href="http://www.w3.org/TR/2006/REC-xml-names-20060816/">http://www.w3.org/TR/2006/REC-xml-names-20060816/</a>
<i>identifier</i>	<a href="http://www.w3.org/TR/2006/REC-xml-20060816/#NT-Nmtoken">http://www.w3.org/TR/2006/REC-xml-20060816/#NT-Nmtoken</a>

For more information about selecting and querying XML data using these functions, including information on formatting output, refer to *Oracle XML DB Developer's Guide*

The SQL XML functions are:

DEPTH  
 EXISTSNODE  
 EXTRACT (XML)  
 EXTRACTVALUE  
 PATH  
 SYS\_DBURIGEN  
 SYS\_XMLAGG  
 SYS\_XMLGEN  
 XMLAGG  
 XMLCAST  
 XMLCDATA  
 XMLCOLATTVAL  
 XMLCOMMENT  
 XMLCONCAT  
 XMLDIFF  
 XMLELEMENT

XMLEXISTS  
XMLFOREST  
XMLISVALID  
XMLPARSE  
XMLPATCH  
XMLPI  
XMLQUERY  
XMLSEQUENCE  
XMLSERIALIZE  
XMLTABLE  
XMLTRANSFORM

## JSON Functions

JavaScript Object Notation (JSON) functions allow you to query and generate JSON data.

The following SQL/JSON functions allow you to query JSON data:

JSON\_QUERY  
JSON\_TABLE  
JSON\_VALUE

The following SQL/JSON functions allow you to generate JSON data:

JSON\_ARRAY  
JSON\_ARRAYAGG  
JSON\_OBJECT  
JSON\_OBJECTAGG  
JSON Type Constructor  
JSON\_SCALAR  
JSON\_SERIALIZE  
JSON\_TRANSFORM

The following Oracle SQL function creates a JSON data guide:

JSON\_DATAGUIDE

## Encoding and Decoding Functions

The encoding and decoding functions let you inspect and decode data in the database. The encoding and decoding functions are:

DECODE  
DUMP  
ORA\_HASH  
STANDARD\_HASH  
VSIZE

## NULL-Related Functions

The NULL-related functions facilitate null handling. The NULL-related functions are:

COALESCE



LNNVL  
NANVL  
NULLIF  
NVL  
NVL2

## Environment and Identifier Functions

The environment and identifier functions provide information about the instance and session. The environment and identifier functions are:

CON\_DBID\_TO\_ID  
CON\_GUID\_TO\_ID  
CON\_NAME\_TO\_ID  
CON\_UID\_TO\_ID  
ORA\_INVOKING\_USER  
ORA\_INVOKING\_USERID  
SYS\_CONTEXT  
SYS\_GUID  
SYS\_TYPEID  
UID  
USER  
USERENV

## Domain Functions

### Purpose

Use the following domain functions to work with SQL domains more efficiently:

- DOMAIN\_DISPLAY
- DOMAIN\_ORDER
- DOMAIN\_NAME
- DOMAIN\_CHECK
- DOMAIN\_CHECK\_TYPE

## Vector Functions

### Purpose

You can use the following vector functions in Oracle AI Vector Search to create and manipulate vectors:

### Vector Distance Functions

- VECTOR\_DISTANCE
- L1\_DISTANCE
- L2\_DISTANCE
- COSINE\_DISTANCE

- [INNER\\_PRODUCT](#)

#### Vector Constructors

- [TO\\_VECTOR](#)
- [VECTOR](#)

#### Vector Serializers

- [FROM\\_VECTOR](#)
- [VECTOR\\_SERIALIZE](#)

#### Other Common Vector Functions

- [VECTOR\\_CHUNKS](#)
- [VECTOR\\_DIMS](#)
- [VECTOR\\_DIMENSION\\_COUNT](#)
- [VECTOR\\_DIMENSION\\_FORMAT](#)
- [VECTOR\\_EMBEDDING](#)
- [VECTOR\\_NORM](#)



#### See Also:

*AI Vector Search User's Guide*

## ABS

### Syntax

→ ABS ( n ) →

### Purpose

ABS returns the absolute value of *n*.

This function takes as an argument any numeric data type or any nonnumeric data type that can be implicitly converted to a numeric data type. The function returns the same data type as the numeric data type of the argument.



#### See Also:

[Table 2-9](#) for more information on implicit conversion

### Examples

The following example returns the absolute value of -15:

```
SELECT ABS(-15) "Absolute"
       FROM DUAL;
```

```
Absolute
-----
        15
```

## ACOS

### Syntax

```
→ ACOS ( ( n ) ) →
```

### Purpose

ACOS returns the arc cosine of *n*. The argument *n* must be in the range of -1 to 1, and the function returns a value in the range of 0 to  $\pi$ , expressed in radians.

This function takes as an argument any numeric data type or any nonnumeric data type that can be implicitly converted to a numeric data type. If the argument is `BINARY_FLOAT`, then the function returns `BINARY_DOUBLE`. Otherwise the function returns the same numeric data type as the argument.



#### See Also:

[Table 2-9](#) for more information on implicit conversion

### Examples

The following example returns the arc cosine of .3:

```
SELECT ACOS(.3) "Arc_Cosine"
       FROM DUAL;
```

```
Arc_Cosine
-----
1.26610367
```

## ADD\_MONTHS

### Syntax

```
→ ADD_MONTHS ( ( date ) , integer ) →
```

### Purpose

ADD\_MONTHS returns the date *date* plus *integer* months. A month is defined by the session parameter `NLS_CALENDAR`. The date argument can be a datetime value or any value that can

be implicitly converted to `DATE`. The *integer* argument can be an integer or any value that can be implicitly converted to an integer. The return type is always `DATE`, regardless of the data type of *date*. If *date* is the last day of the month or if the resulting month has fewer days than the day component of *date*, then the result is the last day of the resulting month. Otherwise, the result has the same day component as *date*.



### See Also:

Table 2-9 for more information on implicit conversion

## Examples


The following example returns the month after the *hire\_date* in the sample table `employees`:

```
SELECT TO_CHAR(ADD_MONTHS(hire_date, 1), 'DD-MON-YYYY') "Next month"
       FROM employees
       WHERE last_name = 'Baer';
```

```
Next Month
-----
07-JUL-2002
```

# ANY\_VALUE

## Syntax



## Purpose

`ANY_VALUE` returns a single non-deterministic value of `expr`. You can use it as an aggregate function.

Use `ANY_VALUE` to optimize a query that has a `GROUP BY` clause. `ANY_VALUE` returns a value of an expression in a group. It is optimized to return the first value.

It ensures that there are no comparisons for any incoming row and also eliminates the necessity to specify every column as part of the `GROUP BY` clause. Because it does not compare values, `ANY_VALUE` returns a value more quickly than `MIN` or `MAX` in a `GROUP BY` query.

## Semantics

**ALL, DISTINCT:** These keywords are supported by `ANY_VALUE` although they have no effect on the result of the query.

**expr:** The expression can be a column, constant, bind variable, or an expression involving them.

NULL values in the expression are ignored.

Supports all of the data types, except for LONG, LOB, FILE, or COLLECTION.

If you use LONG, ORA-00997 is raised.

If you use LOB, FILE, or COLLECTION data types, ORA-00932 is raised.

ANY\_VALUE follows the same rules as MIN and MAX.

Returns any value within each group based on the GROUP BY specification. Returns NULL if all rows in the group have NULL expression values.

The result of ANY\_VALUE is not deterministic.

### Restrictions

XMLType and ANYDATA are not supported.

### Example 7-1 Using ANY\_VALUE As an Aggregate Function

This example uses ANY\_VALUE as an aggregate function in a GROUP BY query of the SH schema.

```
SELECT c.cust_id, ANY_VALUE(cust_last_name), SUM(amount_sold)
   FROM customers c, sales s
   WHERE s.cust_id = c.cust_id
   GROUP BY c.cust_id;
```


In the following result of the query, only the first eleven rows are shown.

CUST_ID	ANY_VALUE(CUST_LAST_NAME)	SUM(AMOUNT_SOLD)
6950	Sandburg	78
17920	Oliver	3201
66800	Case	2024
37280	Edwards	2256
109850	Lindegreen	757
3910	Oddell	185
84700	Marker	164.4
26380	Remler	118
11600	Oppy	158
23030	Rothrock	533
42780	Zanis	182
...		

630 rows selected.

## APPROX\_COUNT

### Syntax



## Purpose

`APPROX_COUNT` returns the approximate count of an expression. If you supply `MAX_ERROR` as the second argument, then the function returns the maximum error between the actual and approximate count.

You must use this function with a corresponding `APPROX_RANK` function in the `HAVING` clause. If a query uses `APPROX_COUNT`, `APPROX_SUM`, or `APPROX_RANK`, then the query must not use any other aggregation functions.

## Examples

The following query returns the 10 most common jobs within every department:

```
SELECT department_id, job_id,
       APPROX_COUNT(*)
FROM   employees
GROUP BY department_id, job_id
HAVING
       APPROX_RANK (
         PARTITION BY department_id
         ORDER BY APPROX_COUNT(*)
         DESC ) <= 10;
```

# APPROX\_COUNT\_DISTINCT

## Syntax

→ `APPROX_COUNT_DISTINCT` ( ( `expr` ) ) →

## Purpose

`APPROX_COUNT_DISTINCT` returns the approximate number of rows that contain a distinct value for `expr`.

This function provides an alternative to the `COUNT (DISTINCT expr)` function, which returns the exact number of rows that contain distinct values of `expr`.

`APPROX_COUNT_DISTINCT` processes large amounts of data significantly faster than `COUNT`, with negligible deviation from the exact result.

For `expr`, you can specify a column of any scalar data type other than `BFILE`, `BLOB`, `CLOB`, `LONG`, `LONG RAW`, or `NCLOB`.

`APPROX_COUNT_DISTINCT` ignores rows that contain a null value for `expr`. This function returns a `NUMBER`.

 **See Also:**

- **COUNT** for more information on the `COUNT (DISTINCT expr)` function
- Appendix C in *Oracle Database Globalization Support Guide* for the collation determination rules, which define the collation `APPROX_COUNT_DISTINCT` uses to compare character values for *expr*

**Examples**

The following statement returns the approximate number of rows with distinct values for `manager_id`:

```
SELECT APPROX_COUNT_DISTINCT(manager_id) AS "Active Managers"
   FROM employees;
```

```
Active Managers
-----
                18
```

The following statement returns the approximate number of distinct customers for each product:

```
SELECT prod_id, APPROX_COUNT_DISTINCT(cust_id) AS "Number of Customers"
   FROM sales
  GROUP BY prod_id
  ORDER BY prod_id;
```

```
PROD_ID Number of Customers
-----
      13                2516
      14                2030
      15                2105
      16                2367
      17                2093
      18                2975
      19                2630
      20                3791
```

...

## APPROX\_COUNT\_DISTINCT\_AGG

**Syntax**

```
→ APPROX_COUNT_DISTINCT_AGG ( ( → detail → ) → ) →
```

**Purpose**

`APPROX_COUNT_DISTINCT_AGG` takes as its input a column of details containing information about approximate distinct value counts, and enables you to perform aggregations of those counts.

For *detail*, specify a column of details created by the `APPROX_COUNT_DISTINCT_DETAIL` function or the `APPROX_COUNT_DISTINCT_AGG` function. This column is of data type `BLOB`.

You can specify this function in a `SELECT` statement with a `GROUP BY` clause to aggregate the information contained in the details within each group of rows and return a single detail for each group.

This function returns a `BLOB` value, called a detail, which contains information about the count aggregations in a special format. You can store details returned by this function in a table or materialized view, and then again use the `APPROX_COUNT_DISTINCT_AGG` function to further aggregate those details, or use the `TO_APPROX_COUNT_DISTINCT` function to convert the detail values to human-readable `NUMBER` values.



#### See Also:

- [APPROX\\_COUNT\\_DISTINCT\\_DETAIL](#)
- [TO\\_APPROX\\_COUNT\\_DISTINCT](#)

### Examples

Refer to [APPROX\\_COUNT\\_DISTINCT\\_AGG: Examples](#) for examples of using the `APPROX_COUNT_DISTINCT_AGG` function in conjunction with the `APPROX_COUNT_DISTINCT_DETAIL` and `TO_APPROX_COUNT_DISTINCT` functions.

## APPROX\_COUNT\_DISTINCT\_DETAIL

### Syntax

```
→ APPROX_COUNT_DISTINCT_DETAIL ( ( expr ) ) →
```

### Purpose

`APPROX_COUNT_DISTINCT_DETAIL` calculates information about the approximate number of rows that contain a distinct value for `expr` and returns a `BLOB` value, called a detail, which contains that information in a special format.

For `expr`, you can specify a column of any scalar data type other than `BFILE`, `BLOB`, `CLOB`, `LONG`, `LONG RAW`, or `NCLOB`. This function ignores rows for which the value of `expr` is null.

This function is commonly used with the `GROUP BY` clause in a `SELECT` statement. When used in this way, it calculates approximate distinct value count information for `expr` within each group of rows and returns a single detail for each group.

The details returned by `APPROX_COUNT_DISTINCT_DETAIL` can be used as input to the `APPROX_COUNT_DISTINCT_AGG` function, which enables you to perform aggregations of the details, or the `TO_APPROX_COUNT_DISTINCT` function, which converts a detail to a human-readable distinct count value. You can use these three functions together to perform resource-intensive approximate count calculations once, store the resulting details, and then perform efficient aggregations and queries on those details. For example:



1. Use the `APPROX_COUNT_DISTINCT_DETAIL` function to calculate approximate distinct value count information and store the resulting details in a table or materialized view. These could be highly-granular details, such as city demographic counts or daily sales counts.
2. Use the `APPROX_COUNT_DISTINCT_AGG` function to aggregate the details obtained in the previous step and store the resulting details in a table or materialized view. These could be details of lower granularity, such as state demographic counts or monthly sales counts.
3. Use the `TO_APPROX_COUNT_DISTINCT` function to convert the stored detail values to human-readable `NUMBER` values. You can use the `TO_APPROX_COUNT_DISTINCT` function to query detail values created by the `APPROX_COUNT_DISTINCT_DETAIL` function or the `APPROX_COUNT_DISTINCT_AGG` function.

 **See Also:**

- [APPROX\\_COUNT\\_DISTINCT\\_AGG](#)
- [TO\\_APPROX\\_COUNT\\_DISTINCT](#)

## Examples

The examples in this section demonstrate how to use the `APPROX_COUNT_DISTINCT_DETAIL`, `APPROX_COUNT_DISTINCT_AGG`, and `TO_APPROX_COUNT_DISTINCT` functions together to perform resource-intensive approximate count calculations once, store the resulting details, and then perform efficient aggregations and queries on those details.

### APPROX\_COUNT\_DISTINCT\_DETAIL: Example

The following statement queries the tables `sh.times` and `sh.sales` for the approximate number of distinct products sold each day. The `APPROX_COUNT_DISTINCT_DETAIL` function returns the information in a detail, called `daily_detail`, for each day that products were sold. The returned details are stored in a materialized view called `daily_prod_count_mv`.

```
CREATE MATERIALIZED VIEW daily_prod_count_mv AS
  SELECT t.calendar_year year,
         t.calendar_month_number month,
         t.day_number_in_month day,
         APPROX_COUNT_DISTINCT_DETAIL(s.prod_id) daily_detail
  FROM times t, sales s
  WHERE t.time_id = s.time_id
  GROUP BY t.calendar_year, t.calendar_month_number, t.day_number_in_month;
```

### APPROX\_COUNT\_DISTINCT\_AGG: Examples

The following statement uses the `APPROX_COUNT_DISTINCT_AGG` function to read the daily details stored in `daily_prod_count_mv` and create aggregated details that contain the approximate number of distinct products sold each month. These aggregated details are stored in a materialized view called `monthly_prod_count_mv`.

```
CREATE MATERIALIZED VIEW monthly_prod_count_mv AS
  SELECT year,
         month,
         APPROX_COUNT_DISTINCT_AGG(daily_detail) monthly_detail
  FROM daily_prod_count_mv
  GROUP BY year, month;
```

The following statement is similar to the previous statement, except it creates aggregated details that contain the approximate number of distinct products sold each year. These aggregated details are stored in a materialized view called `annual_prod_count_mv`.

```
CREATE MATERIALIZED VIEW annual_prod_count_mv AS
  SELECT year,
         APPROX_COUNT_DISTINCT_AGG(daily_detail) annual_detail
  FROM daily_prod_count_mv
  GROUP BY year;
```

### **TO\_APPROX\_COUNT\_DISTINCT: Examples**

The following statement uses the `TO_APPROX_COUNT_DISTINCT` function to query the daily detail information stored in `daily_prod_count_mv` and return the approximate number of distinct products sold each day:

```
SELECT year,
       month,
       day,
       TO_APPROX_COUNT_DISTINCT(daily_detail) "NUM PRODUCTS"
  FROM daily_prod_count_mv
  ORDER BY year, month, day;
```

YEAR	MONTH	DAY	NUM PRODUCTS
1998	1	1	24
1998	1	2	25
1998	1	3	11
1998	1	4	34
1998	1	5	10
1998	1	6	8
1998	1	7	37
1998	1	8	26
1998	1	9	25
1998	1	10	38
...	...	...	...

The following statement uses the `TO_APPROX_COUNT_DISTINCT` function to query the monthly detail information stored in `monthly_prod_count_mv` and return the approximate number of distinct products sold each month:

```
SELECT year,
       month,
       TO_APPROX_COUNT_DISTINCT(monthly_detail) "NUM PRODUCTS"
  FROM monthly_prod_count_mv
  ORDER BY year, month;
```

YEAR	MONTH	NUM PRODUCTS
1998	1	57
1998	2	56
1998	3	55
1998	4	49
1998	5	49

1998	6	48
1998	7	54
1998	8	56
1998	9	55
1998	10	57
...		


The following statement uses the `TO_APPROX_COUNT_DISTINCT` function to query the annual detail information stored in `annual_prod_count_mv` and return the approximate number of distinct products sold each year:

```
SELECT year,
       TO_APPROX_COUNT_DISTINCT(annual_detail) "NUM PRODUCTS"
FROM   annual_prod_count_mv
ORDER BY year;
```

YEAR	NUM PRODUCTS
1998	60
1999	72
2000	72
2001	71

## APPROX\_MEDIAN

### Syntax



### Purpose

`APPROX_MEDIAN` is an approximate inverse distribution function that assumes a continuous distribution model. It takes a numeric or datetime value and returns an approximate middle value or an approximate interpolated value that would be the middle value once the values are sorted. Nulls are ignored in the calculation.

This function provides an alternative to the `MEDIAN` function, which returns the exact middle value or interpolated value. `APPROX_MEDIAN` processes large amounts of data significantly faster than `MEDIAN`, with negligible deviation from the exact result.

For `expr`, specify the expression for which the approximate median value is being calculated. The acceptable data types for `expr`, and the return value data type for this function, depend on the algorithm that you specify with the `DETERMINISTIC` clause.

### DETERMINISTIC

This clause lets you specify the type of algorithm this function uses to calculate the approximate median value.

- If you specify `DETERMINISTIC`, then this function calculates a deterministic approximate median value. In this case, `expr` must evaluate to a numeric value, or to a value that can be implicitly converted to a numeric value. The function returns the same data type as the numeric data type of its argument.
- If you omit `DETERMINISTIC`, then this function calculates a nondeterministic approximate median value. In this case, `expr` must evaluate to a numeric or datetime value, or to a value that can be implicitly converted to a numeric or datetime value. The function returns the same data type as the numeric or datetime data type of its argument.

### ERROR\_RATE | CONFIDENCE

These clauses let you determine the accuracy of the value calculated by this function. If you specify one of these clauses, then instead of returning the approximate median value for `expr`, the function returns a decimal value from 0 to 1, inclusive, which represents one of the following values:

- If you specify `ERROR_RATE`, then the return value represents the error rate for the approximate median value calculation for `expr`.
- If you specify `CONFIDENCE`, then the return value represents the confidence level for the error rate that is returned when you specify `ERROR_RATE`.

#### See Also:

- [MEDIAN](#)
- [APPROX\\_PERCENTILE](#) which returns, for a given percentile, the approximate value that corresponds to that percentile by way of interpolation. `APPROX_MEDIAN` is the specific case of `APPROX_PERCENTILE` where the percentile value is 0.5.

### Examples

The following query returns the deterministic approximate median salary for each department in the `hr.employees` table:

```
SELECT department_id "Department",
       APPROX_MEDIAN(salary DETERMINISTIC) "Median Salary"
FROM employees
GROUP BY department_id
ORDER BY department_id;
```

Department	Median Salary
10	4400
20	6000
30	2765
40	6500
50	3100
60	4800
70	10000
80	9003
90	17000
100	7739

```

110          8300
           7000

```

The following query returns the error rates for the approximate median salaries that were returned by the previous query:

```

SELECT department_id "Department",
       APPROX_MEDIAN(salary DETERMINISTIC, 'ERROR_RATE') "Error Rate"
FROM employees
GROUP BY department_id
ORDER BY department_id;

```

```

Department Error Rate
-----
10 .002718282
20 .021746255
30 .021746255
40 .002718282
50 .019027973
60 .019027973
70 .002718282
80 .021746255
90 .021746255
100 .019027973
110 .019027973
     .002718282

```

The following query returns the confidence levels for the error rates that were returned by the previous query:

```

SELECT department_id "Department",
       APPROX_MEDIAN(salary DETERMINISTIC, 'CONFIDENCE') "Confidence Level"
FROM employees
GROUP BY department_id
ORDER BY department_id;

```

```

Department Confidence Level
-----
10 .997281718
20 .999660215
30 .999660215
40 .997281718
50 .999611674
60 .999611674
70 .997281718
80 .999660215
90 .999660215
100 .999611674
110 .999611674
     .997281718

```

The following query returns the nondeterministic approximate median hire date for each department in the hr.employees table:

```

SELECT department_id "Department",
       APPROX_MEDIAN(hire_date) "Median Hire Date"
FROM employees
GROUP BY department_id
ORDER BY department_id;

```

```

Department Median Hire Date

```


```

-----
10      17-SEP-03
20      17-FEB-04
30      24-JUL-05
40      07-JUN-02
50      15-MAR-06
60      05-FEB-06
70      07-JUN-02
80      23-MAR-06
90      17-JUN-03
100     28-SEP-05
110     07-JUN-02
        24-MAY-07

```

## APPROX\_PERCENTILE

### Syntax



### Purpose

`APPROX_PERCENTILE` is an approximate inverse distribution function. It takes a percentile value and a sort specification, and returns the value that would fall into that percentile value with respect to the sort specification. Nulls are ignored in the calculation.

This function provides an alternative to the `PERCENTILE_CONT` and `PERCENTILE_DISC` functions, which returns the exact results. `APPROX_PERCENTILE` processes large amounts of data significantly faster than `PERCENTILE_CONT` and `PERCENTILE_DISC`, with negligible deviation from the exact result.

The first `expr` is the percentile value, which must evaluate to a numeric value between 0 and 1.

The second `expr`, which is part of the `ORDER BY` clause, is a single expression over which this function calculates the result. The acceptable data types for `expr`, and the return value data type for this function, depend on the algorithm that you specify with the `DETERMINISTIC` clause.

### DETERMINISTIC

This clause lets you specify the type of algorithm this function uses to calculate the return value.

- If you specify `DETERMINISTIC`, then this function calculates a deterministic result. In this case, the `ORDER BY` clause expression must evaluate to a numeric value, or to a value that can be implicitly converted to a numeric value, in the range

-2,147,483,648 through 2,147,483,647. The function rounds numeric input to the closest integer. The function returns the same data type as the numeric data type of the `ORDER BY` clause expression. The return value is not necessarily one of the values of `expr`

- If you omit `DETERMINISTIC`, then this function calculates a nondeterministic result. In this case, the `ORDER BY` clause expression must evaluate to a numeric or datetime value, or to a value that can be implicitly converted to a numeric or datetime value. The function returns the same data type as the numeric or datetime data type of the `ORDER BY` clause expression. The return value is one of the values of `expr`.

### ERROR\_RATE | CONFIDENCE

These clauses let you determine the accuracy of the result calculated by this function. If you specify one of these clauses, then instead of returning the value that would fall into the specified percentile value for `expr`, the function returns a decimal value from 0 to 1, inclusive, which represents one of the following values:

- If you specify `ERROR_RATE`, then the return value represents the error rate for calculating the value that would fall into the specified percentile value for `expr`.
- If you specify `CONFIDENCE`, then the return value represents the confidence level for the error rate that is returned when you specify `ERROR_RATE`.

### DESC | ASC

Specify the sort specification for the calculating the value that would fall into the specified percentile value. Specify `DESC` to sort the `ORDER BY` clause expression values in descending order, or `ASC` to sort the values in ascending order. `ASC` is the default.



#### See Also:

- [PERCENTILE\\_CONT](#) and [PERCENTILE\\_DISC](#)
- [APPROX\\_MEDIAN](#), which is the specific case of `APPROX_PERCENTILE` where the percentile value is 0.5

### Examples

The following query returns the deterministic approximate 25th percentile, 50th percentile, and 75th percentile salaries for each department in the `hr.employees` table. The salaries are sorted in ascending order for the interpolation calculation.

```
SELECT department_id "Department",
       APPROX_PERCENTILE(0.25 DETERMINISTIC)
         WITHIN GROUP (ORDER BY salary ASC) "25th Percentile Salary",
       APPROX_PERCENTILE(0.50 DETERMINISTIC)
         WITHIN GROUP (ORDER BY salary ASC) "50th Percentile Salary",
       APPROX_PERCENTILE(0.75 DETERMINISTIC)
         WITHIN GROUP (ORDER BY salary ASC) "75th Percentile Salary"
FROM employees
GROUP BY department_id
ORDER BY department_id;
```

Department	25th Percentile Salary	50th Percentile Salary	75th Percentile Salary
10	4400	4400	4400
20	6000	6000	13000

30	2633	2765	3100
40	6500	6500	6500
50	2600	3100	3599
60	4800	4800	6000
70	10000	10000	10000
80	7400	9003	10291
90	17000	17000	24000
100	7698	7739	8976
110	8300	8300	12006
	7000	7000	7000

The following query returns the error rates for the approximate 25th percentile salaries that were calculated in the previous query:

```
SELECT department_id "Department",
       APPROX_PERCENTILE(0.25 DETERMINISTIC, 'ERROR_RATE')
       WITHIN GROUP (ORDER BY salary ASC) "Error Rate"
FROM employees
GROUP BY department_id
ORDER BY department_id;
```

```
Department Error Rate
-----
10 .002718282
20 .021746255
30 .021746255
40 .002718282
50 .019027973
60 .019027973
70 .002718282
80 .021746255
90 .021746255
100 .019027973
110 .019027973
     .002718282
```

The following query returns the confidence levels for the error rates that were calculated in the previous query:

```
SELECT department_id "Department",
       APPROX_PERCENTILE(0.25 DETERMINISTIC, 'CONFIDENCE')
       WITHIN GROUP (ORDER BY salary ASC) "Confidence"
FROM employees
GROUP BY department_id
ORDER BY department_id;
```

```
Department Confidence
-----
10 .997281718
20 .999660215
30 .999660215
40 .997281718
50 .999611674
60 .999611674
70 .997281718
80 .999660215
90 .999660215
100 .999611674
110 .999611674
     .997281718
```



The following query returns the nondeterministic approximate 25th percentile, 50th percentile, and 75th percentile salaries for each department in the `hr.employees` table. The salaries are sorted in ascending order for the interpolation calculation.

```
SELECT department_id "Department",
       APPROX_PERCENTILE(0.25)
         WITHIN GROUP (ORDER BY salary ASC) "25th Percentile Salary",
       APPROX_PERCENTILE(0.50)
         WITHIN GROUP (ORDER BY salary ASC) "50th Percentile Salary",
       APPROX_PERCENTILE(0.75)
         WITHIN GROUP (ORDER BY salary ASC) "75th Percentile Salary"
FROM employees
GROUP BY department_id
ORDER BY department_id;
```

Department	25th Percentile Salary	50th Percentile Salary	75th Percentile Salary
10	4400	4400	4400
20	6000	6000	13000
30	2600	2800	3100
40	6500	6500	6500
50	2600	3100	3600
60	4800	4800	6000
70	10000	10000	10000
80	7300	8800	10000
90	17000	17000	24000
100	7700	7800	9000
110	8300	8300	12008
	7000	7000	7000

## APPROX\_PERCENTILE\_AGG

### Syntax

```
→ APPROX_PERCENTILE_AGG ( ( ) → expr → ) →
```

### Purpose

`APPROX_PERCENTILE_AGG` takes as its input a column of details containing approximate percentile information, and enables you to perform aggregations of that information.

For *detail*, specify a column of details created by the `APPROX_PERCENT_DETAIL` function or the `APPROX_PERCENTILE_AGG` function. This column is of data type `BLOB`.

You can specify this function in a `SELECT` statement with a `GROUP BY` clause to aggregate the information contained in the details within each group of rows and return a single detail for each group.

This function returns a `BLOB` value, called a detail, which contains approximate percentile information in a special format. You can store details returned by this function in a table or materialized view, and then again use the `APPROX_PERCENTILE_AGG` function to further aggregate those details, or use the `TO_APPROX_PERCENTILE` function to convert the details to specified percentile values.


 See Also:

- [APPROX\\_PERCENTILE\\_DETAIL](#)
- [TO\\_APPROX\\_PERCENTILE](#)

**Examples**

Refer to [APPROX\\_PERCENTILE\\_AGG: Examples](#) for examples of using the `APPROX_PERCENTILE_AGG` function in conjunction with the `APPROX_PERCENTILE_DETAIL` and `TO_APPROX_PERCENTILE` functions.

# APPROX\_PERCENTILE\_DETAIL

**Syntax****Purpose**

`APPROX_PERCENTILE_DETAIL` calculates approximate percentile information for the values of `expr` and returns a BLOB value, called a detail, which contains that information in a special format.

The acceptable data types for `expr` depend on the algorithm that you specify with the `DETERMINISTIC` clause. Refer to the [DETERMINISTIC](#) clause for more information.

This function is commonly used with the `GROUP BY` clause in a `SELECT` statement. It calculates approximate percentile information for `expr` within each group of rows and returns a single detail for each group.

The details returned by `APPROX_PERCENTILE_DETAIL` can be used as input to the `APPROX_PERCENTILE_AGG` function, which enables you to perform aggregations of the details, or the `TO_APPROX_PERCENTILE` function, which converts a detail to a specified percentile value. You can use these three functions together to perform resource-intensive approximate percentile calculations once, store the resulting details, and then perform efficient aggregations and queries on those details. For example:

1. Use the `APPROX_PERCENTILE_DETAIL` function to perform approximate percentile calculations and store the resulting details in a table or materialized view. These could be highly-granular percentile details, such as income percentile information for cities.
2. Use the `APPROX_PERCENTILE_AGG` function to aggregate the details obtained in the previous step and store the resulting details in a table or materialized view. These could be details of lower granularity, such as income percentile information for states.
3. Use the `TO_APPROX_PERCENTILE` function to convert the stored detail values to percentile values. You can use the `TO_APPROX_PERCENTILE` function to query detail

values created by the `APPROX_PERCENTILE_DETAIL` function or the `APPROX_PERCENTILE_AGG` function.

### DETERMINISTIC

This clause lets you control the type of algorithm used to calculate the approximate percentile values.

- If you specify `DETERMINISTIC`, then this function calculates deterministic approximate percentile information. In this case, `expr` must evaluate to a numeric value, or to a value that can be implicitly converted to a numeric value.
- If you omit `DETERMINISTIC`, then this function calculates nondeterministic approximate percentile information. In this case, `expr` must evaluate to a numeric or datetime value, or to a value that can be implicitly converted to a numeric or datetime value.

#### See Also:

- [APPROX\\_PERCENTILE\\_AGG](#)
- [TO\\_APPROX\\_PERCENTILE](#)

### Examples

The examples in this section demonstrate how to use the `APPROX_PERCENTILE_DETAIL`, `APPROX_PERCENTILE_AGG`, and `TO_APPROX_PERCENTILE` functions together to perform resource-intensive approximate percentile calculations once, store the resulting details, and then perform efficient aggregations and queries on those details.

#### APPROX\_PERCENTILE\_DETAIL: Example

The following statement queries the tables `sh.customers` and `sh.sales` for the monetary amounts for products sold to each customer. The `APPROX_PERCENTILE_DETAIL` function returns the information in a detail, called `city_detail`, for each city in which customers reside. The returned details are stored in a materialized view called `amt_sold_by_city_mv`.

```
CREATE MATERIALIZED VIEW amt_sold_by_city_mv
ENABLE QUERY REWRITE AS
SELECT c.country_id country,
       c.cust_state_province state,
       c.cust_city city,
       APPROX_PERCENTILE_DETAIL(s.amount_sold) city_detail
FROM customers c, sales s
WHERE c.cust_id = s.cust_id
GROUP BY c.country_id, c.cust_state_province, c.cust_city;
```

#### APPROX\_PERCENTILE\_AGG: Examples

The following statement uses the `APPROX_PERCENTILE_AGG` function to read the details stored in `amt_sold_by_city_mv` and create aggregated details that contain the monetary amounts for products sold to customers in each state. These aggregated details are stored in a materialized view called `amt_sold_by_state_mv`.

```
CREATE MATERIALIZED VIEW amt_sold_by_state_mv AS
SELECT country,
       state,
       APPROX_PERCENTILE_AGG(city_detail) state_detail
```

```
FROM amt_sold_by_city_mv
GROUP BY country, state;
```

The following statement is similar to the previous statement, except it creates aggregated details that contain the approximate monetary amounts for products sold to customers in each country. These aggregated details are stored in a materialized view called `amt_sold_by_country_mv`.

```
CREATE MATERIALIZED VIEW amt_sold_by_country_mv AS
  SELECT country,
         APPROX_PERCENTILE_AGG(city_detail) country_detail
  FROM amt_sold_by_city_mv
  GROUP BY country;
```

### TO\_APPROX\_PERCENTILE: Examples

The following statement uses the `TO_APPROX_PERCENTILE` function to query the details stored in `amt_sold_by_city_mv` and return approximate 25th percentile, 50th percentile, and 75th percentile values for monetary amounts for products sold to customers in each city:

```
SELECT country,
       state,
       city,
       TO_APPROX_PERCENTILE(city_detail, .25, 'NUMBER') "25th Percentile",
       TO_APPROX_PERCENTILE(city_detail, .50, 'NUMBER') "50th Percentile",
       TO_APPROX_PERCENTILE(city_detail, .75, 'NUMBER') "75th Percentile"
FROM amt_sold_by_city_mv
ORDER BY country, state, city;
```

COUNTRY	STATE	CITY	25th Percentile	50th Percentile	75th Percentile
52769	Kuala Lumpur	Kuala Lumpur	19.29	38.1	53.84
52769	Penang	Batu Ferringhi	21.51	42.09	57.26
52769	Penang	Georgetown	19.15	33.25	56.12
52769	Selangor	Klang	18.08	32.06	51.29
52769	Selangor	Petaling Jaya	19.29	35.43	60.2
. . .					

The following statement uses the `TO_APPROX_PERCENTILE` function to query the details stored in `amt_sold_by_state_mv` and return approximate 25th percentile, 50th percentile, and 75th percentile values for monetary amounts for products sold to customers in each state:

```
SELECT country,
       state,
       TO_APPROX_PERCENTILE(state_detail, .25, 'NUMBER') "25th Percentile",
       TO_APPROX_PERCENTILE(state_detail, .50, 'NUMBER') "50th Percentile",
       TO_APPROX_PERCENTILE(state_detail, .75, 'NUMBER') "75th Percentile"
FROM amt_sold_by_state_mv
ORDER BY country, state;
```

```
COUNTRY STATE          25th Percentile 50th Percentile 75th Percentile
```

```
-----
```

52769	Kuala Lumpur	19.29	38.1	53.84
52769	Penang	20.19	36.84	56.12
52769	Selangor	16.97	32.41	52.69
52770	Drenthe	16.76	31.7	53.89
52770	Flevopolder	20.38	39.73	61.81

. . .

The following statement uses the `TO_APPROX_PERCENTILE` function to query the details stored in `amt_sold_by_country_mv` and return approximate 25th percentile, 50th percentile, and 75th percentile values for monetary amounts for products sold to customers in each country:

```
SELECT country,
       TO_APPROX_PERCENTILE(country_detail, .25, 'NUMBER') "25th Percentile",
       TO_APPROX_PERCENTILE(country_detail, .50, 'NUMBER') "50th Percentile",
       TO_APPROX_PERCENTILE(country_detail, .75, 'NUMBER') "75th Percentile"
FROM amt_sold_by_country_mv
ORDER BY country;
```

```
-----
```

COUNTRY	25th Percentile	50th Percentile	75th Percentile
52769	19.1	35.43	52.78
52770	19.29	38.99	59.58
52771	11.99	44.99	561.47
52772	18.08	33.72	54.16
52773	15.67	29.61	50.65

. . .

`APPROX_PERCENTILE_AGG` takes as its input a column of details containing approximate percentile information, and enables you to perform aggregations of that information. The following statement demonstrates how approximate percentile details can be interpreted by `APPROX_PERCENTILE_AGG` to provide an input to the `TO_APPROX_PERCENTILE` function. Like the previous example, this query returns approximate 25th percentile values for monetary amounts for products sold to customers in each country. Note that the results are identical to those returned for the 25th percentile in the previous example.

```
SELECT country,
       TO_APPROX_PERCENTILE(APPROX_PERCENTILE_AGG(city_detail), .25, 'NUMBER') "25th
Percentile"
FROM amt_sold_by_city_mv
GROUP BY country
ORDER BY country;
```

```
-----
```

COUNTRY	25th Percentile
52769	19.1
52770	19.29
52771	11.99
52772	18.08
52773	15.67

. . .

### Query Rewrite and Materialized Views Based on Approximate Queries: Example

In [APPROX\\_PERCENTILE\\_DETAIL: Example](#), the `ENABLE QUERY REWRITE` clause is specified when creating the materialized view `amt_sold_by_city_mv`. This enables queries that contain approximation functions, such as `APPROX_MEDIAN` or `APPROX_PERCENTILE`, to be rewritten using the materialized view.

For example, ensure that query rewrite is enabled at either the database level or for the current session, and run the following query:

```
SELECT c.country_id country,
       APPROX_MEDIAN(s.amount_sold) amount_median
FROM customers c, sales s
WHERE c.cust_id = s.cust_id
GROUP BY c.country_id;
```

Explain the plan by querying DBMS\_XPLAN:

```
SET LINESIZE 300
SET PAGESIZE 0
COLUMN plan_table_output FORMAT A150

SELECT * FROM TABLE(DBMS_XPLAN.DISPLAY_CURSOR(format=>'BASIC'));
```

As shown in the following plan, the optimizer used the materialized view `amt_sold_by_city_mv` for the query:


```
EXPLAINED SQL STATEMENT:
-----
SELECT c.country_id country, APPROX_MEDIAN(s.amount_sold)
amount_median FROM customers c, sales s WHERE c.cust_id = s.cust_id
GROUP BY c.country_id

Plan hash value: 2232676046
```

Id	Operation	Name
0	SELECT STATEMENT	
1	HASH GROUP BY APPROX	
2	MAT_VIEW REWRITE ACCESS FULL	AMT_SOLD_BY_CITY_MV

## APPROX\_RANK

### Syntax



### Purpose

`APPROX_RANK` returns the approximate value in a group of values.

This function takes an optional `PARTITION BY` clause followed by a mandatory `ORDER BY ... DESC` clause. The `PARTITION BY` key must be a subset of the `GROUP BY` key. The `ORDER BY` clause must include either `APPROX_COUNT` or `APPROX_SUM`.


## Examples

The query returns the jobs that are among the top 10 total salary per department. For each job, the total salary and ranking is also given.

```
SELECT job_id,
       APPROX_SUM(sal),
       APPROX_RANK(PARTITION BY department_id ORDER BY APPROX_SUM(salary)
DESC)
FROM employees
GROUP BY department_id, job_id
HAVING
  APPROX_RANK(
    PARTITION BY department_id
    ORDER BY APPROX_SUM (salary)
    DESC) <= 10;
```

# APPROX\_SUM

## Syntax



## Purpose

**APPROX\_SUM** returns the approximate sum of an expression. If you supply **MAX\_ERROR** as the second argument, then the function returns the maximum error between the actual and approximate sum.

You must use this function with a corresponding **APPROX\_RANK** function in the **HAVING** clause. If a query uses **APPROX\_COUNT**, **APPROX\_SUM**, or **APPROX\_RANK**, then the query must not use any other aggregation functions.

Note that **APPROX\_SUM** returns an error when the input is a negative number.

## Examples

The following query returns the 10 job types within every department that have the highest aggregate salary:

```
SELECT department_id, job_id,
       APPROX_SUM(salary)
FROM   employees
GROUP BY department_id, job_id
HAVING
  APPROX_RANK (
    PARTITION BY department_id
    ORDER BY APPROX_SUM(salary)
    DESC ) <= 10;
```

# ASCII

## Syntax

```
→ ASCII ( ( char ) ) →
```

## Purpose

`ASCII` returns the decimal representation in the database character set of the first character of *char*.

*char* can be of data type `CHAR`, `VARCHAR2`, `NCHAR`, or `NVARCHAR2`. The value returned is of data type `NUMBER`. If your database character set is 7-bit ASCII, then this function returns an ASCII value. If your database character set is EBCDIC Code, then this function returns an EBCDIC value. There is no corresponding EBCDIC character function.

This function does not support `CLOB` data directly. However, `CLOBs` can be passed in as arguments through implicit data conversion.



### See Also:

[Data Type Comparison Rules](#) for more information

## Examples

The following example returns employees whose last names begin with the letter L, whose ASCII equivalent is 76:

```
SELECT last_name
   FROM employees
  WHERE ASCII(SUBSTR(last_name, 1, 1)) = 76
     ORDER BY last_name;
```

```
LAST_NAME
-----
Ladwig
Landry
Lee
Livingston
Lorentz
```

# ASCIISTR

## Syntax

```
→ ASCIISTR ( ( char ) ) →
```



## Purpose

ASCIISTR takes as its argument a string, or an expression that resolves to a string, in any character set and returns an ASCII version of the string in the database character set. Non-ASCII characters are converted to the form \xxxx, where xxxx represents a UTF-16 code unit.

### See Also:

- *Oracle Database Globalization Support Guide* for information on Unicode character sets and character semantics
- Appendix C in *Oracle Database Globalization Support Guide* for the collation derivation rules, which define the collation assigned to the character return value of ASCIISTR

## Examples

The following example returns the ASCII string equivalent of the text string "ABÄCDE":

```
SELECT ASCIISTR('ABÄCDE')
       FROM DUAL;
```

```
ASCIISTR('
-----
AB\00C4CDE
```

# ASIN

## Syntax

```
→ ASIN → ( → n → ) →
```

## Purpose

ASIN returns the arc sine of  $n$ . The argument  $n$  must be in the range of  $-1$  to  $1$ , and the function returns a value in the range of  $-\pi/2$  to  $\pi/2$ , expressed in radians.

This function takes as an argument any numeric data type or any nonnumeric data type that can be implicitly converted to a numeric data type. If the argument is `BINARY_FLOAT`, then the function returns `BINARY_DOUBLE`. Otherwise the function returns the same numeric data type as the argument.

### See Also:

[Table 2-9](#) for more information on implicit conversion

## Examples

The following example returns the arc sine of .3:

```
SELECT ASIN(.3) "Arc_Sine"
   FROM DUAL;

Arc_Sine
-----
.304692654
```

# ATAN

## Syntax

```
→ ATAN ( n ) →
```

## Purpose

**ATAN** returns the arc tangent of *n*. The argument *n* can be in an unbounded range and returns a value in the range of  $-pi/2$  to  $pi/2$ , expressed in radians.

This function takes as an argument any numeric data type or any nonnumeric data type that can be implicitly converted to a numeric data type. If the argument is `BINARY_FLOAT`, then the function returns `BINARY_DOUBLE`. Otherwise the function returns the same numeric data type as the argument.



### See Also:

[ATAN2](#) for information about the `ATAN2` function and [Table 2-9](#) for more information on implicit conversion

## Examples

The following example returns the arc tangent of .3:

```
SELECT ATAN(.3) "Arc_Tangent"
   FROM DUAL;

Arc_Tangent
-----
.291456794
```

# ATAN2

## Syntax

```
→ ATAN2 ( n1 , n2 ) →
```

## Purpose

ATAN2 returns the arc tangent of  $n1$  and  $n2$ . The argument  $n1$  can be in an unbounded range and returns a value in the range of  $-\pi$  to  $\pi$ , depending on the signs of  $n1$  and  $n2$ , expressed in radians.

This function takes as arguments any numeric data type or any nonnumeric data type that can be implicitly converted to a numeric data type. If any argument is `BINARY_FLOAT` or `BINARY_DOUBLE`, then the function returns `BINARY_DOUBLE`. Otherwise the function returns `NUMBER`.

### See Also:

[ATAN](#) for information on the `ATAN` function and [Table 2-9](#) for more information on implicit conversion

## Examples


The following example returns the arc tangent of .3 and .2:

```
SELECT ATAN2(.3, .2) "Arc_Tangent2"
   FROM DUAL;
```

```
Arc_Tangent2
-----
.982793723
```

# AVG

## Syntax



### See Also:

[Analytic Functions](#) for information on syntax, semantics, and restrictions

## Purpose

AVG returns average value of *expr*.

It takes as an argument any numeric data type or any nonnumeric data type that can be implicitly converted to a numeric data type or an interval data type.

The function returns the same data type as the numeric data type of the argument. If the input is an interval, this returns an interval with the same units as the input.

 **See Also:**

[Table 2-9](#) for more information on implicit conversion

If you specify `DISTINCT`, then you can specify only the *query\_partition\_clause* of the *analytic\_clause*. The *order\_by\_clause* and *windowing\_clause* are not allowed.

 **See Also:**

[About SQL Expressions](#) for information on valid forms of *expr* and [Aggregate Functions](#)

### Aggregate Example

The following example calculates the average salary of all employees in the `hr.employees` table:

```
SELECT AVG(salary) "Average"
FROM employees;
```

```
      Average
-----
6461.83178
```

### Analytic Example

The following example calculates, for each employee in the `employees` table, the average salary of the employees reporting to the same manager who were hired in the range just before through just after the employee:

```
SELECT manager_id, last_name, hire_date, salary,
       AVG(salary) OVER (PARTITION BY manager_id ORDER BY hire_date
                        ROWS BETWEEN 1 PRECEDING AND 1 FOLLOWING) AS c_mavg
FROM employees
ORDER BY manager_id, hire_date, salary;
```

```
MANAGER_ID LAST_NAME          HIRE_DATE    SALARY    C_MAVG
-----
100 De Haan                13-JAN-01    17000    14000
100 Raphaely              07-DEC-02    11000  11966.6667
100 Kaufling              01-MAY-03     7900  10633.3333
100 Hartstein            17-FEB-04    13000  9633.33333
100 Weiss                 18-JUL-04     8000  11666.6667
100 Russell               01-OCT-04    14000  11833.3333
100 Partners              05-JAN-05    13500  13166.6667
100 Errazuriz            10-MAR-05    12000  11233.3333
. . .
```

# BFILENAME

## Syntax

→ BFILENAME → ( → ' → directory → ' → , → ' → filename → ' → ) →

## Purpose

BFILENAME returns a BFILE locator that is associated with a physical LOB binary file on the server file system.

- *'directory'* is a database object that serves as an alias for a full path name on the server file system where the files are actually located.
- *'filename'* is the name of the file in the server file system.

You must create the directory object and associate a BFILE value with a physical file before you can use them as arguments to BFILENAME in a SQL or PL/SQL statement, DBMS\_LOB package, or OCI operation.

You can use this function in two ways:

- In a DML statement to initialize a BFILE column
- In a programmatic interface to access BFILE data by assigning a value to the BFILE locator

The directory argument is case sensitive. You must ensure that you specify the directory object name exactly as it exists in the data dictionary. For example, if an "Admin" directory object was created using mixed case and a quoted identifier in the CREATE DIRECTORY statement, then when using the BFILENAME function you must refer to the directory object as 'Admin'. You must specify the filename argument according to the case and punctuation conventions for your operating system.



### See Also:

- *Oracle Database SecureFiles and Large Objects Developer's Guide* and *Oracle Call Interface Developer's Guide* for more information on LOBs and for examples of retrieving BFILE data
- [CREATE DIRECTORY](#)

## Examples


The following example inserts a row into the sample table `pm.print_media`. The example uses the BFILENAME function to identify a binary file on the server file system in the directory `/demo/schema/product_media`. The example shows how the directory database object `media_dir` was created in the `pm` schema.

```
CREATE DIRECTORY media_dir AS '/demo/schema/product_media';
```

```
INSERT INTO print_media (product_id, ad_id, ad_graphic)
VALUES (3000, 31001, BFILENAME('MEDIA_DIR', 'modem_comp_ad.gif'));
```

## BIN\_TO\_NUM

### Syntax



### Purpose

`BIN_TO_NUM` converts a bit vector to its equivalent number. Each argument to this function represents a bit in the bit vector. This function takes as arguments any numeric data type, or any nonnumeric data type that can be implicitly converted to `NUMBER`. Each `expr` must evaluate to 0 or 1. This function returns Oracle `NUMBER`.

`BIN_TO_NUM` is useful in data warehousing applications for selecting groups of interest from a materialized view using grouping sets.

#### See Also:

- [group\\_by\\_clause](#) for information on `GROUPING SETS` syntax
- [Table 2-9](#) for more information on implicit conversion
- *Oracle Database Data Warehousing Guide* for information on data aggregation in general

### Examples

The following example converts a binary value to a number:

```
SELECT BIN_TO_NUM(1,0,1,0)
FROM DUAL;
```

```
BIN_TO_NUM(1,0,1,0)
-----
                10
```

The next example converts three values into a single binary value and uses `BIN_TO_NUM` to convert that binary into a number. The example uses a PL/SQL declaration to specify the original values. These would normally be derived from actual data sources.

```
SELECT order_status
FROM orders
WHERE order_id = 2441;
```

```
ORDER_STATUS
-----
                5
DECLARE
```

```

warehouse NUMBER := 1;
ground     NUMBER := 1;
insured    NUMBER := 1;
result     NUMBER;
BEGIN
  SELECT BIN_TO_NUM(warehouse, ground, insured) INTO result FROM DUAL;
  UPDATE orders SET order_status = result WHERE order_id = 2441;
END;
/
PL/SQL procedure successfully completed.

SELECT order_status
FROM orders
WHERE order_id = 2441;

ORDER_STATUS
-----
              7

```

Refer to the examples for [BITAND](#) for information on reversing this process by extracting multiple values from a single column value.

## BITAND

### Syntax

```

→ BITAND ( ( expr1 ) , ( expr2 ) ) →

```

### Purpose

The `BITAND` function treats its inputs and its output as vectors of bits; the output is the bitwise AND of the inputs.

The types of `expr1` and `expr2` are `NUMBER`, and the result is of type `NUMBER`. If either argument to `BITAND` is `NULL`, the result is `NULL`.

The arguments must be in the range  $-(2^{(n-1)}) .. ((2^{(n-1)})-1)$ . If an argument is out of this range, the result is undefined.

The result is computed in several steps. First, each argument `A` is replaced with the value `SIGN(A) * FLOOR(ABS(A))`. This conversion has the effect of truncating each argument towards zero. Next, each argument `A` (which must now be an integer value) is converted to an `n`-bit two's complement binary integer value. The two bit values are combined using a bitwise AND operation. Finally, the resulting `n`-bit two's complement value is converted back to `NUMBER`.

### Notes on the BITAND Function

- The current implementation of `BITAND` defines  $n = 128$ .
- PL/SQL supports an overload of `BITAND` for which the types of the inputs and of the result are all `BINARY_INTEGER` and for which  $n = 32$ .

### Examples

The following example performs an AND operation on the numbers 6 (binary 1,1,0) and 3 (binary 0,1,1):

```
SELECT BITAND(6,3)
       FROM DUAL;
```

```
BITAND(6,3)
-----
          2
```

This is the same as the following example, which shows the binary values of 6 and 3. The BITAND function operates only on the significant digits of the binary values:

```
SELECT BITAND(
       BIN_TO_NUM(1,1,0),
       BIN_TO_NUM(0,1,1)) "Binary"
       FROM DUAL;
```

```
Binary
-----
          2
```

Refer to the example for [BIN\\_TO\\_NUM](#) for information on encoding multiple values in a single column value.

The following example supposes that the *order\_status* column of the sample table *oe.orders* encodes several choices as individual bits within a single numeric value. For example, an order still in the warehouse is represented by a binary value 001 (decimal 1). An order being sent by ground transportation is represented by a binary value 010 (decimal 2). An insured package is represented by a binary value 100 (decimal 4). The example uses the DECODE function to provide two values for each of the three bits in the *order\_status* value, one value if the bit is turned on and one if it is turned off.

```
SELECT order_id, customer_id, order_status,
       DECODE(BITAND(order_status, 1), 1, 'Warehouse', 'PostOffice') "Location",
       DECODE(BITAND(order_status, 2), 2, 'Ground', 'Air') "Method",
       DECODE(BITAND(order_status, 4), 4, 'Insured', 'Certified') "Receipt"
       FROM orders
       WHERE sales_rep_id = 160
       ORDER BY order_id;
```

ORDER_ID	CUSTOMER_ID	ORDER_STATUS	Location	Method	Receipt
2416	104	6	PostOffice	Ground	Insured
2419	107	3	Warehouse	Ground	Certified
2420	108	2	PostOffice	Ground	Certified
2423	145	3	Warehouse	Ground	Certified
2441	106	5	Warehouse	Air	Insured
2455	145	7	Warehouse	Ground	Insured


For the *Location* column, BITAND first compares *order\_status* with 1 (binary 001). Only significant bit values are compared, so any binary value with a 1 in its rightmost bit (any odd number) will evaluate positively and return 1. Even numbers will return 0. The DECODE function compares the value returned by BITAND with 1. If they are both 1, then the location is "Warehouse". If they are different, then the location is "PostOffice".

The *Method* and *Receipt* columns are calculated similarly. For *Method*, BITAND performs the AND operation on *order\_status* and 2 (binary 010). For *Receipt*, BITAND performs the AND operation on *order\_status* and 4 (binary 100).



# BIT\_AND\_AGG

## Syntax



## Purpose

`BIT_AND_AGG` is a bitwise aggregation function that returns the result of a bitwise AND operation.

You can use `BIT_AND_AGG` as part of a `GROUP BY` query, window function, or as an analytical function. The return type of `BIT_AND_AGG` is always a number.

## Semantics

The keywords `DISTINCT` or `UNIQUE` ensure that only unique values in `expr` are used for computation. `UNIQUE` is an Oracle-specific keyword and not an ANSI standard.

`NULL` values in the `expr` column are ignored.

Returns `NULL` if all rows in the group have `NULL` `expr` values.

Floating point values are truncated to the integer prior to aggregation. For instance, the value 4.64 is converted to 4, and the value 4.4 is also converted to 4.

Negative numbers are represented in two's complement form internally prior to performing an aggregate operation. The resultant aggregate could be a negative value.

Range of inputs supported: -2 raised to 127 to (2 raised to 127) -1

Numbers are internally converted to a 128b decimal representation prior to aggregation. The resultant aggregate is converted back into an Oracle Number.

For a given set of values, the result of a bitwise aggregate is always deterministic and independent of ordering.

### Example 7-2 Use the BIT\_AND\_AGG Function

Select two numbers and their bitwise representation:

```
SELECT '011' num, bin_to_num(0,1,1) bits FROM dual
UNION ALL SELECT '101' num, bin_to_num(1,0,1) bits FROM dual;
```

NUM	BITS
---	-----
011	3
101	5

Perform the bitwise AND operation:

```
SELECT bit_and_agg(bits)
   FROM (SELECT '011' num, bin_to_num(0,1,1) bits FROM dual
         UNION ALL SELECT '101' num, bin_to_num(1,0,1) bits FROM dual);

BIT_AND_AGG(BITS)
-----
1
```

Only the first bit is identical in both rows, thus the result is 001, which is the number 1.

## BITMAP\_BIT\_POSITION

### Syntax

```
→ BITMAP_BIT_POSITION ( ( expr ) ) →
```

### Purpose

Use `BITMAP_BIT_POSITION` to construct the one-to-one mapping between a number and a bit position.

The argument `expr` is of type `NUMBER`. It is the absolute bit position in the bitmap.

`BITMAP_BIT_POSITION` returns a `NUMBER`, the relative bit position.

If `expr` is `NULL`, the function returns `NULL`.

If `expr` is not an integer, you will see the following error message:

```
Invalid value has been passed to a BITMAP COUNT DISTINCT related operator.
```

## BITMAP\_BUCKET\_NUMBER

### Syntax

```
→ BITMAP_BUCKET_NUMBER ( ( expr ) ) →
```

### Purpose

Use `BITMAP_BUCKET_NUMBER` to construct a one-to-one mapping between a number and a bit position in a bitmap.

The argument `expr` is of type `NUMBER`. It represents the absolute bit position in the bitmap.

`BITMAP_BUCKET_NUMBER` returns a `NUMBER`. It represents the relative bit position.

If *expr* is NULL, the function returns NULL.

If *expr* is not an integer, you will see the following error message:

```
Invalid value has been passed to a BITMAP COUNT DISTINCT related operator.
```

## BITMAP\_CONSTRUCT\_AGG

### Syntax

```
→ BITMAP_CONSTRUCT_AGG ( ( → expr → ) → ) →
```

### Purpose

BITMAP\_CONSTRUCT\_AGG is an aggregation function that operates on bit positions and returns the bitmap representation of the set of all input bit positions. It essentially maintains a bitmap and sets into it all the input bit positions. It returns the representation of the bitmap.

The argument *expr* is of type NUMBER.

The return type is of type BLOB.

If *expr* is NULL, the function returns NULL.

### Restrictions

- The argument must be of NUMBER type. If the input value cannot be converted to a natural number, error ORA-62575 is raised:

```
62575, 00000, "Invalid value has been passed to a BITMAP COUNT DISTINCT
related operator."
// *Cause: An attempt was made to pass an invalid value to a BITMAP COUNT
DISTINCT operator.
// *Action: Pass only natural number values to BITMAP_CONSTRUCT_AGG.
```

- If the bitmap exceeds the maximum value of a BLOB, you will see error ORA-62577:

```
62577, 00000, "The bitmap size exceeds maximum size of its SQL data type."
// *Cause: An attempt was made to construct a bitmap larger than its maximum SQL
type size.
// *Action: Break the input to BITMAP_CONSTRUCT_AGG into smaller ranges.
```

## BITMAP\_COUNT

### Syntax

```
→ BITMAP_COUNT ( ( → expr → ) → ) →
```

### Purpose

BITMAP\_COUNT is a scalar function that returns the 1-bit count for the input bitmap.

The argument `expr` is of type `BLOB`.

It returns a `NUMBER` representing the count of bits set in its input.

If `expr` is `NULL`, it returns 0.


### Restrictions

The argument must be of type `BLOB` type. The argument is expected to be a bitmap produced by `BITMAP_CONSTRUCT_AGG` or, recursively, by `BITMAP_OR_AGG`. Any other input results in `ORA-62578`:

```
62578, 00000, "The input is not a valid bitmap produced by BITMAP
COUNT DISTINCT related operators."
// *Cause: An attempt was made to pass a bitmap that was not produced
by one of the BITMAP COUNT DISTINCT operators.
// *Action: Only pass bitmaps constructed via BITMAP_CONSTRUCT_AGG or
BITMAP_OR_AGG to BITMAP COUNT DISTINCT related operators.
```

## BITMAP\_OR\_AGG

### Syntax



### Purpose

`BITMAP_OR_AGG` is an aggregation function that operates on bitmaps and computes the OR of its inputs.

The argument `expr` must be of type `BLOB`.

The return type is of type `BLOB`. It returns the bitmap representing the OR of all the bitmaps it has aggregated.

The output of `BITMAP_OR_AGG` is not human-readable. It is meant to be processed by further aggregations via `BITMAP_OR_AGG` or by the scalar function `BITMAP_COUNT`.

If `expr` is `NULL`, the function returns `NULL`.


### Restrictions

The argument must be of type `BLOB`. The argument is expected to be a bitmap produced by `BITMAP_CONSTRUCT_AGG` or, recursively, by `BITMAP_OR_AGG`. Any other input results in `ORA-62578`:

```
62578, 00000, "The input is not a valid bitmap produced by BITMAP
COUNT DISTINCT related operators."
// *Cause: An attempt was made to pass a bitmap that was not produced
by one of the BITMAP COUNT DISTINCT operators.
// *Action: Only pass bitmaps constructed via BITMAP_CONSTRUCT_AGG or
BITMAP_OR_AGG to BITMAP COUNT DISTINCT related operators.
```

## BIT\_OR\_AGG

### Syntax



### Purpose

`BIT_OR_AGG` is a bitwise aggregation function that returns the result of a bitwise OR operation.

You can use `BIT_OR_AGG` as part of a `GROUP BY` query, window function, or as an analytical function. The return type of `BIT_OR_AGG` is always a number.

### Semantics

The keywords `DISTINCT` or `UNIQUE` ensure that only unique values in `expr` are used for computation. `UNIQUE` is an Oracle-specific keyword and not an ANSI standard.

`NULL` values in the `expr` column are ignored.

Returns `NULL` if all rows in the group have `NULL` `expr` values.

Floating point values are truncated to the integer prior to aggregation. For instance, the value 4.64 is converted to 4 and the value 4.4 is also converted to 4.

Negative numbers are represented in two's complement form internally prior to performing an aggregate operation. The resultant aggregate could be a negative value.


Range of inputs supported: -2 raised to 127 to (2 raised to 127) -1

Numbers are internally converted to a 128b decimal representation prior to aggregation. The resultant aggregate is converted back into an Oracle Number.

For a given set of values, the result of a bitwise aggregate is always deterministic and independent of ordering.

## BIT\_XOR\_AGG

### Syntax



## Purpose

`BIT_XOR_AGG` is a bitwise aggregation function that returns the result of a bitwise XOR operation.

You can use `BIT_XOR_AGG` as part of a `GROUP BY` query, window function, or as an analytical function. The return type of `BIT_XOR_AGG` is always a number.

## Semantics

The keywords `DISTINCT` or `UNIQUE` ensure that only unique values in `expr` are used for computation. `BIT_XOR_AGG` could potentially return a different value when `DISTINCT` is present. `UNIQUE` is an Oracle-specific keyword and not an ANSI standard.

`NULL` values in the `expr` column are ignored.

Returns `NULL` if all rows in the group have `NULL` `expr` values.

Floating point values are truncated to the integer prior to aggregation. For instance, the value 4.64 is converted to 4 and the value 4.4 is also converted to 4.

Negative numbers are represented in two's complement form internally prior to performing an aggregate operation. The resultant aggregate could be a negative value.


Range of inputs supported: -2 raised to 127 to (2 raised to 127) -1

Numbers are internally converted to a 128b decimal representation prior to aggregation. The resultant aggregate is converted back into an Oracle Number.

For a given set of values, the result of a bitwise aggregate is always deterministic and independent of ordering.

# BOOLEAN\_AND\_AGG

## Syntax



## Purpose

`BOOLEAN_AND_AGG` returns 'TRUE' if the `boolean_expr` evaluates to true for every row that qualifies. Otherwise it returns 'FALSE'. You can use it as an aggregate or analytic function.

## Examples

```
SELECT BOOLEAN_AND_AGG(c2)
   FROM t;
```

```
SELECT BOOLEAN_AND_AGG(c2)
   FROM t
  WHERE c1 = 0;
```

```

SELECT BOOLEAN_AND_AGG(c2)
  FROM t
 WHERE c2 IS FALSE;

SELECT BOOLEAN_AND_AGG(c2)
  FROM t
 WHERE c2 IS FALSE OR c2 IS NULL;

SELECT BOOLEAN_AND_AGG(c2)
  FROM t
 WHERE c2 IS NOT TRUE OR c2 IS NULL;


SELECT BOOLEAN_AND_AGG(c2)
  FROM t
 WHERE c2 IS NOT FALSE OR c2 IS NULL;

SELECT BOOLEAN_AND_AGG(c2 OR c2 OR (c2))
  FROM t
 WHERE c2 IS NOT FALSE OR c2 IS NULL;

```

## BOOLEAN\_OR\_AGG

### Syntax



### Purpose

**BOOLEAN\_OR\_AGG** returns 'TRUE' if the *boolean\_expr* evaluates to true for at least one row that qualifies. Otherwise it returns 'FALSE'. You can use it as an aggregate or analytic function.

### Examples

```

SELECT BOOLEAN_OR_AGG(c2)
  FROM t;

SELECT BOOLEAN_OR_AGG(c2)
  FROM t
 WHERE c1 = 0;

SELECT BOOLEAN_OR_AGG(c2)
  FROM t
 WHERE c2 IS TRUE;

SELECT BOOLEAN_OR_AGG(c2)
  FROM t
 WHERE c2 IS TRUE OR c2 IS NULL;

SELECT BOOLEAN_OR_AGG(c2)
  FROM t
 WHERE c2 IS NOT FALSE OR c2 IS NULL;


```

```
SELECT BOOLEAN_OR_AGG(c2)
  FROM t
 WHERE c2 IS NOT TRUE OR c2 IS NULL;

SELECT BOOLEAN_OR_AGG(c2 OR c2)
  FROM t
 WHERE c2 IS NOT TRUE OR c2 IS NULL;
```

## CARDINALITY

### Syntax



### Purpose

**CARDINALITY** returns the number of elements in a nested table. The return type is **NUMBER**. If the nested table is empty, or is a null collection, then **CARDINALITY** returns **NULL**.

### Examples


The following example shows the number of elements in the nested table column `ad_textdocs_ntab` of the sample table `pm.print_media`:

```
SELECT product_id, CARDINALITY(ad_textdocs_ntab) cardinality
  FROM print_media
 ORDER BY product_id;
```


PRODUCT_ID	CARDINALITY
2056	3
2268	3
3060	3
3106	3

## CAST

### Syntax



**domain\_validate\_clause::=**





## Purpose

CAST lets you convert built-in data types or collection-typed values of one type into another built-in data type or collection type. You can cast an unnamed operand (such as a date or the result set of a subquery) or a named collection (such as a varray or a nested table) into a type-compatible data type or named collection. The *type\_name* must be the name of a built-in data type, collection type, or domain name and the operand must be a built-in data type or must evaluate to a collection value.

For the operand, *expr* can be either a built-in data type, a collection type, or an instance of an ANYDATA type. If *expr* is an instance of an ANYDATA type, then CAST tries to extract the value of the ANYDATA instance and return it if it matches the cast target type, otherwise, null will be returned. MULTISET informs Oracle Database to take the result set of the subquery and return a collection value. Table 7-1 shows which built-in data types can be cast into which other built-in data types. (CAST does not support LONG, LONG RAW, or the Oracle-supplied types.)

CAST does not directly support any of the LOB data types. When you use CAST to convert a CLOB value into a character data type or a BLOB value into the RAW data type, the database implicitly converts the LOB value to character or raw data and then explicitly casts the resulting value into the target data type. If the resulting value is larger than the target type, then the database returns an error.

When you use CAST ... MULTISET to get a collection value, each select list item in the query passed to the CAST function is converted to the corresponding attribute type of the target collection element type.

The cells with an 'X' indicate the possible conversions from source to destination data type using CAST.

**Table 7-1 Casting Built-In Data Types**

Destination Data Type	from BINARY_FLOAT, BINARY_DOUBLE	from CHAR, VARCHAR2	from NUMBER/INTEGER	from DATETIME / INTERVAL (Note 1)	from RAW	from ROWID, UROWID (Note 2)	from NCHAR, NVARCHAR2	from BOOLEAN
to BINARY_FLOAT, BINARY_DOUBLE	X (Note 3)	X (Note 3)	X (Note 3)	--	--	--	X (Note 3)	X (Note 4)
to CHAR, VARCHAR2	X	X	X	X	X	X	--	X (Note 5)
to NUMBER/INTEGER	X (Note 3)	X (Note 3)	X (Note 3)	--	--	--	X (Note 3)	X (Note 4)
to DATETIME/INTERVAL	--	X (Note 3)	--	X (Note 3)	--	--	--	--
to RAW	--	X	--	--	X	--	--	--
to ROWID, UROWID	--	X	--	--	--	X	--	--
to NCHAR, NVARCHAR2	X	--	X	X	X	X	X	X (Note 5)

Table 7-1 (Cont.) Casting Built-In Data Types

Destination Data Type	from BINARY_FLOAT, BINARY_DOUBLE	from CHAR, VARCHAR2	from NUMBER/INTEGER	from DATETIME / INTERVAL (Note 1)	from RAW	from ROWID, UROWID (Note 2)	from NCHAR, NVARCHAR2	from BOOLEAN
to BOOLEAN	X(Note 4)	X(Note 6)	x (Note 4)	--	--	--	X(Note 6)	X

**Note 1:** Datetime/interval includes DATE, TIMESTAMP, TIMESTAMP WITH TIMEZONE, TIMESTAMP WITH LOCAL TIME ZONE, INTERVAL DAY TO SECOND, and INTERVAL YEAR TO MONTH.

**Note 2:** You cannot cast a UROWID to a ROWID if the UROWID contains the value of a ROWID of an index-organized table.

**Note 3:** You can specify the `DEFAULT return_value ON CONVERSION ERROR` clause for this type of conversion. You can specify the `fmt` and `nlsparm` clauses for this type of conversion with the following exceptions: you cannot specify `fmt` when converting to INTERVAL DAY TO SECOND, and you cannot specify `fmt` or `nlsparm` when converting to INTERVAL YEAR TO MONTH.

#### Note 4: Casting Between Boolean and Numeric

When casting `BOOLEAN` to numeric :

- If the boolean value is true, then resulting value is 1.
- If the boolean value is false, then resulting value is 0.

When casting numeric to `BOOLEAN` :

- If the numeric value is non-zero (e.g., 1, 2, -3, 1.2), then resulting value is true.
- If the numeric value is zero, then resulting value is false.

#### Note 5: Casting Between Boolean and Char(n), NCHAR(n)

When casting `BOOLEAN` to `VARCHAR(n)`, `NVARCHAR(n)`

- If the boolean value is true and `n` is not less than 4, then resulting value is true.
- If the boolean value is false and `n` is not less than 5, then resulting value is false.
- Otherwise, a data exception error is raised.

#### Note 6: Casting Character Strings to Boolean

When casting a character string to boolean, you must trim both leading and trailing spaces of the character string first. If the resulting character string is one of the accepted literals used to determine a valid boolean value, then the result is that valid boolean value.

If you want to cast a named collection type into another named collection type, then the elements of both collections must be of the same type.

 **See Also:**

- [Boolean Data Type](#)
- [Implicit Data Conversion](#) for information on how Oracle Database implicitly converts collection type data into character data and [Security Considerations for Data Conversion](#)
- Appendix C in *Oracle Database Globalization Support Guide* for the collation derivation rules, which define the collation assigned to the return value of `CAST` when it is a character value

## MULTISET

If the result set of *subquery* can evaluate to multiple rows, then you must specify the `MULTISET` keyword. The rows resulting from the subquery form the elements of the collection value into which they are cast. Without the `MULTISET` keyword, the subquery is treated as a scalar subquery.

### Restriction on MULTISET

If you specify the `MULTISET` keyword, then you cannot specify the `DEFAULT return_value ON CONVERSION ERROR`, `fmt`, or `nlsparam` clauses.

## DOMAIN

The `DOMAIN` clause specifies that `type_name` is a domain. `type_name` must be the name of a domain that the user has execute privileges on.

### *domain\_validate\_clause*

This clause is only valid when casting to domain types. It controls whether domain constraints are applied when converting `expr` to `type_name`. If `type_name` is a domain with constraints, and `domain_validate_clause` is not specified, enabled constraints will be applied to `expr`. Any disabled constraints are ignored.

## VALIDATE

All the domain constraints are applied to `expr`, regardless of their state.

## NOVALIDATE

None of the domain constraints are applied to `expr`, regardless of their state.

## DEFAULT *return\_value* ON CONVERSION ERROR

This clause allows you to specify the value returned by this function if an error occurs while converting `expr` to `type_name`. This clause has no effect if an error occurs while evaluating `expr`.

This clause is valid if `expr` evaluates to a character string of type `CHAR`, `VARCHAR2`, `NCHAR`, or `NVARCHAR2`, and `type_name` is `BINARY_DOUBLE`, `BINARY_FLOAT`, `DATE`, `INTERVAL DAY TO SECOND`, `INTERVAL YEAR TO MONTH`, `NUMBER`, `TIMESTAMP`, `TIMESTAMP WITH TIME ZONE`, or `TIMESTAMP WITH LOCAL TIME ZONE`.

The *return\_value* can be a string literal, null, constant expression, or a bind variable, and must evaluate to null or a character string of type CHAR, VARCHAR2, NCHAR, or NVARCHAR2. If *return\_value* cannot be converted to *type\_name*, then the function returns an error.

### ***fmt* and *nlsparm***

The *fmt* argument lets you specify a format model and the *nlsparm* argument lets you specify NLS parameters. If you specify these arguments, then they are applied when converting *expr* and *return\_value*, if specified, to *type\_name*.

You can specify *fmt* and *nlsparm* if *type\_name* is one of the following data types:

- BINARY\_DOUBLE  
If you specify BINARY\_DOUBLE, then the optional *fmt* and *nlsparm* arguments serve the same purpose as for the TO\_BINARY\_DOUBLE function. Refer to [TO\\_BINARY\\_DOUBLE](#) for more information.
- BINARY\_FLOAT  
If you specify BINARY\_FLOAT, then the optional *fmt* and *nlsparm* arguments serve the same purpose as for the TO\_BINARY\_FLOAT function. Refer to [TO\\_BINARY\\_FLOAT](#) for more information.
- DATE  
If you specify DATE, then the optional *fmt* and *nlsparm* arguments serve the same purpose as for the TO\_DATE function. Refer to [TO\\_DATE](#) for more information.
- NUMBER  
If you specify NUMBER, then the optional *fmt* and *nlsparm* arguments serve the same purpose as for the TO\_NUMBER function. Refer to [TO\\_NUMBER](#) for more information.
- TIMESTAMP  
If you specify TIMESTAMP, then the optional *fmt* and *nlsparm* arguments serve the same purpose as for the TO\_TIMESTAMP function. If you omit *fmt*, then *expr* must be in the default format of the TIMESTAMP data type, which is determined explicitly by the NLS\_TIMESTAMP\_FORMAT parameter or implicitly by the NLS\_TERRITORY parameter. Refer to [TO\\_TIMESTAMP](#) for more information.
- TIMESTAMP WITH TIME ZONE  
If you specify TIMESTAMP WITH TIME ZONE, then the optional *fmt* and *nlsparm* arguments serve the same purpose as for the TO\_TIMESTAMP\_TZ function. If you omit *fmt*, then *expr* must be in the default format of the TIMESTAMP WITH TIME ZONE data type, which is determined explicitly by the NLS\_TIMESTAMP\_TZ\_FORMAT parameter or implicitly by the NLS\_TERRITORY parameter. Refer to [TO\\_TIMESTAMP\\_TZ](#) for more information.
- TIMESTAMP WITH LOCAL TIME ZONE  
If you specify TIMESTAMP WITH LOCAL TIME ZONE then the optional *fmt* and *nlsparm* arguments serve the same purpose as for the TO\_TIMESTAMP function. If you omit *fmt*, then *expr* must be in the default format of the TIMESTAMP data type, which is determined explicitly by the NLS\_TIMESTAMP\_FORMAT parameter or implicitly by the NLS\_TERRITORY parameter. Refer to [TO\\_TIMESTAMP](#) for more information.

## Built-In Data Type Examples

The following examples use the `CAST` function with scalar data types. The first example converts text to a timestamp value by applying the format model provided in the session parameter `NLS_TIMESTAMP_FORMAT`. If you want to avoid dependency on this NLS parameter, then you can use the `TO_DATE` as shown in the second example.

```
SELECT CAST('22-OCT-1997'
           AS TIMESTAMP WITH LOCAL TIME ZONE)
FROM DUAL;

SELECT CAST(TO_DATE('22-Oct-1997', 'DD-Mon-YYYY')
           AS TIMESTAMP WITH LOCAL TIME ZONE)
FROM DUAL;
```

In the preceding example, `TO_DATE` converts from text to `DATE`, and `CAST` converts from `DATE` to `TIMESTAMP WITH LOCAL TIME ZONE`, interpreting the date in the session time zone (`SESSIONTIMEZONE`).

```
SELECT product_id, CAST(ad_sourcetext AS VARCHAR2(30)) text
FROM print_media
ORDER BY product_id;
```

The following examples return a default value if an error occurs while converting the specified value to the specified data type. In these examples, the conversions occurs without error.

```
SELECT CAST(200
           AS NUMBER
           DEFAULT 0 ON CONVERSION ERROR)
FROM DUAL;

SELECT CAST('January 15, 1989, 11:00 A.M.'
           AS DATE
           DEFAULT NULL ON CONVERSION ERROR,
           'Month dd, YYYY, HH:MI A.M.')
FROM DUAL;

SELECT CAST('1999-12-01 11:00:00 -8:00'
           AS TIMESTAMP WITH TIME ZONE
           DEFAULT '2000-01-01 01:00:00 -8:00' ON CONVERSION ERROR,
           'YYYY-MM-DD HH:MI:SS TZH:TZM',
           'NLS_DATE_LANGUAGE = American')
FROM DUAL;
```

In the following example, an error occurs while converting 'N/A' to a `NUMBER` value. Therefore, the `CAST` function returns the default value of 0.

```
SELECT CAST('N/A'
           AS NUMBER
           DEFAULT '0' ON CONVERSION ERROR)
FROM DUAL;
```

The following example converts data types `VARCHAR2`, `NUMBER` as `BOOLEAN`:

```
SELECT
  CAST ( 'yes' AS BOOLEAN ),
  CAST ( true AS NUMBER ),
  CAST ( false AS VARCHAR2(10) ) ;

CAST('YES'ASBOOLEAN) CAST(TRUEASNUMBER) CAST(FALSE
```

```
-----
TRUE                                1 FALSE
```

### Collection Examples

The CAST examples that follow build on the `cust_address_typ` found in the sample order entry schema, `oe`.

```
CREATE TYPE address_book_t AS TABLE OF cust_address_typ;

CREATE TYPE address_array_t AS VARRAY(3) OF cust_address_typ;

CREATE TABLE cust_address (
  custno          NUMBER,
  street_address  VARCHAR2(40),
  postal_code     VARCHAR2(10),
  city            VARCHAR2(30),
  state_province  VARCHAR2(10),
  country_id      CHAR(2));

CREATE TABLE cust_short (custno NUMBER, name VARCHAR2(31));

CREATE TABLE states (state_id NUMBER, addresses address_array_t);
```

This example casts a subquery:

```
SELECT s.custno, s.name,
       CAST(MULTISET(SELECT ca.street_address,
                           ca.postal_code,
                           ca.city,
                           ca.state_province,
                           ca.country_id
                           FROM cust_address ca
                           WHERE s.custno = ca.custno)
           AS address_book_t)
FROM cust_short s
ORDER BY s.custno;
```

CAST converts a varray type column into a nested table:

```
SELECT CAST(s.addresses AS address_book_t)
FROM states s
WHERE s.state_id = 111;
```

The following objects create the basis of the example that follows:

```
CREATE TABLE projects
  (employee_id NUMBER, project_name VARCHAR2(10));

CREATE TABLE emps_short
  (employee_id NUMBER, last_name VARCHAR2(10));

CREATE TYPE project_table_typ AS TABLE OF VARCHAR2(10);
```

The following example of a MULTISET expression uses these objects:

```
SELECT e.last_name,
       CAST(MULTISET(SELECT p.project_name
```

```

                FROM projects p
                WHERE p.employee_id = e.employee_id
                ORDER BY p.project_name)
        AS project_table_typ)
FROM emps_short e
ORDER BY e.last_name;

```

The following example casts the string 'yes' to a boolean value, the boolean value true to a NUMBER and the boolean value false to VARCHAR2(10):

```

SELECT
    CAST ( 'yes' AS BOOLEAN ),
    CAST ( true AS NUMBER ),
    CAST ( false AS VARCHAR2(10) );

CAST('YES'ASBOOLEAN) CAST(TRUEASNUMBER) CAST(FALSE
-----
                TRUE                1                FALSE

```

### Domain Examples

The following example creates the domain DAY\_OF\_WEEK with a disabled check constraint. The first query omits the *domain\_validate\_clause*, so uses the constraint state to determine whether to verify the value. As this is disabled, the database does not check the value.

The second query uses the VALIDATE clause. This applies the constraint to "N/A", even though it's disabled. The value "N/A" is not in the list permitted by the constraints, so CAST raises an exception.

```

CREATE DOMAIN day_of_week AS VARCHAR2(3 CHAR)
    CONSTRAINT CHECK (day_of_week IN('MON','TUE','WED','THU','FRI','SAT','SUN'))
    DISABLE;

```

```

SELECT CAST ( 'N/A' AS day_of_week ) use_constraint_state;

```

```

USE_CONSTRAINT_STATE
-----
N/A

```

```

SELECT CAST ( 'N/A' AS day_of_week VALIDATE ) apply_constraints;

```

```

ORA-11513: CAST AS DOMAIN has failed due to domain constraints.

```

The following example creates the domain DAY\_OF\_WEEK with an enabled check constraint. The first query omits the *domain\_validate\_clause*, so uses the constraint state to determine whether to verify the value. As this is enabled, the database applies the constraint to "N/A". This is not in the list of permitted values so CAST raises an error.

The second query uses the NOVALIDATE clause. This ignores the constraint even though it is enabled and the statement completes without error.

```

CREATE DOMAIN day_of_week AS VARCHAR2(3 CHAR)
    CONSTRAINT CHECK (day_of_week IN('MON','TUE','WED','THU','FRI','SAT','SUN'))
    ENABLE;

```

```

SELECT CAST ( 'N/A' AS day_of_week ) use_constraint_state;

ORA-11513: CAST AS DOMAIN has failed due to domain constraints.

SELECT CAST ( 'N/A' AS DOMAIN day_of_week NOVALIDATE ) ignore_constraints;

IGNORE_CONSTRAINTS
-----
N/A

```

## CEIL (datetime)

### Syntax



### Purpose

`CEIL(datetime)` returns the date or the timestamp rounded up to the unit specified by the second argument `fmt`, the format model. If the input value is already truncated to the specified unit, then the return value is the same as the input. That is, if `datetime = TRUNC(datetime, fmt)`, then `CEIL(datetime, fmt) = datetime`. For example, `CEIL (DATE '2023-02-01', 'MONTH')` returns February 1 2023.

This function is not sensitive to the `NLS_CALENDAR` session parameter. It operates according to the rules of the Gregorian calendar. The value returned is always of data type `DATE`, even if you specify a different datetime data type for the argument. If you do not specify the second argument, the default format model 'DD' is used.



#### See Also:

Refer to [CEIL, FLOOR, ROUND, and TRUNC Date Functions](#) for the permitted format models to use in `fmt`.

### Examples

For these examples `NLS_DATE_FORMAT` is set:

```

ALTER SESSION SET NLS_DATE_FORMAT = 'DD-MON-YYYY HH24:MI:SS';

SELECT CEIL(TO_DATE ('28-FEB-2023','DD-MON-YYYY'), 'MM') AS month_ceiling;

MONTH_CEILING
-----
01-MAR-2023 00:00:00

SELECT CEIL(TO_TIMESTAMP ('28-FEB-2023 14:10:10','DD-MON-YYYY
HH24:MI:SS'),'HH24') AS hour_ceiling;

HOUR_CEILING

```



-----  
28-FEB-2023 15:00:00

## CEIL (interval)

### Syntax



### Purpose

`CEIL(interval)` returns the interval rounded up to the unit specified by the second argument *fmt*, the format model. If the first argument is truncated to the units of *fmt*, the output equals the input. For example, `CEIL(INTERVAL '+123-0' YEAR(3) TO MONTH)` returns 123 years and no months (+123-00).

The result of `CEIL(interval)` is never smaller than *interval*. The result precision for year and day is the input precision for year plus one and day plus one, since `CEIL(interval)` can have overflow. If an interval already has the maximum precision for year and day, the statement compiles but errors at runtime.

For `INTERVAL YEAR TO MONTH`, *fmt* can only be year. The default *fmt* is year.

For `INTERVAL DAY TO SECOND`, *fmt* can be day, hour, and minute. The default *fmt* is day. Note that *fmt* does not support second.

`CEIL(interval)` supports the format models of `ROUND` and `TRUNC`.

#### See Also:

Refer to [CEIL, FLOOR, ROUND, and TRUNC Date Functions](#) for the permitted format models to use in *fmt*.

### Examples

```
SELECT CEIL(INTERVAL '+123-5' YEAR(3) TO MONTH) AS year_ceil;
```

```
YEAR_CEIL
-----
+124-00
```

```
SELECT CEIL(INTERVAL '+99-11' YEAR(2) TO MONTH, 'YEAR');
```

```
YEAR_CEIL
-----
+100-00
```

```
SELECT CEIL(INTERVAL '+999999999-11' YEAR(9) TO MONTH, 'YEAR') AS year_ceil;
```

```
ORA-01873: the leading precision of the interval is too small
```

```
SELECT CEIL(INTERVAL '+4 12:42:10.222' DAY(2) TO SECOND(3), 'DD') AS day_ceil;

DAY_CEIL
-----
+05 00:00:00.000000
```

## CEIL (number)

### Syntax

```
→ CEIL → ( → n → ) →
```

### Purpose

CEIL returns the smallest integer that is greater than or equal to  $n$ . The number  $n$  can always be written as the difference of an integer  $k$  and a positive fraction  $f$  such that  $0 \leq f < 1$  and  $n = k - f$ . The value of CEIL is the integer  $k$ . Thus, the value of CEIL is  $n$  itself if and only if  $n$  is precisely an integer.

This function takes as an argument any numeric data type or any nonnumeric data type that can be implicitly converted to a numeric data type. The function returns the same data type as the numeric data type of the argument.



### See Also:

Table 2-9 for more information on implicit conversion and [FLOOR \(number\)](#)

### Examples

The following example returns the smallest integer greater than or equal to the order total of a specified order:

```
SELECT order_total, CEIL(order_total)
   FROM orders
  WHERE order_id = 2434;

ORDER_TOTAL CEIL(ORDER_TOTAL)
-----
268651.8          268652
```

## CHARTOROWID

### Syntax

```
→ CHARTOROWID → ( → char → ) →
```

## Purpose

**CHARTOROWID** converts a value from **CHAR**, **VARCHAR2**, **NCHAR**, or **NVARCHAR2** data type to **ROWID** data type.

This function does not support **CLOB** data directly. However, **CLOBs** can be passed in as arguments through implicit data conversion.



### See Also:

[Data Type Comparison Rules](#) for more information.

## Examples


The following example converts a character rowid representation to a rowid. (The actual rowid is different for each database instance.)

```
SELECT last_name
   FROM employees
  WHERE ROWID = CHARTOROWID('AAAFd1AAFAAAAABSAA/');
```

```
LAST_NAME
-----
Greene
```

# CHECKSUM

## Syntax



## Purpose

Use **CHECKSUM** to detect changes in a table. The order of the rows in the table does not affect the result. You can use **CHECKSUM** with **DISTINCT**, as part of a **GROUP BY** query, as a window function, or an analytical function.

## Semantics

**ALL**: Applies the aggregate function to all values. **ALL** is the default option.

**DISTINCT** or **UNIQUE**: Returns the checksum of unique values. **UNIQUE** is an Oracle-specific keyword and not an ANSI standard.

**expr**: Can be a column, constant, bind variable, or an expression involving them. All data types except **ADT** and **JSON** are supported.

The return data type is an Oracle number (converted from an (8-byte) signed long long) regardless of the data type of **expr**.


NULL values in `expr` column are ignored.

It returns NULL if `expr` is NULL.

The output of the `CHECKSUM` function is deterministic and independent of the ordering of the input rows.

## CHR

### Syntax



### Purpose

`CHR` returns the character having the binary equivalent to `n` as a `VARCHAR2` value in either the database character set or, if you specify `USING NCHAR_CS`, the national character set.

For single-byte character sets, if  $n > 256$ , then Oracle Database returns the binary equivalent of  $n \bmod 256$ . For multibyte character sets, `n` must resolve to one entire code point. Invalid code points are not validated, and the result of specifying invalid code points is indeterminate.

This function takes as an argument a `NUMBER` value, or any value that can be implicitly converted to `NUMBER`, and returns a character.

#### Note:

Use of the `CHR` function (either with or without the optional `USING NCHAR_CS` clause) results in code that is not portable between ASCII- and EBCDIC-based machine architectures.

#### See Also:

- [NCHR](#) and [Table 2-9](#) for more information on implicit conversion
- Appendix C in *Oracle Database Globalization Support Guide* for the collation derivation rules, which define the collation assigned to the character return value of `CHR`

### Examples

The following example is run on an ASCII-based machine with the database character set defined as `WE8ISO8859P1`:

```

SELECT CHR(67) || CHR(65) || CHR(84) "Dog"
FROM DUAL;

```

```
Dog
---
CAT
```

To produce the same results on an EBCDIC-based machine with the WE8EBCDIC1047 character set, the preceding example would have to be modified as follows:

```
SELECT CHR(195) || CHR(193) || CHR(227) "Dog"
       FROM DUAL;
```

```
Dog
---
CAT
```

For multibyte character sets, this sort of concatenation gives different results. For example, given a multibyte character whose hexadecimal value is `a1a2` (`a1` representing the first byte and `a2` the second byte), you must specify for `n` the decimal equivalent of `'a1a2'`, or 41378:

```
SELECT CHR(41378)
       FROM DUAL;
```

You cannot specify the decimal equivalent of `a1` concatenated with the decimal equivalent of `a2`, as in the following example:

```
SELECT CHR(161) || CHR(162)
       FROM DUAL;
```

However, you can concatenate whole multibyte code points, as in the following example, which concatenates the multibyte characters whose hexadecimal values are `a1a2` and `a1a3`:

```
SELECT CHR(41378) || CHR(41379)
       FROM DUAL;
```

The following example assumes that the national character set is UTF16:


```
SELECT CHR(196 USING NCHAR_CS)
       FROM DUAL;
```

```
CH
--
Ä
```

## CLUSTER\_DETAILS


### Syntax

***cluster\_details***::=




### Analytic Syntax


***cluster\_details\_analytic::=***



***mining\_attribute\_clause::=***



***mining\_analytic\_clause::=***



**See Also:**

[Analytic Functions](#) for information on the syntax, semantics, and restrictions of *mining\_analytic\_clause*

**Purpose**

CLUSTER\_DETAILS returns cluster details for each row in the selection. The return value is an XML string that describes the attributes of the highest probability cluster or the specified *cluster\_id*.

## topN

If you specify a value for *topN*, the function returns the *N* attributes that most influence the cluster assignment (the score). If you do not specify *topN*, the function returns the 5 most influential attributes.

## DESC, ASC, or ABS

The returned attributes are ordered by weight. The weight of an attribute expresses its positive or negative impact on cluster assignment. A positive weight indicates an increased likelihood of assignment. A negative weight indicates a decreased likelihood of assignment.

By default, `CLUSTER_DETAILS` returns the attributes with the highest positive weights (`DESC`). If you specify `ASC`, the attributes with the highest negative weights are returned. If you specify `ABS`, the attributes with the greatest weights, whether negative or positive, are returned. The results are ordered by absolute value from highest to lowest. Attributes with a zero weight are not included in the output.

## Syntax Choice

`CLUSTER_DETAILS` can score the data in one of two ways: It can apply a mining model object to the data, or it can dynamically mine the data by executing an analytic clause that builds and applies one or more transient mining models. Choose **Syntax** or **Analytic Syntax**:

- **Syntax** — Use the first syntax to score the data with a pre-defined model. Supply the name of a clustering model.
- **Analytic Syntax** — Use the analytic syntax to score the data without a pre-defined model. Include `INTO n`, where *n* is the number of clusters to compute, and `mining_analytic_clause`, which specifies if the data should be partitioned for multiple model builds. The `mining_analytic_clause` supports a `query_partition_clause` and an `order_by_clause`. (See [analytic\\_clause::=.](#))

The syntax of the `CLUSTER_DETAILS` function can use an optional `GROUPING` hint when scoring a partitioned model. See [GROUPING Hint](#).

## mining\_attribute\_clause

`mining_attribute_clause` identifies the column attributes to use as predictors for scoring. When the function is invoked with the analytic syntax, these predictors are also used for building the transient models. The `mining_attribute_clause` behaves as described for the `PREDICTION` function. (See [mining\\_attribute\\_clause::=.](#))

### See Also:

- *Oracle Machine Learning for SQL User's Guide* for information about scoring.
- *Oracle Machine Learning for SQL Concepts* for information about clustering.

 **Note:**

The following examples are excerpted from the Oracle Machine Learning for SQL sample programs. For more information about the sample programs, see Appendix A in *Oracle Machine Learning for SQL User's Guide*.

**Example**

This example lists the attributes that have the greatest impact (more than 20% probability) on cluster assignment for customer ID 100955. The query invokes the `CLUSTER_DETAILS` and `CLUSTER_SET` functions, which apply the clustering model `em_sh_clus_sample`.

```
SELECT S.cluster_id, probability prob,
       CLUSTER_DETAILS(em_sh_clus_sample, S.cluster_id, 5 USING T.*) det
FROM
  (SELECT v.*, CLUSTER_SET(em_sh_clus_sample, NULL, 0.2 USING *) pset
   FROM mining_data_apply_v v
   WHERE cust_id = 100955) T,
  TABLE(T.pset) S
ORDER BY 2 DESC;
```

```
CLUSTER_ID  PROB DET
-----
-----
14 .6761 <Details algorithm="Expectation Maximization" cluster="14">
      <Attribute name="AGE" actualValue="51" weight=".676" rank="1"/>
      <Attribute name="HOME_THEATER_PACKAGE" actualValue="1" weight=".557" rank="2"/>
      <Attribute name="FLAT_PANEL_MONITOR" actualValue="0" weight=".412" rank="3"/>
      <Attribute name="Y_BOX_GAMES" actualValue="0" weight=".171" rank="4"/>
      <Attribute name="BOOKKEEPING_APPLICATION" actualValue="1"
weight="-.003"rank="5"/>
      </Details>

3 .3227 <Details algorithm="Expectation Maximization" cluster="3">
      <Attribute name="YRS_RESIDENCE" actualValue="3" weight=".323" rank="1"/>
      <Attribute name="BULK_PACK_DISKETTES" actualValue="1" weight=".265" rank="2"/>
      <Attribute name="EDUCATION" actualValue="HS-grad" weight=".172" rank="3"/>
      <Attribute name="AFFINITY_CARD" actualValue="0" weight=".125" rank="4"/>
      <Attribute name="OCCUPATION" actualValue="Crafts" weight=".055" rank="5"/>
      </Details>
```

**Analytic Example**

This example divides the customer database into four segments based on common characteristics. The clustering functions compute the clusters and return the score without a predefined clustering model.

```
SELECT * FROM (
  SELECT cust_id,
         CLUSTER_ID(INTO 4 USING *) OVER () cls,
         CLUSTER_DETAILS(INTO 4 USING *) OVER () cls_details
  FROM mining_data_apply_v)
WHERE cust_id <= 100003
ORDER BY 1;
```

```
CUST_ID CLS CLS_DETAILS
-----
```



```

100001  5 <Details algorithm="K-Means Clustering" cluster="5">
  <Attribute name="FLAT_PANEL_MONITOR" actualValue="0" weight=".349" rank="1"/>
  <Attribute name="BULK_PACK_DISKETTES" actualValue="0" weight=".33" rank="2"/>
  <Attribute name="CUST_INCOME_LEVEL" actualValue="G: 130\,000 - 149\,999" weight=".291"
    rank="3"/>
  <Attribute name="HOME_THEATER_PACKAGE" actualValue="1" weight=".268" rank="4"/>
  <Attribute name="Y_BOX_GAMES" actualValue="0" weight=".179" rank="5"/>
</Details>

100002  6 <Details algorithm="K-Means Clustering" cluster="6">
  <Attribute name="CUST_GENDER" actualValue="F" weight=".945" rank="1"/>
  <Attribute name="CUST_MARITAL_STATUS" actualValue="NeverM" weight=".856" rank="2"/>
  <Attribute name="HOUSEHOLD_SIZE" actualValue="2" weight=".468" rank="3"/>
  <Attribute name="AFFINITY_CARD" actualValue="0" weight=".012" rank="4"/>
  <Attribute name="CUST_INCOME_LEVEL" actualValue="L: 300\,000 and above" weight=".009"
    rank="5"/>
</Details>


100003  7 <Details algorithm="K-Means Clustering" cluster="7">
  <Attribute name="CUST_MARITAL_STATUS" actualValue="NeverM" weight=".862" rank="1"/>
  <Attribute name="HOUSEHOLD_SIZE" actualValue="2" weight=".423" rank="2"/>
  <Attribute name="HOME_THEATER_PACKAGE" actualValue="0" weight=".113" rank="3"/>
  <Attribute name="AFFINITY_CARD" actualValue="0" weight=".007" rank="4"/>
  <Attribute name="CUST_ID" actualValue="100003" weight=".006" rank="5"/>
</Details>

```

## CLUSTER\_DISTANCE


### Syntax



***cluster\_distance::=***



### Analytic Syntax

***cluster\_distance\_analytic::=***



***mining\_attribute\_clause*::=*****mining\_analytic\_clause*::=****See Also:**

[Analytic Functions](#) for information on the syntax, semantics, and restrictions of `mining_analytic_clause`

**Purpose**

`CLUSTER_DISTANCE` returns a cluster distance for each row in the selection. The cluster distance is the distance between the row and the centroid of the highest probability cluster or the specified `cluster_id`. The distance is returned as `BINARY_DOUBLE`.

**Syntax Choice**

`CLUSTER_DISTANCE` can score the data in one of two ways: It can apply a mining model object to the data, or it can dynamically mine the data by executing an analytic clause that builds and applies one or more transient mining models. Choose **Syntax** or **Analytic Syntax**:

- **Syntax** — Use the first syntax to score the data with a pre-defined model. Supply the name of a clustering model.
- **Analytic Syntax** — Use the analytic syntax to score the data without a pre-defined model. Include `INTO n`, where `n` is the number of clusters to compute, and `mining_analytic_clause`, which specifies if the data should be partitioned for multiple model builds. The `mining_analytic_clause` supports a `query_partition_clause` and an `order_by_clause`. (See [analytic\\_clause::=](#).)

The syntax of the `CLUSTER_DISTANCE` function can use an optional `GROUPING` hint when scoring a partitioned model. See [GROUPING Hint](#).

**mining\_attribute\_clause**

`mining_attribute_clause` identifies the column attributes to use as predictors for scoring. When the function is invoked with the analytic syntax, this data is also used

for building the transient models. The `mining_attribute_clause` behaves as described for the `PREDICTION` function. (See [mining\\_attribute\\_clause::=](#).)

### See Also:

- *Oracle Machine Learning for SQL User's Guide* for information about scoring.
- *Oracle Machine Learning for SQL Concepts* for information about clustering.

### Note:

The following example is excerpted from the Oracle Machine Learning for SQL sample programs. For more information about the sample programs, see Appendix A in *Oracle Machine Learning for SQL User's Guide*.

### Example

This example finds the 10 rows that are most anomalous as measured by their distance from their nearest cluster centroid.


```
SELECT cust_id
FROM (
  SELECT cust_id,
         rank() over
           (order by CLUSTER_DISTANCE(km_sh_clus_sample USING *) desc) rnk
    FROM mining_data_apply_v)
WHERE rnk <= 11
ORDER BY rnk;
```

```
CUST_ID
-----
100579
100050
100329
100962
101251
100179
100382
100713
100629
100787
101478
```

## CLUSTER\_ID


### Syntax

**`cluster_id::=`**




## Analytic Syntax


***cluster\_id\_analytic::=***



***mining\_attribute\_clause::=***



***mining\_analytic\_clause::=***



### See Also:

[Analytic Functions](#) for information on the syntax, semantics, and restrictions of *mining\_analytic\_clause*

## Purpose

CLUSTER\_ID returns the identifier of the highest probability cluster for each row in the selection. The cluster identifier is returned as an Oracle NUMBER.

## Syntax Choice

CLUSTER\_ID can score the data in one of two ways: It can apply a mining model object to the data, or it can dynamically mine the data by executing an analytic clause that builds and applies one or more transient mining models. Choose **Syntax** or **Analytic Syntax**:

- **Syntax** — Use the first syntax to score the data with a pre-defined model. Supply the name of a clustering model.
- **Analytic Syntax** — Use the analytic syntax to score the data without a pre-defined model. Include INTO *n*, where *n* is the number of clusters to compute, and *mining\_analytic\_clause*, which specifies if the data should be partitioned for

multiple model builds. The *mining\_analytic\_clause* supports a *query\_partition\_clause* and an *order\_by\_clause*. (See [analytic\\_clause::=.](#))

The syntax of the `CLUSTER_ID` function can use an optional `GROUPING` hint when scoring a partitioned model. See [GROUPING Hint](#).

### mining\_attribute\_clause

*mining\_attribute\_clause* identifies the column attributes to use as predictors for scoring. When the function is invoked with the analytic syntax, these predictors are also used for building the transient models. The *mining\_attribute\_clause* behaves as described for the `PREDICTION` function. (See [mining\\_attribute\\_clause::=.](#))

#### See Also:

- *Oracle Machine Learning for SQL User's Guide* for information about scoring.
- *Oracle Machine Learning for SQL Concepts* for information about clustering.

#### Note:

The following examples are excerpted from the *Oracle Machine Learning for SQL* sample programs. For more information about the sample programs, see Appendix A in *Oracle Machine Learning for SQL User's Guide*.

### Example

The following example lists the clusters into which the customers in `mining_data_apply_v` have been grouped.

```
SELECT CLUSTER_ID(km_sh_clus_sample USING *) AS clus, COUNT(*) AS cnt
   FROM mining_data_apply_v
   GROUP BY CLUSTER_ID(km_sh_clus_sample USING *)
   ORDER BY cnt DESC;
```

CLUS	CNT
2	580
10	216
6	186
8	115
19	110
12	101
18	81
16	39
17	38
14	34

### Analytic Example

This example divides the customer database into four segments based on common characteristics. The clustering functions compute the clusters and return the score without a predefined clustering model.

```
SELECT * FROM (
  SELECT cust_id,
         CLUSTER_ID(INTO 4 USING *) OVER () cls,
         CLUSTER_DETAILS(INTO 4 USING *) OVER () cls_details
  FROM mining_data_apply_v)
WHERE cust_id <= 100003
ORDER BY 1;
```

CUST\_ID CLS CLS\_DETAILS

```
-----
100001  5 <Details algorithm="K-Means Clustering" cluster="5">
  <Attribute name="FLAT_PANEL_MONITOR" actualValue="0" weight=".349" rank="1"/>
  <Attribute name="BULK_PACK_DISKETTES" actualValue="0" weight=".33" rank="2"/>
  <Attribute name="CUST_INCOME_LEVEL" actualValue="G: 130\,000 - 149\,999"
    weight=".291" rank="3"/>
  <Attribute name="HOME_THEATER_PACKAGE" actualValue="1" weight=".268" rank="4"/>
  <Attribute name="Y_BOX_GAMES" actualValue="0" weight=".179" rank="5"/>
</Details>

100002  6 <Details algorithm="K-Means Clustering" cluster="6">
  <Attribute name="CUST_GENDER" actualValue="F" weight=".945" rank="1"/>
  <Attribute name="CUST_MARITAL_STATUS" actualValue="NeverM" weight=".856" rank="2"/>
  <Attribute name="HOUSEHOLD_SIZE" actualValue="2" weight=".468" rank="3"/>
  <Attribute name="AFFINITY_CARD" actualValue="0" weight=".012" rank="4"/>
  <Attribute name="CUST_INCOME_LEVEL" actualValue="L: 300\,000 and above"
    weight=".009" rank="5"/>
</Details>

100003  7 <Details algorithm="K-Means Clustering" cluster="7">
  <Attribute name="CUST_MARITAL_STATUS" actualValue="NeverM" weight=".862" rank="1"/>
  <Attribute name="HOUSEHOLD_SIZE" actualValue="2" weight=".423" rank="2"/>
  <Attribute name="HOME_THEATER_PACKAGE" actualValue="0" weight=".113" rank="3"/>
  <Attribute name="AFFINITY_CARD" actualValue="0" weight=".007" rank="4"/>
  <Attribute name="CUST_ID" actualValue="100003" weight=".006" rank="5"/>
</Details>
```

## CLUSTER\_PROBABILITY


### Syntax



**cluster\_probability::=**



### Analytic Syntax

**cluster\_prob\_analytic::=**



**mining\_attribute\_clause::=****mining\_analytic\_clause::=** **See Also:**

[Analytic Functions](#) for information on the syntax, semantics, and restrictions of *mining\_analytic\_clause*

**Purpose**

CLUSTER\_PROBABILITY returns a probability for each row in the selection. The probability refers to the highest probability cluster or to the specified *cluster\_id*. The cluster probability is returned as BINARY\_DOUBLE.

**Syntax Choice**

CLUSTER\_PROBABILITY can score the data in one of two ways: It can apply a mining model object to the data, or it can dynamically mine the data by executing an analytic clause that builds and applies one or more transient mining models. Choose **Syntax** or **Analytic Syntax**:

- **Syntax** — Use the first syntax to score the data with a pre-defined model. Supply the name of a clustering model.
- **Analytic Syntax** — Use the analytic syntax to score the data without a pre-defined model. Include INTO *n*, where *n* is the number of clusters to compute, and *mining\_analytic\_clause*, which specifies if the data should be partitioned for multiple model builds. The *mining\_analytic\_clause* supports a *query\_partition\_clause* and an *order\_by\_clause*. (See [analytic\\_clause::=](#).)

The syntax of the CLUSTER\_PROBABILITY function can use an optional GROUPING hint when scoring a partitioned model. See [GROUPING Hint](#).

**mining\_attribute\_clause**

*mining\_attribute\_clause* identifies the column attributes to use as predictors for scoring. When the function is invoked with the analytic syntax, these predictors are also used for

building the transient models. The *mining\_attribute\_clause* behaves as described for the PREDICTION function. (See *mining\_attribute\_clause::=*.)

### See Also:

- *Oracle Machine Learning for SQL User's Guide* for information about scoring.
- *Oracle Machine Learning for SQL Concepts* for information about clustering.

### Note:

The following example is excerpted from the Oracle Machine Learning for SQL sample programs. For more information about the sample programs, see Appendix A in *Oracle Machine Learning for SQL User's Guide*.

### Example

The following example lists the ten most representative customers, based on likelihood, of cluster 2.


```
SELECT cust_id
FROM (SELECT cust_id, rank() OVER (ORDER BY prob DESC, cust_id) rnk_clus2
      FROM (SELECT cust_id, CLUSTER_PROBABILITY(km_sh_clus_sample, 2 USING *) prob
            FROM mining_data_apply_v))
WHERE rnk_clus2 <= 10
ORDER BY rnk_clus2;
```

```
CUST_ID
-----
100256
100988
100889
101086
101215
100390
100985
101026
100601
100672
```

## CLUSTER\_SET

### Syntax


*cluster\_set::=*






## Analytic Syntax


***cluster\_set\_analytic::=***



***mining\_attribute\_clause::=***



***mining\_analytic\_clause::=***



### See Also:

[Analytic Functions](#) for information on the syntax, semantics, and restrictions of *mining\_analytic\_clause*

## Purpose

`CLUSTER_SET` returns a set of cluster ID and probability pairs for each row in the selection. The return value is a varray of objects with field names `CLUSTER_ID` and `PROBABILITY`. The cluster identifier is an Oracle `NUMBER`; the probability is `BINARY_DOUBLE`.

## topN and cutoff

You can specify *topN* and *cutoff* to limit the number of clusters returned by the function. By default, both *topN* and *cutoff* are null and all clusters are returned.

- topN* is the *N* most probable clusters. If multiple clusters share the *N*th probability, then the function chooses one of them.

- *cutoff* is a probability threshold. Only clusters with probability greater than or equal to *cutoff* are returned. To filter by *cutoff* only, specify `NULL` for *topN*.

To return up to the *N* most probable clusters that are greater than or equal to *cutoff*, specify both *topN* and *cutoff*.

### Syntax Choice

`CLUSTER_SET` can score the data in one of two ways: It can apply a mining model object to the data, or it can dynamically mine the data by executing an analytic clause that builds and applies one or more transient mining models. Choose **Syntax** or **Analytic Syntax**:

- **Syntax** — Use the first syntax to score the data with a pre-defined model. Supply the name of a clustering model.
- **Analytic Syntax** — Use the analytic syntax to score the data without a pre-defined model. Include `INTO n`, where *n* is the number of clusters to compute, and *mining\_analytic\_clause*, which specifies if the data should be partitioned for multiple model builds. The *mining\_analytic\_clause* supports a *query\_partition\_clause* and an *order\_by\_clause*. (See [analytic\\_clause::=](#).)

The syntax of the `CLUSTER_SET` function can use an optional `GROUPING` hint when scoring a partitioned model. See [GROUPING Hint](#).

### mining\_attribute\_clause

*mining\_attribute\_clause* identifies the column attributes to use as predictors for scoring. When the function is invoked with the analytic syntax, these predictors are also used for building the transient models. The *mining\_attribute\_clause* behaves as described for the `PREDICTION` function. (See [mining\\_attribute\\_clause::=](#).)

#### See Also:

- *Oracle Machine Learning for SQL User's Guide* for information about scoring.
- *Oracle Machine Learning for SQL Concepts* for information about clustering.

#### Note:

The following example is excerpted from the *Oracle Machine Learning for SQL* sample programs. For more information about the sample programs, see Appendix A in *Oracle Machine Learning for SQL User's Guide*.

### Example

This example lists the attributes that have the greatest impact (more than 20% probability) on cluster assignment for customer ID 100955. The query invokes the `CLUSTER_DETAILS` and `CLUSTER_SET` functions, which apply the clustering model `em_sh_clus_sample`.

```

SELECT S.cluster_id, probability prob,
       CLUSTER_DETAILS(em_sh_clus_sample, S.cluster_id, 5 USING T.*) det
FROM
  (SELECT v.*, CLUSTER_SET(em_sh_clus_sample, NULL, 0.2 USING *) pset
   FROM mining_data_apply_v v
   WHERE cust_id = 100955) T,
  TABLE(T.pset) S
ORDER BY 2 DESC;

```

```

CLUSTER_ID  PROB DET
-----

```

```


14 .6761 <Details algorithm="Expectation Maximization" cluster="14">
  <Attribute name="AGE" actualValue="51" weight=".676" rank="1"/>
  <Attribute name="HOME_THEATER_PACKAGE" actualValue="1" weight=".557" rank="2"/>
  <Attribute name="FLAT_PANEL_MONITOR" actualValue="0" weight=".412" rank="3"/>
  <Attribute name="Y_BOX_GAMES" actualValue="0" weight=".171" rank="4"/>
  <Attribute name="BOOKKEEPING_APPLICATION" actualValue="1" weight="-.003"rank="5"/>
</Details>

3 .3227 <Details algorithm="Expectation Maximization" cluster="3">
  <Attribute name="YRS_RESIDENCE" actualValue="3" weight=".323" rank="1"/>
  <Attribute name="BULK_PACK_DISKETTES" actualValue="1" weight=".265" rank="2"/>
  <Attribute name="EDUCATION" actualValue="HS-grad" weight=".172" rank="3"/>
  <Attribute name="AFFINITY_CARD" actualValue="0" weight=".125" rank="4"/>
  <Attribute name="OCCUPATION" actualValue="Crafts" weight=".055" rank="5"/>
</Details>

```

## COALESCE

### Syntax



### Purpose

COALESCE returns the first non-null *expr* in the expression list. You must specify at least two expressions. If all occurrences of *expr* evaluate to null, then the function returns null.

Oracle Database uses **short-circuit evaluation**. The database evaluates each *expr* value and determines whether it is NULL, rather than evaluating all of the *expr* values before determining whether any of them is NULL.

If all occurrences of *expr* are numeric data type or any nonnumeric data type that can be implicitly converted to a numeric data type, then Oracle Database determines the argument with the highest numeric precedence, implicitly converts the remaining arguments to that data type, and returns that data type.

 **See Also:**

- [Table 2-9](#) for more information on implicit conversion and [Numeric Precedence](#) for information on numeric precedence
- [Appendix C](#) in *Oracle Database Globalization Support Guide* for the collation derivation rules, which define the collation assigned to the return value of COALESCE when it is a character value

This function is a generalization of the NVL function.

You can also use COALESCE as a variety of the CASE expression. For example,

```
COALESCE(expr1, expr2)
```

is equivalent to:

```
CASE WHEN expr1 IS NOT NULL THEN expr1 ELSE expr2 END
```

Similarly,

```
COALESCE(expr1, expr2, ..., exprn)
```

where  $n \geq 3$ , is equivalent to:

```
CASE WHEN expr1 IS NOT NULL THEN expr1
      ELSE COALESCE (expr2, ..., exprn) END
```

 **See Also:**

[NVL and CASE Expressions](#)

### Examples

The following example uses the sample `oe.product_information` table to organize a clearance sale of products. It gives a 10% discount to all products with a list price. If there is no list price, then the sale price is the minimum price. If there is no minimum price, then the sale price is "5":

```
SELECT product_id, list_price, min_price,
       COALESCE(0.9*list_price, min_price, 5) "Sale"
FROM   product_information
WHERE  supplier_id = 102050
ORDER BY product_id;
```

PRODUCT_ID	LIST_PRICE	MIN_PRICE	Sale
1769	48		43.2
1770		73	73
2378	305	247	274.5
2382	850	731	765
3355			5

# COLLATION

## Syntax

→ COLLATION → ( → expr → ) →

## Purpose

`COLLATION` returns the name of the derived collation for *expr*. This function returns named collations and pseudo-collations. If the derived collation is a Unicode Collation Algorithm (UCA) collation, then the function returns the long form of its name. This function is evaluated during compilation of the SQL statement that contains it. If the derived collation is undefined due to a collation conflict while evaluating *expr*, then the function returns null.

*expr* must evaluate to a character string of type `CHAR`, `VARCHAR2`, `LONG`, `NCHAR`, or `NVARCHAR2`.

This function returns a `VARCHAR2` value.

### Note:

The `COLLATION` function returns only the data-bound collation, and not the dynamic collation set by the `NLS_SORT` parameter. Thus, for a column declared as `COLLATE USING_NLS_SORT`, the function returns the character value `'USING_NLS_SORT'`, not the actual value of the session parameter `NLS_SORT`. You can use the built-in function `SYS_CONTEXT('USERENV', 'NLS_SORT')` to get the actual value of the session parameter `NLS_SORT`.

### See Also:

Appendix C in *Oracle Database Globalization Support Guide* for the collation derivation rules, which define the collation assigned to the character return value of `COLLATION`

## Examples

The following example returns the derived collation of columns `name` and `id` in table `id_table`:

```
CREATE TABLE id_table
  (name VARCHAR2(64) COLLATE BINARY_AI,
   id VARCHAR2(8) COLLATE BINARY_CI);

INSERT INTO id_table VALUES('Christopher', 'ABCD1234');


SELECT COLLATION(name), COLLATION(id)
  FROM id_table;

COLLATION COLLATION
```

-----  
 BINARY\_AI BINARY\_CI

## COLLECT

### Syntax



### Purpose

`COLLECT` is an aggregate function that takes as its argument a column of any type and creates a nested table of the input type out of the rows selected. To get accurate results from this function you must use it within a `CAST` function.

If `column` is itself a collection, then the output of `COLLECT` is a nested table of collections. If `column` is of a user-defined type, then `column` must have a `MAP` or `ORDER` method defined on it in order for you to use the optional `DISTINCT`, `UNIQUE`, and `ORDER BY` clauses.

#### See Also:

- [CAST and Aggregate Functions](#)
- Appendix C in *Oracle Database Globalization Support Guide* for the collation determination rules, which define the collation `COLLECT` uses to compare character values for the `DISTINCT` and `ORDER BY` clauses

### Examples

The following example creates a nested table from the varray column of phone numbers in the sample table `oe.customers`. The nested table includes only the phone numbers of customers with an income level of L: 300,000 and above.

```

CREATE TYPE phone_book_t AS TABLE OF phone_list_typ;
/

SELECT CAST(COLLECT(phone_numbers) AS phone_book_t) "Income Level L Phone Book"
FROM customers
WHERE income_level = 'L: 300,000 and above';

Income Level L Phone Book
-----
PHONE_BOOK_T(PHONE_LIST_TYP('+1 414 123 4307'), PHONE_LIST_TYP('+1 608 123 4344'
), PHONE_LIST_TYP('+1 814 123 4696'), PHONE_LIST_TYP('+1 215 123 4721'), PHONE_L
IST_TYP('+1 814 123 4755'), PHONE_LIST_TYP('+91 11 012 4817', '+91 11 083 4817')
, PHONE_LIST_TYP('+91 172 012 4837'), PHONE_LIST_TYP('+41 31 012 3569', '+41 31
083 3569'))

```

The following example creates a nested table from the column of warehouse names in the sample table `oe.warehouses`. It uses `ORDER BY` to order the warehouse names.

```
CREATE TYPE warehouse_name_t AS TABLE OF VARCHAR2(35);
/

SELECT CAST(COLLECT(warehouse_name ORDER BY warehouse_name)
           AS warehouse_name_t) "Warehouses"
       FROM warehouses;
```

Warehouses

```
-----
WAREHOUSE_NAME_TYP('Beijing', 'Bombay', 'Mexico City', 'New Jersey', 'San Francisco',
                   'Seattle, Washington', 'Southlake, Texas', 'Sydney', 'Toronto')
```

## COMPOSE

### Syntax

```
→ [COMPOSE] ( ( char ) ) →
```

### Purpose

`COMPOSE` takes as its argument a character value *char* and returns the result of applying the Unicode canonical composition, as described in the Unicode Standard definition D117, to it. If the character set of the argument is not one of the Unicode character sets, `COMPOSE` returns its argument unmodified.

`COMPOSE` does not directly return strings in any of the Unicode normalization forms. To get a string in the NFC form, first call `DECOMPOSE` with the `CANONICAL` setting and then `COMPOSE`. To get a string in the NFKC form, first call `DECOMPOSE` with the `COMPATIBILITY` setting and then `COMPOSE`.

*char* can be of any of the data types: `CHAR`, `VARCHAR2`, `NCHAR`, or `NVARCHAR2`. Other data types are allowed if they can be implicitly converted to `VARCHAR2` or `NVARCHAR2`. The return value of `COMPOSE` is in the same character set as its argument.

`CLOB` and `NCLOB` values are supported through implicit conversion. If *char* is a character LOB value, then it is converted to a `VARCHAR2` value before the `COMPOSE` operation. The operation will fail if the size of the LOB value exceeds the supported length of the `VARCHAR2` in the particular execution environment.

#### See Also:

- *Oracle Database Globalization Support Guide* for information on Unicode character sets and character semantics
- Appendix C in *Oracle Database Globalization Support Guide* for the collation derivation rules, which define the collation assigned to the character return value of `COMPOSE`
- [DECOMPOSE](#)

## Examples

The following example returns the o-umlaut code point:

```
SELECT COMPOSE( 'o' || UNISTR('\0308') )
FROM DUAL;
```

```
CO
--
ö
```

 **See Also:**  
[UNISTR](#)

# CON\_DBID\_TO\_ID

## Syntax

```
→ CON_DBID_TO_ID ( ( container_dbid ) ) →
```

## Purpose

CON\_DBID\_TO\_ID takes as its argument a container DBID and returns the container ID. For *container\_dbid*, specify a NUMBER value or any value that can be implicitly converted to NUMBER. The function returns a NUMBER value.

This function is useful in a multitenant container database (CDB). If you use this function in a non-CDB, then it returns 0.

## Example

The following query displays the ID and DBID for all containers in a CDB. The sample output shown is for the purpose of this example.

```
SELECT CON_ID, DBID
FROM V$CONTAINERS;

CON_ID      DBID
-----
1 1930093401
2 4054529501
4 2256797992
```

The following statement returns the ID for the container with DBID 2256797992:

```
SELECT CON_DBID_TO_ID(2256797992) "Container ID"
FROM DUAL;

Container ID
-----
4
```



# CON\_GUID\_TO\_ID

## Syntax

```
→ [CON_GUID_TO_ID] → ( ) → [container_guid] → ( ) →
```

## Purpose

`CON_GUID_TO_ID` takes as its argument a container GUID (globally unique identifier) and returns the container ID. For *container\_guid*, specify a raw value. The function returns a NUMBER value.

This function is useful in a multitenant container database (CDB). If you use this function in a non-CDB, then it returns 0.

## Example

The following query displays the ID and GUID for all containers in a CDB. The GUID is stored as a 16-byte RAW value in the `V$CONTAINERS` view. The query returns the 32-character hexadecimal representation of the GUID. The sample output shown is for the purpose of this example.

```
SELECT CON_ID, GUID
       FROM V$CONTAINERS;
```

```
CON_ID GUID
-----
1 DB0A9F33DF99567FE04305B4F00A667D
2 D990C280C309591EE04305B4F00A593E
4 D990F4BD938865C1E04305B4F00ACA18
```

The following statement returns the ID for the container whose GUID is represented by the hexadecimal value `D990F4BD938865C1E04305B4F00ACA18`. The `HEXTORAW` function converts the GUID's hexadecimal representation to a raw value.

```
SELECT CON_GUID_TO_ID(HEXTORAW('D990F4BD938865C1E04305B4F00ACA18')) "Container ID"
       FROM DUAL;
```

```
Container ID
-----
4
```

# CON\_ID\_TO\_CON\_NAME

## Syntax

```
→ [CON_ID_TO_CON_NAME] → ( ) → [container_id] → ( ) →
```

## Purpose

CON\_ID\_TO\_CON\_NAME takes as an argument a container CON\_ID and returns the container NAME.

For CON\_ID you must specify a number or an expression that resolves to a number. The function returns a NUMBER value.

This function is useful in a multitenant container database (CDB). If you use this function in a non-CDB, then it returns 0.

## Example

```
SELECT CON_ID, NAME FROM V$CONTAINERS;
  CON_ID      NAME
-----
 1          CDB$ROOT
 2          PDB$SEED
 3          CDB1_PDB1
 4          SALESPDB
```

The following statement returns the container NAME given the container CON\_ID 4:

```
SELECT CON_ID_TO_CON_NAME(4) "CON_NAME" FROM DUAL;
  CON_NAME
-----
  SALESDB
```

# CON\_ID\_TO\_DBID

## Syntax

```
→ CON_ID_TO_DBID ( ( container_id ) ) →
```

## Purpose

CON\_ID\_TO\_DBID takes as an argument a container CON\_ID and returns the container DBID. For CON\_ID you must specify a number or an expression that resolves to a number. The function returns a NUMBER value.

This function is useful in a multitenant container database (CDB). If you use this function in a non-CDB, then it returns 0.

## Example

```
SELECT CON_ID, NAME, DBID FROM V$CONTAINERS;

  CON_ID      NAME          DBID
-----
 1          CDB$ROOT      2048400776
 2          PDB$SEED      2929762556
 3          CDB1_PDB1     3483444080
 4          SALESPDB     2221053340
```

The following statement returns the container DBID given the container CON\_ID 4:

```
SELECT CON_ID_TO_GUID(4) FROM DUAL;
      DBID
-----
2221053340
```

## CON\_ID\_TO\_GUID

### Syntax

```
→ CON_ID_TO_GUID ( ( container_id ) ) →
```

### Purpose

CON\_ID\_TO\_GUID takes as an argument a container CON\_ID and returns the container's GLOBAL UNIQUE ID (GUID). For CON\_ID you must specify a number or an expression that resolves to a number. The function returns a NUMBER value.

This function is useful in a multitenant container database (CDB).

### Example

The following query displays the CON\_ID, NAME and GUID for all containers in a CDB:

```
SELECT CON_ID, NAME, GUID FROM V$CONTAINERS;
```

CON_ID	NAME	GUID
1	CDB\$ROOT	A8C0E03CB11A132FE0532684E80A96B3
2	PDB\$SEED	A8DA5D32F8F5590DE053C4E15A0A6EED
3	CDB1_PDB1	A8DA63CEAD385A5BE053C4E15A0A774A
4	SALESPDB	A8DA9AB18CE85BD0E053C4E15A0AE2C3

The following statement returns the container GUID given the container CON\_ID 4:

```
SELECT CON_ID_TO_GUID(4) "CON_GUID" FROM DUAL;
      CON_GUID
-----
A8DA9AB18CE85BD0E053C4E15A0AE2C3
```

## CON\_ID\_TO\_UID

### Syntax

```
→ CON_ID_TO_UID ( ( container_id ) ) →
```

### Purpose

CON\_ID\_TO\_UID takes as an argument a container CON\_ID and returns the container's UNIQUE ID (UID). For CON\_ID you must specify a number or an expression that resolves to a number. The function returns a NUMBER value.

This function is useful in a multitenant container database (CDB).

### Example

The following query displays the `CON_ID`, `NAME` and `CON_UID` for all containers in a CDB:

```
SELECT CON_ID, NAME, CON_UID FROM V$CONTAINERS;
```

CON_ID	NAME	CON_UID
1	CDB\$ROOT	1
2	PDB\$SEED	2929762556
3	CDB1_PDB1	3483444080
4	SALESPDB	2221053340

The following statement returns the container `CON_UID` given the container `CON_ID` 4:

```
SELECT CON_ID_TO_UID(4) "PDB_UID" FROM DUAL;
       PDB_UID
-----
2221053340
```

## CON\_NAME\_TO\_ID

### Syntax

```
→ CON_NAME_TO_ID ( ( container_name ) ) →
```

### Purpose

`CON_NAME_TO_ID` takes as its argument a container name and returns the container ID. For *container\_name*, specify a string, or an expression that resolves to a string, in any data type. The function returns a `NUMBER` value.

This function is useful in a multitenant container database (CDB). If you use this function in a non-CDB, then it returns 0.

### Example

The following query displays the ID and name for all containers in a CDB. The sample output shown is for the purpose of this example.

```
SELECT CON_ID, NAME
       FROM V$CONTAINERS;
```

CON_ID	NAME
1	CDB\$ROOT
2	PDB\$SEED
4	SALESPDB

The following statement returns the ID for the container named `SALESPDB`:


```
SELECT CON_NAME_TO_ID('SALESPDB') "Container ID"
       FROM DUAL;
```

```
Container ID
```

-----  
4

## CON\_UID\_TO\_ID

### Syntax



### Purpose

`CON_UID_TO_ID` takes as its argument a container UID (unique identifier) and returns the container ID. For *container\_uid*, specify a `NUMBER` value or any value that can be implicitly converted to `NUMBER`. The function returns a `NUMBER` value.

This function is useful in a multitenant container database (CDB). If you use this function in a non-CDB, then it returns 0.

### Example

The following query displays the ID and UID for all containers in a CDB. The sample output shown is for the purpose of this example.

```
SELECT CON_ID, CON_UID
FROM V$CONTAINERS;
```

```
CON_ID  CON_UID
-----  -
1         1
2 4054529501
4 2256797992
```


The following query returns the ID for the container with UID 2256797992:

```
SELECT CON_UID_TO_ID(2256797992) "Container ID"
FROM DUAL;
```

```
Container ID
-----
4
```

## CONCAT

### Syntax



### Purpose

`CONCAT` takes as input two or more arguments and returns the concatenation of all arguments.

The arguments can be any of the data types `CHAR`, `VARCHAR2`, `NCHAR`, `NVARCHAR2`, `CLOB`, or `NCLOB`. Arguments of other data types are implicitly converted to `VARCHAR2` before concatenation.

The string returned is in the same character set as `char1`. Its data type depends on the data types of the arguments.

In concatenations of two or more different data types, Oracle Database returns the data type that results in a lossless conversion. Therefore, if one of the arguments is a LOB, then the returned value is a LOB. If one of the arguments is a national data type, then the returned value is a national data type.

### Rules for the Data Types of Return Values

Among all arguments:

- if there is a `NCLOB`, or if there is a `CLOB` and a `NVARCHAR2` /`NCHAR`, then the return type is `NCLOB`.
- otherwise, if there is `CLOB`, then the return type is `CLOB`
- otherwise, if there is `NVARCHAR2`, or if there is a `VARCHAR2` and a `NCHAR`, then the return type is `NVARCHAR2`
- otherwise, if there is `VARCHAR2`, then the return type is `VARCHAR2`
- otherwise, if there is `NCHAR`, then the return type is `NCHAR`
- otherwise, the return type is `CHAR`

### Examples of Data Types Returned

`CONCAT(CLOB, NCLOB)` returns `NCLOB`

`CONCAT(CLOB, NCHAR)` returns `NCLOB`

`CONCAT(CLOB, CHAR)` returns `CLOB`

`CONCAT(VARCHAR2, NCHAR)` returns `NVARCHAR2`

`CONCAT(CHAR, VARCHAR2)` returns `VARCHAR2`

`CONCAT(CHAR, VARCHAR2, CLOB)` returns `CLOB`

`CONCAT(CHAR, NVARCHAR2, CLOB)` returns `NCLOB`

This function is equivalent to the concatenation operator (`||`).

#### See Also:

- [Concatenation Operator](#) for information on the `CONCAT` operator
- Appendix C in *Oracle Database Globalization Support Guide* for the collation derivation rules, which define the collation assigned to the character return value of `CONCAT`

### Examples

This example concatenates three character strings:


```
SELECT CONCAT( last_name, ''s job category is ', job_id) "Job"
   FROM employees
   WHERE employee_id = 152;
```

Job

-----  
Hall's job category is SA\_REP

## CONVERT

### Syntax



### Purpose

CONVERT converts a character string from one character set to another.

- The *char* argument is the value to be converted. It can be any of the data types CHAR, VARCHAR2, NCHAR, NVARCHAR2, CLOB, or NCLOB.
- The *dest\_char\_set* argument is the name of the character set to which *char* is converted.
- The *source\_char\_set* argument is the name of the character set in which *char* is stored in the database. The default value is the database character set.

The return value for CHAR and VARCHAR2 is VARCHAR2. For NCHAR and NVARCHAR2, it is NVARCHAR2. For CLOB, it is CLOB, and for NCLOB, it is NCLOB.

Both the destination and source character set arguments can be either literals or columns containing the name of the character set.

For complete correspondence in character conversion, it is essential that the destination character set contains a representation of all the characters defined in the source character set. Where a character does not exist in the destination character set, a replacement character appears. Replacement characters can be defined as part of a character set definition.

 **Note:**

Oracle discourages the use of the `CONVERT` function in the current Oracle Database release. The return value of `CONVERT` has a character data type, so it should be either in the database character set or in the national character set, depending on the data type. Any *dest\_char\_set* that is not one of these two character sets is unsupported. The *char* argument and the *source\_char\_set* have the same requirements. Therefore, the only practical use of the function is to correct data that has been stored in a wrong character set.

Values that are in neither the database nor the national character set should be processed and stored as `RAW` or `BLOB`. Procedures in the PL/SQL packages `UTL_RAW` and `UTL_I18N`—for example, `UTL_RAW.CONVERT`—allow limited processing of such values. Procedures accepting a `RAW` argument in the packages `UTL_FILE`, `UTL_TCP`, `UTL_HTTP`, and `UTL_SMTP` can be used to output the processed data.

 **See Also:**

Appendix C in *Oracle Database Globalization Support Guide* for the collation derivation rules, which define the collation assigned to the character return value of `CONVERT`

**Examples**

The following example illustrates character set conversion by converting a Latin-1 string to ASCII. The result is the same as importing the same string from a `WE8ISO8859P1` database to a `US7ASCII` database.

```
SELECT CONVERT('Ä Ê Í Õ Ø A B C D E ', 'US7ASCII', 'WE8ISO8859P1')
       FROM DUAL;

CONVERT('ÄÊÍÕØABCDE'
-----
A E I ? ? A B C D E ?
```

You can query the `V$NLS_VALID_VALUES` view to get a listing of valid character sets, as follows:

```
SELECT * FROM V$NLS_VALID_VALUES WHERE parameter = 'CHARACTERSET';
```


 **See Also:**

*Oracle Database Globalization Support Guide* for the list of character sets that Oracle Database supports and *Oracle Database Reference* for information on the `V$NLS_VALID_VALUES` view



# CORR

## Syntax



### See Also:

[Analytic Functions](#) for information on syntax, semantics, and restrictions

## Purpose

**CORR** returns the coefficient of correlation of a set of number pairs. You can use it as an aggregate or analytic function.

This function takes as arguments any numeric data type or any nonnumeric data type that can be implicitly converted to a numeric data type. Oracle determines the argument with the highest numeric precedence, implicitly converts the remaining arguments to that data type, and returns that data type.



### See Also:

[Table 2-9](#) for more information on implicit conversion and [Numeric Precedence](#) for information on numeric precedence

Oracle Database applies the function to the set of  $(expr1, expr2)$  after eliminating the pairs for which either  $expr1$  or  $expr2$  is null. Then Oracle makes the following computation:

$$\text{COVAR\_POP}(expr1, expr2) / (\text{STDDEV\_POP}(expr1) * \text{STDDEV\_POP}(expr2))$$

The function returns a value of type **NUMBER**. If the function is applied to an empty set, then it returns null.



### Note:

The **CORR** function calculates the Pearson's correlation coefficient, which requires numeric expressions as arguments. Oracle also provides the **CORR\_S** (Spearman's rho coefficient) and **CORR\_K** (Kendall's tau-b coefficient) functions to support nonparametric or rank correlation.

 See Also:

[Aggregate Functions](#), [About SQL Expressions](#) for information on valid forms of *expr*, and [CORR\\_\\*](#) for information on the CORR\_S and CORR\_K functions

**Aggregate Example**

The following example calculates the coefficient of correlation between the list prices and minimum prices of products by weight class in the sample table `oe.product_information`:

```
SELECT weight_class, CORR(list_price, min_price) "Correlation"
   FROM product_information
   GROUP BY weight_class
   ORDER BY weight_class, "Correlation";
```

```
WEIGHT_CLASS Correlation
-----
1 .999149795
2 .999022941
3 .998484472
4 .999359909
5 .999536087
```

**Analytic Example**

The following example shows the correlation between duration at the company and salary by the employee's position. The result set shows the same correlation for each employee in a given job:

```
SELECT employee_id, job_id,
       TO_CHAR((SYSDATE - hire_date) YEAR TO MONTH) "Yrs-Mns", salary,
       CORR(SYSDATE-hire_date, salary)
       OVER(PARTITION BY job_id) AS "Correlation"
   FROM employees
  WHERE department_id in (50, 80)
  ORDER BY job_id, employee_id;
```

```
EMPLOYEE_ID JOB_ID      Yrs-Mns      SALARY Correlation
-----
145 SA_MAN      +04-09      14000 .912385598
146 SA_MAN      +04-06      13500 .912385598
147 SA_MAN      +04-04      12000 .912385598
148 SA_MAN      +01-08      11000 .912385598
149 SA_MAN      +01-05      10500 .912385598
150 SA_REP      +04-05      10000 .80436755
151 SA_REP      +04-03      9500 .80436755
152 SA_REP      +03-10      9000 .80436755
153 SA_REP      +03-03      8000 .80436755
154 SA_REP      +02-07      7500 .80436755
155 SA_REP      +01-07      7000 .80436755
. . .
```


**CORR\_\***

The CORR\_\* functions are:

- CORR\_S
- CORR\_K

## Syntax

**correlation::=**



## Purpose

The `CORR` function (see [CORR](#)) calculates the Pearson's correlation coefficient and requires numeric expressions as input. The `CORR_*` functions support nonparametric or rank correlation. They let you find correlations between expressions that are ordinal scaled (where ranking of the values is possible). Correlation coefficients take on a value ranging from -1 to 1, where 1 indicates a perfect relationship, -1 a perfect inverse relationship (when one variable increases as the other decreases), and a value close to 0 means no relationship.

These functions takes as arguments any numeric data type or any nonnumeric data type that can be implicitly converted to a numeric data type. Oracle Database determines the argument with the highest numeric precedence, implicitly converts the remaining arguments to that data type, makes the calculation, and returns `NUMBER`.

### See Also:

- [Table 2-9](#) for more information on implicit conversion and [Numeric Precedence](#) for information on numeric precedence
- Appendix C in *Oracle Database Globalization Support Guide* for the collation determination rules, which define the collation `CORR_K` and `CORR_S` use to compare characters from `expr1` with characters from `expr2`

`expr1` and `expr2` are the two variables being analyzed. The third argument is a return value of type `VARCHAR2`. If you omit the third argument, then the default is `COEFFICIENT`. The meaning of the return values is shown in the table that follows:

**Table 7-2 CORR\_\* Return Values**

Return Value	Meaning
COEFFICIENT	Coefficient of correlation

**Table 7-2 (Cont.) CORR\_\* Return Values**

Return Value	Meaning
ONE_SIDED_SIG	Positive one-tailed significance of the correlation
ONE_SIDED_SIG_POS	Same as ONE_SIDED_SIG
ONE_SIDED_SIG_NEG	Negative one-tailed significance of the correlation
TWO_SIDED_SIG	Two-tailed significance of the correlation

## CORR\_S

`CORR_S` calculates the Spearman's rho correlation coefficient. The input expressions should be a set of  $(x_i, y_i)$  pairs of observations. The function first replaces each value with a rank. Each value of  $x_i$  is replaced with its rank among all the other  $x_i$ s in the sample, and each value of  $y_i$  is replaced with its rank among all the other  $y_i$ s. Thus, each  $x_i$  and  $y_i$  take on a value from 1 to  $n$ , where  $n$  is the total number of pairs of values. Ties are assigned the average of the ranks they would have had if their values had been slightly different. Then the function calculates the linear correlation coefficient of the ranks.

### CORR\_S Example

Using Spearman's rho correlation coefficient, the following example derives a coefficient of correlation for each of two different comparisons -- salary and commission\_pct, and salary and employee\_id:

```
SELECT COUNT(*) count,
       CORR_S(salary, commission_pct) commission,
       CORR_S(salary, employee_id) empid
FROM employees;
```

```

COUNT COMMISSION      EMPID
-----
107 .735837022 -.04473016
```

## CORR\_K

`CORR_K` calculates the Kendall's tau-b correlation coefficient. As for `CORR_S`, the input expressions are a set of  $(x_i, y_i)$  pairs of observations. To calculate the coefficient, the function counts the number of concordant and discordant pairs. A pair of observations is concordant if the observation with the larger  $x$  also has a larger value of  $y$ . A pair of observations is discordant if the observation with the larger  $x$  has a smaller  $y$ .

The significance of tau-b is the probability that the correlation indicated by tau-b was due to chance—a value of 0 to 1. A small value indicates a significant correlation for positive values of tau-b (or anticorrelation for negative values of tau-b).

### CORR\_K Example

Using Kendall's tau-b correlation coefficient, the following example determines whether a correlation exists between an employee's salary and commission percent:

```
SELECT CORR_K(salary, commission_pct, 'COEFFICIENT') coefficient,
       CORR_K(salary, commission_pct, 'TWO_SIDED_SIG') two_sided_p_value
```

```

FROM employees;

COEFFICIENT TWO_SIDED_P_VALUE
-----
.603079768      3.4702E-07

```

## COS

### Syntax

```
→ COS ( n ) →
```

### Purpose

COS returns the cosine of *n* (an angle expressed in radians).

This function takes as an argument any numeric data type or any nonnumeric data type that can be implicitly converted to a numeric data type. If the argument is `BINARY_FLOAT`, then the function returns `BINARY_DOUBLE`. Otherwise the function returns the same numeric data type as the argument.



#### See Also:

[Table 2-9](#) for more information on implicit conversion

### Examples

The following example returns the cosine of 180 degrees:

```

SELECT COS(180 * 3.14159265359/180) "Cosine of 180 degrees"
FROM DUAL;

Cosine of 180 degrees
-----
-1

```

## COSH

### Syntax

```
→ COSH ( n ) →
```

### Purpose

COSH returns the hyperbolic cosine of *n*.

This function takes as an argument any numeric data type or any nonnumeric data type that can be implicitly converted to a numeric data type. If the argument is `BINARY_FLOAT`, then the

function returns `BINARY_DOUBLE`. Otherwise the function returns the same numeric data type as the argument.



### See Also:

[Table 2-9](#) for more information on implicit conversion

### Examples

The following example returns the hyperbolic cosine of zero:

```
SELECT COSH(0) "Hyperbolic cosine of 0"
       FROM DUAL;
```

```
Hyperbolic cosine of 0
-----
1
```

## COSINE\_DISTANCE

### Syntax

```
→ COSINE_DISTANCE → ( → expr1 → , → expr2 → ) →
```

### Purpose

`COSINE_DISTANCE` is a shorthand version of the `VECTOR_DISTANCE` function that calculates the distance between two vectors. It takes two vectors as input and returns the distance between them as a `BINARY_DOUBLE`.

### Parameters

- `expr1` and `expr2` must evaluate to vectors and have the same number of dimensions.
- `COSINE_DISTANCE` returns `NULL`, if either `expr1` or `expr2` is `NULL`, or if the dimensions between the two vectors do not match up.




### See Also:

- [VECTOR\\_DISTANCE](#)
- [INNER\\_PRODUCT](#)
- [L1\\_DISTANCE](#)
- [L2\\_DISTANCE](#)
-

# COUNT

## Syntax



### See Also:

[Analytic Functions](#) for information on syntax, semantics, and restrictions

## Purpose

`COUNT` returns the number of rows returned by the query. You can use it as an aggregate or analytic function.

If you specify `DISTINCT`, then you can specify only the *query\_partition\_clause* of the *analytic\_clause*. The *order\_by\_clause* and *windowing\_clause* are not allowed.

If you specify *expr*, then `COUNT` returns the number of rows where *expr* is not null. You can count either all rows, or only distinct values of *expr*.

If you specify the asterisk (\*), then this function returns all rows, including duplicates and nulls. `COUNT` never returns null.

### Note:

Before performing a `COUNT (DISTINCT expr)` operation on a large amount of data, consider using one of the following methods to obtain approximate results more quickly than exact results:

- Set the `APPROX_FOR_COUNT_DISTINCT` initialization parameter to true before using the `COUNT (DISTINCT expr)` function. Refer to *Oracle Database Reference* for more information on this parameter.
- Use the `APPROX_COUNT_DISTINCT` function instead of the `COUNT (DISTINCT expr)` function. Refer to [APPROX\\_COUNT\\_DISTINCT](#).

 **See Also:**

- ["About SQL Expressions"](#) for information on valid forms of `expr` and [Aggregate Functions](#)
- [Appendix C in Oracle Database Globalization Support Guide](#) for the collation determination rules, which define the collation `COUNT` uses to compare character values for the `DISTINCT` clause

**Aggregate Examples**

The following examples use `COUNT` as an aggregate function:

```
SELECT COUNT(*) "Total"
   FROM employees;
```

```
      Total
-----
       107
```

```
SELECT COUNT(*) "Allstars"
   FROM employees
  WHERE commission_pct > 0;
```

```
    Allstars
-----
         35
```

```
SELECT COUNT(commission_pct) "Count"
   FROM employees;
```

```
      Count
-----
         35
```

```
SELECT COUNT(DISTINCT manager_id) "Managers"
   FROM employees;
```

```
    Managers
-----
         18
```

**Analytic Example**

The following example calculates, for each employee in the `employees` table, the moving count of employees earning salaries in the range 50 less than through 150 greater than the employee's salary.

```
SELECT last_name, salary,
       COUNT(*) OVER (ORDER BY salary RANGE BETWEEN 50 PRECEDING AND
                     150 FOLLOWING) AS mov_count
   FROM employees
  ORDER BY salary, last_name;
```


```
LAST_NAME          SALARY  MOV_COUNT
-----
Olson              2100      3
Markle            2200      2
```



Philtanker	2200	2
Gee	2400	8
Landry	2400	8
Colmenares	2500	10
Marlow	2500	10
Patel	2500	10
. . .		

## COVAR\_POP

### Syntax



#### See Also:

"[Analytic Functions](#)" for information on syntax, semantics, and restrictions

### Purpose

COVAR\_POP returns the population covariance of a set of number pairs. You can use it as an aggregate or analytic function.

This function takes as arguments any numeric data type or any nonnumeric data type that can be implicitly converted to a numeric data type. Oracle determines the argument with the highest numeric precedence, implicitly converts the remaining arguments to that data type, and returns that data type.



#### See Also:

[Table 2-9](#) for more information on implicit conversion and [Numeric Precedence](#) for information on numeric precedence

Oracle Database applies the function to the set of (*expr1*, *expr2*) pairs after eliminating all pairs for which either *expr1* or *expr2* is null. Then Oracle makes the following computation:

$$(\text{SUM}(\text{expr1} * \text{expr2}) - \text{SUM}(\text{expr2}) * \text{SUM}(\text{expr1}) / n) / n$$

where *n* is the number of (*expr1*, *expr2*) pairs where neither *expr1* nor *expr2* is null.

The function returns a value of type NUMBER. If the function is applied to an empty set, then it returns null.

**See Also:**

[About SQL Expressions](#) for information on valid forms of *expr* and [Aggregate Functions](#)

**Aggregate Example**

The following example calculates the population covariance and sample covariance for time employed (SYSDATE - hire\_date) and salary using the sample table

hr.employees:

```
SELECT job_id,
       COVAR_POP(SYSDATE-hire_date, salary) AS covar_pop,
       COVAR_SAMP(SYSDATE-hire_date, salary) AS covar_samp
FROM employees
WHERE department_id in (50, 80)
GROUP BY job_id
ORDER BY job_id, covar_pop, covar_samp;
```

JOB_ID	COVAR_POP	COVAR_SAMP
SA_MAN	660700	825875
SA_REP	579988.466	600702.34
SH_CLERK	212432.5	223613.158
ST_CLERK	176577.25	185870.789
ST_MAN	436092	545115

**Analytic Example**

The following example calculates cumulative sample covariance of the list price and minimum price of the products in the sample schema oe:


```
SELECT product_id, supplier_id,
       COVAR_POP(list_price, min_price)
       OVER (ORDER BY product_id, supplier_id)
       AS CUM_COVP,
       COVAR_SAMP(list_price, min_price)
       OVER (ORDER BY product_id, supplier_id)
       AS CUM_COVS
FROM product_information p
WHERE category_id = 29
ORDER BY product_id, supplier_id;
```

PRODUCT_ID	SUPPLIER_ID	CUM_COVP	CUM_COVS
1774	103088	0	
1775	103087	1473.25	2946.5
1794	103096	1702.77778	2554.16667
1825	103093	1926.25	2568.33333
2004	103086	1591.4	1989.25
2005	103086	1512.5	1815
2416	103088	1475.97959	1721.97619

...

# COVAR\_SAMP

## Syntax



### See Also:

[Analytic Functions](#) for information on syntax, semantics, and restrictions

## Purpose

COVAR\_SAMP returns the sample covariance of a set of number pairs. You can use it as an aggregate or analytic function.

This function takes as arguments any numeric data type or any nonnumeric data type that can be implicitly converted to a numeric data type. Oracle determines the argument with the highest numeric precedence, implicitly converts the remaining arguments to that data type, and returns that data type.



### See Also:

[Table 2-9](#) for more information on implicit conversion and [Numeric Precedence](#) for information on numeric precedence

Oracle Database applies the function to the set of (*expr1*, *expr2*) pairs after eliminating all pairs for which either *expr1* or *expr2* is null. Then Oracle makes the following computation:

$$(\text{SUM}(\text{expr1} * \text{expr2}) - \text{SUM}(\text{expr1}) * \text{SUM}(\text{expr2}) / n) / (n-1)$$

where *n* is the number of (*expr1*, *expr2*) pairs where neither *expr1* nor *expr2* is null.

The function returns a value of type NUMBER. If the function is applied to an empty set, then it returns null.



### See Also:

[About SQL Expressions](#) for information on valid forms of *expr* and [Aggregate Functions](#)

## Aggregate Example


Refer to the aggregate example for [COVAR\\_POP](#).

## Analytic Example

Refer to the analytic example for [COVAR\\_POP](#).

# CUBE\_TABLE

## Syntax



## Purpose

`CUBE_TABLE` extracts data from a cube or dimension and returns it in the two-dimensional format of a relational table, which can be used by SQL-based applications.

The function takes a single `VARCHAR2` argument. The optional hierarchy clause enables you to specify a dimension hierarchy. A cube can have multiple hierarchy clauses, one for each dimension.

You can generate these different types of tables:

- A cube table contains a key column for each dimension and a column for each measure and calculated measure in the cube. To create a cube table, you can specify the cube with or without a cube hierarchy clause. For a dimension with multiple hierarchies, this clause limits the return values to the dimension members and levels in the specified hierarchy. Without a hierarchy clause, all dimension members and all levels are included.
- A dimension table contains a key column, and a column for each level and each attribute. It also contains a `MEMBER_TYPE` column, which identifies each member with one of the following codes:
  - L - Loaded from a table, view, or synonym
  - A - Loaded member and the single root of all hierarchies in the dimension, that is, the "all" aggregate member
  - C - Calculated member

All dimension members and all levels are included in the table. To create a dimension table, specify the dimension **without** a dimension hierarchy clause.

- A hierarchy table contains all the columns of a dimension table plus a column for the parent member and a column for each source level. It also contains a `MEMBER_TYPE` column, as described for dimension tables. Any dimension members

and levels that are not part of the named hierarchy are excluded from the table. To create a hierarchy table, specify the dimension **with** a dimension hierarchy clause.

CUBE\_TABLE is a table function and is always used in the context of a SELECT statement with this syntax:

```
SELECT ... FROM TABLE(CUBE_TABLE('arg'));
```

### See Also:

- *Oracle OLAP User's Guide* for information about dimensional objects and about the tables generated by CUBE\_TABLE.
- Appendix C in *Oracle Database Globalization Support Guide* for the collation derivation rules, which define the collation assigned to each character data type column in the table generated by CUBE\_TABLE

### Examples

The following examples require Oracle Database with the OLAP option and the GLOBAL sample schema. Refer to *Oracle OLAP User's Guide* for information on downloading and installing the GLOBAL sample schema.

The following SELECT statement generates a dimension table of CHANNEL in the GLOBAL schema.

```
SELECT dim_key, level_name, long_description, channel_total_id tot_id,
       channel_channel_id chan_id, channel_long_description chan_desc,
       total_long_description tot_desc
FROM TABLE(CUBE_TABLE('global.channel'));
```

DIM_KEY	LEVEL_NAME	LONG_DESCRIPTION	TOT_ID	CHAN_ID	CHAN_DESC	TOT_DESC
CHANNEL_CAT	CHANNEL	Catalog	TOTAL	CAT	Catalog	Total Channel
CHANNEL_DIR	CHANNEL	Direct Sales	TOTAL	DIR	Direct Sales	Total Channel
CHANNEL_INT	CHANNEL	Internet	TOTAL	INT	Internet	Total Channel
TOTAL_TOTAL	TOTAL	Total Channel	TOTAL			Total Channel

The next statement generates a cube table of UNITS\_CUBE. It restricts the table to the MARKET and CALENDAR hierarchies.


```
SELECT sales, units, cost, time, customer, product, channel
FROM TABLE(CUBE_TABLE('global.units_cube HIERARCHY customer market HIERARCHY time calendar'))
WHERE rownum < 20;
```

SALES	UNITS	COST	TIME	CUSTOMER	PRODUCT	CHANNEL
24538587.9	61109	22840853.7	CALENDAR_QUARTER_CY1998.Q1	TOTAL_TOTAL	TOTAL_TOTAL	TOTAL_TOTAL
24993273.3	61320	23147171	CALENDAR_QUARTER_CY1998.Q2	TOTAL_TOTAL	TOTAL_TOTAL	TOTAL_TOTAL
25080541.4	65265	23242535.4	CALENDAR_QUARTER_CY1998.Q3	TOTAL_TOTAL	TOTAL_TOTAL	TOTAL_TOTAL
26258474	66122	24391020.6	CALENDAR_QUARTER_CY1998.Q4	TOTAL_TOTAL	TOTAL_TOTAL	TOTAL_TOTAL
32785170	77589	30607218.1	CALENDAR_QUARTER_CY1999.Q1	TOTAL_TOTAL	TOTAL_TOTAL	TOTAL_TOTAL
...						

# CUME\_DIST


## Aggregate Syntax

*cume\_dist\_aggregate*::=



## Analytic Syntax

*cume\_dist\_analytic*::=



### See Also:

[Analytic Functions](#) for information on syntax, semantics, and restrictions

## Purpose

CUME\_DIST calculates the cumulative distribution of a value in a group of values. The range of values returned by CUME\_DIST is >0 to <=1. Tie values always evaluate to the same cumulative distribution value.

This function takes as arguments any numeric data type or any nonnumeric data type that can be implicitly converted to a numeric data type. Oracle Database determines the argument with the highest numeric precedence, implicitly converts the remaining arguments to that data type, makes the calculation, and returns NUMBER.



### See Also:

[Table 2-9](#) for more information on implicit conversion and [Numeric Precedence](#) for information on numeric precedence

- As an aggregate function, `CUME_DIST` calculates, for a hypothetical row  $r$  identified by the arguments of the function and a corresponding sort specification, the relative position of row  $r$  among the rows in the aggregation group. Oracle makes this calculation as if the hypothetical row  $r$  were inserted into the group of rows to be aggregated over. The arguments of the function identify a single hypothetical row within each aggregate group. Therefore, they must all evaluate to constant expressions within each aggregate group. The constant argument expressions and the expressions in the `ORDER BY` clause of the aggregate match by position. Therefore, the number of arguments must be the same and their types must be compatible.
- As an analytic function, `CUME_DIST` computes the relative position of a specified value in a group of values. For a row  $r$ , assuming ascending ordering, the `CUME_DIST` of  $r$  is the number of rows with values lower than or equal to the value of  $r$ , divided by the number of rows being evaluated (the entire query result set or a partition).

### Aggregate Example

The following example calculates the cumulative distribution of a hypothetical employee with a salary of \$15,500 and commission rate of 5% among the employees in the sample table `oe.employees`:

```
SELECT CUME_DIST(15500, .05) WITHIN GROUP
       (ORDER BY salary, commission_pct) "Cume-Dist of 15500"
FROM employees;
```

```
Cume-Dist of 15500
-----
                .972222222
```

### Analytic Example

The following example calculates the salary percentile for each employee in the purchasing division. For example, 40% of clerks have salaries less than or equal to Himuro.

```
SELECT job_id, last_name, salary, CUME_DIST()
       OVER (PARTITION BY job_id ORDER BY salary) AS cume_dist
FROM employees
WHERE job_id LIKE 'PU%'
ORDER BY job_id, last_name, salary, cume_dist;
```

JOB_ID	LAST_NAME	SALARY	CUME_DIST
PU_CLERK	Baida	2900	.8
PU_CLERK	Colmenares	2500	.2
PU_CLERK	Himuro	2600	.4
PU_CLERK	Khoo	3100	1
PU_CLERK	Tobias	2800	.6
PU_MAN	Raphaely	11000	1

## CURRENT\_DATE

### Syntax

```
→ CURRENT_DATE →
```

## Purpose

`CURRENT_DATE` returns the current date in the session time zone, in a value in the Gregorian calendar of data type `DATE`.

## Examples

The following example illustrates that `CURRENT_DATE` is sensitive to the session time zone:

```
ALTER SESSION SET TIME_ZONE = '-5:0';
ALTER SESSION SET NLS_DATE_FORMAT = 'DD-MON-YYYY HH24:MI:SS';
SELECT SESSIONTIMEZONE, CURRENT_DATE FROM DUAL;
```


```
SESSIONTIMEZONE CURRENT_DATE
-----
-05:00          29-MAY-2000 13:14:03
```

```
ALTER SESSION SET TIME_ZONE = '-8:0';
SELECT SESSIONTIMEZONE, CURRENT_DATE FROM DUAL;
```

```
SESSIONTIMEZONE CURRENT_DATE
-----
-08:00          29-MAY-2000 10:14:33
```

# CURRENT\_TIMESTAMP

## Syntax



## Purpose

`CURRENT_TIMESTAMP` returns the current date and time in the session time zone, in a value of data type `TIMESTAMP WITH TIME ZONE`. The time zone offset reflects the current local time of the SQL session. If you omit `precision`, then the default is 6. The difference between this function and `LOCALTIMESTAMP` is that `CURRENT_TIMESTAMP` returns a `TIMESTAMP WITH TIME ZONE` value while `LOCALTIMESTAMP` returns a `TIMESTAMP` value.

In the optional argument, *precision* specifies the fractional second precision of the time value returned.



**See Also:**

[LOCALTIMESTAMP](#)

## Examples

The following example illustrates that `CURRENT_TIMESTAMP` is sensitive to the session time zone:



```
ALTER SESSION SET TIME_ZONE = '-5:0';
ALTER SESSION SET NLS_DATE_FORMAT = 'DD-MON-YYYY HH24:MI:SS';
SELECT SESSIONTIMEZONE, CURRENT_TIMESTAMP FROM DUAL;
```

```
SESSIONTIMEZONE CURRENT_TIMESTAMP
-----
-05:00          04-APR-00 01.17.56.917550 PM -05:00
```

```
ALTER SESSION SET TIME_ZONE = '-8:0';
SELECT SESSIONTIMEZONE, CURRENT_TIMESTAMP FROM DUAL;
```

```
SESSIONTIMEZONE CURRENT_TIMESTAMP
-----
-08:00          04-APR-00 10.18.21.366065 AM -08:00
```

When you use the `CURRENT_TIMESTAMP` with a format mask, take care that the format mask matches the value returned by the function. For example, consider the following table:

```
CREATE TABLE current_test (col1 TIMESTAMP WITH TIME ZONE);
```

The following statement fails because the mask does not include the `TIME ZONE` portion of the type returned by the function:


```
INSERT INTO current_test VALUES
  (TO_TIMESTAMP_TZ(CURRENT_TIMESTAMP, 'DD-MON-RR HH.MI.SSXF PM'));
```

The following statement uses the correct format mask to match the return type of `CURRENT_TIMESTAMP`:

```
INSERT INTO current_test VALUES
  (TO_TIMESTAMP_TZ(CURRENT_TIMESTAMP, 'DD-MON-RR HH.MI.SSXF PM TZh:TzM'));
```

## CV

### Syntax



### Purpose

The `CV` function can be used only in the *model\_clause* of a `SELECT` statement and then only on the right-hand side of a model rule. It returns the current value of a dimension column or a partitioning column carried from the left-hand side to the right-hand side of a rule. This function is used in the *model\_clause* to provide relative indexing with respect to the dimension column. The return type is that of the data type of the dimension column. If you omit the argument, then it defaults to the dimension column associated with the relative position of the function within the cell reference.

The `CV` function can be used outside a cell reference. In this case, *dimension\_column* is required.

 **See Also:**

- [model\\_clause](#) and [Model Expressions](#) for the syntax and semantics
- Appendix C in *Oracle Database Globalization Support Guide* for the collation derivation rules, which define the collation assigned to the return value of CV when it is a character value

**Examples**

The following example assigns the sum of the sales of the product represented by the current value of the dimension column (Mouse Pad or Standard Mouse) for years 1999 and 2000 to the sales of that product for year 2001:

```
SELECT country, prod, year, s
FROM sales_view_ref
MODEL
  PARTITION BY (country)
  DIMENSION BY (prod, year)
  MEASURES (sale s)
  IGNORE NAV
  UNIQUE DIMENSION
  RULES UPSERT SEQUENTIAL ORDER
  (
    s[FOR prod IN ('Mouse Pad', 'Standard Mouse'), 2001] =
      s[CV( ), 1999] + s[CV( ), 2000]
  )
ORDER BY country, prod, year;
```

COUNTRY	PROD	YEAR	S
France	Mouse Pad	1998	2509.42
France	Mouse Pad	1999	3678.69
France	Mouse Pad	2000	3000.72
France	Mouse Pad	2001	6679.41
France	Standard Mouse	1998	2390.83
France	Standard Mouse	1999	2280.45
France	Standard Mouse	2000	1274.31
France	Standard Mouse	2001	3554.76
Germany	Mouse Pad	1998	5827.87
Germany	Mouse Pad	1999	8346.44
Germany	Mouse Pad	2000	7375.46
Germany	Mouse Pad	2001	15721.9
Germany	Standard Mouse	1998	7116.11
Germany	Standard Mouse	1999	6263.14
Germany	Standard Mouse	2000	2637.31
Germany	Standard Mouse	2001	8900.45

16 rows selected.

The preceding example requires the view `sales_view_ref`. Refer to [The MODEL clause: Examples](#) to create this view.

# DATAOBJ\_TO\_MAT\_PARTITION

## Syntax

→ DATAOBJ\_TO\_MAT\_PARTITION → ( → table → , → partition\_id → ) →

## Purpose

DATAOBJ\_TO\_MAT\_PARTITION is useful only to Data Cartridge developers who are performing data maintenance or query operations on system-partitioned tables that are used to store domain index data. The DML or query operations are triggered by corresponding operations on the base table of the domain index.

This function takes as arguments the name of the base table and the partition ID of the base table partition, both of which are passed to the function by the appropriate ODCIIndex method. The function returns the materialized partition number of the corresponding system-partitioned table, which can be used to perform the operation (DML or query) on that partition of the system-partitioned table.

If the base table is interval partitioned, then Oracle recommends that you use this function instead of the DATAOBJ\_TO\_PARTITION function. The DATAOBJ\_TO\_PARTITION function determines the absolute partition number, given the physical partition identifier. However, if the base table is interval partitioned, then there might be holes in the partition numbers corresponding to unmaterialized partitions. Because the system partitioned table only has materialized partitions, DATAOBJ\_TO\_PARTITION numbers can cause a mis-match between the partitions of the base table and the partitions of the underlying system partitioned index storage tables. The DATAOBJ\_TO\_MAT\_PARTITION function returns the materialized partition number (as opposed to the absolute partition number) and helps keep the two tables in sync. Indextypes planning to support local domain indexes on interval partitioned tables should migrate to the use of this function.

### See Also:

- [DATAOBJ\\_TO\\_PARTITION](#)
- *Oracle Database Data Cartridge Developer's Guide* for information on the use of the DATAOBJ\_TO\_MAT\_PARTITION function, including examples

# DATAOBJ\_TO\_PARTITION

## Syntax

→ DATAOBJ\_TO\_PARTITION → ( → table → , → partition\_id → ) →

## Purpose

`DATAOBJ_TO_PARTITION` is useful only to Data Cartridge developers who are performing data maintenance or query operations on system-partitioned tables that are used to store domain index data. The DML or query operations are triggered by corresponding operations on the base table of the domain index.

This function takes as arguments the name of the base table and the partition ID of the base table partition, both of which are passed to the function by the appropriate `ODCIIndex` method. The function returns the absolute partition number of the corresponding system-partitioned table, which can be used to perform the operation (DML or query) on that partition of the system-partitioned table.

### Note:

If the base table is interval partitioned, then Oracle recommends that you instead use the `DATAOBJ_TO_MAT_PARTITION` function. Refer to [DATAOBJ\\_TO\\_MAT\\_PARTITION](#) for more information.

### See Also:

*Oracle Database Data Cartridge Developer's Guide* for information on the use of the `DATAOBJ_TO_PARTITION` function, including examples

# DBTIMEZONE

## Syntax

→ `DBTIMEZONE` →

## Purpose

`DBTIMEZONE` returns the value of the database time zone. The return type is a time zone offset (a character type in the format '`[+|-]TZH:TZM'`) or a time zone region name, depending on how the user specified the database time zone value in the most recent `CREATE DATABASE` or `ALTER DATABASE` statement.

### See Also:

Appendix C in *Oracle Database Globalization Support Guide* for the collation derivation rules, which define the collation assigned to the character return value of `DBTIMEZONE`

## Examples

The following example assumes that the database time zone is set to UTC time zone:

```


SELECT DBTIMEZONE
   FROM DUAL;

DBTIME
-----
+00:00

```

# DECODE

## Syntax



## Purpose

DECODE compares *expr* to each *search* value one by one. If *expr* is equal to a *search*, then Oracle Database returns the corresponding *result*. If no match is found, then Oracle returns *default*. If *default* is omitted, then Oracle returns null.

- If *expr* and *search* are character data, then Oracle compares them using nonpadded comparison semantics. *expr*, *search*, and *result* can be any of the data types CHAR, VARCHAR2, NCHAR, or NVARCHAR2. The string returned is of VARCHAR2 data type and is in the same character set as the first *result* parameter.
- If the first *search-result* pair are numeric, then Oracle compares all *search-result* expressions and the first *expr* to determine the argument with the highest numeric precedence, implicitly converts the remaining arguments to that data type, and returns that data type.

The *search*, *result*, and *default* values can be derived from expressions. Oracle Database uses **short-circuit evaluation**. The database evaluates each *search* value only before comparing it to *expr*, rather than evaluating all *search* values before comparing any of them with *expr*. Consequently, Oracle never evaluates a *search* if a previous *search* is equal to *expr*.

Oracle automatically converts *expr* and each *search* value to the data type of the first *search* value before comparing. Oracle automatically converts the return value to the same data type as the first *result*. If the first *result* has the data type CHAR or if the first *result* is null, then Oracle converts the return value to the data type VARCHAR2.

In a DECODE function, Oracle considers two nulls to be equivalent. If *expr* is null, then Oracle returns the *result* of the first *search* that is also null.

The maximum number of components in the DECODE function, including *expr*, *searches*, *results*, and *default*, is 255.

 See Also:


- [Data Type Comparison Rules](#) for information on comparison semantics
- [Data Conversion](#) for information on data type conversion in general
- [Floating-Point Numbers](#) for information on floating-point comparison semantics
- [Implicit and Explicit Data Conversion](#) for information on the drawbacks of implicit conversion
- [COALESCE](#) and [CASE Expressions](#) , which provide functionality similar to that of `DECODE`
- Appendix C in *Oracle Database Globalization Support Guide* for the collation determination rules, which define the collation `DECODE` uses to compare characters from *expr* with characters from *search*, and for the collation derivation rules, which define the collation assigned to the return value of this function when it is a character value

**Examples**

This example decodes the value `warehouse_id`. If `warehouse_id` is 1, then the function returns 'Southlake'; if `warehouse_id` is 2, then it returns 'San Francisco'; and so forth. If `warehouse_id` is not 1, 2, 3, or 4, then the function returns 'Non domestic'.

```
SELECT product_id,
       DECODE (warehouse_id, 1, 'Southlake',
              2, 'San Francisco',
              3, 'New Jersey',
              4, 'Seattle',
              'Non domestic') "Location"
FROM inventories
WHERE product_id < 1775
ORDER BY product_id, "Location";
```

## DECOMPOSE

**Syntax****Purpose**

`DECOMPOSE` takes as its first argument a character value *string* and returns the result of applying one of the Unicode decompositions to it. The decomposition to apply is determined by the second, optional parameter. If the character set of the first argument is not one of the Unicode character sets, `DECOMPOSE` returns the argument unmodified.

If the second argument to `DECOMPOSE` is the string `CANONICAL` (case-insensitively), `DECOMPOSE` applies canonical decomposition, as described in the Unicode Standard definition D68, and returns a string in the NFD normalization form. If the second argument is the string `COMPATIBILITY`, `DECOMPOSE` applies compatibility decomposition, as described in the Unicode Standard definition D65, and returns a string in the NFKD normalization form. The default behavior is to apply the canonical decomposition.

In a pessimistic case, the return value of `DECOMPOSE` may be a few times longer than `string`. If a string to be returned is longer than the maximum length `VARCHAR2` value in a given runtime environment, the value is silently truncated to the maximum `VARCHAR2` length.

Both arguments to `DECOMPOSE` can be of any of the data types `CHAR`, `VARCHAR2`, `NCHAR`, or `NVARCHAR2`. Other data types are allowed if they can be implicitly converted to `VARCHAR2` or `NVARCHAR2`. The return value of `DECOMPOSE` is in the same character set as its first argument.

`CLOB` and `NCLOB` values are supported through implicit conversion. If `string` is a character LOB value, then it is converted to a `VARCHAR2` value before the `DECOMPOSE` operation. The operation will fail if the size of the LOB value exceeds the supported length of the `VARCHAR2` in the particular execution environment.

#### See Also:

- *Oracle Database Globalization Support Guide* for information on Unicode character sets and character semantics
- Appendix C in *Oracle Database Globalization Support Guide* for the collation derivation rules, which define the collation assigned to the character return value of `DECOMPOSE`
- [COMPOSE](#)

## Examples

The following example decomposes the string "Châteaux" into its component code points:

```
SELECT DECOMPOSE ('Châteaux')
       FROM DUAL;
```

```
DECOMPOSE
-----
Châteaux
```


#### Note:

The results of this example can vary depending on the character set of your operating system.

# DENSE\_RANK


## Aggregate Syntax

***dense\_rank\_aggregate::=***



## Analytic Syntax

***dense\_rank\_analytic::=***



### See Also:

[Analytic Functions](#) for information on syntax, semantics, and restrictions

## Purpose

`DENSE_RANK` computes the rank of a row in an ordered group of rows and returns the rank as a `NUMBER`. The ranks are consecutive integers beginning with 1. The largest rank value is the number of unique values returned by the query. Rank values are not skipped in the event of ties. Rows with equal values for the ranking criteria receive the same rank. This function is useful for top-N and bottom-N reporting.

This function accepts as arguments any numeric data type and returns `NUMBER`.

- As an aggregate function, `DENSE_RANK` calculates the dense rank of a hypothetical row identified by the arguments of the function with respect to a given sort specification. The arguments of the function must all evaluate to constant expressions within each aggregate group, because they identify a single row within each group. The constant argument expressions and the expressions in the `order_by_clause` of the aggregate match by position. Therefore, the number of arguments must be the same and types must be compatible.



- As an analytic function, `DENSE_RANK` computes the rank of each row returned from a query with respect to the other rows, based on the values of the `value_exprs` in the `order_by_clause`.

### See Also:

Appendix C in *Oracle Database Globalization Support Guide* for the collation determination rules, which define the collation `DENSE_RANK` uses to compare character values for the `ORDER BY` clause

### Aggregate Example

The following example computes the ranking of a hypothetical employee with the salary \$15,500 and a commission of 5% in the sample table `oe.employees`:

```
SELECT DENSE_RANK(15500, .05) WITHIN GROUP
       (ORDER BY salary DESC, commission_pct) "Dense Rank"
FROM employees;
```

```
Dense Rank
-----
          3
```

### Analytic Example

The following statement ranks the employees in the sample `hr` schema in department 60 based on their salaries. Identical salary values receive the same rank. However, no rank values are skipped. Compare this example with the analytic example for [RANK](#).

```
SELECT department_id, last_name, salary,
       DENSE_RANK() OVER (PARTITION BY department_id ORDER BY salary) DENSE_RANK
FROM employees WHERE department_id = 60
ORDER BY DENSE_RANK, last_name;
```

DEPARTMENT_ID	LAST_NAME	SALARY	DENSE_RANK
60	Lorentz	4200	1
60	Austin	4800	2
60	Pataballa	4800	2
60	Ernst	6000	3
60	Hunold	9000	4

## DEPTH

### Syntax

```
→ DEPTH → ( → correlation_integer → ) →
```

### Purpose

`DEPTH` is an ancillary function used only with the `UNDER_PATH` and `EQUALS_PATH` conditions. It returns the number of levels in the path specified by the `UNDER_PATH` condition with the same correlation variable.

The *correlation\_integer* can be any NUMBER integer. Use it to correlate this ancillary function with its primary condition if the statement contains multiple primary conditions. Values less than 1 are treated as 1.



### See Also:

[EQUALS\\_PATH Condition](#) , [UNDER\\_PATH Condition](#) , and the related function [PATH](#)

## Examples

The `EQUALS_PATH` and `UNDER_PATH` conditions can take two ancillary functions, `DEPTH` and `PATH`. The following example shows the use of both ancillary functions. The example assumes the existence of the XMLSchema `warehouses.xsd` (created in [Using XML in SQL Statements](#) ).

```
SELECT PATH(1), DEPTH(2)
FROM RESOURCE_VIEW
WHERE UNDER_PATH(res, '/sys/schemas/OE', 1)=1
AND UNDER_PATH(res, '/sys/schemas/OE', 2)=1;
```

PATH(1)	DEPTH(2)
.....	
www.example.com	1
www.example.com/xwarehouses.xsd	2
.....	

# DEREF

## Syntax

```
→ Deref ( ( expr ) ) →
```

## Purpose

`DEREF` returns the object reference of argument *expr*, where *expr* must return a `REF` to an object. If you do not use this function in a query, then Oracle Database returns the object ID of the `REF` instead, as shown in the example that follows.



### See Also:

[MAKE\\_REF](#)

## Examples

The sample schema `oe` contains an object type `cust_address_typ`. The [REF Constraint Examples](#) create a similar type, `cust_address_typ_new`, and a table with

one column that is a REF to the type. The following example shows how to insert into such a column and how to use Deref to extract information from the column:

```
INSERT INTO address_table VALUES
  ('1 First', 'G45 EU8', 'Paris', 'CA', 'US');

INSERT INTO customer_addresses
  SELECT 999, REF(a) FROM address_table a;

SELECT address
  FROM customer_addresses
  ORDER BY address;


ADDRESS
-----
000022020876B2245DBE325C5FE03400400B40DCB176B2245DBE305C5FE03400400B40DCB1

SELECT Deref(address)
  FROM customer_addresses;

Deref(ADDRESS) (STREET_ADDRESS, POSTAL_CODE, CITY, STATE_PROVINCE, COUNTRY_ID)
-----
CUST_ADDRESS_TYP_NEW('1 First', 'G45 EU8', 'Paris', 'CA', 'US')
```

## DOMAIN\_CHECK

### Syntax



### Purpose

DOMAIN\_CHECK first converts the data type of the arguments in *expr* to the data type of their corresponding domain columns. It then applies the constraint conditions (not null or check constraint) on *domain\_name* to *expr*.

If the domain's constraint is deferred or unvalidated, DOMAIN\_CHECK still applies the conditions to *expr*. If the domain's constraint is disabled, it is not checked as part of DOMAIN\_CHECK.



#### See Also:

[Domain Functions](#)

- *domain\_name* must be an identifier and can be specified using *domain\_owner.domain\_name*. If you specify it without *domain\_owner*, it resolves first to the current user then as a public synonym. If the name cannot be resolved, an error is raised.
- If *domain\_name* refers to a non-existent domain or one that you do not have EXECUTE privileges on, then DOMAIN\_CHECK will raise an error.

- If the domain column data type is `STRICT`, then the value is converted to the domain column's data type. For example, if the domain column data type is `VARCHAR2(100) STRICT`, then the value is converted to `VARCHAR2(100)`. Note that the conversion will not automatically trim the input to the maximum length. If the value evaluates to 'abc' for some row and the domain data type is `CHAR(2 CHAR)`, the conversion will fail instead of returning 'ab'.  
  
If the domain column data type is not `STRICT`, then the value is converted to the most permissive variant of the domain column's data type in terms of length, scale, and precision. For example, if the input value is a `VARCHAR2(30)`, it is converted to a `VARCHAR2(100)` because it is shorter than the domain length. If the input value is a `VARCHAR2(200)`, it remains a `VARCHAR2(200)` because this is larger than the domain length.
- If the data type conversion fails, the error is masked and `DOMAIN_CHECK` returns `FALSE`. You can use `DOMAIN_CHECK` to filter out values that cannot be inserted into a column of the given domain.  
  
If the data type conversion succeeds and `domain_name` does not have any enabled constraint associated with it, `DOMAIN_CHECK` returns `TRUE`.
- If the data type conversion succeeds and `domain_name` has enabled constraints that are all satisfied for a given converted value, `DOMAIN_CHECK` returns `TRUE`. If any of the domain constraints are not satisfied, it returns `FALSE`.

### MULTI-COLUMN Domains

When calling `DOMAIN_CHECK` for multicolumn domains, the number of arguments for `expr` must match the number of columns in the domain. If there is a mismatch, `DOMAIN_CHECK` raises an error.

If domain `D` has `n` columns, then you should call `DOMAIN_CHECK` should be called with `D+1` arguments, like `DOMAIN_CHECK(D, arg1, ..., argn)`.

If `D` does not exist or you have no privilege to access `D`, then an error is raised. If all the checks return true, `TRUE` is returned. This means that:

- `arg1` is successfully converted to the datatype of column 1 in `D`, `arg2` is successfully converted to the datatype of column 2 in `D` and so on to `argn` is successfully converted to the datatype of column `n` in `D`.
- All of `D`'s enabled constraints are all satisfied with column 1 substituted by `arg1` converted to `D`'s column 1 data type, column 2 substituted by `arg2` converted to `D`'s column 2 data type, and so on to column `n` substituted by `argn` converted to `D`'s column `n` data type.

### Example

The following example creates a domain `dgreater` with two columns `c1` and `c2` of type `NUMBER` and a check constraint that `c1` be greater than `c2`:

```
CREATE DOMAIN dgreater AS (c1 AS NUMBER, c2 AS NUMBER ) CHECK (c1 > c2);
```

Then `DOMAIN_CHECK (dgreater, 1, 2)` returns `FALSE` because `c1` is less than `c2` (the check condition fails). `DOMAIN_CHECK (dgreater, 2, 1)` returns `TRUE` because because `c1` is greater than `c2` (the check condition passes).

### Flexible Domains

When calling `DOMAIN_CHECK` for flexible domains, the number of arguments for `expr` must match the number of domain columns plus discriminant columns. If there is a mismatch `DOMAIN_CHECK` raises an error.

Checking flexible domain constraints is equivalent to checking constraints of the corresponding subdomain.

You must have the `EXECUTE` privilege on the flexible domain in order to use `DOMAIN_CHECK`.

Operations that require `EXECUTE` privilege on a flexible domain (such as when associating columns with the flexible domain, or during `DOMAIN_CHECK` with the first argument the flexible domain name) require `EXECUTE` privilege on the sub-domains. This is because a flexible domain is translated during its creation to a multi-column domain. Therefore the following rules apply:

- Associating columns to a flex domain is equivalent to associating them to the corresponding multi-column domain.
- Checking flexible domain constraints is equivalent to checking constraints of the corresponding multi-column domain.
- Evaluating flexible domain display and order properties is equivalent to evaluating properties on the corresponding multi-column domain.

## Examples

### Example 1

The following example creates a strict domain of data type `CHAR(3 CHAR)`:

```
CREATE DOMAIN three_chars AS CHAR(3 CHAR) STRICT;
```

Calling `DOMAIN_CHECK` returns true for strings three characters or shorter. For strings four characters or more long it returns false:

```
SELECT DOMAIN_CHECK (three_chars, 'ab') two_chars,
       DOMAIN_CHECK (three_chars, 'abc') three_chars,
       DOMAIN_CHECK (three_chars, 'abcd') four_chars;
```

```
TWO_CHARS   THREE_CHARS FOUR_CHARS
-----
TRUE        TRUE      FALSE
```

### Example 2

The following example creates a domain `dgreater` with two columns `c1` and `c2` of type `NUMBER` and a check constraint that `c1` be greater than `c2`:

```
CREATE DOMAIN dgreater AS (
  c1 AS NUMBER, c2 AS NUMBER
)
CHECK (c1 > c2);
```

The first query passes one expression value. This raises an error because there are two columns in the domain:

```
SELECT DOMAIN_CHECK (dgreater, 1) one_expr;
```

```
ORA-11515: incorrect number of columns in domain association list
```

In the second query:

- `first_lower` is FALSE because this fails the domain constraint
- `first_higher` is TRUE because it passes the domain constraint
- `letters` is FALSE because the values cannot be converted to numbers

```
SELECT DOMAIN_CHECK (dgreater, 1, 2) first_lower,
       DOMAIN_CHECK (dgreater, 2, 1) first_higher,
       DOMAIN_CHECK (dgreater, 'b', 'a') letters;
```

```
FIRST_LOWER FIRST_HIGHER LETTERS
-----
FALSE          TRUE          FALSE
```

### Example 3

The following example creates the domain `DAY_OF_WEEK` with no domain constraints. All calls to `DOMAIN_CHECK` return true because all the input values can be converted to CHAR. It is a non-strict domain, so there is no length check.

```
CREATE DOMAIN day_of_week AS CHAR(3 CHAR);
```

```
CREATE TABLE calendar_dates (
  calendar_date DATE,
  day_of_week_abbr day_of_week
);
```

```
INSERT INTO calendar_dates
VALUES (DATE'2023-05-01', 'MON'),
       (DATE'2023-05-02', 'tue'),
       (DATE'2023-05-05', 'fRI');
```

```
SELECT day_of_week_abbr,
       DOMAIN_CHECK(day_of_week, day_of_week_abbr) domain_column,
       DOMAIN_CHECK(day_of_week, calendar_date) nondomain_column,
       DOMAIN_CHECK(day_of_week, CAST('MON' AS day_of_week)) domain_value,
       DOMAIN_CHECK(day_of_week, 'mon') nondomain_value
FROM calendar_dates;
```

DAY	DOMAIN_COLUMN	NONDOMAIN_COLUMN	DOMAIN_VALUE	NONDOMAIN_VALUE
MON	TRUE	TRUE	TRUE	TRUE
TUE	TRUE	TRUE	TRUE	TRUE
FRI	TRUE	TRUE	TRUE	TRUE
mon	TRUE	TRUE	TRUE	TRUE
MON	TRUE	TRUE	TRUE	TRUE

### Example 4

The following example creates the domain `DAY_OF_WEEK` with a constraint to ensure the values are the uppercase day name abbreviations (MON, TUE, etc.). Validating this constraint is deferred until commit, so you can insert invalid values.

Using DOMAIN\_CHECK to test the values for the domain column DAY\_OF\_WEEK\_ABBR returns TRUE for the value that conforms to the constraint (MON) and FALSE for those that do not (tue, fri):

```
CREATE DOMAIN day_of_week AS CHAR(3 CHAR)
  CONSTRAINT CHECK(day_of_week IN ('MON','TUE','WED','THU','FRI','SAT','SUN'))
  INITIALLY DEFERRED;

CREATE TABLE calendar_dates (
  calendar_date DATE,
  day_of_week_abbr day_of_week
);

INSERT INTO calendar_dates
VALUES (DATE'2023-05-01', 'MON'),
       (DATE'2023-05-02', 'tue'),
       (DATE'2023-05-05', 'fri');

SELECT day_of_week_abbr,
       DOMAIN_CHECK(day_of_week, day_of_week_abbr) domain_column,
       DOMAIN_CHECK(day_of_week, calendar_date) nondomain_column,
       DOMAIN_CHECK(day_of_week, CAST('MON' AS day_of_week)) domain_value,
       DOMAIN_CHECK(day_of_week, 'mon') nondomain_value
FROM calendar_dates;
```

DAY	DOMAIN_COLUMN	NONDOMAIN_COLUMN	DOMAIN_VALUE	NONDOMAIN_VALUE
MON	TRUE	FALSE	TRUE	FALSE
tue	FALSE	FALSE	TRUE	FALSE
fri	FALSE	FALSE	TRUE	FALSE

### Example 5

The following example creates the multicolumn domain currency with two deferred constraints:

```
CREATE DOMAIN currency AS (
  amount AS NUMBER(10, 2)
  currency_code AS CHAR(3 CHAR)
)
CONSTRAINT supported_currencies_c
  CHECK ( currency_code IN ( 'USD', 'GBP', 'EUR', 'JPY' ) )
  DEFERRABLE INITIALLY DEFERRED
CONSTRAINT non_negative_amounts_c
  CHECK ( amount >= 0 )
  DEFERRABLE INITIALLY DEFERRED;
```

The columns AMOUNT and CURRENCY\_CODE in the table ORDER\_ITEMS are associated with domain currency:

```
CREATE TABLE order_items (
  order_id INTEGER,
  product_id INTEGER,
  amount NUMBER(10, 2),
  currency_code CHAR(3 CHAR),
  DOMAIN currency(amount, currency_code)
);
INSERT INTO order_items
VALUES (1, 1, 9.99, 'USD');
```

```
(2, 2, 1234.56, 'GBP'),
(3, 3, -999999, 'JPY'),
(4, 4, 3141592, 'XXX') ,
(5, 5, 2718281, '123');
```

The query makes four calls to DOMAIN\_CHECK:

```
SELECT order_id,
       product_id,
       amount,
       currency_code,
       DOMAIN_CHECK(currency, order_id, product_id) order_product,
       DOMAIN_CHECK(currency, amount, currency_code) amount_currency,
       DOMAIN_CHECK(currency, currency_code, amount) currency_amount,
       DOMAIN_CHECK(currency, order_id, currency_code) order_currency
FROM order_items;
```

ORDER_ID	PRODUCT_ID	AMOUNT	CUR	ORDER_PRODUCT	AMOUNT_CURRENCY
1	1	9.99	USD	FALSE	TRUE
2	2	1234.56	GBP	FALSE	TRUE
3	3	-999999	JPY	FALSE	FALSE
4	4	3141592	XXX	FALSE	FALSE
5	5	2718281	123	FALSE	FALSE

In the example above:

- ORDER\_PRODUCT is FALSE for all rows because the values for PRODUCT\_ID do not conform to the supported\_currencies\_c constraint.
- AMOUNT\_CURRENCY is FALSE for the rows with values that violate the constraints (AMOUNT = -999999, and CURRENCY\_CODE = "XXX" and "123"). It is TRUE for the valid values.
- CURRENCY\_AMOUNT is FALSE for all rows. For the first four rows this is because the values for the first argument, CURRENCY\_CODE are all letters. These cannot be converted to the type of the first column in the domain (NUMBER), leading to a type error. For the fifth row, the amount (2718281) does not conform to the supported\_currencies\_c constraint.
- ORDER\_CURRENCY is FALSE for the row with values that violate the constraints (CURRENCY\_CODE = "XXX" and "123"). It is TRUE for the valid values.

### Example 6


The following statement tries to validate the string "raises an error" against the non-existent domain NOT\_A\_DOMAIN. This raises an exception:

```
SELECT DOMAIN_CHECK(not_a_domain, 'raises an error');
ORA-11504: The domain specified does not exist or the user does not have
privileges on the domain for the operation.
```



# DOMAIN\_CHECK\_TYPE

## Syntax



## Purpose

Use `DOMAIN_CHECK_TYPE` to convert the value expression to the data type of the domain column without checking domain constraints. If you want to check constraints, you must use [DOMAIN\\_CHECK](#).

`DOMAIN_CHECK_TYPE` takes the same arguments as `DOMAIN_CHECK` and returns `TRUE` if the data type of the arguments match the data types of the corresponding domain columns. If the data type match fails, it returns `FALSE`.



### See Also:

[Domain Functions](#)

- *domain\_name* must be an identifier and can be specified using *domain\_owner.domain\_name*. If you specify it without *domain\_owner*, it resolves first to the current user then as a public synonym. If the name cannot be resolved, an error is raised.
- If *domain\_name* refers to a non-existent domain or one that you do not have `EXECUTE` privileges on, then `DOMAIN_CHECK` will raise an error.
- If the domain column data type is `STRICT`, then the value is converted to the domain column's data type. For example, if the domain column data type is `VARCHAR2(100) STRICT`, then the value is converted to `VARCHAR2(100)`. Note that the conversion will not automatically trim the input to the maximum length. If the value evaluates to 'abc' for some row and the domain data type is `CHAR(2 CHAR)`, the conversion will fail instead of returning 'ab'.

If the domain column data type is not `STRICT`, then the value is converted to the most permissive variant of the domain column's data type in terms of length, scale and precision. For example, if the input value is a `VARCHAR2(30)`, it is converted to a `VARCHAR2(100)` because it is shorter than the domain length. If the input value is a `VARCHAR2(200)`, it remains a `VARCHAR2(200)` because this is larger than the domain length.

- If the data type conversion fails, the error is masked and `DOMAIN_CHECK_TYPE` returns `FALSE`. You can use `DOMAIN_CHECK_TYPE` to filter out values that cannot be inserted into a column of the given domain..

## MULTI-COLUMN Domains

When calling `DOMAIN_CHECK_TYPE` for multicolumn domains, the number of arguments for *expr* must match the number of columns in the domain. If there is a mismatch `DOMAIN_CHECK_TYPE` raises an error.

## Flexible Domains

When calling `DOMAIN_CHECK_TYPE` for flexible domains, the number of arguments for `expr` must match the number of domain columns plus discriminant columns. If there is a mismatch `DOMAIN_CHECK_TYPE` raises an error.

### Examples

#### Example 1

The following example creates a strict domain of data type `CHAR(3 CHAR)`:

```
CREATE DOMAIN three_chars AS CHAR(3 CHAR) STRICT;
```

Calling `DOMAIN_CHECK_TYPE` returns true for strings three characters or shorter. For strings four characters or more long it returns false:

```
SELECT DOMAIN_CHECK_TYPE (three_chars, 'ab') two_chars,
       DOMAIN_CHECK_TYPE (three_chars, 'abc') three_chars,
       DOMAIN_CHECK_TYPE (three_chars, 'abcd') four_chars;
```

TWO_CHARS	THREE_CHARS	FOUR_CHARS
TRUE	TRUE	FALSE

#### Example 2

The following example creates a domain `dgreater` with two columns `c1` and `c2` of type `NUMBER` and a check constraint that `c1` be greater than `c2`:

```
CREATE DOMAIN dgreater AS (
  c1 AS NUMBER, c2 AS NUMBER
)
CHECK (c1 > c2);
```

The first query passes one expression value. This raises an error because there are two columns in the domain.

```
SELECT DOMAIN_CHECK_TYPE (dgreater, 1) one_expr;

ORA-11515: incorrect number of columns in domain association list
```

In the second query:

- `first_lower` and `first_higher` are both `TRUE` because the values are numbers. The domain constraint is not checked.
- `letters` is `FALSE` because the values cannot be converted to numbers.

```
SELECT DOMAIN_CHECK_TYPE (dgreater, 1, 2) first_lower,
       DOMAIN_CHECK_TYPE (dgreater, 2, 1) first_higher,
       DOMAIN_CHECK_TYPE (dgreater, 'b', 'a') letters;
```

FIRST_LOWER	FIRST_HIGHER	LETTERS
TRUE	TRUE	FALSE

### Example 3

The following example creates the domain `DAY_OF_WEEK` with no domain constraints. All calls to `DOMAIN_CHECK_TYPE` return true because all the input values can be converted to `CHAR`. It's a non-strict domain, so there is no length check.

```
CREATE DOMAIN day_of_week AS CHAR(3 CHAR);

CREATE TABLE calendar_dates (
  calendar_date DATE,
  day_of_week_abbr day_of_week
);

INSERT INTO calendar_dates
VALUES (DATE'2023-05-01', 'MON'),
       (DATE'2023-05-02', 'tue'),
       (DATE'2023-05-05', 'FRI');

SELECT day_of_week_abbr,
       DOMAIN_CHECK_TYPE(day_of_week, day_of_week_abbr) domain_column,
       DOMAIN_CHECK_TYPE(day_of_week, calendar_date) nondomain_column,
       DOMAIN_CHECK_TYPE(day_of_week, CAST('MON' AS day_of_week)) domain_value,
       DOMAIN_CHECK_TYPE(day_of_week, 'mon') nondomain_value
FROM calendar_dates;
```

DAY	DOMAIN_COLUMN	NONDOMAIN_COLUMN	DOMAIN_VALUE	NONDOMAIN_VALUE
MON	TRUE	TRUE	TRUE	TRUE
TUE	TRUE	TRUE	TRUE	TRUE
FRI	TRUE	TRUE	TRUE	TRUE
mon	TRUE	TRUE	TRUE	TRUE
MON	TRUE	TRUE	TRUE	TRUE

### Example 4

The following example creates the domain `DAY_OF_WEEK` with a constraint to ensure the values are the uppercase day name abbreviations (MON, TUE, etc.).

Validating this constraint is deferred until commit, so you can insert invalid values.

Using `DOMAIN_CHECK_TYPE` returns `TRUE` for all values because they all pass the type check:

```
CREATE DOMAIN day_of_week AS CHAR(3 CHAR)
  CONSTRAINT CHECK(day_of_week IN ('MON','TUE','WED','THU','FRI','SAT','SUN'))
  INITIALLY DEFERRED;

CREATE TABLE calendar_dates (
  calendar_date DATE,
  day_of_week_abbr day_of_week
);

INSERT INTO calendar_dates
VALUES (DATE'2023-05-01', 'MON'),
       (DATE'2023-05-02', 'tue'),
       (DATE'2023-05-05', 'FRI');

SELECT day_of_week_abbr,
       DOMAIN_CHECK_TYPE(day_of_week, day_of_week_abbr) domain_column,
       DOMAIN_CHECK_TYPE(day_of_week, calendar_date) nondomain_column,
       DOMAIN_CHECK_TYPE(day_of_week, CAST('MON' AS day_of_week)) domain_value,
```

```

        DOMAIN_CHECK_TYPE(day_of_week, 'mon') nondomain_value
FROM calendar_dates;

```

DAY	DOMAIN_COLUMN	NONDOMAIN_COLUMN	DOMAIN_VALUE	NONDOMAIN_VALUE
MON	TRUE	TRUE	TRUE	TRUE
tue	FALSE	TRUE	TRUE	TRUE
FRI	FALSE	TRUE	TRUE	TRUE

### Example 5

The following example creates the multicolumn domain currency with two deferred constraints:

```

CREATE DOMAIN currency AS (
  amount          AS NUMBER(10, 2)
  currency_code AS CHAR(3 CHAR)
)
CONSTRAINT supported_currencies_c
  CHECK ( currency_code IN ( 'USD', 'GBP', 'EUR', 'JPY' ) )
  DEFERRABLE INITIALLY DEFERRED
CONSTRAINT non_negative_amounts_c
  CHECK ( amount >= 0 )
  DEFERRABLE INITIALLY DEFERRED;

```

The columns AMOUNT and CURRENCY\_CODE in the table ORDER\_ITEMS are associated with domain currency:

```

CREATE TABLE order_items (
  order_id      INTEGER,
  product_id    INTEGER,
  amount        NUMBER(10, 2),
  currency_code CHAR(3 CHAR),
  DOMAIN currency(amount, currency_code)
);
INSERT INTO order_items
VALUES (1, 1, 9.99, 'USD'),
      (2, 2, 1234.56, 'GBP'),
      (3, 3, -999999, 'JPY'),
      (4, 4, 3141592, 'XXX') ,
      (5, 5, 2718281, '123');

```

The query makes four calls to DOMAIN\_CHECK\_TYPE:

```

SELECT order_id,
       product_id,
       amount,
       currency_code,
       DOMAIN_CHECK_TYPE(currency, order_id, product_id) order_product,
       DOMAIN_CHECK_TYPE(currency, amount, currency_code) amount_currency,
       DOMAIN_CHECK_TYPE(currency, currency_code, amount) currency_amount,
       DOMAIN_CHECK_TYPE(currency, order_id, currency_code) order_currency
FROM order_items;

```

ORDER_ID	PRODUCT_ID	AMOUNT	CUR	ORDER_PRODUCT	AMOUNT_CURRENCY	CURRENCY_AMOUNT	ORDER_CURRENCY
1	1	9.99	USD	TRUE	TRUE	TRUE	TRUE
2	2	1234.56	GBP	TRUE	TRUE	TRUE	TRUE
3	3	-999999	JPY	TRUE	TRUE	TRUE	TRUE
4	4	3141592	XXX	FALSE	TRUE	TRUE	TRUE
5	5	2718281	123	TRUE	TRUE	TRUE	TRUE

1	1	9.99	USD	TRUE	TRUE	FALSE	TRUE
2	2	1234.56	GBP	TRUE	TRUE	FALSE	TRUE
3	3	-999999	JPY	TRUE	TRUE	FALSE	TRUE
4	4	3141592	XXX	TRUE	TRUE	FALSE	TRUE
5	5	2718281	123	TRUE	TRUE	TRUE	TRUE

In the example above:

- `ORDER_PRODUCT` is `TRUE` for all rows because the values for `ORDER_ID` and `PRODUCT_ID` can be converted to the corresponding column types in the domain (`NUMBER` and `CHAR`).
- `AMOUNT_CURRENCY` is `TRUE` for all rows because the table columns match the domain columns.
- `CURRENCY_AMOUNT` is `FALSE` for the first four rows because the values for the first argument, `CURRENCY_CODE` are all letters. These cannot be converted to the type of the first column in the domain (`NUMBER`), leading to a type error. The fifth row is `TRUE` because the amount (`2718281`) can be converted to `CHAR`.
- `ORDER_CURRENCY` is `TRUE` for all rows because the types for `ORDER_ID` and `CURRENCY_CODE` match the corresponding domain column types (`NUMBER` and `CHAR`).


### Example 6

The following statement tries to validate the string "raises an error" against the non-existent domain `NOT_A_DOMAIN`. This raises an exception:

```
SELECT DOMAIN_CHECK_TYPE(not_a_domain, 'raises an error');
ORA-11504: The domain specified does not exist or the user does not have privileges on
the domain for the operation.
```

## DOMAIN\_DISPLAY

### Syntax



### Purpose

`DOMAIN_DISPLAY` returns `expr` formatted according to the domain's display expression. This returns `NULL` if the arguments are not associated with a domain or the domain has no display expression.

When calling `DOMAIN_DISPLAY` for multicolumn domains, all values of `expr` should be from the same domain. It returns `NULL` if the number of `expr` arguments are different from the number of domain columns or they are in a different order in the domain.

To get the display expression for a non-domain value, cast `expr` to the domain type. This is only possible for single column domains.

 See Also:

- [Domain Functions](#)

**Examples**

The following example creates the domain `DAY_OF_WEEK` and associates it with the column `CALENDAR_DATES.DAY_OF_WEEK_ABBR`. Passing this column to `DOMAIN_DISPLAY` returns it with the first letter of each word capitalized and all other letters in lowercase. `DOMAIN_DISPLAY` also returns this format when casting a string to the domain.

All other calls to `DOMAIN_DISPLAY` pass non-domain values, so return `NULL`.

```
CREATE DOMAIN day_of_week AS CHAR(3 CHAR)
  DISPLAY INITCAP(day_of_week);
```

```
CREATE TABLE calendar_dates (
  calendar_date DATE,
  day_of_week_abbr day_of_week
);
```

```
INSERT INTO calendar_dates
VALUES (DATE'2023-05-01', 'MON'),
      (DATE'2023-05-02', 'tue'),
      (DATE'2023-05-05', 'fRI');
```

```
SELECT day_of_week_abbr,
       DOMAIN_DISPLAY(day_of_week_abbr) domain_column,
       DOMAIN_DISPLAY(calendar_date) nondomain_column,
       DOMAIN_DISPLAY(CAST('MON' AS day_of_week)) domain_value,
       DOMAIN_DISPLAY('MON') nondomain_value
FROM   calendar_dates;
```

DAY_OF_WEEK_ABBR	DOMAIN_COLUMN	NONDOMAIN_COLUMN	DOMAIN_VALUE	NONDOMAIN_VALUE
MON	Mon	<null>	Mon	<null>
tue	Tue	<null>	Mon	<null>
fRI	Fri	<null>	Mon	<null>

The following example creates the multicolumn domain `CURRENCY` with a display expression. The columns `AMOUNT` and `CURRENCY_CODE` in `ORDER_ITEMS` are associated with this domain.

In the query, only the `domain_cols` expression formats the columns according to the domain expression. All other calls to `DOMAIN_DISPLAY` have a mismatch between its arguments and the domain columns so return `NULL`:

```
CREATE DOMAIN currency AS (
  amount      AS NUMBER(10, 2)
  currency_code AS CHAR(3 CHAR)
)
DISPLAY CASE currency_code
```

```

    WHEN 'USD' THEN '$'
    WHEN 'GBP' THEN '£'
    WHEN 'EUR' THEN '€'
    WHEN 'JPY' THEN '¥'
END || TO_CHAR(amount, '999,999,999.00');

```

```

CREATE TABLE order_items (
  order_id      INTEGER,
  product_id    INTEGER,
  amount        NUMBER(10, 2),
  currency_code CHAR(3 CHAR),
  DOMAIN currency(amount, currency_code)
);

```

```

INSERT INTO order_items
VALUES (1, 1, 9.99, 'USD'),
       (2, 2, 1234.56, 'GBP'),
       (3, 3, 4321, 'EUR'),
       (4, 4, 3141592, 'JPY');

```

```

SELECT order_id,
       product_id,
       DOMAIN_DISPLAY(amount, currency_code) domain_cols,
       DOMAIN_DISPLAY(currency_code, amount) domain_cols_wrong_order,
       DOMAIN_DISPLAY(order_id, product_id) nondomain_cols,
       DOMAIN_DISPLAY(amount) domain_cols_subset
FROM order_items;

```

ORDER_ID	PRODUCT_ID	DOMAIN_COLS	DOMAIN_COLS_WRONG_ORDER	NONDOMAIN_COLS	DOMAIN_COLS_SUBSET
1	1	\$	9.99	<null>	<null>
2	2	£	1,234.56	<null>	<null>
3	3	€	4,321.00	<null>	<null>
4	4	¥	3,141,592.00	<null>	<null>

## DOMAIN\_NAME

### Syntax



### Purpose

`DOMAIN_NAME` returns the fully qualified name of the domain associated with `expr`. This returns `NULL` if `expr` is associated with a domain.

When calling `DOMAIN_NAME` for multicolumn domains, all values of `expr` should be from the same domain. It returns `NULL` if the number of `expr` arguments are different from the number of domain columns or they are in a different order in the domain.

### See Also:

- [Domain Functions](#)

## Examples

The following example creates the domain `DAY_OF_WEEK` in the schema `HR` and associates it with the column `HR.CALENDAR_DATES.DAY_OF_WEEK_ABBR`. Passing this column to `DOMAIN_NAME` returns the fully qualified name of the domain.

The query casts the string "MON" to `DAY_OF_WEEK` to get the domain name.

All other calls to `DOMAIN_NAME` return `NULL`.

```
CREATE DOMAIN hr.day_of_week AS CHAR(3 CHAR);
```

```
CREATE TABLE hr.calendar_dates (
  calendar_date    DATE,
  day_of_week_abbr hr.day_of_week
);
```

```
INSERT INTO hr.calendar_dates
VALUES (DATE'2023-05-01', 'MON');
```

```
SELECT day_of_week_abbr,
       DOMAIN_NAME(day_of_week_abbr) domain_column,
       DOMAIN_NAME(calendar_date) nondomain_column,
       DOMAIN_NAME(CAST('MON' AS hr.day_of_week)) domain_value,
       DOMAIN_NAME('MON') nondomain_value
FROM hr.calendar_dates;
```

```
DAY_OF_WEEK_ABBR  DOMAIN_COLUMN  NONDOMAIN_COLUMN  DOMAIN_VALUE
NONDOMAIN_VALUE
```

```
-----
MON              HR.DAY_OF_WEEK <null>          HR.DAY_OF_WEEK <null>
```

The following example creates the multicolumn domain `CURRENCY` in the schema `CO`. The columns `AMOUNT` and `CURRENCY_CODE` in `CO.ORDER_ITEMS` are associated with this domain.

In the query, the arguments for `DOMAIN_NAME` only match the domain definition for the `domain_cols` expression. This returns the fully qualified name of the domain. All other calls to `DOMAIN_NAME` have a mismatch between its arguments and the domain columns so return `NULL`:

```
CREATE DOMAIN co.currency AS (
  amount          AS NUMBER(10, 2)
```



```
currency_code AS CHAR(3 CHAR)
);
```

```
CREATE TABLE co.order_items (
  order_id      INTEGER,
  product_id    INTEGER,
  amount        NUMBER(10, 2),
  currency_code CHAR(3 CHAR),
  DOMAIN co.currency(amount, currency_code)
);
```


```
INSERT INTO co.order_items
VALUES (1, 1, 9.99, 'USD');
```

```
SELECT order_id,
       product_id,
       DOMAIN_NAME(amount, currency_code) domain_cols,
       DOMAIN_NAME(currency_code, amount) domain_cols_wrong_order,
       DOMAIN_NAME(order_id, product_id) nondomain_cols,
       DOMAIN_NAME(amount) domain_cols_subset
FROM co.order_items
ORDER BY domain_cols;
```

ORDER_ID	PRODUCT_ID	DOMAIN_COLS	DOMAIN_COLS_WRONG_ORDER	NONDOMAIN_COLS	DOMAIN_COLS_SUBSET
1	1	CO.CURRENCY	<null>	<null>	<null>

## DOMAIN\_ORDER

### Syntax



### Purpose

**DOMAIN\_ORDER** returns *expr* formatted according to the domain's order expression. This returns **NULL** if the arguments are not associated with a domain or the domain has no order expression.

When calling **DOMAIN\_ORDER** for multicolumn domains, all values of *expr* should be from the same domain. It returns **NULL** if the number *expr* arguments are different from the number of domain columns or they are in a different order in the domain.

To get the display expression for a non-domain value, cast *expr* to the domain type. This is only possible for single column domains.

 See Also:

- [Domain Functions](#)

**Examples**

The following example creates the domain `DAY_OF_WEEK` and associates it with the column `CALENDAR_DATES.DAY_OF_WEEK_ABBR`. Passing this column to `DOMAIN_ORDER` returns the result of the `ORDER` expression (`MON = 0, TUE = 1, etc.`). Using this in the `ORDER BY` returns the rows sorted by their position in the week instead of alphabetically.

The query casts the string "MON" to `DAY_OF_WEEK` to get its sort value.

All other calls to `DOMAIN_ORDER` pass non-domain values, so return `NULL`.

```
CREATE DOMAIN day_of_week AS CHAR(3 CHAR)
ORDER CASE UPPER(day_of_week)
  WHEN 'MON' THEN 0
  WHEN 'TUE' THEN 1
  WHEN 'WED' THEN 2
  WHEN 'THU' THEN 3
  WHEN 'FRI' THEN 4
  WHEN 'SAT' THEN 5
  WHEN 'SUN' THEN 6
  ELSE 7
END;

CREATE TABLE calendar_dates (
  calendar_date DATE,
  day_of_week_abbr day_of_week
);

INSERT INTO calendar_dates
VALUES (DATE'2023-05-01', 'MON'),
       (DATE'2023-05-02', 'TUE'),
       (DATE'2023-05-05', 'FRI'),
       (DATE'2023-05-08', 'mon');

SELECT day_of_week_abbr,
       DOMAIN_ORDER(day_of_week_abbr) domain_column,
       DOMAIN_ORDER(calendar_date) nondomain_column,
       DOMAIN_ORDER(CAST('MON' AS day_of_week)) domain_value,
       DOMAIN_ORDER('MON') nondomain_value
FROM calendar_dates
ORDER BY DOMAIN_ORDER(day_of_week_abbr);
```

DAY_OF_WEEK_ABBR	DOMAIN_COLUMN	NONDOMAIN_COLUMN	DOMAIN_VALUE	NONDOMAIN_VALUE
MON	0 <null>		0 <null>	
mon	0 <null>		0 <null>	
TUE	1 <null>		0 <null>	
FRI	4 <null>		0 <null>	

The following example creates the multicolumn domain CURRENCY with an order expression. This sorts the values by currency then value. The columns AMOUNT and CURRENCY\_CODE in ORDER\_ITEMS are associated with this domain.

In the query, only the domain\_cols expression formats the columns according to the order expression. All other calls to DOMAIN\_ORDER have a mismatch between its arguments and the domain columns so return NULL:

```
CREATE DOMAIN currency AS (
  amount      AS NUMBER(10, 2)
  currency_code AS CHAR(3 CHAR)
)
ORDER currency_code || TO_CHAR(amount, '999999999.00');
```

```
CREATE TABLE order_items (
  order_id      INTEGER,
  product_id    INTEGER,
  amount        NUMBER(10, 2),
  currency_code CHAR(3 CHAR),
  DOMAIN currency(amount, currency_code)
);
```


```
INSERT INTO order_items
VALUES (1, 1, 9.99, 'USD'),
      (2, 2, 1234.56, 'USD'),
      (3, 3, 4321, 'EUR'),
      (4, 4, 3141592, 'JPY'),
      (5, 5, 2718281, 'JPY');
```

```
SELECT order_id,
       product_id,
       DOMAIN_ORDER(amount, currency_code) domain_cols,
       DOMAIN_ORDER(currency_code, amount) domain_cols_wrong_order,
       DOMAIN_ORDER(order_id, product_id) nondomain_cols,
       DOMAIN_ORDER(amount) domain_cols_subset
FROM order_items
ORDER BY domain_cols;
```

ORDER_ID	PRODUCT_ID	DOMAIN_COLS	DOMAIN_COLS_WRONG_ORDER	NONDOMAIN_COLS	DOMAIN_COLS_SUBSET
<null>	3	3 EUR 4321.00	<null>	<null>	<null>
<null>	5	5 JPY 2718281.00	<null>	<null>	<null>
<null>	4	4 JPY 3141592.00	<null>	<null>	<null>
<null>	1	1 USD 9.99	<null>	<null>	<null>
<null>	2	2 USD 1234.56	<null>	<null>	<null>

# DUMP

## Syntax



## Purpose

**DUMP** returns a `VARCHAR2` value containing the data type code, length in bytes, and internal representation of *expr*. The returned result is always in the database character set. For the data type corresponding to each code, see [Table 2-1](#).

The argument *return\_fmt* specifies the format of the return value and can have any of the following values:

- 8 returns result in octal notation.
- 10 returns result in decimal notation.
- 16 returns result in hexadecimal notation.
- 17 returns each byte printed as a character if and only if it can be interpreted as a printable character in the character set of the compiler—typically ASCII or EBCDIC. Some ASCII control characters may be printed in the form `^X` as well. Otherwise the character is printed in hexadecimal notation. All NLS parameters are ignored. Do not depend on any particular output format for **DUMP** with *return\_fmt* 17.

By default, the return value contains no character set information. To retrieve the character set name of *expr*, add 1000 to any of the preceding format values. For example, a *return\_fmt* of 1008 returns the result in octal and provides the character set name of *expr*.

The arguments *start\_position* and *length* combine to determine which portion of the internal representation to return. The default is to return the entire internal representation in decimal notation.

If *expr* is null, then this function returns `NULL`.

This function does not support `CLOB` data directly. However, `CLOB`s can be passed in as arguments through implicit data conversion.

### See Also:

- [Data Type Comparison Rules](#) for more information
- Appendix C in *Oracle Database Globalization Support Guide* for the collation derivation rules, which define the collation assigned to the character return value of **DUMP**

## Examples

The following examples show how to extract dump information from a string expression and a column:

```
SELECT DUMP('abc', 1016)
       FROM DUAL;
```

```
DUMP('ABC',1016)
-----
Typ=96 Len=3 CharacterSet=WE8DEC: 61,62,63
```

```
SELECT DUMP(last_name, 8, 3, 2) "OCTAL"
       FROM employees
       WHERE last_name = 'Hunold'
       ORDER BY employee_id;
```

```
OCTAL
-----
Typ=1 Len=6: 156,157
```


```
SELECT DUMP(last_name, 10, 3, 2) "ASCII"
       FROM employees
       WHERE last_name = 'Hunold'
       ORDER BY employee_id;
```

```
ASCII
-----
Typ=1 Len=6: 110,111
```

# EMPTY\_BLOB, EMPTY\_CLOB

## Syntax

**empty\_LOB ::=**



## Purpose

`EMPTY_BLOB` and `EMPTY_CLOB` return an empty LOB locator that can be used to initialize a LOB variable or, in an `INSERT` or `UPDATE` statement, to initialize a LOB column or attribute to `EMPTY`. `EMPTY` means that the LOB is initialized, but not populated with data.

### Note:

An empty LOB is not the same as a null LOB, and an empty `CLOB` is not the same as a LOB containing a string of 0 length. For more information, see *Oracle Database SecureFiles and Large Objects Developer's Guide*.

**See Also:**

Appendix C in *Oracle Database Globalization Support Guide* for the collation derivation rules, which define the collation assigned to the return value of `EMPTY_CLOB`

**Restriction on LOB Locators**


You cannot use the locator returned from this function as a parameter to the `DBMS_LOB` package or the OCI.

**Examples**

The following example initializes the `ad_photo` column of the sample `pm.print_media` table to `EMPTY`:

```
UPDATE print_media
   SET ad_photo = EMPTY_BLOB();
```

## EVERY


**Syntax****Purpose**

`EVERY` returns 'TRUE' if the `boolean_expr` evaluates to true for every row that qualifies. Otherwise it returns 'FALSE'. You can use it as an aggregate or analytic function. It is the same as the function `BOOLEAN_AND_AGG`.

## EXISTSNODE

**Note:**

The `EXISTSNODE` function is deprecated. It is still supported for backward compatibility. However, Oracle recommends that you use the `XMLEXISTS` function instead. See [XMLEXISTS](#) for more information.

**Syntax**

## Purpose

EXISTSNODE determines whether traversal of an XML document using a specified path results in any nodes. It takes as arguments the XMLType instance containing an XML document and a VARCHAR2 XPath string designating a path. The optional *namespace\_string* must resolve to a VARCHAR2 value that specifies a default mapping or namespace mapping for prefixes, which Oracle Database uses when evaluating the XPath expression(s).

The *namespace\_string* argument defaults to the namespace of the root element. If you refer to any subelement in *Xpath\_string*, then you must specify *namespace\_string*, and you must specify the "who" prefix in both of these arguments.



### See Also:

Using XML in SQL Statements for examples that specify *namespace\_string* and use the "who" prefix.

The return value is NUMBER:

- 0 if no nodes remain after applying the XPath traversal on the document
- 1 if any nodes remain

## Examples

The following example tests for the existence of the /Warehouse/Dock node in the XML path of the warehouse\_spec column of the sample table oe.warehouses:

```
SELECT warehouse_id, warehouse_name
   FROM warehouses
  WHERE EXISTSNODE(warehouse_spec, '/Warehouse/Docks') = 1
  ORDER BY warehouse_id;
```

```
WAREHOUSE_ID WAREHOUSE_NAME
-----
           1 Southlake, Texas
           2 San Francisco
           4 Seattle, Washington
```

# EXP

## Syntax

→ EXP → ( → n → ) →

## Purpose

EXP returns *e* raised to the *n*th power, where *e* = 2.71828183... . The function returns a value of the same type as the argument.

This function takes as an argument any numeric data type or any nonnumeric data type that can be implicitly converted to a numeric data type. If the argument is BINARY\_FLOAT, then the

function returns `BINARY_DOUBLE`. Otherwise the function returns the same numeric data type as the argument.



### See Also:

[Table 2-9](#) for more information on implicit conversion

### Examples

The following example returns *e* to the 4th power:


```
SELECT EXP(4) "e to the 4th power"
       FROM DUAL;
```

```
e to the 4th power
-----
          54.59815
```

## EXTRACT (datetime)

### Syntax

***extract\_datetime*::=**



### Purpose

`EXTRACT` extracts and returns the value of a specified datetime field from a datetime or interval expression. The *expr* can be any expression that evaluates to a datetime or interval data type compatible with the requested field:

- If `YEAR` or `MONTH` is requested, then *expr* must evaluate to an expression of data type `DATE`, `TIMESTAMP`, `TIMESTAMP WITH TIME ZONE`, `TIMESTAMP WITH LOCAL TIME ZONE`, or `INTERVAL YEAR TO MONTH`.



- If **DAY** is requested, then *expr* must evaluate to an expression of data type **DATE**, **TIMESTAMP**, **TIMESTAMP WITH TIME ZONE**, **TIMESTAMP WITH LOCAL TIME ZONE**, or **INTERVAL DAY TO SECOND**.
- If **HOUR**, **MINUTE**, or **SECOND** is requested, then *expr* must evaluate to an expression of data type **TIMESTAMP**, **TIMESTAMP WITH TIME ZONE**, **TIMESTAMP WITH LOCAL TIME ZONE**, or **INTERVAL DAY TO SECOND**. **DATE** is not valid here, because Oracle Database treats it as **ANSI DATE** data type, which has no time fields.
- If **TIMEZONE\_HOUR**, **TIMEZONE\_MINUTE**, **TIMEZONE\_ABBR**, **TIMEZONE\_REGION**, or **TIMEZONE\_OFFSET** is requested, then *expr* must evaluate to an expression of data type **TIMESTAMP WITH TIME ZONE** or **TIMESTAMP WITH LOCAL TIME ZONE**.

EXTRACT interprets *expr* as an ANSI datetime data type. For example, EXTRACT treats DATE not as legacy Oracle DATE but as ANSI DATE, without time elements. Therefore, you can extract only YEAR, MONTH, and DAY from a DATE value. Likewise, you can extract TIMEZONE\_HOUR and TIMEZONE\_MINUTE only from the TIMESTAMP WITH TIME ZONE data type.

When you specify TIMEZONE\_REGION or TIMEZONE\_ABBR (abbreviation), the value returned is a VARCHAR2 string containing the appropriate time zone region name or abbreviation. When you specify any of the other datetime fields, the value returned is an integer value of NUMBER data type representing the datetime value in the Gregorian calendar. When extracting from a datetime with a time zone value, the value returned is in UTC. For a listing of time zone region names and their corresponding abbreviations, query the V\$TIMEZONE\_NAMES dynamic performance view.

This function can be very useful for manipulating datetime field values in very large tables, as shown in the first example below.

 **Note:**

Time zone region names are needed by the daylight saving feature. These names are stored in two types of time zone files: one large and one small. One of these files is the default file, depending on your environment and the release of Oracle Database you are using. For more information regarding time zone files and names, see *Oracle Database Globalization Support Guide*.

Some combinations of datetime field and datetime or interval value expression result in ambiguity. In these cases, Oracle Database returns UNKNOWN (see the examples that follow for additional information).

 See Also:

- *Oracle Database Globalization Support Guide* for a complete listing of the time zone region names in both files
- Appendix C in *Oracle Database Globalization Support Guide* for the collation derivation rules, which define the collation assigned to the character return value of EXTRACT
- [Datetime/Interval Arithmetic](#) for a description of *datetime\_value\_expr* and *interval\_value\_expr*
- *Oracle Database Reference* for information on the dynamic performance views

## Examples

The following example returns from the `oe.orders` table the number of orders placed in each month:

```
SELECT EXTRACT(month FROM order_date) "Month", COUNT(order_date) "No. of Orders"
FROM orders
GROUP BY EXTRACT(month FROM order_date)
ORDER BY "No. of Orders" DESC, "Month";
```

Month	No. of Orders
11	15
6	14
7	14
3	11
5	10
2	9
9	9
8	7
10	6
1	5
12	4
4	1

12 rows selected.

The following example returns the year 1998.

```
SELECT EXTRACT(YEAR FROM DATE '1998-03-07')
FROM DUAL;
```

```
EXTRACT(YEARFROMDATE'1998-03-07')
-----
1998
```

The following example selects from the sample table `hr.employees` all employees who were hired after 2007:

```
SELECT last_name, employee_id, hire_date
FROM employees
WHERE EXTRACT(YEAR FROM hire_date) > 2007
ORDER BY hire_date;
```

LAST_NAME	EMPLOYEE_ID	HIRE_DATE
Johnson	179	04-JAN-08
Grant	199	13-JAN-08
Marvins	164	24-JAN-08
. . .		

The following example results in ambiguity, so Oracle returns UNKNOWN:

```
SELECT EXTRACT(TIMEZONE_REGION FROM TIMESTAMP '1999-01-01 10:00:00 -08:00')
       FROM DUAL;
```

```
EXTRACT(TIMEZONE_REGIONFROMTIMESTAMP'1999-01-0110:00:00-08:00')
```

```
-----
UNKNOWN
```

The ambiguity arises because the time zone numerical offset is provided in the expression, and that numerical offset may map to more than one time zone region name.


## EXTRACT (XML)

### Note:

The `EXTRACT (XML)` function is deprecated. It is still supported for backward compatibility. However, Oracle recommends that you use the `XMLQUERY` function instead. See [XMLQUERY](#) for more information.

### Syntax

**extract\_xml::=**



### Purpose

`EXTRACT (XML)` is similar to the `EXISTSNODE` function. It applies a `VARCHAR2` XPath string and returns an `XMLType` instance containing an XML fragment. You can specify an absolute `XPath_string` with an initial slash or a relative `XPath_string` by omitting the initial slash. If you omit the initial slash, then the context of the relative path defaults to the root node. The optional `namespace_string` is required if the XML you are handling uses a namespace prefix. This argument must resolve to a `VARCHAR2` value that specifies a default mapping or namespace mapping for prefixes, which Oracle Database uses when evaluating the XPath expression(s).

### Examples

The following example extracts the value of the `/Warehouse/Dock` node of the XML path of the `warehouse_spec` column in the sample table `oe.warehouses`:

```

SELECT warehouse_name,
       EXTRACT(warehouse_spec, '/Warehouse/Docks') "Number of Docks"
FROM   warehouses
WHERE  warehouse_spec IS NOT NULL
ORDER BY warehouse_name;

```

WAREHOUSE_NAME	Number of Docks
New Jersey	
San Francisco	<Docks>1</Docks>
Seattle, Washington	<Docks>3</Docks>
Southlake, Texas	<Docks>2</Docks>


Compare this example with the example for [EXTRACTVALUE](#), which returns the scalar value of the XML fragment.

## EXTRACTVALUE

### Note:

The `EXTRACTVALUE` function is deprecated. It is still supported for backward compatibility. However, Oracle recommends that you use the `XMLTABLE` function, or the `XMLCAST` and `XMLQUERY` functions instead. See [XMLTABLE](#), [XMLCAST](#), and [XMLQUERY](#) for more information.

### Syntax



The `EXTRACTVALUE` function takes as arguments an `XMLType` instance and an XPath expression and returns a scalar value of the resultant node. The result must be a single node and be either a text node, attribute, or element. If the result is an element, then the element must have a single text node as its child, and it is this value that the function returns. You can specify an absolute `XPath_string` with an initial slash or a relative `XPath_string` by omitting the initial slash. If you omit the initial slash, the context of the relative path defaults to the root node.

If the specified XPath points to a node with more than one child, or if the node pointed to has a non-text node child, then Oracle returns an error. The optional `namespace_string` must resolve to a `VARCHAR2` value that specifies a default mapping or namespace mapping for prefixes, which Oracle uses when evaluating the XPath expression(s).

For documents based on XML schemas, if Oracle can infer the type of the return value, then a scalar value of the appropriate type is returned. Otherwise, the result is of type `VARCHAR2`. For documents that are not based on XML schemas, the return type is always `VARCHAR2`.

 **See Also:**

Appendix C in *Oracle Database Globalization Support Guide* for the collation derivation rules, which define the collation assigned to the character return value of EXTRACTVALUE

**Examples**

The following example takes as input the same arguments as the example for [EXTRACT \(XML\)](#) . Instead of returning an XML fragment, as does the EXTRACT function, it returns the scalar value of the XML fragment:


```
SELECT warehouse_name, EXTRACTVALUE(e.warehouse_spec, '/Warehouse/Docks') "Docks"
FROM warehouses e
WHERE warehouse_spec IS NOT NULL
ORDER BY warehouse_name;
```

WAREHOUSE_NAME	Docks
New Jersey	
San Francisco	1
Seattle, Washington	3
Southlake, Texas	2


# FEATURE\_COMPARE

**Syntax**

**feature\_compare::=**



**mining\_attribute\_clause::=**



**Purpose**

The FEATURE\_COMPARE function uses a Feature Extraction model to compare two different documents, including short ones such as keyword phrases or two attribute lists, for similarity

or dissimilarity. The `FEATURE_COMPARE` function can be used with Feature Extraction algorithms such as Singular Value Decomposition (SVD), Principal Component Analysis (PCA), Non-Negative Matrix Factorization (NMF), and Explicit Semantic Analysis (ESA). This function is applicable not only to documents, but also to numeric and categorical data.

The input to the `FEATURE_COMPARE` function is a single feature model built using the Feature Extraction algorithms of Oracle Machine Learning for SQL, such as NMF, SVD, and ESA. The double `USING` clause provides a mechanism to compare two different documents or constant keyword phrases, or any combination of the two, for similarity or dissimilarity using the extracted features in the model.

The syntax of the `FEATURE_COMPARE` function can use an optional `GROUPING` hint when scoring a partitioned model. See [GROUPING Hint](#).

### ***mining\_attribute\_clause***

The *mining\_attribute\_clause* identifies the column attributes to use as predictors for scoring. When the function is invoked with the analytic syntax, these predictors are also used for building the transient models. The *mining\_attribute\_clause* behaves as described for the `PREDICTION` function. See [mining\\_attribute\\_clause](#).

#### See Also:

- *Oracle Machine Learning for SQL User's Guide* for information about scoring
- *Oracle Machine Learning for SQL Concepts* for information about clustering

#### Note:

The following examples are excerpted from the Oracle Machine Learning for SQL sample programs. For more information about the sample programs, see Appendix A in *Oracle Machine Learning for SQL User's Guide*.

### **Examples**

An ESA model is built against a 2005 Wiki dataset rendering over 200,000 features. The documents are mined as text and the document titles are considered as the Feature IDs.

The examples show the `FEATURE_COMPARE` function with the ESA algorithm, which compares a similar set of texts and then a dissimilar set of texts.

#### **Similar texts**

```
SELECT 1-FEATURE_COMPARE(esa_wiki_mod USING 'There are several PGA tour golfers from
South Africa' text AND USING 'Nick Price won the 2002 Mastercard Colonial Open' text)
similarity FROM DUAL;
```

```
SIMILARITY
-----
.258
```

The output metric shows the results of a distance calculation. Therefore, a smaller number represents more similar texts. So 1 minus the distance in the queries represents a document similarity metric.

**Dissimilar texts**


```
SELECT 1-FEATURE_COMPARE(esa_wiki_mod USING 'There are several PGA tour golfers from South
Africa' text AND USING 'John Elway played quarterback for the Denver Broncos' text)
similarity FROM DUAL;
```

```
SIMILARITY
-----
.007
```

## FEATURE\_DETAILS


**Syntax**



*feature\_details::=*



**Analytic Syntax**

*feature\_details\_analytic::=*



***mining\_attribute\_clause::=******mining\_analytic\_clause::=*****See Also:**

"[Analytic Functions](#)" for information on the syntax, semantics, and restrictions of *mining\_analytic\_clause*

**Purpose**

`FEATURE_DETAILS` returns feature details for each row in the selection. The return value is an XML string that describes the attributes of the highest value feature or the specified *feature\_id*.

**topN**

If you specify a value for *topN*, the function returns the *N* attributes that most influence the feature value. If you do not specify *topN*, the function returns the 5 most influential attributes.

**DESC, ASC, or ABS**

The returned attributes are ordered by weight. The weight of an attribute expresses its positive or negative impact on the value of the feature. A positive weight indicates a higher feature value. A negative weight indicates a lower feature value.

By default, `FEATURE_DETAILS` returns the attributes with the highest positive weight (`DESC`). If you specify `ASC`, the attributes with the highest negative weight are returned. If you specify `ABS`, the attributes with the greatest weight, whether negative or positive, are returned. The results are ordered by absolute value from highest to lowest. Attributes with a zero weight are not included in the output.

**Syntax Choice**

`FEATURE_DETAILS` can score the data in one of two ways: It can apply a mining model object to the data, or it can dynamically mine the data by executing an analytic clause



that builds and applies one or more transient mining models. Choose **Syntax** or **Analytic Syntax**:

- **Syntax** — Use the first syntax to score the data with a pre-defined model. Supply the name of a feature extraction model.
- **Analytic Syntax** — Use the analytic syntax to score the data without a pre-defined model. Include `INTO n`, where *n* is the number of features to extract, and `mining_analytic_clause`, which specifies if the data should be partitioned for multiple model builds. The `mining_analytic_clause` supports a `query_partition_clause` and an `order_by_clause`. (See "[analytic\\_clause::="](#).)

The syntax of the `FEATURE_DETAILS` function can use an optional `GROUPING` hint when scoring a partitioned model. See [GROUPING Hint](#).

### mining\_attribute\_clause

`mining_attribute_clause` identifies the column attributes to use as predictors for scoring. When the function is invoked with the analytic syntax, these predictors are also used for building the transient models. The `mining_attribute_clause` behaves as described for the `PREDICTION` function. (See "[mining\\_attribute\\_clause::="](#).)

#### See Also:

- *Oracle Machine Learning for SQL User's Guide* for information about scoring.
- *Oracle Machine Learning for SQL Concepts* for information about feature extraction.

#### Note:

The following examples are excerpted from the *Oracle Machine Learning for SQL* sample programs. For more information about the sample programs, see Appendix A in *Oracle Machine Learning for SQL User's Guide*.

### Example

This example uses the feature extraction model `nmf_sh_sample` to score the data. The query returns the three features that best represent customer 100002 and the attributes that most affect those features.

```
SELECT S.feature_id fid, value val,
       FEATURE_DETAILS(nmf_sh_sample, S.feature_id, 5 using T.*) det
FROM
  (SELECT v.*, FEATURE_SET(nmf_sh_sample, 3 USING *) fset
   FROM mining_data_apply_v v
   WHERE cust_id = 100002) T,
  TABLE(T.fset) S
ORDER BY 2 DESC;
```

FID	VAL	DET
5	3.492	<Details algorithm="Non-Negative Matrix Factorization" feature="5">

```

<Attribute name="BULK_PACK_DISKETTES" actualValue="1" weight=".077" rank="1"/>
<Attribute name="OCCUPATION" actualValue="Prof." weight=".062" rank="2"/>
<Attribute name="BOOKKEEPING_APPLICATION" actualValue="1" weight=".001" rank="3"/>
<Attribute name="OS_DOC_SET_KANJI" actualValue="0" weight="0" rank="4"/>
<Attribute name="YRS_RESIDENCE" actualValue="4" weight="0" rank="5"/>
</Details>
3 1.928 <Details algorithm="Non-Negative Matrix Factorization" feature="3">
<Attribute name="HOUSEHOLD_SIZE" actualValue="2" weight=".239" rank="1"/>
<Attribute name="CUST_INCOME_LEVEL" actualValue="L: 300\,000 and above"
weight=".051" rank="2"/>
<Attribute name="FLAT_PANEL_MONITOR" actualValue="1" weight=".02" rank="3"/>
<Attribute name="HOME_THEATER_PACKAGE" actualValue="1" weight=".006" rank="4"/>
<Attribute name="AGE" actualValue="41" weight=".004" rank="5"/>
</Details>
8 .816 <Details algorithm="Non-Negative Matrix Factorization" feature="8">
<Attribute name="EDUCATION" actualValue="Bach." weight=".211" rank="1"/>
<Attribute name="CUST_MARITAL_STATUS" actualValue="NeverM" weight=".143" rank="2"/>
<Attribute name="FLAT_PANEL_MONITOR" actualValue="1" weight=".137" rank="3"/>
<Attribute name="CUST_GENDER" actualValue="F" weight=".044" rank="4"/>
<Attribute name="BULK_PACK_DISKETTES" actualValue="1" weight=".032" rank="5"/>
</Details>

```

### Analytic Example

This example dynamically maps customer attributes into six features and returns the feature mapping for customer 100001.

```

SELECT feature_id, value
FROM (
  SELECT cust_id, feature_set(INTO 6 USING *) OVER () fset
  FROM mining_data_apply_v,
  TABLE (fset)
  WHERE cust_id = 100001
  ORDER BY feature_id;


```

FEATURE_ID	VALUE
1	2.670
2	.000
3	1.792
4	.000
5	.000
6	3.379

## FEATURE\_ID


### Syntax

**feature\_id::=**




## Analytic Syntax


**feature\_id\_analytic::=**



**mining\_attribute\_clause::=**



**mining\_analytic\_clause::=**



### See Also:

"[Analytic Functions](#)" for information on the syntax, semantics, and restrictions of `mining_analytic_clause`

## Purpose

`FEATURE_ID` returns the identifier of the highest value feature for each row in the selection. The feature identifier is returned as an Oracle `NUMBER`.

## Syntax Choice

`FEATURE_ID` can score the data in one of two ways: It can apply a mining model object to the data, or it can dynamically mine the data by executing an analytic clause that builds and applies one or more transient mining models. Choose **Syntax** or **Analytic Syntax**:

- **Syntax** — Use the first syntax to score the data with a pre-defined model. Supply the name of a feature extraction model.
- **Analytic Syntax** — Use the analytic syntax to score the data without a pre-defined model. Include `INTO n`, where `n` is the number of features to extract, and `mining_analytic_clause`, which specifies if the data should be partitioned for multiple model builds. The `mining_analytic_clause` supports a `query_partition_clause` and an `order_by_clause`. (See "[analytic\\_clause::=](#)".)

The syntax of the `FEATURE_ID` function can use an optional `GROUPING` hint when scoring a partitioned model. See [GROUPING Hint](#).

### mining\_attribute\_clause

`mining_attribute_clause` identifies the column attributes to use as predictors for scoring. When the function is invoked with the analytic syntax, these predictors are also used for building the transient models. The `mining_attribute_clause` behaves as described for the `PREDICTION` function. (See "[mining\\_attribute\\_clause::=](#)".)

#### See Also:

- *Oracle Machine Learning for SQL User's Guide* for information about scoring.
- *Oracle Machine Learning for SQL Concepts* for information about feature extraction.

#### Note:

The following example is excerpted from the *Oracle Machine Learning for SQL* sample programs. For more information about the sample programs, see Appendix A in *Oracle Machine Learning for SQL User's Guide*.

### Example

This example lists the features and corresponding count of customers in a data set.


```
SELECT FEATURE_ID(nmf_sh_sample USING *) AS feat, COUNT(*) AS cnt
FROM nmf_sh_sample_apply_prepared
GROUP BY FEATURE_ID(nmf_sh_sample USING *)
ORDER BY cnt DESC, feat DESC;
```

FEAT	CNT
7	1443
2	49
3	6
6	1
1	1

## FEATURE\_SET


### Syntax

**`feature_set::=`**




## Analytic Syntax


**feature\_set\_analytic::=**



**mining\_attribute\_clause::=**



**mining\_analytic\_clause::=**



### See Also:

"[Analytic Functions](#)" for information on the syntax, semantics, and restrictions of *mining\_analytic\_clause*

### Purpose

FEATURE\_SET returns a set of feature ID and feature value pairs for each row in the selection. The return value is a varray of objects with field names FEATURE\_ID and VALUE. The data type of both fields is NUMBER.

### topN and cutoff

You can specify *topN* and *cutoff* to limit the number of features returned by the function. By default, both *topN* and *cutoff* are null and all features are returned.

- *topN* is the *N* highest value features. If multiple features have the *M*th value, then the function chooses one of them.

- *cutoff* is a value threshold. Only features that are greater than or equal to *cutoff* are returned. To filter by *cutoff* only, specify NULL for *topN*.

To return up to *N* features that are greater than or equal to *cutoff*, specify both *topN* and *cutoff*.

### Syntax Choice

FEATURE\_SET can score the data in one of two ways: It can apply a mining model object to the data, or it can dynamically mine the data by executing an analytic clause that builds and applies one or more transient mining models. Choose **Syntax** or **Analytic Syntax**:

- **Syntax** — Use the first syntax to score the data with a pre-defined model. Supply the name of a feature extraction model.
- **Analytic Syntax** — Use the analytic syntax to score the data without a pre-defined model. Include INTO *n*, where *n* is the number of features to extract, and *mining\_analytic\_clause*, which specifies if the data should be partitioned for multiple model builds. The *mining\_analytic\_clause* supports a *query\_partition\_clause* and an *order\_by\_clause*. (See "[analytic\\_clause::=](#)".)

The syntax of the FEATURE\_SET function can use an optional GROUPING hint when scoring a partitioned model. See [GROUPING Hint](#).

### mining\_attribute\_clause

*mining\_attribute\_clause* identifies the column attributes to use as predictors for scoring. When the function is invoked with the analytic syntax, these predictors are also used for building the transient models. The *mining\_attribute\_clause* behaves as described for the PREDICTION function. (See "[mining\\_attribute\\_clause::=](#)".)

#### See Also:

- *Oracle Machine Learning for SQL User's Guide* for information about scoring.
- *Oracle Machine Learning for SQL Concepts* for information about feature extraction.

#### Note:

The following example is excerpted from the *Oracle Machine Learning for SQL* sample programs. For more information about the sample programs, see Appendix A in *Oracle Machine Learning for SQL User's Guide*.

### Example

This example lists the top features corresponding to a given customer record and determines the top attributes for each feature (based on coefficient > 0.25).

```
WITH
feat_tab AS (
```

```

SELECT F.feature_id fid,
       A.attribute_name attr,
       TO_CHAR(A.attribute_value) val,
       A.coefficient coeff
  FROM TABLE(DBMS_DATA_MINING.GET_MODEL_DETAILS_NMF('nmf_sh_sample')) F,
       TABLE(F.attribute_set) A
 WHERE A.coefficient > 0.25
),
feat AS (
SELECT fid,
       CAST(COLLECT(Featattr(attr, val, coeff))
            AS Featattrs) f_attrs
  FROM feat_tab
GROUP BY fid
),
cust_10_features AS (
SELECT T.cust_id, S.feature_id, S.value
  FROM (SELECT cust_id, FEATURE_SET(nmf_sh_sample, 10 USING *) pset
        FROM nmf_sh_sample_apply_prepared
        WHERE cust_id = 100002) T,
        TABLE(T.pset) S
)
SELECT A.value, A.feature_id fid,
       B.attr, B.val, B.coeff
  FROM cust_10_features A,
       (SELECT T.fid, F.*
        FROM feat T,
             TABLE(T.f_attrs) F) B
 WHERE A.feature_id = B.fid
ORDER BY A.value DESC, A.feature_id ASC, coeff DESC, attr ASC, val ASC;


```

VALUE	FID	ATTR	VAL	COEFF
6.8409	7	YRS_RESIDENCE		1.3879
6.8409	7	BOOKKEEPING_APPLICATION		.4388
6.8409	7	CUST_GENDER	M	.2956
6.8409	7	COUNTRY_NAME	United States of America	.2848
6.4975	3	YRS_RESIDENCE		1.2668
6.4975	3	BOOKKEEPING_APPLICATION		.3465
6.4975	3	COUNTRY_NAME	United States of America	.2927
6.4886	2	YRS_RESIDENCE		1.3285
6.4886	2	CUST_GENDER	M	.2819
6.4886	2	PRINTER_SUPPLIES		.2704
6.3953	4	YRS_RESIDENCE		1.2931
5.9640	6	YRS_RESIDENCE		1.1585
5.9640	6	HOME_THEATER_PACKAGE		.2576
5.2424	5	YRS_RESIDENCE		1.0067
2.4714	8	YRS_RESIDENCE		.3297
2.3559	1	YRS_RESIDENCE		.2768
2.3559	1	FLAT_PANEL_MONITOR		.2593

## FEATURE\_VALUE


### Syntax

**feature\_value::=**




## Analytic Syntax


***feature\_value\_analytic***::=



***mining\_attribute\_clause***::=



***mining\_analytic\_clause***::=



### See Also:

"[Analytic Functions](#)" for information on the syntax, semantics, and restrictions of *mining\_analytic\_clause*

## Purpose

FEATURE\_VALUE returns a feature value for each row in the selection. The value refers to the highest value feature or to the specified *feature\_id*. The feature value is returned as BINARY\_DOUBLE.

## Syntax Choice

FEATURE\_VALUE can score the data in one of two ways: It can apply a mining model object to the data, or it can dynamically mine the data by executing an analytic clause that builds and applies one or more transient mining models. Choose **Syntax** or **Analytic Syntax**:



- **Syntax** — Use the first syntax to score the data with a pre-defined model. Supply the name of a feature extraction model.
- **Analytic Syntax** — Use the analytic syntax to score the data without a pre-defined model. Include `INTO n`, where `n` is the number of features to extract, and `mining_analytic_clause`, which specifies if the data should be partitioned for multiple model builds. The `mining_analytic_clause` supports a `query_partition_clause` and an `order_by_clause`. (See "[analytic\\_clause::="](#).)

The syntax of the `FEATURE_VALUE` function can use an optional `GROUPING` hint when scoring a partitioned model. See [GROUPING Hint](#).

### mining\_attribute\_clause

`mining_attribute_clause` identifies the column attributes to use as predictors for scoring. When the function is invoked with the analytic syntax, this data is also used for building the transient models. The `mining_attribute_clause` behaves as described for the `PREDICTION` function. (See "[mining\\_attribute\\_clause::="](#).)

#### See Also:

- *Oracle Machine Learning for SQL User's Guide* for information about scoring.
- *Oracle Machine Learning for SQL Concepts* for information about feature extraction.

#### Note:

The following example is excerpted from the *Oracle Machine Learning for SQL* sample programs. For more information about the sample programs, see Appendix A in *Oracle Machine Learning for SQL User's Guide*.

### Example

The following example lists the customers that correspond to feature 3, ordered by match quality.

```
SELECT *
  FROM (SELECT cust_id, FEATURE_VALUE(nmf_sh_sample, 3 USING *) match_quality
        FROM nmf_sh_sample_apply_prepared
        ORDER BY match_quality DESC)
 WHERE ROWNUM < 11;
```


CUST_ID	MATCH_QUALITY
100210	19.4101627
100962	15.2482251
101151	14.5685197
101499	14.4186292
100363	14.4037396
100372	14.3335148
100982	14.1716545
101039	14.1079914

```
100759    14.0913761
100953    14.0799737
```

## FIRST

### Syntax

**first::=**



### See Also:

"[Analytic Functions](#)" for information on syntax, semantics, and restrictions of the `ORDER BY` clause and `OVER` clause

### Purpose

`FIRST` and `LAST` are very similar functions. Both are aggregate and analytic functions that operate on a set of values from a set of rows that rank as the `FIRST` or `LAST` with respect to a given sorting specification. If only one row ranks as `FIRST` or `LAST`, then the aggregate operates on the set with only one element.

If you omit the `OVER` clause, then the `FIRST` and `LAST` functions are treated as aggregate functions. You can use these functions as analytic functions by specifying the `OVER` clause. The `query_partition_clause` is the only part of the `OVER` clause valid with these functions. If you include the `OVER` clause but omit the `query_partition_clause`, then the function is treated as an analytic function, but the window defined for analysis is the entire table.

These functions take as an argument any numeric data type or any nonnumeric data type that can be implicitly converted to a numeric data type. The function returns the same data type as the numeric data type of the argument.

When you need a value from the first or last row of a sorted group, but the needed value is not the sort key, the `FIRST` and `LAST` functions eliminate the need for self-joins or views and enable better performance.

- The *aggregate\_function* argument is any one of the MIN, MAX, SUM, AVG, COUNT, VARIANCE, or STDDEV functions. It operates on values from the rows that rank either FIRST or LAST. If only one row ranks as FIRST or LAST, then the aggregate operates on a singleton (nonaggregate) set.
- The KEEP keyword is for semantic clarity. It qualifies *aggregate\_function*, indicating that only the FIRST or LAST values of *aggregate\_function* will be returned.
- DENSE\_RANK FIRST or DENSE\_RANK LAST indicates that Oracle Database will aggregate over only those rows with the minimum (FIRST) or the maximum (LAST) dense rank (also called olympic rank).



### See Also:

Table 2-9 for more information on implicit conversion and [LAST](#)

### Aggregate Example

The following example returns, within each department of the sample table `hr.employees`, the minimum salary among the employees who make the lowest commission and the maximum salary among the employees who make the highest commission:

```
SELECT department_id,
       MIN(salary) KEEP (DENSE_RANK FIRST ORDER BY commission_pct) "Worst",
       MAX(salary) KEEP (DENSE_RANK LAST ORDER BY commission_pct) "Best"
FROM employees
GROUP BY department_id
ORDER BY department_id;
```

DEPARTMENT_ID	Worst	Best
10	4400	4400
20	6000	13000
30	2500	11000
40	6500	6500
50	2100	8200
60	4200	9000
70	10000	10000
80	6100	14000
90	17000	24000
100	6900	12008
110	8300	12008
	7000	7000

### Analytic Example


The next example makes the same calculation as the previous example but returns the result for each employee within the department:

```
SELECT last_name, department_id, salary,
       MIN(salary) KEEP (DENSE_RANK FIRST ORDER BY commission_pct)
       OVER (PARTITION BY department_id) "Worst",
       MAX(salary) KEEP (DENSE_RANK LAST ORDER BY commission_pct)
       OVER (PARTITION BY department_id) "Best"
FROM employees
ORDER BY department_id, salary, last_name;
```

LAST_NAME	DEPARTMENT_ID	SALARY	Worst	Best
Whalen	10	4400	4400	4400
Fay	20	6000	6000	13000
Hartstein	20	13000	6000	13000
. . .				
Gietz	110	8300	8300	12008
Higgins	110	12008	8300	12008
Grant		7000	7000	7000

## FIRST\_VALUE

### Syntax



#### See Also:

"[Analytic Functions](#)" for information on syntax, semantics, and restrictions, including valid forms of *expr*

### Purpose

`FIRST_VALUE` is an analytic function. It returns the first value in an ordered set of values. If the first value in the set is null, then the function returns `NULL` unless you specify `IGNORE NULLS`. This setting is useful for data densification.

#### Note:

The two forms of this syntax have the same behavior. The top branch is the ANSI format, which Oracle recommends for ANSI compatibility.

`{RESPECT | IGNORE} NULLS` determines whether null values of *expr* are included in or eliminated from the calculation. The default is `RESPECT NULLS`. If you specify `IGNORE NULLS`, then `FIRST_VALUE` returns the first non-null value in the set, or `NULL` if all values are null. Refer to "[Using Partitioned Outer Joins: Examples](#)" for an example of data densification.

You cannot nest analytic functions by using `FIRST_VALUE` or any other analytic function for *expr*. However, you can use other built-in function expressions for *expr*. Refer to "[About SQL Expressions](#)" for information on valid forms of *expr*.

 See Also:

Appendix C in *Oracle Database Globalization Support Guide* for the collation derivation rules, which define the collation assigned to the return value of `FIRST_VALUE` when it is a character value

**Examples**

The following example selects, for each employee in Department 90, the name of the employee with the lowest salary.

```
SELECT employee_id, last_name, salary, hire_date,
       FIRST_VALUE(last_name)
         OVER (ORDER BY salary ASC ROWS UNBOUNDED PRECEDING) AS fv
FROM (SELECT * FROM employees
      WHERE department_id = 90
      ORDER BY hire_date);
```

EMPLOYEE_ID	LAST_NAME	SALARY	HIRE_DATE	FV
102	De Haan	17000	13-JAN-01	De Haan
101	Kochhar	17000	21-SEP-05	De Haan
100	King	24000	17-JUN-03	De Haan

The example illustrates the nondeterministic nature of the `FIRST_VALUE` function. Kochhar and DeHaan have the same salary, so are in adjacent rows. Kochhar appears first because the rows returned by the subquery are ordered by `hire_date`. However, if the rows returned by the subquery are ordered by `hire_date` in descending order, as in the next example, then the function returns a different value:

```
SELECT employee_id, last_name, salary, hire_date,
       FIRST_VALUE(last_name)
         OVER (ORDER BY salary ASC ROWS UNBOUNDED PRECEDING) AS fv
FROM (SELECT * FROM employees
      WHERE department_id = 90
      ORDER by hire_date DESC);
```

EMPLOYEE_ID	LAST_NAME	SALARY	HIRE_DATE	FV
101	Kochhar	17000	21-SEP-05	Kochhar
102	De Haan	17000	13-JAN-01	Kochhar
100	King	24000	17-JUN-03	Kochhar

The following two examples show how to make the `FIRST_VALUE` function deterministic by ordering on a unique key. By ordering within the function by both salary and the unique key `employee_id`, you can ensure the same result regardless of the ordering in the subquery.

```
SELECT employee_id, last_name, salary, hire_date,
       FIRST_VALUE(last_name)
         OVER (ORDER BY salary ASC, employee_id ROWS UNBOUNDED PRECEDING) AS fv
FROM (SELECT * FROM employees
      WHERE department_id = 90
      ORDER BY hire_date);
```

EMPLOYEE_ID	LAST_NAME	SALARY	HIRE_DATE	FV
-------------	-----------	--------	-----------	----

```

101 Kochhar          17000 21-SEP-05 Kochhar
102 De Haan         17000 13-JAN-01 Kochhar
100 King            24000 17-JUN-03 Kochhar

```

```

SELECT employee_id, last_name, salary, hire_date,
       FIRST_VALUE(last_name)
         OVER (ORDER BY salary ASC, employee_id ROWS UNBOUNDED PRECEDING) AS fv
FROM (SELECT * FROM employees
      WHERE department_id = 90
      ORDER BY hire_date DESC);

```

```

EMPLOYEE_ID LAST_NAME          SALARY HIRE_DATE FV
-----
101 Kochhar          17000 21-SEP-05 Kochhar
102 De Haan         17000 13-JAN-01 Kochhar
100 King            24000 17-JUN-03 Kochhar

```

The following two examples show that the `FIRST_VALUE` function is deterministic when you use a logical offset (`RANGE` instead of `ROWS`). When duplicates are found for the `ORDER BY` expression, the `FIRST_VALUE` is the lowest value of `expr`:

```

SELECT employee_id, last_name, salary, hire_date,
       FIRST_VALUE(last_name)
         OVER (ORDER BY salary ASC RANGE UNBOUNDED PRECEDING) AS fv
FROM (SELECT * FROM employees
      WHERE department_id = 90
      ORDER BY hire_date);

```

```

EMPLOYEE_ID LAST_NAME          SALARY HIRE_DATE FV
-----
102 De Haan          17000 13-JAN-01 De Haan
101 Kochhar          17000 21-SEP-05 De Haan
100 King            24000 17-JUN-03 De Haan

```

```

SELECT employee_id, last_name, salary, hire_date,
       FIRST_VALUE(last_name)
         OVER (ORDER BY salary ASC RANGE UNBOUNDED PRECEDING) AS fv
FROM (SELECT * FROM employees
      WHERE department_id = 90
      ORDER BY hire_date DESC);

```


```

EMPLOYEE_ID LAST_NAME          SALARY HIRE_DATE FV
-----
102 De Haan          17000 13-JAN-01 De Haan
101 Kochhar          17000 21-SEP-05 De Haan
100 King            24000 17-JUN-03 De Haan

```

## FLOOR (datetime)

### Syntax



## Purpose

`FLOOR(datetime)` returns the date or the timestamp rounded down to the unit specified by the second argument *fmt*, the format model. This function is not sensitive to the `NLS_CALENDAR` session parameter. It operates according to the rules of the Gregorian calendar. The value returned is always of data type `DATE`, even if you specify a different datetime data type for the first argument. If you do not specify the second argument, the default format model 'DD' is used.

The `FLOOR` and `TRUNC` functions are synonymous for dates and timestamps.



### See Also:

Refer to [CEIL, FLOOR, ROUND, and TRUNC Date Functions](#) for the permitted format models to use in *fmt*.

## Examples

For these examples `NLS_DATE_FORMAT` is set:

```
ALTER SESSION SET NLS_DATE_FORMAT = 'DD-MON-YYYY HH24:MI:SS';
```

```
SELECT FLOOR(TO_DATE ('28-FEB-2023','DD-MON-YYYY'), 'MM') AS month_floor;
```

```
MONTH_FLOOR
-----
01-FEB-2023 00:00:00
```

```
SELECT FLOOR(TO_TIMESTAMP ('28-FEB-2023 14:10:10','DD-MON-YYYY HH24:MI:SS'),'HH24') AS
hour_floor;
```

```
HOUR_FLOOR
-----
28-FEB-2023 14:00:00
```

# FLOOR (interval)

## Syntax



## Purpose

`FLOOR(interval)` returns the interval rounded down to the unit specified by the second argument *fmt*, the format model .

The result of `FLOOR(interval)` is never larger than *interval* . The result precision for year and day is the input precision for year plus one and day plus one, since `FLOOR(interval)` can have overflow . If an interval already has the maximum precision for year and day, the statement compiles but errors at runtime.

For INTERVAL YEAR TO MONTH, *fmt* can only be year. The default *fmt* is year.

For INTERVAL DAY TO SECOND, *fmt* can be day, hour and minute. The default *fmt* is day. Note that *fmt* does not support second.

FLOOR(interval) supports the format models of ROUND and TRUNC.



### See Also:

Refer to [CEIL, FLOOR, ROUND, and TRUNC Date Functions](#) for the permitted format models to use in *fmt*.

## Examples

```
SELECT FLOOR(INTERVAL '+123-5' YEAR(3) TO MONTH) as year_floor;
```

```
YEAR_FLOOR
```

```
-----  
+000000123-00
```

```
SELECT FLOOR(INTERVAL '+99-11' YEAR(2) TO MONTH, 'YEAR') as year_floor;
```

```
YEAR_FLOOR
```

```
-----  
+000000099-00
```

```
SELECT FLOOR(INTERVAL '+4 12:42:10.222' DAY(2) TO SECOND(3), 'DD') as year_floor;
```

```
YEAR_FLOOR
```

```
-----  
+000000004 00:00:00.000000000
```

# FLOOR (number)

## Syntax

```
→ FLOOR ( ( n ) ) →
```

## Purpose

FLOOR returns the largest integer equal to or less than *n*. The number *n* can always be written as the sum of an integer *k* and a positive fraction *f* such that  $0 \leq f < 1$  and  $n = k + f$ . The value of FLOOR is the integer *k*. Thus, the value of FLOOR is *n* itself if and only if *n* is precisely an integer.

This function takes as an argument any numeric data type or any nonnumeric data type that can be implicitly converted to a numeric data type. The function returns the same data type as the numeric data type of the argument.





**See Also:**

Table 2-9 for more information on implicit conversion and [CEIL \(number\)](#)

**Examples**

The following example returns the largest integer equal to or less than 15.7:


```
SELECT FLOOR(15.7) "Floor"
FROM DUAL;
```

```

Floor
-----
      15
```

## FROM\_TZ

**Syntax**



**Purpose**

FROM\_TZ converts a timestamp value and a time zone to a **TIMESTAMP WITH TIME ZONE** value. *time\_zone\_value* is a character string in the format 'TZH:TZM' or a character expression that returns a string in TZR with optional TZD format.

**Examples**

The following example returns a timestamp value to **TIMESTAMP WITH TIME ZONE**:


```
SELECT FROM_TZ(TIMESTAMP '2000-03-28 08:00:00', '3:00')
FROM DUAL;
```

```

FROM_TZ(TIMESTAMP'2000-03-2808:00:00','3:00')
-----
28-MAR-00 08.00.000000000 AM +03:00
```

## FROM\_VECTOR

**Syntax**



## Purpose

FROM\_VECTOR takes a vector as input and returns a string of type VARCHAR2 or CLOB as output.

If VARCHAR2 is specified without size, the size of the returned value size is 32767.

There is no support to convert to CHAR, NCHAR, and NVARCHAR2.

FROM\_VECTOR is synonymous with VECTOR\_SERIALIZE.

### See Also:

- [VECTOR\\_SERIALIZE](#)
- [Vector Functions](#)

## Parameters

*expr* must evaluate to a vector. The function returns NULL if *expr* is NULL.

## Examples

```
SELECT FROM_VECTOR(TO_VECTOR(' [1, 2, 3] ')) ;
```

```
FROM_VECTOR(TO_VECTOR(' [1,2,3] '))
```

```
-----  
[1.0E+000,2.0E+000,3.0E+000]
```

```
1 row selected.
```

```
SELECT FROM_VECTOR(TO_VECTOR(' [1.1, 2.2, 3.3] ', 3, FLOAT32) ) ;
```

```
FROM_VECTOR(TO_VECTOR(' [1.1,2.2,3.3] ',3,FLOAT32))
```

```
-----  
[1.10000002E+000,2.20000005E+000,3.29999995E+000]
```

```
1 row selected.
```

```
SELECT FROM_VECTOR( TO_VECTOR(' [1.1, 2.2, 3.3] ', 3, FLOAT32) RETURNING  
VARCHAR2(1000)) ;
```

```
FROM_VECTOR(TO_VECTOR(' [1.1,2.2,3.3] ',3,FLOAT32) RETURNING VARCHAR2(1000))
```

```
-----  
[1.10000002E+000,2.20000005E+000,3.29999995E+000]
```

```
1 row selected.
```

```

SELECT FROM_VECTOR(TO_VECTOR('[1.1, 2.2, 3.3]', 3, FLOAT32) RETURNING CLOB );

FROM_VECTOR(TO_VECTOR('[1.1,2.2,3.3]',3,FLOAT32)RETURNINGCLOB)

-----

[1.10000002E+000,2.20000005E+000,3.29999995E+000]

1 row selected.

```

### Note:

- Applications using Oracle Client 23ai libraries or Thin mode drivers can fetch vector data directly, as shown in the following example:


```
SELECT dataVec FROM vecTab;
```

- For applications using Oracle Client 23ai libraries prior to 23ai connected to Oracle Database 23ai, use the `FROM_VECTOR` to fetch vector data, as shown by the following example:

```
SELECT FROM_VECTOR(dataVec) FROM vecTab;
```

## GREATEST

### Syntax



### Purpose

`GREATEST` returns the greatest of a list of one or more expressions. Oracle Database uses the first *expr* to determine the return type. If the first *expr* is numeric, then Oracle determines the argument with the highest numeric precedence, implicitly converts the remaining arguments to that data type before the comparison, and returns that data type. If the first *expr* is not numeric, then each *expr* after the first is implicitly converted to the data type of the first *expr* before the comparison.

Oracle Database compares each *expr* using nonpadded comparison semantics. The comparison is binary by default and is linguistic if the `NLS_COMP` parameter is set to `LINGUISTIC` and the `NLS_SORT` parameter has a setting other than `BINARY`. Character comparison is based on the numerical codes of the characters in the database character set and is performed on whole strings treated as one sequence of bytes, rather than character by character. If the value returned by this function is character data, then its data type is `VARCHAR2` if the first *expr* is a character data type and `NVARCHAR2` if the first *expr* is a national character data type.

 See Also:

- "Data Type Comparison Rules " for more information on character comparison
- Table 2-9 for more information on implicit conversion and "Floating-Point Numbers " for information on binary-float comparison semantics
- "LEAST ", which returns the least of a list of one or more expressions
- Appendix C in *Oracle Database Globalization Support Guide* for the collation determination rules, which define the collation `GREATEST` uses to compare character values for `expr`, and for the collation derivation rules, which define the collation assigned to the return value of this function when it is a character value

**Examples**

The following statement selects the string with the greatest value:

```
SELECT GREATEST('HARRY', 'HARRIOT', 'HAROLD') "Greatest"
FROM DUAL;
```


```
Greatest
-----
HARRY
```

In the following statement, the first argument is numeric. Oracle Database determines that the argument with the highest numeric precedence is the second argument, converts the remaining arguments to the data type of the second argument, and returns the greatest value as that data type:

```
SELECT GREATEST (1, '3.925', '2.4') "Greatest"
FROM DUAL;
```

```
Greatest
-----
3.925
```

## GROUP\_ID

**Syntax**


```
GROUP_ID ( )
```

**Purpose**

`GROUP_ID` distinguishes duplicate groups resulting from a `GROUP BY` specification. It is useful in filtering out duplicate groupings from the query result. It returns an Oracle `NUMBER` to uniquely identify duplicate groups. This function is applicable only in a `SELECT` statement that contains a `GROUP BY` clause.

If  $n$  duplicates exist for a particular grouping, then `GROUP_ID` returns numbers in the range 0 to  $n-1$ .

## Examples

The following example assigns the value 1 to the duplicate `co.country_region` grouping from a query on the sample tables `sh.countries` and `sh.sales`:

```
SELECT co.country_region, co.country_subregion,
       SUM(s.amount_sold) "Revenue", GROUP_ID() g
FROM sales s, customers c, countries co
WHERE s.cust_id = c.cust_id
      AND c.country_id = co.country_id
      AND s.time_id = '1-JAN-00'
      AND co.country_region IN ('Americas', 'Europe')
GROUP BY GROUPING SETS ( (co.country_region, co.country_subregion),
                          (co.country_region, co.country_subregion) )
ORDER BY co.country_region, co.country_subregion, "Revenue", g;
```


COUNTRY_REGION	COUNTRY_SUBREGION	Revenue	G
Americas	Northern America	944.6	0
Americas	Northern America	944.6	1
Europe	Western Europe	566.39	0
Europe	Western Europe	566.39	1

To ensure that only rows with `GROUP_ID < 1` are returned, add the following `HAVING` clause to the end of the statement :

```
HAVING GROUP_ID() < 1
```

# GROUPING

## Syntax



## Purpose

`GROUPING` distinguishes superaggregate rows from regular grouped rows. `GROUP BY` extensions such as `ROLLUP` and `CUBE` produce superaggregate rows where the set of all values is represented by null. Using the `GROUPING` function, you can distinguish a null representing the set of all values in a superaggregate row from a null in a regular row.

The `expr` in the `GROUPING` function must match one of the expressions in the `GROUP BY` clause. The function returns a value of 1 if the value of `expr` in the row is a null representing the set of all values. Otherwise, it returns zero. The data type of the value returned by the `GROUPING` function is Oracle `NUMBER`. Refer to the [SELECT group\\_by\\_clause](#) for a discussion of these terms.

## Examples

In the following example, which uses the sample tables `hr.departments` and `hr.employees`, if the `GROUPING` function returns 1 (indicating a superaggregate row rather than a regular row from the table), then the string "All Jobs" appears in the "JOB" column instead of the null that would otherwise appear:

```


SELECT
    DECODE(GROUPING(department_name), 1, 'ALL DEPARTMENTS', department_name)
      AS department,
    DECODE(GROUPING(job_id), 1, 'All Jobs', job_id) AS job,
    COUNT(*) "Total Empl",
    AVG(salary) * 12 "Average Sal"
FROM employees e, departments d
WHERE d.department_id = e.department_id
GROUP BY ROLLUP (department_name, job_id)
ORDER BY department, job;

```

DEPARTMENT	JOB	Total Empl	Average Sal
ALL DEPARTMENTS	All Jobs	106	77481.0566
Accounting	AC_ACCOUNT	1	99600
Accounting	AC_MGR	1	144096
Accounting	All Jobs	2	121848
Administration	AD_ASST	1	52800
Administration	All Jobs	1	52800
Executive	AD_PRES	1	288000
Executive	AD_VP	2	204000
Executive	All Jobs	3	232000
Finance	All Jobs	6	103216
Finance	FI_ACCOUNT	5	95040
. . .			

## GROUPING\_ID

### Syntax



### Purpose

**GROUPING\_ID** returns a number corresponding to the **GROUPING** bit vector associated with a row. **GROUPING\_ID** is applicable only in a **SELECT** statement that contains a **GROUP BY** extension, such as **ROLLUP** or **CUBE**, and a **GROUPING** function. In queries with many **GROUP BY** expressions, determining the **GROUP BY** level of a particular row requires many **GROUPING** functions, which leads to cumbersome SQL. **GROUPING\_ID** is useful in these cases.

**GROUPING\_ID** is functionally equivalent to taking the results of multiple **GROUPING** functions and concatenating them into a bit vector (a string of ones and zeros). By using **GROUPING\_ID** you can avoid the need for multiple **GROUPING** functions and make row filtering conditions easier to express. Row filtering is easier with **GROUPING\_ID** because the desired rows can be identified with a single condition of **GROUPING\_ID = n**. The function is especially useful when storing multiple levels of aggregation in a single table.

## Examples

The following example shows how to extract grouping IDs from a query of the sample table `sh.sales`:

```

SELECT channel_id, promo_id, sum(amount_sold) s_sales,
       GROUPING(channel_id) gc,
       GROUPING(promo_id) gp,
       GROUPING_ID(channel_id, promo_id) gcp,
       GROUPING_ID(promo_id, channel_id) gpc
FROM sales
WHERE promo_id > 496
GROUP BY CUBE(channel_id, promo_id)
ORDER BY channel_id, promo_id, s_sales, gc;

```

CHANNEL_ID	PROMO_ID	S_SALES	GC	GP	GCP	GPC
2	999	25797563.2	0	0	0	0
2		25797563.2	0	1	1	2
3	999	55336945.1	0	0	0	0
3		55336945.1	0	1	1	2
4	999	13370012.5	0	0	0	0
4		13370012.5	0	1	1	2
	999	94504520.8	1	0	2	1
		94504520.8	1	1	3	3

# HEXTORAW

## Syntax

```

→ [HEXTORAW] ( ( char ) ) →

```

## Purpose

`HEXTORAW` converts `char` containing hexadecimal digits in the `CHAR`, `VARCHAR2`, `NCHAR`, or `NVARCHAR2` data type to a raw value.

This function does not support `CLOB` data directly. However, `CLOBs` can be passed in as arguments through implicit data conversion.



### See Also:

"[Data Type Comparison Rules](#)" for more information.

## Examples

The following example creates a simple table with a raw column, and inserts a hexadecimal value that has been converted to `RAW`:

```

CREATE TABLE test (raw_col RAW(10));

INSERT INTO test VALUES (HEXTORAW('7D'));

```

The following example converts hexadecimal digits to a raw value and casts the raw value to VARCHAR2:

```
SELECT UTL_RAW.CAST_TO_VARCHAR2 (HEXTORAW ('4041424344'))
       FROM DUAL;

UTL_RAW.CAST_TO_VARCHAR2 (HEXTORAW ('4041424344'))
-----
@ABCD
```



#### See Also:

"RAW and LONG RAW Data Types " and RAWTOHEX

## INITCAP

### Syntax

```
→ INITCAP ( ( char ) ) →
```

### Purpose

INITCAP returns *char*, with the first letter of each word in uppercase, all other letters in lowercase. Words are delimited by white space or characters that are not alphanumeric.

*char* can be of any of the data types CHAR, VARCHAR2, NCHAR, or NVARCHAR2. The return value is the same data type as *char*. The database sets the case of the initial characters based on the binary mapping defined for the underlying character set. For linguistic-sensitive uppercase and lowercase, refer to [NLS\\_INITCAP](#) .

This function does not support CLOB data directly. However, CLOBs can be passed in as arguments through implicit data conversion.



#### See Also:

- "Data Type Comparison Rules " for more information.
- Appendix C in *Oracle Database Globalization Support Guide* for the collation derivation rules, which define the collation assigned to the character return value of INITCAP

### Examples

The following example capitalizes each word in the string:

```
SELECT INITCAP('the soap') "Capitals"
       FROM DUAL;


Capitals
```



-----  
The Soap

## INNER\_PRODUCT

### Syntax



### Purpose

`INNER_PRODUCT` is a shorthand version of the `VECTOR_DISTANCE` function that calculates the distance between two vectors. It takes two vectors as input and returns the distance between them as a `BINARY_DOUBLE`.

### Parameters


- `expr1` and `expr2` must evaluate to vectors and have the same number of dimensions.
- `INNER_PRODUCT` returns `NULL`, if either `expr1` or `expr2` is `NULL`, or if the dimensions between the two vectors do not match up.

#### See Also:

- [VECTOR\\_DISTANCE](#)
- [COSINE\\_DISTANCE](#)
- [L1\\_DISTANCE](#)
- [L2\\_DISTANCE](#)
- [Vector Functions](#)

## INSTR

### Syntax



## Purpose

The `INSTR` functions search *string* for *substring*. The search operation is defined as comparing the *substring* argument with substrings of *string* of the same length for equality until a match is found or there are no more substrings left. Each consecutive compared substring of *string* begins one character to the right (for forward searches) or one character to the left (for backward searches) from the first character of the previous compared substring. If a substring that is equal to *substring* is found, then the function returns an integer indicating the position of the first character of this substring. If no such substring is found, then the function returns zero.

- *position* is a nonzero integer indicating the character of *string* where Oracle Database begins the search—that is, the position of the first character of the first substring to compare with *substring*. If *position* is negative, then Oracle counts backward from the end of *string* and then searches backward from the resulting position.
- *occurrence* is an integer indicating which occurrence of *substring* in *string* Oracle should search for. The value of *occurrence* must be positive. If *occurrence* is greater than 1, then the database does not return on the first match but continues comparing consecutive substrings of *string*, as described above, until match number *occurrence* has been found.

`INSTR` accepts and returns positions in characters as defined by the input character set, with the first character of string having position 1. `INSTRB` uses bytes instead of characters. `INSTRC` uses Unicode complete characters. `INSTR2` uses UCS2 code points. `INSTR4` uses UCS4 code points.

*string* can be any of the data types `CHAR`, `VARCHAR2`, `NCHAR`, `NVARCHAR2`, `CLOB`, or `NCLOB`. The exceptions are `INSTRC`, `INSTR2`, and `INSTR4`, which do not allow *string* to be a `CLOB` or `NCLOB`.

*substring* can be any of the data types `CHAR`, `VARCHAR2`, `NCHAR`, `NVARCHAR2`, `CLOB`, or `NCLOB`.

The value returned is of `NUMBER` data type.

Both *position* and *occurrence* must be of data type `NUMBER`, or any data type that can be implicitly converted to `NUMBER`, and must resolve to an integer. The default values of both *position* and *occurrence* are 1, meaning Oracle begins searching at the first character of *string* for the first occurrence of *substring*. The return value is relative to the beginning of *string*, regardless of the value of *position*.

 **See Also:**

- *Oracle Database Globalization Support Guide* for more on character length.
- *Oracle Database SecureFiles and Large Objects Developer's Guide* for more on character length.
- [Table 2-9](#) for more information on implicit conversion
- Appendix C in *Oracle Database Globalization Support Guide* for the collation determination rules, which define the collation the `INSTR` functions use to compare the *substring* argument with substrings of *string*

**Examples**

The following example searches the string `CORPORATE FLOOR`, beginning with the third character, for the string "OR". It returns the position in `CORPORATE FLOOR` at which the second occurrence of "OR" begins:

```
SELECT INSTR('CORPORATE FLOOR','OR', 3, 2) "Instring"
       FROM DUAL;

Instring
-----
        14
```

In the next example, Oracle counts backward from the last character to the third character from the end, which is the first `O` in `FLOOR`. Oracle then searches backward for the second occurrence of `OR`, and finds that this second occurrence begins with the second character in the search string :

```
SELECT INSTR('CORPORATE FLOOR','OR', -3, 2) "Reversed Instring"
       FROM DUAL;

Reversed Instring
-----
                 2
```

The next example assumes a double-byte database character set.

```
SELECT INSTRB('CORPORATE FLOOR','OR',5,2) "Instring in bytes"
       FROM DUAL;

Instring in bytes
-----
                27
```

## ITERATION\_NUMBER

**Syntax**

```
→ ITERATION_NUMBER →
```

## Purpose

The `ITERATION_NUMBER` function can be used only in the `model_clause` of the `SELECT` statement and then only when `ITERATE(number)` is specified in the `model_rules_clause`. It returns an integer representing the completed iteration through the model rules. The `ITERATION_NUMBER` function returns 0 during the first iteration. For each subsequent iteration, the `ITERATION_NUMBER` function returns the equivalent of `iteration_number` plus one.



### See Also:

[model\\_clause](#) and ["Model Expressions"](#) for the syntax and semantics

## Examples

The following example assigns the sales of the Mouse Pad for the years 1998 and 1999 to the sales of the Mouse Pad for the years 2001 and 2002 respectively:

```
SELECT country, prod, year, s
FROM sales_view_ref
MODEL
  PARTITION BY (country)
  DIMENSION BY (prod, year)
  MEASURES (sale s)
  IGNORE NAV
  UNIQUE DIMENSION
  RULES UPSERT SEQUENTIAL ORDER ITERATE(2)
  (
    s['Mouse Pad', 2001 + ITERATION_NUMBER] =
    s['Mouse Pad', 1998 + ITERATION_NUMBER]
  )
ORDER BY country, prod, year;
```


COUNTRY	PROD	YEAR	S
-----	-----	-----	-----
France	Mouse Pad	1998	2509.42
France	Mouse Pad	1999	3678.69
France	Mouse Pad	2000	3000.72
France	Mouse Pad	2001	2509.42
France	Mouse Pad	2002	3678.69
France	Standard Mouse	1998	2390.83
France	Standard Mouse	1999	2280.45
France	Standard Mouse	2000	1274.31
France	Standard Mouse	2001	2164.54
Germany	Mouse Pad	1998	5827.87
Germany	Mouse Pad	1999	8346.44
Germany	Mouse Pad	2000	7375.46
Germany	Mouse Pad	2001	5827.87
Germany	Mouse Pad	2002	8346.44
Germany	Standard Mouse	1998	7116.11
Germany	Standard Mouse	1999	6263.14
Germany	Standard Mouse	2000	2637.31
Germany	Standard Mouse	2001	6456.13

18 rows selected.


The preceding example requires the view `sales_view_ref`. Refer to "[The MODEL clause: Examples](#)" to create this view.

## JSON\_ARRAY


### Syntax




### JSON\_ARRAY\_content




### JSON\_ARRAY\_enumeration\_content::=




### JSON\_ARRAY\_element




### JSON\_on\_null\_clause::=



**JSON\_returning\_clause::=**



**JSON\_ARRAY\_query\_content::=**



**Purpose**

The SQL/JSON function `JSON_ARRAY` takes as its input a sequence of SQL scalar expressions or *one* collection type instance, `VARRAY` or `NESTED TABLE`.

It converts each expression to a JSON value, and returns a JSON array that contains those JSON values.

If an ADT has a member which is a collection then the type mapping creates a JSON object for the ADT with a nested JSON array for the collection member.

If a collection contains ADT instances then the type mapping will create a JSON array of JSON objects.



**Note:**

*Generation of JSON Data Using SQL of the JSON Developer's Guide.*

**JSON\_ARRAY\_content**

Use this clause to define the input to the `JSON_ARRAY` function.

### **JSON\_ARRAY\_element**

- **expr**  
For *expr*, you can specify any SQL expression that evaluates to a JSON object, a JSON array, a numeric literal, a text literal, date, timestamp, or null. This function converts a numeric literal to a JSON number value, and a text literal to a JSON string value. The date and timestamp data types are printed in the generated JSON object or array as JSON Strings following the ISO 8601 date format.
- **format\_clause**  
You can specify `FORMAT JSON` to indicate that the input string is JSON, and will therefore not be quoted in the output.

### **JSON\_on\_null\_clause**

Use this clause to specify the behavior of this function when *expr* evaluates to null.

- `NULL ON NULL` - If you specify this clause, then the function returns the JSON null value.
- `ABSENT ON NULL` - If you specify this clause, then the function omits the value from the JSON array. This is the default.

### **JSON\_returning\_clause**

Use this clause to specify the type of return value. One of :

- `BLOB` to return a binary large object of the `AL32UTF8` character set.
- `CLOB` to return a character large object containing single-byte or multi-byte characters.
- `VARCHAR2` specifying the size as a number of bytes or characters. The default is bytes. If you omit this clause, or specify the clause without specifying the *size* value, then `JSON_ARRAY` returns a character string of type `VARCHAR2(4000)`. Refer to [VARCHAR2 Data Type](#) for more information. Note that when specifying the `VARCHAR2` data type elsewhere in SQL, you are required to specify a size. However, in the *JSON\_returning\_clause* you can omit the size.
- `BOOLEAN`
- `JSON`
- `VECTOR`

### **STRICT**

Specify the `STRICT` clause to verify that the output of the JSON generation function is correct JSON. If the check fails, a syntax error is raised.

Refer to [JSON\\_OBJECT](#) for examples.

### **Examples**

The following example constructs a JSON array from a JSON object, a JSON array, a numeric literal, a text literal, and null:

```
SELECT JSON_ARRAY (
  JSON_OBJECT('percentage' VALUE .50),
  JSON_ARRAY(1,2,3),
  100,
  'California',
  null)
```

```

null
NULL ON NULL
) "JSON Array Example"
FROM DUAL;


```

JSON Array Example

-----  
[{"percentage":0.5}, [1,2,3],100,"California",null]


## JSON\_ARRAYAGG

### Syntax




(See [order\\_by\\_clause::=](#) in the documentation on `SELECT` for the syntax of this clause)

### JSON\_on\_null\_clause::=



### JSON\_returning\_clause::=





## Purpose

The SQL/JSON function `JSON_ARRAYAGG` is an aggregate function. It takes as its input a column of SQL expressions, converts each expression to a JSON value, and returns a single JSON array that contains those JSON values.

## *expr*

For *expr*, you can specify any SQL expression that evaluates to a JSON object, a JSON array, a numeric literal, a text literal, or null. This function converts a numeric literal to a JSON number value and a text literal to a JSON string value.

## FORMAT JSON

Use this optional clause to indicate that the input string is JSON, and will therefore not be quoted in the output.

## *order\_by\_clause*

This clause allows you to order the JSON values within the JSON array returned by the statement. Refer to the [order\\_by\\_clause](#) in the documentation on `SELECT` for the full semantics of this clause.

## *JSON\_on\_null\_clause*

Use this clause to specify the behavior of this function when *expr* evaluates to null.

- `NULL ON NULL` - If you specify this clause, then the function returns the JSON null value.
- `ABSENT ON NULL` - If you specify this clause, then the function omits the value from the JSON array. This is the default.

## *JSON\_returning\_clause*

Use this clause to specify the data type of the character string returned by this function. You can specify the following data types:

- `VARCHAR2[(size [BYTE,CHAR])]`

When specifying the `VARCHAR2` data type elsewhere in SQL, you are required to specify a size. However, in this clause you can omit the size.

- `CLOB` to return a character large object containing single-byte or multi-byte characters.
- `BLOB` to return a binary large object of the `AL32UTF8` character set.
- `JSON` to return JSON data.

You must set the database initialization parameter `compatible` to 20 or greater to use the `JSON` type.

If you omit this clause, or if you specify `VARCHAR2` but omit the *size* value, then `JSON_ARRAYAGG` returns a character string of type `VARCHAR2(4000)`.

Refer to "[Data Types](#)" for more information on the preceding data types.

## STRICT

Specify the `STRICT` clause to verify that the output of the JSON generation function is correct JSON. If the check fails, a syntax error is raised.

Refer to [JSON\\_OBJECT](#) for examples.

### WITH UNIQUE KEYS

Specify `WITH UNIQUE KEYS` to guarantee that generated JSON objects have unique keys.

### Examples

The following statements creates a table `id_table`, which contains ID numbers:

```
CREATE TABLE id_table (id NUMBER);
INSERT INTO id_table VALUES (624);
INSERT INTO id_table VALUES (null);
INSERT INTO id_table VALUES (925);
INSERT INTO id_table VALUES (585);
```


The following example constructs a JSON array from the ID numbers in table `id_table`:

```
SELECT JSON_ARRAYAGG(id ORDER BY id RETURNING VARCHAR2(100)) ID_NUMBERS
FROM id_table;
```

```
ID_NUMBERS
-----
[585,624,925]
```

## JSON\_DATAGUIDE

### Syntax



### Purpose

The aggregate function `JSON_DATAGUIDE` computes the data guide of a set of JSON data. The data guide is returned as a `CLOB` which can be in either flat or hierarchical format depending on the passing format parameter.

### *expr*

`expr` is a SQL expression that evaluates to a JSON object or a JSON array. It can also be a JSON column in a table.

### *format options*

Use the format options to specify the format of the data guide that will be returned. It must be one of the following values:

- `dbms_json.format_flat` for a flat format.
- `dbms_json.format_hierarchical` for a hierarchical format.

If the parameter is absent, the default is `dbms_json.format_flat`.

### flag options

flag can have the following values:

- Specify `DBMS_JSON.PRETTY` to improve readability of the returned data guide with appropriate indentation.
- Specify `DBMS_JSON.GEOJSON` for the data guide to auto detect the `GeoJSON` type. The corresponding view column created by the data guide will be of `sdo_geometry` type.
- Specify `DBMS_JSON.GATHER_STATS` for the data guide to collect statistical information. The data guide report generated with `DBMS_JSON.GATHER_STATS` has a new field `o:sample_size`, in addition to all of the other statistical fields that you get with `DBMS_JSON.get_index_dataguide`.
- Specify `DBMS_JSON.DETECT_DATETIME` for the data guide to detect temporal types. The data guide reports a JSON field value that conforms to the ISO 8601 format as a timestamp type, not a string type.
- All values `DBMS_JSON.PRETTY`, `DBMS_JSON.GEOJSON`, and `DBMS_JSON.GATHER_STATS`, and `DBMS_JSON.DETECT_DATETIME` can be combined with a plus sign. For example, `DBMS_JSON.GEOJSON+DBMS_JSON.PRETTY`, or `DBMS_JSON.GEOJSON+DBMS_JSON.PRETTY+DBMS_JSON.GATHER_STATS`.



### See Also:

*JSON Data Guide*

### Examples

The following example uses the `j_purchaseorder` table, which is created in "[Creating a Table That Contains a JSON Document: Example](#)". This table contains a column of JSON data called `po_document`. This example returns a flat data guide for each year group.

```
SELECT EXTRACT(YEAR FROM date_loaded) YEAR,
       JSON_DATAGUIDE(po_document) "DATA GUIDE"
FROM j_purchaseorder
GROUP BY extract(YEAR FROM date_loaded)
ORDER BY extract(YEAR FROM date_loaded) DESC;
```

```
YEAR DATA GUIDE
-----
```

```
2016 [
  {
    "o:path" : "$.PO_ID",
    "type" : "number",
    "o:length" : 4
  },
  {
    "o:path" : "$.PO_Ref",
    "type" : "string",
    "o:length" : 16
  },
  {
```


```

    "o:path" : "$.PO_Items",
    "type" : "array",
    "o:length" : 64
  },
  {
    "o:path" : "$.PO_Items.Part_No",
    "type" : "number",
    "o:length" : 16
  },
  {
    "o:path" : "$.PO_Items.Item_Quantity",
    "type" : "number",
    "o:length" : 2
  }
]
...


```

## JSON\_MERGEPATCH


### Syntax



### *JSON\_returning\_clause*::=



### *json\_on\_error\_clause*::=



## Purpose

You can use the `JSON_MERGEPATCH` function to update specific portions of a JSON document. You pass it a JSON Merge Patch document in `JSON_patch_expr`, which specifies the changes to make to a specified JSON document, the `JSON_target_expr`.

`JSON_MERGEPATCH` evaluates the patch document against the target document to produce the result document. If the target or the patch document is `NULL`, then the result is also `NULL`.

You can input any SQL datatype that supports JSON data: `JSON`, `VARCHAR2`, `CLOB`, or `BLOB`. The function returns any of the SQL datatypes as output.

Data type `JSON` is available only if database initialization parameter `compatible` is 20 or greater.

The default return type depends on the input data type. If the input type is `JSON`, then `JSON` is also the default return type. Otherwise, `VARCHAR2` is the default return type.

The `JSON_returning_clause` specifies the return type of the operator. The default return type is `VARCHAR2(4000)`.

The `PRETTY` keyword specifies that the result should be formatted for human readability.

The `ASCII` keyword specifies that non-ASCII characters should be output using JSON escape sequences.

The `TRUNCATE` keyword specifies that the result document should be truncated to fit in the specified return type.

The `JSON_on_error_clause` optionally controls the handling of errors that occur during the processing of the target and patch documents.


- `NULL ON ERROR` - Returns null when an error occurs. This is the default.
- `ERROR ON ERROR` - Returns the appropriate Oracle error when an error occurs.

### See Also:


- [RFC 7396 JSON Merge Patch](#)
- [Updating a JSON Document with JSON Merge Patch](#)

# JSON\_OBJECT


## Syntax




**json\_object\_content::=**



**entry::=**




**regular\_entry::=**




**format\_clause::=**




**wildcard::=**



**JSON\_on\_null\_clause::=**



**JSON\_returning\_clause::=****Purpose**

The SQL/JSON function `JSON_OBJECT` takes as its input either a sequence of key-value pairs or one object type instance. A collection type cannot be passed to `JSON_OBJECT`.

It returns a JSON object that contains an object member for each of those key-value pairs.

**entry**

*regular\_entry*: Use this clause to specify a property key-value pair.

**regular\_entry**

- `KEY` is optional and is provided for semantic clarity.
- Use the optional `expr` to specify the property key name as a case-sensitive text literal.
- Use `expr` to specify the property value. For `expr`, you can specify any expression that evaluates to a SQL numeric literal, text literal, date, or timestamp. The date and timestamp data types are printed in the generated JSON object or array as JSON strings following the ISO date format. If `expr` evaluates to a numeric literal, then the resulting property value is a JSON number value; otherwise, the resulting property value is a case-sensitive JSON string value enclosed in double quotation marks.

You can use the colon to separate `JSON_OBJECT` entries.

**Example**

```

SELECT JSON_OBJECT(
  'name' : first_name || ' ' || last_name,
  'email' : email,
  'phone' : phone_number,
  'hire_date' : hire_date
)
FROM employees
WHERE employee_id = 140;

```

**format\_clause**

Specify `FORMAT JSON` after an input expression to declare that the value that results from it represents JSON data, and will therefore not be quoted in the output.

**wildcard**

Wildcard entries select multiple columns and can take the form of `*`, `table.*`, `view.*`, or `t_alias.*`. Use wildcard entries to map all the columns from a table, subquery, or view to a JSON object without explicitly naming all of the columns in the query. In this case wildcard entries are used in the same way that they are used directly in a `select_list`.

**Example 1**

In the resulting JSON object, the key names are equal to the names of the corresponding columns.

```
SELECT JSON_OBJECT(*)
FROM employees
WHERE employee_id = 140;
```

**Output 1**

```
{"EMPLOYEE_ID":140,"FIRST_NAME":"Joshua","LAST_NAME":"Patel","EMAIL":"J
PAT
EL","PHONE_NUMBER":"650.121.1834","HIRE_DATE":"2006-04-
06T00:00:00","JOB_ID":"ST_CLERK","SALARY":2500,"COMMISSION_PCT":null,"M
AN
AGER_ID":123,"DEPARTMENT_ID":50}
```

**Example 2**

This query selects columns from a specific table in a join query.

```
SELECT JSON_OBJECT('NAME' VALUE first_name, d.*)
FROM employees e, departments d
WHERE e.department_id = d.department_id
AND e.employee_id =140
```

**Example 3**

This query converts the departments table to a single JSON array value.

```
SELECT JSON_ARRAYAGG(JSON_OBJECT(*))
FROM departments
```

**JSON\_on\_null\_clause**

Use this clause to specify the behavior of this function when `expr` evaluates to null.



- **NULL ON NULL** - When **NULL ON NULL** is specified, then a JSON **NULL** value is used as a value for the given key.

```
SELECT JSON_OBJECT('key1' VALUE NULL) evaluates to {"key1" : null}
```

- **ABSENT ON NULL** - If you specify this clause, then the function omits the property key-value pair from the JSON object.

### **JSON\_returning\_clause**

Use this clause to specify the type of return value. One of :

- **VARCHAR2** specifying the size as a number of bytes or characters. The default is bytes. If you omit this clause, or specify the clause without specifying the *size* value, then **JSON\_ARRAY** returns a character string of type **VARCHAR2(4000)**. Refer to [VARCHAR2 Data Type](#) for more information. Note that when specifying the **VARCHAR2** data type elsewhere in SQL, you are required to specify a size. However, in the *JSON\_returning\_clause* you can omit the size.
- **CLOB** to return a character large object containing single-byte or multi-byte characters.
- **BLOB** to return a binary large object of the **AL32UTF8** character set.
- **WITH TYPENAME**

### **STRICT**

Specify the **STRICT** clause to verify that the output of the JSON generation function is correct JSON. If the check fails, a syntax error is raised.

#### **Example 1: Output string appears within quotes, because **FORMAT JSON** is not used**

```
SELECT JSON_OBJECT ('name' value 'Foo') FROM DUAL
```

Output:

```
JSON_OBJECT ('NAME' VALUE 'FOO' FORMATJSON)
```

```
-----  
{"name": "Foo"}
```

#### **Example 2: No quotes around output string when **FORMAT JSON** is used.**

```
SELECT JSON_OBJECT ('name' value 'Foo' FORMAT JSON ) FROM DUAL
```

Output:

```
JSON_OBJECT ('NAME' VALUE 'FOO' FORMATJSON)
```

```
-----  
{"name": Foo}
```

#### **Example 3: JSON Syntax error when **FORMAT JSON STRICT** is used.**

```
SELECT JSON_OBJECT ('name' value 'Foo' FORMAT JSON STRICT ) FROM DUAL
```

Output:

```
ORA-40441: JSON syntax error
```

### **WITH UNIQUE KEYS**

Specify **WITH UNIQUE KEYS** to guarantee that generated JSON objects have unique keys.

**Example**

The following example returns JSON objects that each contain two property key-value pairs:

```
SELECT JSON_OBJECT (
    KEY 'deptno' VALUE d.department_id,
    KEY 'deptname' VALUE d.department_name
) "Department Objects"
FROM departments d
ORDER BY d.department_id;
```

```
Department Objects
-----
{"deptno":10,"deptname":"Administration"}
{"deptno":20,"deptname":"Marketing"}
{"deptno":30,"deptname":"Purchasing"}
{"deptno":40,"deptname":"Human Resources"}
{"deptno":50,"deptname":"Shipping"}
. . .
```

**JSON\_OBJECT Column Entries**

In some cases you might want to have JSON object key names match the names of the table columns to avoid repeating the column name in the key value expression. For example:

```
SELECT JSON_OBJECT(
    'first_name' VALUE first_name,
    'last_name' VALUE last_name,
    'email' VALUE email,
    'hire_date' VALUE hire_date
)
FROM employees
WHERE employee_id = 140;

{"first_name":"Joshua","last_name":"Patel","email":"JPATEL","hire_date"
:"2006-04-06T00:00:00"}
```

In such cases you can use a shortcut, where a single column value may be specified as input and the corresponding object entry key is inferred from the name of the column. For example:

```
SELECT JSON_OBJECT(first_name, last_name, email, hire_date)
FROM employees
WHERE employee_id = 140;

{"first_name":"Joshua","last_name":"Patel","email":"JPATEL","hire_date"
:"2006-04-06T00:00:00"}
```

You can use quoted or non-quoted identifiers for column names. If you use non-quoted identifiers, then the case-sensitive value of the identifier, as written in the query, is used to generate the corresponding object key value. However for the purpose of referencing the column value, the identifier is still case-insensitive. For example:

```
SELECT JSON_OBJECT(eMail)
FROM employees
WHERE employee_id = 140

{"eMail":"JPATEL"}
```

Notice that the capital 'M' as typed in the column name is preserved.




**See Also:**


Generation of JSON Data Using SQL

## JSON\_OBJECTAGG


### Syntax



### *JSON\_on\_null\_clause*::=



### *JSON\_returning\_clause*::=



### Purpose

The SQL/JSON function `JSON_OBJECTAGG` is an aggregate function. It takes as its input a property key-value pair. Typically, the property key, the property value, or both are columns of SQL expressions. This function constructs an object member for each key-value pair and returns a single JSON object that contains those object members.

### [KEY] *string* VALUE *expr*

Use this clause to specify property key-value pairs.

- `KEY` is optional and is provided for semantic clarity.
- Use *string* to specify the property key name as a case-sensitive text literal.
- Use *expr* to specify the property value. For *expr*, you can specify any expression that evaluates to a SQL numeric literal, text literal, date, or timestamp. The date and timestamp data types are printed in the generated JSON object or array as JSON Strings following the ISO 8601 date format. If *expr* evaluates to a numeric literal, then the resulting property value is a JSON number value; otherwise, the resulting property value is a case-sensitive JSON string value enclosed in double quotation marks.

### FORMAT JSON

Use this optional clause to indicate that the input string is JSON, and will therefore not be quoted in the output.

### JSON\_on\_null\_clause

Use this clause to specify the behavior of this function when *expr* evaluates to null.

- `NULL ON NULL` - When `NULL ON NULL` is specified, then a JSON NULL value is used as a value for the given key.
- `ABSENT ON NULL` - If you specify this clause, then the function omits the property key-value pair from the JSON object.

### JSON\_returning\_clause

Use this clause to specify the data type of the character string returned by this function. You can specify the following data types:

- `VARCHAR2[(size [BYTE,CHAR])]`

When specifying the `VARCHAR2` data type elsewhere in SQL, you are required to specify a size. However, in this clause you can omit the size.

- `CLOB` to return a character large object containing single-byte or multi-byte characters.
- `BLOB` to return a binary large object of the `AL32UTF8` character set.
- `JSON` to return JSON data.

You must set the database initialization parameter `compatible` to 20 or greater to use the JSON data type.

If you omit this clause, or if you specify `VARCHAR2` but omit the `size` value, then `JSON_OBJECTAGG` returns a character string of type `VARCHAR2(4000)`.

Refer to "[Data Types](#)" for more information on the preceding data types.

### STRICT

Specify the `STRICT` clause to verify that the output of the JSON generation function is correct JSON. If the check fails, a syntax error is raised.

Refer to [JSON\\_OBJECT](#) for examples.

### WITH UNIQUE KEYS

Specify `WITH UNIQUE KEYS` to guarantee that generated JSON objects have unique keys.

### Examples

The following example constructs a JSON object whose members contain department names and department numbers:


```
SELECT JSON_OBJECTAGG(KEY department_name VALUE department_id) "Department Numbers"
   FROM departments
   WHERE department_id <= 30;
```

Department Numbers

```
-----
{"Administration":10,"Marketing":20,"Purchasing":30}
```


# JSON\_QUERY

## Syntax




(*JSON\_basic\_path\_expression*: See Oracle Database JSON Developer's Guide)


### JSON\_query\_returning\_clause::=







### JSON\_query\_return\_type::=



### JSON\_query\_wrapper\_clause::=



**JSON\_query\_quotes\_clause::=****JSON\_query\_on\_error\_clause::=****JSON\_query\_on\_empty\_clause::=****JSON\_query\_on\_mismatch\_clause::=****Purpose**

JSON\_QUERY selects and returns one or more values from JSON data and returns those values. You can use JSON\_QUERY to retrieve fragments of a JSON document.

 **See Also:**

- *Query JSON Data*
- Appendix C in *Oracle Database Globalization Support Guide* for the collation derivation rules, which define the collation assigned to the character value returned by JSON\_QUERY

**expr**

Use *expr* to specify the JSON data you want to query.

*expr* is a SQL expression that returns an instance of a SQL data type, one of JSON, VARCHAR2, CLOB, or BLOB. It can be a table or view column value, a PL/SQL variable, or a bind variable with proper casting.

If *expr* is null, then the function returns null.

If *expr* is not a text literal of well-formed JSON data using strict or lax syntax, then the function returns null by default. You can use the *JSON\_query\_on\_error\_clause* to override this default behavior. Refer to [JSON\\_query\\_on\\_error\\_clause](#).

**FORMAT JSON**

You must specify `FORMAT JSON` if *expr* is a column of data type BLOB.

**JSON\_basic\_path\_expression**

Use this clause to specify a SQL/JSON path expression. The function uses the path expression to evaluate *expr* and find one or more JSON values that match, or satisfy the path expression. The path expression must be a text literal. See *Oracle Database JSON Developer's Guide* for the full semantics of *JSON\_basic\_path\_expression*.

**JSON\_query\_returning\_clause**

Use this clause to specify the data type and format of the character string returned by this function.

**RETURNING**

You can use the `RETURNING` clause to specify the data type of the returned instance, one of JSON, VARCHAR2, CLOB, or BLOB.

The default return type depends on the input data type. If the input type is JSON, then JSON is also the default return type. Otherwise VARCHAR2(4000) is the default return type.

When specifying the VARCHAR2 data type elsewhere in SQL, you are required to specify a size. However, in this clause you can omit the size. In this case, JSON\_QUERY returns a character string of type VARCHAR2(4000).

Refer to "[VARCHAR2 Data Type](#)" for more information.

If the data type is not large enough to hold the return character string, then JSON\_QUERY returns null by default. You can use the *JSON\_query\_on\_error\_clause* to override this default behavior. Refer to the [JSON\\_query\\_on\\_error\\_clause](#).

**PRETTY**

Specify `PRETTY` to pretty-print the return character string by inserting newline characters and indenting.

**ASCII**

Specify `ASCII` to automatically escape any non-ASCII Unicode characters in the return character string, using standard ASCII Unicode escape sequences.



### ***JSON\_query\_wrapper\_clause***

Use this clause to control whether this function wraps the values matched by the path expression in an array wrapper—that is, encloses the sequence of values in square brackets (`[]`).

- Specify `WITHOUT WRAPPER` to omit the array wrapper. You can specify this clause only if the path expression matches a single JSON object or JSON array. This is the default.
- Specify `WITH WRAPPER` to include the array wrapper. You must specify this clause if the path expression matches a single scalar value (a value that is not a JSON object or JSON array) or multiple values of any type.
- Specifying the `WITH UNCONDITIONAL WRAPPER` clause is equivalent to specifying the `WITH WRAPPER` clause. The `UNCONDITIONAL` keyword is provided for semantic clarity.
- Specify `WITH CONDITIONAL WRAPPER` to include the array wrapper only if the path expression matches a single scalar value or multiple values of any type. If the path expression matches a single JSON object or JSON array, then the array wrapper is omitted.

The `ARRAY` keyword is optional and is provided for semantic clarity.

If the function returns a single scalar value, or multiple values of any type, and you do not specify `WITH [UNCONDITIONAL | CONDITIONAL] WRAPPER`, then the function returns null by default. You can use the `JSON_query_on_error_clause` to override this default behavior. Refer to the [JSON\\_query\\_on\\_error\\_clause](#).

### ***JSON\_query\_on\_error\_clause***

Use this clause to specify the value returned by this function when the following errors occur:

- `expr` is not well-formed JSON data using strict or lax JSON syntax
- No match is found when the JSON data is evaluated using the SQL/JSON path expression. You can override the behavior for this type of error by specifying the `JSON_query_on_empty_clause`.
- The return value data type is not large enough to hold the return character string
- The function matches a single scalar value or, multiple values of any type, and the `WITH [UNCONDITIONAL | CONDITIONAL] WRAPPER` clause is not specified

You can specify the following clauses:

- `NULL ON ERROR` - Returns null when an error occurs. This is the default.
- `ERROR ON ERROR` - Returns the appropriate Oracle error when an error occurs.
- `EMPTY ON ERROR` - Specifying this clause is equivalent to specifying `EMPTY ARRAY ON ERROR`.
- `EMPTY ARRAY ON ERROR` - Returns an empty JSON array (`[]`) when an error occurs.
- `EMPTY OBJECT ON ERROR` - Returns an empty JSON object (`{}`) when an error occurs.

### ***JSON\_query\_on\_empty\_clause***

Use this clause to specify the value returned by this function if no match is found when the JSON data is evaluated using the SQL/JSON path expression. This clause allows you to specify a different outcome for this type of error than the outcome specified with the `JSON_query_on_error_clause`.

You can specify the following clauses:

- `NULL ON EMPTY` - Returns null when no match is found.
- `ERROR ON EMPTY` - Returns the appropriate Oracle error when no match is found.
- `EMPTY ON EMPTY` - Specifying this clause is equivalent to specifying `EMPTY ARRAY ON EMPTY`.
- `EMPTY ARRAY ON EMPTY` - Returns an empty JSON array (`[]`) when no match is found.
- `EMPTY OBJECT ON EMPTY` - Returns an empty JSON object (`{}`) when no match is found.

If you omit this clause, then the `JSON_query_on_error_clause` determines the value returned when no match is found.

### Examples

The following query returns the context item, or the specified string of JSON data. The path expression matches a single JSON object, which does not require an array wrapper. Note that the JSON data is converted to strict JSON syntax in the returned value—that is, the object property names are enclosed in double quotation marks.

```
SELECT JSON_QUERY('{a:100, b:200, c:300}', '$') AS value
       FROM DUAL;
```

VALUE

-----  
{"a":100,"b":200,"c":300}

The following query returns the value of the member with property name `a`. The path expression matches a scalar value, which must be enclosed in an array wrapper. Therefore, the `WITH WRAPPER` clause is specified.

```
SELECT JSON_QUERY('{a:100, b:200, c:300}', '$.a' WITH WRAPPER) AS value
       FROM DUAL;
```

VALUE

-----  
[100]

The following query returns the values of all object members. The path expression matches multiple values, which together must be enclosed in an array wrapper. Therefore, the `WITH WRAPPER` clause is specified.

```
SELECT JSON_QUERY('{a:100, b:200, c:300}', '$.*' WITH WRAPPER) AS value
       FROM DUAL;
```

VALUE

-----  
[100,200,300]

The following query returns the context item, or the specified string of JSON data. The path expression matches a single JSON array, which does not require an array wrapper.

```
SELECT JSON_QUERY('[0,1,2,3,4]', '$') AS value
       FROM DUAL;
```

VALUE

-----  
[0,1,2,3,4]

The following query is similar to the previous query, except the `WITH WRAPPER` clause is specified. Therefore, the JSON array is wrapped in an array wrapper.

```
SELECT JSON_QUERY('[0,1,2,3,4]', '$' WITH WRAPPER) AS value
       FROM DUAL;
```

VALUE

-----  
[[0,1,2,3,4]]

The following query returns all elements in a JSON array. The path expression matches multiple values, which together must be enclosed in an array wrapper. Therefore, the `WITH WRAPPER` clause is specified.

```
SELECT JSON_QUERY('[0,1,2,3,4]', '$[*]' WITH WRAPPER) AS value
       FROM DUAL;
```

VALUE

-----  
[0,1,2,3,4]

The following query returns the elements at indexes 0, 3 through 5, and 7 in a JSON array. The path expression matches multiple values, which together must be enclosed in an array wrapper. Therefore, the `WITH WRAPPER` clause is specified.

```
SELECT JSON_QUERY('[0,1,2,3,4,5,6,7,8]', '$[0, 3 to 5, 7]' WITH WRAPPER) AS value
       FROM DUAL;
```

VALUE

-----  
[0,3,4,5,7]

The following query returns the fourth element in a JSON array. The path expression matches a scalar value, which must be enclosed in an array wrapper. Therefore, the `WITH WRAPPER` clause is specified.

```
SELECT JSON_QUERY('[0,1,2,3,4]', '$[3]' WITH WRAPPER) AS value
       FROM DUAL;
```

VALUE

-----  
[3]

The following query returns the first element in a JSON array. The `WITH CONDITIONAL WRAPPER` clause is specified and the path expression matches a single JSON object. Therefore, the value returned is not wrapped in an array. Note that the JSON data is converted to strict JSON syntax in the returned value—that is, the object property name is enclosed in double quotation marks.

```
SELECT JSON_QUERY('[{a:100},{b:200},{c:300}]', '$[0]'
                  WITH CONDITIONAL WRAPPER) AS value
       FROM DUAL;
```

VALUE

-----  
{"a":100}

The following query returns all elements in a JSON array. The `WITH CONDITIONAL WRAPPER` clause is specified and the path expression matches multiple JSON objects. Therefore, the value returned is wrapped in an array.

```
SELECT JSON_QUERY(' [{"a":100}, {"b":200}, {"c":300} ]', '$[*]'
        WITH_CONDITIONAL_WRAPPER) AS value
FROM DUAL;
```

VALUE

```
-----
[{"a":100}, {"b":200}, {"c":300}]
```

The following query is similar to the previous query, except that the value returned is of data type `VARCHAR2(100)`.

```
SELECT JSON_QUERY(' [{"a":100}, {"b":200}, {"c":300} ]', '$[*]'
        RETURNING VARCHAR2(100) WITH_CONDITIONAL_WRAPPER) AS value
FROM DUAL;
```

VALUE

```
-----
[{"a":100}, {"b":200}, {"c":300}]
```

The following query returns the fourth element in a JSON array. However, the supplied JSON array does not contain a fourth element, which results in an error. The `EMPTY ON ERROR` clause is specified. Therefore, the query returns an empty JSON array.


```
SELECT JSON_QUERY(' [{"a":100}, {"b":200}, {"c":300} ]', '$[3]'
        EMPTY_ON_ERROR) AS value
FROM DUAL;
```

VALUE

```
-----
[]
```

## JSON\_SCALAR

### Syntax



### Purpose

`JSON_SCALAR` accepts a SQL scalar value as input and returns a corresponding JSON scalar value as a JSON type instance. In particular, the value can be of an Oracle-specific JSON-language type, such as a date, which is not part of the JSON standard.

The argument to `JSON_SCALAR` can be an instance of any of these SQL data types: `BINARY_DOUBLE`, `BINARY_FLOAT`, `BLOB`, `CLOB`, `DATE`, `INTERVAL YEAR TO MONTH`, `INTERVAL DAY TO SECOND`, `JSON`, `NUMBER`, `RAW`, `TIMESTAMP`, `VARCHAR`, `VARCHAR2`, or `VECTOR`.

The returned JSON type instance is a JSON-language scalar value supported by Oracle.

You can use the `JSON_SCALAR` function, only if the database initialization parameter `compatible` is at least 20. Otherwise it raises an error.




**See Also:**

See Oracle SQL Function `JSON_SCALAR` of the *JSON Developer's Guide*.


## JSON\_SERIALIZE

### Syntax

#### *json\_serialize*



#### *json\_returning\_clause*



### Purpose

`json_serialize` takes JSON data of any SQL data type ( `BLOB`, `CLOB`, `JSON`, `VARCHAR2`, or `VECTOR` ) as input and returns a textual representation of it. You typically use it to transform the result of a query.

You can use `json_serialize` to convert binary JSON data to textual form (CLOB or VARCHAR2), or to transform textual JSON data by pretty-printing it or escaping non-ASCII Unicode characters in it.

When Oracle SQL function `vector_serialize` is applied to a JSON type instance, any non-standard Oracle scalar JSON value is returned as a standard JSON scalar value.

When you apply `vector_serialize` to a VECTOR type instance, it returns a textual JSON array of numbers.

 **Note:**

You can serialize a VECTOR instance to a textual JSON array of numbers using SQL function `vector_serialize`. (Function `json_serialize` serializes only JSON data.) See [VECTOR\\_SERIALIZE](#)

 **See Also:**

Oracle SQL Function JSON\_SERIALIZE of the *JSON Developer's Guide*.

**expr**

`expr` is the input expression. Can be any one of type JSON, VARCHAR2, CLOB, or BLOB.

**JSON\_returning\_clause::=**

You can use the `JSON_returning_clause` to specify the return type of the function. One of BOOLEAN, BLOB, CLOB, JSON, VARCHAR2, or VECTOR.

The default return type is VARCHAR2(4000).

If the return type is RAW or BLOB, it contains UTF8 encoded JSON text.

**PRETTY**

Specify PRETTY if you want the result to be formatted for human readability.

**ASCII**

Specify ASCII if you want non-ASCII characters to be output using JSON escape sequences.

**ORDERED**

Specify ORDERED if you want to reorder key-value pairs alphabetically in ascending order. You can combine ORDERED with PRETTY and ASCII.

**Example**

```
SELECT JSON_SERIALIZE('{price:20, currency:" €"}' ASCII PRETTY ORDERED) from
dual;
{
  "currency" : "\u20AC",
```

```
"price" : 20
}
```

### TRUNCATE

Specify `TRUNCATE`, if you want the textual output in the result document to fit into the buffer of the specified return type .

### **JSON\_on\_error\_clause::=**

Specify `JSON_on_error_clause` to control the handling of processing errors.

`ERROR ON ERROR` is the default.

`EMPTY ON ERROR` is not supported.


If you specify `TRUNCATE` with `JSON_on_error_clause`, then a value too large for the return type will be truncated to fit into the buffer instead of raising an error.

### Example

```
SELECT JSON_SERIALIZE ('{a:[1,2,3,4]}' RETURNING VARCHAR2(3) TRUNCATE ERROR ON ERROR)
from dual
-----
{"a
```


## JSON\_TABLE

### Syntax




(*JSON\_basic\_path\_expression*: See *Oracle Database JSON Developer's Guide*, *JSON\_table\_on\_error\_clause::=*, *JSON\_columns\_clause::=*)


### **JSON\_table\_on\_error\_clause::=**




### **JSON\_table\_on\_empty\_clause::=**




**JSON\_columns\_clause::=**



**JSON\_column\_definition::=**




**JSON\_exists\_column::=**



([JSON\\_value\\_return\\_type::=](#)—part of `JSON_VALUE`, `JSON_basic_path_expression`: See *Oracle Database JSON Developer's Guide*, [JSON\\_exists\\_on\\_error\\_clause::=](#)—part of `JSON_EXISTS`)


**JSON\_query\_column::=**





(*JSON\_query\_return\_type::=*, *JSON\_query\_wrapper\_clause::=*, and *JSON\_query\_on\_error\_clause::=*—part of *JSON\_QUERY*, *JSON\_basic\_path\_expression*: See *Oracle Database JSON Developer's Guide*)

***JSON\_value\_column::=***



(*JSON\_value\_return\_type::=* and *JSON\_value\_on\_error\_clause::=*—part of *JSON\_VALUE*, *JSON\_basic\_path\_expression*: See *Oracle Database JSON Developer's Guide*)

***JSON\_nested\_path::=***




(*JSON\_basic\_path\_expression*: See *Oracle Database JSON Developer's Guide*, *JSON\_columns\_clause::=*)


***ordinality\_column::=***




***JSON\_path ::=***



***JSON\_relative\_object\_access ::=***



***nested\_clause ::=***



## Purpose

The SQL/JSON function `JSON_TABLE` creates a relational view of JSON data. It maps the result of a JSON data evaluation into relational rows and columns. You can query the result returned by the function as a virtual relational table using SQL. The main purpose of `JSON_TABLE` is to create a row of relational data for each object inside a JSON array and output JSON values from within that object as individual SQL column values.

You must specify `JSON_TABLE` only in the `FROM` clause of a `SELECT` statement. The function first applies a path expression, called a **SQL/JSON row path expression**, to the supplied JSON data. The JSON value that matches the row path expression is called a **row source** in that it generates a row of relational data. The `COLUMNS` clause evaluates the row source, finds specific JSON values within the row source, and returns those JSON values as SQL values in individual columns of a row of relational data.

The `COLUMNS` clause enables you to search for JSON values in different ways by using the following clauses:

- *JSON\_exists\_column* - Evaluates JSON data in the same manner as the `JSON_EXISTS` condition, that is, determines if a specified JSON value exists, and returns either a `VARCHAR2` column of values 'true' or 'false', or a `NUMBER` column of values 1 or 0.
- *JSON\_query\_column* - Evaluates JSON data in the same manner as the `JSON_QUERY` function, that is, finds one or more specified JSON values, and returns a column of character strings that contain those JSON values.
- *JSON\_value\_column* - Evaluates JSON data in the same manner as the `JSON_VALUE` function, that is, finds a specified scalar JSON value, and returns a column of those JSON values as SQL values.
- *JSON\_nested\_path* - Allows you to flatten JSON values in a nested JSON object or JSON array into individual columns in a single row along with JSON values from the parent object or array. You can use this clause recursively to project data from multiple layers of nested objects or arrays into a single row.
- *ordinality\_column* - Returns a column of generated row numbers.

The column definition clauses allow you to specify a name for each column of data that they return. You can reference these column names elsewhere in the `SELECT` statement, such as in the `SELECT` list and the `WHERE` clause.

 **See Also:**

Appendix C in *Oracle Database Globalization Support Guide* for the collation derivation rules, which define the collation assigned to each character data type column in the table generated by `JSON_TABLE`

**expr**

Use this clause to specify the JSON data to be evaluated. For *expr*, specify an expression that evaluates to a text literal. If *expr* is a column, then the column must be of data type `VARCHAR2`, `CLOB`, or `BLOB`. If *expr* is null, then the function returns null.

If *expr* is not a text literal of well-formed JSON data using strict or lax syntax, then the function returns null by default. You can use the *JSON\_table\_on\_error\_clause* to override this default behavior. Refer to *JSON\_table\_on\_error\_clause*.

**FORMAT JSON**

You must specify `FORMAT JSON` if *expr* is a column of data type `BLOB`.

**PATH**

Use the `PATH` clause to delineate a portion of the row that you want to use as the column content. The absence of the `PATH` clause does not change the behavior with a path of `'$.<column-name>'`, where `<column-name>` is the column name. The name of the object field that is targeted is taken implicitly as the column name. See *Oracle Database JSON Developer's Guide* for the full semantics of `PATH`.

***JSON\_basic\_path\_expression***

The *JSON\_basic\_path\_expression* is a text literal. See *Oracle Database JSON Developer's Guide* for the full semantics of this clause.

***JSON\_relative\_object\_access***

Specify this row path expression to enable simple dot notation. The value of *JSON\_relative\_object\_access* is evaluated as a JSON/Path expression relative to the current row item.

For more information on the *JSON\_object\_key\_clause*, refer to [JSON Object Access Expressions](#).

***JSON\_table\_on\_error\_clause***

Use this clause to specify the value returned by the function when errors occur:

- `NULL ON ERROR`
  - If the input is not well-formed *JSON* text, no more rows will be returned as soon as the error is detected. Note that since `JSON_TABLE` supports streaming evaluation, rows may be returned prior to encountering the portion of the input with the error.
  - If no match is found when the row path expression is evaluated, no rows are returned.
  - Sets the default error behavior for all column expressions to `NULL ON ERROR`

- `ERROR ON ERROR`
  - If the input is not well-formed `JSON` text, an error will be raised.
  - If no match is found when the row path expression is evaluated, an error will be raised
  - Sets the default error behavior for all column expressions to `ERROR ON ERROR`

### ***JSON\_table\_on\_empty\_clause***

Use this clause to specify the value returned by this function if no match is found when the `JSON` data is evaluated using the `SQL/JSON` path expression. This clause allows you to specify a different outcome for this type of error than the outcome specified with the `JSON_table_on_error_clause`.

You can specify the following clauses:

- `NULL ON EMPTY` - Returns null when no match is found.
- `ERROR ON EMPTY` - Returns the appropriate Oracle error when no match is found.
- `DEFAULT literal ON EMPTY` - Returns *literal* when no match is found. The data type of *literal* must match the data type of the value returned by this function.

If you omit this clause, then the `JSON_table_on_error_clause` determines the value returned when no match is found.

### ***JSON\_columns\_clause***

Use the `COLUMNS` clause to define the columns in the virtual relational table returned by the `JSON_TABLE` function.

### ***JSON\_exists\_column***

This clause evaluates `JSON` data in the same manner as the `JSON_EXISTS` condition, that is, it determines if a specified `JSON` value exists. It returns either a `VARCHAR2` column of values 'true' or 'false', or a `NUMBER` column of values 1 or 0.

A value of 'true' or 1 indicates that the `JSON` value exists and a value of 'false' or 0 indicates that the `JSON` value does not exist.

You can use the `JSON_value_return_type` clause to control the data type of the returned column. If you omit this clause, then the data type is `VARCHAR2(4000)`. Use `column_name` to specify the name of the returned column. The rest of the clauses of `JSON_exists_column` have the same semantics here as they have for the `JSON_EXISTS` condition. For full information on these clauses, refer to "[JSON\\_EXISTS Condition](#)". Also see "[Using JSON\\_exists\\_column: Examples](#)" for an example.

### ***JSON\_query\_column***

This clause evaluates `JSON` data in the same manner as the `JSON_QUERY` function, that is, it finds one or more specified `JSON` values, and returns a column of character strings that contain those `JSON` values.

Use `column_name` to specify the name of the returned column. The rest of the clauses of `JSON_query_column` have the same semantics here as they have for the `JSON_QUERY` function. For full information on these clauses, refer to [JSON\\_QUERY](#). Also see "[Using JSON\\_query\\_column: Examples](#)" for an example.

**JSON\_value\_column**

This clause evaluates JSON data in the same manner as the `JSON_VALUE` function, that is, it finds a specified scalar JSON value, and returns a column of those JSON values as SQL values.

Use `column_name` to specify the name of the returned column. The rest of the clauses of `JSON_value_column` have the same semantics here as they have for the `JSON_VALUE` function. For full information on these clauses, refer to [JSON\\_VALUE](#). Also see "[Using JSON\\_value\\_column: Examples](#)" for an example.

**JSON\_nested\_path**

Use this clause to flatten JSON values in a nested JSON object or JSON array into individual columns in a single row along with JSON values from the parent object or array. You can use this clause recursively to project data from multiple layers of nested objects or arrays into a single row.

Specify the `JSON_basic_path_expression` clause to match the nested object or array. This path expression is relative to the SQL/JSON row path expression specified in the `JSON_TABLE` function.

Use the `COLUMNS` clause to define the columns of the nested object or array to be returned. This clause is recursive—you can specify the `JSON_nested_path` clause within another `JSON_nested_path` clause. Also see "[Using JSON\\_nested\\_path: Examples](#)" for an example.

**ordinality\_column**

This clause returns a column of generated row numbers of data type `NUMBER`. You can specify at most one `ordinality_column`. Also see "[Using JSON\\_value\\_column: Examples](#)" for an example of using the `ordinality_column` clause.

**nested\_clause**

Use the `nested_clause` as a short-hand syntax for mapping JSON values to relational columns. It reuses the syntax of the `JSON_TABLE` `COLUMNS` clause and is essentially equivalent to a left-outer ANSI join with `JSON_TABLE`.

Example 1 using the `nested_clause` is equivalent to Example 2 using the left-outer join with `JSON_TABLE`.

**Example 1 Nested\_Clause**

```
SELECT t.*
FROM j_purchaseOrder
  NESTED po_document COLUMNS(PONumber, Reference, Requestor) t;
PONUMBER REFERENCE REQUESTOR
```

```
-----
1600 ABULL-20140421 Alexis Bull
```

**Example 2 Left-Outer Join With JSON\_TABLE**

```
SELECT t.*
FROM j_purchaseOrder LEFT OUTER JOIN
  JSON_TABLE(po_document COLUMNS(PONumber, Reference, Requestor)) t ON 1=1;
```

When using the `nested_clause`, the JSON column name following the `NESTED` keyword will not be included in `SELECT *` expansion. For example:

```
SELECT *
FROM j_purchaseOrder
NESTED po_document.LineItems[*]
COLUMNS(ItemNumber, Quantity NUMBER);
ID DATE_LOADED ITEMN QUANTITY
-----
-----
6C5589E9A9156... 16-MAY-18 08.40.30.397688 AM -07:00 1 9
6C5589E9A9156... 16-MAY-18 08.40.30.397688 AM -07:00 2 5
```

The result does not include the JSON column name `po_document` as one of the columns in the result.

When unnesting JSON column data, the recommendation is to use `LEFT OUTER JOIN` semantics, so that JSON columns that produce no rows will not filter other non-JSON data from the result. For example, a `j_purchaseOrder` row with a `NULL` `po_document` column will not filter the possibly non-null relational columns `id` and `date_loaded` from the result.

The `columns` clause supports all the same features defined for `JSON_TABLE` including nested columns. For example:

```
SELECT t.*
FROM j_purchaseorder
NESTED po_document COLUMNS(PONumber, Reference,
NESTED LineItems[*] COLUMNS(ItemNumber, Quantity)
) t
PONUMBER REFERENCE ITEMN QUANTITY
-----
-----
1600 ABULL-20140421 1 9
1600 ABULL-20140421 2 5
```

## Examples

### Creating a Table That Contains a JSON Document: Example

This example shows how to create and populate table `j_purchaseorder`, which is used in the rest of the `JSON_TABLE` examples in this section.

The following statement creates table `j_purchaseorder`. Column `po_document` is for storing JSON data and, therefore, has an `IS JSON` check constraint to ensure that only well-formed JSON is stored in the column.

```
CREATE TABLE j_purchaseorder
(id RAW (16) NOT NULL,
date_loaded TIMESTAMP(6) WITH TIME ZONE,
po_document CLOB CONSTRAINT ensure_json CHECK (po_document IS JSON));
```

The following statement inserts one row, or one JSON document, into table `j_purchaseorder`:

```
INSERT INTO j_purchaseorder
VALUES (
```

```

SYS_GUID(),
SYSTIMESTAMP,
'{"PONumber"           : 1600,
  "Reference"         : "ABULL-20140421",
  "Requestor"        : "Alexis Bull",
  "User"              : "ABULL",
  "CostCenter"       : "A50",
  "ShippingInstructions" : {"name"   : "Alexis Bull",
                           "Address": {"street" : "200 Sporting Green",
                                       "city"   : "South San Francisco",
                                       "state"  : "CA",
                                       "zipCode": 99236,
                                       "country": "United States of America"},
                           "Phone"  : [{"type" : "Office", "number" : "909-555-7307"},
                                       {"type" : "Mobile", "number" : "415-555-1234"}]},
  "Special Instructions" : null,
  "AllowPartialShipment" : true,
  "LineItems" : [{"ItemNumber" : 1,
                  "Part" : {"Description" : "One Magic Christmas",
                           "UnitPrice"   : 19.95,
                           "UPCCode"     : 13131092899},
                  "Quantity" : 9.0},
                 {"ItemNumber" : 2,
                  "Part" : {"Description" : "Lethal Weapon",
                           "UnitPrice"   : 19.95,
                           "UPCCode"     : 85391628927},
                  "Quantity" : 5.0}]]}');

```

### Using *JSON\_query\_column*: Examples

The statement in this example queries JSON data for a specific JSON property using the *JSON\_query\_column* clause, and returns the property value in a column.

The statement first applies a SQL/JSON row path expression to column `po_document`, which results in a match to the `ShippingInstructions` property. The `COLUMNS` clause then uses the *JSON\_query\_column* clause to return the `Phone` property value in a `VARCHAR2(100)` column.

```

SELECT jt.phones
FROM j_purchaseorder,
JSON_TABLE(po_document, '$.ShippingInstructions'
COLUMNS
  (phones VARCHAR2(100) FORMAT JSON PATH '$.Phone')) AS jt;

```

PHONES

```

-----
[{"type":"Office","number":"909-555-7307"}, {"type":"Mobile","number":"415-555-1234"}]

```

### Using *JSON\_value\_column*: Examples

The statement in this example refines the statement in the previous example by querying JSON data for specific JSON values using the *JSON\_value\_column* clause, and returns the JSON values as SQL values in relational rows and columns.

The statement first applies a SQL/JSON row path expression to column `po_document`, which results in a match to the elements in the JSON array `Phone`. These elements are JSON objects that contain two members named `type` and `number`. The statement uses the `COLUMNS` clause to return the `type` value for each object in a `VARCHAR2(10)` column called `phone_type`, and the `number` value for each object in a `VARCHAR2(20)` column called `phone_num`. The statement also returns an ordinal column named `row_number`.

```

SELECT jt.*
FROM j_purchaseorder,
JSON_TABLE(po_document, '$.ShippingInstructions.Phone[*]'
COLUMNS (row_number FOR ORDINALITY,
           phone_type VARCHAR2(10) PATH '$.type',
           phone_num VARCHAR2(20) PATH '$.number'))
AS jt;

```

```

ROW_NUMBER PHONE_TYPE PHONE_NUM
-----
           1 Office      909-555-7307
           2 Mobile      415-555-1234

```

### Using *JSON\_exists\_column*: Examples

The statements in this example test whether a JSON value exists in JSON data using the *JSON\_exists\_column* clause. The first example returns the result of the test as a 'true' or 'false' value in a column. The second example uses the result of the test in the *WHERE* clause.

The following statement first applies a SQL/JSON row path expression to column *po\_document*, which results in a match to the entire context item, or JSON document. It then uses the *COLUMNS* clause to return the requestor's name and a string value of 'true' or 'false' indicating whether the JSON data for that requestor contains a zip code. The *COLUMNS* clause first uses the *JSON\_value\_column* clause to return the Requestor value in a *VARCHAR2(32)* column called *requestor*. It then uses the *JSON\_exists\_column* clause to determine if the *zipCode* object exists and returns the result in a *VARCHAR2(5)* column called *has\_zip*.

```

SELECT requestor, has_zip
FROM j_purchaseorder,
JSON_TABLE(po_document, '$'
COLUMNS
  (requestor VARCHAR2(32) PATH '$.Requestor',
   has_zip VARCHAR2(5) EXISTS PATH '$.ShippingInstructions.Address.zipCode'));

```

```

REQUESTOR                HAS_ZIP
-----
Alexis Bull                true

```

The following statement is similar to the previous statement, except that it uses the value of *has\_zip* in the *WHERE* clause to determine whether to return the Requestor value:

```

SELECT requestor
FROM j_purchaseorder,
JSON_TABLE(po_document, '$'
COLUMNS
  (requestor VARCHAR2(32) PATH '$.Requestor',
   has_zip VARCHAR2(5) EXISTS PATH '$.ShippingInstructions.Address.zipCode'))
WHERE (has_zip = 'true');

```

```

REQUESTOR
-----
Alexis Bull

```



### Using *JSON\_nested\_path*: Examples

The following two simple statements demonstrate the functionality of the *JSON\_nested\_path* clause. They operate on a simple JSON array that contains three elements. The first two elements are numbers. The third element is a nested JSON array that contains two string value elements.

The following statement does not use the *JSON\_nested\_path* clause. It returns the three elements in the array in a single row. The nested array is returned in its entirety.

```
SELECT *
FROM JSON_TABLE('[1,2,["a","b"]]', '$'
COLUMNS (outer_value_0 NUMBER PATH '$[0]',
          outer_value_1 NUMBER PATH '$[1]',
          outer_value_2 VARCHAR2(20) FORMAT JSON PATH '$[2]'));
```

OUTER_VALUE_0	OUTER_VALUE_1	OUTER_VALUE_2
1	2	["a","b"]

The following statement is different from the previous statement because it uses the *JSON\_nested\_path* clause to return the individual elements of the nested array in individual columns in a single row along with the parent array elements.

```
SELECT *
FROM JSON_TABLE('[1,2,["a","b"]]', '$'
COLUMNS (outer_value_0 NUMBER PATH '$[0]',
          outer_value_1 NUMBER PATH '$[1]',
          NESTED PATH '$[2]'
          COLUMNS (nested_value_0 VARCHAR2(1) PATH '$[0]',
                    nested_value_1 VARCHAR2(1) PATH '$[1]')));
```

OUTER_VALUE_0	OUTER_VALUE_1	NESTED_VALUE_0	NESTED_VALUE_1
1	2	a	b

The previous example shows how to use *JSON\_nested\_path* with a nested JSON array. The following example shows how to use the *JSON\_nested\_path* clause with a nested JSON object by returning the individual elements of the nested object in individual columns in a single row along with the parent object elements.

```
SELECT *
FROM JSON_TABLE('{a:100, b:200, c:{d:300, e:400}}', '$'
COLUMNS (outer_value_0 NUMBER PATH '$.a',
          outer_value_1 NUMBER PATH '$.b',
          NESTED PATH '$.c'
          COLUMNS (nested_value_0 NUMBER PATH '$.d',
                    nested_value_1 NUMBER PATH '$.e')));
```

OUTER_VALUE_0	OUTER_VALUE_1	NESTED_VALUE_0	NESTED_VALUE_1
100	200	300	400

The following statement uses the *JSON\_nested\_path* clause when querying the `j_purchaseorder` table. It first applies a row path expression to column `po_document`, which results in a match to the entire context item, or JSON document. It then uses the `COLUMNS` clause to return the `Requestor` value in a `VARCHAR2(32)` column called `requestor`. It then uses the *JSON\_nested\_path* clause to return the property values of the individual objects in

each member of the nested `Phone` array. Note that a row is generated for each member of the nested array, and each row contains the corresponding `Requestor` value.

```
SELECT jt.*
FROM j_purchaseorder,
JSON_TABLE(po_document, '$'
COLUMNS
  (requestor VARCHAR2(32) PATH '$.Requestor',
   NESTED PATH '$.ShippingInstructions.Phone[*]'
   COLUMNS (phone_type VARCHAR2(32) PATH '$.type',
            phone_num VARCHAR2(20) PATH '$.number'))))
AS jt;
```

REQUESTOR	PHONE_TYPE	PHONE_NUM
Alexis Bull	Office	909-555-7307
Alexis Bull	Mobile	415-555-1234

The following example shows the use of simple dot-notation in `JSON_nested_path` and its equivalent without dot notation.


```
SELECT c.*
FROM customer t,
JSON_TABLE(t.json COLUMNS(
id, name, phone, address,
NESTED orders[*] COLUMNS(
updated, status,
NESTED lineitems[*] COLUMNS(
description, quantity NUMBER, price NUMBER
)
)
)) c;
```

The above statement in dot notation is equivalent to the following one without dot notation:

```
SELECT c.*
FROM customer t,
JSON_TABLE(t.json, '$' COLUMNS(
id PATH '$.id',
name PATH '$.name',
phone PATH '$.phone',
address PATH '$.address',
NESTED PATH '$.orders[*]' COLUMNS(
updated PATH '$.updated',
status PATH '$.status',
NESTED PATH '$.lineitems[*]' COLUMNS(
description PATH '$.description',
quantity NUMBER PATH '$.quantity',
price NUMBER PATH '$.price'
)
)
)) c;
```


# JSON\_TRANSFORM

## Syntax



(operation::=, JSON\_TRANSFORM\_returning\_clause::=, JSON\_passing\_clause::=)


### JSON\_TRANSFORM\_returning\_clause::=



### JSON\_passing\_clause::=


For details on *JSON\_passing\_clause* see [JSON\\_EXISTS Condition](#).

**operation ::=**




(append\_op::=,  
case\_op::=,copy\_op::=,insert\_op::=,intersect\_op::=,keep\_op::=,merge\_op::=,minus\_op  
::=,nested\_path\_op::=,prepend\_op::=,remove\_op::=,rename\_op::=,replace\_op::=,set\_  
op,sort\_op,union\_op,)

**append\_op ::=**




**rhs\_expr ::=**

**case\_op ::=**




**copy\_op ::=**




**rhs\_expr ::=**

**insert\_op ::=**




**rhs\_expr ::=**

***intersect\_op ::=***




***rhs\_expr ::=***

***keep\_op ::=***




***merge\_op ::=***




***rhs\_expr ::=***

***minus\_op::=***




***rhs\_expr::=***

***nested\_path\_op::=***




***prepend\_op::=***






rhs\_expr::=





**remove\_op ::=**



**rename\_op ::=**




**replace\_op ::=**




rhs\_expr::=

**set\_op ::=**




**rhs\_expr ::=**

**sort\_op ::=**




**union\_op ::=**



**rhs\_expr ::=**

**rhs\_expr ::=**



## Purpose

JSON\_TRANSFORM modifies JSON documents. You specify operations to perform and SQL/JSON path expressions that target the places to modify. The operations are applied to the input data in the order specified: each operation acts on the data that results from applying all of the preceding operations.

JSON\_TRANSFORM either succeeds completely or not at all. If any of the specified operations raises an error, then none of the operations take effect. JSON\_TRANSFORM returns the original data changed according to the operations specified.

You can use the JSON\_TRANSFORM within the UPDATE statement to modify documents in a JSON column.

You can use it in a SELECT list, to modify the selected documents. The modified documents can be returned or processed further.

JSON\_TRANSFORM can accept as input, and return as output, any SQL data type that supports JSON data: JSON, VARCHAR2, CLOB, or BLOB. Note that data type JSON is available only if database initialization parameter compatible is 20 or greater.

The default return (output) data type is the same as the input data type.

### See Also:

*Oracle SQL Function JSON\_TRANSFORM of the JSON Developer's Guide* for a full discussion with examples.

## JSON\_TRANSFORM Operations

- Use APPEND to append the values that are specified by the RHS to the array that is targeted by the LHS path expression.

APPEND has the effect of INSERT for an array position of last+1.

An error is raised if the LHS path expression targets an existing field whose value is not an array.

If the RHS targets an array then the LHS array is updated by appending the elements of the RHS array to it, in order.

- Use CASE to set conditions to perform a sequence of JSON\_TRANSFORM operations.

This is a control operation that conditionally applies other operations, which in turn can modify data.

The syntax is keyword CASE followed by one or more WHEN clauses, followed optionally by an ELSE clause, followed by END.

A WHEN clause is keyword WHEN followed by a path expression, followed by a THEN clause.

The path expression contains a filter condition, which checks for the existence of some data.

A THEN or an ELSE clause is keyword THEN or ELSE, respectively, followed by parentheses (()) containing zero or more JSON\_TRANSFORM operations.

The operations of a `THEN` clause are performed if the condition of its `WHEN` clause is satisfied. The operations of the optional `ELSE` clause are performed if the condition of no `WHEN` clause is satisfied.

The syntax of the `JSON_TRANSFORM CASE` operation is thus essentially the same as an Oracle SQL searched `CASE` expression, except that it is the predicate that is tested and the resulting effect of each `THEN/ELSE` branch.

For SQL, the predicate tested is a SQL comparison. For `JSON_TRANSFORM`, the predicate is a path expression that checks for the existence of some data. (The check is essentially done using `JSON_EXISTS`.)

For SQL, each `THEN/ELSE` branch holds a SQL expression to evaluate, and its value is returned as the result of the `CASE` expression. For `json_transform`, each `THEN/ELSE` branch holds a (parenthesized) sequence of `JSON_TRANSFORM` operations, which are performed in order.

The conditional path expressions of the `WHEN` clauses are tested in order, until one succeeds (those that follow are not tested). The `THEN` operations for the successful `WHEN` test are then performed, in order.

- Use `COPY` to replace the elements of the array that is targeted by the LHS path expression with the values that are specified by the RHS. An error is raised if the LHS path expression does not target an array. The operation can accept a sequence of multiple values matched by the RHS path expression.
- `INSERT` Insert the value of the specified SQL expression at the location that's targeted by the specified path expression that follows the equal sign (`=`), which must be either the field of an object or an array position (otherwise, an error is raised). By default, an error is raised if a targeted object field already exists.

`INSERT` for an object field has the effect of `SET` with clause `CREATE ON MISSING` (default for `SET`), except that the default behavior for `ON EXISTING` is `ERROR`, not `REPLACE`.

You can specify an array position past the current end of an array. In that case, the array is lengthened to accommodate insertion of the value at the indicated position, and the intervening positions are filled with JSON null values.

For example, if the input JSON data is `{"a": ["b"]}` then `INSERT '$.a[3]'=42` returns `{"a": ["b", null, null, 42]}` as the modified data. The elements at array positions 1 and 2 are null.

- Use `INTERSECT` to remove all elements of the array that is targeted by the LHS path expression that are not equal to any value specified by the RHS. Remove any duplicate elements. Note that this is a set operation. The order of all array elements is undefined after the operation.
- Use `MERGE` to add specified fields (name and value) matched by the RHS path expression to the object that is targeted by the LHS path expression. Ignore any fields specified by the RHS that are already in the targeted LHS object. If the same field is specified more than once by the RHS then use only the last one in the sequence of matches.
- Use `MINUS` to remove all elements of the array that is targeted by the LHS path expression that are equal to a value specified by the RHS. Remove any duplicate elements. Note that this is a set operation. The order of all array elements is undefined after the operation.
- `KEEP` removes all parts of the input data that are not targeted by at least one of the specified path expressions. A topmost object or array is not removed, it is emptied and becomes an empty object (`{}`) or array (`[]`).

- Use `NESTED_PATH` to define a scope (a particular part of your data) in which to apply a sequence of operations.
- Use `PREPEND` to prepend the values that are specified by the RHS to the array that is targeted by the LHS path expression. The operation can accept a sequence of multiple values matched by the RHS path expression.

An error is raised if the LHS path expression targets an existing field whose value is not an array.

When prepending a single value, `PREPEND` has the effect of `INSERT` for an array position of 0.

If the RHS targets an array then the LHS array is updated by prepending the elements of the RHS array to it, in order.

- `REMOVE` Remove the input data that's targeted by the specified path expression. An error is raised if you try to remove all of the data, for example you cannot use `REMOVE '$'`. By default, no error is raised if the targeted data does not exist (`IGNORE ON MISSING`).
- `RENAME` renames the field that is targeted by the specified path expression to the value of the SQL expression that follows the equal sign (`=`). By default, no error is raised if the targeted field does not exist (`IGNORE ON MISSING`).
- `REPLACE` replaces the data that's targeted by the specified path expression with the value of the specified SQL expression that follows the equal sign (`=`). By default, no error is raised if the targeted data does not exist (`IGNORE ON MISSING`).

`REPLACE` has the effect of `SET` with clause `IGNORE ON MISSING`.

- `SET` Set what the LHS specifies to the value specified by what follows the equal sign (`=`). The LHS can be either a SQL/JSON variable or a path expression that targets data. If the RHS is a SQL expression then its value is assigned to the LHS variable. When the LHS specifies a path expression, the default behavior is to replace existing targeted data with the new value, or insert the new value at the targeted location if the path expression matches nothing. (See operator `INSERT` about inserting an array element past the end of the array.)
- When the LHS specifies a SQL/JSON variable, the variable is dynamically assigned to whatever is specified by the RHS. (The variable is created if it does not yet exist.) The variable continues to have that value until it is set to a different value by a subsequent `SET` operation (in the same `JSON_TRANSFORM` invocation).

If the RHS is a path expression then its targeted data is assigned to the variable.

Setting a variable is a control operation; it can affect how subsequent operations modify data, but it does not, itself, directly modify data.

When the LHS specifies a path expression, the default behavior is like that of `SQL UPSERT`: replace existing targeted data with the new value, or insert the new value at the targeted location if the path expression matches nothing. (See operator `INSERT` about inserting an array element past the end of the array.)

- `SORT` sorts the elements of the array targeted by the specified path. The result includes all elements of the array (none are dropped); the only possible change is that they are reordered.
- Use `UNION` to add the values specified by the RHS to the array that is targeted by the LHS path expression. Remove any duplicate elements. The operation can accept a sequence of multiple values matched by the RHS path expression. Note

that this is a set operation. The order of all array elements is undefined after the operation.

### ***JSON\_TRANSFORM\_returning\_clause***

After you specify the operations you can use *JSON\_TRANSFORM\_returning\_clause* to specify the return data type.

### ***JSON\_passing\_clause***

You can use *JSON\_passing\_clause* to specify SQL bindings of bind variables to SQL/JSON variables similar to the *JSON\_EXISTS* condition and the SQL/JSON query functions.

## **Examples**

### **Example 1 : Update a JSON Column with a Timestamp**

```
UPDATE t SET jcol = JSON_TRANSFORM(jcol, SET '$.lastUpdated' = SYSTIMESTAMP)
```

### **Example 2 : Remove a Social Security Number before Shipping JSON to a Client**


```
SELECT JSON_TRANSFORM (jcol, REMOVE '$.ssn') FROM t WHERE ...
```

### ***JSON\_TRANSFORM\_returning\_clause***

If the input data is JSON, then the output data type is also JSON. For all other input types, the default output data type is `VARCHAR2(4000)`.

# JSON\_VALUE


## **Syntax**




### ***JSON\_basic\_path\_expression::=***

(*JSON\_basic\_path\_expression*: See *SQL/JSON Path Expressions*)


### ***JSON\_value\_returning\_clause::=***




**JSON\_value\_return\_type::=**




**JSON\_value\_return\_object\_instance ::=**





**JSON\_value\_mapper\_clause ::=**



**JSON\_value\_on\_error\_clause ::=**





**JSON\_value\_on\_empty\_clause::=****JSON\_value\_on\_mismatch\_clause::=****Purpose**

SQL/JSON function `JSON_VALUE` selects JSON data and returns a SQL scalar or an instance of a user-defined SQL object type or SQL collection type (varray, nested table)

**See Also:**

- *JSON TRANSFORM* of the *JSON Developer's Guide*.
- Appendix C in *Oracle Database Globalization Support Guide* for the collation derivation rules, which define the collation assigned to the value returned by this function when it is a character value

**expr**

The first argument to `JSON_VALUE expr` is a SQL expression that returns an instance of a scalar SQL data type (that is, not an object or collection data type). A scalar value returned from `JSON_VALUE` can be of any of these data types: `BINARY_DOUBLE`, `BINARY_FLOAT`, `BOOLEAN`, `CHAR`, `CLOB`, `DATE`, `INTERVAL DAY TO SECOND`, `INTERVAL YEAR TO MONTH`, `NCHAR`, `NCLOB`, `NVARCHAR2`, `NUMBER`, `RAW1`, `SDO_GEOMETRY`, `TIMESTAMP`, `TIMESTAMP WITH TIME ZONE`, `VARCHAR2`, and `VECTOR`.

If `expr` is not a text literal of well-formed JSON data using strict or lax syntax, then the function returns null by default. You can use the *JSON\_value\_on\_error\_clause* to override this default behavior. Refer to the *JSON\_value\_on\_error\_clause*.

**FORMAT JSON**

You must specify `FORMAT JSON` if `expr` is a column of data type `BLOB`.

### **JSON\_basic\_path\_expression**

Use this clause to specify a SQL/JSON path expression. The function uses the path expression to evaluate *expr* and find a scalar JSON value that matches, or satisfies, the path expression. The path expression must be a text literal. See *Oracle Database JSON Developer's Guide* for the full semantics of *JSON\_basic\_path\_expression*.

### **JSON\_value\_returning\_clause**

Use this clause to specify the data type and format of the value returned by this function.

## **RETURNING**

Use the `RETURNING` clause to specify the data type of the return value. If you omit this clause, then `JSON_VALUE` returns a value of type `VARCHAR2(4000)`.

### **JSON\_value\_return\_type ::=**

You can use *JSON\_value\_return\_type* to specify the following data types:

- `VARCHAR2[(size [BYTE,CHAR])]`

If you specify this data type, then the scalar value returned by this function can be a character or number value. A number value will be implicitly converted to a `VARCHAR2`. When specifying the `VARCHAR2` data type elsewhere in SQL, you are required to specify a size. However, in this clause you can omit the size. In this case, `JSON_VALUE` returns a value of type `VARCHAR2(4000)`.

Specify the optional `TRUNCATE` clause immediately after `VARCHAR2(N)` to truncate the return value to `N` characters, if the return value is greater than `N` characters.

Notes on the `TRUNCATE` clause :

- If the string value is too long, then `ORA-40478` is raised.
- If `TRUNCATE` is present, and the return value is not a character type, then a compile time error is raised.
- If `TRUNCATE` is present with `FORMAT JSON`, then the return value may contain data that is not syntactically correct JSON.
- `TRUNCATE` does not work with `EXISTS`.

- `CLOB`

Specify this data type to return a character large object containing single-byte or multi-byte characters.

- `NUMBER[(precision [, scale])]`

If you specify this data type, then the scalar value returned by this function must be a number value. The scalar value returned can also be a JSON Boolean value. Note however, that returning `NUMBER` for a JSON Boolean value is deprecated.

- `DATE`

If you specify this data type, then the scalar value returned by this function must be a character value that can be implicitly converted to a `DATE` data type. If the JSON input represents a date with a time component, specify `DATE PRESERVE TIME`

to retain the time component. If you do not want to retain the time component, specify `DATE TRUNCATE TIME`.

If you specify neither `PRESERVE TIME` nor `TRUNCATE TIME`, the time component is not preserved.

- `TIMESTAMP`

If you specify this data type, then the scalar value returned by this function must be a character value that can be implicitly converted to a `TIMESTAMP` data type.

- `TIMESTAMP WITH TIME ZONE`

If you specify this data type, then the scalar value returned by this function must be a character value that can be implicitly converted to a `TIMESTAMP WITH TIME ZONE` data type.

- `BOOLEAN`

Specify `BOOLEAN` to return true, false, or unknown.

- `SDO_GEOMETRY`

This data type is used for Oracle Spatial and Graph data. If you specify this data type, then `expr` must evaluate to a text literal containing GeoJSON data, which is a format for encoding geographic data in JSON. If you specify this data type, then the scalar value returned by this function must be an object of type `SDO_GEOMETRY`.

- *JSON\_value\_return\_object\_instance*

If `JSON_VALUE` targets a JSON object, and you specify a user-defined SQL object type as the return type, then `JSON_VALUE` returns an instance of that object type in *object\_type\_name*.

For examples see *Using JSON\_VALUE To Instantiate a User-Defined Object Type Instance* of the *JSON Developer's Guide*.

#### See Also:

- *SQL/JSON Function JSON\_VALUE* for a conceptual understanding in the *JSON Developer's Guide*.
- Refer to "[Data Types](#)" for more information on the preceding data types.
- If the data type is not large enough to hold the return value, then this function returns null by default. You can use the *JSON\_value\_on\_error\_clause* to override this default behavior. Refer to the *JSON\_value\_on\_error\_clause*.

## ASCII

Specify `ASCII` to automatically escape any non-ASCII Unicode characters in the return value, using standard ASCII Unicode escape sequences.

### *JSON\_value\_on\_error\_clause*

Use this clause to specify the value returned by this function when the following errors occur:

- `expr` is not well-formed JSON data using strict or lax JSON syntax
- A nonscalar value is found when the JSON data is evaluated using the SQL/JSON path expression

- No match is found when the JSON data is evaluated using the SQL/JSON path expression. You can override the behavior for this type of error by specifying the *JSON\_value\_on\_empty\_clause*.
- The return value data type is not large enough to hold the return value

You can specify the following clauses:

- NULL ON ERROR - Returns null when an error occurs. This is the default.
- ERROR ON ERROR - Returns the appropriate Oracle error when an error occurs.
- DEFAULT *literal* ON ERROR - Returns *literal* when an error occurs. The data type of *literal* must match the data type of the value returned by this function.

### ***JSON\_value\_on\_empty\_clause***

Use this clause to specify the value returned by this function if no match is found when the JSON data is evaluated using the SQL/JSON path expression. This clause allows you to specify a different outcome for this type of error than the outcome specified with the *JSON\_value\_on\_error\_clause*.

You can specify the following clauses:

- NULL ON EMPTY - Returns null when no match is found.
- ERROR ON EMPTY - Returns the appropriate Oracle error when no match is found.
- DEFAULT *literal* ON EMPTY - Returns *literal* when no match is found. The data type of *literal* must match the data type of the value returned by this function.

If you omit this clause, then the *JSON\_value\_on\_error\_clause* determines the value returned when no match is found.

### ***JSON\_value\_on\_mismatch\_clause***

The *JSON\_value\_on\_mismatch\_clause* applies when a type conversion fails, for example when you try to convert a JSON number to a SQL date.

If the return type of `JSON_VALUE` is a SQL scalar like `NUMBER` or `DATE`, then `ON MISMATCH` applies for all type conversion errors - no further specification is required. `ERROR` and `NULL` are valid options.

### **Example**

```
select json_value( '{a:"cat"}', '$.a.number()' NULL ON
EMPTY
ERROR ON MISMATCH DEFAULT -1 ON ERROR ) from dual;
ORA-01722: invalid number
```

If the return type is an object type, then `ON MISMATCH` can be further specified with `MISSING DATA`, `EXTRA DATA` and `TYPE ERROR`. You can use it generally to apply to all error cases, or you can use it case by case by specifying different `ON MISMATCH` clauses for each case.

## Examples

```
IGNORE ON MISMATCH (EXTRA DATA)
```

```
ERROR ON MISMATCH ( MISSING DATA, TYPE ERROR)
```

The option `IGNORE` is only valid when the return type is an object type.

## Examples

The following query returns the value of the member with property name `a`. Because the `RETURNING` clause is not specified, the value is returned as a `VARCHAR2(4000)` data type:

```
SELECT JSON_VALUE('{a:100}', '$.a') AS value
       FROM DUAL;
```

```
VALUE
-----
100
```

The following query returns the value of the member with property name `a`. Because the `RETURNING NUMBER` clause is specified, the value is returned as a `NUMBER` data type:

```
SELECT JSON_VALUE('{a:100}', '$.a' RETURNING NUMBER) AS value
       FROM DUAL;
```

```
VALUE
-----
100
```

The following query returns the value of the member with property name `b`, which is in the value of the member with property name `a`:

```
SELECT JSON_VALUE('{a:{b:100}}', '$.a.b') AS value
       FROM DUAL;
```

```
VALUE
-----
100
```

The following query returns the value of the member with property name `d` in any object:

```
SELECT JSON_VALUE('{a:{b:100}, c:{d:200}, e:{f:300}}', '$.*.d') AS value
       FROM DUAL;
```

```
VALUE
-----
200
```

The following query returns the value of the first element in an array:

```
SELECT JSON_VALUE('[0, 1, 2, 3]', '$[0]') AS value
       FROM DUAL;
```

```
VALUE
-----
0
```

The following query returns the value of the third element in an array. The array is the value of the member with property name `a`.

```
SELECT JSON_VALUE('{a:[5, 10, 15, 20]}', '$.a[2]') AS value
FROM DUAL;
```

```
VALUE
-----
15
```

The following query returns the value of the member with property name `a` in the second object in an array:

```
SELECT JSON_VALUE('[{a:100}, {a:200}, {a:300}]', '$[1].a') AS value
FROM DUAL;
```

```
VALUE
-----
200
```

The following query returns the value of the member with property name `c` in any object in an array:

```
SELECT JSON_VALUE('[{a:100}, {b:200}, {c:300}]', '$[*].c') AS value
FROM DUAL;
```

```
VALUE
-----
300
```

The following query attempts to return the value of the member that has property name `lastname`. However, such a member does not exist in the specified JSON data, resulting in no match. Because the `ON ERROR` clause is not specified, the statement uses the default `NULL ON ERROR` and returns null.

```
SELECT JSON_VALUE('{firstname:"John"}', '$.lastname') AS "Last Name"
FROM DUAL;
```

```
Last Name
-----

```


The following query results in an error because it attempts to return the value of the member with property name `lastname`, which does not exist in the specified JSON. Because the `ON ERROR` clause is specified, the statement returns the specified text literal.

```
SELECT JSON_VALUE('{firstname:"John"}', '$.lastname'
                  DEFAULT 'No last name found' ON ERROR) AS "Last Name"
FROM DUAL;
```

```
Last Name
-----
No last name found
```

# JSON Type Constructor

## Syntax



## Purpose

The JSON data type constructor, `JSON`, takes as input a textual JSON value (a scalar, object, or array), parses it, and returns the value as an instance of JSON type. Alternatively, the input can be an instance of SQL type `VECTOR`, a user-defined PL/SQL type, or a SQL aggregate type.

You can use the JSON data type constructor `JSON` to parse textual JSON input ( a scalar, object, or array), and return it as an instance of type `JSON`.

Input values must pass the `IS JSON` test. Input values that fail the `IS JSON` test are rejected with a syntax error.

To filter out duplicate input values, you must run the `IS JSON (WITH UNIQUE KEYS)` check on the textual JSON input before using the `JSON` constructor.

## Prerequisites

You can use the constructor `JSON` only if database initialization parameter `compatible` is atleast 20.



### See Also:


JSON Data Type Constructor of the *JSON Developer's Guide*.

## *expr*

The input in `expr` must be a syntactically valid textual representation of type `VARCHAR2`, `CLOB` and `BLOB`. It can also be a literal SQL string. A SQL `NULL` input value results in a JSON type instance of SQL `NULL`.

# KURTOSIS\_POP

## Syntax



**Purpose**

The population kurtosis function `KURTOSIS_POP` is primarily used to determine the characteristics of outliers in a given distribution.


NULL values in `expr` are ignored.

Returns NULL if all rows in the group have NULL `expr` values.

Returns 0 if there are one or two rows in `expr`.

For a given set of values, the result of population kurtosis (`KURTOSIS_POP`) and sample kurtosis (`KURTOSIS_SAMP`) are always deterministic. However, the values of `KURTOSIS_POP` and `KURTOSIS_SAMP` differ. As the number of values in the data set increases, the difference between the computed values of `KURTOSIS_SAMP` and `KURTOSIS_POP` decreases.

## KURTOSIS\_SAMP

**Syntax****Purpose**

The sample kurtosis function `KURTOSIS_SAMP` is primarily used to determine the characteristics of outliers in a given distribution.


NULL values in `expr` are ignored.

Returns NULL if all rows in the group have NULL `expr` values.

Returns 0 if there are one or two rows in `expr`.

For a given set of values, the result of sample kurtosis (`KURTOSIS_SAMP`) and population kurtosis (`KURTOSIS_POP`) are always deterministic. However, the values of `KURTOSIS_SAMP` and `KURTOSIS_POP` differ. As the number of values in the data set increases, the difference between the computed values of `KURTOSIS_SAMP` and `KURTOSIS_POP` decreases.

## L1\_DISTANCE

**Syntax**



### Purpose

L1\_DISTANCE is a shorthand version of the VECTOR\_DISTANCE function that calculates the distance between two vectors. It takes two vectors as input and returns the distance between them as a BINARY\_DOUBLE.

### Parameters

- *expr1* and *expr2* must evaluate to vectors and have the same number of dimensions.
- L1\_DISTANCE returns NULL, if either *expr1* or *expr2* is NULL, or if the dimensions between the two vectors do not match up.



#### See Also:

- VECTOR\_DISTANCE
- COSINE\_DISTANCE
- INNER\_PRODUCT
- L2\_DISTANCE
- 

## L2\_DISTANCE

### Syntax

L2\_DISTANCE ( ( *expr1* , *expr2* ) )

### Purpose

L2\_DISTANCE is a shorthand version of the VECTOR\_DISTANCE function that calculates the distance between two vectors. It takes two vectors as input and returns the distance between them as a BINARY\_DOUBLE.

### Parameters


- *expr1* and *expr2* must evaluate to vectors and have the same number of dimensions.
- L2\_DISTANCE returns NULL, if either *expr1* or *expr2* is NULL, or if the dimensions between the two vectors do not match up.

 See Also:

- VECTOR\_DISTANCE
- COSINE\_DISTANCE
- INNER\_PRODUCT
- L1\_DISTANCE
- 

## LAG

## Syntax

 See Also:

"[Analytic Functions](#)" for information on syntax, semantics, and restrictions, including valid forms of *value\_expr*

## Purpose

LAG is an analytic function. It provides access to more than one row of a table at the same time without a self join. Given a series of rows returned from a query and a position of the cursor, LAG provides access to a row at a given physical offset prior to that position.

For the optional *offset* argument, specify an integer that is greater than zero. If you do not specify *offset*, then its default is 1. The optional *default* value is returned if the offset goes beyond the scope of the window. If you do not specify *default*, then its default is null.

{RESPECT | IGNORE} NULLS determines whether null values of *value\_expr* are included in or eliminated from the calculation. The default is RESPECT NULLS.

You cannot nest analytic functions by using LAG or any other analytic function for *value\_expr*. However, you can use other built-in function expressions for *value\_expr*.

### See Also:

- "About SQL Expressions" for information on valid forms of *expr* and LEAD
- Appendix C in *Oracle Database Globalization Support Guide* for the collation derivation rules, which define the collation assigned to the return value of LAG when it is a character value

### Examples

The following example provides, for each purchasing clerk in the `employees` table, the salary of the employee hired just before:


```
SELECT hire_date, last_name, salary,
       LAG(salary, 1, 0) OVER (ORDER BY hire_date) AS prev_sal
FROM employees
WHERE job_id = 'PU_CLERK'
ORDER BY hire_date;
```

HIRE_DATE	LAST_NAME	SALARY	PREV_SAL
18-MAY-03	Khoo	3100	0
24-JUL-05	Tobias	2800	3100
24-DEC-05	Baida	2900	2800
15-NOV-06	Himuro	2600	2900
10-AUG-07	Colmenares	2500	2600

## LAST

### Syntax

**last::=**



 **See Also:**

"[Analytic Functions](#)" for information on syntax, semantics, and restrictions of the *query\_partitioning\_clause*

**Purpose**

FIRST and LAST are very similar functions. Both are aggregate and analytic functions that operate on a set of values from a set of rows that rank as the FIRST or LAST with respect to a given sorting specification. If only one row ranks as FIRST or LAST, then the aggregate operates on the set with only one element.

Refer to [FIRST](#) for complete information on this function and for examples of its use.

## LAST\_DAY

**Syntax**

```
→ LAST_DAY ( ( date ) ) →
```

**Purpose**

LAST\_DAY returns the date of the last day of the month that contains *date*. The last day of the month is defined by the session parameter NLS\_CALENDAR. The return type is always DATE, regardless of the data type of *date*.

**Examples**

The following statement determines how many days are left in the current month.

```
SELECT SYSDATE,
       LAST_DAY(SYSDATE) "Last",
       LAST_DAY(SYSDATE) - SYSDATE "Days Left"
FROM DUAL;
```

SYSDATE	Last	Days Left
30-MAY-09	31-MAY-09	1

The following example adds 5 months to the hire date of each employee to give an evaluation date:


```
SELECT last_name, hire_date,
       TO_CHAR(ADD_MONTHS(LAST_DAY(hire_date), 5)) "Eval Date"
FROM employees
ORDER BY last_name, hire_date;
```

LAST_NAME	HIRE_DATE	Eval Date
Abel	11-MAY-04	31-OCT-04
Ande	24-MAR-08	31-AUG-08
Atkinson	30-OCT-05	31-MAR-06
Austin	25-JUN-05	30-NOV-05

Baer	07-JUN-02	30-NOV-02
Baida	24-DEC-05	31-MAY-06
Banda	21-APR-08	30-SEP-08
Bates	24-MAR-07	31-AUG-07
. . .		

## LAST\_VALUE

### Syntax



#### See Also:

"[Analytic Functions](#)" for information on syntax, semantics, and restrictions, including valid forms of *expr*

### Purpose

LAST\_VALUE is an analytic function that is useful for data densification. It returns the last value in an ordered set of values.

#### Note:

The two forms of this syntax have the same behavior. The top branch is the ANSI format, which Oracle recommends for ANSI compatibility.

{RESPECT | IGNORE} NULLS determines whether null values of *expr* are included in or eliminated from the calculation. The default is RESPECT NULLS. If the last value in the set is null, then the function returns NULL unless you specify IGNORE NULLS. If you specify IGNORE NULLS, then LAST\_VALUE returns the last non-null value in the set, or NULL if all values are null. Refer to "[Using Partitioned Outer Joins: Examples](#)" for an example of data densification.

You cannot nest analytic functions by using LAST\_VALUE or any other analytic function for *expr*. However, you can use other built-in function expressions for *expr*. Refer to "[About SQL Expressions](#)" for information on valid forms of *expr*.

If you omit the *windowing\_clause* of the *analytic\_clause*, it defaults to RANGE BETWEEN UNBOUNDED PRECEDING AND CURRENT ROW. This default sometimes returns an unexpected value, because the last value in the window is at the bottom of the window, which is not fixed. It keeps changing as the current row changes. For expected results, specify the

*windowing\_clause* **as** RANGE BETWEEN UNBOUNDED PRECEDING AND UNBOUNDED FOLLOWING.  
Alternatively, you can specify the *windowing\_clause* **as** RANGE BETWEEN CURRENT ROW AND UNBOUNDED FOLLOWING.

### See Also:

Appendix C in *Oracle Database Globalization Support Guide* for the collation derivation rules, which define the collation assigned to the return value of this function when it is a character value

## Examples

The following example returns, for each row, the hire date of the employee earning the lowest salary:

```
SELECT employee_id, last_name, salary, hire_date,
       LAST_VALUE(hire_date)
         OVER (ORDER BY salary DESC ROWS BETWEEN UNBOUNDED PRECEDING AND
              UNBOUNDED
              FOLLOWING) AS lv
FROM (SELECT * FROM employees
      WHERE department_id = 90
      ORDER BY hire_date);
```

EMPLOYEE_ID	LAST_NAME	SALARY	HIRE_DATE	LV
100	King	24000	17-JUN-03	13-JAN-01
101	Kochhar	17000	21-SEP-05	13-JAN-01
102	De Haan	17000	13-JAN-01	13-JAN-01

This example illustrates the nondeterministic nature of the `LAST_VALUE` function. Kochhar and De Haan have the same salary, so they are in adjacent rows. Kochhar appears first because the rows in the subquery are ordered by `hire_date`. However, if the rows are ordered by `hire_date` in descending order, as in the next example, then the function returns a different value:

```
SELECT employee_id, last_name, salary, hire_date,
       LAST_VALUE(hire_date)
         OVER (ORDER BY salary DESC ROWS BETWEEN UNBOUNDED PRECEDING AND
              UNBOUNDED
              FOLLOWING) AS lv
FROM (SELECT * FROM employees
      WHERE department_id = 90
      ORDER BY hire_date DESC);
```

EMPLOYEE_ID	LAST_NAME	SALARY	HIRE_DATE	LV
100	King	24000	17-JUN-03	21-SEP-05
102	De Haan	17000	13-JAN-01	21-SEP-05
101	Kochhar	17000	21-SEP-05	21-SEP-05

The following two examples show how to make the `LAST_VALUE` function deterministic by ordering on a unique key. By ordering within the function by both salary and the unique key `employee_id`, you can ensure the same result regardless of the ordering in the subquery.

```

SELECT employee_id, last_name, salary, hire_date,
       LAST_VALUE(hire_date)
       OVER (ORDER BY salary DESC, employee_id ROWS BETWEEN UNBOUNDED PRECEDING
            AND UNBOUNDED FOLLOWING) AS lv
FROM (SELECT * FROM employees
      WHERE department_id = 90
      ORDER BY hire_date);

```

EMPLOYEE_ID	LAST_NAME	SALARY	HIRE_DATE	LV
100	King	24000	17-JUN-03	13-JAN-01
101	Kochhar	17000	21-SEP-05	13-JAN-01
102	De Haan	17000	13-JAN-01	13-JAN-01

```

SELECT employee_id, last_name, salary, hire_date,
       LAST_VALUE(hire_date)
       OVER (ORDER BY salary DESC, employee_id ROWS BETWEEN UNBOUNDED PRECEDING
            AND UNBOUNDED FOLLOWING) AS lv
FROM (SELECT * FROM employees
      WHERE department_id = 90
      ORDER BY hire_date DESC);

```

EMPLOYEE_ID	LAST_NAME	SALARY	HIRE_DATE	LV
100	King	24000	17-JUN-03	13-JAN-01
101	Kochhar	17000	21-SEP-05	13-JAN-01
102	De Haan	17000	13-JAN-01	13-JAN-01

The following two examples show that the LAST\_VALUE function is deterministic when you use a logical offset (RANGE instead of ROWS). When duplicates are found for the ORDER BY expression, the LAST\_VALUE is the highest value of expr:

```

SELECT employee_id, last_name, salary, hire_date,
       LAST_VALUE(hire_date)
       OVER (ORDER BY salary DESC RANGE BETWEEN UNBOUNDED PRECEDING AND
            UNBOUNDED FOLLOWING) AS lv
FROM (SELECT * FROM employees
      WHERE department_id = 90
      ORDER BY hire_date);

```

EMPLOYEE_ID	LAST_NAME	SALARY	HIRE_DATE	LV
100	King	24000	17-JUN-03	21-SEP-05
102	De Haan	17000	13-JAN-01	21-SEP-05
101	Kochhar	17000	21-SEP-05	21-SEP-05

```


SELECT employee_id, last_name, salary, hire_date,
       LAST_VALUE(hire_date)
       OVER (ORDER BY salary DESC RANGE BETWEEN UNBOUNDED PRECEDING AND
            UNBOUNDED FOLLOWING) AS lv
FROM (SELECT * FROM employees
      WHERE department_id = 90
      ORDER BY hire_date DESC);

```

EMPLOYEE_ID	LAST_NAME	SALARY	HIRE_DATE	LV
100	King	24000	17-JUN-03	21-SEP-05
102	De Haan	17000	13-JAN-01	21-SEP-05
101	Kochhar	17000	21-SEP-05	21-SEP-05

## LEAD

## Syntax



 **See Also:**

"[Analytic Functions](#)" for information on syntax, semantics, and restrictions, including valid forms of *value\_expr*

## Purpose

LEAD is an analytic function. It provides access to more than one row of a table at the same time without a self join. Given a series of rows returned from a query and a position of the cursor, LEAD provides access to a row at a given physical offset beyond that position.

If you do not specify *offset*, then its default is 1. The optional *default* value is returned if the offset goes beyond the scope of the table. If you do not specify *default*, then its default value is null.

{RESPECT | IGNORE} NULLS determines whether null values of *value\_expr* are included in or eliminated from the calculation. The default is RESPECT NULLS.

You cannot nest analytic functions by using LEAD or any other analytic function for *value\_expr*. However, you can use other built-in function expressions for *value\_expr*.

 **See Also:**

- "[About SQL Expressions](#)" for information on valid forms of *expr* and LAG
- Appendix C in *Oracle Database Globalization Support Guide* for the collation derivation rules, which define the collation assigned to the return value of LEAD when it is a character value



## Examples


The following example provides, for each employee in Department 30 in the `employees` table, the hire date of the employee hired just after:

```
SELECT hire_date, last_name,
       LEAD(hire_date, 1) OVER (ORDER BY hire_date) AS "NextHired"
FROM employees
WHERE department_id = 30
ORDER BY hire_date;
```

HIRE_DATE	LAST_NAME	Next Hired
07-DEC-02	Raphaely	18-MAY-03
18-MAY-03	Khoo	24-JUL-05
24-JUL-05	Tobias	24-DEC-05
24-DEC-05	Baida	15-NOV-06
15-NOV-06	Himuro	10-AUG-07
10-AUG-07	Colmenares	

# LEAST

## Syntax



## Purpose

`LEAST` returns the least of a list of one or more expressions. Oracle Database uses the first `expr` to determine the return type. If the first `expr` is numeric, then Oracle determines the argument with the highest numeric precedence, implicitly converts the remaining arguments to that data type before the comparison, and returns that data type. If the first `expr` is not numeric, then each `expr` after the first is implicitly converted to the data type of the first `expr` before the comparison.

Oracle Database compares each `expr` using nonpadded comparison semantics. The comparison is binary by default and is linguistic if the `NLS_COMP` parameter is set to `LINGUISTIC` and the `NLS_SORT` parameter has a setting other than `BINARY`. Character comparison is based on the numerical codes of the characters in the database character set and is performed on whole strings treated as one sequence of bytes, rather than character by character. If the value returned by this function is character data, then its data type is `VARCHAR2` if the first `expr` is a character data type and `NVARCHAR2` if the first `expr` is a national character data type.

 See Also:

- "Data Type Comparison Rules " for more information on character comparison
- Table 2-9 for more information on implicit conversion and "Floating-Point Numbers " for information on binary-float comparison semantics
- "GREATEST ", which returns the greatest of a list of one or more expressions
- Appendix C in *Oracle Database Globalization Support Guide* for the collation determination rules, which define the collation LEAST uses to compare character values for *expr*, and for the collation derivation rules, which define the collation assigned to the return value of this function when it is a character value

**Examples**

The following statement selects the string with the least value:

```
SELECT LEAST ('HARRY', 'HARRIOT', 'HAROLD') "Least"
FROM DUAL;
```

```
Least
-----
HAROLD
```

In the following statement, the first argument is numeric. Oracle Database determines that the argument with the highest numeric precedence is the third argument, converts the remaining arguments to the data type of the third argument, and returns the least value as that data type:


```
SELECT LEAST (1, '2.1', '.000832') "Least"
FROM DUAL;
```

```
Least
-----
.000832
```

# LENGTH

**Syntax**

**length::=**



## Purpose

The `LENGTH` functions return the length of `char`. `LENGTH` calculates length using characters as defined by the input character set. `LENGTHB` uses bytes instead of characters. `LENGTHC` uses Unicode complete characters. `LENGTH2` uses UCS2 code points. `LENGTH4` uses UCS4 code points.

`char` can be any of the data types `CHAR`, `VARCHAR2`, `NCHAR`, `NVARCHAR2`, `CLOB`, or `NCLOB`. The exceptions are `LENGTHC`, `LENGTH2`, and `LENGTH4`, which do not allow `char` to be a `CLOB` or `NCLOB`. The return value is of data type `NUMBER`. If `char` has data type `CHAR`, then the length includes all trailing blanks. If `char` is null, then this function returns null.

For more on character length see the following:

- *Oracle Database Globalization Support Guide*
- *Oracle Database SecureFiles and Large Objects Developer's Guide*

## Restriction on LENGTHB

The `LENGTHB` function is supported for single-byte LOBs only. It cannot be used with `CLOB` and `NCLOB` data in a multibyte character set.

## Examples

The following example uses the `LENGTH` function using a single-byte database character set:

```
SELECT LENGTH('CANDIDE') "Length in characters"
   FROM DUAL;

Length in characters
-----
                        7
```


The next example assumes a double-byte database character set.

```
SELECT LENGTHB ('CANDIDE') "Length in bytes"
   FROM DUAL;

Length in bytes
-----
                    14
```


# LISTAGG

## Syntax



(*listagg\_overflow\_clause::=*, *order\_by\_clause::=*, *query\_partition\_clause::=*)

***listagg\_overflow\_clause::=***



### See Also:

"[Analytic Functions](#)" for information on syntax, semantics, and restrictions of the `ORDER BY` clause and `OVER` clause

### Purpose

For a specified measure, `LISTAGG` orders data within each group specified in the `ORDER BY` clause and then concatenates the values of the measure column.

- As a single-set aggregate function, `LISTAGG` operates on all rows and returns a single output row.
- As a group-set aggregate, the function operates on and returns an output row for each group defined by the `GROUP BY` clause.
- As an analytic function, `LISTAGG` partitions the query result set into groups based on one or more expression in the *query\_partition\_clause*.

The arguments to the function are subject to the following rules:

- The `ALL` keyword is optional and is provided for semantic clarity.
- The *measure\_expr* is the measure column and can be any expression. Null values in the measure column are ignored.
- The *delimiter* designates the string that is to separate the measure column values. This clause is optional and defaults to `NULL`.

If *measure\_expr* is of type `RAW`, then the delimiter must be of type `RAW`. You can achieve this by specifying the delimiter as a character string that can be implicitly converted to `RAW`, or by explicitly converting the delimiter to `RAW`, for example, using the `UTL_RAW.CAST_TO_RAW` function.

- The *order\_by\_clause* determines the order in which the concatenated values are returned. The function is deterministic only if the `ORDER BY` column list achieved unique ordering.
- If you specify *order\_by\_clause*, you must also specify `WITHIN GROUP` and vice versa. These two clauses must be specified together or not at all.

The `DISTINCT` keyword removes duplicate values from the list.

If the measure column is of type `RAW`, then the return data type is `RAW`. Otherwise, the return data type is `VARCHAR2`.

The maximum length of the return data type depends on the value of the `MAX_STRING_SIZE` initialization parameter. If `MAX_STRING_SIZE = EXTENDED`, then the maximum length is 32767 bytes for the `VARCHAR2` and `RAW` data types. If `MAX_STRING_SIZE = STANDARD`, then the maximum length is 4000 bytes for the `VARCHAR2` data type and 2000 bytes for the `RAW` data type. A final delimiter is not included when determining if the return value fits in the return data type.

### See Also:

- [Extended Data Types](#) for more information on the `MAX_STRING_SIZE` initialization parameter
- Appendix C in *Oracle Database Globalization Support Guide* for the collation derivation rules, which define the collation assigned to the character return value of `LISTAGG`
- *Database Data Warehousing Guide* for details.

### *listagg\_overflow\_clause*

This clause controls how the function behaves when the return value exceeds the maximum length of the return data type.

**ON OVERFLOW ERROR** If you specify this clause, then the function returns an ORA-01489 error. This is the default.

**ON OVERFLOW TRUNCATE** If you specify this clause, then the function returns a truncated list of measure values.

- The *truncation\_indicator* designates the string that is to be appended to the truncated list of measure values. If you omit this clause, then the truncation indicator is an ellipsis (...).

If *measure\_expr* is of type `RAW`, then the truncation indicator must be of type `RAW`. You can achieve this by specifying the truncation indicator as a character string that can be implicitly converted to `RAW`, or by explicitly converting the truncation indicator to `RAW`, for example, using the `UTL_RAW.CAST_TO_RAW` function.

- If you specify `WITH COUNT`, then after the truncation indicator, the database appends the number of truncated values, enclosed in parentheses. In this case, the database truncates enough measure values to allow space in the return value for a final delimiter, the truncation indicator, and 24 characters for the number value enclosed in parentheses.
- If you specify `WITHOUT COUNT`, then the database omits the number of truncated values from the return value. In this case, the database truncates enough measure values to allow space in the return value for a final delimiter and the truncation indicator.

If you do not specify `WITH COUNT` or `WITHOUT COUNT`, then the default is `WITH COUNT`.

### Aggregate Examples

The following single-set aggregate example lists all of the employees in Department 30 in the `hr.employees` table, ordered by hire date and last name:

```
SELECT LISTAGG(last_name, ';' )
       WITHIN GROUP (ORDER BY hire_date, last_name) "Emp_list",
```

```

        MIN(hire_date) "Earliest"
FROM employees
WHERE department_id = 30;

```

Emp_list	Earliest
-----	
Raphaely; Khoo; Tobias; Baida; Himuro; Colmenares	07-DEC-02

The following group-set aggregate example lists, for each department ID in the `hr.employees` table, the employees in that department in order of their hire date:

```

SELECT department_id "Dept.",
       LISTAGG(last_name, ';' ) WITHIN GROUP (ORDER BY hire_date) "Employees"
FROM employees
GROUP BY department_id
ORDER BY department_id;

```

Dept.	Employees
-----	
10	Whalen
20	Hartstein; Fay
30	Raphaely; Khoo; Tobias; Baida; Himuro; Colmenares
40	Mavris
50	Kaufling; Ladwig; Rajes; Sarchand; Bell; Mallin; Weiss; Davie s; Marlow; Bull; Everett; Fripp; Chung; Nayer; Dilly; Bissot ; Vollman; Stiles; Atkinson; Taylor; Seo; Fleaur; Matos; Pat el; Walsh; Feeney; Dellinger; McCain; Vargas; Gates; Rogers; Mikkilineni; Landry; Cabrio; Jones; Olson; OConnell; Sulliv an; Mourgos; Gee; Perkins; Grant; Geoni; Philtanker; Markle
60	Austin; Hunold; Pataballa; Lorentz; Ernst
70	Baer
. . .	

The following example is identical to the previous example, except it contains the `ON OVERFLOW TRUNCATE` clause. For the purpose of this example, assume that the maximum length of the return value is an artificially small number of 200 bytes. Because the list of employees for department 50 exceeds 200 bytes, the list is truncated and appended with a final delimiter `;`, the specified truncation indicator `'...'`, and the number of truncated values `'(23)'`.

```

SELECT department_id "Dept.",
       LISTAGG(last_name, ';' ON OVERFLOW TRUNCATE '...')
           WITHIN GROUP (ORDER BY hire_date) "Employees"
FROM employees
GROUP BY department_id
ORDER BY department_id;

```

Dept.	Employees
-----	
10	Whalen
20	Hartstein; Fay
30	Raphaely; Khoo; Tobias; Baida; Himuro; Colmenares
40	Mavris
50	Kaufling; Ladwig; Rajes; Sarchand; Bell; Mallin; Weiss; Davie s; Marlow; Bull; Everett; Fripp; Chung; Nayer; Dilly; Bissot ; Vollman; Stiles; Atkinson; Taylor; Seo; Fleaur; ... (23)
70	Baer
. . .	

## Analytic Example

The following analytic example shows, for each employee hired earlier than September 1, 2003, the employee's department, hire date, and all other employees in that department also hired before September 1, 2003:

```
SELECT department_id "Dept", hire_date "Date", last_name "Name",
       LISTAGG(last_name, ';' ) WITHIN GROUP (ORDER BY hire_date, last_name)
       OVER (PARTITION BY department_id) as "Emp_list"
FROM employees
WHERE hire_date < '01-SEP-2003'
ORDER BY "Dept", "Date", "Name";
```

Dept	Date	Name	Emp_list
30	07-DEC-02	Raphaely	Raphaely; Khoo
30	18-MAY-03	Khoo	Raphaely; Khoo
40	07-JUN-02	Mavris	Mavris
50	01-MAY-03	Kaufling	Kaufling; Ladwig
50	14-JUL-03	Ladwig	Kaufling; Ladwig
70	07-JUN-02	Baer	Baer
90	13-JAN-01	De Haan	De Haan; King
90	17-JUN-03	King	De Haan; King
100	16-AUG-02	Faviet	Faviet; Greenberg
100	17-AUG-02	Greenberg	Faviet; Greenberg
110	07-JUN-02	Gietz	Gietz; Higgins
110	07-JUN-02	Higgins	Gietz; Higgins

## LN

### Syntax

→ LN → ( → n → ) →

### Purpose

LN returns the natural logarithm of  $n$ , where  $n$  is greater than 0.

This function takes as an argument any numeric data type or any nonnumeric data type that can be implicitly converted to a numeric data type. If the argument is `BINARY_FLOAT`, then the function returns `BINARY_DOUBLE`. Otherwise the function returns the same numeric data type as the argument.



#### See Also:

[Table 2-9](#) for more information on implicit conversion

### Examples

The following example returns the natural logarithm of 95:

```
SELECT LN(95) "Natural log of 95"
FROM DUAL;
```

```
Natural log of 95
-----
4.55387689
```

## LNNVL

### Syntax

```
→ LNNVL → ( → condition → ) →
```

### Purpose

**LNNVL** provides a concise way to evaluate a condition when one or both operands of the condition may be null. The function can be used in the `WHERE` clause of a query, or as the `WHEN` condition in a searched `CASE` expression. It takes as an argument a condition and returns `TRUE` if the condition is `FALSE` or `UNKNOWN` and `FALSE` if the condition is `TRUE`. **LNNVL** can be used anywhere a scalar expression can appear, even in contexts where the `IS [NOT] NULL`, `AND`, or `OR` conditions are not valid but would otherwise be required to account for potential nulls.

Oracle Database sometimes uses the **LNNVL** function internally in this way to rewrite `NOT IN` conditions as `NOT EXISTS` conditions. In such cases, output from `EXPLAIN PLAN` shows this operation in the plan table output. The *condition* can evaluate any scalar values but cannot be a compound condition containing `AND`, `OR`, or `BETWEEN`.

The table that follows shows what **LNNVL** returns given that `a = 2` and `b` is null.

Condition	Truth of Condition	LNNVL Return Value
<code>a = 1</code>	<code>FALSE</code>	<code>TRUE</code>
<code>a = 2</code>	<code>TRUE</code>	<code>FALSE</code>
<code>a IS NULL</code>	<code>FALSE</code>	<code>TRUE</code>
<code>b = 1</code>	<code>UNKNOWN</code>	<code>TRUE</code>
<code>b IS NULL</code>	<code>TRUE</code>	<code>FALSE</code>
<code>a = b</code>	<code>UNKNOWN</code>	<code>TRUE</code>

### Examples

Suppose that you want to know the number of employees with commission rates of less than 20%, including employees who do not receive commissions. The following query returns only employees who actually receive a commission of less than 20%:

```
SELECT COUNT(*)
   FROM employees
   WHERE commission_pct < .2;

COUNT(*)
-----
11
```




To include the 72 employees who receive no commission at all, you could rewrite the query using the `LNNVL` function as follows:

```
SELECT COUNT(*)
   FROM employees
  WHERE LNNVL(commission_pct >= .2);

COUNT(*)
-----
         83
```

## LOCALTIMESTAMP

### Syntax



### Purpose

`LOCALTIMESTAMP` returns the current date and time in the session time zone in a value of data type `TIMESTAMP`. The difference between this function and `CURRENT_TIMESTAMP` is that `LOCALTIMESTAMP` returns a `TIMESTAMP` value while `CURRENT_TIMESTAMP` returns a `TIMESTAMP WITH TIME ZONE` value.

The optional argument `timestamp_precision` specifies the fractional second precision of the time value returned.



#### See Also:

[CURRENT\\_TIMESTAMP](#), ["TIMESTAMP Data Type"](#), and ["TIMESTAMP WITH TIME ZONE Data Type"](#)

### Examples

This example illustrates the difference between `LOCALTIMESTAMP` and `CURRENT_TIMESTAMP`:

```
ALTER SESSION SET TIME_ZONE = '-5:00';
SELECT CURRENT_TIMESTAMP, LOCALTIMESTAMP FROM DUAL;
```

```
CURRENT_TIMESTAMP          LOCALTIMESTAMP
-----
04-APR-00 01.27.18.999220 PM -05:00  04-APR-00 01.27.19 PM
```

```
ALTER SESSION SET TIME_ZONE = '-8:00';
SELECT CURRENT_TIMESTAMP, LOCALTIMESTAMP FROM DUAL;
```

```
CURRENT_TIMESTAMP          LOCALTIMESTAMP
-----
04-APR-00 10.27.45.132474 AM -08:00  04-APR-00 10.27.451 AM
```

When you use the `LOCALTIMESTAMP` with a format mask, take care that the format mask matches the value returned by the function. For example, consider the following table:

```
CREATE TABLE local_test (col1 TIMESTAMP WITH LOCAL TIME ZONE);
```

The following statement fails because the mask does not include the `TIME ZONE` portion of the return type of the function:

```
INSERT INTO local_test
VALUES (TO_TIMESTAMP(LOCALTIMESTAMP, 'DD-MON-RR HH.MI.SSXFF'));
```

The following statement uses the correct format mask to match the return type of `LOCALTIMESTAMP`:

```
INSERT INTO local_test
VALUES (TO_TIMESTAMP(LOCALTIMESTAMP, 'DD-MON-RR HH.MI.SSXFF PM'));
```

## LOG

### Syntax

```
→ LOG → ( → n2 → , → n1 → ) →
```

### Purpose

`LOG` returns the logarithm, base  $n2$ , of  $n1$ . The base  $n2$  can be any positive value other than 0 or 1 and  $n1$  can be any positive value.

This function takes as arguments any numeric data type or any nonnumeric data type that can be implicitly converted to a numeric data type. If any argument is `BINARY_FLOAT` or `BINARY_DOUBLE`, then the function returns `BINARY_DOUBLE`. Otherwise the function returns `NUMBER`.



#### See Also:

[Table 2-9](#) for more information on implicit conversion

### Examples

The following example returns the log of 100:

```
SELECT LOG(10,100) "Log base 10 of 100"
FROM DUAL;
```

```
Log base 10 of 100
-----
                2
```

## LOWER

### Syntax

```
→ LOWER → ( → char → ) →
```

## Purpose

`LOWER` returns *char*, with all letters lowercase. *char* can be any of the data types `CHAR`, `VARCHAR2`, `NCHAR`, `NVARCHAR2`, `CLOB`, or `NCLOB`. The return value is the same data type as *char*. The database sets the case of the characters based on the binary mapping defined for the underlying character set. For linguistic-sensitive lowercase, refer to [NLS\\_LOWER](#).

### See Also:

Appendix C in *Oracle Database Globalization Support Guide* for the collation derivation rules, which define the collation assigned to the character return value of `LOWER`

## Examples


The following example returns a string in lowercase:

```
SELECT LOWER('MR. SCOTT MCMILLAN') "Lowercase"
   FROM DUAL;
```

```
Lowercase
-----
mr. scott mcmillan
```

# LPAD

## Syntax



## Purpose

`LPAD` returns *expr1*, left-padded to length *n* characters with the sequence of characters in *expr2*. This function is useful for formatting the output of a query.

Both *expr1* and *expr2* can be any of the data types `CHAR`, `VARCHAR2`, `NCHAR`, `NVARCHAR2`, `CLOB`, or `NCLOB`. The string returned is of `VARCHAR2` data type if *expr1* is a character data type, `NVARCHAR2` if *expr1* is a national character data type, and a `LOB` if *expr1* is a `LOB` data type. The string returned is in the same character set as *expr1*. The argument *n* must be a `NUMBER` integer or a value that can be implicitly converted to a `NUMBER` integer.

If you do not specify *expr2*, then the default is a single blank. If *expr1* is longer than *n*, then this function returns the portion of *expr1* that fits in *n*.

The argument *n* is the total length of the return value as it is displayed on your terminal screen. In most character sets, this is also the number of characters in the return value. However, in some multibyte character sets, the display length of a character string can differ from the number of characters in the string.

 **See Also:**

Appendix C in *Oracle Database Globalization Support Guide* for the collation derivation rules, which define the collation assigned to the character return value of `LPAD`


**Examples**

The following example left-pads a string with the asterisk (\*) and period (.) characters:

```
SELECT LPAD('Page 1',15,'*.') "LPAD example"
FROM DUAL;
```

```
LPAD example
-----
*.*.*.*.*Page 1
```

## LTRIM

**Syntax****Purpose**

`LTRIM` removes from the left end of `char` all of the characters contained in `set`. If you do not specify `set`, then it defaults to a single blank. Oracle Database begins scanning `char` from its first character and removes all characters that appear in `set` until reaching a character not in `set` and then returns the result.

Both `char` and `set` can be any of the data types `CHAR`, `VARCHAR2`, `NCHAR`, `NVARCHAR2`, `CLOB`, or `NCLOB`. The string returned is of `VARCHAR2` data type if `char` is a character data type, `NVARCHAR2` if `char` is a national character data type, and a `LOB` if `char` is a `LOB` data type.

 **See Also:**

- [RTRIM](#)
- Appendix C in *Oracle Database Globalization Support Guide* for the collation determination rules, which define the collation `LTRIM` uses to compare characters from `set` with characters from `char`, and for the collation derivation rules, which define the collation assigned to the character return value of this function

## Examples


The following example trims all the left-most occurrences of less than sign (<), greater than sign (>), and equal sign (=) from a string:

```
SELECT LTRIM('<====>BROWNING<====>', '<>=') "LTRIM Example"
FROM DUAL;
```

```
LTRIM Example
-----
BROWNING<====>
```

# MAKE\_REF

## Syntax



## Purpose

**MAKE\_REF** creates a REF to a row of an object view or a row in an object table whose object identifier is primary key based. This function is useful, for example, if you are creating an object view



### See Also:

*Oracle Database Object-Relational Developer's Guide* for more information about object views and [DEREF](#)

## Examples


The sample schema `oe` contains an object view `oc_inventories` based on `inventory_typ`. The object identifier is `product_id`. The following example creates a REF to the row in the `oc_inventories` object view with a `product_id` of 3003:

```
SELECT MAKE_REF (oc_inventories, 3003)
FROM DUAL;
```

```
MAKE_REF(OC_INVENTORIES,3003)
-----
00004A038A0046857C14617141109EE03408002082543600000014260100010001
00290090606002A00078401FE0000000B03C21F040000000000000000000000
0000000000
```

# MAX

## Syntax



### See Also:

"[Analytic Functions](#)" for information on syntax, semantics, and restrictions

## Purpose

MAX returns maximum value of *expr*. You can use it as an aggregate or analytic function.



### See Also:

- "[About SQL Expressions](#)" for information on valid forms of *expr*, "[Floating-Point Numbers](#)" for information on binary-float comparison semantics, and "[Aggregate Functions](#)"
- Appendix C in *Oracle Database Globalization Support Guide* for the collation determination rules, which define the collation MAX uses to compare character values for *expr*, and for the collation derivation rules, which define the collation assigned to the return value of this function when it is a character value

## Aggregate Example

The following example determines the highest salary in the `hr.employees` table:

```
SELECT MAX(salary) "Maximum"
   FROM employees;
```

```
Maximum
-----
 24000
```

## Analytic Examples

The following example calculates, for each employee, the highest salary of the employees reporting to the same manager as the employee.

```
SELECT manager_id, last_name, salary,
       MAX(salary) OVER (PARTITION BY manager_id) AS mgr_max
   FROM employees
```

```
ORDER BY manager_id, last_name, salary;
```

MANAGER_ID	LAST_NAME	SALARY	MGR_MAX
100	Cambrault	11000	17000
100	De Haan	17000	17000
100	Errazuriz	12000	17000
100	Fripp	8200	17000
100	Hartstein	13000	17000
100	Kaufling	7900	17000
100	Kochhar	17000	17000
. . .			

If you enclose this query in the parent query with a predicate, then you can determine the employee who makes the highest salary in each department:


```
SELECT manager_id, last_name, salary
FROM (SELECT manager_id, last_name, salary,
            MAX(salary) OVER (PARTITION BY manager_id) AS rmax_sal
      FROM employees)
WHERE salary = rmax_sal
ORDER BY manager_id, last_name, salary;
```

MANAGER_ID	LAST_NAME	SALARY
100	De Haan	17000
100	Kochhar	17000
101	Greenberg	12008
101	Higgins	12008
102	Hunold	9000
103	Ernst	6000
108	Faviet	9000
114	Khoo	3100
120	Nayer	3200
120	Taylor	3200
121	Sarchand	4200
122	Chung	3800
123	Bell	4000
124	Rajs	3500
145	Tucker	10000
146	King	10000
147	Vishney	10500
148	Ozer	11500
149	Abel	11000
201	Fay	6000
205	Gietz	8300
	King	24000

22 rows selected.

## MEDIAN

### Syntax



**See Also:**

"[Analytic Functions](#)" for information on syntax, semantics, and restrictions

**Purpose**

`MEDIAN` is an inverse distribution function that assumes a continuous distribution model. It takes a numeric or datetime value and returns the middle value or an interpolated value that would be the middle value once the values are sorted. Nulls are ignored in the calculation.

This function takes as arguments any numeric data type or any nonnumeric data type that can be implicitly converted to a numeric data type. If you specify only *expr*, then the function returns the same data type as the numeric data type of the argument. If you specify the `OVER` clause, then Oracle Database determines the argument with the highest numeric precedence, implicitly converts the remaining arguments to that data type, and returns that data type.

**See Also:**

[Table 2-9](#) for more information on implicit conversion and "[Numeric Precedence](#)" for information on numeric precedence

The result of `MEDIAN` is computed by first ordering the rows. Using *N* as the number of rows in the group, Oracle calculates the row number (*RN*) of interest with the formula  $RN = (1 + (0.5 * (N - 1)))$ . The final result of the aggregate function is computed by linear interpolation between the values from rows at row numbers  $CRN = CEILING(RN)$  and  $FRN = FLOOR(RN)$ .

The final result will be:

```
if (CRN = FRN = RN) then
  (value of expression from row at RN)
else
  (CRN - RN) * (value of expression for row at FRN) +
  (RN - FRN) * (value of expression for row at CRN)
```

You can use `MEDIAN` as an analytic function. You can specify only the *query\_partition\_clause* in its `OVER` clause. It returns, for each row, the value that would fall in the middle among a set of values within each partition.

Compare this function with these functions:

- [PERCENTILE\\_CONT](#), which returns, for a given percentile, the value that corresponds to that percentile by way of interpolation. `MEDIAN` is the specific case of `PERCENTILE_CONT` where the percentile value defaults to 0.5.
- [PERCENTILE\\_DISC](#), which is useful for finding values for a given percentile without interpolation.



### Aggregate Example

The following query returns the median salary for each department in the `hr.employees` table:

```

SELECT department_id, MEDIAN(salary)
   FROM employees
  GROUP BY department_id
 ORDER BY department_id;

```

DEPARTMENT_ID	MEDIAN(SALARY)
10	4400
20	9500
30	2850
40	6500
50	3100
60	4800
70	10000
80	8900
90	17000
100	8000
110	10154
	7000

### Analytic Example

The following query returns the median salary for each manager in a subset of departments in the `hr.employees` table:

```


SELECT manager_id, employee_id, salary,
       MEDIAN(salary) OVER (PARTITION BY manager_id) "Median by Mgr"
   FROM employees
  WHERE department_id > 60
 ORDER BY manager_id, employee_id;

```

MANAGER_ID	EMPLOYEE_ID	SALARY	Median by Mgr
100	101	17000	13500
100	102	17000	13500
100	145	14000	13500
100	146	13500	13500
100	147	12000	13500
100	148	11000	13500
100	149	10500	13500
101	108	12008	12008
101	204	10000	12008
101	205	12008	12008
108	109	9000	7800
108	110	8200	7800
108	111	7700	7800
108	112	7800	7800
108	113	6900	7800
145	150	10000	8500
145	151	9500	8500
145	152	9000	8500
...	...	...	...

# MIN

## Syntax



### See Also:

"[Analytic Functions](#)" for information on syntax, semantics, and restrictions

## Purpose

MIN returns minimum value of *expr*. You can use it as an aggregate or analytic function.



### See Also:

- "[About SQL Expressions](#)" for information on valid forms of *expr*, "[Floating-Point Numbers](#)" for information on binary-float comparison semantics, and "[Aggregate Functions](#)"
- Appendix C in *Oracle Database Globalization Support Guide* for the collation determination rules, which define the collation MIN uses to compare character values for *expr*, and for the collation derivation rules, which define the collation assigned to the return value of this function when it is a character value

## Aggregate Example

The following statement returns the earliest hire date in the `hr.employees` table:

```
SELECT MIN(hire_date) "Earliest"
   FROM employees;
```

```
Earliest
-----
13-JAN-01
```

## Analytic Example

The following example determines, for each employee, the employees who were hired on or before the same date as the employee. It then determines the subset of employees reporting to the same manager as the employee, and returns the lowest salary in that subset.

```
SELECT manager_id, last_name, hire_date, salary,
       MIN(salary) OVER(PARTITION BY manager_id ORDER BY hire_date
                        RANGE UNBOUNDED PRECEDING) AS p_cmin
FROM employees
ORDER BY manager_id, last_name, hire_date, salary;
```

MANAGER_ID	LAST_NAME	HIRE_DATE	SALARY	P_CMIN
100	Cambrault	15-OCT-07	11000	6500
100	De Haan	13-JAN-01	17000	17000
100	Errazuriz	10-MAR-05	12000	7900
100	Fripp	10-APR-05	8200	7900
100	Hartstein	17-FEB-04	13000	7900
100	Kaufling	01-MAY-03	7900	7900
100	Kochhar	21-SEP-05	17000	7900
100	Mourgos	16-NOV-07	5800	5800
100	Partners	05-JAN-05	13500	7900
100	Raphaely	07-DEC-02	11000	11000
100	Russell	01-OCT-04	14000	7900

...

## MOD

### Syntax

```
→ MOD (n2, n1) →
```

### Purpose

MOD returns the remainder of  $n2$  divided by  $n1$ . Returns  $n2$  if  $n1$  is 0.

This function takes as arguments any numeric data type or any nonnumeric data type that can be implicitly converted to a numeric data type. Oracle determines the argument with the highest numeric precedence, implicitly converts the remaining arguments to that data type, and returns that data type.



#### See Also:

[Table 2-9](#) for more information on implicit conversion and "Numeric Precedence" for information on numeric precedence

### Examples

The following example returns the remainder of 11 divided by 4:

```
SELECT MOD(11,4) "Modulus"
FROM DUAL;
```

```
Modulus
-----
3
```

This function behaves differently from the classical mathematical modulus function, if the product of  $n1$  and  $n2$  is negative. The classical modulus can be expressed using the MOD function with this formula:

$$n2 - n1 * \text{FLOOR}(n2/n1)$$

The following table illustrates the difference between the MOD function and the classical modulus:

n2	n1	MOD(n2,n1)	Classical Modulus
11	4	3	3
11	-4	3	-1
-11	4	-3	1
-11	-4	-3	-3



#### See Also:

[FLOOR \(number\)](#) and [REMAINDER](#), which is similar to MOD, but uses ROUND in its formula instead of FLOOR

## MONTHS\_BETWEEN

### Syntax

```
MONTHS_BETWEEN ( ( date1 , date2 ) )
```

### Purpose

MONTHS\_BETWEEN returns number of months between dates *date1* and *date2*. The month and the last day of the month are defined by the parameter NLS\_CALENDAR. If *date1* is later than *date2*, then the result is positive. If *date1* is earlier than *date2*, then the result is negative. If *date1* and *date2* are either the same days of the month or both last days of months, then the result is always an integer. Otherwise Oracle Database calculates the fractional portion of the result based on a 31-day month and considers the difference in time components *date1* and *date2*.

### Examples

The following example calculates the months between two dates:

```
SELECT MONTHS_BETWEEN
       (TO_DATE('02-02-1995', 'MM-DD-YYYY'),
        TO_DATE('01-01-1995', 'MM-DD-YYYY')) "Months"
FROM DUAL;
```

```
Months
-----
1.03225806
```

# NANVL

## Syntax

```
→ NANVL → ( → n2 → , → n1 → ) →
```

## Purpose

The `NANVL` function is useful only for floating-point numbers of type `BINARY_FLOAT` or `BINARY_DOUBLE`. It instructs Oracle Database to return an alternative value `n1` if the input value `n2` is NaN (not a number). If `n2` is **not** NaN, then Oracle returns `n2`.

This function takes as arguments any numeric data type or any nonnumeric data type that can be implicitly converted to a numeric data type. Oracle determines the argument with the highest numeric precedence, implicitly converts the remaining arguments to that data type, and returns that data type.

### See Also:

[Table 2-9](#) for more information on implicit conversion, "[Floating-Point Numbers](#)" for information on binary-float comparison semantics, and "[Numeric Precedence](#)" for information on numeric precedence

## Examples

Using table `float_point_demo` created for [TO\\_BINARY\\_DOUBLE](#), insert a second entry into the table:

```
INSERT INTO float_point_demo
VALUES (0, 'NaN', 'NaN');

SELECT *
FROM float_point_demo;

DEC_NUM BIN_DOUBLE  BIN_FLOAT
-----
1234.56 1.235E+003 1.235E+003
0       Nan       Nan
```

The following example returns `bin_float` if it is a number. Otherwise, 0 is returned.

```
SELECT bin_float, NANVL(bin_float,0)
FROM float_point_demo;

BIN_FLOAT NANVL(BIN_FLOAT,0)
-----
1.235E+003      1.235E+003
Nan            0
```

# NCHR

## Syntax

→ NCHR → ( → number → ) →

## Purpose

NCHR returns the character having the binary equivalent to *number* in the national character set. The value returned is always NVARCHAR2. This function is equivalent to using the CHR function with the USING NCHAR\_CS clause.

This function takes as an argument a NUMBER value, or any value that can be implicitly converted to NUMBER, and returns a character.

### See Also:

- [CHR](#)
- Appendix C in *Oracle Database Globalization Support Guide* for the collation derivation rules, which define the collation assigned to the character return value of NCHR

## Examples

The following examples return the nchar character 187:

```
SELECT NCHR(187)
       FROM DUAL;
```

```
N
-
>
```

```
SELECT CHR(187 USING NCHAR_CS)
       FROM DUAL;
```

```
C
-
>
```

# NEW\_TIME

## Syntax

→ NEW\_TIME → ( → date → , → timezone1 → , → timezone2 → ) →

## Purpose

`NEW_TIME` returns the date and time in time zone *timezone2* when date and time in time zone *timezone1* are *date*. Before using this function, you must set the `NLS_DATE_FORMAT` parameter to display 24-hour time. The return type is always `DATE`, regardless of the data type of *date*.

### Note:

This function takes as input only a limited number of time zones. You can have access to a much greater number of time zones by combining the `FROM_TZ` function and the datetime expression. See [FROM\\_TZ](#) and the example for "Datetime Expressions".

The arguments *timezone1* and *timezone2* can be any of these text strings:

- AST, ADT: Atlantic Standard or Daylight Time
- BST, BDT: Bering Standard or Daylight Time
- CST, CDT: Central Standard or Daylight Time
- EST, EDT: Eastern Standard or Daylight Time
- GMT: Greenwich Mean Time
- HST, HDT: Alaska-Hawaii Standard Time or Daylight Time.
- MST, MDT: Mountain Standard or Daylight Time
- NST: Newfoundland Standard Time
- PST, PDT: Pacific Standard or Daylight Time
- YST, YDT: Yukon Standard or Daylight Time

## Examples

The following example returns an Atlantic Standard time, given the Pacific Standard time equivalent:

```
ALTER SESSION SET NLS_DATE_FORMAT = 'DD-MON-YYYY HH24:MI:SS';

SELECT NEW_TIME(TO_DATE('11-10-09 01:23:45', 'MM-DD-YY HH24:MI:SS'), 'AST', 'PST')
         "New Date and Time"
FROM DUAL;

New Date and Time
-----
09-NOV-2009 21:23:45
```

# NEXT\_DAY

## Syntax

```
→ NEXT_DAY → ( → date → , → char → ) →
```

## Purpose

`NEXT_DAY` returns the date of the first weekday named by *char* that is later than the date *date*. The return type is always `DATE`, regardless of the data type of *date*. The argument *char* must be a day of the week in the date language of your session, either the full name or the abbreviation. The minimum number of letters required is the number of letters in the abbreviated version. Any characters immediately following the valid abbreviation are ignored. The return value has the same hours, minutes, and seconds component as the argument *date*.

## Examples

This example returns the date of the next Tuesday after October 15, 2009:

```
SELECT NEXT_DAY('15-OCT-2009','TUESDAY') "NEXT DAY"
       FROM DUAL;
```

```
NEXT DAY
-----
20-OCT-2009 00:00:00
```

# NLS\_CHARSET\_DECL\_LEN

## Syntax

```
→ NLS_CHARSET_DECL_LEN ( ( byte_count ) , char_set_id ) →
```

## Purpose

`NLS_CHARSET_DECL_LEN` returns the declaration length (in number of characters) of an `NCHAR` column. The *byte\_count* argument is the width of the column. The *char\_set\_id* argument is the character set ID of the column.

## Examples

The following example returns the number of characters that are in a 200-byte column when you are using a multibyte character set:

```
SELECT NLS_CHARSET_DECL_LEN(200, nls_charset_id('ja16eucfixed'))
       FROM DUAL;
```

```
NLS_CHARSET_DECL_LEN(200,NLS_CHARSET_ID('JA16EUCFIXED'))
-----
100
```

# NLS\_CHARSET\_ID

## Syntax

```
→ NLS_CHARSET_ID ( ( string ) ) →
```



## Purpose

NLS\_CHARSET\_ID returns the character set ID number corresponding to character set name *string*. The *string* argument is a run-time VARCHAR2 value. The *string* value 'CHAR\_CS' returns the database character set ID number of the server. The *string* value 'NCHAR\_CS' returns the national character set ID number of the server.

Invalid character set names return null.



### See Also:

*Oracle Database Globalization Support Guide* for a list of character sets

## Examples

The following example returns the character set ID of a character set:

```
SELECT NLS_CHARSET_ID('ja16euc')
       FROM DUAL;
```

```
NLS_CHARSET_ID('JA16EUC')
-----
                        830
```

# NLS\_CHARSET\_NAME

## Syntax

```
→ NLS_CHARSET_NAME ( ( number ) ) →
```

## Purpose

NLS\_CHARSET\_NAME returns the name of the character set corresponding to ID number *number*. The character set name is returned as a VARCHAR2 value in the database character set. If *number* is not recognized as a valid character set ID, then this function returns null.

This function returns a VARCHAR2 value.



### See Also:

Appendix C in *Oracle Database Globalization Support Guide* for the collation derivation rules, which define the collation assigned to the character return value of NLS\_CHARSET\_NAME

## Examples

The following example returns the character set corresponding to character set ID number 2:

```

SELECT NLS_CHARSET_NAME(2)
       FROM DUAL;

NLS_CH
-----
WE8DEC

```

## NLS\_COLLATION\_ID

### Syntax

```

→ [NLS_COLLATION_ID] → ( → expr → ) →

```

### Purpose

`NLS_COLLATION_ID` takes as its argument a collation name and returns the corresponding collation ID number. Collation IDs are used in the data dictionary tables and in Oracle Call Interface (OCI). Collation names are used in SQL statements and data dictionary views.

For *expr*, specify the collation name as a `VARCHAR2` value. You can specify a valid named collation or a pseudo-collation, in any combination of uppercase and lowercase letters.

This function returns a `NUMBER` value. If you specify an invalid collation name, then this function returns null.

### Examples

The following example returns the collation ID of collation `BINARY_CI`:

```

SELECT NLS_COLLATION_ID('BINARY_CI')
       FROM DUAL;

NLS_COLLATION_ID('BINARY_CI')
-----
147455

```

## NLS\_COLLATION\_NAME

### Syntax

```

→ [NLS_COLLATION_NAME] → ( → expr → , → flag → ) →

```

### Purpose

`NLS_COLLATION_NAME` takes as its argument a collation ID number and returns the corresponding collation name. Collation IDs are used in the data dictionary tables and in Oracle Call Interface (OCI). Collation names are used in SQL statements and data dictionary views.

For *expr*, specify the collation ID as a NUMBER value.

This function returns a VARCHAR2 value. If you specify an invalid collation ID, then this function returns null.

The optional *flag* parameter applies only to Unicode Collation Algorithm (UCA) collations. This parameter determines whether the function returns the short form or long form of the collation name. The parameter must be a character expression evaluating to the value 'S', 's', 'L', or 'l', with the following meaning:

- 'S' or 's' – Returns the short form of the collation name
- 'L' or 'l' – Returns the long form of the collation name

If you omit *flag*, then the default is 'L'.

### See Also:

- *Oracle Database Globalization Support Guide* for more information on UCA collations
- Appendix C in *Oracle Database Globalization Support Guide* for the collation derivation rules, which define the collation assigned to the character return value of NLS\_COLLATION\_NAME

## Examples

The following example returns the name of the collation corresponding to collation ID number 81919:

```
SELECT NLS_COLLATION_NAME(81919)
       FROM DUAL;
```

```
NLS_COLLA
-----
BINARY_AI
```

The following example returns the short form of the name of the UCA collation corresponding to collation ID number 208897:

```
SELECT NLS_COLLATION_NAME(208897,'S')
       FROM DUAL;
```

```
NLS_COLLATION
-----
UCA0610_DUCET
```


The following example returns the long form of the name of the UCA collation corresponding to collation ID number 208897:

```
SELECT NLS_COLLATION_NAME(208897,'L')
       FROM DUAL;
```

```
NLS_COLLATION_NAME(208897,'L')
-----
UCA0610_DUCET_S4_VS_BN_NY_EN_FN_HN_DN_MN
```

# NLS\_INITCAP

## Syntax



## Purpose

`NLS_INITCAP` returns *char*, with the first letter of each word in uppercase, all other letters in lowercase. Words are delimited by white space or characters that are not alphanumeric.

Both *char* and '*nlsparam*' can be any of the data types `CHAR`, `VARCHAR2`, `NCHAR`, or `NVARCHAR2`. The string returned is of `VARCHAR2` data type and is in the same character set as *char*.

The value of '*nlsparam*' can have this form:

```
'NLS_SORT = sort'
```

where *sort* is a named collation. The collation handles special linguistic requirements for case conversions. These requirements can result in a return value of a different length than the *char*. If you omit '*nlsparam*', then this function uses the determined collation of the function.

This function does not support `CLOB` data directly. However, `CLOB`s can be passed in as arguments through implicit data conversion.

### See Also:

- "[Data Type Comparison Rules](#)" for more information.
- Appendix C in *Oracle Database Globalization Support Guide* for the collation determination rules for `NLS_INITCAP`, and for the collation derivation rules, which define the collation assigned to the character return value of this function

## Examples

The following examples show how the linguistic sort sequence results in a different return value from the function:

```
SELECT NLS_INITCAP('ijsland') "InitCap"
       FROM DUAL;
```

```
InitCap
-----
Ijsland
```

```
SELECT NLS_INITCAP('ijsland', 'NLS_SORT = XDutch') "InitCap"
       FROM DUAL;
```


```
InitCap
-----
IJsland
```

**See Also:**

*Oracle Database Globalization Support Guide* for information on collations

## NLS\_LOWER

### Syntax



### Purpose

NLS\_LOWER returns *char*, with all letters lowercase.

Both *char* and '*nlsparam*' can be any of the data types CHAR, VARCHAR2, NCHAR, NVARCHAR2, CLOB, or NCLOB. The string returned is of VARCHAR2 data type if *char* is a character data type and a LOB if *char* is a LOB data type. The return string is in the same character set as *char*.

The '*nlsparam*' can have the same form and serve the same purpose as in the NLS\_INITCAP function.

**See Also:**

Appendix C in *Oracle Database Globalization Support Guide* for the collation determination rules for NLS\_LOWER, and for the collation derivation rules, which define the collation assigned to the character return value of this function


### Examples

The following statement returns the lowercase form of the character string 'NOKTASINDA' using the XTurkish linguistic sort sequence. The Turkish uppercase I becoming a small, dotless i.

```
SELECT NLS_LOWER('NOKTASINDA', 'NLS_SORT = XTurkish') "Lowercase"
FROM DUAL;
```

## NLS\_UPPER

### Syntax



## Purpose

NLS\_UPPER returns *char*, with all letters uppercase.

Both *char* and '*nlsparam*' can be any of the data types CHAR, VARCHAR2, NCHAR, NVARCHAR2, CLOB, or NCLOB. The string returned is of VARCHAR2 data type if *char* is a character data type and a LOB if *char* is a LOB data type. The return string is in the same character set as *char*.

The '*nlsparam*' can have the same form and serve the same purpose as in the NLS\_INITCAP function.

### See Also:

Appendix C in *Oracle Database Globalization Support Guide* for the collation determination rules for NLS\_UPPER, and for the collation derivation rules, which define the collation assigned to the character return value of this function

## Examples

The following example returns a string with all the letters converted to uppercase:

```
SELECT NLS_UPPER('große') "Uppercase"
       FROM DUAL;
```

```
Upper
-----
GRÖßE
```

```
SELECT NLS_UPPER('große', 'NLS_SORT = XGerman') "Uppercase"
       FROM DUAL;
```


```
Upperc
-----
GROSSE
```

### See Also:

NLS\_INITCAP

# NLSSORT

## Syntax



## Purpose

NLSSORT returns a collation key for the character value *char* and an explicitly or implicitly specified collation. A collation key is a string of bytes used to sort *char* according to the specified collation. The property of the collation keys is that mutual ordering of two such keys generated for the given collation when compared according to their binary order is the same as mutual ordering of the source character values when compared according to the given collation.

Both *char* and '*nlsparam*' can be any of the data types CHAR, VARCHAR2, NCHAR, or NVARCHAR2.

The value of '*nlsparam*' must have the form

```
'NLS_SORT = collation'
```

where *collation* is the name of a linguistic collation or BINARY. NLSSORT uses the specified collation to generate the collation key. If you omit '*nlsparam*', then this function uses the derived collation of the argument *char*. If you specify BINARY, then this function returns the *char* value itself cast to RAW and possibly truncated as described below.

If you specify '*nlsparam*', then you can append to the linguistic collation name the suffix *\_ai* to request an accent-insensitive collation or *\_ci* to request a case-insensitive collation. Refer to *Oracle Database Globalization Support Guide* for more information on accent- and case-insensitive sorting. Using accent-insensitive or case-insensitive collations with the ORDER BY query clause is not recommended as it leads to a nondeterministic sort order.

The returned collation key is of RAW data type. The length of the collation key resulting from a given *char* value for a given collation may exceed the maximum length of the RAW value returned by NLSSORT. In this case, the behavior of NLSSORT depends on the value of the initialization parameter MAX\_STRING\_SIZE. If MAX\_STRING\_SIZE = EXTENDED, then the maximum length of the return value is 32767 bytes. If the collation key exceeds this limit, then the function fails with the error "ORA-12742: unable to create the collation key". This error may also be reported for short input strings if they contain a high percentage of Unicode characters with very high decomposition ratios.

### See Also:

*Oracle Database Globalization Support Guide* for details of when the ORA-12742 error is reported and how to prevent application availability issues that the error could cause

If MAX\_STRING\_SIZE = STANDARD, then the maximum length of the return value is 2000 bytes. If the value to be returned exceeds the limit, then NLSSORT calculates the collation key for a maximum prefix, or initial substring, of *char* so that the calculated result does not exceed the maximum length. For monolingual collations, for example FRENCH, the prefix length is typically 1000 characters. For multilingual collations, for example GENERIC\_M, the prefix is typically 500 characters. For Unicode Collation Algorithm (UCA) collations, for example UCA0610\_DUCET, the prefix is typically 285 characters. The exact length may be lower or higher depending on the collation and the characters contained in *char*.

The behavior when MAX\_STRING\_SIZE = STANDARD implies that two character values whose collation keys (NLSSORT results) are compared to find the linguistic ordering are considered

equal if they do not differ in the prefix even though they may differ at some further character position. Because the `NLSSORT` function is used implicitly to find linguistic ordering for comparison conditions, the `BETWEEN` condition, the `IN` condition, `ORDER BY`, `GROUP BY`, and `COUNT(DISTINCT)`, those operations may return results that are only approximate for long character values. If you want guarantee that the results of those operations are exact, then migrate your database to use `MAX_STRING_SIZE = EXTENDED`.

Refer to "[Extended Data Types](#)" for more information on the `MAX_STRING_SIZE` initialization parameter.

This function does not support `CLOB` data directly. However, `CLOBs` can be passed in as arguments through implicit data conversion.

### See Also:

- "[Data Type Comparison Rules](#)" for more information.
- Appendix C in *Oracle Database Globalization Support Guide* for the collation determination rules for `NLSSORT`

## Examples

This function can be used to specify sorting and comparison operations based on a linguistic sort sequence rather than on the binary value of a string. The following example creates a test table containing two values and shows how the values returned can be ordered by the `NLSSORT` function:

```
CREATE TABLE test (name VARCHAR2(15));
INSERT INTO test VALUES ('Gardiner');
INSERT INTO test VALUES ('Gaberd');
INSERT INTO test VALUES ('Gaasten');

SELECT *
  FROM test
  ORDER BY name;

NAME
-----
Gardiner
Gaasten
Gaberd

SELECT *
  FROM test
  ORDER BY NLSSORT(name, 'NLS_SORT = XDanish');

NAME
-----
Gaberd
Gardiner
Gaasten
```

The following example shows how to use the `NLSSORT` function in comparison operations:



```
SELECT *
  FROM test
 WHERE name > 'Gaberd'
 ORDER BY name;
```

no rows selected

```
SELECT *
  FROM test
 WHERE NLSSORT(name, 'NLS_SORT = XDanish') >
        NLSSORT('Gaberd', 'NLS_SORT = XDanish')
 ORDER BY name;
```

```
NAME
-----
Gaardiner
Gaasten
```

If you frequently use `NLSSORT` in comparison operations with the same linguistic sort sequence, then consider this more efficient alternative: Set the `NLS_COMP` parameter (either for the database or for the current session) to `LINGUISTIC`, and set the `NLS_SORT` parameter for the session to the desired sort sequence. Oracle Database will use that sort sequence by default for all sorting and comparison operations during the current session:

```
ALTER SESSION SET NLS_COMP = 'LINGUISTIC';
ALTER SESSION SET NLS_SORT = 'XDanish';
```

```
SELECT *
  FROM test
 WHERE name > 'Gaberd'
 ORDER BY name;
```

```
NAME
-----
Gaardiner
Gaasten
```




### See Also:

*Oracle Database Globalization Support Guide* for information on sort sequences

## NTH\_VALUE

### Syntax



 See Also:

"[Analytic Functions](#)" for information on syntax, semantics, and restrictions of the *analytic\_clause*

**Purpose**

NTH\_VALUE returns the *measure\_expr* value of the *n*th row in the window defined by the *analytic\_clause*. The returned value has the data type of the *measure\_expr*.

- {RESPECT | IGNORE} NULLS determines whether null values of *measure\_expr* are included in or eliminated from the calculation. The default is RESPECT NULLS.
- *n* determines the *n*th row for which the measure value is to be returned. *n* can be a constant, bind variable, column, or an expression involving them, as long as it resolves to a positive integer. The function returns NULL if the data source window has fewer than *n* rows. If *n* is null, then the function returns an error.
- FROM {FIRST | LAST} determines whether the calculation begins at the first or last row of the window. The default is FROM FIRST.

If you omit the *windowing\_clause* of the *analytic\_clause*, it defaults to RANGE BETWEEN UNBOUNDED PRECEDING AND CURRENT ROW. This default sometimes returns an unexpected value for NTH\_VALUE ... FROM LAST ... , because the last value in the window is at the bottom of the window, which is not fixed. It keeps changing as the current row changes. For expected results, specify the *windowing\_clause* as RANGE BETWEEN UNBOUNDED PRECEDING AND UNBOUNDED FOLLOWING. Alternatively, you can specify the *windowing\_clause* as RANGE BETWEEN CURRENT ROW AND UNBOUNDED FOLLOWING.

 See Also:

- *Oracle Database Data Warehousing Guide* for more information on the use of this function
- Appendix C in *Oracle Database Globalization Support Guide* for the collation derivation rules, which define the collation assigned to the return value of NTH\_VALUE when it is a character value

**Examples**

The following example shows the minimum *amount\_sold* value for the second *channel\_id* in ascending order for each *prod\_id* between 13 and 16:

```
SELECT prod_id, channel_id, MIN(amount_sold),
       NTH_VALUE(MIN(amount_sold), 2) OVER (PARTITION BY prod_id ORDER BY channel_id
       ROWS BETWEEN UNBOUNDED PRECEDING AND UNBOUNDED FOLLOWING) nv
FROM sales
WHERE prod_id BETWEEN 13 and 16
GROUP BY prod_id, channel_id;
```


PROD_ID	CHANNEL_ID	MIN(AMOUNT_SOLD)	NV
13	2	907.34	906.2

13	3	906.2	906.2
13	4	842.21	906.2
14	2	1015.94	1036.72
14	3	1036.72	1036.72
14	4	935.79	1036.72
15	2	871.19	871.19
15	3	871.19	871.19
15	4	871.19	871.19
16	2	266.84	266.84
16	3	266.84	266.84
16	4	266.84	266.84
16	9	11.99	266.84

13 rows selected.

## NTILE

### Syntax



#### See Also:

"[Analytic Functions](#)" for information on syntax, semantics, and restrictions, including valid forms of *expr*

### Purpose

`NTILE` is an analytic function. It divides an ordered data set into a number of buckets indicated by *expr* and assigns the appropriate bucket number to each row. The buckets are numbered 1 through *expr*. The *expr* value must resolve to a positive constant for each partition. Oracle Database expects an integer, and if *expr* is a noninteger constant, then Oracle truncates the value to an integer. The return value is `NUMBER`.

The number of rows in the buckets can differ by at most 1. The remainder values (the remainder of number of rows divided by buckets) are distributed one for each bucket, starting with bucket 1.

If *expr* is greater than the number of rows, then a number of buckets equal to the number of rows will be filled, and the remaining buckets will be empty.

You cannot nest analytic functions by using `NTILE` or any other analytic function for *expr*. However, you can use other built-in function expressions for *expr*.



#### See Also:

"[About SQL Expressions](#)" for information on valid forms of *expr* and [Table 2-9](#) for more information on implicit conversion

## Examples

The following example divides into 4 buckets the values in the `salary` column of the `oe.employees` table from Department 100. The `salary` column has 6 values in this department, so the two extra values (the remainder of 6 / 4) are allocated to buckets 1 and 2, which therefore have one more value than buckets 3 or 4.

```
SELECT last_name, salary, NTILE(4) OVER (ORDER BY salary DESC) AS quartile
   FROM employees
   WHERE department_id = 100
   ORDER BY last_name, salary, quartile;
```

LAST_NAME	SALARY	QUARTILE
Chen	8200	2
Faviet	9000	1
Greenberg	12008	1
Popp	6900	4
Sciarra	7700	3
Urman	7800	2

# NULLIF

## Syntax

```
→ NULLIF ( ( expr1 , expr2 ) ) →
```

## Purpose

`NULLIF` compares `expr1` and `expr2`. If they are equal, then the function returns null. If they are not equal, then the function returns `expr1`. You cannot specify the literal `NULL` for `expr1`.

If both arguments are numeric data types, then Oracle Database determines the argument with the higher numeric precedence, implicitly converts the other argument to that data type, and returns that data type. If the arguments are not numeric, then they must be of the same data type, or Oracle returns an error.

The `NULLIF` function is logically equivalent to the following `CASE` expression:

```
CASE WHEN expr1 = expr2 THEN NULL ELSE expr1 END
```

### See Also:

- ["CASE Expressions "](#)
- Appendix C in *Oracle Database Globalization Support Guide* for the collation determination rules, which define the collation `NULLIF` uses to compare characters from `expr1` with characters from `expr2`, and for the collation derivation rules, which define the collation assigned to the return value of this function when it is a character value

## Examples

The following example selects those employees from the sample schema `hr` who have changed jobs since they were hired, as indicated by a `job_id` in the `job_history` table different from the current `job_id` in the `employees` table:

```
SELECT e.last_name, NULLIF(j.job_id, e.job_id) "Old Job ID"
   FROM employees e, job_history j
  WHERE e.employee_id = j.employee_id
  ORDER BY last_name, "Old Job ID";
```

LAST_NAME	Old Job ID
De Haan	IT_PROG
Hartstein	MK_REP
Kaufling	ST_CLERK
Kochhar	AC_ACCOUNT
Kochhar	AC_MGR
Raphaely	ST_CLERK
Taylor	SA_MAN
Taylor	
Whalen	AC_ACCOUNT
Whalen	

# NUMTODSINTERVAL

## Syntax

```
NUMTODSINTERVAL ( n , ' interval_unit ' )
```

## Purpose

`NUMTODSINTERVAL` converts `n` to an `INTERVAL DAY TO SECOND` literal. The argument `n` can be any `NUMBER` value or an expression that can be implicitly converted to a `NUMBER` value. The argument `interval_unit` can be of `CHAR`, `VARCHAR2`, `NCHAR`, or `NVARCHAR2` data type. The value for `interval_unit` specifies the unit of `n` and must resolve to one of the following string values:

- 'DAY'
- 'HOUR'
- 'MINUTE'
- 'SECOND'

`interval_unit` is case insensitive. Leading and trailing values within the parentheses are ignored. By default, the precision of the return is 9.



### See Also:

[Table 2-9](#) for more information on implicit conversion

## Examples

The following example uses `NUMTODSINTERVAL` in a `COUNT` analytic function to calculate, for each employee, the number of employees hired by the same manager within the past 100 days from his or her hire date. Refer to "Analytic Functions" for more information on the syntax of the analytic functions.

```
SELECT manager_id, last_name, hire_date,
       COUNT(*) OVER (PARTITION BY manager_id ORDER BY hire_date
                     RANGE NUMTODSINTERVAL(100, 'day') PRECEDING) AS t_count
FROM employees
ORDER BY last_name, hire_date;
```

MANAGER_ID	LAST_NAME	HIRE_DATE	T_COUNT
149	Abel	11-MAY-04	1
147	Ande	24-MAR-08	3
121	Atkinson	30-OCT-05	2
103	Austin	25-JUN-05	1
...			
124	Walsh	24-APR-06	2
100	Weiss	18-JUL-04	1
101	Whalen	17-SEP-03	1
100	Zlotkey	29-JAN-08	2

# NUMTOYMINTERVAL

## Syntax

```
NUMTOYMINTERVAL ( ( n , ' interval_unit ' ) )
```

## Purpose

`NUMTOYMINTERVAL` converts number *n* to an `INTERVAL YEAR TO MONTH` literal. The argument *n* can be any `NUMBER` value or an expression that can be implicitly converted to a `NUMBER` value. The argument *interval\_unit* can be of `CHAR`, `VARCHAR2`, `NCHAR`, or `NVARCHAR2` data type. The value for *interval\_unit* specifies the unit of *n* and must resolve to one of the following string values:

- 'YEAR'
- 'MONTH'

*interval\_unit* is case insensitive. Leading and trailing values within the parentheses are ignored. By default, the precision of the return is 9.



### See Also:

[Table 2-9](#) for more information on implicit conversion

## Examples

The following example uses `NUMTOYMINTERVAL` in a `SUM` analytic function to calculate, for each employee, the total salary of employees hired in the past one year from his or her hire date. Refer to "[Analytic Functions](#)" for more information on the syntax of the analytic functions.

```
SELECT last_name, hire_date, salary,
       SUM(salary) OVER (ORDER BY hire_date
                        RANGE NUMTOYMINTERVAL(1,'year') PRECEDING) AS t_sal
FROM employees
ORDER BY last_name, hire_date;
```

LAST_NAME	HIRE_DATE	SALARY	T_SAL
Abel	11-MAY-04	11000	90300
Ande	24-MAR-08	6400	112500
Atkinson	30-OCT-05	2800	177000
Austin	25-JUN-05	4800	134700
. . .			
Walsh	24-APR-06	3100	186200
Weiss	18-JUL-04	8000	70900
Whalen	17-SEP-03	4400	54000
Zlotkey	29-JAN-08	10500	119000

## NVL

### Syntax

```
→ [ NVL ] ( expr1 , expr2 ) →
```

### Purpose

`NVL` lets you replace null (returned as a blank) with a string in the results of a query. If `expr1` is null, then `NVL` returns `expr2`. If `expr1` is not null, then `NVL` returns `expr1`.

The arguments `expr1` and `expr2` can have any data type. If their data types are different, then Oracle Database implicitly converts one to the other. If they cannot be converted implicitly, then the database returns an error. The implicit conversion is implemented as follows:

- If `expr1` is character data, then Oracle Database converts `expr2` to the data type of `expr1` before comparing them and returns `VARCHAR2` in the character set of `expr1`.
- If `expr1` is numeric, then Oracle Database determines which argument has the highest numeric precedence, implicitly converts the other argument to that data type, and returns that data type.

 See Also:

- [Table 2-9](#) for more information on implicit conversion and "[Numeric Precedence](#)" for information on numeric precedence
- "[COALESCE](#)" and "[CASE Expressions](#)", which provide functionality similar to that of NVL
- Appendix C in *Oracle Database Globalization Support Guide* for the collation derivation rules, which define the collation assigned to the return value of NVL when it is a character value

### Examples

The following example returns a list of employee names and commissions, substituting "Not Applicable" if the employee receives no commission:

```
SELECT last_name, NVL(TO_CHAR(commission_pct), 'Not Applicable') commission
   FROM employees
  WHERE last_name LIKE 'B%'
 ORDER BY last_name;
```

LAST_NAME	COMMISSION
Baer	Not Applicable
Baida	Not Applicable
Banda	.1
Bates	.15
Bell	Not Applicable
Bernstein	.25
Bissot	Not Applicable
Bloom	.2
Bull	Not Applicable

## NVL2

### Syntax

```
→ NVL2 ( ( expr1 , expr2 , expr3 ) ) →
```

### Purpose

NVL2 lets you determine the value returned by a query based on whether a specified expression is null or not null. If *expr1* is not null, then NVL2 returns *expr2*. If *expr1* is null, then NVL2 returns *expr3*.

The argument *expr1* can have any data type. The arguments *expr2* and *expr3* can have any data types except LONG.

If the data types of *expr2* and *expr3* are different, then Oracle Database implicitly converts one to the other. If they cannot be converted implicitly, then the database returns an error. If *expr2* is character or numeric data, then the implicit conversion is implemented as follows:



- If *expr2* is character data, then Oracle Database converts *expr3* to the data type of *expr2* before returning a value unless *expr3* is a null constant. In that case, a data type conversion is not necessary, and the database returns VARCHAR2 in the character set of *expr2*.
- If *expr2* is numeric data, then Oracle Database determines which argument has the highest numeric precedence, implicitly converts the other argument to that data type, and returns that data type.

 **See Also:**

- [Table 2-9](#) for more information on implicit conversion and "[Numeric Precedence](#)" for information on numeric precedence
- Appendix C in *Oracle Database Globalization Support Guide* for the collation derivation rules, which define the collation assigned to the return value of NVL2 when it is a character value

**Examples**

The following example shows whether the income of some employees is made up of salary plus commission, or just salary, depending on whether the `commission_pct` column of employees is null or not.


```
SELECT last_name, salary,
       NVL2(commission_pct, salary + (salary * commission_pct), salary) income
FROM employees
WHERE last_name like 'B%'
ORDER BY last_name;
```

LAST_NAME	SALARY	INCOME
Baer	10000	10000
Baida	2900	2900
Banda	6200	6820
Bates	7300	8395
Bell	4000	4000
Bernstein	9500	11875
Bissot	3300	3300
Bloom	10000	12000
Bull	4100	4100

## ORA\_DM\_PARTITION\_NAME

**Syntax**



***mining\_attribute\_clause*::=****Purpose**

ORA\_DM\_PARTITION\_NAME is a single row function that works along with other existing functions. This function returns the name of the partition associated with the input row. When ORA\_DM\_PARTITION\_NAME is used on a non-partitioned model, the result is NULL.

The syntax of the ORA\_DM\_PARTITION\_NAME function can use an optional GROUPING hint when scoring a partitioned model. See [GROUPING Hint](#).

***mining\_attribute\_clause***

The *mining\_attribute\_clause* identifies the column attributes to use as predictors for scoring. When the function is invoked with the analytic syntax, these predictors are also used for building the transient models. The *mining\_attribute\_clause* behaves as described for the PREDICTION function. See [mining\\_attribute\\_clause](#).

 **See Also:**

- *Oracle Machine Learning for SQL User's Guide* for information about scoring
- *Oracle Machine Learning for SQL Concepts* for information about clustering

 **Note:**

The following examples are excerpted from the Oracle Machine Learning for SQL sample programs. For more information about the sample programs, see Appendix A in *Oracle Machine Learning for SQL User's Guide*.

**Example**

```
SELECT prediction(mymodel using *) pred, ora_dm_partition_name(mymodel
USING *) pname FROM customers;
```

# ORA\_DST\_AFFECTED

## Syntax

```
ORA_DST_AFFECTED ( datetime_expr )
```

## Purpose

ORA\_DST\_AFFECTED is useful when you are changing the time zone data file for your database. The function takes as an argument a datetime expression that resolves to a `TIMESTAMP WITH TIME ZONE` value or a `VARRAY` object that contains `TIMESTAMP WITH TIME ZONE` values. The function returns 1 if the datetime value is affected by or will result in a "nonexisting time" or "duplicate time" error with the new time zone data. Otherwise, it returns 0.

This function can be issued only when changing the time zone data file of the database and upgrading the timestamp with the time zone data, and only between the execution of the `DBMS_DST.BEGIN_PREPARE` and the `DBMS_DST.END_PREPARE` procedures or between the execution of the `DBMS_DST.BEGIN_UPGRADE` and the `DBMS_DST.END_UPGRADE` procedures.

### See Also:

*Oracle Database Globalization Support Guide* for more information on time zone data files and on how Oracle Database handles daylight saving time, and *Oracle Database PL/SQL Packages and Types Reference* for information on the `DBMS_DST` package

# ORA\_DST\_CONVERT

## Syntax

```
ORA_DST_CONVERT ( datetime_expr , integer , integer )
```

## Purpose

ORA\_DST\_CONVERT is useful when you are changing the time zone data file for your database. The function lets you specify error handling for a specified datetime expression.

- For *datetime\_expr*, specify a datetime expression that resolves to a `TIMESTAMP WITH TIME ZONE` value or a `VARRAY` object that contains `TIMESTAMP WITH TIME ZONE` values.
- The optional second argument specifies handling of "duplicate time" errors. Specify 0 (false) to suppress the error by returning the source datetime value. This is the default. Specify 1 (true) to allow the database to return the duplicate time error.

- The optional third argument specifies handling of "nonexisting time" errors. Specify 0 (false) to suppress the error by returning the source datetime value. This is the default. Specify 1 (true) to allow the database to return the nonexisting time error.

If no error occurs, this function returns a value of the same data type as *datetime\_expr* (a `TIMESTAMP WITH TIME ZONE` value or a `VARRAY` object that contains `TIMESTAMP WITH TIME ZONE` values). The returned datetime value when interpreted with the new time zone file corresponds to *datetime\_expr* interpreted with the old time zone file.

This function can be issued only when changing the time zone data file of the database and upgrading the timestamp with the time zone data, and only between the execution of the `DBMS_DST.BEGIN_UPGRADE` and the `DBMS_DST.END_UPGRADE` procedures.

#### See Also:

*Oracle Database Globalization Support Guide* for more information on time zone data files and on how Oracle Database handles daylight saving time, and *Oracle Database PL/SQL Packages and Types Reference* for information on the `DBMS_DST` package

## ORA\_DST\_ERROR

### Syntax

```
ORA_DST_ERROR ( ( datetime_expr ) )
```

### Purpose

`ORA_DST_ERROR` is useful when you are changing the time zone data file for your database. The function takes as an argument a datetime expression that resolves to a `TIMESTAMP WITH TIME ZONE` value or a `VARRAY` object that contains `TIMESTAMP WITH TIME ZONE` values, and indicates whether the datetime value will result in an error with the new time zone data. The return values are:

- 0: the datetime value does not result in an error with the new time zone data.
- 1878: the datetime value results in a "nonexisting time" error.
- 1883: the datetime value results in a "duplicate time" error.


This function can be issued only when changing the time zone data file of the database and upgrading the timestamp with the time zone data, and only between the execution of the `DBMS_DST.BEGIN_PREPARE` and the `DBMS_DST.END_PREPARE` procedures or between the execution of the `DBMS_DST.BEGIN_UPGRADE` and the `DBMS_DST.END_UPGRADE` procedures.

 **See Also:**

*Oracle Database Globalization Support Guide* for more information on time zone data files and on how Oracle Database handles daylight saving time, and *Oracle Database PL/SQL Packages and Types Reference* for information on the `DBMS_DST` package

## ORA\_HASH

### Syntax



### Purpose

`ORA_HASH` is a function that computes a hash value for a given expression. This function is useful for operations such as analyzing a subset of data and generating a random sample.

- The *expr* argument determines the data for which you want Oracle Database to compute a hash value. There are no restrictions on the length of data represented by *expr*, which commonly resolves to a column name. The *expr* cannot be a `LONG` or `LOB` type. It cannot be a user-defined object type unless it is a nested table type. The hash value for nested table types does not depend on the order of elements in the collection. All other data types are supported for *expr*.
- The optional *max\_bucket* argument determines the maximum bucket value returned by the hash function. You can specify any value between 0 and 4294967295. The default is 4294967295.
- The optional *seed\_value* argument enables Oracle to produce many different results for the same set of data. Oracle applies the hash function to the combination of *expr* and *seed\_value*. You can specify any value between 0 and 4294967295. The default is 0.

The function returns a `NUMBER` value.

### Examples

The following example creates a hash value for each combination of customer ID and product ID in the `sh.sales` table, divides the hash values into a maximum of 100 buckets, and returns the sum of the `amount_sold` values in the first bucket (bucket 0). The third argument (5) provides a seed value for the hash function. You can obtain different hash results for the same query by changing the seed value.

```

SELECT SUM(amount_sold)
   FROM sales
  WHERE ORA_HASH(CONCAT(cust_id, prod_id), 99, 5) = 0;

```

```

SUM(AMOUNT_SOLD)
-----
          989431.14

```

# ORA\_INVOKING\_USER

## Syntax

→ ORA\_INVOKING\_USER →

## Purpose

ORA\_INVOKING\_USER returns the name of the database user who invoked the current statement or view. This function takes into account the BEQUEATH property of intervening views referenced in the statement. If this function is invoked from within a definer's rights context, then it returns the name of the owner of the definer's rights object. If the invoking user is a Real Application Security user, then it returns user XS\$NULL.

This function returns a VARCHAR2 value.

### See Also:

- [BEQUEATH](#) clause of the CREATE VIEW statement
- *Oracle Database 2 Day + Security Guide* for more information on user XS\$NULL
- Appendix C in *Oracle Database Globalization Support Guide* for the collation derivation rules, which define the collation assigned to the character return value of ORA\_INVOKING\_USER

## Examples

The following example returns the name of the database user who invoked the statement:

```
SELECT ORA_INVOKING_USER FROM DUAL;
```

# ORA\_INVOKING\_USERID

## Syntax

→ ORA\_INVOKING\_USERID →

## Purpose

ORA\_INVOKING\_USERID returns the identifier of the database user who invoked the current statement or view. This function takes into account the BEQUEATH property of intervening views referenced in the statement.

This function returns a `NUMBER` value.

#### See Also:

- [ORA\\_INVOKING\\_USER](#) to learn how Oracle Database determines the database user who invoked the current statement or view
- [BEQUEATH](#) clause of the `CREATE VIEW` statement

### Examples

The following example returns the identifier of the database user who invoked the statement:

```
SELECT ORA_INVOKING_USERID FROM DUAL;
```

## PATH

### Syntax

→ `PATH` ( `correlation_integer` ) →

### Purpose

`PATH` is an ancillary function used only with the `UNDER_PATH` and `EQUALS_PATH` conditions. It returns the relative path that leads to the resource specified in the parent condition.

The *correlation\_integer* can be any `NUMBER` integer and is used to correlate this ancillary function with its primary condition. Values less than 1 are treated as 1.

#### See Also:

- [EQUALS\\_PATH Condition](#) and [UNDER\\_PATH Condition](#)
- Appendix C in *Oracle Database Globalization Support Guide* for the collation derivation rules, which define the collation assigned to the character return value of `PATH`


### Examples

Refer to the related function [DEPTH](#) for an example using both of these ancillary functions of the `EQUALS_PATH` and `UNDER_PATH` conditions.

# PERCENT\_RANK


## Aggregate Syntax

**percent\_rank\_aggregate::=**



## Analytic Syntax

**percent\_rank\_analytic::=**



### See Also:

"[Analytic Functions](#)" for information on syntax, semantics, and restrictions

## Purpose

PERCENT\_RANK is similar to the CUME\_DIST (cumulative distribution) function. The range of values returned by PERCENT\_RANK is 0 to 1, inclusive. The first row in any set has a PERCENT\_RANK of 0. The return value is NUMBER.

### See Also:

[Table 2-9](#) for more information on implicit conversion

- As an aggregate function, PERCENT\_RANK calculates, for a hypothetical row  $r$  identified by the arguments of the function and a corresponding sort specification, the rank of row  $r$  minus 1 divided by the number of rows in the aggregate group. This calculation is made as if the hypothetical row  $r$  were inserted into the group of rows over which Oracle Database is to aggregate.

The arguments of the function identify a single hypothetical row within each aggregate group. Therefore, they must all evaluate to constant expressions within



each aggregate group. The constant argument expressions and the expressions in the ORDER BY clause of the aggregate match by position. Therefore the number of arguments must be the same and their types must be compatible.

- As an analytic function, for a row  $r$ , PERCENT\_RANK calculates the rank of  $r$  minus 1, divided by 1 less than the number of rows being evaluated (the entire query result set or a partition).

### See Also:

Appendix C in *Oracle Database Globalization Support Guide* for the collation determination rules, which define the collation PERCENT\_RANK uses to compare character values for the ORDER BY clause

## Aggregate Example

The following example calculates the percent rank of a hypothetical employee in the sample table `hr.employees` with a salary of \$15,500 and a commission of 5%:

```
SELECT PERCENT_RANK(15000, .05) WITHIN GROUP
       (ORDER BY salary, commission_pct) "Percent-Rank"
FROM employees;
```

```
Percent-Rank
-----
.971962617
```

## Analytic Example


The following example calculates, for each employee, the percent rank of the employee's salary within the department:

```
SELECT department_id, last_name, salary, PERCENT_RANK()
       OVER (PARTITION BY department_id ORDER BY salary DESC) AS pr
FROM employees
ORDER BY pr, salary, last_name;
```

DEPARTMENT_ID	LAST_NAME	SALARY	PR
10	Whalen	4400	0
40	Mavris	6500	0
	Grant	7000	0
. . .			
80	Vishney	10500	.181818182
80	Zlotkey	10500	.181818182
30	Khoo	3100	.2
. . .			
50	Markle	2200	.954545455
50	Philtanker	2200	.954545455
50	Olson	2100	1
. . .			

# PERCENTILE\_CONT

## Syntax



### See Also:

"[Analytic Functions](#)" for information on syntax, semantics, and restrictions of the `OVER` clause

## Purpose

`PERCENTILE_CONT` is an inverse distribution function that assumes a continuous distribution model. It takes a percentile value and a sort specification, and returns an interpolated value that would fall into that percentile value with respect to the sort specification. Nulls are ignored in the calculation.

This function takes as an argument any numeric data type or any nonnumeric data type that can be implicitly converted to a numeric data type. The function returns the same data type as the numeric data type of the argument.

### See Also:

[Table 2-9](#) for more information on implicit conversion

The first `expr` must evaluate to a numeric value between 0 and 1, because it is a percentile value. This `expr` must be constant within each aggregation group. The `ORDER BY` clause takes a single expression that must be a numeric or datetime value, as these are the types over which Oracle can perform interpolation.

The result of `PERCENTILE_CONT` is computed by linear interpolation between values after ordering them. Using the percentile value ( $P$ ) and the number of rows ( $N$ ) in the aggregation group, you can compute the row number you are interested in after ordering the rows with respect to the sort specification. This row number ( $RN$ ) is computed according to the formula  $RN = (1 + (P * (N - 1)))$ . The final result of the aggregate function is computed by linear interpolation between the values from rows at row numbers  $CRN = \text{CEILING}(RN)$  and  $FRN = \text{FLOOR}(RN)$ .

The final result will be:

If (CRN = FRN = RN) then the result is  
 (value of expression from row at RN)  
 Otherwise the result is  
 (CRN - RN) \* (value of expression for row at FRN) +  
 (RN - FRN) \* (value of expression for row at CRN)

You can use the `PERCENTILE_CONT` function as an analytic function. You can specify only the *query\_partitioning\_clause* in its `OVER` clause. It returns, for each row, the value that would fall into the specified percentile among a set of values within each partition.

The `MEDIAN` function is a specific case of `PERCENTILE_CONT` where the percentile value defaults to 0.5. For more information, refer to [MEDIAN](#).

### Note:

Before processing a large amount of data with the `PERCENTILE_CONT` function, consider using one of the following methods to obtain approximate results more quickly than exact results:

- Set the `APPROX_FOR_PERCENTILE` initialization parameter to `PERCENTILE_CONT` or `ALL` before using the `PERCENTILE_CONT` function. Refer to *Oracle Database Reference* for more information on this parameter.
- Use the `APPROX_PERCENTILE` function instead of the `PERCENTILE_CONT` function. Refer to [APPROX\\_PERCENTILE](#).

### Aggregate Example

The following example computes the median salary in each department:

```
SELECT department_id,
       PERCENTILE_CONT(0.5) WITHIN GROUP (ORDER BY salary DESC) "Median cont",
       PERCENTILE_DISC(0.5) WITHIN GROUP (ORDER BY salary DESC) "Median disc"
FROM employees
GROUP BY department_id
ORDER BY department_id;
```

DEPARTMENT_ID	Median cont	Median disc
10	4400	4400
20	9500	13000
30	2850	2900
40	6500	6500
50	3100	3100
60	4800	4800
70	10000	10000
80	8900	9000
90	17000	17000
100	8000	8200
110	10154	12008
	7000	7000

`PERCENTILE_CONT` and `PERCENTILE_DISC` may return different results. `PERCENTILE_CONT` returns a computed result after doing linear interpolation. `PERCENTILE_DISC` simply returns a value from the set of values that are aggregated over. When the percentile value is 0.5, as in this example, `PERCENTILE_CONT` returns the average of the two middle values for groups with

even number of elements, whereas `PERCENTILE_DISC` returns the value of the first one among the two middle values. For aggregate groups with an odd number of elements, both functions return the value of the middle element.

### Analytic Example


In the following example, the median for Department 60 is 4800, which has a corresponding percentile (`Percent_Rank`) of 0.5. None of the salaries in Department 30 have a percentile of 0.5, so the median value must be interpolated between 2900 (percentile 0.4) and 2800 (percentile 0.6), which evaluates to 2850.

```
SELECT last_name, salary, department_id,
       PERCENTILE_CONT(0.5) WITHIN GROUP (ORDER BY salary DESC)
         OVER (PARTITION BY department_id) "Percentile_Cont",
       PERCENT_RANK()
         OVER (PARTITION BY department_id ORDER BY salary DESC) "Percent_Rank"
FROM employees
WHERE department_id IN (30, 60)
ORDER BY last_name, salary, department_id;
```

LAST_NAME	SALARY	DEPARTMENT_ID	Percentile_Cont	Percent_Rank
Austin	4800	60	4800	.5
Baida	2900	30	2850	.4
Colmenares	2500	30	2850	1
Ernst	6000	60	4800	.25
Himuro	2600	30	2850	.8
Hunold	9000	60	4800	0
Khoo	3100	30	2850	.2
Lorentz	4200	60	4800	1
Pataballa	4800	60	4800	.5
Raphaely	11000	30	2850	0
Tobias	2800	30	2850	.6

## PERCENTILE\_DISC

### Syntax



### See Also:

"[Analytic Functions](#)" for information on syntax, semantics, and restrictions of the `OVER` clause

## Purpose

PERCENTILE\_DISC is an inverse distribution function that assumes a discrete distribution model. It takes a percentile value and a sort specification and returns an element from the set. Nulls are ignored in the calculation.

This function takes as an argument any numeric data type or any nonnumeric data type that can be implicitly converted to a numeric data type. The function returns the same data type as the numeric data type of the argument.

 **See Also:**

[Table 2-9](#) for more information on implicit conversion

The first *expr* must evaluate to a numeric value between 0 and 1, because it is a percentile value. This expression must be constant within each aggregate group. The ORDER BY clause takes a single expression that can be of any type that can be sorted.

For a given percentile value *P*, PERCENTILE\_DISC sorts the values of the expression in the ORDER BY clause and returns the value with the smallest CUME\_DIST value (with respect to the same sort specification) that is greater than or equal to *P*.

 **Note:**

Before processing a large amount of data with the PERCENTILE\_DISC function, consider using one of the following methods to obtain approximate results more quickly than exact results:

- Set the APPROX\_FOR\_PERCENTILE initialization parameter to PERCENTILE\_DISC or ALL before using the PERCENTILE\_DISC function. Refer to *Oracle Database Reference* for more information on this parameter.
- Use the APPROX\_PERCENTILE function instead of the PERCENTILE\_DISC function. Refer to [APPROX\\_PERCENTILE](#).

## Aggregate Example

See aggregate example for [PERCENTILE\\_CONT](#).

## Analytic Example

The following example calculates the median discrete percentile of the salary of each employee in the sample table `hr.employees`:


```
SELECT last_name, salary, department_id,
       PERCENTILE_DISC(0.5) WITHIN GROUP (ORDER BY salary DESC)
          OVER (PARTITION BY department_id) "Percentile_Disc",
       CUME_DIST() OVER (PARTITION BY department_id
                        ORDER BY salary DESC) "Cume_Dist"
FROM employees
WHERE department_id in (30, 60)
ORDER BY last_name, salary, department_id;
```

LAST_NAME	SALARY	DEPARTMENT_ID	Percentile_Disc	Cume_Dist
Austin	4800	60	4800	.8
Baida	2900	30	2900	.5
Colmenares	2500	30	2900	1
Ernst	6000	60	4800	.4
Himuro	2600	30	2900	.833333333
Hunold	9000	60	4800	.2
Khoo	3100	30	2900	.333333333
Lorentz	4200	60	4800	1
Pataballa	4800	60	4800	.8
Raphaely	11000	30	2900	.166666667
Tobias	2800	30	2900	.666666667

The median value for Department 30 is 2900, which is the value whose corresponding percentile (Cume\_Dist) is the smallest value greater than or equal to 0.5. The median value for Department 60 is 4800, which is the value whose corresponding percentile is the smallest value greater than or equal to 0.5.

## POWER

### Syntax



### Purpose

POWER returns  $n2$  raised to the  $n1$  power. The base  $n2$  and the exponent  $n1$  can be any numbers, but if  $n2$  is negative, then  $n1$  must be an integer.

This function takes as arguments any numeric data type or any nonnumeric data type that can be implicitly converted to a numeric data type. If any argument is BINARY\_FLOAT or BINARY\_DOUBLE, then the function returns BINARY\_DOUBLE. Otherwise, the function returns NUMBER.



#### See Also:

[Table 2-9](#) for more information on implicit conversion

### Examples

The following example returns 3 squared:

```

SELECT POWER(3,2) "Raised"
FROM DUAL;

```

```

Raised
-----
9

```

# POWMULTISET

## Syntax

```
→ POWERMULTISET ( ( expr ) ) →
```

## Purpose

`POWMULTISET` takes as input a nested table and returns a nested table of nested tables containing all nonempty subsets (called submultisets) of the input nested table.

- `expr` can be any expression that evaluates to a nested table.
- If `expr` resolves to null, then Oracle Database returns `NULL`.
- If `expr` resolves to a nested table that is empty, then Oracle returns an error.
- The element types of the nested table must be comparable. Refer to "[Comparison Conditions](#)" for information on the comparability of nonscalar types.

### Note:

This function is not supported in PL/SQL.

## Examples

First, create a data type that is a nested table of the `cust_address_tab_type` data type:

```
CREATE TYPE cust_address_tab_tab_type
  AS TABLE OF cust_address_tab_type;
/
```

Now, select the nested table column `cust_address_ntab` from the `customers_demo` table using the `POWMULTISET` function:

```
SELECT CAST(POWMULTISET(cust_address_ntab) AS cust_address_tab_tab_type)
  FROM customers_demo;

CAST(POWMULTISET(CUST_ADDRESS_NTAB) AS CUST_ADDRESS_TAB_TAB_TYP)
(STREET_ADDRESS, POSTAL_CODE, CITY, STATE_PROVINCE, COUNTRY_ID)
-----
CUST_ADDRESS_TAB_TAB_TYP(CUST_ADDRESS_TAB_TYP(CUST_ADDRESS_TYP
('514 W Superior St', '46901', 'Kokomo', 'IN', 'US')))
CUST_ADDRESS_TAB_TAB_TYP(CUST_ADDRESS_TAB_TYP(CUST_ADDRESS_TYP
('2515 Bloyd Ave', '46218', 'Indianapolis', 'IN', 'US')))
CUST_ADDRESS_TAB_TAB_TYP(CUST_ADDRESS_TAB_TYP(CUST_ADDRESS_TYP
('8768 N State Rd 37', '47404', 'Bloomington', 'IN', 'US')))
CUST_ADDRESS_TAB_TAB_TYP(CUST_ADDRESS_TAB_TYP(CUST_ADDRESS_TYP
('6445 Bay Harbor Ln', '46254', 'Indianapolis', 'IN', 'US')))
. . .
```

The preceding example requires the `customers_demo` table and a nested table column containing data. Refer to "[Multiset Operators](#)" to create this table and nested table columns.

# POWMULTISET\_BY\_CARDINALITY

## Syntax

```
POWMULTISET_BY_CARDINALITY ( ( expr , cardinality ) )
```

## Purpose

`POWMULTISET_BY_CARDINALITY` takes as input a nested table and a cardinality and returns a nested table of nested tables containing all nonempty subsets (called submultisets) of the nested table of the specified cardinality.

- `expr` can be any expression that evaluates to a nested table.
- `cardinality` can be any positive integer.
- If `expr` resolves to null, then Oracle Database returns `NULL`.
- If `expr` resolves to a nested table that is empty, then Oracle returns an error.
- The element types of the nested table must be comparable. Refer to "[Comparison Conditions](#)" for information on the comparability of nonscalar types.

### Note:

This function is not supported in PL/SQL.

## Examples

First, create a data type that is a nested table of the `cust_address_tab_type` data type:

```
CREATE TYPE cust_address_tab_tab_typ
  AS TABLE OF cust_address_tab_typ;
/
```

Next, duplicate the elements in all the nested table rows to increase the cardinality of the nested table rows to 2:

```
UPDATE customers_demo
  SET cust_address_ntab = cust_address_ntab MULTISET UNION cust_address_ntab;
```

Now, select the nested table column `cust_address_ntab` from the `customers_demo` table using the `POWMULTISET_BY_CARDINALITY` function:

```
SELECT CAST(POWMULTISET_BY_CARDINALITY(cust_address_ntab, 2)
  AS cust_address_tab_tab_typ)
  FROM customers_demo;

CAST(POWMULTISET_BY_CARDINALITY(CUST_ADDRESS_NTAB,2) AS CUST_ADDRESS_TAB_TAB_TYP)
(STREET_ADDRESS, POSTAL_CODE, CITY, STATE_PROVINCE, COUNTRY_ID)
-----
CUST_ADDRESS_TAB_TAB_TYP(CUST_ADDRESS_TAB_TYP
(CUST_ADDRESS_TYP('514 W Superior St', '46901', 'Kokomo', 'IN', 'US'),
CUST_ADDRESS_TYP('514 W Superior St', '46901', 'Kokomo', 'IN', 'US')))
```



```

CUST_ADDRESS_TAB_TAB_TYP(CUST_ADDRESS_TAB_TYP
(CUST_ADDRESS_TYP('2515 Bloyd Ave', '46218', 'Indianapolis', 'IN', 'US'),
CUST_ADDRESS_TYP('2515 Bloyd Ave', '46218', 'Indianapolis', 'IN', 'US')))
CUST_ADDRESS_TAB_TAB_TYP(CUST_ADDRESS_TAB_TYP
(CUST_ADDRESS_TYP('8768 N State Rd 37', '47404', 'Bloomington', 'IN', 'US'),
CUST_ADDRESS_TYP('8768 N State Rd 37', '47404', 'Bloomington', 'IN', 'US')))
. . .


```

The preceding example requires the `customers_demo` table and a nested table column containing data. Refer to "Multiset Operators" to create this table and nested table columns.


## PREDICTION

### Syntax

***prediction::=***




***prediction\_ordered::=***






### Analytic Syntax

***prediction\_analytic::=***



***cost\_matrix\_clause::=***



***mining\_attribute\_clause::=******mining\_analytic\_clause::=*****See Also:**

"[Analytic Functions](#)" for information on the syntax, semantics, and restrictions of *mining\_analytic\_clause*

**Purpose**

PREDICTION returns a prediction for each row in the selection. The data type of the returned prediction depends on whether the function performs Regression, Classification, or Anomaly Detection.

- **Regression:** Returns the expected target value for each row. The data type of the return value is the data type of the target.
- **Classification:** Returns the most probable target class (or lowest cost target class, if costs are specified) for each row. The data type of the return value is the data type of the target.
- **Anomaly Detection:** Returns 1 or 0 for each row. Typical rows are classified as 1. Rows that differ significantly from the rest of the data are classified as 0.

**cost\_matrix\_clause**

Costs are a biasing factor for minimizing the most harmful kinds of misclassifications. You can specify *cost\_matrix\_clause* for Classification or Anomaly Detection. Costs are not relevant for Regression. The *cost\_matrix\_clause* behaves as described for "[PREDICTION\\_COST](#)".

**Syntax Choice**

PREDICTION can score data by applying a mining model object to the data, or it can dynamically score the data by executing an analytic clause that builds and applies one or more transient mining models. Choose **Syntax** or **Analytic Syntax**:

- **Syntax:** Use the *prediction* syntax to score the data with a pre-defined model. Supply the name of a model that performs classification, regression, or anomaly detection.

Use the *prediction\_ordered* syntax for a model that requires ordered data, such as an MSET-SPRT model. The *prediction\_ordered* syntax requires an *order\_by\_clause* clause.

Restrictions on the *prediction\_ordered* syntax are that you cannot use it in the `WHERE` clause of a query. Also, you cannot use a *query\_partition\_clause* or a *windowing\_clause* with the *prediction\_ordered* syntax.

For details about the *order\_by\_clause*, see "[Analytic Functions](#)".

- **Analytic Syntax:** Use the analytic syntax to score the data without a pre-defined model. The analytic syntax uses *mining\_analytic\_clause*, which specifies if the data should be partitioned for multiple model builds. The *mining\_analytic\_clause* supports a *query\_partition\_clause* and an *order\_by\_clause*. (See "[analytic\\_clause::=](#)".)
  - For Regression, specify `FOR expr`, where *expr* is an expression that identifies a target column that has a numeric data type.
  - For Classification, specify `FOR expr`, where *expr* is an expression that identifies a target column that has a character data type.
  - For Anomaly Detection, specify the keywords `OF ANOMALY`.

The syntax of the `PREDICTION` function can use an optional `GROUPING` hint when scoring a partitioned model. See [GROUPING Hint](#).

### **mining\_attribute\_clause**

*mining\_attribute\_clause* identifies the column attributes to use as predictors for scoring.

- If you specify `USING *`, all the relevant attributes present in the input row are used.
- If you invoke the function with the analytic syntax, the *mining\_attribute\_clause* is used both for building the transient models and for scoring.
- If you invoke the function with a pre-defined model, the *mining\_attribute\_clause* should include all or some of the attributes that were used to create the model. The following conditions apply:
  - If *mining\_attribute\_clause* includes an attribute with the same name but a different data type from the one that was used to create the model, then the data type is converted to the type expected by the model.
  - If you specify more attributes for scoring than were used to create the model, then the extra attributes are silently ignored.
  - If you specify fewer attributes for scoring than were used to create the model, then scoring is performed on a best-effort basis.

 **See Also:**

- *Oracle Machine Learning for SQL User's Guide* for information about scoring.
- *Oracle Machine Learning for SQL Concepts* for information about predictive Oracle Machine Learning for SQL.
- Appendix C in *Oracle Database Globalization Support Guide* for the collation derivation rules, which define the collation assigned to the return value of `PREDICTION` when it is a character value

 **Note:**

The following examples are excerpted from the Oracle Machine Learning for SQL sample programs. For more information about the sample programs, see Appendix A in *Oracle Machine Learning for SQL User's Guide*.

**Example**

In this example, the model `dt_sh_clas_sample` predicts the gender and age of customers who are most likely to use an affinity card (`target = 1`). The `PREDICTION` function takes into account the cost matrix associated with the model and uses marital status, education, and household size as predictors.

```
SELECT cust_gender, COUNT(*) AS cnt, ROUND(AVG(age)) AS avg_age
   FROM mining_data_apply_v
  WHERE PREDICTION(dt_sh_clas_sample COST MODEL
        USING cust_marital_status, education, household_size) = 1
  GROUP BY cust_gender
  ORDER BY cust_gender;
```

CUST_GENDER	CNT	AVG_AGE
F	170	38
M	685	42

The cost matrix associated with the model `dt_sh_clas_sample` is stored in the table `dt_sh_sample_costs`. The cost matrix specifies that the misclassification of 1 is 8 times more costly than the misclassification of 0.

```
SQL> select * from dt_sh_sample_cost;
```

ACTUAL_TARGET_VALUE	PREDICTED_TARGET_VALUE	COST
0	0	.000000000
0	1	1.000000000
1	0	8.000000000
1	1	.000000000

**Analytic Example**

In this example, dynamic regression is used to predict the age of customers who are likely to use an affinity card. The query returns the 3 customers whose predicted age is


most different from the actual. The query includes information about the predictors that have the greatest influence on the prediction.

```
SELECT cust_id, age, pred_age, age-pred_age age_diff, pred_det FROM
  (SELECT cust_id, age, pred_age, pred_det,
    RANK() OVER (ORDER BY ABS(age-pred_age) desc) rnk FROM
  (SELECT cust_id, age,
    PREDICTION(FOR age USING *) OVER () pred_age,
    PREDICTION_DETAILS(FOR age ABS USING *) OVER () pred_det
  FROM mining_data_apply_v))
WHERE rnk <= 3;
```


CUST_ID	AGE	PRED_AGE	AGE_DIFF	PRED_DET
100910	80	40.67	39.33	<Details algorithm="Support Vector Machines"> <Attribute name="HOME_THEATER_PACKAGE" actualValue="1" weight=".059" rank="1"/> <Attribute name="Y_BOX_GAMES" actualValue="0" weight=".059" rank="2"/> <Attribute name="AFFINITY_CARD" actualValue="0" weight=".059" rank="3"/> <Attribute name="FLAT_PANEL_MONITOR" actualValue="1" weight=".059" rank="4"/> <Attribute name="YRS_RESIDENCE" actualValue="4" weight=".059" rank="5"/> </Details>
101285	79	42.18	36.82	<Details algorithm="Support Vector Machines"> <Attribute name="HOME_THEATER_PACKAGE" actualValue="1" weight=".059" rank="1"/> <Attribute name="HOUSEHOLD_SIZE" actualValue="2" weight=".059" rank="2"/> <Attribute name="CUST_MARITAL_STATUS" actualValue="Mabsent" weight=".059" rank="3"/> <Attribute name="Y_BOX_GAMES" actualValue="0" weight=".059" rank="4"/> <Attribute name="OCCUPATION" actualValue="Prof." weight=".059" rank="5"/> </Details>
100694	77	41.04	35.96	<Details algorithm="Support Vector Machines"> <Attribute name="HOME_THEATER_PACKAGE" actualValue="1" weight=".059" rank="1"/> <Attribute name="EDUCATION" actualValue="&lt; Bach." weight=".059" rank="2"/> <Attribute name="Y_BOX_GAMES" actualValue="0" weight=".059" rank="3"/> <Attribute name="CUST_ID" actualValue="100694" weight=".059" rank="4"/> <Attribute name="COUNTRY_NAME" actualValue="United States of America" weight=".059" rank="5"/> </Details>

# PREDICTION\_BOUNDS

## Syntax



### *mining\_attribute\_clause*::=



## Purpose

`PREDICTION_BOUNDS` applies a Generalized Linear Model (GLM) to predict a class or a value for each row in the selection. The function returns the upper and lower bounds of each prediction in a varray of objects with fields `UPPER` and `LOWER`.

GLM can perform either regression or binary classification:

- The bounds for regression refer to the predicted target value. The data type of `UPPER` and `LOWER` is the data type of the target.
- The bounds for binary classification refer to the probability of either the predicted target class or the specified `class_value`. The data type of `UPPER` and `LOWER` is `BINARY_DOUBLE`.

If the model was built using ridge regression, or if the covariance matrix is found to be singular during the build, then `PREDICTION_BOUNDS` returns `NULL` for both bounds.

`confidence_level` is a number in the range (0,1). The default value is 0.95. You can specify `class_value` while leaving `confidence_level` at its default by specifying `NULL` for `confidence_level`.

The syntax of the `PREDICTION_BOUNDS` function can use an optional `GROUPING` hint when scoring a partitioned model. See [GROUPING Hint](#).

## mining\_attribute\_clause

*mining\_attribute\_clause* identifies the column attributes to use as predictors for scoring. This clause behaves as described for the `PREDICTION` function. (Note that the reference to analytic syntax does not apply.) See "*mining\_attribute\_clause::="*".

### See Also:

- *Oracle Machine Learning for SQL User's Guide* for information about scoring
- *Oracle Machine Learning for SQL Concepts* for information about Generalized Linear Models

### Note:

The following example is excerpted from the Oracle Machine Learning for SQL sample programs. For more information about the sample programs, see Appendix A in *Oracle Machine Learning for SQL User's Guide*.

## Example

The following example returns the distribution of customers whose ages are predicted with 98% confidence to be greater than 24 and less than 46.


```
SELECT count(cust_id) cust_count, cust_marital_status
FROM (SELECT cust_id, cust_marital_status
      FROM mining_data_apply_v
      WHERE PREDICTION_BOUNDS(glmr_sh_regr_sample,0.98 USING *).LOWER > 24 AND
            PREDICTION_BOUNDS(glmr_sh_regr_sample,0.98 USING *).UPPER < 46)
GROUP BY cust_marital_status;
```

```
-----
CUST_COUNT CUST_MARITAL_STATUS
-----
         46 NeverM
         7  Mabsent
         5  Separ.
        35 Divorc.
        72 Married
```


# PREDICTION\_COST

## Syntax

***prediction\_cost::="***




***prediction\_cost\_ordered::=***




**Analytic Syntax**


***prediction\_cost\_analytic::=***




***cost\_matrix\_clause::=***



***mining\_attribute\_clause::=***



***mining\_analytic\_clause::=***





 **See Also:**

"[Analytic Functions](#)" for information on the syntax, semantics, and restrictions of `mining_analytic_clause`

**Purpose**

`PREDICTION_COST` returns a cost for each row in the selection. The cost refers to the lowest cost class or to the specified `class`. The cost is returned as `BINARY_DOUBLE`.

`PREDICTION_COST` can perform classification or anomaly detection. For classification, the returned cost refers to a predicted target class. For anomaly detection, the returned cost refers to a classification of 1 (for typical rows) or 0 (for anomalous rows).

You can use `PREDICTION_COST` in conjunction with the `PREDICTION` function to obtain the prediction and the cost of the prediction.

**cost\_matrix\_clause**

Costs are a biasing factor for minimizing the most harmful kinds of misclassifications. For example, false positives might be considered more costly than false negatives. Costs are specified in a cost matrix that can be associated with the model or defined inline in a `VALUES` clause. All classification algorithms can use costs to influence scoring.

Decision Tree is the only algorithm that can use costs to influence the model build. The cost matrix used to build a Decision Tree model is also the default scoring cost matrix for the model.

The following cost matrix table specifies that the misclassification of 1 is five times more costly than the misclassification of 0.

ACTUAL_TARGET_VALUE	PREDICTED_TARGET_VALUE	COST
0	0	0
0	1	1
1	0	5
1	1	0

In `cost_matrix_clause`:

- `COST MODEL` indicates that scoring should be performed by taking into account the scoring cost matrix associated with the model. If the cost matrix does not exist, then the function returns an error.
- `COST MODEL AUTO` indicates that the existence of a cost matrix is unknown. If a cost matrix exists, then the function uses it to return the lowest cost prediction. Otherwise the function returns the highest probability prediction.
- The `VALUES` clause specifies an inline cost matrix for `class_value`. For example, you could specify that the misclassification of 1 is five times more costly than the misclassification of 0 as follows:

```
PREDICTION (nb_model COST (0,1) VALUES ((0, 1), (1, 5)) USING *)
```

If a model that has a scoring cost matrix is invoked with an inline cost matrix, then the inline costs are used.

 **See Also:**

*Oracle Machine Learning for SQL User's Guide* for more information about cost-sensitive prediction.

**Syntax Choice**

PREDICTION\_COST can score the data by applying a mining model object to the data, or it can dynamically mine the data by executing an analytic clause that builds and applies one or more transient mining models. Choose **Syntax** or **Analytic Syntax**:

- **Syntax:** Use the `prediction_cost` syntax to score the data with a pre-defined model. Supply the name of a model that performs classification or anomaly detection.

Use the `prediction_cost_ordered` syntax for a model that requires ordered data, such as an MSET-SPRT model. The `prediction_cost_ordered` syntax requires an `order_by_clause` clause.

Restrictions on the `prediction_cost_ordered` syntax are that you cannot use it in the WHERE clause of a query. Also, you cannot use a `query_partition_clause` or a `windowing_clause` with the `prediction_ordered` syntax.

- **Analytic Syntax:** Use the analytic syntax to score the data without a pre-defined model. The analytic syntax uses `mining_analytic_clause`, which specifies if the data should be partitioned for multiple model builds. The `mining_analytic_clause` supports a `query_partition_clause` and an `order_by_clause`. (See "[analytic\\_clause::=](#)".)
  - For classification, specify FOR `expr`, where `expr` is an expression that identifies a target column that has a character data type.
  - For anomaly detection, specify the keywords OF ANOMALY.

The syntax of the PREDICTION\_COST function can use an optional GROUPING hint when scoring a partitioned model. See [GROUPING Hint](#).

**mining\_attribute\_clause**

`mining_attribute_clause` identifies the column attributes to use as predictors for scoring. When the function is invoked with the analytic syntax, these predictors are also used for building the transient models. The `mining_attribute_clause` behaves as described for the PREDICTION function. (See "[mining\\_attribute\\_clause::=](#)".)

 **See Also:**

- *Oracle Machine Learning for SQL User's Guide* for information about scoring.
- *Oracle Machine Learning for SQL Concepts* for information about classification with costs



**Note:**

The following example is excerpted from the Oracle Machine Learning for SQL sample programs. For more information about the sample programs, see Appendix A in *Oracle Machine Learning for SQL User's Guide*.

**Example**

This example predicts the ten customers in Italy who would respond to the least expensive sales campaign (offering an affinity card).


```
SELECT cust_id
FROM (SELECT cust_id,rank()
      OVER (ORDER BY PREDICTION_COST(DT_SH_Clas_sample, 1 COST MODEL USING *)
            ASC, cust_id) rnk
      FROM mining_data_apply_v
      WHERE country_name = 'Italy')
WHERE rnk <= 10
ORDER BY rnk;
```

```
CUST_ID
-----
100081
100179
100185
100324
100344
100554
100662
100733
101250
101306
```


# PREDICTION\_DETAILS

**Syntax**

***prediction\_details::=***




***prediction\_details\_ordered::=***




**Analytic Syntax**


***prediction\_details\_analytic::=***



***mining\_attribute\_clause::=***



***mining\_analytic\_clause::=***



 **See Also:**

"[Analytic Functions](#)" for information on the syntax, semantics, and restrictions of *mining\_analytic\_clause*

**Purpose**

PREDICTION\_DETAILS returns prediction details for each row in the selection. The return value is an XML string that describes the attributes of the prediction.

For regression, the returned details refer to the predicted target value. For classification and anomaly detection, the returned details refer to the highest probability class or the specified *class\_value*.

**topN**

If you specify a value for *topN*, the function returns the *N* attributes that have the most influence on the prediction (the score). If you do not specify *topN*, the function returns the 5 most influential attributes.

**DESC, ASC, or ABS**

The returned attributes are ordered by weight. The weight of an attribute expresses its positive or negative impact on the prediction. For regression, a positive weight indicates a higher value prediction; a negative weight indicates a lower value prediction. For classification and anomaly detection, a positive weight indicates a higher probability prediction; a negative weight indicates a lower probability prediction.

By default, PREDICTION\_DETAILS returns the attributes with the highest positive weight (DESC). If you specify ASC, the attributes with the highest negative weight are returned. If you specify ABS, the attributes with the greatest weight, whether negative or positive, are returned. The results are ordered by absolute value from highest to lowest. Attributes with a zero weight are not included in the output.

**Syntax Choice**

PREDICTION\_DETAILS can score the data by applying a mining model object to the data, or it can dynamically mine the data by executing an analytic clause that builds and applies one or more transient mining models. Choose **Syntax** or **Analytic Syntax**:

- **Syntax:** Use the *prediction\_details* syntax to score the data with a pre-defined model. Supply the name of a model that performs classification, regression, or anomaly detection.

Use the *prediction\_details\_ordered* syntax for a model that requires ordered data, such as an MSET-SPRT model. The *prediction\_details\_ordered* syntax requires an *order\_by\_clause* clause.

Restrictions on the *prediction\_details\_ordered* syntax are that you cannot use it in the WHERE clause of a query. Also, you cannot use a *query\_partition\_clause* or a *windowing\_clause* with the *prediction\_details\_ordered* syntax.

- **Analytic Syntax:** Use the analytic syntax to score the data without a pre-defined model. The analytic syntax uses *mining\_analytic\_clause*, which specifies if the data should be

partitioned for multiple model builds. The *mining\_analytic\_clause* supports a *query\_partition\_clause* and an *order\_by\_clause*. (See "[analytic\\_clause::="](#).)

- For classification, specify `FOR expr`, where *expr* is an expression that identifies a target column that has a character data type.
- For regression, specify `FOR expr`, where *expr* is an expression that identifies a target column that has a numeric data type.
- For anomaly detection, specify the keywords `OF ANOMALY`.

The syntax of the `PREDICTION_DETAILS` function can use an optional `GROUPING` hint when scoring a partitioned model. See [GROUPING Hint](#).

### mining\_attribute\_clause

*mining\_attribute\_clause* identifies the column attributes to use as predictors for scoring. When the function is invoked with the analytic syntax, these predictors are also used for building the transient models. The *mining\_attribute\_clause* behaves as described for the `PREDICTION` function. (See "[mining\\_attribute\\_clause::="](#).)

#### See Also:

- *Oracle Machine Learning for SQL User's Guide* for information about scoring.
- *Oracle Machine Learning for SQL Concepts* for information about predictive Oracle Machine Learning for SQL.

#### Note:

The following examples are excerpted from the *Oracle Machine Learning for SQL* sample programs. For more information about the sample programs, see Appendix A in *Oracle Machine Learning for SQL User's Guide*.

### Example

This example uses the model `svmr_sh_regr_sample` to score the data. The query returns the three attributes that have the greatest influence on predicting a higher value for customer age.

```
SELECT PREDICTION_DETAILS(svmr_sh_regr_sample, null, 3 USING *) prediction_details
   FROM mining_data_apply_v
   WHERE cust_id = 100001;
```

PREDICTION\_DETAILS

```
-----
<Details algorithm="Support Vector Machines">
<Attribute name="CUST_MARITAL_STATUS" actualValue="Widowed" weight=".361" rank="1"/>
<Attribute name="CUST_GENDER" actualValue="F" weight=".14" rank="2"/>
<Attribute name="HOME_THEATER_PACKAGE" actualValue="1" weight=".135" rank="3"/>
</Details>
```

## Analytic Syntax

This example dynamically identifies customers whose age is not typical for the data. The query returns the attributes that predict or detract from a typical age.

```

SELECT cust_id, age, pred_age, age-pred_age age_diff, pred_det
FROM (SELECT cust_id, age, pred_age, pred_det,
      RANK() OVER (ORDER BY ABS(age-pred_age) DESC) rnk
FROM (SELECT cust_id, age,
      PREDICTION(FOR age USING *) OVER () pred_age,
      PREDICTION_DETAILS(FOR age ABS USING *) OVER () pred_det
FROM mining_data_apply_v))
WHERE rnk <= 5;

```

CUST_ID	AGE	PRED_AGE	AGE_DIFF	PRED_DET
100910	80	40.67	39.33	<pre> &lt;Details algorithm="Support Vector Machines"&gt; &lt;Attribute name="HOME_THEATER_PACKAGE" actualValue="1" weight=".059" rank="1"/&gt; &lt;Attribute name="Y_BOX_GAMES" actualValue="0" weight=".059" rank="2"/&gt; &lt;Attribute name="AFFINITY_CARD" actualValue="0" weight=".059" rank="3"/&gt; &lt;Attribute name="FLAT_PANEL_MONITOR" actualValue="1" weight=".059" rank="4"/&gt; &lt;Attribute name="YRS_RESIDENCE" actualValue="4" weight=".059" rank="5"/&gt; &lt;/Details&gt; </pre>
101285	79	42.18	36.82	<pre> &lt;Details algorithm="Support Vector Machines"&gt; &lt;Attribute name="HOME_THEATER_PACKAGE" actualValue="1" weight=".059" rank="1"/&gt; &lt;Attribute name="HOUSEHOLD_SIZE" actualValue="2" weight=".059" rank="2"/&gt; &lt;Attribute name="CUST_MARITAL_STATUS" actualValue="Mabsent" weight=".059" rank="3"/&gt; &lt;Attribute name="Y_BOX_GAMES" actualValue="0" weight=".059" rank="4"/&gt; &lt;Attribute name="OCCUPATION" actualValue="Prof." weight=".059" rank="5"/&gt; &lt;/Details&gt; </pre>
100694	77	41.04	35.96	<pre> &lt;Details algorithm="Support Vector Machines"&gt; &lt;Attribute name="HOME_THEATER_PACKAGE" actualValue="1" weight=".059" rank="1"/&gt; &lt;Attribute name="EDUCATION" actualValue="&amp;lt; Bach." weight=".059" rank="2"/&gt; &lt;Attribute name="Y_BOX_GAMES" actualValue="0" weight=".059" rank="3"/&gt; &lt;Attribute name="CUST_ID" actualValue="100694" weight=".059" rank="4"/&gt; &lt;Attribute name="COUNTRY_NAME" actualValue="United States of America" weight=".059" rank="5"/&gt; &lt;/Details&gt; </pre>
100308	81	45.33	35.67	<pre> &lt;Details algorithm="Support Vector Machines"&gt; &lt;Attribute name="HOME_THEATER_PACKAGE" actualValue="1" weight=".059" rank="1"/&gt; &lt;Attribute name="Y_BOX_GAMES" actualValue="0" weight=".059" rank="2"/&gt; </pre>

```

<Attribute name="HOUSEHOLD_SIZE" actualValue="2" weight=".059"
rank="3"/>
<Attribute name="FLAT_PANEL_MONITOR" actualValue="1" weight=".059"
rank="4"/>
<Attribute name="CUST_GENDER" actualValue="F" weight=".059"
rank="5"/>
</Details>


101256 90 54.39 35.61 <Details algorithm="Support Vector Machines">
<Attribute name="YRS_RESIDENCE" actualValue="9" weight=".059"
rank="1"/>
<Attribute name="HOME_THEATER_PACKAGE" actualValue="1"
weight=".059"
rank="2"/>
<Attribute name="EDUCATION" actualValue="&lt; Bach." weight=".059"
rank="3"/>
<Attribute name="Y_BOX_GAMES" actualValue="0" weight=".059"
rank="4"/>
<Attribute name="COUNTRY_NAME" actualValue="United States of
America" weight=".059" rank="5"/>
</Details>

```



## PREDICTION\_PROBABILITY

### Syntax

***prediction\_probability::=***





***prediction\_probability\_ordered::=***





### Analytic Syntax

***prediction\_prob\_analytic::=***





***mining\_attribute\_clause::=******mining\_analytic\_clause::=*****See Also:**

"[Analytic Functions](#)" for information on the syntax, semantics, and restrictions of *mining\_analytic\_clause*

**Purpose**

PREDICTION\_PROBABILITY returns a probability for each row in the selection. The probability refers to the highest probability class or to the specified *class*. The data type of the returned probability is BINARY\_DOUBLE.

PREDICTION\_PROBABILITY can perform classification or anomaly detection. For classification, the returned probability refers to a predicted target class. For anomaly detection, the returned probability refers to a classification of 1 (for typical rows) or 0 (for anomalous rows).

You can use PREDICTION\_PROBABILITY in conjunction with the PREDICTION function to obtain the prediction and the probability of the prediction.

**Syntax Choice**

PREDICTION\_PROBABILITY can score the data by applying a mining model object to the data, or it can dynamically mine the data by executing an analytic clause that builds and applies one or more transient mining models. Choose **Syntax** or **Analytic Syntax**:

- **Syntax:** Use the *prediction\_probability* syntax to score the data with a pre-defined model. Supply the name of a model that performs classification or anomaly detection.

Use the *prediction\_probability\_ordered* syntax for a model that requires ordered data, such as an MSET-SPRT model. The *prediction\_probability\_ordered* syntax requires an *order\_by\_clause* clause.

Restrictions on the `prediction_probability_ordered` syntax are that you cannot use it in the `WHERE` clause of a query. Also, you cannot use a `query_partition_clause` or a `windowing_clause` with the `prediction_probability_ordered` syntax.

- **Analytic Syntax:** Use the analytic syntax to score the data without a pre-defined model. The analytic syntax uses `mining_analytic_clause`, which specifies if the data should be partitioned for multiple model builds. The `mining_analytic_clause` supports a `query_partition_clause` and an `order_by_clause`. (See "[analytic\\_clause::=](#)".)
  - For classification, specify `FOR expr`, where `expr` is an expression that identifies a target column that has a character data type.
  - For anomaly detection, specify the keywords `OF ANOMALY`.

The syntax of the `PREDICTION_PROBABILITY` function can use an optional `GROUPING` hint when scoring a partitioned model. See [GROUPING Hint](#).

### mining\_attribute\_clause

`mining_attribute_clause` identifies the column attributes to use as predictors for scoring. When the function is invoked with the analytic syntax, these predictors are also used for building the transient models. The `mining_attribute_clause` behaves as described for the `PREDICTION` function. (See "[mining\\_attribute\\_clause::=](#)".)

#### See Also:

- *Oracle Machine Learning for SQL User's Guide* for information about scoring.
- *Oracle Machine Learning for SQL Concepts* for information about predictive Oracle Machine Learning for SQL.

#### Note:

The following examples are excerpted from the Oracle Machine Learning for SQL sample programs. For information about the sample programs, see Appendix A in *Oracle Machine Learning for SQL User's Guide*.

### Example

The following example returns the 10 customers living in Italy who are most likely to use an affinity card.

```
SELECT cust_id FROM (
  SELECT cust_id
  FROM mining_data_apply_v
  WHERE country_name = 'Italy'
  ORDER BY PREDICTION_PROBABILITY(DT_SH_Clas_sample, 1 USING *)
  DESC, cust_id)
WHERE rownum < 11;
```

```

CUST_ID
-----
100081
100179
100185
100324
100344
100554
100662
100733
101250
101306

```

### Analytic Example

This example identifies rows that are most atypical in the data in `mining_data_one_class_v`. Each type of marital status is considered separately so that the most anomalous rows per marital status group are returned.

The query returns three attributes that have the most influence on the determination of anomalous rows. The `PARTITION BY` clause causes separate models to be built and applied for each marital status. Because there is only one record with status `Mabsent`, no model is created for that partition (and no details are provided).

```

SELECT cust_id, cust_marital_status, rank_anom, anom_det FROM
  (SELECT cust_id, cust_marital_status, anom_det,
    rank() OVER (PARTITION BY CUST_MARITAL_STATUS
      ORDER BY ANOM_PROB DESC, cust_id) rank_anom FROM
    (SELECT cust_id, cust_marital_status,
      PREDICTION_PROBABILITY(OF ANOMALY, 0 USING *)
      OVER (PARTITION BY CUST_MARITAL_STATUS) anom_prob,
      PREDICTION_DETAILS(OF ANOMALY, 0, 3 USING *)
      OVER (PARTITION BY CUST_MARITAL_STATUS) anom_det
    FROM mining_data_one_class_v
  )
)
WHERE rank_anom < 3 order by 2, 3;

```

CUST_ID	CUST_MARITAL_STATUS	RANK_ANOM	ANOM_DET
102366	Divorc.	1	<Details algorithm="Support Vector Machines" class="0"> <Attribute name="COUNTRY_NAME" actualValue="United Kingdom" weight=".069" rank="1"/> <Attribute name="AGE" actualValue="28" weight=".013" rank="2"/> <Attribute name="YRS_RESIDENCE" actualValue="4" weight=".006" rank="3"/> </Details>
101817	Divorc.	2	<Details algorithm="Support Vector Machines" class="0"> <Attribute name="YRS_RESIDENCE" actualValue="8" weight=".018" rank="1"/> <Attribute name="EDUCATION" actualValue="PhD" weight=".007" rank="2"/> <Attribute name="CUST_INCOME_LEVEL" actualValue="K: 250\,000 - 299\,999" weight=".006" rank="3"/> </Details>
101713	Mabsent	1	
101790	Married	1	<Details algorithm="Support Vector Machines" class="0"> <Attribute name="COUNTRY_NAME" actualValue="Canada"

```

weight=".063" rank="1"/>
<Attribute name="EDUCATION" actualValue="7th-8th"
weight=".011" rank="2"/>
<Attribute name="HOUSEHOLD_SIZE" actualValue="4-5"
weight=".011" rank="3"/>
</Details>


```

...


## PREDICTION\_SET

### Syntax

***prediction\_set::=***







***prediction\_set\_ordered::=***



### Analytic Syntax

***prediction\_set\_analytic::=***



***cost\_matrix\_clause::=******mining\_attribute\_clause::=******mining\_analytic\_clause::=*****See Also:**

"[Analytic Functions](#)" for information on the syntax, semantics, and restrictions of *mining\_analytic\_clause*

**Purpose**

`PREDICTION_SET` returns a set of predictions with either probabilities or costs for each row in the selection. The return value is a varray of objects with field names `PREDICTION_ID` and `PROBABILITY` or `COST`. The prediction identifier has the data type of the target; the probability and cost fields are `BINARY_DOUBLE`.

`PREDICTION_SET` can perform classification or anomaly detection. For classification, the return value refers to a predicted target class. For anomaly detection, the return value refers to a classification of 1 (for typical rows) or 0 (for anomalous rows).

### bestN and cutoff

You can specify *bestN* and *cutoff* to limit the number of predictions returned by the function. By default, both *bestN* and *cutoff* are null and all predictions are returned.

- *bestN* is the *N* predictions that are either the most probable or the least costly. If multiple predictions share the *N*th probability or cost, then the function chooses one of them.
- *cutoff* is a value threshold. Only predictions with probability greater than or equal to *cutoff*, or with cost less than or equal to *cutoff*, are returned. To filter by *cutoff* only, specify NULL for *bestN*. If the function uses a *cost\_matrix\_clause* with COST MODEL AUTO, then *cutoff* is ignored.

You can specify *bestN* with *cutoff* to return up to the *N* most probable predictions that are greater than or equal to *cutoff*. If costs are used, specify *bestN* with *cutoff* to return up to the *N* least costly predictions that are less than or equal to *cutoff*.

### cost\_matrix\_clause

You can specify *cost\_matrix\_clause* as a biasing factor for minimizing the most harmful kinds of misclassifications. *cost\_matrix\_clause* behaves as described for "PREDICTION\_COST".

### Syntax Choice

PREDICTION\_SET can score the data by applying a mining model object to the data, or it can dynamically mine the data by executing an analytic clause that builds and applies one or more transient mining models. Choose **Syntax** or **Analytic Syntax**:

- **Syntax:** Use the *prediction\_set* syntax to score the data with a pre-defined model. Supply the name of a model that performs classification or anomaly detection.  
  
Use the *prediction\_set\_ordered* syntax for a model that requires ordered data, such as an MSET-SPRT model. The *prediction\_set\_ordered* syntax requires an *order\_by\_clause* clause.  
  
Restrictions on the *prediction\_set\_ordered* syntax are that you cannot use it in the WHERE clause of a query. Also, you cannot use a *query\_partition\_clause* or a *windowing\_clause* with the *prediction\_set\_ordered* syntax.
- **Analytic Syntax:** Use the analytic syntax to score the data without a pre-defined model. The analytic syntax uses *mining\_analytic\_clause*, which specifies if the data should be partitioned for multiple model builds. The *mining\_analytic\_clause* supports a *query\_partition\_clause* and an *order\_by\_clause*. (See "[analytic\\_clause::="](#).)
  - For classification, specify FOR *expr*, where *expr* is an expression that identifies a target column that has a character data type.
  - For anomaly detection, specify the keywords OF ANOMALY.

The syntax of the PREDICTION\_SET function can use an optional GROUPING hint when scoring a partitioned model. See [GROUPING Hint](#).

## mining\_attribute\_clause

*mining\_attribute\_clause* identifies the column attributes to use as predictors for scoring. When the function is invoked with the analytic syntax, these predictors are also used for building the transient models. The *mining\_attribute\_clause* behaves as described for the PREDICTION function. (See "[mining\\_attribute\\_clause::=](#)".)

### See Also:

- *Oracle Machine Learning for SQL User's Guide* for information about scoring.
- *Oracle Machine Learning for SQL Concepts* for information about predictive Oracle Machine Learning for SQL.

### Note:

The following example is excerpted from the Oracle Machine Learning for SQL sample programs. For more information about the sample programs, see Appendix A in *Oracle Machine Learning for SQL User's Guide*.

## Example

This example lists the probability and cost that customers with ID less than 100006 will use an affinity card. This example has a binary target, but such a query is also useful for multiclass classification such as low, medium, and high.

```
SELECT T.cust_id, S.prediction, S.probability, S.cost
FROM (SELECT cust_id,
             PREDICTION_SET(dt_sh_clas_sample COST MODEL USING *) pset
      FROM mining_data_apply_v
      WHERE cust_id < 100006) T,
     TABLE(T.pset) S
ORDER BY cust_id, S.prediction;
```

CUST_ID	PREDICTION	PROBABILITY	COST
100001	0	.966183575	.270531401
100001	1	.033816425	.966183575
100002	0	.740384615	2.076923077
100002	1	.259615385	.740384615
100003	0	.909090909	.727272727
100003	1	.090909091	.909090909
100004	0	.909090909	.727272727
100004	1	.090909091	.909090909
100005	0	.272357724	5.821138211
100005	1	.727642276	.272357724

# PRESENTNNV

## Syntax

```
PRESENTNNV ( ( cell_reference , expr1 , expr2 ) )
```

## Purpose

The `PRESENTNNV` function can be used only in the `model_clause` of the `SELECT` statement and then only on the right-hand side of a model rule. It returns `expr1` when `cell_reference` exists prior to the execution of the `model_clause` and is not null when `PRESENTNNV` is evaluated. Otherwise it returns `expr2`. This function differs from `NVL2` in that `NVL2` evaluates the data at the time it is executed, rather than evaluating the data as it was prior to the execution of the `model_clause`.

### See Also:

- [model\\_clause](#) and "Model Expressions" for the syntax and semantics
- [NVL2](#) for comparison
- Appendix C in *Oracle Database Globalization Support Guide* for the collation derivation rules, which define the collation assigned to the return value of `PRESENTNNV` when it is a character value

## Examples

In the following example, if a row containing sales for the Mouse Pad for the year 2002 exists, and the sales value is not null, then the sales value remains unchanged. If the row exists and the sales value is null, then the sales value is set to 10. If the row does not exist, then the row is created with the sales value set to 10.

```
SELECT country, prod, year, s
FROM sales_view_ref
MODEL
  PARTITION BY (country)
  DIMENSION BY (prod, year)
  MEASURES (sale s)
  IGNORE NAV
  UNIQUE DIMENSION
  RULES UPSERT SEQUENTIAL ORDER
  ( s['Mouse Pad', 2002] =
    PRESENTNNV(s['Mouse Pad', 2002], s['Mouse Pad', 2002], 10)
  )
ORDER BY country, prod, year;
```

COUNTRY	PROD	YEAR	S
France	Mouse Pad	1998	2509.42
France	Mouse Pad	1999	3678.69
France	Mouse Pad	2000	3000.72
France	Mouse Pad	2001	3269.09



France	Mouse Pad	2002	10
France	Standard Mouse	1998	2390.83
France	Standard Mouse	1999	2280.45
France	Standard Mouse	2000	1274.31
France	Standard Mouse	2001	2164.54
Germany	Mouse Pad	1998	5827.87
Germany	Mouse Pad	1999	8346.44
Germany	Mouse Pad	2000	7375.46
Germany	Mouse Pad	2001	9535.08
Germany	Mouse Pad	2002	10
Germany	Standard Mouse	1998	7116.11
Germany	Standard Mouse	1999	6263.14
Germany	Standard Mouse	2000	2637.31
Germany	Standard Mouse	2001	6456.13

18 rows selected.

The preceding example requires the view `sales_view_ref`. Refer to "Examples" to create this view.

## PRESENTV

### Syntax

```
PRESENTV ( ( cell_reference ) , expr1 , expr2 )
```

### Purpose

The `PRESENTV` function can be used only within the `model_clause` of the `SELECT` statement and then only on the right-hand side of a model rule. It returns `expr1` when, prior to the execution of the `model_clause`, `cell_reference` exists. Otherwise it returns `expr2`.

#### See Also:

- `model_clause` and "Model Expressions" for the syntax and semantics
- Appendix C in *Oracle Database Globalization Support Guide* for the collation derivation rules, which define the collation assigned to the return value of `PRESENTV` when it is a character value

### Examples

In the following example, if a row containing sales for the Mouse Pad for the year 2000 exists, then the sales value for the Mouse Pad for the year 2001 is set to the sales value for the Mouse Pad for the year 2000. If the row does not exist, then a row is created with the sales value for the Mouse Pad for year 20001 set to 0.

```
SELECT country, prod, year, s
FROM sales_view_ref
MODEL
PARTITION BY (country)
DIMENSION BY (prod, year)
MEASURES (sale s)
```

```

IGNORE NAV
UNIQUE DIMENSION
RULES UPSERT SEQUENTIAL ORDER
(
  s['Mouse Pad', 2001] =
    PRESENTV(s['Mouse Pad', 2000], s['Mouse Pad', 2000], 0)
)
ORDER BY country, prod, year;

```

COUNTRY	PROD	YEAR	S
France	Mouse Pad	1998	2509.42
France	Mouse Pad	1999	3678.69
France	Mouse Pad	2000	3000.72
France	Mouse Pad	2001	3000.72
France	Standard Mouse	1998	2390.83
France	Standard Mouse	1999	2280.45
France	Standard Mouse	2000	1274.31
France	Standard Mouse	2001	2164.54
Germany	Mouse Pad	1998	5827.87
Germany	Mouse Pad	1999	8346.44
Germany	Mouse Pad	2000	7375.46
Germany	Mouse Pad	2001	7375.46
Germany	Standard Mouse	1998	7116.11
Germany	Standard Mouse	1999	6263.14
Germany	Standard Mouse	2000	2637.31
Germany	Standard Mouse	2001	6456.13

16 rows selected.

The preceding example requires the view `sales_view_ref`. Refer to "[The MODEL clause: Examples](#)" to create this view.

## PREVIOUS

### Syntax

```

→ PREVIOUS ( ( cell_reference ) ) →

```

### Purpose

The `PREVIOUS` function can be used only in the *model\_clause* of the `SELECT` statement and then only in the `ITERATE ... [ UNTIL ]` clause of the *model\_rules\_clause*. It returns the value of *cell\_reference* at the beginning of each iteration.

#### See Also:

- [model\\_clause](#) and "[Model Expressions](#)" for the syntax and semantics
- Appendix C in *Oracle Database Globalization Support Guide* for the collation derivation rules, which define the collation assigned to the return value of `PREVIOUS` when it is a character value

## Examples

The following example repeats the rules, up to 1000 times, until the difference between the values of `cur_val` at the beginning and at the end of an iteration is less than one:



```
SELECT dim_col, cur_val, num_of_iterations
FROM (SELECT 1 AS dim_col, 10 AS cur_val FROM dual)
MODEL
  DIMENSION BY (dim_col)
  MEASURES (cur_val, 0 num_of_iterations)
  IGNORE NAV
  UNIQUE DIMENSION
  RULES ITERATE (1000) UNTIL (PREVIOUS(cur_val[1]) - cur_val[1] < 1)
  (
    cur_val[1] = cur_val[1]/2,
    num_of_iterations[1] = num_of_iterations[1] + 1
  );
```

DIM_COL	CUR_VAL	NUM_OF_ITERATIONS
1	.625	4

# RANK


## Aggregate Syntax

***rank\_aggregate::=***



## Analytic Syntax

***rank\_analytic::=***



### See Also:

"[Analytic Functions](#)" for information on syntax, semantics, and restrictions

## Purpose

RANK calculates the rank of a value in a group of values. The return type is NUMBER.

### See Also:

Table 2-9 for more information on implicit conversion and "Numeric Precedence " for information on numeric precedence

Rows with equal values for the ranking criteria receive the same rank. Oracle Database then adds the number of tied rows to the tied rank to calculate the next rank. Therefore, the ranks may not be consecutive numbers. This function is useful for top-N and bottom-N reporting.

- As an aggregate function, RANK calculates the rank of a hypothetical row identified by the arguments of the function with respect to a given sort specification. The arguments of the function must all evaluate to constant expressions within each aggregate group, because they identify a single row within each group. The constant argument expressions and the expressions in the ORDER BY clause of the aggregate match by position. Therefore, the number of arguments must be the same and their types must be compatible.
- As an analytic function, RANK computes the rank of each row returned from a query with respect to the other rows returned by the query, based on the values of the *value\_exprs* in the *order\_by\_clause*.

### See Also:

Appendix C in *Oracle Database Globalization Support Guide* for the collation determination rules, which define the collation RANK uses to compare character values for the ORDER BY clause

## Aggregate Example

The following example calculates the rank of a hypothetical employee in the sample table `hr.employees` with a salary of \$15,500 and a commission of 5%:

```
SELECT RANK(15500, .05) WITHIN GROUP
       (ORDER BY salary, commission_pct) "Rank"
FROM employees;
```

```
Rank
-----
    105
```

Similarly, the following query returns the rank for a \$15,500 salary among the employee salaries:

```
SELECT RANK(15500) WITHIN GROUP
       (ORDER BY salary DESC) "Rank of 15500"
FROM employees;
```

```
Rank of 15500
-----
                4
```

### Analytic Example


The following statement ranks the employees in the sample `hr` schema in department 60 based on their salaries. Identical salary values receive the same rank and cause nonconsecutive ranks. Compare this example with the analytic example for [DENSE\\_RANK](#).

```
SELECT department_id, last_name, salary,
       RANK() OVER (PARTITION BY department_id ORDER BY salary) RANK
FROM employees WHERE department_id = 60
ORDER BY RANK, last_name;
```

DEPARTMENT_ID	LAST_NAME	SALARY	RANK
60	Lorentz	4200	1
60	Austin	4800	2
60	Pataballa	4800	2
60	Ernst	6000	4
60	Hunold	9000	5

## RATIO\_TO\_REPORT

### Syntax



### See Also:

"[Analytic Functions](#)" for information on syntax, semantics, and restrictions, including valid forms of *expr*

### Purpose

`RATIO_TO_REPORT` is an analytic function. It computes the ratio of a value to the sum of a set of values. If *expr* evaluates to null, then the ratio-to-report value also evaluates to null.

The set of values is determined by the *query\_partition\_clause*. If you omit that clause, then the ratio-to-report is computed over all rows returned by the query.

You cannot nest analytic functions by using `RATIO_TO_REPORT` or any other analytic function for *expr*. However, you can use other built-in function expressions for *expr*. Refer to "[About SQL Expressions](#)" for information on valid forms of *expr*.

### Examples

The following example calculates the ratio-to-report value of each purchasing clerk's salary to the total of all purchasing clerks' salaries:

```
SELECT last_name, salary, RATIO_TO_REPORT(salary) OVER () AS rr
FROM employees
```

```
WHERE job_id = 'PU_CLERK'
ORDER BY last_name, salary, rr;
```

LAST_NAME	SALARY	RR
Baida	2900	.208633094
Colmenares	2500	.179856115
Himuro	2600	.18705036
Khoo	3100	.223021583
Tobias	2800	.201438849

## RAWTOHEX

### Syntax

```
RAWTOHEX (raw)
```

### Purpose

RAWTOHEX converts *raw* to a character value containing its hexadecimal representation.

As a SQL built-in function, RAWTOHEX accepts an argument of any scalar data type other than LONG, LONG RAW, CLOB, NCLOB, BLOB, or BFILE. If the argument is of a data type other than RAW, then this function converts the argument value, which is represented using some number of data bytes, into a RAW value with the same number of data bytes. The data itself is not modified in any way, but the data type is recast to a RAW data type.

This function returns a VARCHAR2 value with the hexadecimal representation of bytes that make up the value of *raw*. Each byte is represented by two hexadecimal digits.

#### Note:

RAWTOHEX functions differently when used as a PL/SQL built-in function. Refer to *Oracle Database Development Guide* for more information.

#### See Also:

Appendix C in *Oracle Database Globalization Support Guide* for the collation derivation rules, which define the collation assigned to the character return value of RAWTOHEX

### Examples

The following hypothetical example returns the hexadecimal equivalent of a RAW column value:

```
SELECT RAWTOHEX(raw_column) "Graphics"
FROM graphics;
```

Graphics

-----

7D

**See Also:**["RAW and LONG RAW Data Types "](#) and [HEXTORAW](#)

## RAWTONHEX

### Syntax

### Purpose

RAWTONHEX converts *raw* to a character value containing its hexadecimal representation. RAWTONHEX(*raw*) is equivalent to TO\_NCHAR(RAWTOHEX(*raw*)). The value returned is always in the national character set.

**Note:**

RAWTONHEX functions differently when used as a PL/SQL built-in function. Refer to *Oracle Database Development Guide* for more information.

### Examples

The following hypothetical example returns the hexadecimal equivalent of a RAW column value:

```
SELECT RAWTONHEX(raw_column),
       DUMP ( RAWTONHEX (raw_column) ) "DUMP"
FROM graphics;
```

RAWTONHEX (RA)	DUMP
7D	----- Typ=1 Len=4: 0,55,0,68

## REF

### Syntax

## Purpose

REF takes as its argument a correlation variable (table alias) associated with a row of an object table or an object view. A REF value is returned for the object instance that is bound to the variable or row.

## Examples

The sample schema `oe` contains a type called `cust_address_typ`, described as follows:

Attribute	Type
STREET_ADDRESS	VARCHAR2 (40)
POSTAL_CODE	VARCHAR2 (10)
CITY	VARCHAR2 (30)
STATE_PROVINCE	VARCHAR2 (10)
COUNTRY_ID	CHAR (2)

The following example creates a table based on the sample type `oe.cust_address_typ`, inserts a row into the table, and retrieves a REF value for the object instance of the type in the `addresses` table:

```
CREATE TABLE addresses OF cust_address_typ;

INSERT INTO addresses VALUES (
  '123 First Street', '4GF H1J', 'Our Town', 'Ourcounty', 'US');

SELECT REF(e) FROM addresses e;

REF(E)
-----
00002802097CD1261E51925B60E0340800208254367CD1261E51905B60E034080020825436010101820000
```



### See Also:

*Oracle Database Object-Relational Developer's Guide* for information on REFS

# REFTOHEX

## Syntax

```
REFTOHEX ( ( expr ) )
```

## Purpose

REFTOHEX converts argument `expr` to a character value containing its hexadecimal equivalent. `expr` must return a REF.



## Examples

The sample schema `oe` contains a `warehouse_typ`. The following example builds on that type to illustrate how to convert the `REF` value of a column to a character value containing its hexadecimal equivalent:

```
CREATE TABLE warehouse_table OF warehouse_typ
  (PRIMARY KEY (warehouse_id));

CREATE TABLE location_table
  (location_number NUMBER, building REF warehouse_typ
  SCOPE IS warehouse_table);

INSERT INTO warehouse_table VALUES (1, 'Downtown', 99);


INSERT INTO location_table SELECT 10, REF(w) FROM warehouse_table w;

SELECT REFTOHEX(building) FROM location_table;

REFTOHEX (BUILDING)
-----
0000220208859B5E9255C31760E034080020825436859B5E9255C21760E034080020825436
```

# REGEXP\_COUNT

## Syntax



## Purpose

`REGEXP_COUNT` complements the functionality of the `REGEXP_INSTR` function by returning the number of times a pattern occurs in a source string. The function evaluates strings using characters as defined by the input character set. It returns an integer indicating the number of occurrences of `pattern`. If no match is found, then the function returns 0.

- `source_char` is a character expression that serves as the search value. It is commonly a character column and can be of any of the data types `CHAR`, `VARCHAR2`, `NCHAR`, `NVARCHAR2`, `CLOB`, or `NCLOB`.
- `pattern` is the regular expression. It is usually a text literal and can be of any of the data types `CHAR`, `VARCHAR2`, `NCHAR`, or `NVARCHAR2`. It can contain up to 512 bytes. If the data type of `pattern` is different from the data type of `source_char`, then Oracle Database converts `pattern` to the data type of `source_char`.

`REGEXP_COUNT` ignores subexpression parentheses in `pattern`. For example, the pattern `'(123(45))'` is equivalent to `'12345'`. For a listing of the operators you can specify in `pattern`, refer to [Oracle Regular Expression Support](#).

- `position` is a positive integer indicating the character of `source_char` where Oracle should begin the search. The default is 1, meaning that Oracle begins the search at the first character of `source_char`. After finding the first occurrence of `pattern`, the database

searches for a second occurrence beginning with the first character following the first occurrence.

- *match\_param* is a character expression of the data type `VARCHAR2` or `CHAR` that lets you change the default matching behavior of the function.

The value of *match\_param* can include one or more of the following characters:

- 'i' specifies case-insensitive matching, even if the determined collation of the condition is case-sensitive.
- 'c' specifies case-sensitive and accent-sensitive matching, even if the determined collation of the condition is case-insensitive or accent-insensitive.
- 'n' allows the period (`.`), which is the match-any-character character, to match the newline character. If you omit this parameter, then the period does not match the newline character.
- 'm' treats the source string as multiple lines. Oracle interprets the caret (`^`) and dollar sign (`$`) as the start and end, respectively, of any line anywhere in the source string, rather than only at the start or end of the entire source string. If you omit this parameter, then Oracle treats the source string as a single line.
- 'x' ignores whitespace characters. By default, whitespace characters match themselves.

If the value of *match\_param* contains multiple contradictory characters, then Oracle uses the last character. For example, if you specify 'ic', then Oracle uses case-sensitive and accent-sensitive matching. If the value contains a character other than those shown above, then Oracle returns an error.

If you omit *match\_param*, then:

- The default case and accent sensitivity are determined by the determined collation of the `REGEXP_COUNT` function.
- A period (`.`) does not match the newline character.
- The source string is treated as a single line.

### See Also:

Appendix C in *Oracle Database Globalization Support Guide* for the collation determination rules, which define the collation `REGEXP_COUNT` uses to compare characters from *source\_char* with characters from *pattern*

## Examples

The following example shows that subexpressions parentheses in pattern are ignored:

```
SELECT REGEXP_COUNT('123123123123123', '(12)3', 1, 'i') REGEXP_COUNT
       FROM DUAL;

REGEXP_COUNT
-----
5
```

In the following example, the function begins to evaluate the source string at the third character, so skips over the first occurrence of pattern:

```
SELECT REGEXP_COUNT('123123123123', '123', 3, 'i') COUNT FROM DUAL;

COUNT
-----
      3
```

### REGEXP\_COUNT simple matching: Examples

In the following example, REGEXP\_COUNT validates the supplied string for the given pattern and returns the number of alphabetic letters:

```
select regexp_count('ABC123', '[A-Z]'), regexp_count('A1B2C3', '[A-Z]') from dual;

REGEXP_COUNT('ABC123', '[A-Z]') REGEXP_COUNT('A1B2C3', '[A-Z]')
-----
              3              3
```

In the following example, REGEXP\_COUNT validates the supplied string for the given pattern and returns the number of alphabetic letters followed by a single digit number:

```
select regexp_count('ABC123', '[A-Z][0-9]'), regexp_count('A1B2C3', '[A-Z][0-9]') from dual;

REGEXP_COUNT('ABC123', '[A-Z][0-9]') REGEXP_COUNT('A1B2C3', '[A-Z][0-9]')
-----
              1              3
```

In the following example, REGEXP\_COUNT validates the supplied string for the given pattern and returns the number of alphabetic letters followed by a single digit number only at the beginning of the string:

```
select regexp_count('ABC123', '^ [A-Z][0-9]'), regexp_count('A1B2C3', '^ [A-Z][0-9]') from dual;

REGEXP_COUNT('ABC123', '^ [A-Z][0-9]') REGEXP_COUNT('A1B2C3', '^ [A-Z][0-9]')
-----
              0              1
```

In the following example, REGEXP\_COUNT validates the supplied string for the given pattern and returns the number of alphabetic letters followed by two digits of number only contained within the string:

```
select regexp_count('ABC123', '[A-Z][0-9]{2}'), regexp_count('A1B2C3', '[A-Z][0-9]{2}') from dual;

REGEXP_COUNT('ABC123', '[A-Z][0-9]{2}') REGEXP_COUNT('A1B2C3', '[A-Z][0-9]{2}')
-----
              1              0
```

In the following example, REGEXP\_COUNT validates the supplied string for the given pattern and returns the number of alphabetic letters followed by a single digit number within the first two occurrences from the beginning of the string:

```
select regexp_count('ABC123', '([A-Z][0-9]){2}'), regexp_count('A1B2C3', '([A-Z][0-9]){2}') from dual;

REGEXP_COUNT('ABC123', '([A-Z][0-9]){2}') REGEXP_COUNT('A1B2C3', '([A-Z][0-9]){2}')
-----
```

0

1

 **Live SQL:**

View and run related examples on Oracle Live SQL at [REGEXP\\_COUNT simple matching](#)

**REGEXP\_COUNT advanced matching: Examples**

In the following example, REGEXP\_COUNT validates the supplied string for the given pattern and returns the number of alphabetic letters:

```
select regexp_count('ABC123', '[A-Z]') Match_char_ABC_count,
       regexp_count('A1B2C3', '[A-Z]') Match_char_ABC_count from dual;
```

```
MATCH_CHAR_ABC_COUNT MATCH_CHAR_ABC_COUNT
-----
                 3                 3
```

In the following example, REGEXP\_COUNT validates the supplied string for the given pattern and returns the number of alphabetic letters followed by a single digit number:

```
select regexp_count('ABC123', '[A-Z][0-9]') Match_string_C1_count,
       regexp_count('A1B2C3', '[A-Z][0-9]') Match_strings_A1_B2_C3_count from dual;
```

```
MATCH_STRING_C1_COUNT MATCH_STRINGS_A1_B2_C3_COUNT
-----
                 1                 3
```

In the following example, REGEXP\_COUNT validates the supplied string for the given pattern and returns the number of alphabetic letters followed by a single digit number only at the beginning of the string:

```
select regexp_count('ABC123A5', '^ [A-Z][0-9]') Char_num_like_A1_at_start,
       regexp_count('A1B2C3', '^ [A-Z][0-9]') Char_num_like_A1_at_start from dual;
```

```
CHAR_NUM_LIKE_A1_AT_START CHAR_NUM_LIKE_A1_AT_START
-----
                 0                 1
```

In the following example, REGEXP\_COUNT validates the supplied string for the given pattern and returns the number of alphabetic letters followed by two digits of number only contained within the string:

```
select regexp_count('ABC123', '[A-Z][0-9]{2}') Char_num_like_A12_anywhere,
       regexp_count('A1B2C34', '[A-Z][0-9]{2}') Char_num_like_A12_anywhere from dual;
```

```
CHAR_NUM_LIKE_A12_ANYWHERE CHAR_NUM_LIKE_A12_ANYWHERE
-----
                 1                 1
```

In the following example, REGEXP\_COUNT validates the supplied string for the given pattern and returns the number of alphabetic letters followed by a single digit number within the first two occurrences from the beginning of the string:

```
select regexp_count('ABC12D3', '([A-Z][0-9]){2}') Char_num_within_2_places,
regexp_count('A1B2C3', '([A-Z][0-9]){2}') Char_num_within_2_places from dual;
```

```
CHAR_NUM_WITHIN_2_PLACES CHAR_NUM_WITHIN_2_PLACES
-----
0                          1
```

### Live SQL:

View and run related examples on Oracle Live SQL at [REGEXP\\_COUNT advanced matching](#)

## REGEXP\_COUNT case-sensitive matching: Examples

The following statements create a table `regexp_temp` and insert values into it:

```
CREATE TABLE regexp_temp(empName varchar2(20));

INSERT INTO regexp_temp (empName) VALUES ('John Doe');
INSERT INTO regexp_temp (empName) VALUES ('Jane Doe');
```

In the following example, the statement queries the employee name column and searches for the lowercase of character 'E':

```
SELECT empName, REGEXP_COUNT(empName, 'e', 1, 'c') "CASE_SENSITIVE_E" From regexp_temp;
```

```
EMPNAME          CASE_SENSITIVE_E
-----
John Doe                1
Jane Doe                2
```

In the following example, the statement queries the employee name column and searches for the lowercase of character 'O':

```
SELECT empName, REGEXP_COUNT(empName, 'o', 1, 'c') "CASE_SENSITIVE_O" From regexp_temp;
```

```
EMPNAME          CASE_SENSITIVE_O
-----
John Doe                2
Jane Doe                1
```

In the following example, the statement queries the employee name column and searches for the lowercase or uppercase of character 'E':

```
SELECT empName, REGEXP_COUNT(empName, 'E', 1, 'i') "CASE_INSENSITIVE_E" From
regexp_temp;
```

```
EMPNAME          CASE_INSENSITIVE_E
-----
John Doe                1
Jane Doe                2
```

In the following example, the statement queries the employee name column and searches for the lowercase of string 'DO':


```
SELECT empName, REGEXP_COUNT(empName, 'do', 1, 'i') "CASE_INSENSITIVE_STRING" From
regexp_temp;
```

EMPNAME	CASE_INSENSITIVE_STRING
John Doe	1
Jane Doe	1

In the following example, the statement queries the employee name column and searches for the lowercase or uppercase of string 'AN':

```
SELECT empName, REGEXP_COUNT(empName, 'an', 1, 'c') "CASE_SENSITIVE_STRING" From
regexp_temp;
```


EMPNAME	CASE_SENSITIVE_STRING
John Doe	0
Jane Doe	1

 **Live SQL:**

View and run related examples on Oracle Live SQL at [REGEXP\\_COUNT case-sensitive matching](#)

## REGEXP\_INSTR

### Syntax



### Purpose

REGEXP\_INSTR extends the functionality of the INSTR function by letting you search a string for a regular expression pattern. The function evaluates strings using characters as defined by the input character set. It returns an integer indicating the beginning or ending position of the matched substring, depending on the value of the *return\_option* argument. If no match is found, then the function returns 0.

This function complies with the POSIX regular expression standard and the Unicode Regular Expression Guidelines. For more information, refer to [Oracle Regular Expression Support](#).

- *source\_char* is a character expression that serves as the search value. It is commonly a character column and can be of any of the data types CHAR, VARCHAR2, NCHAR, NVARCHAR2, CLOB, or NCLOB.
- *pattern* is the regular expression. It is usually a text literal and can be of any of the data types CHAR, VARCHAR2, NCHAR, or NVARCHAR2. It can contain up to 512

bytes. If the data type of *pattern* is different from the data type of *source\_char*, then Oracle Database converts *pattern* to the data type of *source\_char*. For a listing of the operators you can specify in *pattern*, refer to [Oracle Regular Expression Support](#).

- *position* is a positive integer indicating the character of *source\_char* where Oracle should begin the search. The default is 1, meaning that Oracle begins the search at the first character of *source\_char*.
- *occurrence* is a positive integer indicating which occurrence of *pattern* in *source\_char* Oracle should search for. The default is 1, meaning that Oracle searches for the first occurrence of *pattern*. If *occurrence* is greater than 1, then the database searches for the second occurrence beginning with the first character following the first occurrence of *pattern*, and so forth. This behavior is different from the `INSTR` function, which begins its search for the second occurrence at the second character of the first occurrence.
- *return\_option* lets you specify what Oracle should return in relation to the occurrence:
  - If you specify 0, then Oracle returns the position of the first character of the occurrence. This is the default.
  - If you specify 1, then Oracle returns the position of the character following the occurrence.
- *match\_param* is a character expression of the data type `VARCHAR2` or `CHAR` that lets you change the default matching behavior of the function. The behavior of this parameter is the same for this function as for `REGEXP_COUNT`. Refer to [REGEXP\\_COUNT](#) for detailed information.
- For a *pattern* with subexpressions, *subexpr* is an integer from 0 to 9 indicating which subexpression in *pattern* is the target of the function. The *subexpr* is a fragment of pattern enclosed in parentheses. Subexpressions can be nested. Subexpressions are numbered in order in which their left parentheses appear in pattern. For example, consider the following expression:

```
0123((abc)(de)f)ghi)45(678)
```

This expression has five subexpressions in the following order: "abcdefghi" followed by "abcdef", "abc", "de" and "678".

If *subexpr* is zero, then the position of the entire substring that matches the *pattern* is returned. If *subexpr* is greater than zero, then the position of the substring fragment that corresponds to subexpression number *subexpr* in the matched substring is returned. If *pattern* does not have at least *subexpr* subexpressions, the function returns zero. A null *subexpr* value returns `NULL`. The default value for *subexpr* is zero.

#### See Also:

- [INSTR](#) and [REGEXP\\_SUBSTR](#)
- [REGEXP\\_REPLACE](#) and [REGEXP\\_LIKE Condition](#)
- Appendix C in *Oracle Database Globalization Support Guide* for the collation determination rules, which define the collation `REGEXP_INSTR` uses to compare characters from *source\_char* with characters from *pattern*

## Examples

The following example examines the string, looking for occurrences of one or more non-blank characters. Oracle begins searching at the first character in the string and returns the starting position (default) of the sixth occurrence of one or more non-blank characters.

```
SELECT
  REGEXP_INSTR('500 Oracle Parkway, Redwood Shores, CA',
              '[^ ]+', 1, 6) "REGEXP_INSTR"
FROM DUAL;
```

```
REGEXP_INSTR
-----
          37
```

The following example examines the string, looking for occurrences of words beginning with s, r, or p, regardless of case, followed by any six alphabetic characters. Oracle begins searching at the third character in the string and returns the position in the string of the character following the second occurrence of a seven-letter word beginning with s, r, or p, regardless of case.

```
SELECT
  REGEXP_INSTR('500 Oracle Parkway, Redwood Shores, CA',
              '[s|r|p][[:alpha:]]{6}', 3, 2, 1, 'i') "REGEXP_INSTR"
FROM DUAL;
```

```
REGEXP_INSTR
-----
          28
```

The following examples use the *subexpr* argument to search for a particular subexpression in *pattern*. The first statement returns the position in the source string of the first character in the first subexpression, which is '123':

```
SELECT REGEXP_INSTR('1234567890', '(123)(4(56)(78))', 1, 1, 0, 'i', 1)
"REGEXP_INSTR" FROM DUAL;
```

```
REGEXP_INSTR
-----
          1
```

The next statement returns the position in the source string of the first character in the second subexpression, which is '45678':

```
SELECT REGEXP_INSTR('1234567890', '(123)(4(56)(78))', 1, 1, 0, 'i', 2)
"REGEXP_INSTR" FROM DUAL;
```

```
REGEXP_INSTR
-----
          4
```

The next statement returns the position in the source string of the first character in the fourth subexpression, which is '78':

```
SELECT REGEXP_INSTR('1234567890', '(123)(4(56)(78))', 1, 1, 0, 'i', 4)
"REGEXP_INSTR" FROM DUAL;
```

```
REGEXP_INSTR
```



-----  
7**REGEXP\_INSTR pattern matching: Examples**

The following statements create a table `regexp_temp` and insert values into it:

```
CREATE TABLE regexp_temp(empName varchar2(20), emailID varchar2(20));

INSERT INTO regexp_temp (empName, emailID) VALUES ('John Doe', 'johndoe@example.com');
INSERT INTO regexp_temp (empName, emailID) VALUES ('Jane Doe', 'janedoe');
```

In the following example, the statement queries the email column and searches for valid email addresses:

```
SELECT emailID, REGEXP_INSTR(emailID, '\w+@\w+(\.\w+)+') "IS_A_VALID_EMAIL" FROM
regexp_temp;
```

EMAILID	IS_A_VALID_EMAIL
johndoe@example.com	1
example.com	0


In the following example, the statement queries the email column and returns the count of valid email addresses:

EMPNAME	Valid Email	FIELD_WITH_VALID_EMAIL
John Doe	johndoe@example.com	1
Jane Doe		

**Live SQL:**

View and run related examples on Oracle Live SQL at [REGEXP\\_INSTR pattern matching](#)

## REGEXP\_REPLACE

**Syntax****Purpose**

`REGEXP_REPLACE` extends the functionality of the `REPLACE` function by letting you search a string for a regular expression pattern. By default, the function returns `source_char` with every occurrence of the regular expression pattern replaced with `replace_string`. The string

returned is in the same character set as *source\_char*. The function returns `VARCHAR2` if the first argument is not a LOB and returns `CLOB` if the first argument is a LOB.

This function complies with the POSIX regular expression standard and the Unicode Regular Expression Guidelines. For more information, refer to [Oracle Regular Expression Support](#).

- *source\_char* is a character expression that serves as the search value. It is commonly a character column and can be of any of the data types `CHAR`, `VARCHAR2`, `NCHAR`, `NVARCHAR2`, `CLOB` or `NCLOB`.
- *pattern* is the regular expression. It is usually a text literal and can be of any of the data types `CHAR`, `VARCHAR2`, `NCHAR`, or `NVARCHAR2`. It can contain up to 512 bytes. If the data type of *pattern* is different from the data type of *source\_char*, then Oracle Database converts *pattern* to the data type of *source\_char*. For a listing of the operators you can specify in *pattern*, refer to [Oracle Regular Expression Support](#).
- *replace\_string* can be of any of the data types `CHAR`, `VARCHAR2`, `NCHAR`, `NVARCHAR2`, `CLOB`, or `NCLOB`. If *replace\_string* is a `CLOB` or `NCLOB`, then Oracle truncates *replace\_string* to 32K. The *replace\_string* can contain up to 500 backreferences to subexpressions in the form `\n`, where *n* is a number from 1 to 9. If you want to include a backslash (`\`) in *replace\_string*, then you must precede it with the escape character, which is also a backslash. For example, to replace `\2` you would enter `\\2`. For more information on backreference expressions, refer to the notes to "[Oracle Regular Expression Support](#)", [Table D-1](#).
- *position* is a positive integer indicating the character of *source\_char* where Oracle should begin the search. The default is 1, meaning that Oracle begins the search at the first character of *source\_char*.
- *occurrence* is a nonnegative integer indicating the occurrence of the replace operation:
  - If you specify 0, then Oracle replaces all occurrences of the match.
  - If you specify a positive integer *n*, then Oracle replaces the *n*th occurrence.

If *occurrence* is greater than 1, then the database searches for the second occurrence beginning with the first character following the first occurrence of *pattern*, and so forth. This behavior is different from the `INSTR` function, which begins its search for the second occurrence at the second character of the first occurrence.

- *match\_param* is a character expression of the data type `VARCHAR2` or `CHAR` that lets you change the default matching behavior of the function. The behavior of this parameter is the same for this function as for `REGEXP_COUNT`. Refer to [REGEXP\\_COUNT](#) for detailed information.

 See Also:

- [REPLACE](#)
- [REGEXP\\_INSTR](#) , [REGEXP\\_SUBSTR](#) , and [REGEXP\\_LIKE Condition](#)
- Appendix C in *Oracle Database Globalization Support Guide* for the collation determination rules, which define the collation `REGEXP_REPLACE` uses to compare characters from *source\_char* with characters from *pattern*, and for the collation derivation rules, which define the collation assigned to the character return value of this function

## Examples

The following example examines `phone_number`, looking for the pattern `xxx.xxx.xxxx`. Oracle reformats this pattern with `(xxx) xxx-xxxx`.

```
SELECT
  REGEXP_REPLACE(phone_number,
                 '([[:digit:]]{3})\.[[:digit:]]{3}\.[[:digit:]]{4}',
                 '\1 \2-\3') "REGEXP_REPLACE"
FROM employees
ORDER BY "REGEXP_REPLACE";
```

```
REGEXP_REPLACE
```

```
-----
(515) 123-4444
(515) 123-4567
(515) 123-4568
(515) 123-4569
(515) 123-5555
. . .
```

The following example examines `country_name`. Oracle puts a space after each non-null character in the string.

```
SELECT
  REGEXP_REPLACE(country_name, '(.)', '\1 ') "REGEXP_REPLACE"
FROM countries;
```

```
REGEXP_REPLACE
```

```
-----
A r g e n t i n a
A u s t r a l i a
B e l g i u m
B r a z i l
C a n a d a
. . .
```

The following example examines the string, looking for two or more spaces. Oracle replaces each occurrence of two or more spaces with a single space.

```
SELECT
  REGEXP_REPLACE('500   Oracle   Parkway,   Redwood Shores, CA',
                 '( ){2,}', ' ') "REGEXP_REPLACE"
FROM DUAL;
```

```
REGEXP_REPLACE
```

```
-----
500 Oracle Parkway, Redwood Shores, CA
```

### REGEXP\_REPLACE pattern matching: Examples

The following statements create a table `regexp_temp` and insert values into it:

```
CREATE TABLE regexp_temp(empName varchar2(20), emailID varchar2(20));

INSERT INTO regexp_temp (empName, emailID) VALUES ('John Doe',
'johndoe@example.com');
INSERT INTO regexp_temp (empName, emailID) VALUES ('Jane Doe',
'janedoe@example.com');
```

The following statement replaces the string 'Jane' with 'John':

```
SELECT empName, REGEXP_REPLACE (empName, 'Jane', 'John') "STRING_REPLACE" FROM
regexp_temp;
```

EMPNAME	STRING_REPLACE
-----	-----
John Doe	John Doe
Jane Doe	John Doe

The following statement replaces the string 'John' with 'Jane':

```
SELECT empName, REGEXP_REPLACE (empName, 'John', 'Jane') "STRING_REPLACE" FROM
regexp_temp;
```

EMPNAME	STRING_REPLACE
-----	-----
John Doe	Jane Doe
Jane Doe	Jane Doe



#### Live SQL:

View and run a related example on Oracle Live SQL at [REGEXP\\_REPLACE - Pattern Matching](#)

### REGEXP\_REPLACE: Examples

The following statement replaces all the numbers in a string:

```
WITH strings AS (
  SELECT 'abc123' s FROM dual union all
  SELECT '123abc' s FROM dual union all
  SELECT 'alb2c3' s FROM dual
)
SELECT s "STRING", regexp_replace(s, '[0-9]', '') "MODIFIED_STRING"
FROM strings;
```

STRING	MODIFIED_STRING
-----	-----
abc123	abc
123abc	abc
alb2c3	abc

The following statement replaces the first numeric occurrence in a string:

```
WITH strings AS (
  SELECT 'abc123' s from DUAL union all
  SELECT '123abc' s from DUAL union all
  SELECT 'alb2c3' s from DUAL
)
SELECT s "STRING", REGEXP_REPLACE(s, '[0-9]', '', 1, 1) "MODIFIED_STRING"
FROM strings;
```

STRING	MODIFIED_STRING
abc123	abc23
123abc	23abc
alb2c3	ab2c3

The following statement replaces the second numeric occurrence in a string:

```
WITH strings AS (
  SELECT 'abc123' s from DUAL union all
  SELECT '123abc' s from DUAL union all
  SELECT 'alb2c3' s from DUAL
)
SELECT s "STRING", REGEXP_REPLACE(s, '[0-9]', '', 1, 2) "MODIFIED_STRING"
FROM strings;
```

STRING	MODIFIED_STRING
abc123	abc13
123abc	13abc
alb2c3	albc3

The following statement replaces multiple spaces in a string with a single space:

```
WITH strings AS (
  SELECT 'Hello World' s FROM dual union all
  SELECT 'Hello World' s FROM dual union all
  SELECT 'Hello, World !' s FROM dual
)
SELECT s "STRING", regexp_replace(s, '{2,}', ' ') "MODIFIED_STRING"
FROM strings;
```

STRING	MODIFIED_STRING
Hello World	Hello World
Hello World	Hello World
Hello, World !	Hello, World !

The following statement converts camel case strings to a string containing lower case words separated by an underscore:

```
WITH strings as (
  SELECT 'AddressLine1' s FROM dual union all
```

```

SELECT 'ZipCode' s FROM dual union all
SELECT 'Country' s FROM dual
)
SELECT s "STRING",
       lower(regexp_replace(s, '([A-Z0-9])', '_\1', 2))
"MODIFIED_STRING"
FROM strings;

```

STRING	MODIFIED_STRING
AddressLine1	address_line_1
ZipCode	zip_code
Country	country

The following statement converts the format of a date:

```

WITH date_strings AS (
  SELECT '2015-01-01' d from dual union all
  SELECT '2000-12-31' d from dual union all
  SELECT '900-01-01' d from dual
)
SELECT d "STRING",
       regexp_replace(d, '([[:digit:]]+)-([[:digit:]]{2})-([[:digit:]]{2})', '\3.\2.\1') "MODIFIED_STRING"
FROM date_strings;

```

STRING	MODIFIED_STRING
2015-01-01	01.01.2015
2000-12-31	31.12.2000
900-01-01	01.01.900

The following statement replaces all the letters in a string with '1':

```

WITH strings as (
  SELECT 'NEW YORK' s FROM dual union all
  SELECT 'New York' s FROM dual union all
  SELECT 'new york' s FROM dual
)
SELECT s "STRING",
       regexp_replace(s, '[a-z]', '1', 1, 0, 'i')
"CASE_INSENSITIVE",
       regexp_replace(s, '[a-z]', '1', 1, 0, 'c') "CASE_SENSITIVE",
       regexp_replace(s, '[a-zA-Z]', '1', 1, 0, 'c')
"CASE_SENSITIVE_MATCHING"
FROM strings;


```

STRING	CASE_INSENSITIVE	CASE_SENSITIVE	CASE_SENSITIVE_MATCHING
NEW YORK	111 1111	NEW YORK	111 1111
New York	111 1111	N11 Y111	111 1111
new york	111 1111	111 1111	111 1111

 Live SQL:View and run a related example on Oracle Live SQL at [REGEXP\\_REPLACE](#)

## REGEXP\_SUBSTR

### Syntax



### Purpose

`REGEXP_SUBSTR` extends the functionality of the `SUBSTR` function by letting you search a string for a regular expression pattern. It is also similar to `REGEXP_INSTR`, but instead of returning the position of the substring, it returns the substring itself. This function is useful if you need the contents of a match string but not its position in the source string. The function returns the string as `VARCHAR2` or `CLOB` data in the same character set as `source_char`.

This function complies with the POSIX regular expression standard and the Unicode Regular Expression Guidelines. For more information, refer to [Oracle Regular Expression Support](#).

- `source_char` is a character expression that serves as the search value. It is commonly a character column and can be of any of the data types `CHAR`, `VARCHAR2`, `NCHAR`, `NVARCHAR2`, `CLOB`, or `NCLOB`.
- `pattern` is the regular expression. It is usually a text literal and can be of any of the data types `CHAR`, `VARCHAR2`, `NCHAR`, or `NVARCHAR2`. It can contain up to 512 bytes. If the data type of `pattern` is different from the data type of `source_char`, then Oracle Database converts `pattern` to the data type of `source_char`. For a listing of the operators you can specify in `pattern`, refer to [Oracle Regular Expression Support](#).
- `position` is a positive integer indicating the character of `source_char` where Oracle should begin the search. The default is 1, meaning that Oracle begins the search at the first character of `source_char`.
- `occurrence` is a positive integer indicating which occurrence of `pattern` in `source_char` Oracle should search for. The default is 1, meaning that Oracle searches for the first occurrence of `pattern`.

If `occurrence` is greater than 1, then the database searches for the second occurrence beginning with the first character following the first occurrence of `pattern`, and so forth. This behavior is different from the `SUBSTR` function, which begins its search for the second occurrence at the second character of the first occurrence.

- `match_param` is a character expression of the data type `VARCHAR2` or `CHAR` that lets you change the default matching behavior of the function. The behavior of this parameter is

the same for this function as for `REGEXP_COUNT`. Refer to [REGEXP\\_COUNT](#) for detailed information.

- For a *pattern* with subexpressions, *subexpr* is a nonnegative integer from 0 to 9 indicating which subexpression in *pattern* is to be returned by the function. This parameter has the same semantics that it has for the `REGEXP_INSTR` function. Refer to [REGEXP\\_INSTR](#) for more information.

#### See Also:

- [SUBSTR](#) and [REGEXP\\_INSTR](#)
- [REGEXP\\_REPLACE](#), and [REGEXP\\_LIKE Condition](#)
- Appendix C in *Oracle Database Globalization Support Guide* for the collation determination rules, which define the collation `REGEXP_SUBSTR` uses to compare characters from *source\_char* with characters from *pattern*, and for the collation derivation rules, which define the collation assigned to the character return value of this function

### Examples

The following example examines the string, looking for the first substring bounded by commas. Oracle Database searches for a comma followed by one or more occurrences of non-comma characters followed by a comma. Oracle returns the substring, including the leading and trailing commas.

```
SELECT
  REGEXP_SUBSTR('500 Oracle Parkway, Redwood Shores, CA',
    ', [^,]+,') "REGEXPR_SUBSTR"
FROM DUAL;
```

```
REGEXPR_SUBSTR
-----
, Redwood Shores,
```

The following example examines the string, looking for `http://` followed by a substring of one or more alphanumeric characters and optionally, a period (`.`). Oracle searches for a minimum of three and a maximum of four occurrences of this substring between `http://` and either a slash (`/`) or the end of the string.

```
SELECT
  REGEXP_SUBSTR('http://www.example.com/products',
    'http://([[:alnum:]]+\.?){3,4}/?') "REGEXP_SUBSTR"
FROM DUAL;
```

```
REGEXP_SUBSTR
-----
http://www.example.com/
```

The next two examples use the *subexpr* argument to return a specific subexpression of *pattern*. The first statement returns the first subexpression in *pattern*:

```
SELECT REGEXP_SUBSTR('1234567890', '(123)(4(56)(78))', 1, 1, 'i', 1)
"REGEXP_SUBSTR" FROM DUAL;
```



```
REGEXP_SUBSTR
-----
123
```

The next statement returns the fourth subexpression in *pattern*:

```
SELECT REGEXP_SUBSTR('1234567890', '(123)(4(56)(78))', 1, 1, 'i', 4)
"REGEXP_SUBSTR" FROM DUAL;
```

```
REGEXP_SUBSTR
-----
78
```

### REGEXP\_SUBSTR pattern matching: Examples

The following statements create a table `regexp_temp` and insert values into it:

```
CREATE TABLE regexp_temp(empName varchar2(20), emailID varchar2(20));

INSERT INTO regexp_temp (empName, emailID) VALUES ('John Doe', 'johndoe@example.com');
INSERT INTO regexp_temp (empName, emailID) VALUES ('Jane Doe', 'janedoe');
```

In the following example, the statement queries the email column and searches for valid email addresses:

```
SELECT empName, REGEXP_SUBSTR(emailID, '[:alnum:]+\@[[:alnum:]]+\.[[:alnum:]]+')
"Valid Email" FROM regexp_temp;
```

```
EMPNAME  Valid Email
-----  -----
John Doe johndoe@example.com
Jane Doe
```

In the following example, the statement queries the email column and returns the count of valid email addresses:

```
SELECT empName, REGEXP_SUBSTR(emailID, '[:alnum:]+\@[[:alnum:]]+\.[[:alnum:]]+')
"Valid Email", REGEXP_INSTR(emailID, '\w+@\w+(\.\w+)+') "FIELD_WITH_VALID_EMAIL" FROM
regexp_temp;
```

```
EMPNAME          Valid Email          FIELD_WITH_VALID_EMAIL
-----          -
John Doe        johndoe@example.com        1
Jane Doe
```

#### Live SQL:

View and run related examples on Oracle Live SQL at [REGEXP\\_SUBSTR pattern matching](#)

In the following example, numbers and alphabets are extracted from a string:

```
with strings as (
  select 'ABC123' str from dual union all
  select 'A1B2C3' str from dual union all
  select '123ABC' str from dual union all
  select '1A2B3C' str from dual
)
```

```

select regexp_substr(str, '[0-9]') First_Occurrence_of_Number,
       regexp_substr(str, '[0-9].*') Num_Followed_by_String,
       regexp_substr(str, '[A-Z][0-9]') Letter_Followed_by_String
from strings;

```

FIRST_OCCURRENCE_OF_NUMB	NUM_FOLLOWED_BY_STRING	LETTER_FOLLOWED_BY_STRIN
1	123	C1
1	1B2C3	A1
1	123ABC	
1	1A2B3C	A2

### Live SQL:

View and run a related example on Oracle Live SQL at [REGEXP\\_SUBSTR - Extract Numbers and Alphabets](#)

In the following example, passenger names and flight information are extracted from a string:

```

with strings as (
  select 'LHRJFK/010315/JOHNDOE' str from dual union all
  select 'CDGLAX/050515/JANEDOE' str from dual union all
  select 'LAXCDG/220515/JOHNDOE' str from dual union all
  select 'SFOJFK/010615/JANEDOE' str from dual
)
SELECT regexp_substr(str, '[A-Z]{6}') String_of_6_characters,
       regexp_substr(str, '[0-9]+') First_Matching_Numbers,
       regexp_substr(str, '[A-Z].*$') Letter_by_other_characters,
       regexp_substr(str, '/[A-Z].*$') Slash_letter_and_characters
FROM strings;

```

STRING_OF_6_CHARACTERS	FIRST_MATCHING_NUMBERS	LETTER_BY_OTHER_CHARACTERS	SLASH_LETTER_AND_CHARACTERS
LHRJFK	010315		LHRJFK/010315/
JOHNDOE	/JOHNDOE		
CDGLAX	050515		CDGLAX/050515/
JANEDOE	/JANEDOE		
LAXCDG	220515		LAXCDG/220515/
JOHNDOE	/JOHNDOE		
SFOJFK	010615		SFOJFK/010615/
JANEDOE	/JANEDOE		

### Live SQL:

View and run a related example on Oracle Live SQL at [REGEXP\\_SUBSTR - Extract Passenger Names and Flight Information](#)


## REGR\_ (Linear Regression) Functions

The linear regression functions are:

- REGR\_SLOPE
- REGR\_INTERCEPT
- REGR\_COUNT
- REGR\_R2
- REGR\_AVGX
- REGR\_AVGY
- REGR\_SXX
- REGR\_SYY
- REGR\_SXY

### Syntax

*linear\_regr*::=



 **See Also:**

"[Analytic Functions](#)" for information on syntax, semantics, and restrictions

### Purpose

The linear regression functions fit an ordinary-least-squares regression line to a set of number pairs. You can use them as both aggregate and analytic functions.

 **See Also:**

"[Aggregate Functions](#)" and "[About SQL Expressions](#)" for information on valid forms of *expr*

These functions take as arguments any numeric data type or any nonnumeric data type that can be implicitly converted to a numeric data type. Oracle determines the argument with the

highest numeric precedence, implicitly converts the remaining arguments to that data type, and returns that data type.



### See Also:

Table 2-9 for more information on implicit conversion and "Numeric Precedence " for information on numeric precedence

Oracle applies the function to the set of (*expr1*, *expr2*) pairs after eliminating all pairs for which either *expr1* or *expr2* is null. Oracle computes all the regression functions simultaneously during a single pass through the data.

*expr1* is interpreted as a value of the dependent variable (a *y* value), and *expr2* is interpreted as a value of the independent variable (an *x* value).

- **REGR\_SLOPE** returns the slope of the line. The return value is a numeric data type and can be null. After the elimination of null (*expr1*, *expr2*) pairs, it makes the following computation:  

$$\text{COVAR\_POP}(\text{expr1}, \text{expr2}) / \text{VAR\_POP}(\text{expr2})$$
- **REGR\_INTERCEPT** returns the y-intercept of the regression line. The return value is a numeric data type and can be null. After the elimination of null (*expr1*, *expr2*) pairs, it makes the following computation:  

$$\text{AVG}(\text{expr1}) - \text{REGR\_SLOPE}(\text{expr1}, \text{expr2}) * \text{AVG}(\text{expr2})$$
- **REGR\_COUNT** returns an integer that is the number of non-null number pairs used to fit the regression line.
- **REGR\_R2** returns the coefficient of determination (also called R-squared or goodness of fit) for the regression. The return value is a numeric data type and can be null.  $\text{VAR\_POP}(\text{expr1})$  and  $\text{VAR\_POP}(\text{expr2})$  are evaluated after the elimination of null pairs. The return values are:

$$\begin{aligned} & \text{NULL if } \text{VAR\_POP}(\text{expr2}) = 0 \\ & \quad 1 \text{ if } \text{VAR\_POP}(\text{expr1}) = 0 \text{ and} \\ & \quad \quad \text{VAR\_POP}(\text{expr2}) \neq 0 \\ & \text{POWER}(\text{CORR}(\text{expr1}, \text{expr2}), 2) \text{ if } \text{VAR\_POP}(\text{expr1}) > 0 \text{ and} \\ & \quad \quad \text{VAR\_POP}(\text{expr2}) \neq 0 \end{aligned}$$

All of the remaining regression functions return a numeric data type and can be null:

- **REGR\_AVGX** evaluates the average of the independent variable (*expr2*) of the regression line. It makes the following computation after the elimination of null (*expr1*, *expr2*) pairs:  

$$\text{AVG}(\text{expr2})$$
- **REGR\_AVGY** evaluates the average of the dependent variable (*expr1*) of the regression line. It makes the following computation after the elimination of null (*expr1*, *expr2*) pairs:  

$$\text{AVG}(\text{expr1})$$

REGR\_SXY, REGR\_SXX, REGR\_SYY are auxiliary functions that are used to compute various diagnostic statistics.

- REGR\_SXX makes the following computation after the elimination of null (*expr1*, *expr2*) pairs:

```
REGR_COUNT(expr1, expr2) * VAR_POP(expr2)
```

- REGR\_SYY makes the following computation after the elimination of null (*expr1*, *expr2*) pairs:

```
REGR_COUNT(expr1, expr2) * VAR_POP(expr1)
```

- REGR\_SXY makes the following computation after the elimination of null (*expr1*, *expr2*) pairs:

```
REGR_COUNT(expr1, expr2) * COVAR_POP(expr1, expr2)
```

The following examples are based on the sample tables `sh.sales` and `sh.products`.

### General Linear Regression Example

The following example provides a comparison of the various linear regression functions used in their analytic form. The analytic form of these functions can be useful when you want to use regression statistics for calculations such as finding the salary predicted for each employee by the model. The sections that follow on the individual linear regression functions contain examples of the aggregate form of these functions.

```
SELECT job_id, employee_id ID, salary,
       REGR_SLOPE(SYSDATE-hire_date, salary)
         OVER (PARTITION BY job_id) slope,
       REGR_INTERCEPT(SYSDATE-hire_date, salary)
         OVER (PARTITION BY job_id) intcpt,
       REGR_R2(SYSDATE-hire_date, salary)
         OVER (PARTITION BY job_id) rsqr,
       REGR_COUNT(SYSDATE-hire_date, salary)
         OVER (PARTITION BY job_id) count,
       REGR_AVGX(SYSDATE-hire_date, salary)
         OVER (PARTITION BY job_id) avgx,
       REGR_AVGY(SYSDATE-hire_date, salary)
         OVER (PARTITION BY job_id) avgy
FROM employees
WHERE department_id in (50, 80)
ORDER BY job_id, employee_id;
```

JOB_ID	ID	SALARY	SLOPE	INTCPT	RSQR	COUNT	AVGX	AVGY
SA_MAN	145	14000	.355	-1707.035	.832	5	12200.000	2626.589
SA_MAN	146	13500	.355	-1707.035	.832	5	12200.000	2626.589
SA_MAN	147	12000	.355	-1707.035	.832	5	12200.000	2626.589
SA_MAN	148	11000	.355	-1707.035	.832	5	12200.000	2626.589
SA_MAN	149	10500	.355	-1707.035	.832	5	12200.000	2626.589
SA_REP	150	10000	.257	404.763	.647	29	8396.552	2561.244
SA_REP	151	9500	.257	404.763	.647	29	8396.552	2561.244
SA_REP	152	9000	.257	404.763	.647	29	8396.552	2561.244
SA_REP	153	8000	.257	404.763	.647	29	8396.552	2561.244
SA_REP	154	7500	.257	404.763	.647	29	8396.552	2561.244
SA_REP	155	7000	.257	404.763	.647	29	8396.552	2561.244
SA_REP	156	10000	.257	404.763	.647	29	8396.552	2561.244
. . .								

### REGR\_SLOPE and REGR\_INTERCEPT Examples

The following example calculates the slope and regression of the linear regression model for time employed (SYSDATE - hire\_date) and salary using the sample table hr.employees. Results are grouped by job\_id.

```
SELECT job_id,
       REGR_SLOPE(SYSDATE-hire_date, salary) slope,
       REGR_INTERCEPT(SYSDATE-hire_date, salary) intercept
  FROM employees
 WHERE department_id in (50,80)
 GROUP BY job_id
 ORDER BY job_id;
```

JOB_ID	SLOPE	INTERCEPT
SA_MAN	.355	-1707.030762
SA_REP	.257	404.767151
SH_CLERK	.745	159.015293
ST_CLERK	.904	134.409050
ST_MAN	.479	-570.077291

### REGR\_COUNT Examples

The following example calculates the count of by job\_id for time employed (SYSDATE - hire\_date) and salary using the sample table hr.employees. Results are grouped by job\_id.

```
SELECT job_id,
       REGR_COUNT(SYSDATE-hire_date, salary) count
  FROM employees
 WHERE department_id in (30, 50)
 GROUP BY job_id
 ORDER BY job_id, count;
```

JOB_ID	COUNT
PU_CLERK	5
PU_MAN	1
SH_CLERK	20
ST_CLERK	20
ST_MAN	5

### REGR\_R2 Examples

The following example calculates the coefficient of determination the linear regression of time employed (SYSDATE - hire\_date) and salary using the sample table hr.employees:

```
SELECT job_id,
       REGR_R2(SYSDATE-hire_date, salary) Reqr_R2
  FROM employees
 WHERE department_id in (80, 50)
 GROUP BY job_id
 ORDER BY job_id, Reqr_R2;
```

JOB_ID	REGR_R2
SA_MAN	.83244748
SA_REP	.647007156

```
SH_CLERK    .879799698
ST_CLERK    .742808493
ST_MAN      .69418508
```

### REGR\_AVGY and REGR\_AVGX Examples

The following example calculates the average values for time employed (SYSDATE - hire\_date) and salary using the sample table hr.employees. Results are grouped by job\_id:

```
SELECT job_id,
       REGR_AVGY(SYSDATE-hire_date, salary) avgy,
       REGR_AVGX(SYSDATE-hire_date, salary) avgx
   FROM employees
  WHERE department_id in (30,50)
  GROUP BY job_id
  ORDER BY job_id, avgy, avgx;
```

JOB_ID	AVGY	AVGX
PU_CLERK	2950.3778	2780
PU_MAN	4026.5778	11000
SH_CLERK	2773.0778	3215
ST_CLERK	2872.7278	2785
ST_MAN	3140.1778	7280

### REGR\_SXY, REGR\_SXX, and REGR\_SYY Examples

The following example calculates three types of diagnostic statistics for the linear regression of time employed (SYSDATE - hire\_date) and salary using the sample table hr.employees:

```
SELECT job_id,
       REGR_SXY(SYSDATE-hire_date, salary) regr_sxy,
       REGR_SXX(SYSDATE-hire_date, salary) regr_sxx,
       REGR_SYY(SYSDATE-hire_date, salary) regr_syy
   FROM employees
  WHERE department_id in (80, 50)
  GROUP BY job_id
  ORDER BY job_id;
```

JOB_ID	REGR_SXY	REGR_SXX	REGR_SYY
SA_MAN	3303500	9300000.0	1409642
SA_REP	16819665.5	65489655.2	6676562.55
SH_CLERK	4248650	5705500.0	3596039
ST_CLERK	3531545	3905500.0	4299084.55
ST_MAN	2180460	4548000.0	1505915.2

## REMAINDER

### Syntax

```
→ REMAINDER ( ( n2 ) , ( n1 ) ) →
```

### Purpose

REMAINDER returns the remainder of *n2* divided by *n1*.

This function takes as arguments any numeric data type or any nonnumeric data type that can be implicitly converted to a numeric data type. Oracle determines the argument with the highest numeric precedence, implicitly converts the remaining arguments to that data type, and returns that data type.

The `MOD` function is similar to `REMAINDER` except that it uses `FLOOR` in its formula, whereas `REMAINDER` uses `ROUND`. Refer to [MOD](#).



### See Also:

[Table 2-9](#) for more information on implicit conversion and "[Numeric Precedence](#)" for information on numeric precedence

- If  $n1 = 0$  or  $n2 = \text{infinity}$ , then Oracle returns
  - An error if the arguments are of type `NUMBER`
  - NaN if the arguments are `BINARY_FLOAT` or `BINARY_DOUBLE`.
- If  $n1 \neq 0$ , then the remainder is  $n2 - (n1 * N)$  where  $N$  is the integer nearest  $n2/n1$ . If  $n2/n1$  equals  $x.5$ , then  $N$  is the nearest even integer.
- If  $n2$  is a floating-point number, and if the remainder is 0, then the sign of the remainder is the sign of  $n2$ . Remainders of 0 are unsigned for `NUMBER` values.

### Examples

Using table `float_point_demo`, created for the `TO_BINARY_DOUBLE` "[Examples](#)", the following example divides two floating-point numbers and returns the remainder of that operation:


```
SELECT bin_float, bin_double, REMAINDER(bin_float, bin_double)
FROM float_point_demo;
```

```

BIN_FLOAT BIN_DOUBLE REMAINDER(BIN_FLOAT, BIN_DOUBLE)
-----
1.235E+003 1.235E+003                               5.859E-005
```

## REPLACE

### Syntax



### Purpose

`REPLACE` returns `char` with every occurrence of `search_string` replaced with `replacement_string`. If `replacement_string` is omitted or null, then all occurrences of `search_string` are removed. If `search_string` is null, then `char` is returned.

Both `search_string` and `replacement_string`, as well as `char`, can be any of the data types `CHAR`, `VARCHAR2`, `NCHAR`, `NVARCHAR2`, `CLOB`, or `NCLOB`. The string returned is in the



same character set as *char*. The function returns `VARCHAR2` if the first argument is not a LOB and returns `CLOB` if the first argument is a LOB.

`REPLACE` provides functionality related to that provided by the `TRANSLATE` function. `TRANSLATE` provides single-character, one-to-one substitution. `REPLACE` lets you substitute one string for another as well as to remove character strings.

#### See Also:

- [TRANSLATE](#)
- Appendix C in *Oracle Database Globalization Support Guide* for the collation determination rules, which define the collation `REPLACE` uses to compare characters from *char* with characters from *search\_string*, and for the collation derivation rules, which define the collation assigned to the character return value of this function

### Examples

The following example replaces occurrences of `J` with `BL`:


```
SELECT REPLACE('JACK and JUE','J','BL') "Changes"
       FROM DUAL;
```

```
Changes
-----
BLACK and BLUE
```

## ROUND (datetime)

### Syntax

***round\_datetime::=***



### Purpose

`ROUND` returns *datetime* rounded to the unit specified by the format model *fmt*.

This function is not sensitive to the `NLS_CALENDAR` session parameter. It operates according to the rules of the Gregorian calendar. The value returned is always of data type `DATE`, even if you specify a different datetime data type for *date*. If you omit *fmt*, then *date* is rounded to the nearest day. The *date* expression must resolve to a `DATE` value.

 **See Also:**

"CEIL, FLOOR, ROUND, and TRUNC Date Functions" for the permitted format models to use in *fmt*

**Examples**

The following example rounds a date to the first day of the following year:

```
SELECT ROUND (TO_DATE ('27-OCT-00'), 'YEAR')
           "New Year" FROM DUAL;
```

```
New Year
-----
01-JAN-01
```

## ROUND (interval)

**Syntax****Purpose**

ROUND(interval) returns the interval rounded up to the unit specified by the second argument *fmt*, the format model .

For INTERVAL YEAR TO MONTH, *fmt* can only be year. The default *fmt* is year.

For INTERVAL DAY TO SECOND, *fmt* can be day, hour and minute. The default *fmt* is day. Note that *fmt* does not support second.

ROUND(interval) rounds up on the mid value of next part of *fmt* as follows:

- If *fmt* is year, ROUND(interval) rounds up on the mid value of month which is 6.
- If *fmt* is day, ROUND(interval) rounds up on the mid value of hour which is 12.
- If *fmt* is hour, ROUND(interval) rounds up on the mid value of minute which is 30.
- If *fmt* is minute, ROUND(interval) rounds up on the mid value of second which is 30.

The result precision for year and day is the input precision for year plus one and day plus one respectively, since ROUND(interval) can have overflow. If an interval already has the maximum precision for year and day, the statement compiles but errors at runtime.

 See Also:

Refer to [CEIL, FLOOR, ROUND, and TRUNC Date Functions](#) for the permitted format models to use in *fmt*.

**Examples**

```
SELECT ROUND(INTERVAL '+123-06' YEAR(3) TO MONTH) AS year_round;
```

```
YEAR_ROUND
-----
+124-00
```

```
SELECT ROUND(INTERVAL '+99-11' YEAR(2) TO MONTH, 'YEAR') AS year_round;
```

```
YEAR_ROUND
-----
+100-00
```

```
SELECT ROUND(INTERVAL '-999999999-11' YEAR(9) TO MONTH, 'YEAR') AS year_round;
```

ORA-01873: the leading precision of the interval is too small


```
SELECT ROUND(INTERVAL '+4 12:42:10.222' DAY(2) TO SECOND(3), 'DD') AS day_round;
```

```
DAY_ROUND
-----
+05 00:00:00.000000
```

## ROUND (number)

**Syntax**

***round\_number*::=**

**Purpose**

ROUND returns *n* rounded to *integer* places to the right of the decimal point. If you omit *integer*, then *n* is rounded to zero places. If *integer* is negative, then *n* is rounded off to the left of the decimal point.

*n* can be any numeric data type or any nonnumeric data type that can be implicitly converted to a numeric data type. If you omit *integer*, then the function returns the value ROUND(*n*, 0) in the same data type as the numeric data type of *n*. If you include *integer*, then the function returns NUMBER.

ROUND is implemented using the following rules:

1. If *n* is 0, then **ROUND** always returns 0 regardless of *integer*.
2. If *n* is negative, then **ROUND**(*n*, *integer*) returns -**ROUND**(-*n*, *integer*).
3. If *n* is positive, then

$$\text{ROUND}(n, \text{integer}) = \text{FLOOR}(n * \text{POWER}(10, \text{integer}) + 0.5) * \text{POWER}(10, -\text{integer})$$

**ROUND** applied to a **NUMBER** value may give a slightly different result from **ROUND** applied to the same value expressed in floating-point. The different results arise from differences in internal representations of **NUMBER** and floating point values. The difference will be 1 in the rounded digit if a difference occurs.

 **See Also:**

- [Table 2-9](#) for more information on implicit conversion
- "[Floating-Point Numbers](#)" for more information on how Oracle Database handles **BINARY\_FLOAT** and **BINARY\_DOUBLE** values
- [FLOOR](#) (*number*) and [CEIL](#) (*number*), [TRUNC](#) (*number*) and [MOD](#) for information on functions that perform related operations

**Examples**

The following example rounds a number to one decimal point:

```
SELECT ROUND(15.193,1) "Round" FROM DUAL;
```

```

Round
-----
15.2

```

The following example rounds a number one digit to the left of the decimal point:

```
SELECT ROUND(15.193,-1) "Round" FROM DUAL;
```

```


Round
-----
20

```

## ROUND\_TIES\_TO\_EVEN (number)

**Syntax**

**round\_ties\_to\_even** ::=



**Purpose**

**ROUND\_TIES\_TO\_EVEN** is a rounding function that takes two parameters: *n* and *integer*. The function returns *n* rounded to *integer* places according to the following rules:

1. If *integer* is positive, *n* is rounded to *integer* places to the right of the decimal point.
2. If *integer* is not specified, then *n* is rounded to 0 places.
3. If *integer* is negative, then *n* is rounded to *integer* places to the left of the decimal point.

### Restrictions

The function does not support the following types: `BINARY_FLOAT` and `BINARY_DOUBLE`.

### Examples

The following example rounds a number to one decimal point to the right:

```
SELECT ROUND_TIES_TO_EVEN (0.05, 1) from DUAL

ROUND_TIES_TO_EVEN(0.05,1)
-----
                           0
```


The following example rounds a number to one decimal point to the left:

```
SELECT ROUND_TIES_TO_EVEN(45.177,-1) "ROUND_EVEN" FROM DUAL;

ROUND_TIES_TO_EVEN(45.177,-1)
-----
                           50
```

## ROW\_NUMBER

### Syntax



#### See Also:

"[Analytic Functions](#)" for information on syntax, semantics, and restrictions

### Purpose

`ROW_NUMBER` is an analytic function. It assigns a unique number to each row to which it is applied (either each row in the partition or each row returned by the query), in the ordered sequence of rows specified in the *order\_by\_clause*, beginning with 1.

By nesting a subquery using `ROW_NUMBER` inside a query that retrieves the `ROW_NUMBER` values for a specified range, you can find a precise subset of rows from the results of the inner query. This use of the function lets you implement top-N, bottom-N, and inner-N reporting. For consistent results, the query must ensure a deterministic sort order.

## Examples

The following example finds the three highest paid employees in each department in the `hr.employees` table. Fewer than three rows are returned for departments with fewer than three employees.

```
SELECT department_id, first_name, last_name, salary
FROM
(
  SELECT
    department_id, first_name, last_name, salary,
    ROW_NUMBER() OVER (PARTITION BY department_id ORDER BY salary desc) rn
  FROM employees
)
WHERE rn <= 3
ORDER BY department_id, salary DESC, last_name;
```

The following example is a join query on the `sh.sales` table. It finds the sales amounts in 2000 of the five top-selling products in 1999 and compares the difference between 2000 and 1999. The ten top-selling products are calculated within each distribution channel.

```
SELECT sales_2000.channel_desc, sales_2000.prod_name,
       sales_2000.amt amt_2000, top_5_prods_1999_year.amt amt_1999,
       sales_2000.amt - top_5_prods_1999_year.amt amt_diff
FROM
/* The first subquery finds the 5 top-selling products per channel in year 1999. */
(SELECT channel_desc, prod_name, amt
 FROM
  (
    SELECT channel_desc, prod_name, sum(amount_sold) amt,
           ROW_NUMBER () OVER (PARTITION BY channel_desc
                                ORDER BY SUM(amount_sold) DESC) rn
    FROM sales, times, channels, products
    WHERE sales.time_id = times.time_id
          AND times.calendar_year = 1999
          AND channels.channel_id = sales.channel_id
          AND products.prod_id = sales.prod_id
    GROUP BY channel_desc, prod_name
  )
 WHERE rn <= 5
 ) top_5_prods_1999_year,
/* The next subquery finds sales per product and per channel in 2000. */
(SELECT channel_desc, prod_name, sum(amount_sold) amt
 FROM sales, times, channels, products
 WHERE sales.time_id = times.time_id
       AND times.calendar_year = 2000
       AND channels.channel_id = sales.channel_id
       AND products.prod_id = sales.prod_id
 GROUP BY channel_desc, prod_name
 ) sales_2000
WHERE sales_2000.channel_desc = top_5_prods_1999_year.channel_desc
      AND sales_2000.prod_name = top_5_prods_1999_year.prod_name
ORDER BY sales_2000.channel_desc, sales_2000.prod_name
;
```

CHANNEL_DESC	PROD_NAME	AMT_2000	AMT_1999	AMT_DIFF
Direct Sales	17" LCD w/built-in HDTV Tuner	628855.7	1163645.78	-534790.08
Direct Sales	Envoy 256MB - 40GB	502938.54	843377.88	-340439.34
Direct Sales	Envoy Ambassador	2259566.96	1770349.25	489217.71

Direct Sales	Home Theatre Package with DVD-Audio/Video Play	1235674.15	1260791.44	-25117.29
Direct Sales	Mini DV Camcorder with 3.5" Swivel LCD	775851.87	1326302.51	-550450.64
Internet	17" LCD w/built-in HDTV Tuner	31707.48	160974.7	-129267.22
Internet	8.3 Minitower Speaker	404090.32	155235.25	248855.07
Internet	Envoy 256MB - 40GB	28293.87	154072.02	-125778.15
Internet	Home Theatre Package with DVD-Audio/Video Play	155405.54	153175.04	2230.5
Internet	Mini DV Camcorder with 3.5" Swivel LCD	39726.23	189921.97	-150195.74
Partners	17" LCD w/built-in HDTV Tuner	269973.97	325504.75	-55530.78
Partners	Envoy Ambassador	1213063.59	614857.93	598205.66
Partners	Home Theatre Package with DVD-Audio/Video Play	700266.58	520166.26	180100.32
Partners	Mini DV Camcorder with 3.5" Swivel LCD	404265.85	520544.11	-116278.26
Partners	Unix/Windows 1-user pack	374002.51	340123.02	33879.49

15 rows selected.

## ROWIDTOCHAR

### Syntax

```
→ ROWIDTOCHAR ( ( rowid ) ) →
```

### Purpose

ROWIDTOCHAR converts a rowid value to VARCHAR2 data type. The result of this conversion is always 18 characters long.



#### See Also:

Appendix C in *Oracle Database Globalization Support Guide* for the collation derivation rules, which define the collation assigned to the character return value of ROWIDTOCHAR

### Examples

The following example converts a rowid value in the `employees` table to a character value. (Results vary for each build of the sample database.)

```
SELECT ROWID FROM employees
       WHERE ROWIDTOCHAR(ROWID) LIKE '%JAAB%'
       ORDER BY ROWID;

ROWID
-----
AAAFfIAAFAAAABSAAb
```

## ROWIDTONCHAR

### Syntax

```
→ ROWIDTONCHAR ( ( rowid ) ) →
```

## Purpose

ROWIDTONCHAR converts a rowid value to NVARCHAR2 data type. The result of this conversion is always in the national character set and is 18 characters long.

### See Also:

Appendix C in *Oracle Database Globalization Support Guide* for the collation derivation rules, which define the collation assigned to the character return value of ROWIDTONCHAR

## Examples


The following example converts a rowid value to an NVARCHAR2 string:

```
SELECT LENGTHB( ROWIDTONCHAR(ROWID) ) Length, ROWIDTONCHAR(ROWID)
FROM employees
ORDER BY length;

LENGTH ROWIDTONCHAR(ROWID)
-----
36 AAAL52AAF5AAAABSABD
36 AAAL52AAF5AAAABSABV
. . .
```

# RPAD

## Syntax



## Purpose

RPAD returns *expr1*, right-padded to length *n* characters with *expr2*, replicated as many times as necessary. This function is useful for formatting the output of a query.

Both *expr1* and *expr2* can be any of the data types CHAR, VARCHAR2, NCHAR, NVARCHAR2, CLOB, or NCLOB. The string returned is of VARCHAR2 data type if *expr1* is a character data type, NVARCHAR2 if *expr1* is a national character data type, and a LOB if *expr1* is a LOB data type. The string returned is in the same character set as *expr1*. The argument *n* must be a NUMBER integer or a value that can be implicitly converted to a NUMBER integer.

*expr1* cannot be null. If you do not specify *expr2*, then it defaults to a single blank. If *expr1* is longer than *n*, then this function returns the portion of *expr1* that fits in *n*.

The argument *n* is the total length of the return value as it is displayed on your terminal screen. In most character sets, this is also the number of characters in the return value. However, in some multibyte character sets, the display length of a character string can differ from the number of characters in the string.



 **See Also:**

Appendix C in *Oracle Database Globalization Support Guide* for the collation derivation rules, which define the collation assigned to the character return value of RPAD


**Examples**

The following example creates a simple chart of salary amounts by padding a single space with asterisks:

```
SELECT last_name, RPAD(' ', salary/1000/1, '*') "Salary"
   FROM employees
   WHERE department_id = 80
   ORDER BY last_name, "Salary";
```

LAST_NAME	Salary
Abel	*****
Ande	*****
Banda	*****
Bates	*****
Bernstein	*****
Bloom	*****
Cambrault	*****
Cambrault	*****
Doran	*****
Erazuriz	*****
Fox	*****
Greene	*****
Hall	*****
Hutton	*****
Johnson	*****
King	*****
. . .	

## RTRIM

**Syntax****Purpose**

RTRIM removes from the right end of *char* all of the characters that appear in *set*. This function is useful for formatting the output of a query.

If you do not specify *set*, then it defaults to a single blank. RTRIM works similarly to LTRIM.

Both *char* and *set* can be any of the data types CHAR, VARCHAR2, NCHAR, NVARCHAR2, CLOB, or NCLOB. The string returned is of VARCHAR2 data type if *char* is a character data type, NVARCHAR2 if *char* is a national character data type, and a LOB if *char* is a LOB data type.

 See Also:

- [LTRIM](#)
- Appendix C in *Oracle Database Globalization Support Guide* for the collation determination rules, which define the collation `RTRIM` uses to compare characters from `set` with characters from `char`, and for the collation derivation rules, which define the collation assigned to the character return value of this function

**Examples**

The following example trims all the right-most occurrences of less than sign (<), greater than sign (>), and equal sign (=) from a string:

```
SELECT RTRIM('<=====>BROWNING<=====>', '<>=') "RTRIM Example"
FROM DUAL;

RTRIM Example
-----
<=====>BROWNING
```

## SCN\_TO\_TIMESTAMP

**Syntax**

```
→ SCN_TO_TIMESTAMP ( ( number ) ) →
```

**Purpose**

`SCN_TO_TIMESTAMP` takes as an argument a number that evaluates to a system change number (SCN), and returns the approximate timestamp associated with that SCN. The returned value is of `TIMESTAMP` data type. This function is useful any time you want to know the timestamp associated with an SCN. For example, it can be used in conjunction with the `ORA_ROWSCN` pseudocolumn to associate a timestamp with the most recent change to a row.

 Notes:

- The usual precision of the result value is 3 seconds.
- The association between an SCN and a timestamp when the SCN is generated is remembered by the database for a limited period of time. This period is the maximum of the auto-tuned undo retention period, if the database runs in the Automatic Undo Management mode, and the retention times of all flashback archives in the database, but no less than 120 hours. The time for the association to become obsolete elapses only when the database is open. An error is returned if the SCN specified for the argument to `SCN_TO_TIMESTAMP` is too old.

**See Also:**[ORA\\_ROWSCN Pseudocolumn](#) and [TIMESTAMP\\_TO\\_SCN](#)**Examples**

The following example uses the `ORA_ROWSCN` pseudocolumn to determine the system change number of the last update to a row and uses `SCN_TO_TIMESTAMP` to convert that SCN to a timestamp:

```
SELECT SCN_TO_TIMESTAMP(ORA_ROWSCN) FROM employees
       WHERE employee_id = 188;
```

You could use such a query to convert a system change number to a timestamp for use in an Oracle Flashback Query:

```
SELECT salary FROM employees WHERE employee_id = 188;
```

```
  SALARY
-----
     3800
```

```
UPDATE employees SET salary = salary*10 WHERE employee_id = 188;
COMMIT;
```

```
SELECT salary FROM employees WHERE employee_id = 188;
```

```
  SALARY
-----
    38000
```

```
SELECT SCN_TO_TIMESTAMP(ORA_ROWSCN) FROM employees
       WHERE employee_id = 188;
SCN_TO_TIMESTAMP(ORA_ROWSCN)
```

```
-----
28-AUG-03 01.58.01.000000000 PM
```

```
FLASHBACK TABLE employees TO TIMESTAMP
       TO_TIMESTAMP('28-AUG-03 01.00.00.000000000 PM');
```

```
SELECT salary FROM employees WHERE employee_id = 188;
```

```
  SALARY
-----
     3800
```

## SESSIONTIMEZONE

**Syntax**

```
→ SESSIONTIMEZONE →
```

**Purpose**

`SESSIONTIMEZONE` returns the time zone of the current session. The return type is a time zone offset (a character type in the format '`[+|-]TZH:TZM`') or a time zone region name,

depending on how the user specified the session time zone value in the most recent `ALTER SESSION` statement.

#### Note:

The default client session time zone is an offset even if the client operating system uses a named time zone. If you want the default session time zone to use a named time zone, then set the `ORA_SDTZ` variable in the client environment to an Oracle time zone region name. Refer to *Oracle Database Globalization Support Guide* for more information on this variable.

#### See Also:

Appendix C in *Oracle Database Globalization Support Guide* for the collation derivation rules, which define the collation assigned to the character return value of `SESSIONTIMEZONE`

### Examples

The following example returns the time zone of the current session:

```
SELECT SESSIONTIMEZONE FROM DUAL;
```

```
SESSION
-----
-08:00
```

## SET

### Syntax

```
→ SET ( nested_table ) →
```

### Purpose

`SET` converts a nested table into a set by eliminating duplicates. The function returns a nested table whose elements are distinct from one another. The returned nested table is of the same type as the input nested table.

The element types of the nested table must be comparable. Refer to "[Comparison Conditions](#)" for information on the comparability of nonscalar types.

### Examples

The following example selects from the `customers_demo` table the unique elements of the `cust_address_ntab` nested table column:

```
SELECT customer_id, SET(cust_address_ntab) address
FROM customers_demo
ORDER BY customer_id;
```

```
CUSTOMER_ID ADDRESS (STREET_ADDRESS, POSTAL_CODE, CITY, STATE_PROVINCE, COUNTRY_ID)
```

```
-----
101 CUST_ADDRESS_TAB_TYP(CUST_ADDRESS_TYP('514 W Superior St', '46901', 'Kokomo', 'IN', 'US'))
102 CUST_ADDRESS_TAB_TYP(CUST_ADDRESS_TYP('2515 Bloyd Ave', '46218', 'Indianapolis', 'IN', 'US'))
103 CUST_ADDRESS_TAB_TYP(CUST_ADDRESS_TYP('8768 N State Rd 37', '47404', 'Bloomington', 'IN', 'US'))
104 CUST_ADDRESS_TAB_TYP(CUST_ADDRESS_TYP('6445 Bay Harbor Ln', '46254', 'Indianapolis', 'IN', 'US'))
105 CUST_ADDRESS_TAB_TYP(CUST_ADDRESS_TYP('4019 W 3Rd St', '47404', 'Bloomington', 'IN', 'US'))
. . .
```

The preceding example requires the table `customers_demo` and a nested table column containing data. Refer to "[Multiset Operators](#)" to create this table and nested table column.

## SIGN

### Syntax

```
→ SIGN ( ( n ) ) →
```

### Purpose

`SIGN` returns the sign of `n`. This function takes as an argument any numeric data type, or any nonnumeric data type that can be implicitly converted to `NUMBER`, and returns `NUMBER`.

For value of `NUMBER` type, the sign is:

- -1 if  $n < 0$
- 0 if  $n = 0$
- 1 if  $n > 0$

For binary floating-point numbers (`BINARY_FLOAT` and `BINARY_DOUBLE`), this function returns the sign bit of the number. The sign bit is:

- -1 if  $n < 0$
- +1 if  $n \geq 0$  or  $n = \text{NaN}$

### Examples

The following example indicates that the argument of the function (-15) is <0:

```
SELECT SIGN(-15) "Sign" FROM DUAL;
```

```
-----
Sign
-----
-1
```

## SIN

### Syntax

```
→ SIN ( ( n ) ) →
```

## Purpose

SIN returns the sine of  $n$  (an angle expressed in radians).

This function takes as an argument any numeric data type or any nonnumeric data type that can be implicitly converted to a numeric data type. If the argument is `BINARY_FLOAT`, then the function returns `BINARY_DOUBLE`. Otherwise the function returns the same numeric data type as the argument.



### See Also:

[Table 2-9](#) for more information on implicit conversion

## Examples

The following example returns the sine of 30 degrees:

```
SELECT SIN(30 * 3.14159265359/180)
       "Sine of 30 degrees" FROM DUAL;
```

```
Sine of 30 degrees
-----
                    .5
```

# SINH

## Syntax

```
→ [SINH] → ( ( → n → ) → ) →
```

## Purpose

SINH returns the hyperbolic sine of  $n$ .

This function takes as an argument any numeric data type or any nonnumeric data type that can be implicitly converted to a numeric data type. If the argument is `BINARY_FLOAT`, then the function returns `BINARY_DOUBLE`. Otherwise the function returns the same numeric data type as the argument.



### See Also:

[Table 2-9](#) for more information on implicit conversion

## Examples


The following example returns the hyperbolic sine of 1:

```
SELECT SINH(1) "Hyperbolic sine of 1" FROM DUAL;
```

```
Hyperbolic sine of 1
-----
1.17520119
```

## SKEWNESS\_POP

### Syntax



### Purpose

SKEWNESS\_POP is an aggregate function that is primarily used to determine symmetry in a given distribution.

NULL values in `expr` are ignored.


Returns NULL if all rows in the group have NULL `expr` values.

Returns 0 if there are one or two rows in `expr`.

For a given set of values, the result of population skewness (SKEWNESS\_POP) and sample skewness (SKEWNESS\_SAMP) are always deterministic. However, the values of SKEWNESS\_POP and SKEWNESS\_SAMP differ. As the number of values in the data set increases, the difference between the computed values of SKEWNESS\_SAMP and SKEWNESS\_POP decreases.

## SKEWNESS\_SAMP

### Syntax



### Purpose

SKEWNESS\_SAMP is an aggregate function that is primarily used to determine symmetry in a given distribution.

NULL values in `expr` are ignored.

Returns NULL if all rows in the group have NULL `expr` values.

Returns 0 if there are one or two rows in `expr`.

For a given set of values, the result of population skewness (SKEWNESS\_POP) and sample skewness (SKEWNESS\_SAMP) are always deterministic. However, the values of SKEWNESS\_POP and SKEWNESS\_SAMP differ. As the number of values in the data set increases, the difference between the computed values of SKEWNESS\_SAMP and SKEWNESS\_POP decreases.

# SOUNDEX

## Syntax

→ SOUNDEX ( char ) →

## Purpose

SOUNDEX returns a character string containing the phonetic representation of *char*. This function lets you compare words that are spelled differently, but sound alike in English.

The phonetic representation is defined in *The Art of Computer Programming*, Volume 3: Sorting and Searching, by Donald E. Knuth, as follows:

1. Retain the first letter of the string and remove all other occurrences of the following letters: a, e, h, i, o, u, w, y.
2. Assign numbers to the remaining letters (after the first) as follows:

```
b, f, p, v = 1
c, g, j, k, q, s, x, z = 2
d, t = 3
l = 4
m, n = 5
r = 6
```

3. If two or more letters with the same number were adjacent in the original name (before step 1), or adjacent except for any intervening h and w, then retain the first letter and omit rest of all the adjacent letters with same number.
4. Return the first four bytes padded with 0.

*char* can be of any of the data types CHAR, VARCHAR2, NCHAR, or NVARCHAR2. The return value is the same data type as *char*.

This function does not support CLOB data directly. However, CLOBs can be passed in as arguments through implicit data conversion.

### See Also:

- "Data Type Comparison Rules " for more information.
- Appendix C in *Oracle Database Globalization Support Guide* for the collation derivation rules, which define the collation assigned to the character return value of SOUNDEX

## Examples

The following example returns the employees whose last names are a phonetic representation of "Smyth":

```
SELECT last_name, first_name
   FROM hr.employees
  WHERE SOUNDEX(last_name)
```



```

= SOUNDEX('SMYTHE')
ORDER BY last_name, first_name;

```

LAST_NAME	FIRST_NAME
Smith	Lindsey
Smith	William

## SQRT

### Syntax

```

→ [SQRT] ( ( n ) ) →

```

### Purpose

SQRT returns the square root of  $n$ .

This function takes as an argument any numeric data type or any nonnumeric data type that can be implicitly converted to a numeric data type. The function returns the same data type as the numeric data type of the argument.



#### See Also:

[Table 2-9](#) for more information on implicit conversion

- If  $n$  resolves to a NUMBER, then the value  $n$  cannot be negative. SQRT returns a real number.
- If  $n$  resolves to a binary floating-point number (BINARY\_FLOAT or BINARY\_DOUBLE):
  - If  $n \geq 0$ , then the result is positive.
  - If  $n = -0$ , then the result is  $-0$ .
  - If  $n < 0$ , then the result is NaN.

### Examples

The following example returns the square root of 26:

```
SELECT SQRT(26) "Square root" FROM DUAL;
```

```

Square root
-----
5.09901951

```

## STANDARD\_HASH

### Syntax

```

→ [STANDARD_HASH] ( ( expr ) , method ) →

```

## Purpose

`STANDARD_HASH` computes a hash value for a given expression using one of several hash algorithms that are defined and standardized by the National Institute of Standards and Technology. This function is useful for performing authentication and maintaining data integrity in security applications such as digital signatures, checksums, and fingerprinting.

You can use the `STANDARD_HASH` function to create an index on an extended data type column. Refer to "[Creating an Index on an Extended Data Type Column](#)" for more information.

- The *expr* argument determines the data for which you want Oracle Database to compute a hash value. There are no restrictions on the length of data represented by *expr*, which commonly resolves to a column name. The *expr* cannot be a `LONG` or `LOB` type. It cannot be a user-defined object type. All other data types are supported for *expr*.
- The optional *method* argument lets you specify the name of the hash algorithm to be used. Valid algorithms are `SHA1`, `SHA256`, `SHA384`, `SHA512` and `MD5`. If you omit this argument, then `SHA1` is used.

The function returns a `RAW` value.




### Note:

The `STANDARD_HASH` function is not identical to the one used internally by Oracle Database for hash partitioning.

# STATS\_BINOMIAL\_TEST

## Syntax



## Purpose

`STATS_BINOMIAL_TEST` is an exact probability test used for dichotomous variables, where only two possible values exist. It tests the difference between a sample proportion and a given proportion. The sample size in such tests is usually small.

This function takes three required arguments: *expr1* is the sample being examined, *expr2* contains the values for which the proportion is expected to be, and *p* is a proportion to test against. The optional fourth argument lets you specify the meaning of the `NUMBER` value returned by this function, as shown in [Table 7-3](#). For this argument,

you can specify a text literal, or a bind variable or expression that evaluates to a constant character value. If you omit the fourth argument, then the default is 'TWO\_SIDED\_PROB'.



### See Also:

Appendix C in *Oracle Database Globalization Support Guide* for the collation determination rules for `STATS_BINOMIAL_TEST`

**Table 7-3 STATS\_BINOMIAL Return Values**

Argument	Return Value Meaning
'TWO_SIDED_PROB'	The probability that the given population proportion, $p$ , could result in the observed proportion or a more extreme one.
'EXACT_PROB'	The probability that the given population proportion, $p$ , could result in exactly the observed proportion.
'ONE_SIDED_PROB_OR_MORE'	The probability that the given population proportion, $p$ , could result in the observed proportion or a larger one.
'ONE_SIDED_PROB_OR_LESS'	The probability that the given population proportion, $p$ , could result in the observed proportion or a smaller one.

'EXACT\_PROB' gives the probability of getting exactly proportion  $p$ . In cases where you want to test whether the proportion found in the sample is significantly different from a 50-50 split,  $p$  would normally be 0.50. If you want to test only whether the proportion is different, then use the return value 'TWO\_SIDED\_PROB'. If your test is whether the proportion is more than the value of  $expr2$ , then use the return value 'ONE\_SIDED\_PROB\_OR\_MORE'. If the test is to determine whether the proportion of  $expr2$  is less, then use the return value 'ONE\_SIDED\_PROB\_OR\_LESS'.


### STATS\_BINOMIAL\_TEST Example

The following example determines the probability that reality exactly matches the number of men observed under the assumption that 69% of the population is composed of men:

```
SELECT AVG(Decode(cust_gender, 'M', 1, 0)) real_proportion,
       STATS_BINOMIAL_TEST
       (cust_gender, 'M', 0.68, 'EXACT_PROB') exact,
       STATS_BINOMIAL_TEST
       (cust_gender, 'M', 0.68, 'ONE_SIDED_PROB_OR_LESS') prob_or_less
FROM sh.customers;
```

# STATS\_CROSSTAB

## Syntax



## Purpose

Crosstabulation (commonly called crosstab) is a method used to analyze two nominal variables. The `STATS_CROSSTAB` function takes two required arguments: `expr1` and `expr2` are the two variables being analyzed. The optional third argument lets you specify the meaning of the `NUMBER` value returned by this function, as shown in [Table 7-4](#). For this argument, you can specify a text literal, or a bind variable or expression that evaluates to a constant character value. If you omit the third argument, then the default is `'CHISQ_SIG'`.

### See Also:

Appendix C in *Oracle Database Globalization Support Guide* for the collation determination rules for `STATS_CROSSTAB`

**Table 7-4** STATS\_CROSSTAB Return Values

Argument	Return Value Meaning
<code>'CHISQ_OBS'</code>	Observed value of chi-squared
<code>'CHISQ_SIG'</code>	Significance of observed chi-squared
<code>'CHISQ_DF'</code>	Degree of freedom for chi-squared
<code>'PHI_COEFFICIENT'</code>	Phi coefficient
<code>'GRAMERS_V'</code>	Cramer's V statistic
<code>'CONT_COEFFICIENT'</code>	Contingency coefficient
<code>'COHENS_K'</code>	Cohen's kappa

## STATS\_CROSSTAB Example

The following example determines the strength of the association between gender and income level:

```


SELECT STATS_CROSSTAB
       (cust_gender, cust_income_level, 'CHISQ_OBS') chi_squared,
       STATS_CROSSTAB
       (cust_gender, cust_income_level, 'CHISQ_SIG') p_value,
       STATS_CROSSTAB
       (cust_gender, cust_income_level, 'PHI_COEFFICIENT') phi_coefficient
FROM sh.customers;

```

CHI_SQUARED	P_VALUE	PHI_COEFFICIENT
251.690705	1.2364E-47	.067367056

## STATS\_F\_TEST

### Syntax



### Purpose

`STATS_F_TEST` tests whether two variances are significantly different. The observed value of  $f$  is the ratio of one variance to the other, so values very different from 1 usually indicate significant differences.

This function takes two required arguments: `expr1` is the grouping or independent variable and `expr2` is the sample of values. The optional third argument lets you specify the meaning of the `NUMBER` value returned by this function, as shown in [Table 7-5](#). For this argument, you can specify a text literal, or a bind variable or expression that evaluates to a constant character value. If you omit the third argument, then the default is `'TWO_SIDED_SIG'`.

#### See Also:

Appendix C in *Oracle Database Globalization Support Guide* for the collation determination rules for `STATS_F_TEST`

**Table 7-5 STATS\_F\_TEST Return Values**

Argument	Return Value Meaning
'STATISTIC'	The observed value of $f$
'DF_NUM'	Degree of freedom for the numerator
'DF_DEN'	Degree of freedom for the denominator
'ONE_SIDED_SIG'	One-tailed significance of $f$
'TWO_SIDED_SIG'	Two-tailed significance of $f$

The one-tailed significance is always in relation to the upper tail. The final argument, *expr3*, indicates which of the two groups specified by *expr1* is the high value or numerator (the value whose rejection region is the upper tail).

The observed value of  $f$  is the ratio of the variance of one group to the variance of the second group. The significance of the observed value of  $f$  is the probability that the variances are different just by chance—a number between 0 and 1. A small value for the significance indicates that the variances are significantly different. The degree of freedom for each of the variances is the number of observations in the sample minus 1.

### STATS\_F\_TEST Example


The following example determines whether the variance in credit limit between men and women is significantly different. The results, a *p\_value* not close to zero, and an *f\_statistic* close to 1, indicate that the difference between credit limits for men and women are not significant.

```
SELECT VARIANCE(DECODE(cust_gender, 'M', cust_credit_limit, null)) var_men,
       VARIANCE(DECODE(cust_gender, 'F', cust_credit_limit, null)) var_women,
       STATS_F_TEST(cust_gender, cust_credit_limit, 'STATISTIC', 'F')
f_statistic,
       STATS_F_TEST(cust_gender, cust_credit_limit) two_sided_p_value
FROM sh.customers;
```

```
VAR_MEN  VAR_WOMEN  F_STATISTIC  TWO_SIDED_P_VALUE
-----
12879896.7  13046865  1.01296348  .311928071
```

## STATS\_KS\_TEST

### Syntax



### Purpose

`STATS_KS_TEST` is a Kolmogorov-Smirnov function that compares two samples to test whether they are from the same population or from populations that have the same

distribution. It does not assume that the population from which the samples were taken is normally distributed.

This function takes two required arguments: *expr1* classifies the data into the two samples and *expr2* contains the values for each of the samples. If *expr1* classifies the data into only one sample or into more than two samples, then an error is raised. The optional third argument lets you specify the meaning of the NUMBER value returned by this function, as shown in [Table 7-6](#). For this argument, you can specify a text literal, or a bind variable or expression that evaluates to a constant character value. If you omit the third argument, then the default is 'SIG'.

### See Also:

Appendix C in *Oracle Database Globalization Support Guide* for the collation determination rules for STATS\_KS\_TEST

**Table 7-6 STATS\_KS\_TEST Return Values**

Argument	Return Value Meaning
'STATISTIC'	Observed value of <i>D</i>
'SIG'	Significance of <i>D</i>

### STATS\_KS\_TEST Example

Using the Kolmogorov Smirnov test, the following example determines whether the distribution of sales between men and women is due to chance:

```
SELECT stats_ks_test(cust_gender, amount_sold, 'STATISTIC') ks_statistic,
       stats_ks_test(cust_gender, amount_sold) p_value
FROM sh.customers c, sh.sales s
WHERE c.cust_id = s.cust_id;
```

```
KS_STATISTIC    P_VALUE
-----
.003841396 .004080006
```

## STATS\_MODE

### Syntax

```
→ STATS_MODE ( ( expr ) ) →
```

### Purpose

STATS\_MODE takes as its argument a set of values and returns the value that occurs with the greatest frequency. If more than one mode exists, then Oracle Database chooses one and returns only that one value.

To obtain multiple modes (if multiple modes exist), you must use a combination of other functions, as shown in the hypothetical query:

```
SELECT x FROM (SELECT x, COUNT(x) AS cnt1
              FROM t GROUP BY x)
WHERE cnt1 =
      (SELECT MAX(cnt2) FROM (SELECT COUNT(x) AS cnt2 FROM t GROUP BY x));
```

### See Also:

Appendix C in *Oracle Database Globalization Support Guide* for the collation determination rules, which define the collation `STATS_MODE` uses to compare character values for `expr`, and for the collation derivation rules, which define the collation assigned to the return value of this function when it is a character value

## Examples

The following example returns the mode of salary per department in the `hr.employees` table:

```
SELECT department_id, STATS_MODE(salary) FROM employees
       GROUP BY department_id
       ORDER BY department_id, stats_mode(salary);
```

DEPARTMENT_ID	STATS_MODE(SALARY)
10	4400
20	6000
30	2500
40	6500
50	2500
60	4800
70	10000
80	9500
90	17000
100	6900
110	8300
	7000

If you need to retrieve all of the modes (in cases with multiple modes), you can do so using a combination of other functions, as shown in the next example:


```
SELECT commission_pct FROM
      (SELECT commission_pct, COUNT(commission_pct) AS cnt1 FROM employees
       GROUP BY commission_pct)
WHERE cnt1 =
      (SELECT MAX (cnt2) FROM
       (SELECT COUNT(commission_pct) AS cnt2
        FROM employees GROUP BY commission_pct))
ORDER BY commission_pct;
```

COMMISSION_PCT
.2
.3



# STATS\_MW\_TEST

## Syntax



## Purpose

A Mann Whitney test compares two independent samples to test the null hypothesis that two populations have the same distribution function against the alternative hypothesis that the two distribution functions are different.

The `STATS_MW_TEST` does not assume that the differences between the samples are normally distributed, as do the `STATS_T_TEST_*` functions. This function takes two required arguments: `expr1` classifies the data into groups and `expr2` contains the values for each of the groups. The optional third argument lets you specify the meaning of the `NUMBER` value returned by this function, as shown in [Table 7-7](#). For this argument, you can specify a text literal, or a bind variable or expression that evaluates to a constant character value. If you omit the third argument, then the default is `'TWO_SIDED_SIG'`.

### See Also:

Appendix C in *Oracle Database Globalization Support Guide* for the collation determination rules for `STATS_MW_TEST`

**Table 7-7** STATS\_MW\_TEST Return Values

Argument	Return Value Meaning
'STATISTIC'	The observed value of <i>Z</i>
'U_STATISTIC'	The observed value of <i>U</i>
'ONE_SIDED_SIG'	One-tailed significance of <i>Z</i>
'TWO_SIDED_SIG'	Two-tailed significance of <i>Z</i>

The significance of the observed value of *Z* or *U* is the probability that the variances are different just by chance—a number between 0 and 1. A small value for the significance indicates that the variances are significantly different. The degree of freedom for each of the variances is the number of observations in the sample minus 1.

The one-tailed significance is always in relation to the upper tail. The final argument, `expr3`, indicates which of the two groups specified by `expr1` is the high value (the value whose rejection region is the upper tail).

STATS\_MW\_TEST computes the probability that the samples are from the same distribution by checking the differences in the sums of the ranks of the values. If the samples come from the same distribution, then the sums should be close in value.

### STATS\_MW\_TEST Example


Using the Mann Whitney test, the following example determines whether the distribution of sales between men and women is due to chance:

```
SELECT STATS_MW_TEST
       (cust_gender, amount_sold, 'STATISTIC') z_statistic,
       STATS_MW_TEST
       (cust_gender, amount_sold, 'ONE_SIDED_SIG', 'F') one_sided_p_value
FROM sh.customers c, sh.sales s
WHERE c.cust_id = s.cust_id;
```

```
Z_STATISTIC ONE_SIDED_P_VALUE
-----
-1.4011509          .080584471
```

## STATS\_ONE\_WAY\_ANOVA

### Syntax



### Purpose

The one-way analysis of variance function (STATS\_ONE\_WAY\_ANOVA) tests differences in means (for groups or variables) for statistical significance by comparing two different estimates of variance. One estimate is based on the variances within each group or category. This is known as the **mean squares within** or **mean square error**. The other estimate is based on the variances among the means of the groups. This is known as the **mean squares between**. If the means of the groups are significantly different, then the mean squares between will be larger than expected and will not match the mean squares within. If the mean squares of the groups are consistent, then the two variance estimates will be about the same.

STATS\_ONE\_WAY\_ANOVA takes two required arguments: *expr1* is an independent or grouping variable that divides the data into a set of groups and *expr2* is a dependent variable (a numeric expression) containing the values corresponding to each member of a group. The optional third argument lets you specify the meaning of the NUMBER value returned by this function, as shown in [Table 7-8](#). For this argument, you can

specify a text literal, or a bind variable or expression that evaluates to a constant character value. If you omit the third argument, then the default is 'SIG'.

 **See Also:**

Appendix C in *Oracle Database Globalization Support Guide* for the collation determination rules for `STATS_ONE_WAY_ANOVA`

**Table 7-8** STATS\_ONE\_WAY\_ANOVA Return Values

Argument	Return Value Meaning
'SUM_SQUARES_BETWEEN'	Sum of squares between groups
'SUM_SQUARES_WITHIN'	Sum of squares within groups
'DF_BETWEEN'	Degree of freedom between groups
'DF_WITHIN'	Degree of freedom within groups
'MEAN_SQUARES_BETWEEN'	Mean squares between groups
'MEAN_SQUARES_WITHIN'	Mean squares within groups
'F_RATIO'	Ratio of the mean squares between to the mean squares within (MSB/MSW)
'SIG'	Significance

The significance of one-way analysis of variance is determined by obtaining the one-tailed significance of an *f*-test on the ratio of the mean squares between and the mean squares within. The *f*-test should use one-tailed significance, because the mean squares between can be only equal to or larger than the mean squares within. Therefore, the significance returned by `STATS_ONE_WAY_ANOVA` is the probability that the differences between the groups happened by chance—a number between 0 and 1. The smaller the number, the greater the significance of the difference between the groups. Refer to the [STATS\\_F\\_TEST](#) for information on performing an *f*-test.

### STATS\_ONE\_WAY\_ANOVA Example

The following example determines the significance of the differences in mean sales within an income level and differences in mean sales between income levels. The results, `p_values` close to zero, indicate that, for both men and women, the difference in the amount of goods sold across different income levels is significant.

```
SELECT cust_gender,
       STATS_ONE_WAY_ANOVA(cust_income_level, amount_sold, 'F_RATIO') f_ratio,
       STATS_ONE_WAY_ANOVA(cust_income_level, amount_sold, 'SIG') p_value
FROM sh.customers c, sh.sales s
WHERE c.cust_id = s.cust_id
GROUP BY cust_gender
ORDER BY cust_gender;
```

```
C      F_RATIO      P_VALUE
-----
F 5.59536943 4.7840E-09
M 9.2865001 6.7139E-17
```


# STATS\_T\_TEST\_\*

The *t*-test functions are:

- `STATS_T_TEST_ONE`: A one-sample *t*-test
- `STATS_T_TEST_PAIRED`: A two-sample, paired *t*-test (also known as a crossed *t*-test)
- `STATS_T_TEST_INDEP`: A *t*-test of two independent groups with the same variance (pooled variances)
- `STATS_T_TEST_INDEPU`: A *t*-test of two independent groups with unequal variance (unpooled variances)

## Syntax

`stats_t_test::=`



## Purpose

The *t*-test measures the significance of a difference of means. You can use it to compare the means of two groups or the means of one group with a constant. Each *t*-test function takes two expression arguments, although the second expression is optional for the one-sample function (`STATS_T_TEST_ONE`). Each *t*-test function takes an optional third argument, which lets you specify the meaning of the `NUMBER` value returned by the function, as shown in [Table 7-9](#). For this argument, you can specify a text literal, or a bind variable or expression that evaluates to a constant character value. If you omit the third argument, then the default is `'TWO_SIDED_SIG'`.

### See Also:

Appendix C in *Oracle Database Globalization Support Guide* for the collation determination rules for the `STATS_T_TEST_*` functions

**Table 7-9** STATS\_T\_TEST\_\* Return Values

Argument	Return Value Meaning
'STATISTIC'	The observed value of $t$
'DF'	Degree of freedom
'ONE_SIDED_SIG'	One-tailed significance of $t$
'TWO_SIDED_SIG'	Two-tailed significance of $t$

The two independent `STATS_T_TEST_*` functions can take a fourth argument (*expr3*) if the third argument is specified as 'STATISTIC' or 'ONE\_SIDED\_SIG'. In this case, *expr3* indicates which value of *expr1* is the high value, or the value whose rejection region is the upper tail.

The significance of the observed value of  $t$  is the probability that the value of  $t$  would have been obtained by chance—a number between 0 and 1. The smaller the value, the more significant the difference between the means. One-sided significance is always respect to the upper tail. For one-sample and paired  $t$ -test, the high value is the first expression. For independent  $t$ -test, the high value is the one specified by *expr3*.

The degree of freedom depends on the type of  $t$ -test that resulted in the observed value of  $t$ . For example, for a one-sample  $t$ -test (`STATS_T_TEST_ONE`), the degree of freedom is the number of observations in the sample minus 1.

## STATS\_T\_TEST\_ONE

In the `STATS_T_TEST_ONE` function, *expr1* is the sample and *expr2* is the constant mean against which the sample mean is compared. For this  $t$ -test only, *expr2* is optional; the constant mean defaults to 0. This function obtains the value of  $t$  by dividing the difference between the sample mean and the known mean by the standard error of the mean (rather than the standard error of the difference of the means, as for `STATS_T_TEST_PAIED`).

### STATS\_T\_TEST\_ONE Example

The following example determines the significance of the difference between the average list price and the constant value 60:

```
SELECT AVG(prod_list_price) group_mean,
       STATS_T_TEST_ONE(prod_list_price, 60, 'STATISTIC') t_observed,
       STATS_T_TEST_ONE(prod_list_price, 60) two_sided_p_value
FROM sh.products;

GROUP_MEAN T_OBSERVED TWO_SIDED_P_VALUE
-----
139.545556 2.32107746 .023158537
```

## STATS\_T\_TEST\_PAIED

In the `STATS_T_TEST_PAIED` function, *expr1* and *expr2* are the two samples whose means are being compared. This function obtains the value of  $t$  by dividing the difference between the sample means by the standard error of the difference of the means (rather than the standard error of the mean, as for `STATS_T_TEST_ONE`).

## STATS\_T\_TEST\_INDEP and STATS\_T\_TEST\_INDEPU

In the `STATS_T_TEST_INDEP` and `STATS_T_TEST_INDEPU` functions, `expr1` is the grouping column and `expr2` is the sample of values. The pooled variances version (`STATS_T_TEST_INDEP`) tests whether the means are the same or different for two distributions that have similar variances. The unpooled variances version (`STATS_T_TEST_INDEPU`) tests whether the means are the same or different even if the two distributions are known to have significantly different variances.

Before using these functions, it is advisable to determine whether the variances of the samples are significantly different. If they are, then the data may come from distributions with different shapes, and the difference of the means may not be very useful. You can perform an *f*-test to determine the difference of the variances. If they are not significantly different, use `STATS_T_TEST_INDEP`. If they are significantly different, use `STATS_T_TEST_INDEPU`. Refer to [STATS\\_F\\_TEST](#) for information on performing an *f*-test.

### STATS\_T\_TEST\_INDEP Example

The following example determines the significance of the difference between the average sales to men and women where the distributions are assumed to have similar (pooled) variances:

```
SELECT SUBSTR(cust_income_level, 1, 22) income_level,
       AVG(DECODE(cust_gender, 'M', amount_sold, null)) sold_to_men,
       AVG(DECODE(cust_gender, 'F', amount_sold, null)) sold_to_women,
       STATS_T_TEST_INDEP(cust_gender, amount_sold, 'STATISTIC', 'F') t_observed,
       STATS_T_TEST_INDEP(cust_gender, amount_sold) two_sided_p_value
FROM sh.customers c, sh.sales s
WHERE c.cust_id = s.cust_id
GROUP BY ROLLUP(cust_income_level)
ORDER BY income_level, sold_to_men, sold_to_women, t_observed;
```

INCOME_LEVEL	SOLD_TO_MEN	SOLD_TO_WOMEN	T_OBSERVED	TWO_SIDED_P_VALUE
A: Below 30,000	105.28349	99.4281447	-1.9880629	.046811482
B: 30,000 - 49,999	102.59651	109.829642	3.04330875	.002341053
C: 50,000 - 69,999	105.627588	110.127931	2.36148671	.018204221
D: 70,000 - 89,999	106.630299	110.47287	2.28496443	.022316997
E: 90,000 - 109,999	103.396741	101.610416	-1.2544577	.209677823
F: 110,000 - 129,999	106.76476	105.981312	-.60444998	.545545304
G: 130,000 - 149,999	108.877532	107.31377	-.85298245	.393671218
H: 150,000 - 169,999	110.987258	107.152191	-1.9062363	.056622983
I: 170,000 - 189,999	102.808238	107.43556	2.18477851	.028908566
J: 190,000 - 249,999	108.040564	115.343356	2.58313425	.009794516
K: 250,000 - 299,999	112.377993	108.196097	-1.4107871	.158316973
L: 300,000 and above	120.970235	112.216342	-2.0642868	.039003862
	107.121845	113.80441	.686144393	.492670059
	106.663769	107.276386	1.08013499	.280082357

14 rows selected.

### STATS\_T\_TEST\_INDEPU Example

The following example determines the significance of the difference between the average sales to men and women where the distributions are known to have significantly different (unpooled) variances:

```

SELECT SUBSTR(cust_income_level, 1, 22) income_level,
       AVG(DECODE(cust_gender, 'M', amount_sold, null)) sold_to_men,
       AVG(DECODE(cust_gender, 'F', amount_sold, null)) sold_to_women,
       STATS_T_TEST_INDEPU(cust_gender, amount_sold, 'STATISTIC', 'F') t_observed,
       STATS_T_TEST_INDEPU(cust_gender, amount_sold) two_sided_p_value
FROM sh.customers c, sh.sales s
WHERE c.cust_id = s.cust_id
GROUP BY ROLLUP(cust_income_level)
ORDER BY income_level, sold_to_men, sold_to_women, t_observed;


```

INCOME_LEVEL	SOLD_TO_MEN	SOLD_TO_WOMEN	T_OBSERVED	TWO_SIDED_P_VALUE
A: Below 30,000	105.28349	99.4281447	-2.0542592	.039964704
B: 30,000 - 49,999	102.59651	109.829642	2.96922332	.002987742
C: 50,000 - 69,999	105.627588	110.127931	2.3496854	.018792277
D: 70,000 - 89,999	106.630299	110.47287	2.26839281	.023307831
E: 90,000 - 109,999	103.396741	101.610416	-1.2603509	.207545662
F: 110,000 - 129,999	106.76476	105.981312	-.60580011	.544648553
G: 130,000 - 149,999	108.877532	107.31377	-.85219781	.394107755
H: 150,000 - 169,999	110.987258	107.152191	-1.9451486	.051762624
I: 170,000 - 189,999	102.808238	107.43556	2.14966921	.031587875
J: 190,000 - 249,999	108.040564	115.343356	2.54749867	.010854966
K: 250,000 - 299,999	112.377993	108.196097	-1.4115514	.158091676
L: 300,000 and above	120.970235	112.216342	-2.0726194	.038225611
	107.121845	113.80441	.689462437	.490595765
	106.663769	107.276386	1.07853782	.280794207

14 rows selected.

## STATS\_WSR\_TEST

### Syntax



### Purpose

`STATS_WSR_TEST` is a Wilcoxon Signed Ranks test of paired samples to determine whether the median of the differences between the samples is significantly different from zero. The absolute values of the differences are ordered and assigned ranks. Then the null hypothesis states that the sum of the ranks of the positive differences is equal to the sum of the ranks of the negative differences.

This function takes two required arguments: `expr1` and `expr2` are the two samples being analyzed. The optional third argument lets you specify the meaning of the `NUMBER` value returned by this function, as shown in [Table 7-10](#). For this argument, you can specify a text literal, or a bind variable or expression that evaluates to a constant character value. If you omit the third argument, then the default is `'TWO_SIDED_SIG'`.


Table 7-10 STATS\_WSR\_TEST\_\* Return Values

Argument	Return Value Meaning
'STATISTIC'	The observed value of Z
'ONE_SIDED_SIG'	One-tailed significance of Z
'TWO_SIDED_SIG'	Two-tailed significance of Z

One-sided significance is always with respect to the upper tail. The high value (the value whose rejection region is the upper tail) is *expr1*.

## STDDEV

### Syntax



#### See Also:

"[Analytic Functions](#)" for information on syntax, semantics, and restrictions

### Purpose

STDDEV returns the sample standard deviation of *expr*, a set of numbers. You can use it as both an aggregate and analytic function. It differs from STDDEV\_SAMP in that STDDEV returns zero when it has only 1 row of input data, whereas STDDEV\_SAMP returns null.

Oracle Database calculates the standard deviation as the square root of the variance defined for the VARIANCE aggregate function.

This function takes as an argument any numeric data type or any nonnumeric data type that can be implicitly converted to a numeric data type. The function returns the same data type as the numeric data type of the argument.



#### See Also:

[Table 2-9](#) for more information on implicit conversion

If you specify DISTINCT, then you can specify only the *query\_partition\_clause* of the *analytic\_clause*. The *order\_by\_clause* and *windowing\_clause* are not allowed.



 **See Also:**

- "Aggregate Functions ", [VARIANCE](#) , and [STDDEV\\_SAMP](#)
- "About SQL Expressions " for information on valid forms of *expr*

**Aggregate Examples**

The following example returns the standard deviation of the salaries in the sample `hr.employees` table:

```
SELECT STDDEV(salary) "Deviation"
   FROM employees;
```

```
Deviation
-----
3909.36575
```


**Analytic Examples**

The query in the following example returns the cumulative standard deviation of the salaries in Department 80 in the sample table `hr.employees`, ordered by `hire_date`:

```
SELECT last_name, salary,
       STDDEV(salary) OVER (ORDER BY hire_date) "StdDev"
   FROM employees
  WHERE department_id = 30
  ORDER BY last_name, salary, "StdDev";
```

LAST_NAME	SALARY	StdDev
Baida	2900	4035.26125
Colmenares	2500	3362.58829
Himuro	2600	3649.2465
Khoo	3100	5586.14357
Raphaely	11000	0
Tobias	2800	4650.0896

## STDDEV\_POP

**Syntax** **See Also:**

- "Analytic Functions " for information on syntax, semantics, and restrictions

## Purpose

STDDEV\_POP computes the population standard deviation and returns the square root of the population variance. You can use it as both an aggregate and analytic function.

This function takes as an argument any numeric data type or any nonnumeric data type that can be implicitly converted to a numeric data type. The function returns the same data type as the numeric data type of the argument.



### See Also:

[Table 2-9](#) for more information on implicit conversion

This function is the same as the square root of the VAR\_POP function. When VAR\_POP returns null, this function returns null.



### See Also:

- ["Aggregate Functions "](#) and [VAR\\_POP](#)
- ["About SQL Expressions "](#) for information on valid forms of *expr*

## Aggregate Example

The following example returns the population and sample standard deviations of the amount of sales in the sample table `sh.sales`:

```
SELECT STDDEV_POP(amount_sold) "Pop",
       STDDEV_SAMP(amount_sold) "Samp"
FROM sales;
```

Pop	Samp
896.355151	896.355592

## Analytic Example

The following example returns the population standard deviations of salaries in the sample `hr.employees` table by department:


```
SELECT department_id, last_name, salary,
       STDDEV_POP(salary) OVER (PARTITION BY department_id) AS pop_std
FROM employees
ORDER BY department_id, last_name, salary, pop_std;
```

DEPARTMENT_ID	LAST_NAME	SALARY	POP_STD
10	Whalen	4400	0
20	Fay	6000	3500
20	Hartstein	13000	3500
30	Baida	2900	3069.6091
...			
100	Urman	7800	1644.18166

110 Gietz	8300	1850
110 Higgins	12000	1850
Grant	7000	0

## STDDEV\_SAMP

### Syntax



#### See Also:

"[Analytic Functions](#)" for information on syntax, semantics, and restrictions

### Purpose

STDDEV\_SAMP computes the cumulative sample standard deviation and returns the square root of the sample variance. You can use it as both an aggregate and analytic function.

This function takes as an argument any numeric data type or any nonnumeric data type that can be implicitly converted to a numeric data type. The function returns the same data type as the numeric data type of the argument.

#### See Also:

[Table 2-9](#) for more information on implicit conversion

This function is same as the square root of the VAR\_SAMP function. When VAR\_SAMP returns null, this function returns null.

#### See Also:

- "[Aggregate Functions](#)" and [VAR\\_SAMP](#)
- "[About SQL Expressions](#)" for information on valid forms of *expr*

### Aggregate Example

Refer to the aggregate example for [STDDEV\\_POP](#).

### Analytic Example

The following example returns the sample standard deviation of salaries in the `employees` table by department:

```

SELECT department_id, last_name, hire_date, salary,
       STDDEV_SAMP(salary) OVER (PARTITION BY department_id
                                ORDER BY hire_date
                                ROWS BETWEEN UNBOUNDED PRECEDING AND CURRENT ROW) AS cum_sdev
FROM employees
ORDER BY department_id, last_name, hire_date, salary, cum_sdev;


```

DEPARTMENT_ID	LAST_NAME	HIRE_DATE	SALARY	CUM_SDEV
10	Whalen	17-SEP-03	4400	
20	Fay	17-AUG-05	6000	4949.74747
20	Hartstein	17-FEB-04	13000	
30	Baida	24-DEC-05	2900	4035.26125
30	Colmenares	10-AUG-07	2500	3362.58829
30	Himuro	15-NOV-06	2600	3649.2465
30	Khoo	18-MAY-03	3100	5586.14357
30	Raphaely	07-DEC-02	11000	
. . .				
100	Greenberg	17-AUG-02	12008	2126.9772
100	Popp	07-DEC-07	6900	1804.13155
100	Sciarra	30-SEP-05	7700	1929.76233
100	Urman	07-MAR-06	7800	1788.92504
110	Gietz	07-JUN-02	8300	2621.95194
110	Higgins	07-JUN-02	12008	
	Grant	24-MAY-07	7000	

## SUBSTR

### Syntax

**substr::=**



### Purpose

The **SUBSTR** functions return a portion of *char*, beginning at character *position*, *substring\_length* characters long. **SUBSTR** calculates lengths using characters as defined by the input character set. **SUBSTRB** uses bytes instead of characters. **SUBSTRC** uses Unicode complete characters. **SUBSTR2** uses UCS2 code points. **SUBSTR4** uses UCS4 code points.

- If *position* is 0, then it is treated as 1.
- If *position* is positive, then Oracle Database counts from the beginning of *char* to find the first character.
- If *position* is negative, then Oracle counts backward from the end of *char*.

- If *substring\_length* is omitted, then Oracle returns all characters to the end of *char*. If *substring\_length* is less than 1, then Oracle returns null.

*char* can be any of the data types CHAR, VARCHAR2, NCHAR, NVARCHAR2, CLOB, or NCLOB. The exceptions are SUBSTRC, SUBSTR2, and SUBSTR4, which do not allow *char* to be a CLOB or NCLOB. Both *position* and *substring\_length* must be of data type NUMBER, or any data type that can be implicitly converted to NUMBER, and must resolve to an integer. The return value is the same data type as *char*, except that for a CHAR argument a VARCHAR2 value is returned, and for an NCHAR argument an NVARCHAR2 value is returned. Floating-point numbers passed as arguments to SUBSTR are automatically converted to integers.



### See Also:

- For a complete description of character length see *Oracle Database Globalization Support Guide* and *Oracle Database SecureFiles and Large Objects Developer's Guide*
- *Oracle Database Globalization Support Guide* for more information about SUBSTR functions and length semantics in different locales
- Appendix C in *Oracle Database Globalization Support Guide* for the collation derivation rules, which define the collation assigned to the character return value of SUBSTR

## Examples

The following example returns several specified substrings of "ABCDEFGH":

```
SELECT SUBSTR('ABCDEFGH',3,4) "Substring"
       FROM DUAL;
```

```
Substring
-----
CDEF
```

```
SELECT SUBSTR('ABCDEFGH',-5,4) "Substring"
       FROM DUAL;
```

```
Substring
-----
CDEF
```


Assume a double-byte database character set:

```
SELECT SUBSTRB('ABCDEFGH',5,4.2) "Substring with bytes"
       FROM DUAL;
```

```
Substring with bytes
-----
CD
```

# SUM

## Syntax



### See Also:

"[Analytic Functions](#)" for information on syntax, semantics, and restrictions

## Purpose

SUM returns the sum of values of *expr*. You can use it as an aggregate or analytic function.

This function takes as an argument any numeric data type or any nonnumeric data type that can be implicitly converted to a numeric data type. The function returns the same data type as the numeric data type of the argument.

Release 23 adds support for `INTERVAL` interval data types. However interval data types cannot be implicitly converted to a numeric data type. If the input is an `INTERVAL`, the function returns an `INTERVAL` with the same units as the input.



### See Also:

[Table 2-9](#) for more information on implicit conversion

If you specify `DISTINCT`, then you can specify only the *query\_partition\_clause* of the *analytic\_clause*. The *order\_by\_clause* and *windowing\_clause* are not allowed.



### See Also:

"[About SQL Expressions](#)" for information on valid forms of *expr* and "[Aggregate Functions](#)"

## Aggregate Example

The following example calculates the sum of all salaries in the sample `hr.employees` table:

```
SELECT SUM(salary) "Total"
       FROM employees;
```

```

Total
-----
691400

```

### Analytic Example

The following example calculates, for each manager in the sample table `hr.employees`, a cumulative total of salaries of employees who answer to that manager that are equal to or less than the current salary. You can see that Raphaely and Cambrault have the same cumulative total. This is because Raphaely and Cambrault have the identical salaries, so Oracle Database adds together their salary values and applies the same cumulative total to both rows.

```

SELECT manager_id, last_name, salary,
       SUM(salary) OVER (PARTITION BY manager_id ORDER BY salary
                        RANGE UNBOUNDED PRECEDING) l_csum
FROM employees
ORDER BY manager_id, last_name, salary, l_csum;

```

MANAGER_ID	LAST_NAME	SALARY	L_CSUM
100	<b>Cambrault</b>	<b>11000</b>	<b>68900</b>
100	De Haan	17000	155400
100	Errazuriz	12000	80900
100	Fripp	8200	36400
100	Hartstein	13000	93900
100	Kaufling	7900	20200
100	Kochhar	17000	155400
100	Mourgos	5800	5800
100	Partners	13500	107400
100	<b>Raphaely</b>	<b>11000</b>	<b>68900</b>
100	Russell	14000	121400
. . .			
149	Hutton	8800	39000
149	Johnson	6200	6200
149	Livingston	8400	21600
149	Taylor	8600	30200
201	Fay	6000	6000
205	Gietz	8300	8300
	King	24000	24000

## SYS\_CONNECT\_BY\_PATH

### Syntax

```

SYS_CONNECT_BY_PATH ( ( column , char ) )

```

### Purpose

`SYS_CONNECT_BY_PATH` is valid only in hierarchical queries. It returns the path of a column value from root to node, with column values separated by `char` for each row returned by `CONNECT BY` condition.

Both `column` and `char` can be any of the data types `CHAR`, `VARCHAR2`, `NCHAR`, or `NVARCHAR2`. The string returned is of `VARCHAR2` data type and is in the same character set as `column`.

 **See Also:**

- "[Hierarchical Queries](#)" for more information about hierarchical queries and CONNECT BY conditions
- Appendix C in *Oracle Database Globalization Support Guide* for the collation derivation rules, which define the collation assigned to the character return value of SYS\_CONNECT\_BY\_PATH

**Examples**


The following example returns the path of employee names from employee Kochhar to all employees of Kochhar (and their employees):

```
SELECT LPAD(' ', 2*level-1)||SYS_CONNECT_BY_PATH(last_name, '/') "Path"
FROM employees
START WITH last_name = 'Kochhar'
CONNECT BY PRIOR employee_id = manager_id;
```

Path

```
-----
/Kochhar/Greenberg/Chen
/Kochhar/Greenberg/Faviet
/Kochhar/Greenberg/Popp
/Kochhar/Greenberg/Sciarra
/Kochhar/Greenberg/Urman
/Kochhar/Higgins/Gietz
/Kochhar/Baer
/Kochhar/Greenberg
/Kochhar/Higgins
/Kochhar/Mavris
/Kochhar/Whalen
/Kochhar
```

## SYS\_CONTEXT

**Syntax****Purpose**

SYS\_CONTEXT returns the value of *parameter* associated with the context *namespace* at the current instant. You can use this function in both SQL and PL/SQL statements. SYS\_CONTEXT must be executed locally.

For *namespace* and *parameter*, you can specify either a string or an expression that resolves to a string designating a namespace or an attribute. If you specify literal arguments for *namespace* and *parameter*, and you are using SYS\_CONTEXT explicitly in a SQL statement—rather than in a PL/SQL function that in turn is mentioned in a SQL statement—then Oracle Database evaluates SYS\_CONTEXT only once per SQL statement execution for each call site that invokes the SYS\_CONTEXT function.



The context *namespace* must already have been created, and the associated *parameter* and its value must also have been set using the `DBMS_SESSION.set_context` procedure. The *namespace* must be a valid identifier. The *parameter* name can be any string. It is not case sensitive, but it cannot exceed 30 bytes in length.

The data type of the return value is `VARCHAR2`. The default maximum size of the return value is 256 bytes. You can override this default by specifying the optional *length* parameter, which must be a `NUMBER` or a value that can be implicitly converted to `NUMBER`. The valid range of values is 1 to 4000 bytes. If you specify an invalid value, then Oracle Database ignores it and uses the default.

Oracle provides the following built-in namespaces:

- `USERENV` - Describes the current session. The predefined parameters of namespace `USERENV` are listed in [Table 7-11](#).
- `SYS_SESSION_ROLES` - Indicates whether a specified role is currently enabled for the session. Oracle Database evaluates the `SYS_SESSION_ROLES` context for the current user, and assumes the defining user's role when it evaluates `SYS_SESSION_ROLES` within a definer's rights procedure or function. An alternative to using `SYS_SESSION_ROLES` to find the login user's enabled roles in a definer's rights procedure is to use the `DBMS_SESSION.SESSION_IS_ROLE_ENABLED` function. Invoker's rights, procedures or functions, and/or code based access control (CBAC) are also alternatives.

#### See Also:

- [Using Code Based Access Control for Definer's Rights and Invoker's Rights](#)
- [Oracle Database Security Guide](#) for information on using the application context feature in your application development
- [CREATE CONTEXT](#) for information on creating user-defined context namespaces
- [Oracle Database PL/SQL Packages and Types Reference](#) for information on the `DBMS_SESSION.set_context` procedure
- [Appendix C in Oracle Database Globalization Support Guide](#) for the collation derivation rules, which define the collation assigned to the character return value of `SYS_CONTEXT`

## Examples

The following statement returns the name of the user who logged onto the database:

```
CONNECT OE
Enter password: password

SELECT SYS_CONTEXT ('USERENV', 'SESSION_USER')
       FROM DUAL;

SYS_CONTEXT ('USERENV', 'SESSION_USER')
-----
OE
```

The following example queries the `SESSION_ROLES` data dictionary view to show that `RESOURCE` is the only role currently enabled for the session. It then uses the `SYS_CONTEXT` function to show that the `RESOURCE` role is currently enabled for the session and the `DBA` role is not.

```
CONNECT OE
Enter password: password

SELECT role FROM session_roles;

ROLE
-----
RESOURCE

SELECT SYS_CONTEXT('SYS_SESSION_ROLES', 'RESOURCE')
       FROM DUAL

SYS_CONTEXT('SYS_SESSION_ROLES', 'RESOURCE')
-----
TRUE

SELECT SYS_CONTEXT('SYS_SESSION_ROLES', 'DBA')
       FROM DUAL;

SYS_CONTEXT('SYS_SESSION_ROLES', 'DBA')
-----
FALSE
```

 **Note:**

For simplicity in demonstrating this feature, these examples do not perform the password management techniques that a deployed system normally uses. In a production environment, follow the Oracle Database password management guidelines, and disable any sample accounts. See *Oracle Database Security Guide* for password management guidelines and other security recommendations.

The following hypothetical example returns the group number that was set as the value for the attribute `group_no` in the PL/SQL package that was associated with the context `hr_apps` when `hr_apps` was created:

```
SELECT SYS_CONTEXT ('hr_apps', 'group_no') "User Group"
       FROM DUAL;
```

Starting with Oracle Database 23ai, users authenticating to the database using the legacy RADIUS API no longer are granted administrative privileges.

In previous releases, users authenticating with RADIUS API could be granted administrative privileges such as `SYSDBA` or `SYSBACKUP`. In Oracle Database 23ai, Oracle introduces a new RADIUS API that uses the latest standards. To grant administrative privileges to users, ensure the database connection to the database uses the new RADIUS API, and that you are using the Oracle Database 23ai client to connect to the Oracle Database 23ai server.

**Table 7-11** Predefined Parameters of Namespace USERENV

Parameter	Return Value
ACTION	Identifies the position in the module (application name) and is set through the DBMS_APPLICATION_INFO package or OCI.
AUDITED_CURSORID	Returns the cursor ID of the SQL that triggered the audit. This parameter is not valid in a fine-grained auditing environment. If you specify it in such an environment, then Oracle Database always returns null.
AUTHENTICATED_IDENTITY	<p>Returns the identity used in authentication. In the list that follows, the type of user is followed by the value returned:</p> <ul style="list-style-type: none"> <li>• Kerberos-authenticated enterprise user: kerberos principal name</li> <li>• Kerberos-authenticated external user : kerberos principal name; same as the schema name</li> <li>• SSL-authenticated enterprise user: the DN in the user's PKI certificate</li> <li>• SSL-authenticated external user: the DN in the user's PKI certificate</li> <li>• Password-authenticated enterprise user: nickname; same as the login name</li> <li>• Password-authenticated database user: the database username; same as the schema name</li> <li>• OS-authenticated external user: the external operating system user name</li> <li>• Radius-authenticated external user: the schema name</li> <li>• Proxy with DN : Oracle Internet Directory DN of the client</li> <li>• Proxy with certificate: certificate DN of the client</li> <li>• For single session proxy or dual session proxy without client authentication: database user name if proxy is a local database user; nickname if proxy is an enterprise user.</li> <li>• For dual session proxy with client authentication: database user name if client is a local database user; nickname if client is an enterprise user.</li> <li>• SYSDBA/SYSOPER using Password File: login name</li> <li>• SYSDBA/SYSOPER using OS authentication: operating system user name</li> </ul>
AUTHENTICATION_DATA	<p>Data being used to authenticate the login user. For X.503 certificate authenticated sessions, this field returns the context of the certificate in HEX2 format.</p> <p><b>Note:</b> You can change the return value of the AUTHENTICATION_DATA attribute using the <i>length</i> parameter of the syntax. Values of up to 4000 are accepted. This is the only attribute of USERENV for which Oracle Database implements such a change.</p>

Table 7-11 (Cont.) Predefined Parameters of Namespace USERENV

Parameter	Return Value
AUTHENTICATION_METHOD	<p>Returns the method of authentication. In the list that follows, the type of user is followed by the method returned:</p> <ul style="list-style-type: none"> <li>• Password-authenticated enterprise user, local database user, or user with the SYSDBA or SYSOPER administrative privilege using a password file; proxy with username using password: PASSWORD</li> <li>• Password-authenticated enterprise user, local database user, or user with the SYSDBA or SYSOPER administrative privilege using a password file; proxy with username using password: PASSWORD_GLOBAL</li> <li>• Kerberos-authenticated enterprise user or external user (with no administrative privileges): KERBEROS</li> <li>• Kerberos-authenticated enterprise user (with administrative privileges): KERBEROS_GLOBAL</li> <li>• Kerberos-authenticated external user (with administrative privileges): KERBEROS_EXTERNAL</li> <li>• SSL-authenticated enterprise or external user (with no administrative privileges): SSL</li> <li>• SSL-authenticated enterprise user (with administrative privileges): SSL_GLOBAL</li> <li>• SSL-authenticated external user (with administrative privileges): SSL_EXTERNAL</li> <li>• Radius-authenticated external user: RADIUS</li> <li>• OS-authenticated external user or use with the SYSDBA or SYSOPER administrative privilege: OS</li> <li>• Proxy authentication: AUTHENTICATION_METHOD used during authentication of PROXY_USER with "_PROXY" added at end. For example, if a proxy user uses PASSWORD to connect to the database, then the AUTHENTICATION_METHOD will be PASSWORD_PROXY.</li> </ul> <p>In the case of dual session proxy without client authentication: PROXYUSER_AUTHENTICATED_PROXY</p> <ul style="list-style-type: none"> <li>• Background process (job queue slave process): JOB</li> <li>• Parallel Query Slave process: PQ_SLAVE</li> </ul> <p>For non-administrative connections, you can use IDENTIFICATION_TYPE to distinguish between external and enterprise users when the authentication method is PASSWORD, KERBEROS, or SSL. For administrative connections, AUTHENTICATION_METHOD is sufficient for the PASSWORD, SSL_EXTERNAL, and SSL_GLOBAL authentication methods.</p>
BG_JOB_ID	Job ID of the current session if it was established by an Oracle Database background process. Null if the session was not established by a background process.
CDB_DOMAIN	CDB_DOMAIN is the DB_DOMAIN of the CDB and is the same for all the PDBs associated with it.
CDB_NAME	If queried while connected to a multitenant container database (CDB), returns the name of the CDB. Otherwise, returns null.
CLIENT_IDENTIFIER	Returns an identifier that is set by the application through the DBMS_SESSION.SET_IDENTIFIER procedure, the OCI attribute OCI_ATTR_CLIENT_IDENTIFIER, or Oracle Dynamic Monitoring Service (DMS). This attribute is used by various database components to identify lightweight application users who authenticate as the same database user.

**Table 7-11 (Cont.) Predefined Parameters of Namespace USERENV**

Parameter	Return Value
CLIENT_INFO	Returns up to 64 bytes of user session information that can be stored by an application using the DBMS_APPLICATION_INFO package.
CLIENT_PROGRAM_NAME	The name of the program used for the database session.
CLOUD_SERVICE	Only valid for cloud implementations. Returns DWCS on autonomous database management systems (ADW), OLTP on autonomous transaction processing systems (ATP), and JDCS on autonomous JSON database systems.
CON_ID	Returns the current container ID that the session is connected to.
CON_NAME	Returns the current container name that the session is connected to.
CURRENT_BIND	The bind variables for fine-grained auditing. You can specify this attribute only inside the event handler for the fine-grained auditing feature.
CURRENT_EDITION_ID	The identifier of the current edition.
CURRENT_EDITION_NAME	The name of the current edition.
CURRENT_SCHEMA	The name of the currently active default schema. This value may change during the duration of a session through use of an ALTER SESSION SET CURRENT_SCHEMA statement. This may also change during the duration of a session to reflect the owner of any active definer's rights object. When used directly in the body of a view definition, this returns the default schema used when executing the cursor that is using the view; it does not respect views used in the cursor as being definer's rights. <b>Note:</b> Oracle recommends against issuing the SQL statement ALTER SESSION SET CURRENT_SCHEMA from within all types of stored PL/SQL units except logon triggers.
CURRENT_SCHEMAID	Identifier of the currently active default schema.
CURRENT_SQL CURRENT_SQLn	CURRENT_SQL returns the first 4K bytes of the current SQL that triggered the fine-grained auditing event. The CURRENT_SQLn attributes return subsequent 4K-byte increments, where n can be an integer from 1 to 7, inclusive. CURRENT_SQL1 returns bytes 4K to 8K; CURRENT_SQL2 returns bytes 8K to 12K, and so forth. You can specify these attributes only inside the event handler for the fine-grained auditing feature.
CURRENT_SQL_LENGTH	The length of the current SQL statement that triggers fine-grained audit or row-level security (RLS) policy functions or event handlers. You can specify this attribute only inside the event handler for the fine-grained auditing feature.
CURRENT_USER	The name of the database user whose privileges are currently active. This may change during the duration of a database session as Real Application Security sessions are attached or detached, or to reflect the owner of any active definer's rights object. When no definer's rights object is active, CURRENT_USER returns the same value as SESSION_USER. When used directly in the body of a view definition, this returns the user that is executing the cursor that is using the view; it does not respect views used in the cursor as being definer's rights. For enterprise users, returns schema. If a Real Application Security user is currently active, returns user XS\$NULL. <b>See Also:</b> Oracle Database 2 Day + Security Guide for more information on user XS\$NULL
CURRENT_USERID	The identifier of the database user whose privileges are currently active.

Table 7-11 (Cont.) Predefined Parameters of Namespace USERENV

Parameter	Return Value
DATABASE_ROLE	The database role using the SYS_CONTEXT function with the USERENV namespace. The role is one of the following: PRIMARY, PHYSICAL STANDBY, LOGICAL STANDBY, SNAPSHOT STANDBY.
DB_DOMAIN	Domain of the database as specified in the DB_DOMAIN initialization parameter.
DB_NAME	Name of the database as specified in the DB_NAME initialization parameter.
DB_SUPPLEMENTAL_LOG_LEVEL	If supplemental logging is enabled, returns a string containing the list of enabled supplemental logging levels. Possible values are: ALL_COLUMN, FOREIGN_KEY, MINIMAL, PRIMARY_KEY, PROCEDURAL, and UNIQUE_INDEX. If supplemental logging is not enabled, returns null.
DB_UNIQUE_NAME	Name of the database as specified in the DB_UNIQUE_NAME initialization parameter.
DBLINK_INFO	Returns the source of a database link session. Specifically, it returns a string of the form:  SOURCE_GLOBAL_NAME= <i>dblink_src_global_name</i> , DBLINK_NAME= <i>dblink_name</i> , SOURCE_AUDIT_SESSIONID= <i>dblink_src_audit_sessionid</i>  where: <ul style="list-style-type: none"> <li><i>dblink_src_global_name</i> is the unique global name of the source database</li> <li><i>dblink_name</i> is the name of the database link on the source database</li> <li><i>dblink_src_audit_sessionid</i> is the audit session ID of the session on the source database that initiated the connection to the remote database using <i>dblink_name</i></li> </ul>
DRAIN_STATUS	Displays the draining status for the current session. Returns DRAINING if the session is a candidate for drain else returns NONE.
ENTRYID	The current audit entry number. The audit entryid sequence is shared between fine-grained audit records and regular audit records. You cannot use this attribute in distributed SQL statements. The correct auditing entry identifier can be seen only through an audit handler for standard or fine-grained audit.
ENTERPRISE_IDENTITY	Returns the user's enterprise-wide identity: <ul style="list-style-type: none"> <li>For enterprise users: the Oracle Internet Directory DN.</li> <li>For external users: the external identity (Kerberos principal name, Radius schema names, OS user name, Certificate DN).</li> <li>For local users and SYSDBA/SYSOPER logins: NULL.</li> </ul> The value of the attribute differs by proxy method: <ul style="list-style-type: none"> <li>For a proxy with DN: the Oracle Internet Directory DN of the client</li> <li>For a proxy with certificate: the certificate DN of the client for external users; the Oracle Internet Directory DN for global users</li> <li>For a proxy with username: the Oracle Internet Directory DN if the client is an enterprise users; Null if the client is a local database user.</li> </ul>
FG_JOB_ID	If queried from within a job that was created using the DBMS_JOB package: Returns the job ID of the current session if it was established by a client foreground process. Null if the session was not established by a foreground process.  Otherwise: Returns 0.

**Table 7-11 (Cont.) Predefined Parameters of Namespace USERENV**

Parameter	Return Value
GLOBAL_CONTEXT_MEMORY	Returns the number being used in the System Global Area by the globally accessed context.
GLOBAL_UID	Returns the global user ID (GUID) from Active Directory for Centrally Managed Users (CMU) logins, or from Oracle Internet Directory for Enterprise User Security (EUS) logins. Returns null for all other logins.
HOST	Name of the host machine from which the client has connected.
IDENTIFICATION_TYPE	Returns the way the user's schema was created in the database. Specifically, it reflects the IDENTIFIED clause in the CREATE/ALTER USER syntax. In the list that follows, the syntax used during schema creation is followed by the identification type returned: <ul style="list-style-type: none"> <li>IDENTIFIED BY <i>password</i>: LOCAL</li> <li>IDENTIFIED EXTERNALLY: EXTERNAL</li> <li>IDENTIFIED GLOBALLY: GLOBAL SHARED</li> <li>IDENTIFIED GLOBALLY AS <i>DN</i>: GLOBAL PRIVATE</li> <li>GLOBAL EXCLUSIVE for exclusive global user mapping.</li> <li>GLOBAL SHARED for shared user mapping.</li> <li>NONE when the schema is created with no authentication.</li> </ul>
INSTANCE	The instance identification number of the current instance.
INSTANCE_NAME	The name of the instance.
IP_ADDRESS	IP address of the machine from which the client is connected. If the client and server are on the same machine and the connection uses IPv6 addressing, then ::1 is returned.
IS_APPLY_SERVER	Returns TRUE if queried from within a SQL Apply server in a logical standby database. Otherwise, returns FALSE.
IS_DG_ROLLING_UPGRADE	Returns TRUE if a rolling upgrade of the database software in a Data Guard configuration, initiated by way of the DBMS_ROLLING package, is active. Otherwise, returns FALSE.
ISDBA	Returns TRUE if the user has been authenticated as having DBA privileges either through the operating system or through a password file.
LANG	The abbreviated name for the language, a shorter form than the existing 'LANGUAGE' parameter.
LANGUAGE	The language and territory currently used by your session, along with the database character set, in this form: language_territory.characterset
LDAP_SERVER_TYPE	Returns the configured LDAP server type, one of OID, AD(Active Directory), OID_G, OPENLDAP.
MODULE	The application name (module) set through the DBMS_APPLICATION_INFO package or OCI.
NETWORK_PROTOCOL	Network protocol being used for communication, as specified in the 'PROTOCOL= <i>protocol</i> ' portion of the connect string.
NLS_CALENDAR	The current calendar of the current session.
NLS_CURRENCY	The currency of the current session.
NLS_DATE_FORMAT	The date format for the session.

**Table 7-11 (Cont.) Predefined Parameters of Namespace USERENV**

Parameter	Return Value
NLS_DATE_LANGUAGE	The language used for expressing dates.
NLS_SORT	BINARY or the linguistic sort basis.
NLS_TERRITORY	The territory of the current session.
ORACLE_HOME	The full path name for the Oracle home directory.
OS_USER	Operating system user name of the client process that initiated the database session.
PID	Oracle process ID.
PLATFORM_SLASH	The slash character that is used as the file path delimiter for your platform.
POLICY_INVOKER	The invoker of row-level security (RLS) policy functions.
PROXY_ENTERPRISE_IDENTITY	Returns the Oracle Internet Directory DN when the proxy user is an enterprise user.
PROXY_USER	Name of the database user who opened the current session on behalf of SESSION_USER.
PROXY_USERID	Identifier of the database user who opened the current session on behalf of SESSION_USER.
SCHEDULER_JOB	Returns Y if the current session belongs to a foreground job or background job. Otherwise, returns N.
SERVER_HOST	The host name of the machine on which the instance is running.
SERVICE_NAME	The name of the service to which a given session is connected.
SESSION_DEFAULT_COLLATION	The default collation for the session, which is set by the ALTER SESSION SET DEFAULT_COLLATION ... statement.
SESSION_EDITION_ID	The identifier of the session edition.
SESSION_EDITION_NAME	The name of the session edition.
SESSION_USER	The name of the session user (the user who logged on). This may change during the duration of a database session as Real Application Security sessions are attached or detached. If a Real Application Security session is currently attached to the database session, returns user XS\$NULL.  <b>See Also:</b> <i>Oracle Database 2 Day + Security Guide</i> for more information on user XS\$NULL
SESSION_USERID	The identifier of the session user (the user who logged on).
SESSIONID	The auditing session identifier. You cannot use this attribute in distributed SQL statements.
SID	The session ID.
STANDBY_MAX_DATA_DELAY	The session parameter to specify allowed time limit to elapse between when changes are committed on primary database and when those changes can be queried on the standby database. If not set, returns null.
STATEMENTID	The auditing statement identifier. STATEMENTID represents the number of SQL statements audited in a given session. You cannot use this attribute in distributed SQL statements. The correct auditing statement identifier can be seen only through an audit handler for standard or fine-grained audit.




Table 7-11 (Cont.) Predefined Parameters of Namespace USERENV

Parameter	Return Value
TERMINAL	The operating system identifier for the client of the current session. In distributed SQL statements, this attribute returns the identifier for your local session. In a distributed environment, this is supported only for remote <code>SELECT</code> statements, not for remote <code>INSERT</code> , <code>UPDATE</code> , or <code>DELETE</code> operations. (The return length of this parameter may vary by operating system.)
TLS_CIPHERSUITE	Used to retrieve the ciphersuite negotiated during the TLS. Valid ciphersuite values can be found in the TLS chapter of the Database Security Guide.
TLS_VERSION	Used to retrieve the TLS version negotiated during the TLS session.
UNIFIED_AUDIT_SESSIONID	If queried while connected to a database that uses unified auditing or mixed mode auditing, returns the unified audit session ID. If queried while connected to a database that uses traditional auditing, returns null.

## SYS\_DBURIGEN

### Syntax



### Purpose

`SYS_DBURIGEN` takes as its argument one or more columns or attributes, and optionally a `rowid`, and generates a URL of data type `DBURITYPE` to a particular column or row object. You can then use the URL to retrieve an XML document from the database.

All columns or attributes referenced must reside in the same table. They must perform the function of a primary key. They need not actually match the primary key of the table, but they must reference a unique value. If you specify multiple columns, then all but the final column identify the row in the database, and the last column specified identifies the column within the row.

By default the URL points to a formatted XML document. If you want the URL to point only to the text of the document, then specify the optional `'text ()'`.

#### Note:

In this XML context, the lowercase `text` is a keyword, not a syntactic placeholder.

If the table or view containing the columns or attributes does not have a schema specified in the context of the query, then Oracle Database interprets the table or view name as a public synonym.

### See Also:

*Oracle XML DB Developer's Guide* for information on the `DBURITYPE` data type and XML documents in the database

### Examples

The following example uses the `SYS_DBURIGEN` function to generate a URL of data type `DBURITYPE` to the `email` column of the row in the sample table `hr.employees` where the `employee_id = 206`:

```
SELECT SYS_DBURIGEN(employee_id, email)
       FROM employees
       WHERE employee_id = 206;

SYS_DBURIGEN(EMPLOYEE_ID,EMAIL) (URL, SPARE)
-----
DBURITYPE ('/PUBLIC/EMPLOYEES/ROW[EMPLOYEE_ID='206']/EMAIL', NULL)
```

## SYS\_EXTRACT\_UTC

### Syntax

```
→ SYS_EXTRACT_UTC ( ( → datetime_with_timezone → ) → ) →
```

### Purpose

`SYS_EXTRACT_UTC` extracts the UTC (Coordinated Universal Time—formerly Greenwich Mean Time) from a datetime value with time zone offset or time zone region name. If a time zone is not specified, then the datetime is associated with the session time zone.

### Examples

The following example extracts the UTC from a specified datetime:

```
SELECT SYS_EXTRACT_UTC(TIMESTAMP '2000-03-28 11:30:00.00 -08:00')
       FROM DUAL;

SYS_EXTRACT_UTC(TIMESTAMP'2000-03-2811:30:00.00-08:00')
-----
28-MAR-00 07.30.00 PM
```

# SYS\_GUID

## Syntax

```
SYS_GUID ( )
```

## Purpose

`SYS_GUID` generates and returns a globally unique identifier (RAW value) made up of 16 bytes. On most platforms, the generated identifier consists of a host identifier, a process or thread identifier of the process or thread invoking the function, and a nonrepeating value (sequence of bytes) for that process or thread.

## Examples

The following example adds a column to the sample table `hr.locations`, inserts unique identifiers into each row, and returns the 32-character hexadecimal representation of the 16-byte RAW value of the global unique identifier:

```
ALTER TABLE locations ADD (uid_col RAW(16));
```

```
UPDATE locations SET uid_col = SYS_GUID();
```

```
SELECT location_id, uid_col FROM locations
       ORDER BY location_id, uid_col;
```

```
LOCATION_ID UID_COL
-----
```

```
1000 09F686761827CF8AE040578CB20B7491
1100 09F686761828CF8AE040578CB20B7491
1200 09F686761829CF8AE040578CB20B7491
1300 09F68676182ACF8AE040578CB20B7491
1400 09F68676182BCF8AE040578CB20B7491
1500 09F68676182CCF8AE040578CB20B7491
. . .
```

# SYS\_OP\_ZONE\_ID

## Syntax

```
SYS_OP_ZONE_ID ( ( schema . table . t_alias . , scale ) )
```

## Purpose

`SYS_OP_ZONE_ID` takes as its argument a rowid and returns a zone ID. The rowid identifies a row in a table. The zone ID identifies the set of contiguous disk blocks, called the zone, that contains the row. The function returns a NUMBER value.

The `SYS_OP_ZONE_ID` function is used when creating a zone map with the `CREATE MATERIALIZED ZONEMAP` statement. You must specify `SYS_OP_ZONE_ID` in the `SELECT` and `GROUP BY` clauses of the defining subquery of the zone map.

For `rowid`, specify the `ROWID` pseudocolumn of the fact table of the zone map.

Use `schema` and `table` to specify the schema and name of the fact table, or `t_alias` to specify the table alias for the fact table. The specification of these parameters depends on the `FROM` clause in the defining subquery of the zone map:

- If the `FROM` clause specifies a table alias for the fact table, then you must also specify the table alias (`t_alias`) in `SYS_OP_ZONE_ID`.
- If the `FROM` clause does not specify a table alias for the fact table, then use `table` to specify the name of the fact table. You can use the `schema` qualifier if the fact table is in a schema other than your own. If you omit `schema`, then the database assumes the fact table is in your own schema. If the `FROM` clause specifies only one table (the fact table) then you need not specify `schema` or `table`.

The optional `scale` parameter represents the scale of the zone map. It is not necessary to specify this parameter because, by default, `SYS_OP_ZONE_ID` uses the scale of the zone map being created. If you do specify `scale`, then it must match the scale of the zone map being created. Refer to the [SCALE](#) clause of `CREATE MATERIALIZED ZONEMAP` for information on specifying the scale of a zone map.



#### See Also:

[CREATE MATERIALIZED ZONEMAP](#) for more information on creating zone maps

### Examples

The following example uses the `SYS_OP_ZONE_ID` function when creating a basic zone map that tracks the column `time_id` of the fact table `sales`. The scale of the zone map is the default value of 10. Therefore, the `SYS_OP_ZONE_ID` function will default to a scale value of 10.

```
CREATE MATERIALIZED ZONEMAP sales_zmap
AS
  SELECT SYS_OP_ZONE_ID(rowid), MIN(time_id), MAX(time_id)
  FROM sales
  GROUP BY SYS_OP_ZONE_ID(rowid);
```

The following example is similar to the previous example, except that the scale of the zone map being created is specified as 8. Therefore, the `SYS_OP_ZONE_ID` function will default to a scale value of 8.

```
CREATE MATERIALIZED ZONEMAP sales_zmap
SCALE 8
AS
  SELECT SYS_OP_ZONE_ID(rowid), MIN(time_id), MAX(time_id)
  FROM sales
  GROUP BY SYS_OP_ZONE_ID(rowid);
```

The following example returns an error because the scale of the zone map being created is specified as 8, which does not match the *scale* argument of 12 specified in the `SYS_OP_ZONE_ID` function.


```
CREATE MATERIALIZED ZONEMAP sales_zmap
SCALE 8
AS
  SELECT SYS_OP_ZONE_ID(rowid,12), MIN(time_id), MAX(time_id)
  FROM sales
  GROUP BY SYS_OP_ZONE_ID(rowid,12);
```

The following example creates a join zone map. The fact table is `sales` and the dimension tables are `products` and `customers`. Because the table alias `s` is specified for the fact table in the `FROM` clause, the table alias `s` is also specified in the `SYS_OP_ZONE_ID` function.

```
CREATE MATERIALIZED ZONEMAP sales_zmap
AS
  SELECT SYS_OP_ZONE_ID(s.rowid),
         MIN(prod_category), MAX(prod_category),
         MIN(country_id), MAX(country_id)
  FROM sales s, products p, customers c
  WHERE s.prod_id = p.prod_id(+) AND
         s.cust_id = c.cust_id(+)
  GROUP BY SYS_OP_ZONE_ID(s.rowid);
```

## SYS\_ROW\_ETAG

### Syntax



### Purpose

You can use `ETAGS` with table data, for lock-free row updates using SQL. To do that, use function `SYS_ROW_ETAG`, to obtain the current state of a given set of columns in a table row as an `ETAG` hash value. Function `SYS_ROW_ETAG` calculates an `etag` (128 bits hash value) for a row using the values of a set of columns in the row that you want the `etag` to be computed on. You can pass the function the names of the columns in any order.

Function `SYS_ROW_ETAG` calculates the `ETAG` value for a row using only the values of those columns in the row: you pass it the names of all columns that you want to be sure no other session tries to update concurrently. This includes the columns that the current session intends to update, but also any other columns on whose value that updating operation logically depends for your application. (The order in which you pass the columns to `SYS_ROW_ETAG` as arguments is irrelevant.)

### Example

The example below creates table `foo` with columns `c1`, `c2`, and `c3` of type `NUMBER`, and inserts values into the table. It then passes columns `c2` and `c1` to `SYS_ROW_ETAG` to get the `etag` for `c2` and `c1`:

```

CREATE TABLE foo (c1 NUMBER, c2 NUMBER, c3 NUMBER);

Table created.

INSERT INTO foo VALUES (1, 2, 3);

1 row created.

SELECT SYS_ROW_ETAG(c2, c1) FROM foo;

SYS_ROW_ETAG(C2,C1)
-----
3B978191AD0C828DA0E6A53EDF0B278A
-----

```

### See Also:

Example 4.18 in the JSON-Relational Duality Developer's Guide *Using Function SYS\_ROW\_ETAG To Optimistically Control Concurrent Table Updates*

## SYS\_TYPEID

### Syntax

```

→ SYS_TYPEID ( ( object_type_value ) ) →

```

### Purpose

`SYS_TYPEID` returns the typeid of the most specific type of the operand. This value is used primarily to identify the type-discriminant column underlying a substitutable column. For example, you can use the value returned by `SYS_TYPEID` to build an index on the type-discriminant column.

You can use this function only on object type operands. All final root object types—final types not belonging to a type hierarchy—have a null typeid. Oracle Database assigns to all types belonging to a type hierarchy a unique non-null typeid.

### See Also:

*Oracle Database Object-Relational Developer's Guide* for more information on typeids

### Examples

The following examples use the tables `persons` and `books`, which are created in "[Substitutable Table and Column Examples](#)". The first query returns the most specific types of the object instances stored in the `persons` table.

```
SELECT name, SYS_TYPEID(VALUE(p)) "Type_id" FROM persons p;
```

NAME	Type_id
Bob	01
Joe	02
Tim	03

The next query returns the most specific types of authors stored in the table `books`:


```
SELECT b.title, b.author.name, SYS_TYPEID(author)
       "Type_ID" FROM books b;
```

TITLE	AUTHOR.NAME	Type_ID
An Autobiography	Bob	01
Business Rules	Joe	02
Mixing School and Work	Tim	03

You can use the `SYS_TYPEID` function to create an index on the type-discriminant column of a table. For an example, see ["Indexing on Substitutable Columns: Examples"](#).

## SYS\_XMLAGG

### Syntax



### Purpose

`SYS_XMLAgg` aggregates all of the XML documents or fragments represented by `expr` and produces a single XML document. It adds a new enclosing element with a default name `ROWSET`. If you want to format the XML document differently, then specify `fmt`, which is an instance of the `XMLFormat` object.

#### See Also:

[SYS\\_XMLGEN](#) and ["XML Format Model"](#) for using the attributes of the `XMLFormat` type to format `SYS_XMLAgg` results

### Examples

The following example uses the `SYS_XMLGen` function to generate an XML document for each row of the sample table `employees` where the employee's last name begins with the letter R, and then aggregates all of the rows into a single XML document in the default enclosing element `ROWSET`:

```
SELECT SYS_XMLAGG(SYS_XMLGEN(last_name)) XMLAGG
       FROM employees
       WHERE last_name LIKE 'R%'
       ORDER BY xmlagg;
```

```

XMLAGG
-----
<?xml version="1.0"?>
<ROWSET>
<LAST_NAME>Rajs</LAST_NAME>
<LAST_NAME>Raphaely</LAST_NAME>
<LAST_NAME>Rogers</LAST_NAME>
<LAST_NAME>Russell</LAST_NAME>
</ROWSET>

```

## SYS\_XMLGEN



### Note:

The `SYS_XMLGen` function is deprecated. It is still supported for backward compatibility. However, Oracle recommends that you use the SQL/XML generation functions instead. See *Oracle XML DB Developer's Guide* for more information.

### Syntax



### Purpose

`SYS_XMLGen` takes an expression that evaluates to a particular row and column of the database, and returns an instance of type `XMLType` containing an XML document. The `expr` can be a scalar value, a user-defined type, or an `XMLType` instance.

- If `expr` is a scalar value, then the function returns an XML element containing the scalar value.
- If `expr` is a type, then the function maps the user-defined type attributes to XML elements.
- If `expr` is an `XMLType` instance, then the function encloses the document in an XML element whose default tag name is `ROW`.

By default the elements of the XML document match the elements of `expr`. For example, if `expr` resolves to a column name, then the enclosing XML element will be the same column name. If you want to format the XML document differently, then specify `fmt`, which is an instance of the `XMLFormat` object.



### See Also:

"[XML Format Model](#)" for a description of the `XMLFormat` type and how to use its attributes to format `SYS_XMLGen` results



## Examples

The following example retrieves the employee email ID from the sample table `oe.employees` where the `employee_id` value is 205, and generates an instance of an `XMLType` containing an XML document with an `EMAIL` element.

```
SELECT SYS_XMLGEN(email)
       FROM employees
       WHERE employee_id = 205;
```

```
SYS_XMLGEN(EMAIL)
```

```
-----
<?xml version="1.0"?>
<EMAIL>SHIGGINS</EMAIL>
```

# SYSDATE

## Syntax

```
→ SYSDATE →
```

## Purpose

`SYSDATE` returns the current date and time set for the operating system on which the database server resides. The data type of the returned value is `DATE`, and the format returned depends on the value of the `NLS_DATE_FORMAT` initialization parameter. The function requires no arguments. In distributed SQL statements, this function returns the date and time set for the operating system of your local database. You cannot use this function in the condition of a `CHECK` constraint.

In a multitenant setup existing PDBs and PDBs created later inherit the timezone of the system.

If you want `SYSDATE` to return the timezone of the PDB, then you must set the initialization parameter `TIME_AT_DBTIMEZONE` to `TRUE` before starting the PDB.

You can change the timezone using `ALTER SYSTEM SET TIME_ZONE` or `ALTER DATABASE db_name SET TIME_ZONE`.

You can set `SYSTIMESTAMP` to return system time by setting the initialization parameter `TIME_AT_DBTIMEZONE` to `FALSE` and restarting the database.

### Note:

- For more see `TIME_AT_DBTIMEZONE` of the Oracle Database Reference.
- The `FIXED_DATE` initialization parameter enables you to set a constant date and time that `SYSDATE` will always return instead of the current date and time. This parameter is useful primarily for testing. Refer to *Oracle Database Reference* for more information on the `FIXED_DATE` initialization parameter.

## Examples

The following example returns the current operating system date and time:

```
SELECT TO_CHAR
       (SYSDATE, 'MM-DD-YYYY HH24:MI:SS') "NOW"
FROM DUAL;
```

```
NOW
-----
04-13-2001 09:45:51
```

# SYSTIMESTAMP

## Syntax

```
→ SYSTIMESTAMP →
```

## Purpose

`SYSTIMESTAMP` returns the system date, including fractional seconds and time zone, of the system on which the database resides. The return type is `TIMESTAMP WITH TIME ZONE`.

In a multitenant setup existing PDBs and PDBs created later inherit the timezone of the system.

If you want `SYSTIMESTAMP` to return the timezone of the PDB, then you must set the initialization parameter `TIME_AT_DBTIMEZONE` to `TRUE` before starting the PDB.

You can change the timezone using `ALTER SYSTEM SET TIME_ZONE` or `ALTER DATABASE db_name SET TIME_ZONE`.

You can set `SYSTIMESTAMP` to return system time by setting the initialization parameter `TIME_AT_DBTIMEZONE` to `FALSE` and restarting the database.



### Note:

For more see `TIME_AT_DBTIMEZONE` of the Oracle Database Reference.

## Examples

The following example returns the system timestamp:

```
SELECT SYSTIMESTAMP FROM DUAL;
```

```
SYSTIMESTAMP
-----
28-MAR-00 12.38.55.538741 PM -08:00
```

The following example shows how to explicitly specify fractional seconds:

```
SELECT TO_CHAR(SYSTIMESTAMP, 'SSSS.FF') FROM DUAL;
```

```
TO_CHAR(SYSTIME
-----
55615.449255
```

The following example returns the current timestamp in a specified time zone:

```
SELECT SYSTIMESTAMP AT TIME ZONE 'UTC' FROM DUAL;
```

```
SYSTIMESTAMPATTIMEZONE'UTC'
-----
08-07-21 20:39:52,743557 UTC
```

The output format in this example depends on the `NLS_TIMESTAMP_TZ_FORMAT` for the session.

## TAN

### Syntax

```
→ TAN ( n ) →
```

### Purpose

`TAN` returns the tangent of  $n$  (an angle expressed in radians).

This function takes as an argument any numeric data type or any nonnumeric data type that can be implicitly converted to a numeric data type. If the argument is `BINARY_FLOAT`, then the function returns `BINARY_DOUBLE`. Otherwise the function returns the same numeric data type as the argument.



### See Also:

[Table 2-9](#) for more information on implicit conversion

### Examples

The following example returns the tangent of 135 degrees:

```
SELECT TAN(135 * 3.14159265359/180)
       "Tangent of 135 degrees" FROM DUAL;
```

```
Tangent of 135 degrees
-----
- 1
```

## TANH

### Syntax

```
→ TANH ( n ) →
```

## Purpose

TANH returns the hyperbolic tangent of *n*.

This function takes as an argument any numeric data type or any nonnumeric data type that can be implicitly converted to a numeric data type. If the argument is BINARY\_FLOAT, then the function returns BINARY\_DOUBLE. Otherwise the function returns the same numeric data type as the argument.



### See Also:

Table 2-9 for more information on implicit conversion

## Examples

The following example returns the hyperbolic tangent of .5:

```
SELECT TANH(.5) "Hyperbolic tangent of .5"
       FROM DUAL;
```

```
Hyperbolic tangent of .5
-----
                .462117157
```

# TIMESTAMP\_TO\_SCN

## Syntax

```
→ [TIMESTAMP_TO_SCN] ( timestamp ) →
```

## Purpose

TIMESTAMP\_TO\_SCN takes as an argument a timestamp value and returns the approximate system change number (SCN) associated with that timestamp. The returned value is of data type NUMBER. This function is useful any time you want to know the SCN associated with a particular timestamp.



### Note:

The association between an SCN and a timestamp when the SCN is generated is remembered by the database for a limited period of time. This period is the maximum of the auto-tuned undo retention period, if the database runs in the Automatic Undo Management mode, and the retention times of all flashback archives in the database, but no less than 120 hours. The time for the association to become obsolete elapses only when the database is open. An error is returned if the timestamp specified for the argument to TIMESTAMP\_TO\_SCN is too old.

**See Also:**

[SCN\\_TO\\_TIMESTAMP](#) for information on converting SCNs to timestamp

**Examples**

The following example inserts a row into the `oe.orders` table and then uses `TIMESTAMP_TO_SCN` to determine the system change number of the insert operation. (The actual SCN returned will differ on each system.)

```
INSERT INTO orders (order_id, order_date, customer_id, order_total)
VALUES (5000, SYSTIMESTAMP, 188, 2345);
1 row created.
```

```
COMMIT;
Commit complete.
```

```
SELECT TIMESTAMP_TO_SCN(order_date) FROM orders
WHERE order_id = 5000;
```

```
TIMESTAMP_TO_SCN(ORDER_DATE)
-----
                          574100
```

## TO\_APPROX\_COUNT\_DISTINCT

**Syntax**

```
→ TO_APPROX_COUNT_DISTINCT ( ( detail ) ) →
```

**Purpose**

`TO_APPROX_COUNT_DISTINCT` takes as its input a detail containing information about an approximate distinct value count, and converts it to a `NUMBER` value.

For *detail*, specify a detail of type `BLOB`, which was created by the `APPROX_COUNT_DISTINCT_DETAIL` function or the `APPROX_COUNT_DISTINCT_AGG` function.

**See Also:**


- [APPROX\\_COUNT\\_DISTINCT\\_DETAIL](#)
- [TO\\_APPROX\\_COUNT\\_DISTINCT](#)

**Examples**

Refer to [TO\\_APPROX\\_COUNT\\_DISTINCT: Examples](#) for examples of using the `TO_APPROX_COUNT_DISTINCT` function in conjunction with the `APPROX_COUNT_DISTINCT_DETAIL` and `APPROX_COUNT_DISTINCT_AGG` functions.

# TO\_APPROX\_PERCENTILE

## Syntax



## Purpose

`TO_APPROX_PERCENTILE` takes as its input a detail containing approximate percentile information, a percentile value, and a sort specification, and returns an approximate interpolated value that would fall into that percentile value with respect to the sort specification.

For *detail*, specify a detail of type `BLOB`, which was created by the `APPROX_PERCENTILE_DETAIL` function or the `APPROX_PERCENTILE_AGG` function.

For *expr*, specify a percentile value, which must evaluate to a numeric value between 0 and 1. If you specify the `ERROR_RATE` or `CONFIDENCE` clause, then the percentile value does not apply. In this case, for *expr* you must specify null or a numeric value between 0 and 1. However, the value will be ignored.

For *datatype*, specify the data type of the approximate percentile information in the detail. This is the data type of the expression supplied to the `APPROX_PERCENTILE_DETAIL` function that originated the detail. Valid data types are `NUMBER`, `BINARY_FLOAT`, `BINARY_DOUBLE`, `DATE`, `TIMESTAMP`, `INTERVAL YEAR TO MONTH`, and `INTERVAL DAY TO SECOND`.

### DESC | ASC

Specify the sort specification for the interpolation. Specify `DESC` for a descending sort order, or `ASC` for an ascending sort order. `ASC` is the default.

### ERROR\_RATE | CONFIDENCE

These clauses let you determine the accuracy of the percentile evaluation of the detail. If you specify one of these clauses, then instead of returning the approximate interpolated value, the function returns a decimal value from 0 to 1, inclusive, which represents one of the following values:

- If you specify `ERROR_RATE`, then the return value represents the error rate of the percentile evaluation for the detail.
- If you specify `CONFIDENCE`, then the return value represents the confidence level for the error rate returned when you specify `ERROR_RATE`.

If you specify `ERROR_RATE` or `CONFIDENCE`, then the percentile value *expr* is ignored.


 See Also:

- [APPROX\\_PERCENTILE\\_DETAIL](#)
- [APPROX\\_PERCENTILE\\_AGG](#)

**Examples**

Refer to [APPROX\\_PERCENTILE\\_AGG: Examples](#) for examples of using the `TO_APPROX_PERCENTILE` function in conjunction with the `APPROX_PERCENTILE_DETAIL` and `APPROX_PERCENTILE_AGG` functions.

# TO\_BINARY\_DOUBLE

**Syntax****Purpose**

`TO_BINARY_DOUBLE` converts *expr* to a double-precision floating-point number.

- *expr* can be any expression that evaluates to a character string of type `CHAR`, `VARCHAR2`, `NCHAR`, or `NVARCHAR2`, a numeric value of type `NUMBER`, `BINARY_FLOAT`, or `BINARY_DOUBLE`, `BOOLEAN`, or null. If *expr* is `BINARY_DOUBLE`, then the function returns *expr*. If *expr* evaluates to null, then the function returns null. Otherwise, the function converts *expr* to a `BINARY_DOUBLE` value.
- The optional `DEFAULT return_value ON CONVERSION ERROR` clause allows you to specify the value returned by this function if an error occurs while converting *expr* to `BINARY_DOUBLE`. This clause has no effect if an error occurs while evaluating *expr*. The *return\_value* can be an expression or a bind variable, and must evaluate to a character string of type `CHAR`, `VARCHAR2`, `NCHAR`, or `NVARCHAR2`, a numeric value of type `NUMBER`, `BINARY_FLOAT`, or `BINARY_DOUBLE`, or null. The function converts *return\_value* to `BINARY_DOUBLE` in the same way it converts *expr* to `BINARY_DOUBLE`. If *return\_value* cannot be converted to `BINARY_DOUBLE`, then the function returns an error.
- The optional `'fmt'` and `'nlsparam'` arguments serve the same purpose as for the `TO_NUMBER` function. If you specify these arguments, then *expr* and *return\_value*, if specified, must each be a character string or null. If either is a character string, then the function uses the *fmt* and *nlsparam* arguments to convert the character string to a `BINARY_DOUBLE` value.

If *expr* or *return\_value* evaluate to the following character strings, then the function converts them as follows:

- The case-insensitive string 'INF' is converted to positive infinity.
- The case-insensitive string '-INF' is converted to negative identity.
- The case-insensitive string 'NaN' is converted to NaN (not a number).

You cannot use a floating-point number format element (F, f, D, or d) in a character string *expr*.

Conversions from character strings or NUMBER to BINARY\_DOUBLE can be inexact, because the NUMBER and character types use decimal precision to represent the numeric value, and BINARY\_DOUBLE uses binary precision.

Conversions from BINARY\_FLOAT to BINARY\_DOUBLE are exact.

If you specify an *expr* of type BOOLEAN, then TRUE will be converted to 1 and FALSE will be converted to 0.



### See Also:

[TO\\_CHAR \(number\)](#) and "Floating-Point Numbers "

## Examples

The examples that follow are based on a table with three columns, each with a different numeric data type:

```
CREATE TABLE float_point_demo
  (dec_num NUMBER(10,2), bin_double BINARY_DOUBLE, bin_float BINARY_FLOAT);
```

```
INSERT INTO float_point_demo
  VALUES (1234.56,1234.56,1234.56);
```

```
SELECT * FROM float_point_demo;
```

```
   DEC_NUM BIN_DOUBLE  BIN_FLOAT
-----
1234.56  1.235E+003  1.235E+003
```

The following example converts a value of data type NUMBER to a value of data type BINARY\_DOUBLE:

```
SELECT dec_num, TO_BINARY_DOUBLE(dec_num)
  FROM float_point_demo;
```

```
   DEC_NUM TO_BINARY_DOUBLE(DEC_NUM)
-----
1234.56          1.235E+003
```

The following example compares extracted dump information from the dec\_num and bin\_double columns:

```
SELECT DUMP(dec_num) "Decimal",
  DUMP(bin_double) "Double"
  FROM float_point_demo;
```

```
Decimal          Double
```



-----  
Typ=2 Len=4: 194,13,35,57    Typ=101 Len=8: 192,147,74,61,112,163,215,10


The following example returns the default value of 0 because the specified expression cannot be converted to a BINARY\_DOUBLE value:

```
SELECT TO_BINARY_DOUBLE('2oo' DEFAULT 0 ON CONVERSION ERROR) "Value"
FROM DUAL;
```

```
Value
-----
0
```

## TO\_BINARY\_FLOAT

### Syntax



### Purpose

TO\_BINARY\_FLOAT converts *expr* to a single-precision floating-point number.

- *expr* can be any expression that evaluates to a character string of type CHAR, VARCHAR2, NCHAR, or NVARCHAR2, a numeric value of type NUMBER, BINARY\_FLOAT, or BINARY\_DOUBLE, BOOLEAN, or null. If *expr* is BINARY\_FLOAT, then the function returns *expr*. If *expr* evaluates to null, then the function returns null. Otherwise, the function converts *expr* to a BINARY\_FLOAT value.
- The optional DEFAULT *return\_value* ON CONVERSION ERROR clause allows you to specify the value returned by this function if an error occurs while converting *expr* to BINARY\_FLOAT. This clause has no effect if an error occurs while evaluating *expr*. The *return\_value* can be an expression or a bind variable, and must evaluate to a character string of type CHAR, VARCHAR2, NCHAR, or NVARCHAR2, a numeric value of type NUMBER, BINARY\_FLOAT, or BINARY\_DOUBLE, or null. The function converts *return\_value* to BINARY\_FLOAT in the same way it converts *expr* to BINARY\_FLOAT. If *return\_value* cannot be converted to BINARY\_FLOAT, then the function returns an error.
- The optional '*fmt*' and '*nlsparam*' arguments serve the same purpose as for the TO\_NUMBER function. If you specify these arguments, then *expr* and *return\_value*, if specified, must each be a character string or null. If either is a character string, then the function uses the *fmt* and *nlsparam* arguments to convert the character string to a BINARY\_FLOAT value.

If *expr* or *return\_value* evaluate to the following character strings, then the function converts them as follows:

- The case-insensitive string 'INF' is converted to positive infinity.

- The case-insensitive string '-INF' is converted to negative identity.
- The case-insensitive string 'NaN' is converted to NaN (not a number).

You cannot use a floating-point number format element (F, f, D, or d) in a character string *expr*.

Conversions from character strings or NUMBER to BINARY\_FLOAT can be inexact, because the NUMBER and character types use decimal precision to represent the numeric value and BINARY\_FLOAT uses binary precision.

Conversions from BINARY\_DOUBLE to BINARY\_FLOAT are inexact if the BINARY\_DOUBLE value uses more bits of precision than supported by the BINARY\_FLOAT.

If you specify an *expr* of type BOOLEAN, then TRUE will be converted to 1 and FALSE will be converted to 0.



### See Also:

[TO\\_CHAR \(number\)](#) and "Floating-Point Numbers "

## Examples

Using table `float_point_demo` created for [TO\\_BINARY\\_DOUBLE](#) , the following example converts a value of data type NUMBER to a value of data type BINARY\_FLOAT:

```
SELECT dec_num, TO_BINARY_FLOAT(dec_num)
FROM float_point_demo;
```

```
DEC_NUM TO_BINARY_FLOAT(DEC_NUM)
-----
1234.56          1.235E+003
```

The following example returns the default value of 0 because the specified expression cannot be converted to a BINARY\_FLOAT value:


```
SELECT TO_BINARY_FLOAT('2oo' DEFAULT 0 ON CONVERSION ERROR) "Value"
FROM DUAL;
```

```
Value
-----
0
```

## TO\_BLOB (bfile)

### Syntax

**to\_blob\_bfile::=**



## Purpose

TO\_BLOB (bfile) converts a BFILE value to a BLOB value.

For *mime\_type*, specify the MIME type to be set on the BLOB value returned by this function. If you omit *mime\_type*, then a MIME type will not be set on the BLOB value.

## Example

The following hypothetical example returns the BLOB of a BFILE column value `media_col` in table `media_tab`. It sets the MIME type to `JPEG` on the resulting BLOB.

```
SELECT TO_BLOB(media_col, 'JPEG') FROM media_tab;
```

# TO\_BLOB (raw)

## Syntax

**to\_blob::=**

→ TO\_BLOB ( ( raw\_value ) ) →

## Purpose



### Note:

All forms of LONG data types (LONG, LONG RAW, LONG VARCHAR, LONG VARRAW) were deprecated in Oracle8i Release 8.1.6. For succeeding releases, the LONG data type was provided for backward compatibility with existing applications. In new applications developed with later releases, Oracle strongly recommends that you use CLOB and NCLOB data types for large amounts of character data.

TO\_BLOB (raw) converts LONG RAW and RAW values to BLOB values.

From within a PL/SQL package, you can use TO\_BLOB (raw) to convert RAW and BLOB values to BLOB.

## Examples

The following hypothetical example returns the BLOB of a RAW column value:

```
SELECT TO_BLOB(raw_column) blob FROM raw_table;
```


```
BLOB
```

```
-----
```

```
00AADD343CDBBD
```

# TO\_BOOLEAN

## Syntax



## Purpose

Use `TO_BOOLEAN` to explicitly convert character value expressions or numeric value expressions to boolean values.

If `expr` is a string, it must evaluate to the allowed string inputs. See [Table 2-6](#).

`expr` can take one of the following types, or null:

- A character string of type `CHAR`, `VARCHAR2`, `NCHAR`, `NVARCHAR2`
- A numeric value of type `NUMBER`, `BINARY_FLOAT`, or `BINARY_DOUBLE`
- A boolean value of type `BOOLEAN`.

## Examples

```
SELECT TO_BOOLEAN(0), TO_BOOLEAN('true'), TO_BOOLEAN('no');
```

The output is:

```
TO_BOOLEAN( TO_BOOLEAN( TO_BOOLEAN(
-----
FALSE      TRUE        FALSE
```

```
SELECT TO_BOOLEAN(1) FROM DUAL;
```

The output is:

```
TO_BOOLEAN(
-----
TRUE
```


### See Also:

- [CAST](#) for conversion rules.
- [Boolean Data Type](#) for more details on the built-in boolean data type.

## TO\_CHAR (bfile|blob)

### Syntax

**to\_char\_bfile\_blob ::=**



### Purpose

**TO\_CHAR (bfile|blob)** converts **BFILE** or **BLOB** data to the database character set. The value returned is always **VARCHAR2**. If the value returned is too large to fit into the **VARCHAR2** data type, then the data is truncated.

For *csid*, specify the character set ID of the **BFILE** or **BLOB** data. If the character set of the **BFILE** or **BLOB** data is the database character set, then you can specify a value of 0 for *csid*, or omit *csid* altogether.



#### See Also:

Appendix C in *Oracle Database Globalization Support Guide* for the collation derivation rules, which define the collation assigned to the character return value of this function


### Example

The following hypothetical example takes as its input a **BFILE** column `media_col` in table `media_tab`, which uses the character set with ID 873. The example returns a **VARCHAR2** value that uses the database character set.

```
SELECT TO_CHAR(media_col, 873) FROM media_tab;
```

## TO\_CHAR (boolean)

### Syntax



### Purpose

Use **TO\_CHAR (boolean)** to explicitly convert a boolean value to a character value of **'TRUE'** or **'FALSE'**.


 **See Also:**

- [CAST](#) for conversion rules.
- [Boolean Data Type](#) for more details on the built-in boolean data type.

## TO\_CHAR (character)

### Syntax

*to\_char\_char*::=



### Purpose

**TO\_CHAR (character)** converts NCHAR, NVARCHAR2, CLOB, or NCLOB data to the database character set. The value returned is always VARCHAR2.

When you use this function to convert a character LOB into the database character set, if the LOB value to be converted is larger than the target type, then the database returns an error.

 **See Also:**

Appendix C in *Oracle Database Globalization Support Guide* for the collation derivation rules, which define the collation assigned to the character return value of this function

### Examples

The following example interprets a simple string as character data:

```
SELECT TO_CHAR('01110') FROM DUAL;
```

```
TO_CH
-----
01110
```

Compare this example with the first example for [TO\\_CHAR \(number\)](#).

The following example converts some CLOB data from the `pm.print_media` table to the database character set:

```
SELECT TO_CHAR(ad_sourcetext) FROM print_media
       WHERE product_id = 2268;
```

```

TO_CHAR(AD_SOURCETEXT)
-----
*****
TIGER2 2268...Standard Hayes Compatible Modem
Product ID: 2268
The #1 selling modem in the universe! Tiger2's modem includes call management
and Internet voicing. Make real-time full duplex phone calls at the same time
you're online.
*****

```

### TO\_CHAR (character) Function: Example

The following statements create a table named `empl_temp` and populate it with employee details:

```

CREATE TABLE empl_temp
(
    employee_id NUMBER(6),
    first_name  VARCHAR2(20),
    last_name   VARCHAR2(25),
    email       VARCHAR2(25),
    hire_date   DATE DEFAULT SYSDATE,
    job_id      VARCHAR2(10),
    clob_column CLOB
);

INSERT INTO empl_temp
VALUES(111, 'John', 'Doe', 'example.com', '10-JAN-2015', '1001', 'Experienced
Employee');

INSERT INTO empl_temp
VALUES(112, 'John', 'Smith', 'example.com', '12-JAN-2015', '1002', 'Junior
Employee');

INSERT INTO empl_temp
VALUES(113, 'Johnnie', 'Smith', 'example.com', '12-JAN-2014', '1002', 'Mid-Career
Employee');

INSERT INTO empl_temp
VALUES(115, 'Jane', 'Doe', 'example.com', '15-JAN-2015', '1005', 'Executive
Employee');

```

The following statement converts CLOB data to the database character set:

```

SELECT To_char(clob_column) "CLOB_TO_CHAR"
FROM   empl_temp
WHERE  employee_id IN ( 111, 112, 115 );

CLOB_TO_CHAR
-----
Experienced Employee
Junior Employee
Executive Employee

```


 **Live SQL:**

View and run a related example on Oracle Live SQL at [Using the TO\\_CHAR Function](#)

## TO\_CHAR (datetime)

### Syntax

**to\_char\_date::=**



### Purpose

**TO\_CHAR (datetime)** converts a datetime or interval value of DATE, TIMESTAMP, TIMESTAMP WITH TIME ZONE, TIMESTAMP WITH LOCAL TIME ZONE, INTERVAL DAY TO SECOND, or INTERVAL YEAR TO MONTH data type to a value of VARCHAR2 data type in the format specified by the date format *fmt*. If you omit *fmt*, then *date* is converted to a VARCHAR2 value as follows:

- DATE values are converted to values in the default date format.
- TIMESTAMP and TIMESTAMP WITH LOCAL TIME ZONE values are converted to values in the default timestamp format.
- TIMESTAMP WITH TIME ZONE values are converted to values in the default timestamp with time zone format.
- Interval values are converted to the numeric representation of the interval literal.

Refer to "[Format Models](#)" for information on datetime formats.

The '*nlsparam*' argument specifies the language in which month and day names and abbreviations are returned. This argument can have this form:

```
'NLS_DATE_LANGUAGE = language'
```

If you omit '*nlsparam*', then this function uses the default date language for your session.

 **See Also:**

["Security Considerations for Data Conversion"](#)

You can use this function in conjunction with any of the XML functions to generate a date in the database format rather than the XML Schema standard format.



 See Also:

- *Oracle XML DB Developer's Guide* for information about formatting of XML dates and timestamps, including examples
- "[XML Functions](#)" for a listing of the XML functions
- Appendix C in *Oracle Database Globalization Support Guide* for the collation derivation rules, which define the collation assigned to the character return value of this function

## Examples

The following example uses this table:

```
CREATE TABLE date_tab (
  ts_col      TIMESTAMP,
  tsltz_col   TIMESTAMP WITH LOCAL TIME ZONE,
  tstz_col    TIMESTAMP WITH TIME ZONE);
```

The example shows the results of applying TO\_CHAR to different TIMESTAMP data types. The result for a TIMESTAMP WITH LOCAL TIME ZONE column is sensitive to session time zone, whereas the results for the TIMESTAMP and TIMESTAMP WITH TIME ZONE columns are not sensitive to session time zone:

```
ALTER SESSION SET TIME_ZONE = '-8:00';
INSERT INTO date_tab VALUES (
  TIMESTAMP'1999-12-01 10:00:00',
  TIMESTAMP'1999-12-01 10:00:00',
  TIMESTAMP'1999-12-01 10:00:00');
INSERT INTO date_tab VALUES (
  TIMESTAMP'1999-12-02 10:00:00 -8:00',
  TIMESTAMP'1999-12-02 10:00:00 -8:00',
  TIMESTAMP'1999-12-02 10:00:00 -8:00');

SELECT TO_CHAR(ts_col, 'DD-MON-YYYY HH24:MI:SSxFF') AS ts_date,
       TO_CHAR(tstz_col, 'DD-MON-YYYY HH24:MI:SSxFF TZH:TZM') AS tstz_date
FROM date_tab
ORDER BY ts_date, tstz_date;
```

TS_DATE	TSTZ_DATE
01-DEC-1999 10:00:00.000000	01-DEC-1999 10:00:00.000000 -08:00
02-DEC-1999 10:00:00.000000	02-DEC-1999 10:00:00.000000 -08:00

```
SELECT SESSIONTIMEZONE,
       TO_CHAR(tsltz_col, 'DD-MON-YYYY HH24:MI:SSxFF') AS tsltz
FROM date_tab
ORDER BY sessiontimezone, tsltz;
```

SESSIONTIMEZONE	TSLTZ
-08:00	01-DEC-1999 10:00:00.000000
-08:00	02-DEC-1999 10:00:00.000000

```
ALTER SESSION SET TIME_ZONE = '-5:00';
SELECT TO_CHAR(ts_col, 'DD-MON-YYYY HH24:MI:SSxFF') AS ts_col,
       TO_CHAR(tstz_col, 'DD-MON-YYYY HH24:MI:SSxFF TZH:TZM') AS tstz_col
```

```

FROM date_tab
ORDER BY ts_col, tstz_col;

TS_COL                                TSTZ_COL
-----
01-DEC-1999 10:00:00.000000          01-DEC-1999 10:00:00.000000 -08:00
02-DEC-1999 10:00:00.000000          02-DEC-1999 10:00:00.000000 -08:00

SELECT SESSIONTIMEZONE,
TO_CHAR(tstz_col, 'DD-MON-YYYY HH24:MI:SSxFF') AS tstz_col
FROM date_tab
ORDER BY sessiontimezone, tstz_col;
  2      3      4
SESSIONTIM TSLTZ_COL
-----
-05:00      01-DEC-1999 13:00:00.000000
-05:00      02-DEC-1999 13:00:00.000000

```

The following example converts an interval literal into a text literal:

```

SELECT TO_CHAR(INTERVAL '123-2' YEAR(3) TO MONTH) FROM DUAL;

TO_CHAR
-----
+123-02

```

### Using TO\_CHAR to Format Dates and Numbers: Example

The following statement converts date values to the format specified in the TO\_CHAR function:

```

WITH dates AS (
  SELECT date'2015-01-01' d FROM dual union
  SELECT date'2015-01-10' d FROM dual union
  SELECT date'2015-02-01' d FROM dual
)
SELECT d "Original Date",
       to_char(d, 'dd-mm-yyyy') "Day-Month-Year",
       to_char(d, 'hh24:mi') "Time in 24-hr format",
       to_char(d, 'iw-yy') "ISO Year and Week of Year"
FROM dates;

```

The following statement converts date and timestamp values to the format specified in the TO\_CHAR function:

```

WITH dates AS (
  SELECT date'2015-01-01' d FROM dual union
  SELECT date'2015-01-10' d FROM dual union
  SELECT date'2015-02-01' d FROM dual union
  SELECT timestamp'2015-03-03 23:44:32' d FROM dual union
  SELECT timestamp'2015-04-11 12:34:56' d FROM dual
)
SELECT d "Original Date",
       to_char(d, 'dd-mm-yyyy') "Day-Month-Year",
       to_char(d, 'hh24:mi') "Time in 24-hr format",
       to_char(d, 'iw-yy') "ISO Year and Week of Year",
       to_char(d, 'Month') "Month Name",
       to_char(d, 'Year') "Year"
FROM dates;

```

The following statement extracts the datetime fields specified in the EXTRACT function from the input datetime expressions:

```
WITH dates AS (
  SELECT date'2015-01-01' d FROM dual union
  SELECT date'2015-01-10' d FROM dual union
  SELECT date'2015-02-01' d FROM dual union
  SELECT timestamp'2015-03-03 23:44:32' d FROM dual union
  SELECT timestamp'2015-04-11 12:34:56' d FROM dual
)
SELECT extract(minute from d) minutes,
       extract(hour from d) hours,
       extract(day from d) days,
       extract(month from d) months,
       extract(year from d) years
FROM dates;
```

The following statement displays the input numbers as per the format specified in the TO\_CHAR function:

```
WITH nums AS (
  SELECT 10 n FROM dual union
  SELECT 9.99 n FROM dual union
  SELECT 1000000 n FROM dual --one million
)
SELECT n "Input Number N",
       to_char(n),
       to_char(n, '9,999,999.99') "Number with Commas",
       to_char(n, '0,000,000.000') "Zero-padded Number",
       to_char(n, '9.9EEEE') "Scientific Notation"
FROM nums;
```

The following statement converts the input numbers as per the format specified in the TO\_CHAR function:

```
WITH nums AS (
  SELECT 10 n FROM dual union
  SELECT 9.99 n FROM dual union
  SELECT .99 n FROM dual union
  SELECT 1000000 n FROM dual --one million
)
SELECT n "Input Number N",
       to_char(n),
       to_char(n, '9,999,999.99') "Number with Commas",
       to_char(n, '0,000,000.000') "Zero_padded Number",
       to_char(n, '9.9EEEE') "Scientific Notation",
       to_char(n, '$9,999,990.00') Monetary,
       to_char(n, 'X') "Hexadecimal Value"
FROM nums;
```

The following statement converts the input numbers as per the format specified in the TO\_CHAR function:

```
WITH nums AS (
  SELECT 10 n FROM dual union
  SELECT 9.99 n FROM dual union
  SELECT .99 n FROM dual union
  SELECT 1000000 n FROM dual --one million
)
SELECT n "Input Number N",
       to_char(n),
```

```

to_char(n, '9,999,999.99') "Number with Commas",
to_char(n, '0,000,000.000') "Zero_padded Number",
to_char(n, '9.9EEEE') "Scientific Notation",
to_char(n, '$9,999,990.00') Monetary,
to_char(n, 'XXXXXX') "Hexadecimal Value"
FROM nums;

```

### Live SQL:

View and run a related example on Oracle Live SQL at [Using TO\\_CHAR to Format Dates and Numbers](#)

## TO\_CHAR (datetime) Function: Example

The following statements create a table named `empl_temp` and populate it with employee details:

```

CREATE TABLE empl_temp
(
  employee_id NUMBER(6),
  first_name  VARCHAR2(20),
  last_name   VARCHAR2(25),
  email       VARCHAR2(25),
  hire_date   DATE DEFAULT SYSDATE,
  job_id      VARCHAR2(10),
  clob_column CLOB
);

INSERT INTO empl_temp
VALUES(111,'John','Doe','example.com','10-
JAN-2015','1001','Experienced Employee');

INSERT INTO empl_temp
VALUES(112,'John','Smith','example.com','12-JAN-2015','1002','Junior
Employee');

INSERT INTO empl_temp
VALUES(113,'Johnnie','Smith','example.com','12-JAN-2014','1002','Mid-
Career Employee');

INSERT INTO empl_temp
VALUES(115,'Jane','Doe','example.com','15-JAN-2015','1005','Executive
Employee');

```

The following statement displays dates by using the short and long formats:

```

SELECT hire_date "Default",
       TO_CHAR(hire_date,'DS') "Short",
       TO_CHAR(hire_date,'DL') "Long"FROM empl_temp
WHERE employee_id IN (111, 112, 115);

```

Default	Short	Long
---------	-------	------

```

-----
10-JAN-15  1/10/2015  Saturday, January 10, 2015
12-JAN-15  1/12/2015  Monday, January 12, 2015
15-JAN-15  1/15/2015  Thursday, January 15, 2015

```


### Live SQL:

View and run a related example on Oracle Live SQL at [Using the TO\\_CHAR Function](#)

## TO\_CHAR (number)

### Syntax

**to\_char\_number::=**



### Purpose

**TO\_CHAR (number)** converts *n* to a value of `VARCHAR2` data type, using the optional number format *fmt*. The value *n* can be of type `NUMBER`, `BINARY_FLOAT`, or `BINARY_DOUBLE`. If you omit *fmt*, then *n* is converted to a `VARCHAR2` value exactly long enough to hold its significant digits.

If *n* is negative, then the sign is applied after the format is applied. Thus `TO_CHAR(-1, '$9')` returns `-$1`, rather than `$-1`.

Refer to "[Format Models](#)" for information on number formats.

The '*nlsparam*' argument specifies these characters that are returned by number format elements:

- Decimal character
- Group separator
- Local currency symbol
- International currency symbol

This argument can have this form:

```
'NLS_NUMERIC_CHARACTERS = 'dg'
  NLS_CURRENCY = 'text'
  NLS_ISO_CURRENCY = territory '
```

The characters *d* and *g* represent the decimal character and group separator, respectively. They must be different single-byte characters. Within the quoted string, you must use two single quotation marks around the parameter values. Ten characters are available for the currency symbol.

If you omit `'nlsparam'` or any one of the parameters, then this function uses the default parameter values for your session.



### See Also:

- ["Security Considerations for Data Conversion"](#)
- Appendix C in *Oracle Database Globalization Support Guide* for the collation derivation rules, which define the collation assigned to the character return value of this function

## Examples

The following statement uses implicit conversion to combine a string and a number into a number:

```
SELECT TO_CHAR('01110' + 1) FROM DUAL;
```

```
TO_C
----
1111
```

Compare this example with the first example for [TO\\_CHAR \(character\)](#) .

In the next example, the output is blank padded to the left of the currency symbol. In the optional number format `fmt`, `L` designates local currency symbol and `MI` designates a trailing minus sign. See [Table 2-16](#) for a complete listing of number format elements. The example shows the output in a session in which the session parameter `NLS_TERRITORY` is set to `AMERICA`.

```
SELECT TO_CHAR(-10000, 'L99G999D99MI') "Amount"
       FROM DUAL;
```

```
Amount
-----
 $10,000.00-
```

In the next example, `NLS_CURRENCY` specifies the string to use as the local currency symbol for the `L` number format element. `NLS_NUMERIC_CHARACTERS` specifies comma as the character to use as the decimal separator for the `D` number format element and period as the character to use as the group separator for the `G` number format element. These characters are expected in many countries, for example in Germany.

```
SELECT TO_CHAR(-10000, 'L99G999D99MI',
       'NLS_NUMERIC_CHARACTERS = ','.')
       NLS_CURRENCY = 'AusDollars' ) "Amount"
       FROM DUAL;
```

```
Amount
-----
AusDollars10.000,00-
```

In the next example, `NLS_ISO_CURRENCY` instructs the database to use the international currency symbol for the territory of `POLAND` for the `C` number format element:

```
SELECT TO_CHAR(-10000,'99G999D99C',
  'NLS_NUMERIC_CHARACTERS = ','.')
  NLS_ISO_CURRENCY=POLAND') "Amount"
  FROM DUAL;
```

```
Amount
-----
-10.000,00PLN
```

### TO\_CHAR (number) Function: Example

The following statements create a table named `empl_temp` and populate it with employee details:

```
CREATE TABLE empl_temp
(
  employee_id NUMBER(6),
  first_name  VARCHAR2(20),
  last_name   VARCHAR2(25),
  email       VARCHAR2(25),
  hire_date   DATE DEFAULT SYSDATE,
  job_id      VARCHAR2(10),
  clob_column CLOB
);

INSERT INTO empl_temp
VALUES(111,'John','Doe','example.com','10-JAN-2015','1001','Experienced
Employee');

INSERT INTO empl_temp
VALUES(112,'John','Smith','example.com','12-JAN-2015','1002','Junior
Employee');

INSERT INTO empl_temp
VALUES(113,'Johnnie','Smith','example.com','12-JAN-2014','1002','Mid-Career
Employee');

INSERT INTO empl_temp
VALUES(115,'Jane','Doe','example.com','15-JAN-2015','1005','Executive
Employee');
```

The following statement converts numeric data to the database character set:

```
SELECT To_char(employee_id) "NUM_TO_CHAR"
FROM   empl_temp
WHERE  employee_id IN ( 111, 112, 113, 115 );
```


```
NUM_TO_CHAR
-----
111
112
113
115
```

 **Live SQL:**

View and run a related example on Oracle Live SQL at [Using the TO\\_CHAR Function](#)

## TO\_CLOB (bfile|blob)

### Syntax



### Purpose

TO\_CLOB (bfile|blob) converts BFILE or BLOB data to the database character set and returns the data as a CLOB value.

For *csid*, specify the character set ID of the BFILE or BLOB data. If the character set of the BFILE or BLOB data is the database character set, then you can specify a value of 0 for *csid*, or omit *csid* altogether.

For *mime\_type*, specify the MIME type to be set on the CLOB value returned by this function. If you omit *mime\_type*, then a MIME type will not be set on the CLOB value.

 **See Also:**

Appendix C in *Oracle Database Globalization Support Guide* for the collation derivation rules, which define the collation assigned to the character return value of this function


### Example

The following hypothetical example returns the CLOB of a BFILE column value *docu* in table *media\_tab*, which uses the character set with ID 873. It sets the MIME type to *text/xml* for the resulting CLOB.

```
SELECT TO_CLOB(docu, 873, 'text/xml') FROM media_tab;
```

## TO\_CLOB (character)

### Syntax





## Purpose

`TO_CLOB (character)` converts `NCLOB` values in a LOB column or other character strings to `CLOB` values. `char` can be any of the data types `CHAR`, `VARCHAR2`, `NCHAR`, `NVARCHAR2`, `CLOB`, or `NCLOB`. Oracle Database executes this function by converting the underlying LOB data from the national character set to the database character set.

From within a PL/SQL package, you can use the `TO_CLOB (character)` function to convert `RAW`, `CHAR`, `VARCHAR`, `VARCHAR2`, `NCHAR`, `NVARCHAR2`, `CLOB`, or `NCLOB` values to `CLOB` or `NCLOB` values.

### See Also:

Appendix C in *Oracle Database Globalization Support Guide* for the collation derivation rules, which define the collation assigned to the character return value of this function


## Examples

The following statement converts `NCLOB` data from the sample `pm.print_media` table to `CLOB` and inserts it into a `CLOB` column, replacing existing data in that column.

```
UPDATE PRINT_MEDIA
   SET AD_FINALTEXT = TO_CLOB (AD_FLTEXTN);
```

# TO\_DATE

## Syntax



## Purpose

`TO_DATE` converts `char` to a value of `DATE` data type.

For `char`, you can specify any expression that evaluates to a character string of `CHAR`, `VARCHAR2`, `NCHAR`, or `NVARCHAR2` data type.

### Note:

This function does not convert data to any of the other datetime data types. For information on other datetime conversions, refer to [TO\\_TIMESTAMP](#), [TO\\_TIMESTAMP\\_TZ](#), [TO\\_DSINTERVAL](#), and [TO\\_YMINTERVAL](#).

The optional `DEFAULT return_value ON CONVERSION ERROR` clause allows you to specify the value this function returns if an error occurs while converting `char` to `DATE`. This clause has no effect if an error occurs while evaluating `char`. The `return_value` can be an expression or a bind variable, and it must evaluate to a character string of `CHAR`, `VARCHAR2`, `NCHAR`, or `NVARCHAR2` data type, or null. The function converts `return_value` to `DATE` using the same method it uses to convert `char` to `DATE`. If `return_value` cannot be converted to `DATE`, then the function returns an error.

The `fmt` is a datetime model format specifying the format of `char`. If you omit `fmt`, then `char` must be in the default date format. The default date format is determined implicitly by the `NLS_TERRITORY` initialization parameter or can be set explicitly by the `NLS_DATE_FORMAT` parameter. If `fmt` is `J`, for Julian, then `char` must be an integer.

### Caution:

It is good practice *always* to specify a format mask (`fmt`) with `TO_DATE`, as shown in the examples in the section that follows. When it is used without a format mask, the function is valid *only* if `char` uses the same format as is determined by the `NLS_TERRITORY` or `NLS_DATE_FORMAT` parameters. Furthermore, the function may not be stable across databases unless the explicit format mask is specified to avoid dependencies.

The `'nlsparam'` argument specifies the language of the text string that is being converted to a date. This argument can have this form:

```
'NLS_DATE_LANGUAGE = language'
```

Do not use the `TO_DATE` function with a `DATE` value for the `char` argument. The first two digits of the returned `DATE` value can differ from the original `char`, depending on `fmt` or the default date format.

This function does not support `CLOB` data directly. However, `CLOBs` can be passed in as arguments through implicit data conversion.

### See Also:

["Datetime Format Models"](#) and ["Data Type Comparison Rules"](#) for more information

## Examples

The following example converts a character string into a date:

```
SELECT TO_DATE(
  'January 15, 1989, 11:00 A.M.',
  'Month dd, YYYY, HH:MI A.M.',
  'NLS_DATE_LANGUAGE = American')
FROM DUAL;
```

```
TO_DATE ('
```

```
-----  
15-JAN-89
```

The value returned reflects the default date format if the `NLS_TERRITORY` parameter is set to 'AMERICA'. Different `NLS_TERRITORY` values result in different default date formats:

```
ALTER SESSION SET NLS_TERRITORY = 'KOREAN';
```

```
SELECT TO_DATE(  
    'January 15, 1989, 11:00 A.M.',  
    'Month dd, YYYY, HH:MI A.M.',  
    'NLS_DATE_LANGUAGE = American')  
FROM DUAL;
```

```
TO_DATE(  
-----  
89/01/15
```


The following example returns the default value because the specified expression cannot be converted to a `DATE` value, due to a misspelling of the month:

```
SELECT TO_DATE('February 15, 2016, 11:00 A.M.'  
    DEFAULT 'January 01, 2016 12:00 A.M.' ON CONVERSION ERROR,  
    'Month dd, YYYY, HH:MI A.M.') "Value"  
FROM DUAL;
```


```
Value  
-----  
01-JAN-16
```


## TO\_DSINTERVAL

### Syntax



### sql\_format::=



**ds\_iso\_format::=****Note:**

In earlier releases, the `TO_DSINTERVAL` function accepted an optional `nlsparam` clause. This clause is still accepted for backward compatibility, but has no effect.

**Purpose**

`TO_DSINTERVAL` converts its argument to a value of `INTERVAL DAY TO SECOND` data type.

For the argument, you can specify any expression that evaluates to a character string of `CHAR`, `VARCHAR2`, `NCHAR`, or `NVARCHAR2` data type.

`TO_DSINTERVAL` accepts argument in one of the two formats:

- SQL interval format compatible with the SQL standard (ISO/IEC 9075)
- ISO duration format compatible with the ISO 8601:2004 standard

In the SQL format, *days* is an integer between 0 and 999999999, *hours* is an integer between 0 and 23, and *minutes* and *seconds* are integers between 0 and 59. *frac\_secs* is the fractional part of seconds between .0 and .999999999. One or more blanks separate days from hours. Additional blanks are allowed between format elements.

In the ISO format, *days*, *hours*, *minutes* and *seconds* are integers between 0 and 999999999. *frac\_secs* is the fractional part of seconds between .0 and .999999999. No blanks are allowed in the value. If you specify `T`, then you must specify at least one of the *hours*, *minutes*, or *seconds* values.

The optional `DEFAULT return_value ON CONVERSION ERROR` clause allows you to specify the value this function returns if an error occurs while converting the argument to an `INTERVAL DAY TO SECOND` type. This clause has no effect if an error occurs while evaluating the argument. The *return\_value* can be an expression or a bind variable, and it must evaluate to a character string of `CHAR`, `VARCHAR2`, `NCHAR`, or `NVARCHAR2` data type. It can be in either the SQL format or ISO format, and need not be in the same format as the function argument. If *return\_value* cannot be converted to an `INTERVAL DAY TO SECOND` type, then the function returns an error.

## Examples

The following example uses the SQL format to select from the `hr.employees` table the employees who had worked for the company for at least 100 days on November 1, 2002:

```
SELECT employee_id, last_name FROM employees
       WHERE hire_date + TO_DSINTERVAL('100 00:00:00')
              <= DATE '2002-11-01'
       ORDER BY employee_id;
```

```
EMPLOYEE_ID LAST_NAME
-----
          102 De Haan
          203 Mavris
          204 Baer
          205 Higgins
          206 Giet
```

The following example uses the ISO format to display the timestamp 100 days and 5 hours after the beginning of the year 2009:

```
SELECT TO_CHAR(TIMESTAMP '2009-01-01 00:00:00' + TO_DSINTERVAL('P100DT05H'),
              'YYYY-MM-DD HH24:MI:SS') "Time Stamp"
       FROM DUAL;
```

```
Time Stamp
-----
2009-04-11 05:00:00
```

The following example returns the default value because the specified expression cannot be converted to an `INTERVAL DAY TO SECOND` value:

```
SELECT TO_DSINTERVAL('10 1:02:10'
                   DEFAULT '10 8:00:00' ON CONVERSION ERROR) "Value"
       FROM DUAL;
```

```
Value
-----
+0000000010 08:00:00.000000000
```

# TO\_LOB

## Syntax

```
→ TO_LOB → ( → long_column → ) →
```

## Purpose

### Note:

All forms of `LONG` data types (`LONG`, `LONG RAW`, `LONG VARCHAR`, `LONG VARRAW`) were deprecated in Oracle8i Release 8.1.6. For succeeding releases, the `LONG` data type was provided for backward compatibility with existing applications. In new applications developed with later releases, Oracle strongly recommends that you use `CLOB` and `NCLOB` data types for large amounts of character data.

`TO_LOB` converts `LONG` or `LONG RAW` values in the column *long\_column* to LOB values. You can apply this function only to a `LONG` or `LONG RAW` column, and only in the select list of a subquery in an `INSERT` statement.

Before using this function, you must create a LOB column to receive the converted `LONG` values. To convert `LONG` values, create a `CLOB` column. To convert `LONG RAW` values, create a `BLOB` column.

You cannot use the `TO_LOB` function to convert a `LONG` column to a LOB column in the subquery of a `CREATE TABLE ... AS SELECT` statement if you are creating an index-organized table. Instead, create the index-organized table without the `LONG` column, and then use the `TO_LOB` function in an `INSERT ... AS SELECT` statement.

You cannot use this function within a PL/SQL package. Instead use the `TO_CLOB` (character) or `TO_BLOB` (raw) functions.

### See Also:

- the *modify\_col\_properties* clause of [ALTER TABLE](#) for an alternative method of converting `LONG` columns to LOB
- [INSERT](#) for information on the subquery of an `INSERT` statement
- Appendix C in *Oracle Database Globalization Support Guide* for the collation derivation rules, which define the collation assigned to the character return value of this function


## Examples

The following syntax shows how to use the `TO_LOB` function on your `LONG` data in a hypothetical table *old\_table*:

```
CREATE TABLE new_table (col1, col2, ... lob_col CLOB);
INSERT INTO new_table (select o.col1, o.col2, ... TO_LOB(o.old_long_col)
FROM old_table o;
```

# TO\_MULTI\_BYTE

## Syntax



```
→ [TO_MULTI_BYTE] ( ( char ) ) →
```

## Purpose

`TO_MULTI_BYTE` returns *char* with all of its single-byte characters converted to their corresponding multibyte characters. *char* can be of data type `CHAR`, `VARCHAR2`, `NCHAR`, or `NVARCHAR2`. The value returned is in the same data type as *char*.

Any single-byte characters in *char* that have no multibyte equivalents appear in the output string as single-byte characters. This function is useful only if your database character set contains both single-byte and multibyte characters.

This function does not support `CLOB` data directly. However, `CLOBs` can be passed in as arguments through implicit data conversion.

### See Also:

- "Data Type Comparison Rules " for more information.
- Appendix C in *Oracle Database Globalization Support Guide* for the collation derivation rules, which define the collation assigned to the character return value of `TO_MULTI_BYTE`

## Examples


The following example illustrates converting from a single byte A to a multibyte A in UTF8:

```
SELECT dump(TO_MULTI_BYTE('A')) FROM DUAL;

DUMP(TO_MULTI_BYTE('A'))
-----
Typ=1 Len=3: 239,188,161
```

# TO\_NCHAR (boolean)

## Syntax



```
→ [TO_NCHAR] ( ( boolean ) ) →
```

## Purpose

Use `TO_NCHAR(boolean)` to explicitly convert a boolean value to a character value of `'TRUE'` or `'FALSE'`.


 **See Also:**

- [CAST](#) for conversion rules.
- [Boolean Data Type](#) for more details on the built-in boolean data type.

## TO\_NCHAR (character)

### Syntax

*to\_nchar\_char*::=



### Purpose

TO\_NCHAR (character) converts a character string, CHAR, VARCHAR2, CLOB, or NCLOB value to the national character set. The value returned is always NVARCHAR2. This function is equivalent to the TRANSLATE ... USING function with a USING clause in the national character set.

 **See Also:**

- "Data Conversion " and [TRANSLATE ... USING](#)
- Appendix C in *Oracle Database Globalization Support Guide* for the collation derivation rules, which define the collation assigned to the character return value of this function

### Examples

The following example converts VARCHAR2 data from the oe.customers table to the national character set:

```
SELECT TO_NCHAR(cust_last_name) FROM customers
       WHERE customer_id=103;
```

```
TO_NCHAR (CUST_LAST_NAME)
```


```
-----
Taylor
```



# TO\_NCHAR (datetime)

## Syntax

**to\_nchar\_date::=**



## Purpose

TO\_NCHAR (datetime) converts a datetime or interval value of DATE, TIMESTAMP, TIMESTAMP WITH TIME ZONE, TIMESTAMP WITH LOCAL TIME ZONE, INTERVAL MONTH TO YEAR, or INTERVAL DAY TO SECOND data type from the database character set to the national character set.

### See Also:

- ["Security Considerations for Data Conversion"](#)
- Appendix C in *Oracle Database Globalization Support Guide* for the collation derivation rules, which define the collation assigned to the character return value of this function

## Examples

The following example converts the `order_date` of all orders whose status is 9 to the national character set:

```

SELECT TO_NCHAR(ORDER_DATE) AS order_date
FROM ORDERS
WHERE ORDER_STATUS = 9
ORDER BY order_date;

```

ORDER\_DATE

```


-----
06-DEC-99 02.22.34.225609 PM
13-SEP-99 10.19.00.654279 AM
14-SEP-99 09.53.40.223345 AM
26-JUN-00 10.19.43.190089 PM
27-JUN-00 09.53.32.335522 PM

```

## TO\_NCHAR (number)

### Syntax

**to\_nchar\_number::=**



### Purpose

TO\_NCHAR (number) converts *n* to a string in the national character set. The value *n* can be of type NUMBER, BINARY\_FLOAT, or BINARY\_DOUBLE. The function returns a value of the same type as the argument. The optional *fmt* and '*nlsparam*' corresponding to *n* can be of DATE, TIMESTAMP, TIMESTAMP WITH TIME ZONE, TIMESTAMP WITH LOCAL TIME ZONE, INTERVAL MONTH TO YEAR, or INTERVAL DAY TO SECOND data type.

#### See Also:

- ["Security Considerations for Data Conversion"](#)
- Appendix C in *Oracle Database Globalization Support Guide* for the collation derivation rules, which define the collation assigned to the character return value of this function

### Examples


The following example converts the `customer_id` values from the sample table `oe.orders` to the national character set:

```
SELECT TO_NCHAR(customer_id) "NCHAR_Customer_ID" FROM orders
       WHERE order_status > 9
       ORDER BY "NCHAR_Customer_ID";
```

```
NCHAR_Customer_ID
-----
102
103
148
148
149
```

## TO\_NCLOB

### Syntax



## Purpose

`TO_NCLOB` converts `CLOB` values in a `LOB` column or other character strings to `NCLOB` values. `char` can be any of the data types `CHAR`, `VARCHAR2`, `NCHAR`, `NVARCHAR2`, `CLOB`, or `NCLOB`. Oracle Database implements this function by converting the character set of `char` from the database character set to the national character set.

### See Also:

Appendix C in *Oracle Database Globalization Support Guide* for the collation derivation rules, which define the collation assigned to the character return value of this function


## Examples

The following example inserts some character data into an `NCLOB` column of the `pm.print_media` table by first converting the data with the `TO_NCLOB` function:

```
INSERT INTO print_media (product_id, ad_id, ad_fltexntn)
VALUES (3502, 31001,
       TO_NCLOB('Placeholder for new product description'));
```

# TO\_NUMBER

## Syntax



## Purpose

`TO_NUMBER` converts `expr` to a value of `NUMBER` data type.

`expr` can be any expression that evaluates to a character string of type `CHAR`, `VARCHAR2`, `NCHAR`, or `NVARCHAR2`, a numeric value of type `NUMBER`, `BINARY_FLOAT`, or `BINARY_DOUBLE`, `BOOLEAN`, or null. If `expr` is `NUMBER`, then the function returns `expr`. If `expr` evaluates to null, then the function returns null. Otherwise, the function converts `expr` to a `NUMBER` value.

- If you specify an `expr` of `CHAR`, `VARCHAR2`, `NCHAR`, or `NVARCHAR2` data type, then you can optionally specify the format model `fmt`.
- If you specify an `expr` of `BINARY_FLOAT` or `BINARY_DOUBLE` data type, then you cannot specify a format model because a float can be interpreted only by its internal representation.
- If you specify an `expr` of type `BOOLEAN`, then `TRUE` will be converted to `1` and `FALSE` will be converted to `0`. You cannot specify a format model with inputs of type `BOOLEAN`.

Refer to "[Format Models](#)" for information on number formats.

The *'nlsparam'* argument in this function has the same purpose as it does in the TO\_CHAR function for number conversions. Refer to [TO\\_CHAR \(number\)](#) for more information.

This function does not support CLOB data directly. However, CLOBs can be passed in as arguments through implicit data conversion.



### See Also:

["Data Type Comparison Rules"](#) for more information.

## Examples

The following examples convert character string data into a number:

```
UPDATE employees SET salary = salary +
  TO_NUMBER('100.00', '9G999D99')
WHERE last_name = 'Perkins';

SELECT TO_NUMBER('-AusDollars100','L9G999D99',
  ' NLS_NUMERIC_CHARACTERS = ','.')
  NLS_CURRENCY = 'AusDollars'
  ) "Amount"
  FROM DUAL;
```

```
Amount
-----
-100
```

The following example returns the default value of 0 because the specified expression cannot be converted to a NUMBER value:

```
SELECT TO_NUMBER('2,00' DEFAULT 0 ON CONVERSION ERROR) "Value"
  FROM DUAL;
```

```
Value
-----
0
```

# TO\_SINGLE\_BYTE

## Syntax

```
→ TO_SINGLE_BYTE ( ( char ) ) →
```

## Purpose

TO\_SINGLE\_BYTE returns *char* with all of its multibyte characters converted to their corresponding single-byte characters. *char* can be of data type CHAR, VARCHAR2, NCHAR, or NVARCHAR2. The value returned is in the same data type as *char*.

Any multibyte characters in *char* that have no single-byte equivalents appear in the output as multibyte characters. This function is useful only if your database character set contains both single-byte and multibyte characters.

This function does not support CLOB data directly. However, CLOBs can be passed in as arguments through implicit data conversion.

#### See Also:

- "Data Type Comparison Rules " for more information.
- Appendix C in *Oracle Database Globalization Support Guide* for the collation derivation rules, which define the collation assigned to the character return value of TO\_SINGLE\_BYTE

### Examples


The following example illustrates going from a multibyte A in UTF8 to a single byte ASCII A:

```
SELECT TO_SINGLE_BYTE( CHR(15711393)) FROM DUAL;
```

```
T
-
A
```

## TO\_TIMESTAMP

### Syntax



### Purpose

TO\_TIMESTAMP converts *char* to a value of **TIMESTAMP** data type.

For *char*, you can specify any expression that evaluates to a character string of **CHAR**, **VARCHAR2**, **NCHAR**, or **NVARCHAR2** data type.

The optional **DEFAULT** *return\_value* **ON** **CONVERSION** **ERROR** clause allows you to specify the value this function returns if an error occurs while converting *char* to **TIMESTAMP**. This clause has no effect if an error occurs while evaluating *char*. The *return\_value* can be an expression or a bind variable, and it must evaluate to a character string of **CHAR**, **VARCHAR2**, **NCHAR**, or **NVARCHAR2** data type, or null. The function converts *return\_value* to **TIMESTAMP** using the same method it uses to convert *char* to **TIMESTAMP**. If *return\_value* cannot be converted to **TIMESTAMP**, then the function returns an error.

The optional *fmt* specifies the format of *char*. If you omit *fmt*, then *char* must be in the default format of the `TIMESTAMP` data type, which is determined by the `NLS_TIMESTAMP_FORMAT` initialization parameter. The optional '*nlsparam*' argument has the same purpose in this function as in the `TO_CHAR` function for date conversion.

This function does not support `CLOB` data directly. However, `CLOBs` can be passed in as arguments through implicit data conversion.



### See Also:

"[Data Type Comparison Rules](#)" for more information.

## Examples

The following example converts a character string to a timestamp. The character string is not in the default `TIMESTAMP` format, so the format mask must be specified:

```
SELECT TO_TIMESTAMP ('10-Sep-02 14:10:10.123000', 'DD-Mon-RR HH24:MI:SS.FF')
       FROM DUAL;

TO_TIMESTAMP('10-SEP-0214:10:10.123000','DD-MON-RRHH24:MI:SS.FF')
-----
10-SEP-02 02.10.10.123000000 PM
```

The following example returns the default value of `NULL` because the specified expression cannot be converted to a `TIMESTAMP` value, due to an invalid month specification:

```
SELECT TO_TIMESTAMP ('10-Sept-02 14:10:10.123000'
                    DEFAULT NULL ON CONVERSION ERROR,
                    'DD-Mon-RR HH24:MI:SS.FF',
                    'NLS_DATE_LANGUAGE = American') "Value"
       FROM DUAL;
```




### See Also:

`NLS_TIMESTAMP_FORMAT` initialization parameter for information on the default `TIMESTAMP` format and "[Datetime Format Models](#)" for information on specifying the format mask

# TO\_TIMESTAMP\_TZ

## Syntax



## Purpose

TO\_TIMESTAMP\_TZ converts *char* to a value of `TIMESTAMP WITH TIME ZONE` data type.

For *char*, you can specify any expression that evaluates to a character string of `CHAR`, `VARCHAR2`, `NCHAR`, or `NVARCHAR2` data type.



### Note:

This function does not convert character strings to `TIMESTAMP WITH LOCAL TIME ZONE`. To do this, use a `CAST` function, as shown in [CAST](#).

The optional `DEFAULT return_value ON CONVERSION ERROR` clause allows you to specify the value this function returns if an error occurs while converting *char* to `TIMESTAMP WITH TIME ZONE`. This clause has no effect if an error occurs while evaluating *char*. The *return\_value* can be an expression or a bind variable, and it must evaluate to a character string of `CHAR`, `VARCHAR2`, `NCHAR`, or `NVARCHAR2` data type, or null. The function converts *return\_value* to `TIMESTAMP WITH TIME ZONE` using the same method it uses to convert *char* to `TIMESTAMP WITH TIME ZONE`. If *return\_value* cannot be converted to `TIMESTAMP WITH TIME ZONE`, then the function returns an error.

The optional *fmt* specifies the format of *char*. If you omit *fmt*, then *char* must be in the default format of the `TIMESTAMP WITH TIME ZONE` data type. The optional *nlsparam* has the same purpose in this function as in the `TO_CHAR` function for date conversion.

## Examples

The following example converts a character string to a value of `TIMESTAMP WITH TIME ZONE`:

```
SELECT TO_TIMESTAMP_TZ('1999-12-01 11:00:00 -8:00',
  'YYYY-MM-DD HH:MI:SS TZH:TZM') FROM DUAL;

TO_TIMESTAMP_TZ('1999-12-0111:00:00-08:00','YYYY-MM-DDHH:MI:SSTZH:TZM')
-----
01-DEC-99 11.00.00.0000000000 AM -08:00
```

The following example casts a null column in a `UNION` operation as `TIMESTAMP WITH LOCAL TIME ZONE` using the sample tables `oe.order_items` and `oe.orders`:

```
SELECT order_id, line_item_id,
  CAST(NULL AS TIMESTAMP WITH LOCAL TIME ZONE) order_date
  FROM order_items
UNION
SELECT order_id, to_number(null), order_date
  FROM orders;
```

```
ORDER_ID LINE_ITEM_ID ORDER_DATE
-----
2354      1
2354      2
2354      3
2354      4
2354      5
2354      6
2354      7
```

```

2354          8
2354          9
2354         10
2354         11
2354         12
2354         13
2354          14-JUL-00 05.18.23.234567 PM
2355          1
2355          2
. . .

```

The following example returns the default value of NULL because the specified expression cannot be converted to a `TIMESTAMP WITH TIME ZONE` value, due to an invalid month specification:

```

SELECT TO_TIMESTAMP_TZ('1999-13-01 11:00:00 -8:00'
      DEFAULT NULL ON CONVERSION ERROR,
      'YYYY-MM-DD HH:MI:SS TZH:TZM') "Value"
FROM DUAL;

```

## TO\_UTC\_TIMESTAMP\_TZ

### Syntax

```

→ TO_UTC_TIMESTAMP_TZ ( ( varchar ) ) →

```

### Purpose

The SQL function `TO_UTC_TIMESTAMP_TZ` takes an ISO 8601 date format string as the `varchar` input and returns an instance of SQL data type `TIMESTAMP WITH TIMEZONE`. It normalizes the input to UTC time (Coordinated Universal Time, formerly Greenwich Mean Time). Unlike SQL function `TO_TIMESTAMP_TZ`, the new function assumes that the input string uses the ISO 8601 date format, defaulting the time zone to UTC 0.

A typical use of this function would be to provide its output to SQL function `SYS_EXTRACT_UTC`, obtaining a UTC time that is then passed as a SQL bind variable to SQL/JSON condition `JSON_EXISTS`, to perform a time-stamp range comparison.

This is the allowed syntax for dates and times:

- Date (only): `YYYY-MM-DD`
- Date with time: `YYYY-MM-DDThh:mm:ss[.s[s[s[s[s[s]]]]][Z|(+|-)hh:mm]`

where:

- **YYYY** specifies the *year*, as four decimal digits.
- **MM** specifies the *month*, as two decimal digits, 00 to 12.
- **DD** specifies the *day*, as two decimal digits, 00 to 31.
- **hh** specifies the *hour*, as two decimal digits, 00 to 23.
- **mm** specifies the *minutes*, as two decimal digits, 00 to 59.



- **ss**[.**s**[**s**[**s**[**s**[**s**]]]] specifies the *seconds*, as two decimal digits, 00 to 59, optionally followed by a decimal point and 1 to 6 decimal digits (representing the fractional part of a second).
- **z** specifies *UTC* time (time zone 0). (It can also be specified by +00:00, but not by -00:00.)
- (+|-)hh:mm specifies the time-zone as *difference from UTC*. (One of + or - is required.)

For a time value, the time-zone part is optional. If it is absent then UTC time is assumed.

No other ISO 8601 date-time syntax is supported. In particular:

- Negative dates (dates prior to year 1 BCE), which begin with a hyphen (e.g. -2018-10-26T21:32:52), are not supported.
- Hyphen and colon separators are required: so-called “basic” format, YYYYMMDDThhmmss, is not supported.
- Ordinal dates (year plus day of year, calendar week plus day number) are not supported.
- Using more than four digits for the year is not supported.

Supported dates and times include the following:

- 2018-10-26T21:32:52
- 2018-10-26T21:32:52+02:00
- 2018-10-26T19:32:52Z
- 2018-10-26T19:32:52+00:00
- 2018-10-26T21:32:52.12679

Unsupported dates and times include the following:

- 2018-10-26T21:32 (if a time is specified then all of its parts must be present)
- 2018-10-26T**25**:32:52+02:00 (the hours part, 25, is out of range)
- 18-10-26T21:32 (the year is not specified fully)

### Examples

```
SELECT TO_UTC_TIMESTAMP_TZ('1998-01-01') FROM DUAL;
```

```
TO_UTC_TIMESTAMP_TZ('1998-01-01')
```

```
-----  
01-JAN-98 12.00.00.0000000000 AM +00:00
```

```
SELECT TO_UTC_TIMESTAMP_TZ('2000-01-02T12:34:56.789') FROM DUAL;
```

```
TO_UTC_TIMESTAMP_TZ('2000-01-02T12:34:56.789')
```

```
-----  
02-JAN-00 12.34.56.7890000000 PM +00:00
```

```
SELECT TO_UTC_TIMESTAMP_TZ('2016-05-05T00:00:00.000Z') FROM DUAL;
```

```
TO_UTC_TIMESTAMP_TZ('2016-05-05T00:00:00.000Z')
```

```
-----  
05-MAY-16 12.00.00.0000000000 AM +00:00
```

```
SELECT TO_UTC_TIMESTAMP_TZ('2016-05-05T02:04:35.4678Z') FROM DUAL;
```

```
TO_UTC_TIMESTAMP_TZ('2016-05-05T02:04:35.4678Z')
```


```
-----  
05-MAY-16 02.04.35.467800000 AM +00:00
```

### See Also:

- ISO 8601 standard
- [ISO 8601 at Wikipedia](#)

## TO\_VECTOR

### Syntax



### Purpose

`TO_VECTOR` is a constructor that takes a string of type `VARCHAR2` or `CLOB` as input, converts it to a vector, and returns a vector as output. `TO_VECTOR` also takes another vector as input, adjusts its format, and returns the adjusted vector as output.

`TO_VECTOR` is synonymous with `VECTOR`.

### Parameters

- *expr* must evaluate to one of:
  - A string that represents a vector. Accepted data types for string are the character data types, `CLOB`, `BLOB`, `JSON`.
  - A vector. If the input is a vector, then the function converts it to the format specified or to the default format if the format is not specified.

If *expr* is `NULL`, the result is `NULL`.

The string representation of the vector must be in the form of an array of non-null numbers enclosed with a bracket and separated by commas, such as `[1, 3.4, -05.60, 3e+4]`. `TO_VECTOR` converts a valid string representation of a vector to a vector in the format specified. If no format is specified the default format is used.

- *number\_of\_dimensions* must be a numeric value that describes the number of dimensions of the vector to construct. The number of dimensions may also be specified as an asterisk (\*), in which case the dimension is determined by *expr*.
- *format* must be one of the following tokens: `INT8`, `FLOAT32`, `FLOAT64`, or `*`. This is the target internal storage format of the vector. If `*` is used, the format will be `FLOAT32`.

Note that this behavior is different from declaring a vector column. When you declare a column of type `VECTOR(3, *)`, then all inserted vectors will be stored as is without a change in format.

## Examples

```
SELECT TO_VECTOR('[34.6, 77.8]');
SELECT TO_VECTOR('[34.6, 77.8]', 2, FLOAT32);

SELECT TO_VECTOR('[34.6, 77.8]', 2, FLOAT32) FROM dual;

TO_VECTOR('[34.6,77.8]',2,FLOAT32)
-----
[3.45999985E+001,7.78000031E+001]

1 row selected.

SELECT TO_VECTOR('[34.6, 77.8, -89.34]', 3, FLOAT32);

TO_VECTOR('[34.6,77.8,-89.34]',3,FLOAT32)
-----
[3.45999985E+001,7.78000031E+001,-8.93399963E+001]

1 row selected.
```

### Note:

For applications using Oracle Client libraries prior to 23ai connected to Oracle Database 23ai, use the `TO_VECTOR` function to insert vector data. For example:


```
INSERT INTO vecTab VALUES(TO_VECTOR('[1.1, 2.9, 3.14]'));
```


### See Also:

[VECTOR](#)

# TO\_YMINTERVAL

## Syntax



**ym\_iso\_format::=****Purpose**

TO\_YMINTERVAL converts its argument to a value of INTERVAL MONTH TO YEAR data type.

For the argument, you can specify any expression that evaluates to a character string of CHAR, VARCHAR2, NCHAR, or NVARCHAR2 data type.

TO\_YMINTERVAL accepts argument in one of the two formats:

- SQL interval format compatible with the SQL standard (ISO/IEC 9075)
- ISO duration format compatible with the ISO 8601:2004 standard

In the SQL format, *years* is an integer between 0 and 999999999, and *months* is an integer between 0 and 11. Additional blanks are allowed between format elements.

In the ISO format, *years* and *months* are integers between 0 and 999999999. *Days*, *hours*, *minutes*, *seconds*, and *frac\_secs* are non-negative integers, and are ignored, if specified. No blanks are allowed in the value. If you specify *T*, then you must specify at least one of the *hours*, *minutes*, or *seconds* values.

The optional DEFAULT *return\_value* ON CONVERSION ERROR clause allows you to specify the value this function returns if an error occurs while converting the argument to an INTERVAL MONTH TO YEAR type. This clause has no effect if an error occurs while evaluating the argument. The *return\_value* can be an expression or a bind variable, and it must evaluate to a character string of CHAR, VARCHAR2, NCHAR, or NVARCHAR2 data type. It can be in either the SQL format or ISO format, and need not be in the same format as the function argument. If *return\_value* cannot be converted to an INTERVAL MONTH TO YEAR type, then the function returns an error.

**Examples**

The following example calculates for each employee in the sample `hr.employees` table a date one year two months after the hire date:

```
SELECT hire_date, hire_date + TO_YMINTERVAL('01-02') "14 months"
       FROM employees;
```

```
HIRE_DATE 14 months
-----
17-JUN-03 17-AUG-04
21-SEP-05 21-NOV-06
13-JAN-01 13-MAR-02
20-MAY-08 20-JUL-09
21-MAY-07 21-JUL-08
```

. . .

The following example makes the same calculation using the ISO format:

```
SELECT hire_date, hire_date + TO_YMINTERVAL('P1Y2M') FROM employees;
```

The following example returns the default value because the specified expression cannot be converted to an INTERVAL MONTH TO YEAR value:

```
SELECT TO_YMINTERVAL('1x-02'  
      DEFAULT '00-00' ON CONVERSION ERROR) "Value"  
      FROM DUAL;
```

```
Value  
-----  
+0000000000-00
```

## TRANSLATE

### Syntax

```
→ [TRANSLATE] → ( → expr → , → from_string → , → to_string → ) →
```

### Purpose

TRANSLATE returns *expr* with all occurrences of each character in *from\_string* replaced by its corresponding character in *to\_string*. Characters in *expr* that are not in *from\_string* are not replaced. The argument *from\_string* can contain more characters than *to\_string*. In this case, the extra characters at the end of *from\_string* have no corresponding characters in *to\_string*. If these extra characters appear in *expr*, then they are removed from the return value.

If a character appears multiple times in *from\_string*, then the *to\_string* mapping corresponding to the first occurrence is used.

You cannot use an empty string for *to\_string* to remove all characters in *from\_string* from the return value. Oracle Database interprets the empty string as null, and if this function has a null argument, then it returns null. To remove all characters in *from\_string*, concatenate another character to the beginning of *from\_string* and specify this character as the *to\_string*. For example, TRANSLATE(*expr*, 'x0123456789', 'x') removes all digits from *expr*.

TRANSLATE provides functionality related to that provided by the REPLACE function. REPLACE lets you substitute a single string for another single string, as well as remove character strings. TRANSLATE lets you make several single-character, one-to-one substitutions in one operation.

This function does not support CLOB data directly. However, CLOBs can be passed in as arguments through implicit data conversion.

 See Also:

- "Data Type Comparison Rules " for more information and [REPLACE](#)
- Appendix C in *Oracle Database Globalization Support Guide* for the collation determination rules, which define the collation `TRANSLATE` uses to compare characters from `expr` with characters from `from_string`, and for the collation derivation rules, which define the collation assigned to the character return value of `TRANSLATE`


**Examples**

The following statement translates a book title into a string that could be used (for example) as a filename. The `from_string` contains four characters: a space, asterisk, slash, and apostrophe (with an extra apostrophe as the escape character). The `to_string` contains only three underscores. This leaves the fourth character in the `from_string` without a corresponding replacement, so apostrophes are dropped from the returned value.

```
SELECT TRANSLATE('SQL*Plus User''s Guide', ' */'', '___') FROM DUAL;

TRANSLATE('SQL*PLUSU
-----
SQL_Plus_Users_Guide
```

## TRANSLATE ... USING

**Syntax****Purpose**

`TRANSLATE ... USING` converts `char` into the character set specified for conversions between the database character set and the national character set.

 Note:

The `TRANSLATE ... USING` function is supported primarily for ANSI compatibility. Oracle recommends that you use the `TO_CHAR` and `TO_NCHAR` functions, as appropriate, for converting data to the database or national character set. `TO_CHAR` and `TO_NCHAR` can take as arguments a greater variety of data types than `TRANSLATE ... USING`, which accepts only character data.

The `char` argument is the expression to be converted.

- Specifying the `USING CHAR_CS` argument converts `char` into the database character set. The output data type is `VARCHAR2`.
- Specifying the `USING NCHAR_CS` argument converts `char` into the national character set. The output data type is `NVARCHAR2`.

This function is similar to the Oracle `CONVERT` function, but must be used instead of `CONVERT` if either the input or the output data type is being used as `NCHAR` or `NVARCHAR2`. If the input contains UCS2 code points or backslash characters (`\`), then use the `UNISTR` function.

### See Also:

- [CONVERT](#) and [UNISTR](#)
- Appendix C in *Oracle Database Globalization Support Guide* for the collation derivation rules, which define the collation assigned to the character return value of `TRANSLATE ... USING`

## Examples

The following statements use data from the sample table `oe.product_descriptions` to show the use of the `TRANSLATE ... USING` function:

```
CREATE TABLE translate_tab (char_col VARCHAR2(100),
                           nchar_col NVARCHAR2(50));
INSERT INTO translate_tab
  SELECT NULL, translated_name
     FROM product_descriptions
     WHERE product_id = 3501;

SELECT * FROM translate_tab;

CHAR_COL          NCHAR_COL
-----
. . .
                C pre SPNIX4.0 - Sys
                C pro SPNIX4.0 - Sys
                C til SPNIX4.0 - Sys
                C voor SPNIX4.0 - Sys
. . .


UPDATE translate_tab
  SET char_col = TRANSLATE (nchar_col USING CHAR_CS);

SELECT * FROM translate_tab;

CHAR_COL          NCHAR_COL
-----
. . .
C per a SPNIX4.0 - Sys  C per a SPNIX4.0 - Sys
C pro SPNIX4.0 - Sys   C pro SPNIX4.0 - Sys
C for SPNIX4.0 - Sys   C for SPNIX4.0 - Sys
C til SPNIX4.0 - Sys   C til SPNIX4.0 - Sys
. . .
```

# TREAT

## Syntax



## Purpose

You can use the `TREAT` function to change the declared type of an expression.

Use the keywords `AS JSON` when you want the expression to return JSON data. This is useful when you want to force some text to be interpreted as JSON data. For example, you can use it to interpret a `VARCHAR2` value of `{}` as an empty JSON object instead of a string.

You must have the `EXECUTE` object privilege on `type` to use this function.

- In `expr AS JSON`, `expr` is a SQL data type containing JSON, for example `CLOB`.
- In `expr AS type`, `expr` and `type` must be a user-defined object types, excluding top-level collections.
- `type` must be some supertype or subtype of the declared type of `expr`. If the most specific type of `expr` is `type` (or some subtype of `type`), then `TREAT` returns `expr`. If the most specific type of `expr` is not `type` (or some subtype of `type`), then `TREAT` returns `NULL`.
- You can specify `REF` only if the declared type of `expr` is a `REF` type.
- If the declared type of `expr` is a `REF` to a source type of `expr`, then `type` must be some subtype or supertype of the source type of `expr`. If the most specific type of `DEREF(expr)` is `type` (or a subtype of `type`), then `TREAT` returns `expr`. If the most specific type of `DEREF(expr)` is not `type` (or a subtype of `type`), then `TREAT` returns `NULL`.



### See Also:

"[Data Type Comparison Rules](#)" for more information

## Examples

The following statement uses the table `oe.persons`, which is created in "[Substitutable Table and Column Examples](#)". The example retrieves the salary attribute of all people in the `persons` table, the value being null for instances of people that are not employees.

```
SELECT name, TREAT(VALUE(p) AS employee_t).salary salary
FROM persons p;
```




NAME	SALARY
-----	-----
Bob	
Joe	100000
Tim	1000

You can use the `TREAT` function to create an index on the subtype attributes of a substitutable column. For an example, see ["Indexing on Substitutable Columns: Examples"](#).

## TRIM

### Syntax



### Purpose

`TRIM` enables you to trim leading or trailing characters (or both) from a character string. If *trim\_character* or *trim\_source* is a character literal, then you must enclose it in single quotation marks.

- If you specify `LEADING`, then Oracle Database removes any leading characters equal to *trim\_character*.
- If you specify `TRAILING`, then Oracle removes any trailing characters equal to *trim\_character*.
- If you specify `BOTH` or none of the three, then Oracle removes leading and trailing characters equal to *trim\_character*.
- If you do not specify *trim\_character*, then the default value is a blank space.
- If you specify only *trim\_source*, then Oracle removes leading and trailing blank spaces.
- The function returns a value with data type `VARCHAR2`. The maximum length of the value is the length of *trim\_source*.
- If either *trim\_source* or *trim\_character* is null, then the `TRIM` function returns null.

Both *trim\_character* and *trim\_source* can be `VARCHAR2` or any data type that can be implicitly converted to `VARCHAR2`. The string returned is a `VARCHAR2` (`NVARCHAR2`) data type if *trim\_source* is a `CHAR` or `VARCHAR2` (`NCHAR` or `NVARCHAR2`) data type, and a `CLOB` if *trim\_source* is a `CLOB` data type. The return string is in the same character set as *trim\_source*.

 See Also:

Appendix C in *Oracle Database Globalization Support Guide* for the collation determination rules, which define the collation `TRIM` uses to compare characters from `trim_character` with characters from `trim_source`, and for the collation derivation rules, which define the collation assigned to the character return value of this function

**Examples**

This example trims leading zeros from the hire date of the employees in the `hr` schema:


```
SELECT employee_id,
       TO_CHAR(TRIM(LEADING 0 FROM hire_date))
FROM employees
WHERE department_id = 60
ORDER BY employee_id;
```

```
EMPLOYEE_ID TO_CHAR(T
-----
          103 20-MAY-08
          104 21-MAY-07
          105 25-JUN-05
          106 5-FEB-06
          107 7-FEB-07
```

## TRUNC (datetime)

**Syntax**

***trunc\_datetime::=***

**Purpose**

The `TRUNC (datetime)` function returns *date* with the time portion of the day truncated to the unit specified by the format model *fmt*.

This function is not sensitive to the `NLS_CALENDAR` session parameter. It operates according to the rules of the Gregorian calendar. The value returned is always of data type `DATE`, even if you specify a different datetime data type for date. If you do not specify the second argument *fmt*, then the default format model 'DD' is used and the value returned is *date* truncated to the day with a time of midnight.

The `TRUNC` and `FLOOR` functions are synonymous for dates and timestamps.

Refer to "[CEIL, FLOOR, ROUND, and TRUNC Date Functions](#)" for the permitted format models to use in *fmt*.

## Examples

The following example truncates a date:

```
SELECT TRUNC(TO_DATE('27-OCT-92','DD-MON-YY'), 'YEAR')
       "New Year" FROM DUAL;
```

```
New Year
-----
01-JAN-92
```

## Formatting Dates using TRUNC: Examples

In the following example, the TRUNC function returns the input date with the time portion of the day truncated as specified in the format model:

```
WITH dates AS (
  SELECT date'2015-01-01' d FROM dual union
  SELECT date'2015-01-10' d FROM dual union
  SELECT date'2015-02-01' d FROM dual union
  SELECT timestamp'2015-03-03 23:45:00' d FROM dual union
  SELECT timestamp'2015-04-11 12:34:56' d FROM dual
)
SELECT d "Original Date",
       trunc(d) "Nearest Day, Time Removed",
       trunc(d, 'ww') "Nearest Week",
       trunc(d, 'iw') "Start of Week",
       trunc(d, 'mm') "Start of Month",
       trunc(d, 'year') "Start of Year"
FROM dates;
```

In the following example, the input date values are truncated and the TO\_CHAR function is used to obtain the minute component of the truncated date values:

```
WITH dates AS (
  SELECT date'2015-01-01' d FROM dual union
  SELECT date'2015-01-10' d FROM dual union
  SELECT date'2015-02-01' d FROM dual union
  SELECT timestamp'2015-03-03 23:45:00' d FROM dual union
  SELECT timestamp'2015-04-11 12:34:56' d FROM dual
)
SELECT d "Original Date",
       trunc(d) "Date with Time Removed",
       to_char(trunc(d, 'mi'), 'dd-mon-yyyy hh24:mi') "Nearest Minute",
       trunc(d, 'iw') "Start of Week",
       trunc(d, 'mm') "Start of Month",
       trunc(d, 'year') "Start of Year"
FROM dates;
```

The following statement alters the date format for the current session:

```
ALTER SESSION SET nls_date_format = 'dd-mon-yyyy hh24:mi';
```

In the following example, the data is displayed in the new date format:

```
WITH dates AS (
  SELECT date'2015-01-01' d FROM dual union
  SELECT date'2015-01-10' d FROM dual union
  SELECT date'2015-02-01' d FROM dual union
  SELECT timestamp'2015-03-03 23:44:32' d FROM dual union
  SELECT timestamp'2015-04-11 12:34:56' d FROM dual
```

```

)
SELECT d "Original Date",
       trunc(d) "Date, time removed",
       to_char(trunc(d, 'mi'), 'dd-mon-yyyy hh24:mi') "Nearest Minute",
       trunc(d, 'iw') "Start of Week",
       trunc(d, 'mm') "Start of Month",
       trunc(d, 'year') "Start of Year"
FROM dates;

```

## TRUNC (interval)

### Syntax



### Purpose

`TRUNC(interval)` returns the interval rounded down to the unit specified by the second argument *fmt*, the format model .

The absolute value of `TRUNC(interval)` is never greater than the absolute value of *interval*. The result precision is the same as the input precision, since there is no overflow issue for `TRUNC(interval)`.

For `INTERVAL YEAR TO MONTH`, *fmt* can only be year. The default *fmt* is year.

For `INTERVAL DAY TO SECOND`, *fmt* can be day, hour and minute. The default *fmt* is day. Note that *fmt* does not support second.

#### See Also:

Refer to [CEIL, FLOOR, ROUND, and TRUNC Date Functions](#) for the permitted format models to use in *fmt*.

### Examples

```
SELECT TRUNC(INTERVAL '+123-06' YEAR(3) TO MONTH) AS year_trunc;
```

```
YEAR_TRUNC
-----
+123-00
```

```
SELECT TRUNC(INTERVAL '+99-11' YEAR(2) TO MONTH, 'YEAR') AS year_trunc;
```

```
YEAR_TRUNC
-----
+99-00
```


```
SELECT TRUNC(INTERVAL '+4 12:42:10.222' DAY(2) TO SECOND(3), 'DD') AS day_trunc;
```

```
DAY_TRUNC
-----
+04 00:00:00.000000
```

## TRUNC (number)

### Syntax

***trunc\_number::=***



### Purpose

The `TRUNC (number)` function returns *n1* truncated to *n2* decimal places. If *n2* is omitted, then *n1* is truncated to 0 places. *n2* can be negative to truncate (make zero) *n2* digits left of the decimal point.

This function takes as an argument any numeric data type or any nonnumeric data type that can be implicitly converted to a numeric data type. If you omit *n2*, then the function returns the same data type as the numeric data type of the argument. If you include *n2*, then the function returns `NUMBER`.



### See Also:

[Table 2-9](#) for more information on implicit conversion

### Examples

The following examples truncate numbers:

```
SELECT TRUNC(15.79,1) "Truncate" FROM DUAL;
```


```
Truncate
-----
      15.7
```

```
SELECT TRUNC(15.79,-1) "Truncate" FROM DUAL;
```

```
Truncate
-----
      10
```

# TZ\_OFFSET

## Syntax



## Purpose

`TZ_OFFSET` returns the time zone offset corresponding to the argument based on the date the statement is executed. You can enter a valid time zone region name, a time zone offset from UTC (which simply returns itself), or the keyword `SESSIONTIMEZONE` or `DBTIMEZONE`. For a listing of valid values for `time_zone_name`, query the `TZNAME` column of the `V$TIMEZONE_NAMES` dynamic performance view.

### Note:

Time zone region names are needed by the daylight saving feature. These names are stored in two types of time zone files: one large and one small. One of these files is the default file, depending on your environment and the release of Oracle Database you are using. For more information regarding time zone files and names, see *Oracle Database Globalization Support Guide*.

### See Also:

- Appendix C in *Oracle Database Globalization Support Guide* for the collation derivation rules, which define the collation assigned to the character return value of `TZ_OFFSET`

## Examples

The following example returns the time zone offset of the US/Eastern time zone from UTC:

```
SELECT TZ_OFFSET('US/Eastern') FROM DUAL;
```

```
TZ_OFFSET
-----
-04:00
```

# UID

## Syntax

→ **UID** →

## Purpose

`UID` returns an integer that uniquely identifies the session user (the user who logged on).



### See Also:

[USER](#) to learn how Oracle Database determines the session user

## Examples

The following example returns the UID of the session user:

```
SELECT UID FROM DUAL;
```

# UNISTR

## Syntax

→ **UNISTR** ( *string* ) →

## Purpose

`UNISTR` takes as its argument a text literal or an expression that resolves to character data and returns it in the national character set. The national character set of the database can be either AL16UTF16 or UTF8. `UNISTR` provides support for Unicode string literals by letting you specify the Unicode encoding value of characters in the string. This is useful, for example, for inserting data into `NCHAR` columns.

The Unicode encoding value has the form `'\xxxx'` where `'xxxx'` is the hexadecimal value of a character in UCS-2 encoding format. Supplementary characters are encoded as two code units, the first from the high-surrogates range (U+D800 to U+DBFF), and the second from the low-surrogates range (U+DC00 to U+DFFF). To include the backslash in the string itself, precede it with another backslash (`\\`).

For portability and data preservation, Oracle recommends that in the `UNISTR` string argument you specify only ASCII characters and the Unicode encoding values.

 **See Also:**

- *Oracle Database Globalization Support Guide* for information on Unicode and national character sets
- Appendix C in *Oracle Database Globalization Support Guide* for the collation derivation rules, which define the collation assigned to the character return value of `UNISTR`


**Examples**

The following example passes both ASCII characters and Unicode encoding values to the `UNISTR` function, which returns the string in the national character set:

```
SELECT UNISTR('abc\00e5\00f1\00f6') FROM DUAL;

UNISTR
-----
abcåñö
```

# UPPER

**Syntax**


```
graph LR
  A[UPPER] --> B("(")
  B --> C(char)
  C --> D(")")
  A --> E[ ]
  D --> E
  style E fill:none,stroke:none
```

**Purpose**

`UPPER` returns *char*, with all letters uppercase. *char* can be any of the data types `CHAR`, `VARCHAR2`, `NCHAR`, `NVARCHAR2`, `CLOB`, or `NCLOB`. The return value is the same data type as *char*. The database sets the case of the characters based on the binary mapping defined for the underlying character set. For linguistic-sensitive uppercase, refer to [NLS\\_UPPER](#).

 **See Also:**

Appendix C in *Oracle Database Globalization Support Guide* for the collation derivation rules, which define the collation assigned to the character return value of `UPPER`

**Examples**

The following example returns each employee's last name in uppercase:

```
SELECT UPPER(last_name) "Uppercase"
FROM employees;
```



# USER

## Syntax

→ USER →

## Purpose

`USER` returns the name of the session user (the user who logged on). This may change during the duration of a database session as Real Application Security sessions are attached or detached. If a Real Application Security session is currently attached to the database session, then it returns user `XS$NULL`.

This function returns a `VARCHAR2` value.

Oracle Database compares values of this function with blank-padded comparison semantics.

In a distributed SQL statement, the `UID` and `USER` functions together identify the user on your local database. You cannot use these functions in the condition of a `CHECK` constraint.

### See Also:

- *Oracle Database 2 Day + Security Guide* for more information on user `XS$NULL`
- Appendix C in *Oracle Database Globalization Support Guide* for the collation derivation rules, which define the collation assigned to the character return value of `USER`

## Examples

The following example returns the session user and the user's UID:

```
SELECT USER, UID FROM DUAL;
```

# USERENV

## Syntax

→ USERENV → ( → ' → parameter → ' → ) →

## Purpose



### Note:

USERENV is a legacy function that is retained for backward compatibility. Oracle recommends that you use the `SYS_CONTEXT` function with the built-in USERENV namespace for current functionality. See [SYS\\_CONTEXT](#) for more information.

USERENV returns information about the current session. This information can be useful for writing an application-specific audit trail table or for determining the language-specific characters currently used by your session. You cannot use USERENV in the condition of a CHECK constraint. [Table 7-12](#) describes the values for the *parameter* argument.

All calls to USERENV return VARCHAR2 data except for calls with the SESSIONID, SID, and ENTRYID parameters, which return NUMBER.

**Table 7-12 Parameters of the USERENV Function**

Parameter	Return Value
CLIENT_INFO	<p>CLIENT_INFO returns up to 64 bytes of user session information that can be stored by an application using the DBMS_APPLICATION_INFO package.</p> <p><b>Caution:</b> Some commercial applications may be using this context value. Refer to the applicable documentation for those applications to determine what restrictions they may impose on use of this context area.</p> <p><b>See Also:</b> <i>Oracle Database Security Guide</i> for more information on application context, <a href="#">CREATE CONTEXT</a>, and <a href="#">SYS_CONTEXT</a></p>
ENTRYID	The current audit entry number. The audit entryid sequence is shared between fine-grained audit records and regular audit records. You cannot use this attribute in distributed SQL statements.
ISDBA	ISDBA returns 'TRUE' if the user has been authenticated as having DBA privileges either through the operating system or through a password file.
LANG	LANG returns the ISO abbreviation for the language name, a shorter form than the existing 'LANGUAGE' parameter.
LANGUAGE	<p>LANGUAGE returns the language and territory used by the current session along with the database character set in this form:</p> <pre>language_territory.characterset</pre>
SESSIONID	SESSIONID returns the auditing session identifier. You cannot specify this parameter in distributed SQL statements.
SID	SID returns the session ID.
TERMINAL	TERMINAL returns the operating system identifier for the terminal of the current session. In distributed SQL statements, this parameter returns the identifier for your local session. In a distributed environment, this parameter is supported only for remote SELECT statements, not for remote INSERT, UPDATE, or DELETE operations.

 **See Also:**

Appendix C in *Oracle Database Globalization Support Guide* for the collation derivation rules, which define the collation assigned to the character return value of USERENV


**Examples**

The following example returns the LANGUAGE parameter of the current session:

```
SELECT USERENV('LANGUAGE') "Language" FROM DUAL;
```

```
Language
-----
AMERICAN_AMERICA.WE8ISO8859P1
```

## VALIDATE\_CONVERSION

**Syntax****Purpose**

VALIDATE\_CONVERSION determines whether *expr* can be converted to the specified data type. If *expr* can be successfully converted, then this function returns 1; otherwise, this function returns 0. If *expr* evaluates to null, then this function returns 1. If an error occurs while evaluating *expr*, then this function returns the error.

For *expr*, specify a SQL expression. The acceptable data types for *expr*, and the purpose of the optional *fmt* and *nlsparam* arguments, depend on the data type you specify for *type\_name*.

For *type\_name*, specify the data type to which you want to convert *expr*. You can specify the following data types:

- BINARY\_DOUBLE

If you specify BINARY\_DOUBLE, then *expr* can be any expression that evaluates to a character string of CHAR, VARCHAR2, NCHAR, or NVARCHAR2 data type, or a numeric value of type NUMBER, BINARY\_FLOAT, or BINARY\_DOUBLE. The optional *fmt* and *nlsparam* arguments serve the same purpose as for the TO\_BINARY\_DOUBLE function. Refer to [TO\\_BINARY\\_DOUBLE](#) for more information.

- BINARY\_FLOAT

If you specify BINARY\_FLOAT, then *expr* can be any expression that evaluates to a character string of CHAR, VARCHAR2, NCHAR, or NVARCHAR2 data type, or a numeric value of type NUMBER, BINARY\_FLOAT, or BINARY\_DOUBLE. The optional *fmt* and *nlsparam* arguments serve the same purpose as for the TO\_BINARY\_FLOAT function. Refer to [TO\\_BINARY\\_FLOAT](#) for more information.

- DATE

If you specify DATE, then *expr* can be any expression that evaluates to a character string of CHAR, VARCHAR2, NCHAR, or NVARCHAR2 data type. The optional *fmt* and *nlsparam* arguments serve the same purpose as for the TO\_DATE function. Refer to TO\_DATE for more information.
- INTERVAL DAY TO SECOND

If you specify INTERVAL DAY TO SECOND, then *expr* can be any expression that evaluates to a character string of CHAR, VARCHAR2, NCHAR, or NVARCHAR2 data type, and must contain a value in either the SQL interval format or the ISO duration format. The optional *fmt* and *nlsparam* arguments do not apply for this data type. Refer to TO\_DSINTERVAL for more information on the SQL interval format and the ISO duration format.
- INTERVAL YEAR TO MONTH

If you specify INTERVAL YEAR TO MONTH, then *expr* can be any expression that evaluates to a character string of CHAR, VARCHAR2, NCHAR, or NVARCHAR2 data type, and must contain a value in either the SQL interval format or the ISO duration format. The optional *fmt* and *nlsparam* arguments do not apply for this data type. Refer to TO\_YMINTERVAL for more information on the SQL interval format and the ISO duration format.
- NUMBER

If you specify NUMBER, then *expr* can be any expression that evaluates to a character string of CHAR, VARCHAR2, NCHAR, or NVARCHAR2 data type, a numeric value of type NUMBER, BINARY\_FLOAT, or BINARY\_DOUBLE or value of type BOOLEAN. The optional *fmt* and *nlsparam* arguments serve the same purpose as for the TO\_NUMBER function. Refer to TO\_NUMBER for more information.

If *expr* is a value of type NUMBER, then the VALIDATE\_CONVERSION function verifies that *expr* is a legal numeric value. If *expr* is not a legal numeric value, then the function returns 0. This enables you to identify corrupt numeric values in your database.
- TIMESTAMP

If you specify TIMESTAMP, then *expr* can be any expression that evaluates to a character string of CHAR, VARCHAR2, NCHAR, or NVARCHAR2 data type. The optional *fmt* and *nlsparam* arguments serve the same purpose as for the TO\_TIMESTAMP function. If you omit *fmt*, then *expr* must be in the default format of the TIMESTAMP data type, which is determined by the NLS\_TIMESTAMP\_FORMAT initialization parameter. Refer to TO\_TIMESTAMP for more information.
- TIMESTAMP WITH TIME ZONE

If you specify TIMESTAMP WITH TIME ZONE, then *expr* can be any expression that evaluates to a character string of CHAR, VARCHAR2, NCHAR, or NVARCHAR2 data type. The optional *fmt* and *nlsparam* arguments serve the same purpose as for the TO\_TIMESTAMP\_TZ function. If you omit *fmt*, then *expr* must be in the default format of the TIMESTAMP WITH TIME ZONE data type, which is determined by the NLS\_TIMESTAMP\_TZ\_FORMAT initialization parameter. Refer to TO\_TIMESTAMP\_TZ for more information.
- TIMESTAMP WITH LOCAL TIME ZONE

If you specify `TIMESTAMP`, then `expr` can be any expression that evaluates to a character string of `CHAR`, `VARCHAR2`, `NCHAR`, or `NVARCHAR2` data type. The optional `fmt` and `nlsparam` arguments serve the same purpose as for the `TO_TIMESTAMP` function. If you omit `fmt`, then `expr` must be in the default format of the `TIMESTAMP` data type, which is determined by the `NLS_TIMESTAMP_FORMAT` initialization parameter. Refer to [TO\\_TIMESTAMP](#) for more information.

- `BOOLEAN`

`BOOLEAN` is supported as a target type. It supports `NUMBER` type family, `VARCHAR` type family, and `BOOLEAN` itself as input.

## Examples

In each of the following statements, the specified value can be successfully converted to the specified data type. Therefore, each of these statements returns a value of 1.

```
SELECT VALIDATE_CONVERSION(1000 AS BINARY_DOUBLE)
   FROM DUAL;

SELECT VALIDATE_CONVERSION('1234.56' AS BINARY_FLOAT)
   FROM DUAL;

SELECT VALIDATE_CONVERSION('July 20, 1969, 20:18' AS DATE,
   'Month dd, YYYY, HH24:MI', 'NLS_DATE_LANGUAGE = American')
   FROM DUAL;

SELECT VALIDATE_CONVERSION('200 00:00:00' AS INTERVAL DAY TO SECOND)
   FROM DUAL;

SELECT VALIDATE_CONVERSION('P1Y2M' AS INTERVAL YEAR TO MONTH)
   FROM DUAL;

SELECT VALIDATE_CONVERSION('$100,00' AS NUMBER,
   '$999D99', 'NLS_NUMERIC_CHARACTERS = ','.')
   FROM DUAL;

SELECT VALIDATE_CONVERSION('29-Jan-02 17:24:00' AS TIMESTAMP,
   'DD-MON-YY HH24:MI:SS')
   FROM DUAL;

SELECT VALIDATE_CONVERSION('1999-12-01 11:00:00 -8:00'
   AS TIMESTAMP WITH TIME ZONE, 'YYYY-MM-DD HH:MI:SS TZH:TZM')
   FROM DUAL;

SELECT VALIDATE_CONVERSION('11-May-16 17:30:00'
   AS TIMESTAMP WITH LOCAL TIME ZONE, 'DD-MON-YY HH24:MI:SS')
   FROM DUAL;
```

The following statement returns 0, because the specified value cannot be converted to `BINARY_FLOAT`:


```
SELECT VALIDATE_CONVERSION('$29.99' AS BINARY_FLOAT)
   FROM DUAL;
```

The following statement returns 1, because the specified number format model enables the value to be converted to `BINARY_FLOAT`:

```
SELECT VALIDATE_CONVERSION('$29.99' AS BINARY_FLOAT, '$999D99')
   FROM DUAL;
```

# VALUE

## Syntax



## Purpose

VALUE takes as its argument a correlation variable (table alias) associated with a row of an object table and returns object instances stored in the object table. The type of the object instances is the same type as the object table.

## Examples

The following example uses the sample table `oe.persons`, which is created in "[Substitutable Table and Column Examples](#)":

```

SELECT VALUE(p) FROM persons p;

VALUE(P) (NAME, SSN)
-----
PERSON_T('Bob', 1234)
EMPLOYEE_T('Joe', 32456, 12, 100000)
PART_TIME_EMP_T('Tim', 5678, 13, 1000, 20)
  
```




### See Also:

"[IS OF type Condition](#)" for information on using IS OF type conditions with the VALUE function

# VAR\_POP

## Syntax



### See Also:

"[Analytic Functions](#)" for information on syntax, semantics, and restrictions

## Purpose

VAR\_POP returns the population variance of a set of numbers after discarding the nulls in this set. You can use it as both an aggregate and analytic function.

This function takes as an argument any numeric data type or any nonnumeric data type that can be implicitly converted to a numeric data type. The function returns the same data type as the numeric data type of the argument.



### See Also:

[Table 2-9](#) for more information on implicit conversion

If the function is applied to an empty set, then it returns null. The function makes the following calculation:

$$\text{SUM}((\text{expr} - (\text{SUM}(\text{expr}) / \text{COUNT}(\text{expr})))^2) / \text{COUNT}(\text{expr})$$


### See Also:

"[About SQL Expressions](#)" for information on valid forms of *expr* and "[Aggregate Functions](#)"

## Aggregate Example

The following example returns the population variance of the salaries in the `employees` table:

```
SELECT VAR_POP(salary) FROM employees;
```

```
VAR_POP(SALARY)
-----
      15141964.9
```

## Analytic Example

The following example calculates the cumulative population and sample variances in the `sh.sales` table of the monthly sales in 1998:

```
SELECT t.calendar_month_desc,
       VAR_POP(SUM(s.amount_sold))
         OVER (ORDER BY t.calendar_month_desc) "Var_Pop",
       VAR_SAMP(SUM(s.amount_sold))
         OVER (ORDER BY t.calendar_month_desc) "Var_Samp"
FROM sales s, times t
WHERE s.time_id = t.time_id AND t.calendar_year = 1998
GROUP BY t.calendar_month_desc
ORDER BY t.calendar_month_desc, "Var_Pop", "Var_Samp";
```

```
CALENDAR      Var_Pop      Var_Samp
-----
1998-01              0
1998-02  2269111326  4538222653
1998-03  5.5849E+10  8.3774E+10
```


```

1998-04 4.8252E+10 6.4336E+10
1998-05 6.0020E+10 7.5025E+10
1998-06 5.4091E+10 6.4909E+10
1998-07 4.7150E+10 5.5009E+10
1998-08 4.1345E+10 4.7252E+10
1998-09 3.9591E+10 4.4540E+10
1998-10 3.9995E+10 4.4439E+10
1998-11 3.6870E+10 4.0558E+10
1998-12 4.0216E+10 4.3872E+10

```

## VAR\_SAMP

### Syntax



#### See Also:

"[Analytic Functions](#)" for information on syntax, semantics, and restrictions

### Purpose

VAR\_SAMP returns the sample variance of a set of numbers after discarding the nulls in this set. You can use it as both an aggregate and analytic function.

This function takes as an argument any numeric data type or any nonnumeric data type that can be implicitly converted to a numeric data type. The function returns the same data type as the numeric data type of the argument.



#### See Also:

[Table 2-9](#) for more information on implicit conversion

If the function is applied to an empty set, then it returns null. The function makes the following calculation:

$$(\text{SUM}(\text{expr} - (\text{SUM}(\text{expr}) / \text{COUNT}(\text{expr})))^2) / (\text{COUNT}(\text{expr}) - 1)$$

This function is similar to VARIANCE, except that given an input set of one element, VARIANCE returns 0 and VAR\_SAMP returns null.



#### See Also:

"[About SQL Expressions](#)" for information on valid forms of `expr` and "[Aggregate Functions](#)"



### Aggregate Example

The following example returns the sample variance of the salaries in the sample `employees` table.

```
SELECT VAR_SAMP(salary) FROM employees;
```


```
VAR_SAMP(SALARY)
-----
      15284813.7
```

### Analytic Example

Refer to the analytic example for [VAR\\_POP](#).

## VARIANCE

### Syntax



#### See Also:

"[Analytic Functions](#)" for information on syntax, semantics, and restrictions

### Purpose

`VARIANCE` returns the variance of `expr`. You can use it as an aggregate or analytic function.

Oracle Database calculates the variance of `expr` as follows:

- 0 if the number of rows in `expr` = 1
- `VAR_SAMP` if the number of rows in `expr` > 1

If you specify `DISTINCT`, then you can specify only the `query_partition_clause` of the `analytic_clause`. The `order_by_clause` and `windowing_clause` are not allowed.

This function takes as an argument any numeric data type or any nonnumeric data type that can be implicitly converted to a numeric data type. The function returns the same data type as the numeric data type of the argument.



#### See Also:

[Table 2-9](#) for more information on implicit conversion, "[About SQL Expressions](#)" for information on valid forms of `expr` and "[Aggregate Functions](#)"

## Aggregate Example

The following example calculates the variance of all salaries in the sample `employees` table:

```
SELECT VARIANCE(salary) "Variance"
   FROM employees;
```

```
Variance
-----
15283140.5
```

## Analytic Example


The following example returns the cumulative variance of salary values in Department 30 ordered by hire date.

```
SELECT last_name, salary, VARIANCE(salary)
   OVER (ORDER BY hire_date) "Variance"
   FROM employees
  WHERE department_id = 30
  ORDER BY last_name, salary, "Variance";
```

LAST_NAME	SALARY	Variance
Baida	2900	16283333.3
Colmenares	2500	11307000
Himuro	2600	13317000
Khoo	3100	31205000
Raphaely	11000	0
Tobias	2800	21623333.3

# VECTOR

## Syntax



## Purpose

`VECTOR` is a constructor that takes a string of type `VARCHAR2` or `CLOB` as input and returns a vector as output.

`VECTOR` is synonymous with `TO_VECTOR`.



### See Also:

- [TO\\_VECTOR](#)
- [Vector Functions](#)

### Parameters

- *expr* must evaluate to a vector or a string that represents a vector. The function returns NULL if *expr* is NULL.

The string representation of the vector must be in the form of an array of non-null numbers enclosed with a bracket and separated by commas, such as [1, 3.4, -05.60, 3e+4]. TO\_VECTOR converts a valid string representation of a vector to a vector in the format specified. If no format is specified the default format is used.

- *number\_of\_dimensions* must be a numeric value that describes the number of dimensions of the vector to construct. The number of dimensions may also be specified as an asterisk (\*), in which case the dimension is determined by *expr*.
- *format* must be one of the following tokens: INT8, FLOAT32, FLOAT64, or \*. This is the target internal storage format of the vector. If \* is used, the format will be FLOAT32.

Note that this behavior is different from declaring a vector column. When you declare a column of type VECTOR(3, \*), then all inserted vectors will be stored as is without a change in format.


#### Note:

Applications using Oracle Client 23ai libraries or Thin mode drivers can insert vector data directly as a string or a CLOB. For example:


```
INSERT INTO vecTab VALUES ('[1.1, 2.9, 3.14]');
```

## VECTOR\_CHUNKS


### Syntax




### *chunks\_table\_arguments*::=




**chunking\_spec::=**




**split\_characters\_list::=**




**custom\_split\_characters\_list**





**normalization\_spec**



**custom\_normalization\_spec**



**normalization\_mode****chunking\_mode::=****Purpose**

VECTOR\_CHUNKS is a one-to-many table function that takes a row of textual input and returns the output as one or more chunks with metadata.

The chunking output includes:

- `chunk_offset`: Position of each chunk (NUMBER) in the source document, relative to the start of document which has a position of 1
- `chunk_length`: Character length (NUMBER) of each chunk
- `chunk_text`: Text pieces from each chunk

VECTOR\_CHUNKS takes as input one of the following data types: VARCHAR2, CHAR, CLOB, NVARCHAR2, NCLOB, NCHAR. It is aware of the database character set and the national language character set.

It returns as output a text chunk as VARCHAR2 or NVARCAHR2.

**Restrictions**

- Both input and output values are limited to 4000 bytes. To increase the limit to 32767 bytes, you must set the `MAX_STRING_SIZE` parameter to `EXTENDED`.
- SQL NCHAR, NVARCHAR2, and NCLOB data types support Unicode data only.
- You can use either the UTF8 or the AL16UTF16 character set. The default is AL16UTF16.
- Oracle recommends using SQL CHAR, VARCHAR2, and CLOB data types in AL32UTF8 database to store Unicode character data.
- Use of SQL NCHAR, NVARCHAR2, and NCLOB should be considered only if you must use a database whose database character set is not AL32UTF8.
- AL16UTF16LE is not valid as the client, database, or national character set.

**Table 7-13 Input and Output Data Type Details**

Input Data Type	Database NLS Parameter	Input Encoding	Output Data Type	Output Offset
VARCHAR2	NLS_CHARACTERSET	Any	VARCHAR2	byte
CHAR	NLS_CHARACTERSET	Any	VARCHAR2	byte
CLOB	NLS_CHARACTERSET NCHAR_CHARACTERSET (for multi-byte databases)	Any	VARCHAR2	character
NVARCHAR2	NLS_NCHAR_CHARACTERSET	AL16UTF16 (also AL32UTF8)	NVARCHAR2	byte
NCLOB	NLS_NCHAR_CHARACTERSET	AL16UTF16 (also AL32UTF8)	NVARCHAR2	character
NCHAR	NLS_NCHAR_CHARACTERSET	AL16UTF16 (also AL32UTF8)	NVARCHAR2	byte

 **Note:**

- The SQL NCHAR, NVARCHAR2, and NCLOB data types support Unicode data only. You can use either UTF8 or AL16UTF16 character set. The default is AL16UTF16.
- The VARCHAR2 input data type is limited to 4000 bytes unless the MAX\_STRING\_SIZE parameter is set to EXTENDED, which increases the limit to 32767.

**Parameters**

All chunking parameters are optional, and the default chunking specifications are automatically applied to your chunk data.

When specifying chunking parameters for this API, ensure that you provide these parameters only in the listed order.

Table 7-14 Parameters Table

Parameter	Description and Acceptable Values
BY	<p>Specifies the mode for splitting your data, that is, to split by counting the number of characters, words, or vocabulary tokens.</p> <p><b>Valid values:</b></p> <ul style="list-style-type: none"><li>• BY CHARACTERS (or BY CHARS): Splits by counting the number of characters.</li><li>• BY WORDS: Splits by counting the number of words. Words are defined as sequences of alphabetic characters, sequences of digits, individual punctuation marks, or symbols. For segmented languages without whitespace word boundaries (such as Chinese, Japanese, or Thai), each native character is considered a word (that is, unigram).</li><li>• BY VOCABULARY: Splits by counting the number of vocabulary tokens. Vocabulary tokens are words or word pieces, recognized by the vocabulary of the tokenizer that your embedding model uses. You can load your vocabulary file using the <code>VECTOR_CHUNKS</code> helper API <code>DBMS_VECTOR_CHAIN.CREATE_VOCABULARY</code>.</li></ul> <p><b>Note:</b> For accurate results, ensure that the chosen model matches the vocabulary file used for chunking. If you are not using a vocabulary file, then ensure that the input length is defined within the token limits of your model.</p> <p><b>Default value:</b> BY WORDS</p>
MAX	<p>Specifies a limit on the maximum size of each chunk. This setting splits the input text at a fixed point where the maximum limit occurs in the larger text. The units of <code>MAX</code> correspond to the <code>BY</code> mode, that is, to split data when it reaches the maximum size limit of a certain number of characters, words, numbers, punctuation marks, or vocabulary tokens.</p> <p><b>Valid values:</b></p> <ul style="list-style-type: none"><li>• BY CHARACTERS: 50 to 4000 characters</li><li>• BY WORDS: 10 to 1000 words</li><li>• BY VOCABULARY: 10 to 1000 tokens</li></ul> <p><b>Default value:</b> MAX 100</p>

Table 7-14 (Cont.) Parameters Table

Parameter	Description and Acceptable Values
SPLIT [BY]	<p>Specifies where to split the input text when it reaches the maximum size limit. This helps to keep related data together by defining appropriate boundaries for chunks.</p> <p><b>Valid values:</b></p> <ul style="list-style-type: none"> <li>• NONE: Splits at the MAX limit of characters, words, or vocabulary tokens.</li> <li>• NEWLINE, BLANKLINE, and SPACE: These are single-split character conditions that split at the last split character before the MAX value. Use NEWLINE to split at the end of a line of text. Use BLANKLINE to split at the end of a blank line (sequence of characters, such as two newlines). Use SPACE to split at the end of a blank space.</li> <li>• RECURSIVELY: This is a multiple-split character condition that breaks the input text using an ordered list of characters (or sequences). RECURSIVELY is predefined as BLANKLINE, NEWLINE, SPACE, NONE in this order: <ol style="list-style-type: none"> <li>1. If the input text is more than the MAX value, then split by the first split character.</li> <li>2. If that fails, then split by the second split character.</li> <li>3. And so on.</li> <li>4. If no split characters exist, then split by MAX wherever it appears in the text.</li> </ol> </li> <li>• SENTENCE: This is an end-of-sentence split condition that breaks the input text at a sentence boundary. This condition automatically determines sentence boundaries by using knowledge of the input language's sentence punctuation and contextual rules. This language-specific condition relies mostly on end-of-sentence (EOS) punctuations and common abbreviations. Contextual rules are based on word information, so this condition is only valid when splitting the text by words or vocabulary (not by characters). <b>Note:</b> This condition obeys the BY WORD and MAX settings, and thus may not determine accurate sentence boundaries in some cases. For example, when a sentence is larger than the MAX value, it splits the sentence at MAX. Similarly, it includes multiple sentences in the text only when they fit within the MAX limit.</li> <li>• CUSTOM: Splits based on custom split characters list. You can provide custom sequences up to a limit of 16 split character strings, with a maximum length of 10 each. Provide valid text literals as follows:   <pre>VECTOR_CHUNKS(c. doc, BY character SPLIT CUSTOM ('&lt;html&gt;' , '&lt;/html&gt;')) vc</pre>  You can omit sequences only for tab (\t), newline (\n), and linefeed (\r). <b>Default value:</b> RECURSIVELY</li> </ul>



Table 7-14 (Cont.) Parameters Table

Parameter	Description and Acceptable Values
OVERLAP	<p>Specifies the amount (as a positive integer literal or zero) of the preceding text that the chunk should contain, if any. This helps in logically splitting up related text (such as a sentence) by including some amount of the preceding chunk text.</p> <p>The amount of overlap depends on how the maximum size of the chunk is measured (in characters, words, or vocabulary tokens). The overlap begins at the specified <code>SPLIT</code> condition (for example, at <code>NEWLINE</code>).</p> <p><b>Valid value:</b> 5% to 20% of <code>MAX</code></p> <p><b>Default value:</b> 0</p>
LANGUAGE	<p>Specifies the language of your input data.</p> <p>This clause is important, especially when your text contains certain characters (for example, punctuations or abbreviations) that may be interpreted differently in another language.</p> <p><b>Valid value:</b> Any NLS-supported language name or language abbreviation, as listed in <i>Oracle Database Globalization Support Guide</i>.</p> <p>You must use double quotation marks (") for any language name with spaces. For example:</p> <pre>LANGUAGE "simplified chinese"</pre> <p>For one-word language names, quotation marks are not needed. For example:</p> <pre>LANGUAGE american</pre> <p><b>Note:</b> You can use the <code>DBMS_VECTOR_CHAIN.CREATE_LANG_DATA</code> chunker helper API to load language-specific data (abbreviation tokens) into the database, for your specified language.</p> <p><b>Default value:</b> <code>NLS_LANGUAGE</code> from session</p>

Table 7-14 (Cont.) Parameters Table

Parameter	Description and Acceptable Values
NORMALIZE	<p>Automatically pre-processes or post-processes issues (such as multiple consecutive spaces and smart quotes) that may arise when documents are converted into text. Oracle recommends you to use this mode to extract good-quality chunks.</p> <p><b>Valid values:</b></p> <ul style="list-style-type: none"> <li>• NONE: Specifies no normalization.</li> <li>• ALL: Normalizes common multi-byte (unicode) punctuation to standard single-byte.</li> <li>• PUNCTUATION: Includes the smart quotes, smart hyphens, and other multi-byte equivalents to simple single-byte punctuation. For example: – 2018u 'map to 0027' – 2019u 'map to 0027' – 201Bu 'map to 0027'</li> <li>• WHITESPACE: Minimizes whitespace by eliminating unnecessary characters. For example, retain blanklines, but remove any extra newlines and interspersed spaces or tabs: " \n \n " =&gt; "\n\n"</li> <li>• WIDECHAR: Normalizes wide, multi-byte digits and (a-z) letters to single-byte. These are multi-byte equivalents for 0-9 and a-z A-Z, which can show up in ZH/JA formatted text.</li> </ul> <p><b>Note:</b> You must specify a comma-separated list of WHITESPACE, PUNCTUATION, and WIDECHAR in parentheses.</p> <p><b>Default value:</b> None</p>
EXTENDED	<p>Increases the output limit of a VARCHAR2 string to 32767 bytes, without requiring you to set the MAX_STRING_SIZE parameter to EXTENDED.</p> <p><b>Default value:</b> 4000 or 32767 (when MAX_STRING_SIZE=EXTENDED)</p>

**Example**

```

CREATE TABLE documentation_tab (
  id NUMBER,
  text VARCHAR2(2000));

INSERT INTO documentation_tab
  VALUES(1, 'sample');

COMMIT;

SET LINESIZE 100;
SET PAGESIZE 20;
COLUMN pos FORMAT 999;
COLUMN siz FORMAT 999;
COLUMN txt FORMAT a60;

```


```
PROMPT SQL VECTOR_CHUNKS
SELECT D.id id, C.chunk_offset pos, C.chunk_length siz, C.chunk_text txt
FROM documentation_tab D, VECTOR_CHUNKS(D.text BY words
                                     MAX 200
                                     OVERLAP 10
                                     SPLIT BY recursively
                                     LANGUAGE american
                                     NORMALIZE all) C;
```

### See Also:

- For a complete set of examples on each of the chunking parameters listed in the preceding table, see *Explore Chunking Techniques and Examples in the Oracle AI Vector Search User's Guide*.
- To run an end-to-end example scenario using this function, see *Convert Text to Chunks With Custom Chunking Specifications in the Oracle AI Vector Search User's Guide*.
- [Vector Functions](#)

## VECTOR\_DISTANCE

### Syntax



### Purpose

`VECTOR_DISTANCE` is the main function that you can use to calculate the distance between two vectors.

`VECTOR_DISTANCE` takes two vectors as parameters. You can optionally specify a distance metric to calculate the distance. If you do not specify a distance metric, then the default distance metric is Cosine distance.

You can optionally use the following shorthand vector distance functions:

- `L1_DISTANCE`
- `L2_DISTANCE`
- `COSINE_DISTANCE`
- `INNER_PRODUCT`

All the vector distance functions take two vectors as input and return the distance between them as a `BINARY_DOUBLE`.

Note the following caveats, if you use `VECTOR_DISTANCE` to perform a similarity search:

- If you do not specify a distance metric, then the default distance metric `COSINE` is used for both exact and approximate (index-based) searches.
- If you specify a distance metric that conflicts with the distance metric specified in a vector index, then the distance metric that you specify is used to perform the exact search.
- If you specify a distance metric that matches the distance metric specified in a vector index, then distance metric specified in the vector index is used for both exact and approximate (index-based) searches.



#### See Also:

- [COSINE\\_DISTANCE](#)
- [INNER\\_PRODUCT](#)
- [L1\\_DISTANCE](#)
- [L2\\_DISTANCE](#)
- [Vector Functions](#)
- *Vector Distance Metrics of the AI Vector Search User's Guide.*

#### Parameters

- `expr1` and `expr2` must evaluate to vectors and have the same number of dimensions. This function returns `NULL` if either `expr1` or `expr2` is `NULL` or if the dimensions between the two vectors do not match up.
- `metric` must be one of the following tokens :
  - `COSINE` metric is the default metric. It calculates the cosine distance between two vectors.
  - `DOT` metric, also called the inner product, calculates the negated dot product of two vectors.
  - `EUCLIDEAN` metric, also called `L2_DISTANCE`, calculates the Euclidean distance between two vectors.
  - `EUCLIDEAN_SQUARED` metric, also called `L2_SQUARED` is the Euclidean distance without taking the square root.
  - `HAMMING` metric calculates the hamming distance between two vectors.
  - `MANHATTAN` metric, also called `L1_DISTANCE` or taxicab distance, calculates the Manhattan distance.

#### Shorthand Operators for Distances

Oracle provides the following shorthand distance operators that you can use instead of their corresponding distance functions:

- `<->` is the **Euclidian distance operator**: `expr1 <-> expr2` is equivalent to `L2_DISTANCE(expr1, expr2)` or `VECTOR_DISTANCE(expr1, expr2, EUCLIDEAN)`
- `<=>` is the **cosine distance operator**: `expr1 <=> expr2` is equivalent to `TOCOSINE_DISTANCE(expr1, expr2)` or `VECTOR_DISTANCE(expr1, expr2, COSINE)`

- `<#>` is the **negative dot product operator**: `expr1 <#> expr2` is equivalent to `-1*INNER_PRODUCT(expr1, expr2)` or `VECTOR_DISTANCE(expr1, expr2, DOT)`

### Examples

`VECTOR_DISTANCE` with metric `EUCLIDEAN` is equivalent to `L2_DISTANCE`:

```
VECTOR_DISTANCE(expr1, expr2, EUCLIDEAN);
```

```
L2_DISTANCE(expr1, expr2);
```

`VECTOR_DISTANCE` with metric `COSINE` is equivalent to `COSINE_DISTANCE`:

```
VECTOR_DISTANCE(expr1, expr2, COSINE);
```

```
COSINE_DISTANCE(expr1, expr2);
```

`VECTOR_DISTANCE` with metric `DOT` is equivalent to `-1 * INNER_PRODUCT`:

```
VECTOR_DISTANCE(expr1, expr2, DOT);
```

```
-1*INNER_PRODUCT(expr1, expr2);
```

`VECTOR_DISTANCE` with metric `MANHATTAN` is equivalent to `L1_DISTANCE`:

```
VECTOR_DISTANCE(expr1, expr2, MANHATTAN);
```

```
L1_DISTANCE(expr1, expr2);
```

## VECTOR\_DIMS

### Syntax

```
→ VECTOR_DIMS (expr) →
```

### Purpose

`VECTOR_DIMS` returns the number of dimensions of a vector as a `NUMBER`.

`VECTOR_DIMS` is synonymous with `VECTOR_DIMENSION_COUNT`.

Refer to [VECTOR\\_DIMENSION\\_COUNT](#) for full semantics.



#### See Also:

[Vector Functions](#)

# VECTOR\_DIMENSION\_COUNT

## Syntax

→ VECTOR\_DIMENSION\_COUNT ( ( ) → expr → ( ) ) →

## Purpose

VECTOR\_DIMENSION\_COUNT returns the number of dimensions of a vector as a NUMBER.

VECTOR\_DIMENSION\_COUNT is synonymous with [VECTOR\\_DIMS](#).



### See Also:

[Vector Functions](#)

## Parameters

*expr* must evaluate to a vector.

If *expr* is NULL, NULL is returned.

## Example

```
SELECT VECTOR_DIMENSION_COUNT( TO_VECTOR('[34.6, 77.8]', 2, FLOAT64) );  
VECTOR_DIMENSION_COUNT(TO_VECTOR('[34.6,77.8]',2,FLOAT64))  
-----
```

# VECTOR\_DIMENSION\_FORMAT

## Syntax

→ VECTOR\_DIMENSION\_FORMAT ( ( ) → expr → ( ) ) →

## Purpose

VECTOR\_DIMENSION\_FORMAT returns the storage format of the vector. It returns a VARCHAR2, which can be one of the following values: INT8, FLOAT32, or FLOAT64.



### See Also:

[Vector Functions](#)

### Parameters

*expr* must evaluate to a vector.

If *expr* is NULL, NULL is returned.

### Examples

```
SELECT VECTOR_DIMENSION_FORMAT(TO_VECTOR('[34.6, 77.8]', 2, FLOAT64));
FLOAT64
```

```
SELECT VECTOR_DIMENSION_FORMAT(TO_VECTOR('[34.6, 77.8, 9]', 3, FLOAT32));
FLOAT32
```

```
SELECT VECTOR_DIMENSION_FORMAT(TO_VECTOR('[34.6, 77.8, 9, 10]', 3, INT8));
SELECT VECTOR_DIMENSION_FORMAT(TO_VECTOR('[34.6, 77.8, 9, 10]', 3,
INT8))
```


```
ERROR at line 1:
ORA-51803: Vector dimension count must match the dimension count specified in the
column definition (actual: 4, required: 3).
```

```
SELECT VECTOR_DIMENSION_FORMAT(TO_VECTOR('[34.6, 77.8, 9.10]', 3, INT8));
VECTOR_DIMENSION_FORMAT(TO_VECTOR('[34.6,77.8,9.10
-----
INT8
```


```
SELECT TO_VECTOR('[34.6, 77.8, 9.10]', 3, INT8);
TO_VECTOR('[34.6,77.8,9.10]',3,INT8)
-----
[3.5E+001,7.8E+001,9.0E+000]
```

## VECTOR\_EMBEDDING

### Syntax



### *mining\_attribute\_clause*::=



## Purpose

Use `VECTOR_EMBEDDING` if you want to generate a single vector embedding for different data types. To get embedding, this function uses pretrained ONNX embedding machine learning models.

The function accepts the following types as input:

`VARCHAR2` for text embedding models. Oracle automatically converts any other type to `VARCHAR2` except for `NCLOB`, which will be automatically converted to `NVARCHAR2`. Oracle does not expect values whose textual representation exceeds the maximum size of a `VARCHAR2`, since embedding models support only text that translates to a couple thousand tokens. An attribute with a type that has no conversion to `VARCHAR2` results in a SQL compilation error.

The function always returns a `VECTOR` type, whose dimension is dictated by the model itself. The model stores the dimension information in metadata within the data dictionary.

You can use `VECTOR_EMBEDDING` in `SELECT` clauses, in predicates, and as an operand for SQL operations accepting a `VECTOR` type.



### See Also:

[Vector Functions](#)

## Parameters

*model\_name* refers to the name of the imported embedding model that implements the embedding machine learning function.

### *mining\_attribute\_clause*

- The *mining\_attribute\_clause* argument identifies the column attributes to use as predictors for scoring. This is used as a convenience, as the embedding operator only accepts single input value.
- `USING *` : all the relevant attributes present in the input (supplied in JSON metadata) are used. This is used as a convenience. For an embedding model, the operator only takes one input value as embedding models have only one column.
- `USING expr [AS alias] [, expr [AS alias] ]` : all the relevant attributes present in the comma-separated list of column expressions are used. This syntax is consistent with the syntax of other machine learning operators. You may specify more than one attribute, however, the embedding model only takes one relevant input. Therefore, you must specify a single mining attribute.

## Example

The following example generates vector embeddings with "hello" as the input, utilizing the pretrained ONNX format model `my_embedding_model.onnx` imported into the Database. For complete example, see [Import ONNX Models and Generate Embeddings](#)



```

SELECT TO_VECTOR(VECTOR_EMBEDDING(model USING 'hello' as data)) AS embedding;
-----
[-9.76553112E-002,-9.89954844E-002,7.69771636E-003,-4.16760892E-003,-9.69305634E-002,
-3.01141385E-002,-2.63396613E-002,-2.98553891E-002,5.96499592E-002,4.13885899E-002,
5.32859489E-002,6.57707453E-002,-1.47056757E-002,-4.18472625E-002,4.1588001E-002,
-2.86354572E-002,-7.56499246E-002,-4.16395674E-003,-1.52879998E-001,6.60010576E-002,
-3.9013084E-002,3.15719917E-002,1.2428958E-002,-2.47651711E-002,-1.16851285E-001,
-7.82847106E-002,3.34323719E-002,8.03267583E-002,1.70483496E-002,-5.42407483E-002,
6.54291287E-002,-4.81935125E-003,6.11041225E-002,6.64106477E-003,-5.47

```

## VECTOR\_NORM

### Syntax

```

→ VECTOR_NORM ( ( expr ) ) →

```

### Purpose

VECTOR\_NORM returns the Euclidean norm of a vector ( $\sqrt{\text{SUM}((x_i - y_i)^2)}$ ) as a BINARY\_DOUBLE.

This value is also called magnitude or size and represents the Euclidean distance between the vector and the origin.



#### See Also:

[Vector Functions](#)

### Parameters

*expr* must evaluate to a vector.

If *expr* is NULL, NULL is returned.

### Example

```


SELECT VECTOR_NORM( TO_VECTOR(' [4, 3]', 2, FLOAT32) );

VECTOR_NORM(TO_VECTOR(' [4, 3]', 2, FLOAT32))
-----
5.0

```

# VECTOR\_SERIALIZE

## Syntax



## Purpose

VECTOR\_SERIALIZE is synonymous with FROM\_VECTOR.

See [FROM\\_VECTOR](#) for semantics and examples.



### See Also:

[Vector Functions](#)

## Examples

```
SELECT VECTOR_SERIALIZE(VECTOR(' [1.1,2.2,3.3] ',3,FLOAT32));
```

```
VECTOR_SERIALIZE(VECTOR(' [1.1,2.2,3.3] ',3,FLOAT32))
```

```
-----  
[1.10000002E+000,2.20000005E+000,3.29999995E+000]
```

1 row selected.

```
SELECT VECTOR_SERIALIZE(VECTOR(' [1.1, 2.2, 3.3] ',3,FLOAT32) RETURNING  
VARCHAR2(1000));
```

```
VECTOR_SERIALIZE(VECTOR(' [...] ',3,FLOAT32)RETURNINGVARCHAR2(1000))
```

```
-----  
[1.10000002E+000,2.20000005E+000,3.29999995E+000]
```

1 row selected.

```
SELECT VECTOR_SERIALIZE(VECTOR(' [1.1, 2.2, 3.3] ',3,FLOAT32) RETURNING CLOB);
```

```
VECTOR_SERIALIZE(VECTOR(' [1.1, 2.2, 3.3] ',3,FLOAT32)RETURNINGCLOB)
```

```
-----  
[1.10000002E+000,2.20000005E+000,3.29999995E+000]
```

1 row selected.

## VSIZE

### Syntax

```
→ VSIZE ( ( expr ) ) →
```

### Purpose

VSIZE returns the number of bytes in the internal representation of *expr*. If *expr* is null, then this function returns null.

This function does not support CLOB data directly. However, CLOBs can be passed in as arguments through implicit data conversion.



#### See Also:

"Data Type Comparison Rules " for more information

### Examples

The following example returns the number of bytes in the `last_name` column of the employees in department 10:

```
SELECT last_name, VSIZE (last_name) "BYTES"
FROM employees
WHERE department_id = 10
ORDER BY employee_id;
```

LAST_NAME	BYTES
-----	-----
Whalen	6

## WIDTH\_BUCKET

### Syntax

```
→ WIDTH_BUCKET ( ( expr ) , ( min_value ) , ( max_value ) , ( num_buckets ) ) →
```

### Purpose

WIDTH\_BUCKET lets you construct equiwidth histograms, in which the histogram range is divided into intervals that have identical size. (Compare this function with NTILE, which creates equiheigh histograms.) Ideally each bucket is a closed-open interval of the real number line. For example, a bucket can be assigned to scores between 10.00 and 19.999 ...

to indicate that 10 is included in the interval and 20 is excluded. This is sometimes denoted [10, 20).

For a given expression, `WIDTH_BUCKET` returns the bucket number into which the value of this expression would fall after being evaluated.

- `expr` is the expression for which the histogram is being created. This expression must evaluate to a numeric or datetime value or to a value that can be implicitly converted to a numeric or datetime value. If `expr` evaluates to null, then the expression returns null.
- `min_value` and `max_value` are expressions that resolve to the end points of the acceptable range for `expr`. Both of these expressions must also evaluate to numeric or datetime values, and neither can evaluate to null.
- `num_buckets` is an expression that resolves to a constant indicating the number of buckets. This expression must evaluate to a positive integer.



### See Also:

[Table 2-9](#) for more information on implicit conversion

When needed, Oracle Database creates an underflow bucket numbered 0 and an overflow bucket numbered `num_buckets+1`. These buckets handle values less than `min_value` and more than `max_value` and are helpful in checking the reasonableness of endpoints.

### Examples

The following example creates a ten-bucket histogram on the `credit_limit` column for customers in Switzerland in the sample table `oe.customers` and returns the bucket number ("Credit Group") for each customer. Customers with credit limits greater than or equal to the maximum value are assigned to the overflow bucket, 11:


```
SELECT customer_id, cust_last_name, credit_limit,
       WIDTH_BUCKET(credit_limit, 100, 5000, 10) "Credit Group"
FROM customers WHERE nls_territory = 'SWITZERLAND'
ORDER BY "Credit Group", customer_id, cust_last_name, credit_limit;
```

CUSTOMER_ID	CUST_LAST_NAME	CREDIT_LIMIT	Credit Group
825	Dreyfuss	500	1
826	Barkin	500	1
827	Siegel	500	1
853	Palin	400	1
843	Oates	700	2
844	Julius	700	2
835	Eastwood	1200	3
836	Berenger	1200	3
837	Stanton	1200	3
840	Elliott	1400	3
841	Boyer	1400	3
842	Stern	1400	3
848	Olmos	1800	4
849	Kaurusmdki	1800	4
828	Minnelli	2300	5
829	Hunter	2300	5

850	Finney	2300	5
851	Brown	2300	5
852	Tanner	2300	5
830	Dutt	3500	7
831	Bel Geddes	3500	7
832	Spacek	3500	7
833	Moranis	3500	7
834	Idle	3500	7
838	Nicholson	3500	7
839	Johnson	3500	7
845	Fawcett	5000	11
846	Brando	5000	11
847	Streep	5000	11

## XMLAGG

### Syntax



### Purpose

`XMLAgg` is an aggregate function. It takes a collection of XML fragments and returns an aggregated XML document. Any arguments that return null are dropped from the result.

`XMLAgg` is similar to `SYS_XMLAgg` except that `XMLAgg` returns a collection of nodes but it does not accept formatting using the `XMLFormat` object. Also, `XMLAgg` does not enclose the output in an element tag as does `SYS_XMLAgg`.

Within the `order_by_clause`, Oracle Database does not interpret number literals as column positions, as it does in other uses of this clause, but simply as number literals.



#### See Also:

[XMLELEMENT](#) and [SYS\\_XMLAGG](#)

### Examples

The following example produces a `Department` element containing `Employee` elements with employee job ID and last name as the contents of the elements:

```

SELECT XMLELEMENT("Department",
  XMLAGG(XMLELEMENT("Employee",
    e.job_id||' '||e.last_name)
  ORDER BY last_name))
  as "Dept_list"
  FROM employees e
  WHERE e.department_id = 30;

```

Dept\_list

-----  
<Department>

```

    <Employee>PU_CLERK Baida</Employee>
    <Employee>PU_CLERK Colmenares</Employee>
    <Employee>PU_CLERK Himuro</Employee>
    <Employee>PU_CLERK Khoo</Employee>
    <Employee>PU_MAN Raphaely</Employee>
    <Employee>PU_CLERK Tobias</Employee>
  </Department>

```

The result is a single row, because `XMLAgg` aggregates the rows. You can use the `GROUP BY` clause to group the returned set of rows into multiple groups:

```

SELECT XMLELEMENT("Department",
    XMLAGG(XMLELEMENT("Employee", e.job_id||' '||e.last_name)))
  AS "Dept_list"
  FROM employees e
  GROUP BY e.department_id;

```

```

Dept_list
-----
<Department>
  <Employee>AD_ASST Whalen</Employee>
</Department>

<Department>
  <Employee>MK_MAN Hartstein</Employee>
  <Employee>MK_REP Fay</Employee>
</Department>

<Department>
  <Employee>PU_MAN Raphaely</Employee>
  <Employee>PU_CLERK Khoo</Employee>
  <Employee>PU_CLERK Tobias</Employee>
  <Employee>PU_CLERK Baida</Employee>
  <Employee>PU_CLERK Colmenares</Employee>
  <Employee>PU_CLERK Himuro</Employee>
</Department>
. . .

```

## XMLCAST

### Syntax

```

→ XMLCAST → ( → value_expression → AS → datatype → ) →

```

### Purpose

`XMLCast` casts *value\_expression* to the scalar SQL data type specified by *datatype*. The *value\_expression* argument is a SQL expression that is evaluated. The *datatype* argument can be of data type `NUMBER`, `VARCHAR2`, `CHAR`, `CLOB`, `BLOB`, `REF XMLTYPE`, and any of the datetime data types.

 **See Also:**

- *Oracle XML DB Developer's Guide* for more information on uses for this function and examples
- Appendix C in *Oracle Database Globalization Support Guide* for the collation derivation rules, which define the collation assigned to the return value of XMLCAST when it is a character value

## XMLCDATA

### Syntax

```
XMLCDATA ( ( value_expr ) )
```

### Purpose

XMLCDATA generates a CDATA section by evaluating *value\_expr*. The *value\_expr* must resolve to a string. The value returned by the function takes the following form:

```
<![CDATA[string]]>
```

If the resulting value is not a valid XML CDATA section, then the function returns an error. The following conditions apply to XMLCDATA:

- The *value\_expr* cannot contain the substring `]]>`.
- If *value\_expr* evaluates to null, then the function returns null.

 **See Also:**

*Oracle XML DB Developer's Guide* for more information on this function

### Examples

The following statement uses the DUAL table to illustrate the syntax of XMLCDATA:

```
SELECT XMLELEMENT("PurchaseOrder",
  XMLAttributes(dummy as "pono"),
  XMLCDATA('<!DOCTYPE po_dom_group [
  <!ELEMENT po_dom_group(student_name)*>
  <!ELEMENT po_purch_name (#PCDATA)>
  <!ATTLIST po_name po_no ID #REQUIRED>
  <!ATTLIST po_name trust_1 IDREF #IMPLIED>
  <!ATTLIST po_name trust_2 IDREF #IMPLIED>
  ]>')) "XMLCDATA" FROM DUAL;
```

XMLCDATA

```
-----
<PurchaseOrder pono="X"><![CDATA[
<!DOCTYPE po_dom_group [
```


```

<!ELEMENT po_dom_group(student_name)*>
<!ELEMENT po_purch_name (#PCDATA)>
<!ATTLIST po_name po_no ID #REQUIRED>
<!ATTLIST po_name trust_1 IDREF #IMPLIED>
<!ATTLIST po_name trust_2 IDREF #IMPLIED>
]>
]]>
</PurchaseOrder>

```

## XMLCOLATTVAL

### Syntax



### Purpose

XMLColAttVal creates an XML fragment and then expands the resulting XML so that each XML fragment has the name `column` with the attribute `name`.

You can use the `AS` clause to change the value of the `name` attribute to something other than the column name. You can do this by specifying `c_alias`, which is a string literal, or by specifying `EVALNAME value_expr`. In the latter case, the value expression is evaluated and the result, which must be a string literal, is used as the alias. The alias can be up to 4000 characters if the initialization parameter `MAX_STRING_SIZE = STANDARD`, and 32767 characters if `MAX_STRING_SIZE = EXTENDED`. See ["Extended Data Types"](#) for more information.

You must specify a value for `value_expr`. If `value_expr` is null, then no element is returned.

### Restriction on XMLColAttVal

You cannot specify an object type column for `value_expr`.

### Examples

The following example creates an `Emp` element for a subset of employees, with nested `employee_id`, `last_name`, and `salary` elements as the contents of `Emp`. Each nested element is named `column` and has a `name` attribute with the column name as the attribute value:

```

SELECT XMLELEMENT("Emp",
  XMLCOLATTVAL(e.employee_id, e.last_name, e.salary)) "Emp Element"
  FROM employees e
  WHERE employee_id = 204;

```

Emp Element

```

-----
<Emp>
  <column name="EMPLOYEE_ID">204</column>

```



```


    <column name="LAST_NAME">Baer</column>
    <column name="SALARY">10000</column>
</Emp>

```

Refer to the example for [XMLFOREST](#) to compare the output of these two functions.

## XMLCOMMENT

### Syntax



```

XMLCOMMENT (value_expr)

```

### Purpose

`XMLComment` generates an XML comment using an evaluated result of `value_expr`. The `value_expr` must resolve to a string. It cannot contain two consecutive dashes (hyphens). The value returned by the function takes the following form:

```
<!--string-->
```

If `value_expr` resolves to null, then the function returns null.

### See Also:

*Oracle XML DB Developer's Guide* for more information on this function

### Examples

The following example uses the `DUAL` table to illustrate the `XMLComment` syntax:

```

SELECT XMLCOMMENT('OrderAnalysisComp imported, reconfigured, disassembled')
       AS "XMLCOMMENT" FROM DUAL;


```

```
XMLCOMMENT
```

```
-----
<!--OrderAnalysisComp imported, reconfigured, disassembled-->
```

## XMLCONCAT

### Syntax



```

XMLCONCAT (XMLType_instance [, XMLType_instance]*)

```

### Purpose

`XMLConcat` takes as input a series of `XMLType` instances, concatenates the series of elements for each row, and returns the concatenated series. `XMLConcat` is the inverse of `XMLSequence`.

Null expressions are dropped from the result. If all the value expressions are null, then the function returns null.



### See Also:

[XMLSEQUENCE](#)

## Examples

The following example creates XML elements for the first and last names of a subset of employees, and then concatenates and returns those elements:

```
SELECT XMLCONCAT(XMLELEMENT("First", e.first_name),
  XMLELEMENT("Last", e.last_name)) AS "Result"
  FROM employees e
  WHERE e.employee_id > 202;
```

Result

```
-----
<First>Susan</First>
<Last>Mavris</Last>
```

```
<First>Hermann</First>
<Last>Baer</Last>
```

```
<First>Shelley</First>
<Last>Higgins</Last>
```

```
<First>William</First>
<Last>Gietz</Last>
```

4 rows selected.

## XMLDIFF

### Syntax

→ XMLDiff →

→ ( XMLType\_document , XMLType\_document , integer , string ) →

### Purpose

The `XMLDiff` function is the SQL interface for the `XmlDiff` C API. This function compares two XML documents and captures the differences in XML conforming to an `Xdiff` schema. The diff document is returned as an XMLType document.

- For the first two arguments, specify the names of two XMLType documents.
- For the *integer*, specify a number representing the `hashLevel` for a C function `XMLDiff`. If you do not want hashing, set this argument to 0 or omit it entirely. If you

do not want hashing, but you want to specify flags, then you must set this argument to 0.

- For *string*, specify the flags that control the behavior of the function. These flags are specified by one or more names separated by semicolon. The names are the same as the names of constants for XmlDiff function.

### See Also:

*Oracle XML Developer's Kit Programmer's Guide* for more information on using this function, including examples, and *Oracle Database XML C API Reference* for information on the XML APIs for C


## Examples

The following example compares two XML documents and returns the difference as an XMLType document:


```
SELECT XMLDIFF(
XMLTYPE('<?xml version="1.0"?>
<bk:book xmlns:bk="http://example.com">
  <bk:tr>
    <bk:td>
      <bk:chapter>
        Chapter 1.
      </bk:chapter>
    </bk:td>
    <bk:td>
      <bk:chapter>
        Chapter 2.
      </bk:chapter>
    </bk:td>
  </bk:tr>
</bk:book>'),
XMLTYPE('<?xml version="1.0"?>
<bk:book xmlns:bk="http://example.com">
  <bk:tr>
    <bk:td>
      <bk:chapter>
        Chapter 1.
      </bk:chapter>
    </bk:td>
    <bk:td/>
  </bk:tr>
</bk:book>')
)
FROM DUAL;
```

# XMLELEMENT

## Syntax



### *XML\_attributes\_clause*::=



## Purpose

`XMLElement` takes an element name for *identifier* or evaluates an element name for `EVALNAME` *value\_expr*, an optional collection of attributes for the element, and arguments that make up the content of the element. It returns an instance of type `XMLType`. `XMLElement` is similar to `SYS_XMLGen` except that `XMLElement` can include attributes in the XML returned, but it does not accept formatting using the `XMLFormat` object.

The `XMLElement` function is typically nested to produce an XML document with a nested structure, as in the example in the following section.

For an explanation of the `ENTITYESCAPING` and `NOENTITYESCAPING` keywords, refer to *Oracle XML DB Developer's Guide*.

You must specify a value for Oracle Database to use in the enclosing tag. You can do this by specifying *identifier*, which is a string literal, or by specifying `EVALNAME`

*value\_expr*. In the latter case, the value expression is evaluated and the result, which must be a string literal, is used as the identifier. The identifier does not have to be a column name or column reference. It cannot be an expression or null. It can be up to 4000 characters if the initialization parameter `MAX_STRING_SIZE = STANDARD`, and 32767 characters if `MAX_STRING_SIZE = EXTENDED`.

The objects that make up the element content follow the `XMLATTRIBUTES` keyword. In the `XML_attributes_clause`, if the *value\_expr* is null, then no attribute is created for that value expression. The type of *value\_expr* cannot be an object type or collection. If you specify an alias for *value\_expr* using the `AS` clause, then the *c\_alias* or the evaluated value expression (`EVALNAME value_expr`) can be up to 4000 characters if the initialization parameter `MAX_STRING_SIZE = STANDARD`, and 32767 characters if `MAX_STRING_SIZE = EXTENDED`.



### See Also:

"Extended Data Types" for more information on `MAX_STRING_SIZE`

For the optional *value\_expr* that follows the `XML_attributes_clause` in the diagram:

- If *value\_expr* is a scalar expression, then you can omit the `AS` clause, and Oracle uses the column name as the element name.
- If *value\_expr* is an object type or collection, then the `AS` clause is mandatory, and Oracle uses the specified *c\_alias* as the enclosing tag.
- If *value\_expr* is null, then no element is created for that value expression.



### See Also:

`SYS_XMLGEN`

## Examples

The following example produces an `Emp` element for a series of employees, with nested elements that provide the employee's name and hire date:

```
SELECT XMLEMENT("Emp", XMLEMENT("Name",
    e.job_id||' '||e.last_name),
    XMLEMENT("Hiredate", e.hire_date)) as "Result"
FROM employees e WHERE employee_id > 200;
```

Result

```
-----
<Emp>
  <Name>MK_MAN Hartstein</Name>
  <Hiredate>2004-02-17</Hiredate>
</Emp>

<Emp>
  <Name>MK_REP Fay</Name>
  <Hiredate>2005-08-17</Hiredate>
</Emp>
```

```

<Emp>
  <Name>HR_REP Mavris</Name>
  <Hiredate>2002-06-07</Hiredate>
</Emp>

<Emp>
  <Name>PR_REP Baer</Name>
  <Hiredate>2002-06-07</Hiredate>
</Emp>

<Emp>
  <Name>AC_MGR Higgins</Name>
  <Hiredate>2002-06-07</Hiredate>
</Emp>

<Emp>
  <Name>AC_ACCOUNT Gietz</Name>
  <Hiredate>2002-06-07</Hiredate>
</Emp>

```

6 rows selected.

The following similar example uses the `XMLELEMENT` function with the `XML_attributes_clause` to create nested XML elements with attribute values for the top-level element:

```

SELECT XMLELEMENT("Emp",
  XMLATTRIBUTES(e.employee_id AS "ID", e.last_name),
  XMLELEMENT("Dept", e.department_id),
  XMLELEMENT("Salary", e.salary)) AS "Emp Element"
FROM employees e
WHERE e.employee_id = 206;

```

Emp Element

```

-----
<Emp ID="206" LAST_NAME="Gietz">
  <Dept>110</Dept>
  <Salary>8300</Salary>
</Emp>

```

Notice that the `AS identifier` clause was not specified for the `last_name` column. As a result, the XML returned uses the column name `last_name` as the default.

Finally, the next example uses a subquery within the `XML_attributes_clause` to retrieve information from another table into the attributes of an element:

```

SELECT XMLELEMENT("Emp", XMLATTRIBUTES(e.employee_id, e.last_name),
  XMLELEMENT("Dept", XMLATTRIBUTES(e.department_id,
    (SELECT d.department_name FROM departments d
     WHERE d.department_id = e.department_id) as "Dept_name")),
  XMLELEMENT("salary", e.salary),
  XMLELEMENT("Hiredate", e.hire_date)) AS "Emp Element"
FROM employees e
WHERE employee_id = 205;

```

Emp Element

```


-----
<Emp EMPLOYEE_ID="205" LAST_NAME="Higgins">
  <Dept DEPARTMENT_ID="110" Dept_name="Accounting"/>
  <salary>12008</salary>

```


```
<Hiredate>2002-06-07</Hiredate>
</Emp>
```

## XMLEXISTS

### Syntax



### *XML\_passing\_clause*::=



### Purpose

`XMLEXISTS` checks whether a given XQuery expression returns a nonempty XQuery sequence. If so, the function returns `TRUE`; otherwise, it returns `FALSE`. The argument `XQuery_string` is a literal string, but it can contain XQuery variables that you bind using the `XML_passing_clause`.


The `expr` in the `XML_passing_clause` is an expression returning an `XMLType` or an instance of a SQL scalar data type that is used as the context for evaluating the XQuery expression. You can specify only one `expr` in the `PASSING` clause without an identifier. The result of evaluating each `expr` is bound to the corresponding identifier in the `XQuery_string`. If any `expr` that is not followed by an `AS` clause, then the result of evaluating that expression is used as the context item for evaluating the `XQuery_string`. If `expr` is a relational column, then its declared collation is ignored by Oracle XML DB.

### See Also:

*Oracle XML DB Developer's Guide* for more information on uses for this function and examples

## XMLFOREST

### Syntax



## Purpose

`XMLForest` converts each of its argument parameters to XML, and then returns an XML fragment that is the concatenation of these converted arguments.

- If `value_expr` is a scalar expression, then you can omit the `AS` clause, and Oracle Database uses the column name as the element name.
- If `value_expr` is an object type or collection, then the `AS` clause is mandatory, and Oracle uses the specified expression as the enclosing tag.

You can do this by specifying `c_alias`, which is a string literal, or by specifying `EVALNAME value_expr`. In the latter case, the value expression is evaluated and the result, which must be a string literal, is used as the identifier. The identifier does not have to be a column name or column reference. It cannot be an expression or null. It can be up to 4000 characters if the initialization parameter `MAX_STRING_SIZE = STANDARD`, and 32767 characters if `MAX_STRING_SIZE = EXTENDED`. See "[Extended Data Types](#)" for more information.

- If `value_expr` is null, then no element is created for that `value_expr`.

## Examples

The following example creates an `Emp` element for a subset of employees, with nested `employee_id`, `last_name`, and `salary` elements as the contents of `Emp`:

```
SELECT XMLELEMENT("Emp",
  XMLFOREST(e.employee_id, e.last_name, e.salary))
  "Emp Element"
  FROM employees e WHERE employee_id = 204;
```


Emp Element

```
-----
<Emp>
  <EMPLOYEE_ID>204</EMPLOYEE_ID>
  <LAST_NAME>Baer</LAST_NAME>
  <SALARY>10000</SALARY>
</Emp>
```

Refer to the example for [XMLCOLATTVAL](#) to compare the output of these two functions.

# XMLISVALID

## Syntax



## Purpose

`XMLISVALID` checks whether the input `XMLType_instance` conforms to the relevant XML schema. It does not change the validation status recorded for `XMLType_instance`.



If the input XML document is determined to be valid, then `XMLISVALID` returns 1; otherwise, it returns 0. If you provide `XMLSchema_URL` as an argument, then that is used to check conformance. Otherwise, the XML schema specified by the XML document is used to check conformance.


- `XMLType_instance` is the XMLType instance to be validated.
- `XMLSchema_URL` is the URL of the XML schema against which to check conformance.
- `element` is the element of the specified schema against which to check conformance. Use this if you have an XML schema that defines more than one top level element, and you want to check conformance against a specific one of those elements.

### See Also:

*Oracle XML DB Developer's Guide* for information on the use of this function, including examples

## XMLPARSE

### Syntax



### Purpose

`XMLParse` parses and generates an XML instance from the evaluated result of `value_expr`. The `value_expr` must resolve to a string. If `value_expr` resolves to null, then the function returns null.

- If you specify `DOCUMENT`, then `value_expr` must resolve to a singly rooted XML document.
- If you specify `CONTENT`, then `value_expr` must resolve to a valid XML value.
- When you specify `WELLFORMED`, you are guaranteeing that `value_expr` resolves to a well-formed XML document, so the database does not perform validity checks to ensure that the input is well formed.

### See Also:

*Oracle XML DB Developer's Guide* for more information on this function

### Examples

The following example uses the `DUAL` table to illustrate the syntax of `XMLParse`:

```

SELECT XMLPARSE(CONTENT '124 <purchaseOrder poNo="12435">
  <customerName> Acme Enterprises</customerName>

```

```

    <itemNo>32987457</itemNo>
  </purchaseOrder>'
WELLFORMED) AS PO FROM DUAL;

```

PO

```

-----
124 <purchaseOrder poNo="12435">
    <customerName> Acme Enterprises</customerName>
    <itemNo>32987457</itemNo>
  </purchaseOrder>

```

## XMLPATCH

### Syntax

```

→ XMLPatch ( XMLType_document , XMLType_document ) →

```

### Purpose

The `XMLPatch` function is the SQL interface for the `XmlPatch` C API. This function patches an XML document with the changes specified. A patched `XMLType` document is returned.

- For the first argument, specify the name of the input `XMLType` document.
- For the second argument, specify the `XMLType` document containing the changes to be applied to the first document. The changes should conform to the Xdiff XML schema. You can supply the XML output from the Oracle XML Developer's Kit Java method `diff()`.



#### See Also:

*Oracle XML Developer's Kit Programmer's Guide* for more information on using this function, including examples, and *Oracle Database XML C API Reference* for information on the XML APIs for C

### Examples

The following example patches an `XMLType` document with the changes specified in another `XMLType` and returns a patched `XMLType` document:

```

SELECT XMLPATCH (
XMLTYPE ('<?xml version="1.0"?>
<bk:book xmlns:bk="http://example.com">
  <bk:tr>
    <bk:td>
      <bk:chapter>
        Chapter 1.
      </bk:chapter>
    </bk:td>
    <bk:td>
      <bk:chapter>
        Chapter 2.


```

```

        </bk:chapter>
    </bk:td>
</bk:tr>
</bk:book>') ,
XMLTYPE('<?xml version="1.0"?>
<xd:xdiff xsi:schemaLocation="http://xmlns.oracle.com/xdb/xdiff.xsd
http://xmlns.oracle.com/xdb/xdiff.xsd"
xmlns:xd="http://xmlns.oracle.com/xdb/xdiff.xsd"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:bk="http://example.com">
<?oracle-xmldiff operations-in-docorder="true" output-model="snapshot"
diff-algorithm="global"?>
<xd:delete-node xd:node-type="element"
xd:xpath="/bk:book[1]/bk:tr[1]/bk:td[2]/bk:chapter[1]" />
</xd:xdiff>')
)
FROM DUAL;
```

## XMLPI

### Syntax



### Purpose

XMLPI generates an XML processing instruction using *identifier* and optionally the evaluated result of *value\_expr*. A processing instruction is commonly used to provide to an application information that is associated with all or part of an XML document. The application uses the processing instruction to determine how best to process the XML document.

You must specify a value for Oracle Database to use in the enclosing tag. You can do this by specifying *identifier*, which is a string literal, or by specifying EVALNAME *value\_expr*. In the latter case, the value expression is evaluated and the result, which must be a string literal, is used as the identifier. The identifier does not have to be a column name or column reference. It cannot be an expression or null. It can be up to 4000 characters if the initialization parameter `MAX_STRING_SIZE = STANDARD`, and 32767 characters if `MAX_STRING_SIZE = EXTENDED`. See "[Extended Data Types](#)" for more information.

The optional *value\_expr* must resolve to a string. If you omit the optional *value\_expr*, then a zero-length string is the default. The value returned by the function takes this form:

```
<?identifier string?>
```

XMLPI is subject to the following restrictions:

- The *identifier* must be a valid target for a processing instruction.
- You cannot specify `xml` in any case combination for *identifier*.
- The *identifier* cannot contain the consecutive characters `?>`.

 **See Also:**

*Oracle XML DB Developer's Guide* for more information on this function

**Examples**



The following statement uses the `DUAL` table to illustrate the use of the `XMLPI` syntax:

```
SELECT XMLPI(NAME "Order analysisComp", 'imported, reconfigured, disassembled')
       AS "XMLPI" FROM DUAL;
```

```
XMLPI
```

```
-----
<?Order analysisComp imported, reconfigured, disassembled?>
```

## XMLQUERY

**Syntax*****XML\_passing\_clause*::=****Purpose**

`XMLQUERY` lets you query XML data in SQL statements. It takes an XQuery expression as a string literal, an optional context item, and other bind variables and returns the result of evaluating the XQuery expression using these input values.

- *XQuery\_string* is a complete XQuery expression, including prolog.
- The *expr* in the *XML\_passing\_clause* is an expression returning an `XMLType` or an instance of a SQL scalar data type that is used as the context for evaluating the XQuery expression. You can specify only one *expr* in the `PASSING` clause without an identifier. The result of evaluating each *expr* is bound to the corresponding identifier in the *XQuery\_string*. If any *expr* that is not followed by an `AS` clause, then the result of evaluating that expression is used as the context item for evaluating the *XQuery\_string*. If *expr* is a relational column, then its declared collation is ignored by Oracle XML DB.

- RETURNING CONTENT indicates that the result from the XQuery evaluation is either an XML 1.0 document or a document fragment conforming to the XML 1.0 semantics.
- If the result set is empty, then the function returns the SQL NULL value. The NULL ON EMPTY keywords are implemented by default and are shown for semantic clarity.

### See Also:

*Oracle XML DB Developer's Guide* for more information on this function

## Examples

The following statement specifies the `warehouse_spec` column of the `oe.warehouses` table in the `XML_passing_clause` as a context item. The statement returns specific information about the warehouses with area greater than 50K.

```
SELECT warehouse_name,
EXTRACTVALUE(warehouse_spec, '/Warehouse/Area'),
XMLQuery(
  'for $i in /Warehouse
  where $i/Area > 50000
  return <Details>
    <Docks num="{ $i/Docks }"/>
    <Rail>
      {
        if ($i/RailAccess = "Y") then "true" else "false"
      }
    </Rail>
  </Details>' PASSING warehouse_spec RETURNING CONTENT) "Big_warehouses"
FROM warehouses;
```


WAREHOUSE_ID	Area	Big_warehouses
1	25000	
2	50000	
3	85700	<Details><Docks></Docks><Rail>false</Rail></Details>
4	103000	<Details><Docks num="3"></Docks><Rail>>true</Rail></Details>
...		

## XMLSEQUENCE

### Note:

The XMLSEQUENCE function is deprecated. It is still supported for backward compatibility. However, Oracle recommends that you use the XMLTABLE function instead. See XMLTABLE for more information.

## Syntax



## Purpose

XMLSequence has two forms:

- The first form takes as input an XMLType instance and returns a varray of the top-level nodes in the XMLType. This form is effectively superseded by the SQL/XML standard function XMLTable, which provides for more readable SQL code. Prior to Oracle Database 10g Release 2, XMLSequence was used with SQL function TABLE to do some of what can now be done better with the XMLTable function.
- The second form takes as input a REF\_CURSOR instance, with an optional instance of the XMLFormat object, and returns as an XMLSequence type an XML document for each row of the cursor.

Because XMLSequence returns a collection of XMLType, you can use this function in a TABLE clause to unnest the collection values into multiple rows, which can in turn be further processed in the SQL query.



### See Also:

Oracle XML DB Developer's Guide for more information on this function, and [XMLTABLE](#)

## Examples

The following example shows how XMLSequence divides up an XML document with multiple elements into VARRAY single-element documents. In this example, the TABLE keyword instructs Oracle Database to consider the collection a table value that can be used in the FROM clause of the subquery:

```
SELECT EXTRACT(warehouse_spec, '/Warehouse') as "Warehouse"
   FROM warehouses WHERE warehouse_name = 'San Francisco';
```

Warehouse

```
-----
<Warehouse>
  <Building>Rented</Building>
  <Area>50000</Area>
  <Docks>1</Docks>
  <DockType>Side load</DockType>
  <WaterAccess>Y</WaterAccess>
  <RailAccess>N</RailAccess>
  <Parking>Lot</Parking>
  <VClearance>12 ft</VClearance>
</Warehouse>
```

1 row selected.

```
SELECT VALUE(p)
  FROM warehouses w,
  TABLE(XMLSEQUENCE(EXTRACT(warehouse_spec, '/Warehouse/*'))) p
 WHERE w.warehouse_name = 'San Francisco';
```


VALUE(P)

```
-----
<Building>Rented</Building>
<Area>50000</Area>
<Docks>1</Docks>
<DockType>Side load</DockType>
<WaterAccess>Y</WaterAccess>
<RailAccess>N</RailAccess>
<Parking>Lot</Parking>
<VClearance>12 ft</VClearance>
```

8 rows selected.

## XMLSERIALIZE

### Syntax



### Purpose

XMLSerialize creates a string or LOB containing the contents of *value\_expr*.

Any lob returned by XMLSERIALIZE will be read-only.

- If you specify **DOCUMENT**, then the *value\_expr* must be a valid XML document.
- If you specify **CONTENT**, then the *value\_expr* need not be a singly rooted XML document. However it must be valid XML content.
- The *datatype* specified can be a string type (VARCHAR2 or VARCHAR, but not NVARCHAR2), BLOB, or CLOB. The default is CLOB.
- If *datatype* is BLOB, then you can specify the **ENCODING** clause to use the specified encoding in the prolog. The *xml\_encoding\_spec* is an XML encoding declaration (encoding="...").
- Specify the **VERSION** clause to use the version you provide as *string\_literal* in the XML declaration (<?xml version="..." ...?>).

- Specify `NO INDENT` to strip all insignificant whitespace from the output. Specify `INDENT SIZE = N`, where *N* is a whole number, for output that is pretty-printed using a relative indentation of *N* spaces. If *N* is 0, then pretty-printing inserts a newline character after each element, placing each element on a line by itself, but omitting all other insignificant whitespace in the output. If `INDENT` is present without a `SIZE` specification, then 2-space indenting is used. If you omit this clause, then the behavior (pretty-printing or not) is indeterminate.
- `HIDE DEFAULTS` and `SHOW DEFAULTS` apply only to XML schema-based data. If you specify `SHOW DEFAULTS` and the input data is missing any optional elements or attributes for which the XML schema defines default values, then those elements or attributes are included in the output with their default values. If you specify `HIDE DEFAULTS`, then no such elements or attributes are included in the output. `HIDE DEFAULTS` is the default behavior.

 See Also:

- *Oracle XML DB Developer's Guide* for more information on this function
- Appendix C in *Oracle Database Globalization Support Guide* for the collation derivation rules, which define the collation assigned to the character return value of `XMLSERIALIZE`

### Examples


The following statement uses the `DUAL` table to illustrate the syntax of `XMLSerialize`:

```
SELECT XMLSERIALIZE(CONTENT XMLTYPE('<Owner>Grandco</Owner>')) AS
xmlserialize_doc
FROM DUAL;


XMLSERIALIZE_DOC
-----
<Owner>Grandco</Owner>
```

## XMLTABLE

### Syntax






#### `XMLnamespaces_clause::=`





**Note:**

You can specify at most one `DEFAULT string` clause.

**XMLTABLE\_options::=****XML\_passing\_clause::=****XML\_table\_column::=****Purpose**

`XMLTable` maps the result of an XQuery evaluation into relational rows and columns. You can query the result returned by the function as a virtual relational table using SQL.

- The `XMLNAMESPACES` clause contains a set of XML namespace declarations. These declarations are referenced by the XQuery expression (the evaluated `XQuery_string`), which computes the row, and by the XPath expression in the `PATH` clause of `XML_table_column`, which computes the columns for the entire `XMLTable` function. If you want to use qualified names in the `PATH` expressions of the `COLUMNS` clause, then you need to specify the `XMLNAMESPACES` clause.
- `XQuery_string` is a literal string. It is a complete XQuery expression and can include prolog declarations. The value of `XQuery_string` serves as input to the `XMLTable` function; it is this XQuery result that is decomposed and stored as relational data.
- The `expr` in the `XML_passing_clause` is an expression returning an `XMLType` or an instance of a SQL scalar data type that is used as the context for evaluating the XQuery expression. You can specify only one `expr` in the `PASSING` clause without an identifier.

The result of evaluating each *expr* is bound to the corresponding identifier in the *XQuery\_string*. If any *expr* that is not followed by an `AS` clause, then the result of evaluating that expression is used as the context item for evaluating the *XQuery\_string*. This clause supports only passing by value, not passing by reference. Therefore, the `BY VALUE` keywords are optional and are provided for semantic clarity.

- The optional `RETURNING SEQUENCE BY REF` clause causes the result of the XQuery evaluation to be returned by reference. This allows you to refer to any part of the source data in the *XML\_table\_column* clause.

If you omit this clause, then the result of the XQuery evaluation is returned by value. That is, a copy of the targeted nodes is returned instead of a reference to the actual nodes. In this case, you cannot refer to any data that is not in the returned copy in the *XML\_table\_column* clause. In particular, you cannot refer to data that precedes the targeted nodes in the source data.

- The optional `COLUMNS` clause defines the columns of the virtual table to be created by `XMLTable`.
  - If you omit the `COLUMNS` clause, then `XMLTable` returns a row with a single `XMLType` pseudocolumn named `COLUMN_VALUE`.
  - `FOR ORDINALITY` specifies that *column* is to be a column of generated row numbers. There must be at most one `FOR ORDINALITY` clause. It is created as a `NUMBER` column.
  - For each resulting column except the `FOR ORDINALITY` column, you must specify the column data type, which can be `XMLType` or any other data type.

If the column data type is `XMLType`, then specify the `XMLTYPE` clause. If you specify the optional `(SEQUENCE) BY REF` clause, then a reference to the source data targeted by the `PATH` expression is returned as the column content. Otherwise, *column* contains a copy of that targeted data.

Returning the `XMLType` data by reference lets you specify other columns whose paths target nodes in the source data that are outside those targeted by the `PATH` expression for *column*.

If the column data type is any other data type, then specify *datatype*.

- The optional `PATH` clause specifies that the portion of the XQuery result that is addressed by XQuery expression string is to be used as the column content.

If you omit `PATH`, then the XQuery expression *column* is assumed. For example:

```
XMLTable(... COLUMNS xyz)
```

is equivalent to

```
XMLTable(... COLUMNS xyz PATH 'XYZ')
```

You can use different `PATH` clauses to split the XQuery result into different virtual-table columns.

- The optional `DEFAULT` clause specifies the value to use when the `PATH` expression results in an empty sequence. Its *expr* is an XQuery expression that is evaluated to produce the default value.

 **See Also:**

- *Oracle XML DB Developer's Guide* for more information on the `XMLTable` function, including additional examples, and on XQuery in general
- Appendix C in *Oracle Database Globalization Support Guide* for the collation derivation rules, which define the collation assigned to each character data type column in the table generated by `XMLTABLE`


**Examples**

The following example converts the result of applying the XQuery `'/Warehouse'` to each value in the `warehouse_spec` column of the `warehouses` table into a virtual relational table with columns `Water` and `Rail`:

```
SELECT warehouse_name warehouse,
       warehouse2."Water", warehouse2."Rail"
FROM warehouses,
XMLTABLE('/Warehouse'
        PASSING warehouses.warehouse_spec
        COLUMNS
            "Water" varchar2(6) PATH 'WaterAccess',
            "Rail" varchar2(6) PATH 'RailAccess')
warehouse2;
```

WAREHOUSE	Water	Rail
Southlake, Texas	Y	N
San Francisco	Y	N
New Jersey	N	N
Seattle, Washington	N	Y

## XMLTRANSFORM

**Syntax****Purpose**

`XMLTransform` takes as arguments an `XMLType` instance and an XSL style sheet, which is itself a form of `XMLType` instance. It applies the style sheet to the instance and returns an `XMLType`.

This function is useful for organizing data according to a style sheet as you are retrieving it from the database.

**See Also:**

*Oracle XML DB Developer's Guide* for more information on this function

**Examples**

The `XMLTransform` function requires the existence of an XSL style sheet. Here is an example of a very simple style sheet that alphabetizes elements within a node:

```
CREATE TABLE xsl_tab (col1 XMLTYPE);

INSERT INTO xsl_tab VALUES (
  XMLTYPE.createxml(
    '<?xml version="1.0"?>
    <xsl:stylesheet version="1.0" xmlns:xsl="http://www.w3.org/1999/XSL/Transform" >
    <xsl:output encoding="utf-8"/>
    <!-- alphabetizes an xml tree -->
    <xsl:template match="*">
      <xsl:copy>
        <xsl:apply-templates select="*|text()">
          <xsl:sort select="name(.)" data-type="text" order="ascending"/>
        </xsl:apply-templates>
      </xsl:copy>
    </xsl:template>
    <xsl:template match="text()">
      <xsl:value-of select="normalize-space(.)"/>
    </xsl:template>
  </xsl:stylesheet> ');
```

1 row created.

The next example uses the `xsl_tab` XSL style sheet to alphabetize the elements in one `warehouse_spec` of the sample table `oe.warehouses`:

```
SELECT XMLTRANSFORM(w.warehouse_spec, x.col1).GetClobVal()
FROM warehouses w, xsl_tab x
WHERE w.warehouse_name = 'San Francisco';
```

```
XMLTRANSFORM(W.WAREHOUSE_SPEC,X.COL1).GETCLOBVAL()
```

```
-----
<Warehouse>
  <Area>50000</Area>
  <Building>Rented</Building>
  <DockType>Side load</DockType>
  <Docks>1</Docks>
  <Parking>Lot</Parking>
  <RailAccess>N</RailAccess>
  <VClearance>12 ft</VClearance>
  <WaterAccess>Y</WaterAccess>
</Warehouse>
```

## CEIL, FLOOR, ROUND, and TRUNC Date Functions

**Table 7-15** lists the format models you can use with the `CEIL`, `FLOOR`, `ROUND`, and `TRUNC` date functions and the units to which they round and truncate dates. The default model, 'DD', returns the date rounded or truncated to the day with a time of midnight.

**Table 7-15 Date Format Models for the CEIL, FLOOR, ROUND, and TRUNC Date Functions**

Format Model	Rounding or Truncating Unit
CC SCC	One greater than the first two digits of a four-digit year
SYYYY YYYY YEAR SYEAR YYY YY Y	Year (rounds up on July 1)
IYYY IY IY I	Year containing the calendar week, as defined by the ISO 8601 standard
Q	Quarter (rounds up on the sixteenth day of the second month of the quarter)
MONTH MON MM RM	Month (rounds up on the sixteenth day)
WW	Same day of the week as the first day of the year
IW	Same day of the week as the first day of the calendar week as defined by the ISO 8601 standard, which is Monday
W	Same day of the week as the first day of the month
DDD DD J	Day
DAY DY D	Starting day of the week
HH HH12 HH24	Hour
MI	Minute

The starting day of the week used by the format models DAY, DY, and D is specified implicitly by the initialization parameter `NLS_TERRITORY`.

 **See Also:**

*Oracle Database Reference* and *Oracle Database Globalization Support Guide* for information on this parameter

## About User-Defined Functions

You can write user-defined functions in PL/SQL, Java, or C to provide functionality that is not available in SQL or SQL built-in functions. User-defined functions can appear in a SQL statement wherever an expression can occur.


For example, user-defined functions can be used in the following:

- The select list of a `SELECT` statement
- The condition of a `WHERE` clause
- `CONNECT BY`, `START WITH`, `ORDER BY`, and `GROUP BY` clauses
- The `VALUES` clause of an `INSERT` statement
- The `SET` clause of an `UPDATE` statement

 **Note:**

Oracle SQL does not support calling of functions with Boolean parameters or returns. Therefore, if your user-defined functions will be called from SQL statements, you must design them to return numbers (0 or 1) or character strings ('TRUE' or 'FALSE').

***user\_defined\_function::=***



The optional expression list must match attributes of the function, package, or operator.

**Restriction on User-defined Functions**

The `DISTINCT` and `ALL` keywords are valid only with a user-defined aggregate function.

 **See Also:**

- [CREATE FUNCTION](#) for information on creating functions, including restrictions on user-defined functions
- *Oracle Database Development Guide* for a complete discussion of the creation and use of user functions

## Prerequisites

User-defined functions must be created as top-level functions or declared with a package specification before they can be named within a SQL statement.

To use a user function in a SQL expression, you must own or have `EXECUTE` privilege on the user function. To query a view defined with a user function, you must have the `READ` or `SELECT` privilege on the view. No separate `EXECUTE` privileges are needed to select from the view.

 **See Also:**

[CREATE FUNCTION](#) for information on creating top-level functions and [CREATE PACKAGE](#) for information on specifying packaged functions

## Name Precedence

Within a SQL statement, the names of database columns take precedence over the names of functions with no parameters. For example, if the Human Resources manager creates the following two objects in the `hr` schema:

```
CREATE TABLE new_emps (new_sal NUMBER, ...);
CREATE FUNCTION new_sal RETURN NUMBER IS BEGIN ... END;
```

then in the following two statements, the reference to `new_sal` refers to the column `new_emps.new_sal`:

```
SELECT new_sal FROM new_emps;
SELECT new_emps.new_sal FROM new_emps;
```

To access the function `new_sal`, you would enter:

```
SELECT hr.new_sal FROM new_emps;
```

Here are some sample calls to user functions that are allowed in SQL expressions:

```
circle_area (radius)
payroll.tax_rate (empno)
hr.employees.tax_rate (dependent, empno)@remote
```

### Example

To call the `tax_rate` user function from schema `hr`, execute it against the `ss_no` and `sal` columns in `tax_table`, specify the following:

```
SELECT hr.tax_rate (ss_no, sal)
       INTO income_tax
       FROM tax_table WHERE ss_no = tax_id;
```

The `INTO` clause is PL/SQL that lets you place the results into the variable `income_tax`.

## Naming Conventions

If only one of the optional schema or package names is given, then the first identifier can be either a schema name or a package name. For example, to determine whether `PAYROLL` in the reference `PAYROLL.TAX_RATE` is a schema or package name, Oracle Database proceeds as follows:

1. Check for the `PAYROLL` package in the current schema.
2. If a `PAYROLL` package is not found, then look for a schema name `PAYROLL` that contains a top-level `TAX_RATE` function. If no such function is found, then return an error.
3. If the `PAYROLL` package is found in the current schema, then look for a `TAX_RATE` function in the `PAYROLL` package. If no such function is found, then return an error.

You can also refer to a stored top-level function using any synonym that you have defined for it.



# 8

## Common SQL DDL Clauses

This chapter describes some SQL data definition clauses that appear in multiple SQL statements.

This chapter contains these sections:

- [allocate\\_extent\\_clause](#)
- [constraint](#)
- [deallocate\\_unused\\_clause](#)
- [file\\_specification](#)
- [logging\\_clause](#)
- [parallel\\_clause](#)
- [physical\\_attributes\\_clause](#)
- [size\\_clause](#)
- [storage\\_clause](#)
- [annotations\\_clause](#)

### *allocate\_extent\_clause*

#### **Purpose**

Use the *allocate\_extent\_clause* clause to explicitly allocate a new extent for a database object.


Explicitly allocating an extent with this clause does not change the values of the `NEXT` and `PCTINCREASE` storage parameters, so does not affect the size of the next extent to be allocated implicitly by Oracle Database. Refer to [storage\\_clause](#) for information about the `NEXT` and `PCTINCREASE` storage parameters.

You can allocate an extent in the following SQL statements:

- `ALTER CLUSTER` (see [ALTER CLUSTER](#) )
- `ALTER INDEX`: to allocate an extent to the index, an index partition, or an index subpartition (see [ALTER INDEX](#) )
- `ALTER MATERIALIZED VIEW`: to allocate an extent to the materialized view, one of its partitions or subpartitions, or the overflow segment of an index-organized materialized view (see [ALTER MATERIALIZED VIEW](#) )
- `ALTER MATERIALIZED VIEW LOG` (see [ALTER MATERIALIZED VIEW LOG](#) )
- `ALTER TABLE`: to allocate an extent to the table, a table partition, a table subpartition, the mapping table of an index-organized table, the overflow segment of an index-organized table, or a LOB storage segment (see [ALTER TABLE](#) )

## Syntax

**allocate\_extent\_clause::=**



(*size\_clause*::=)

## Semantics

This section describes the parameters of the *allocate\_extent\_clause*. For additional information, refer to the SQL statement in which you set or reset these parameters for a particular database object.

You cannot specify the *allocate\_extent\_clause* and the *deallocate\_unused\_clause* in the same statement.

### SIZE

Specify the size of the extent in bytes. The value of *integer* can be 0 through 2147483647. To specify a larger extent size, use an integer within this range with K, M, G, or T to specify the extent size in kilobytes, megabytes, gigabytes, or terabytes.

For a table, index, materialized view, or materialized view log, if you omit *SIZE*, then Oracle Database determines the size based on the values of the storage parameters of the object. However, for a cluster, Oracle does not evaluate the cluster's storage parameters, so you must specify *SIZE* if you do not want Oracle to use a default value.

### DATAFILE '*filename*'

Specify one of the data files in the tablespace of the table, cluster, index, materialized view, or materialized view log to contain the new extent. If you omit *DATAFILE*, then Oracle chooses the data file.

### INSTANCE *integer*

Use this parameter only if you are using Oracle Real Application Clusters.

Specifying *INSTANCE integer* makes the new extent available to the freelist group associated with the specified instance. If the instance number exceeds the maximum number of freelist groups, then Oracle divides the specified number by the maximum number and uses the remainder to identify the freelist group to be used. An instance is identified by the value of its initialization parameter *INSTANCE\_NUMBER*.

If you omit this parameter, then the space is allocated to the table, cluster, index, materialized view, or materialized view log but is not drawn from any particular freelist group. Instead, Oracle uses the master freelist and allocates space as needed.

 **Note:**

If you are using automatic segment-space management, then the `INSTANCE` parameter of the `allocate_extent_clause` may not reserve the newly allocated space for the specified instance, because automatic segment-space management does not maintain rigid affinity between extents and instances.

## constraint

### Purpose

Use a *constraint* to define an **integrity constraint**—a rule that restricts the values in a database. Oracle Database lets you create six types of constraints and lets you declare them in two ways.

The six types of integrity constraint are described briefly here and more fully in "[Semantics](#)":

- A **NOT NULL constraint** prohibits a database value from being null.
- A **unique constraint** prohibits multiple rows from having the same value in the same column or combination of columns but allows some values to be null.
- A **primary key constraint** combines a `NOT NULL` constraint and a unique constraint in a single declaration. It prohibits multiple rows from having the same value in the same column or combination of columns and prohibits values from being null.
- A **foreign key constraint** requires values in one table to match values in another table.
- A **check constraint** requires a value in the database to comply with a specified condition.
- A `REF` column by definition references an object in another object type or in a relational table. A **REF constraint** lets you further describe the relationship between the `REF` column and the object it references.

You can define constraints syntactically in two ways:

- As part of the definition of an individual column or attribute. This is called **inline** specification.
- As part of the table definition. This is called **out-of-line** specification.

`NOT NULL` constraints must be declared inline. All other constraints can be declared either inline or out of line.

Constraint clauses can appear in the following statements:

- `CREATE TABLE` (see [CREATE TABLE](#))
- `ALTER TABLE` (see [ALTER TABLE](#))
- `CREATE VIEW` (see [CREATE VIEW](#))
- `ALTER VIEW` (see [ALTER VIEW](#))

### View Constraints

Oracle Database does not enforce view constraints. However, you can enforce constraints on views through constraints on base tables.

You can specify only unique, primary key, and foreign key constraints on views, and they are supported only in `DISABLE NOVALIDATE` mode. You cannot define view constraints on attributes of an object column.

 **See Also:**

[View Constraints](#) for additional information on view constraints and "[DISABLE Clause](#)" for information on `DISABLE NOVALIDATE` mode

### External Table Constraints

You can specify only `NOT NULL`, unique, primary key, and foreign key constraints on external tables. Unique, primary key, and foreign key constraints are supported only in `RELY DISABLE` mode.

 **See Also:**

[DISABLE Clause](#) for information on `RELY` and `DISABLE`.


### Prerequisites

You must have the privileges necessary to issue the statement in which you are defining the constraint.

To create a foreign key constraint, in addition, the parent table or view must be in your own schema or you must have the `REFERENCES` privilege on the columns of the referenced key in the parent table or view.


### Syntax

***constraint::=***




*(inline\_constraint::=, out\_of\_line\_constraint::=, inline\_ref\_constraint::=, out\_of\_line\_ref\_constraint::=)*

***inline\_constraint::=***




***(references\_clause::=)***

***precheck\_state::=***




***out\_of\_line\_constraint::=***




***(references\_clause::=, constraint\_state::=)***

***inline\_ref\_constraint::=***




(references\_clause::=, constraint\_state::=)

**out\_of\_line\_ref\_constraint::=**




(references\_clause::=, constraint\_state::=)

**references\_clause::=**




**constraint\_state::=**




(using\_index\_clause::=, exceptions\_clause::=)

**using\_index\_clause::=**




*(create\_index::=, index\_properties::=)*

**index\_properties::=**




*(global\_partitioned\_index::=, local\_partitioned\_index::=*--part of CREATE INDEX,  
*index\_attributes::=*. The **INDEXTYPE IS ...** clause is not valid when defining a constraint.)

**index\_attributes::=**



*(physical\_attributes\_clause::=, logging\_clause::=, index\_compression::=,*  
*partial\_index\_clause::=*--all part of CREATE INDEX, *parallel\_clause*: not supported in  
*using\_index\_clause*)

**exceptions\_clause::=**



## Semantics

This section describes the semantics of *constraint*. For additional information, refer to the SQL statement in which you define or redefine a constraint for a table or view.

Oracle Database does not support constraints on columns or attributes whose type is a user-defined object, nested table, `VARRAY`, `REF`, or `LOB`, with two exceptions:

- `NOT NULL` constraints are supported for a column or attribute whose type is user-defined object, `VARRAY`, `REF`, or `LOB`.
- `NOT NULL`, foreign key, and `REF` constraints are supported on a column of type `REF`.

## CONSTRAINT *constraint\_name*

Specify a name for the constraint. The name must satisfy the requirements listed in "Database Object Naming Rules". If you omit this identifier, then Oracle Database generates a name with the form `SYS_Cn`. Oracle stores the name and the definition of the integrity constraint in the `USER_`, `ALL_`, and `DBA_CONSTRAINTS` data dictionary views (in the `CONSTRAINT_NAME` and `SEARCH_CONDITION` columns, respectively).



### See Also:

*Oracle Database Reference* for information on the data dictionary views

## NOT NULL Constraints

A `NOT NULL` constraint prohibits a column from containing nulls. The `NULL` keyword by itself does not actually define an integrity constraint, but you can specify it to explicitly permit a column to contain nulls. You must define `NOT NULL` and `NULL` using inline specification. If you specify neither `NOT NULL` nor `NULL`, then the default is `NULL`.

`NOT NULL` constraints are the only constraints you can specify inline on `XMLType` and `VARRAY` columns.

To satisfy a `NOT NULL` constraint, every row in the table must contain a value for the column.



### Note:

Oracle Database does not index table rows in which all key columns are null except in the case of bitmap indexes. Therefore, if you want an index on all rows of a table, then you must either specify `NOT NULL` constraints for at least one of the index key columns or create a bitmap index.

## Restrictions on NOT NULL Constraints

`NOT NULL` constraints are subject to the following restrictions:

- You cannot specify `NULL` or `NOT NULL` in a view constraint.



- You cannot specify `NULL` or `NOT NULL` for an attribute of an object. Instead, use a `CHECK` constraint with the `IS [NOT] NULL` condition.



### See Also:

["Attribute-Level Constraints Example"](#) and ["NOT NULL Example"](#)

## Unique Constraints

A **unique** constraint designates a column as a unique key. A **composite unique key** designates a combination of columns as the unique key. When you define a unique constraint inline, you need only the `UNIQUE` keyword. When you define a unique constraint out of line, you must also specify one or more columns. You must define a composite unique key out of line.

To satisfy a unique constraint, no two rows in the table can have the same value for the unique key. However, the unique key made up of a single column can contain nulls. To satisfy a composite unique key, no two rows in the table or view can have the same combination of values in the key columns. Any row that contains nulls in all key columns automatically satisfies the constraint. However, two rows that contain nulls for one or more key columns and the same combination of values for the other key columns violate the constraint.

Unique constraints are sensitive to declared collations of their key columns. See [Collation Sensitivity of Constraints](#) for more details.

When you specify a unique constraint on one or more columns, Oracle implicitly creates an index on the unique key. If you are defining uniqueness for purposes of query performance, then Oracle recommends that you instead create the unique index explicitly using a `CREATE UNIQUE INDEX` statement. You can also use the `CREATE UNIQUE INDEX` statement to create a unique function-based index that defines a conditional unique constraint. See ["Using a Function-based Index to Define Conditional Uniqueness: Example"](#) for more information.

When you specify an enabled unique constraint on an extended data type column, you may receive a "maximum key length exceeded" error when Oracle tries to create the index to enforce uniqueness for the enabled constraint. See ["Creating an Index on an Extended Data Type Column"](#) for information on how to work around this issue.

## Restrictions on Unique Constraints

Unique constraints are subject to the following restrictions:

- None of the columns in the unique key can be of `LOB`, `LONG`, `LONG RAW`, `VARRAY`, `NESTED TABLE`, `OBJECT`, `REF`, `TIMESTAMP WITH TIME ZONE`, or user-defined type. However, the unique key can contain a column of `TIMESTAMP WITH LOCAL TIME ZONE`.
- A composite unique key cannot have more than 32 columns.
- You cannot designate the same column or combination of columns as both a primary key and a unique key.
- You cannot specify a unique key when creating a subview in an inheritance hierarchy. The unique key can be specified only for the top-level (root) view.
- When you specify a unique constraint for an external table, you must specify the `RELY` and `DISABLE` constraint states. See [External Table Constraints](#) for more information.

**See Also:**

["Unique Key Example"](#) and [Composite Unique Key Example](#)

## Primary Key Constraints

A **primary key** constraint designates a column as the primary key of a table or view. A **composite primary key** designates a combination of columns as the primary key.

When you define a primary key constraint inline, you need only the `PRIMARY KEY` keywords. When you define a primary key constraint out of line, you must also specify one or more columns. You must define a composite primary key out of line.

To satisfy a primary key constraint:

- No primary key value can appear in more than one row in the table.
- No column that is part of the primary key can contain a null.

When you create a primary key constraint:

- Oracle Database uses an existing index if it contains a unique set of values before enforcing the primary key constraint. The existing index can be defined as unique or nonunique. When a DML operation is performed, the primary key constraint is enforced using this existing index.
- If no existing index can be used, then Oracle Database generates a unique index.

When you drop a primary key constraint:

- If the primary key was created using an existing index, then the index is not dropped.
- If the primary key was created using a system-generated index, then the index is dropped.

When you designate an extended data type column as an enabled primary key, you may receive a "maximum key length exceeded" error when Oracle tries to create the index to enforce uniqueness for the enabled constraint. See "[Creating an Index on an Extended Data Type Column](#)" for information on how to work around this issue.

Primary key constraints are sensitive to declared collations of their key columns. See [Collation Sensitivity of Constraints](#) for more details.

## Restrictions on Primary Key Constraints

Primary constraints are subject to the following restrictions:

- A table or view can have only one primary key.
- None of the columns in the primary key can be `LOB`, `LONG`, `LONG RAW`, `VARRAY`, `NESTED TABLE`, `BFILE`, `REF`, `TIMESTAMP WITH TIME ZONE`, or **user-defined type**. However, the primary key can contain a column of `TIMESTAMP WITH LOCAL TIME ZONE`.
- The size of the primary key cannot exceed approximately one database block.
- A composite primary key cannot have more than 32 columns.
- You cannot designate the same column or combination of columns as both a primary key and a unique key.

- You cannot specify a primary key when creating a subview in an inheritance hierarchy. The primary key can be specified only for the top-level (root) view.
- When you specify a primary key constraint for an external table, you must specify the `RELY` and `DISABLE` constraint states. See [External Table Constraints](#) for more information.

**See Also:**

"[Primary Key Example](#)" and "[Composite Primary Key Example](#)"

## Foreign Key Constraints

A **foreign key constraint** (also called a **referential integrity constraint**) designates a column as the foreign key and establishes a relationship between that foreign key and a specified primary or unique key, called the **referenced key**. A **composite foreign key** designates a combination of columns as the foreign key.

The table or view containing the foreign key is called the **child** object, and the table or view containing the referenced key is called the **parent** object. The foreign key and the referenced key can be in the same table or view. In this case, the parent and child tables are the same. If you identify only the parent table or view and omit the column name, then the foreign key automatically references the primary key of the parent table or view. The corresponding column or columns of the foreign key and the referenced key must match in order, data types, and declared collations.

Foreign key constraints are sensitive to declared collations of the referenced primary or unique key columns. See [Collation Sensitivity of Constraints](#) for more details.

You can define a foreign key constraint on a single key column either inline or out of line. You must specify a composite foreign key and a foreign key on an attribute out of line.

To satisfy a composite foreign key constraint, the composite foreign key must refer to a composite unique key or a composite primary key in the parent table or view, or the value of at least one of the columns of the foreign key must be null.

You can designate the same column or combination of columns as both a foreign key and a primary or unique key. You can also designate the same column or combination of columns as both a foreign key and a cluster key.

You can define multiple foreign keys in a table or view. Also, a single column can be part of more than one foreign key.

## Restrictions on Foreign Key Constraints

Foreign key constraints are subject to the following restrictions:

- None of the columns in the foreign key can be of `LOB`, `LONG`, `LONG RAW`, `VARRAY`, `NESTED TABLE`, `BFILE`, `REF`, `TIMESTAMP WITH TIME ZONE`, or user-defined type. However, the primary key can contain a column of `TIMESTAMP WITH LOCAL TIME ZONE`.
- The referenced unique or primary key constraint on the parent table or view must already be defined.
- A composite foreign key cannot have more than 32 columns.

- The child and parent tables must be on the same database. To enable referential integrity constraints across nodes of a distributed database, you must use database triggers. See [CREATE TRIGGER](#) .
- If either the child or parent object is a view, then the constraint is subject to all restrictions on view constraints. See "[View Constraints](#) ".
- You cannot define a foreign key constraint in a `CREATE TABLE` statement that contains an `AS subquery` clause. Instead, you must create the table without the constraint and then add it later with an `ALTER TABLE` statement.
- When a table has a foreign key, and the parent of the foreign key is an index-organized table, a session that updates a row that contains the foreign key can hang when another session is updating a non-key column in the parent table.
- When you specify a foreign key constraint for an external table, you must specify the `RELY` and `DISABLE` constraint states. See [External Table Constraints](#) for more information.

 **See Also:**

- *Oracle Database Development Guide* for more information on using constraints
- "[Foreign Key Constraint Example](#)" and "[Composite Foreign Key Constraint Example](#)"

### ***references\_clause***

Foreign key constraints use the *references\_clause* syntax. When you specify a foreign key constraint inline, you need only the *references\_clause*. When you specify a foreign key constraint out of line, you must also specify the `FOREIGN KEY` keywords and one or more columns.

### **ON DELETE Clause**

The `ON DELETE` clause lets you determine how Oracle Database automatically maintains referential integrity if you remove a referenced primary or unique key value. If you omit this clause, then Oracle does not allow you to delete referenced key values in the parent table that have dependent rows in the child table.

- Specify `CASCADE` if you want Oracle to remove dependent foreign key values.
- Specify `SET NULL` if you want Oracle to convert dependent foreign key values to `NULL`. You cannot specify this clause for a virtual column, because the values in a virtual column cannot be updated directly. Rather, the values from which the virtual column are derived must be updated.

### **Restriction on ON DELETE**

You cannot specify this clause for a view constraint.

**See Also:**

"ON DELETE Example"

## Check Constraints

A check constraint lets you specify a condition that each row in the table must satisfy. To satisfy the constraint, each row in the table must make the condition either `TRUE` or unknown (due to a null). When Oracle evaluates a check constraint condition for a particular row, any column names in the condition refer to the column values in that row.

The syntax for inline and out-of-line specification of check constraints is the same. However, inline specification can refer only to the column (or the attributes of the column if it is an object column) currently being defined, whereas out-of-line specification can refer to multiple columns or attributes.

Oracle does not verify that conditions of check constraints are not mutually exclusive. Therefore, if you create multiple check constraints for a column, design them carefully so their purposes do not conflict. Do not assume any particular order of evaluation of the conditions.

You can specify a check constraint with a precheck state of `PRECHECK`, if you want to be able to validate the constraint outside of the database using an external JSON schema validator.

The SQL conditions used in `CHECK` constraints that have an equivalent condition in the JSON schema vocabulary are supported.

You can specify `PRECHECK` with existing constraint states `ENABLE` and `VALIDATE` at the same time.

If you do not specify `PRECHECK` or `NOPRECHECK` explicitly, Oracle sets the value of `PRECHECK` or `NOPRECHECK` automatically, based on whether a check constraint can be expressed as JSON schema.

The precheck state is independent from existing constraint states. You can use it with an existing constraint to indicate that the constraint can be prevalidated outside the database using the JSON schema.

You can remove the `PRECHECK` constraint state by setting it to `NOPRECHECK` using `ALTER TABLE MODIFY CONSTRAINT`.

If the condition of a check constraint depends on NLS parameters, such as `NLS_DATE_FORMAT`, Oracle evaluates the condition using the database values of the parameters, not the session values. You can find the database values of the NLS parameters in the data dictionary view `NLS_DATABASE_PARAMETERS`. These values are associated with a database by the DDL statement `CREATE DATABASE` and never change afterwards.

## Restrictions on Check Constraints

Check constraints are subject to the following restrictions:

- You cannot specify a check constraint for a view. However, you can define the view using the `WITH CHECK OPTION` clause, which is equivalent to specifying a check constraint for the view.
- The condition of a check constraint can refer to any column in the table, but it cannot refer to columns of other tables.

- Conditions of check constraints cannot contain the following constructs:
  - Subqueries and scalar subquery expressions
  - Calls to the functions that are not deterministic (`CURRENT_DATE`, `CURRENT_TIMESTAMP`, `DBTIMEZONE`, `LOCALTIMESTAMP`, `SESSIONTIMEZONE`, `SYSDATE`, `SYSTIMESTAMP`, `UID`, `USER`, and `USERENV`)
  - Calls to user-defined functions
  - Dereferencing of `REF` columns (for example, using the `DEREF` function)
  - Nested table columns or attributes
  - The pseudocolumns `CURRVAL`, `NEXTVAL`, `LEVEL`, or `ROWNUM`
  - Date constants that are not fully specified
  - You cannot specify a check constraint for an external table.

 **See Also:**

- [Conditions](#) for additional information and syntax
- ["Check Constraint Examples"](#) and ["Attribute-Level Constraints Example"](#)
- [PRECHECK Using JSON Schema](#)
- [CHECK Constraint Examples](#)

## REF Constraints

`REF` constraints let you describe the relationship between a column of type `REF` and the object it references.

### *ref\_constraint*

`REF` constraints use the *ref\_constraint* syntax. You define a `REF` constraint either inline or out of line. Out-of-line specification requires you to specify the `REF` column or attribute you are further describing.

- For *ref\_column*, specify the name of a `REF` column of an object or relational table.
- For *ref\_attribute*, specify an embedded `REF` attribute within an object column of a relational table.

Both inline and out-of-line specification let you define a scope constraint, a rowid constraint, or a referential integrity constraint on a `REF` column.

If the scope table or referenced table of the `REF` column has a primary-key-based object identifier, then the `REF` column is a **user-defined `REF` column**.

 **See Also:**

- *Oracle Database Object-Relational Developer's Guide* for more information on REF data types
- "[Foreign Key Constraints](#)", and "[REF Constraint Examples](#)"

### SCOPE REF Constraints

In a table with a REF column, each REF value in the column can conceivably reference a row in a different object table. The SCOPE clause restricts the scope of references to a single table, *scope\_table*. The values in the REF column or attribute point to objects in *scope\_table*, in which object instances of the same type as the REF column are stored.

Specify the SCOPE clause to restrict the scope of references in the REF column to a single table. For you to specify this clause, *scope\_table* must be in your own schema, or you must have the READ or SELECT privilege on *scope\_table*, or you must have the READ ANY TABLE or SELECT ANY TABLE system privilege. You can specify only one scope table for each REF column.

### Restrictions on Scope Constraints

Scope constraints are subject to the following restrictions:

- You cannot add a scope constraint to an existing column unless the table is empty.
- You cannot specify a scope constraint for the REF elements of a VARRAY column.
- You must specify this clause if you specify AS *subquery* and the subquery returns user-defined REF data types.
- You cannot subsequently drop a scope constraint from a REF column.
- You cannot specify a scope constraint for an external table.

### Rowid REF Constraints

Specify WITH ROWID to store the rowid along with the REF value in *ref\_column* or *ref\_attribute*. Storing the rowid with the REF value can improve the performance of dereferencing operations, but will also use more space. Default storage of REF values is without rowids.

 **See Also:**

The function [DEREF](#) for an example of dereferencing

### Restrictions on Rowid Constraints

Rowid constraints are subject to the following restrictions:

- You cannot define a rowid constraint for the REF elements of a VARRAY column.
- You cannot subsequently drop a rowid constraint from a REF column.

- If the `REF` column or attribute is scoped, then this clause is ignored and the rowid is not stored with the `REF` value.
- You cannot specify a rowid constraint for an external table.

### Referential Integrity Constraints on REF Columns

The *references\_clause* of the *ref\_constraint* syntax lets you define a foreign key constraint on the `REF` column. This clause also implicitly restricts the scope of the `REF` column or attribute to the referenced table. However, whereas a foreign key constraint on a non-`REF` column references an actual column in the parent table, a foreign key constraint on a `REF` column references the implicit object identifier column of the parent table.

If you do not specify a constraint name, then Oracle generates a system name for the constraint of the form `SYS_Cn`.

If you add a referential integrity constraint to an existing `REF` column that is already scoped, then the referenced table must be the same as the scope table of the `REF` column. If you later drop the referential integrity constraint, then the `REF` column will remain scoped to the referenced table.

As is the case for foreign key constraints on other types of columns, you can use the *references\_clause* alone for inline declaration. For out-of-line declaration you must also specify the `FOREIGN KEY` keywords plus one or more `REF` columns or attributes.



#### See Also:

*Oracle Database Object-Relational Developer's Guide* for more information on object identifiers

### Restrictions on Foreign Key Constraints on REF Columns

Foreign key constraints on `REF` columns have the following additional restrictions:

- Oracle implicitly adds a scope constraint when you add a referential integrity constraint to an existing unscoped `REF` column. Therefore, all the restrictions that apply for scope constraints also apply in this case.
- You cannot specify a column after the object name in the *references\_clause*.

### Collation Sensitivity of Constraints

Starting with Oracle Database 12c Release 2 (12.2), primary key, unique, and foreign key constraints are sensitive to declared collations of their key columns. A primary or unique key character column value from a new or updated row is compared with values in existing rows using the declared collation of the key column. For example, if the declared collation of the key column is the case-insensitive collation `BINARY_CI`, a new or updated row may be rejected if the new key column value differs from some existing key value only by case. The collation `BINARY_CI` treats character values differing only by case as equal.

A foreign key character column value is compared to parent primary or unique key column values using the declared collation of the parent key column. For example, if the declared collation of the key column is the case-insensitive collation `BINARY_CI`, a



new or updated child row may be accepted even if there is no identical parent key value for the corresponding foreign key value, provided there exists a value differing only by case.

The declared collation of a foreign key column must be the same as the collation of the corresponding parent key column.

Columns in a composite key of a constraint may have different declared collations.

When the declared collation of a key column of a constraint is a pseudo-collation, the constraint uses a corresponding variant of the collation `BINARY`. Pseudo-collations cannot be used directly to compare values for a constraint, because constraints are static and cannot depend on session NLS parameters on which the pseudo-collations depend. Therefore:

- The pseudo-collations `USING_NLS_COMP`, `USING_NLS_SORT`, and `USING_NLS_SORT_CS` use the collation `BINARY`.
- The pseudo-collation `USING_NLS_COMP_CI` uses the collation `BINARY_CI`.
- The pseudo-collation `USING_NLS_COMP_AI` uses the collation `BINARY_AI`.

When the effective collation used by a primary or unique key column is not `BINARY`, Oracle creates a hidden virtual column for this column. The expression of the virtual column calculates collation keys for character values of the original key column. The primary key or unique constraint is internally created on the virtual column instead of the original column. The virtual column is visible in the data dictionary views of the `*_TAB_COLS` family. For each of these hidden virtual columns, the `COLLATED_COLUMN_ID` of the `*_TAB_COLS` views contains the internal sequence number pointing to the corresponding original key column. The hidden virtual columns count to the 1000-column limit of a table, i.e. 1000 if the `MAX_COLUMNS` initialization parameter is set to `STANDARD`, or 4096 columns if `MAX_COLUMNS` is set to `EXTENDED`.

#### See Also:

- See *Oracle Database Reference* for more on the `MAX_COLUMNS` initialization parameter.
- [Case-Insensitive Constraints Example](#)
- *Oracle Database Globalization Support Guide* for more details about collations

## Specifying Constraint State

You can specify how and when Oracle should enforce the constraint when you define the constraint.

### *constraint\_state*

You can use *constraint\_state* with both inline and out-of-line specification. Except for the clauses `DEFERRABLE` and `INITIALLY`, that may be specified in any order, you must specify the rest of the component clauses in the order shown, and each clause only once.

### DEFERRABLE Clause

The `DEFERRABLE` and `NOT DEFERRABLE` parameters indicate whether or not, in subsequent transactions, constraint checking can be deferred until the end of the transaction using the `SET CONSTRAINT(S)` statement. If you omit this clause, then the default is `NOT DEFERRABLE`.

- Specify `NOT DEFERRABLE` to indicate that in subsequent transactions you cannot use the `SET CONSTRAINT[S]` clause to defer checking of this constraint until the transaction is committed. The checking of a `NOT DEFERRABLE` constraint can never be deferred to the end of the transaction.

If you declare a new constraint `NOT DEFERRABLE`, then it must be valid at the time the `CREATE TABLE` or `ALTER TABLE` statement is committed or the statement will fail.

- Specify `DEFERRABLE` to indicate that in subsequent transactions you can use the `SET CONSTRAINT[S]` clause to defer checking of this constraint until a `COMMIT` statement is submitted. If the constraint check fails, then the database returns an error and the transaction is not committed. This setting in effect lets you disable the constraint temporarily while making changes to the database that might violate the constraint until all the changes are complete.

 **Note:**

The optimizer does not consider indexes on deferrable constraints as usable.

You cannot alter the deferrability of a constraint. Whether you specify either of these parameters, or make the constraint `NOT DEFERRABLE` implicitly by specifying neither of them, you cannot specify this clause in an `ALTER TABLE` statement. You must drop the constraint and re-create it.

 **See Also:**

- [SET CONSTRAINT\[S\]](#) for information on setting constraint checking for a transaction
- *Oracle Database Administrator's Guide* and *Oracle Database Concepts* for more information about deferred constraints
- "[DEFERRABLE Constraint Examples](#)"

### Restriction on [NOT] DEFERRABLE

You cannot specify either of these parameters for a view constraint.

### INITIALLY Clause

The `INITIALLY` clause establishes the default checking behavior for constraints that are `DEFERRABLE`. The `INITIALLY` setting can be overridden by a `SET CONSTRAINT(S)` statement in a subsequent transaction.

- Specify `INITIALLY IMMEDIATE` to indicate that Oracle should check this constraint at the end of each subsequent SQL statement. If you do not specify `INITIALLY` at all, then the default is `INITIALLY IMMEDIATE`.

If you declare a new constraint `INITIALLY IMMEDIATE`, then it must be valid at the time the `CREATE TABLE` or `ALTER TABLE` statement is committed or the statement will fail.

- Specify `INITIALLY DEFERRED` to indicate that Oracle should check this constraint at the end of subsequent transactions.

This clause is not valid if you have declared the constraint to be `NOT DEFERRABLE`, because a `NOT DEFERRABLE` constraint is automatically `INITIALLY IMMEDIATE` and cannot ever be `INITIALLY DEFERRED`.

### RELY Clause

The `RELY` and `NORELY` parameters specify whether a constraint in `NOVALIDATE` mode is to be taken into account for query rewrite. Specify `RELY` to activate a constraint in `NOVALIDATE` mode for query rewrite in an unenforced query rewrite integrity mode. The constraint is in `NOVALIDATE` mode, so Oracle does not enforce it. The default is `NORELY`.

Unenforced constraints are generally useful only with materialized views and query rewrite. Depending on the `QUERY_REWRITE_INTEGRITY` mode, query rewrite can use only constraints that are in `VALIDATE` mode, or that are in `NOVALIDATE` mode with the `RELY` parameter set, to determine join information.

### Restriction on the RELY Clause

You cannot set a nondeferrable `NOT NULL` constraint to `RELY`.



#### See Also:

*Oracle Database Data Warehousing Guide* for more information on materialized views and query rewrite

### Using Indexes to Enforce Constraints

When defining the state of a unique or primary key constraint, you can specify an index for Oracle to use to enforce the constraint, or you can instruct Oracle to create the index used to enforce the constraint.

#### *using\_index\_clause*

You can specify the *using\_index\_clause* only when enabling unique or primary key constraints. You can specify the clauses of the *using\_index\_clause* in any order, but you can specify each clause only once.

- If you specify *schema.index*, then Oracle attempts to enforce the constraint using the specified index. If Oracle cannot find the index or cannot use the index to enforce the constraint, then Oracle returns an error.
- If you specify the *create\_index\_statement*, then Oracle attempts to create the index and use it to enforce the constraint. If Oracle cannot create the index or cannot use the index to enforce the constraint, then Oracle returns an error.
- If you neither specify an existing index nor create a new index, then Oracle creates the index. In this case:
  - The index receives the same name as the constraint.
  - If *table* is partitioned, then you can specify a locally or globally partitioned index for the unique or primary key constraint.

#### Restrictions on the *using\_index\_clause*

The following restrictions apply to the *using\_index\_clause*:

- You cannot specify this clause for a view constraint.
- You cannot specify this clause for a NOT NULL, foreign key, or check constraint.
- You cannot specify an index (*schema.index*) or create an index (*create\_index\_statement*) when enabling the primary key of an index-organized table.
- You cannot specify the *parallel\_clause* of *index\_attributes*.
- The INDEXTYPE IS ... clause of *index\_properties* is not valid in the definition of a constraint.



#### See Also:

- [CREATE INDEX](#) for a description of *index\_attributes*, the *global\_partitioned\_index* and *local\_partitioned\_index* clauses, and for a description of NOSORT and the *logging\_clause* in relation to indexes
- [physical\\_attributes\\_clause](#) and PCTFREE parameters and [storage\\_clause](#)
- ["Explicit Index Control Example"](#)

## ENABLE Clause

Specify `ENABLE` if you want the constraint to be applied to the data in the table.

If you enable a unique or primary key constraint, and if no index exists on the key, then Oracle Database creates a unique index. Unless you specify `KEEP INDEX` when subsequently disabling the constraint, this index is dropped and the database rebuilds the index every time the constraint is reenabled.

You can also avoid rebuilding the index and eliminate redundant indexes by creating new primary key and unique constraints initially disabled. Then create (or use existing) nonunique indexes to enforce the constraint. Oracle does not drop a nonunique index when the constraint is disabled, so subsequent `ENABLE` operations are facilitated.

- `ENABLE VALIDATE` specifies that all old and new data also complies with the constraint. An enabled validated constraint guarantees that all data is and will continue to be valid.

If any row in the table violates the integrity constraint, then the constraint remains disabled and Oracle returns an error. If all rows comply with the constraint, then Oracle enables the constraint. Subsequently, if new data violates the constraint, then Oracle does not execute the statement and returns an error indicating the integrity constraint violation.

If you place a primary key constraint in `ENABLE VALIDATE` mode, then the validation process will verify that the primary key columns contain no nulls. To avoid this overhead, mark each column in the primary key `NOT NULL` before entering data into the column and before enabling the primary key constraint of the table.

- `ENABLE NOVALIDATE` ensures that all new DML operations on the constrained data comply with the constraint. This clause does not ensure that existing data in the table complies with the constraint.

If you specify neither `VALIDATE` nor `NOVALIDATE`, then the default is `VALIDATE`.

If you change the state of any single constraint from `ENABLE NOVALIDATE` to `ENABLE VALIDATE`, then the operation can be performed in parallel, and does not block reads, writes, or other DDL operations.

### Restriction on the `ENABLE` Clause

You cannot enable a foreign key that references a disabled unique or primary key.

### `DISABLE` Clause

Specify `DISABLE` to disable the integrity constraint. Disabled integrity constraints appear in the data dictionary along with enabled constraints. If you do not specify this clause when creating a constraint, then Oracle automatically enables the constraint.

- `DISABLE VALIDATE` disables the constraint and drops the index on the constraint, but keeps the constraint valid. This feature is most useful in data warehousing situations, because it lets you load large amounts of data while also saving space by not having an index. This setting lets you load data from a nonpartitioned table into a partitioned table using the `exchange_partition_subpart` clause of the `ALTER TABLE` statement or using `SQL*Loader`. All other modifications to the table (inserts, updates, and deletes) by other SQL statements are disallowed.

#### See Also:

*Oracle Database Data Warehousing Guide* for more information on using this setting

- `DISABLE NOVALIDATE` signifies that Oracle makes no effort to maintain the constraint (because it is disabled) and cannot guarantee that the constraint is true (because it is not being validated).

You cannot drop a table whose primary key is being referenced by a foreign key even if the foreign key constraint is in `DISABLE NOVALIDATE` state. Further, the optimizer can use constraints in `DISABLE NOVALIDATE` state.

#### See Also:

*Oracle Database SQL Tuning Guide* for information on when to use this setting

If you specify neither `VALIDATE` nor `NOVALIDATE`, then the default is `NOVALIDATE`.

If you disable a unique or primary key constraint that is using a unique index, then Oracle drops the unique index. Refer to the `CREATE TABLE` [enable\\_disable\\_clause](#) for additional notes and restrictions.

### `VALIDATE` | `NOVALIDATE`

The behavior of `VALIDATE` and `NOVALIDATE` depends on whether the constraint is enabled or disabled, either explicitly or by default. Therefore, the `VALIDATE` and `NOVALIDATE` keywords are described in the context of "[ENABLE Clause](#)" and "[DISABLE Clause](#)".

### Note on Foreign Key Constraints in `NOVALIDATE` Mode

When a foreign key constraint is in `NOVALIDATE` mode, if existing data in the table does not comply with the constraint and the `QUERY_REWRITE_INTEGRITY` parameter is not set to `ENFORCED`, then the optimizer may use join elimination during queries on the table. In this case, a query may return table rows with noncompliant foreign key values even if the query contains a join condition that should filter out those rows.

### Handling Constraint Exceptions

When defining the state of a constraint, you can specify a table into which Oracle places the rowids of all rows violating the constraint.

#### *exceptions\_clause*

Use the *exceptions\_clause* syntax to define exception handling. If you omit *schema*, then Oracle assumes the exceptions table is in your own schema. If you omit this clause altogether, then Oracle assumes that the table is named `EXCEPTIONS`. The `EXCEPTIONS` table or the table you specify must exist on your local database.

You can create the `EXCEPTIONS` table using one of these scripts:

- `UTLEXCPT.SQL` uses physical rowids. Therefore it can accommodate rows from conventional tables but not from index-organized tables. (See the Note that follows.)
- `UTLEXPT1.SQL` uses universal rowids, so it can accommodate rows from both conventional and index-organized tables.

If you create your own exceptions table, then it must follow the format prescribed by one of these two scripts.

If you are collecting exceptions from index-organized tables based on primary keys (rather than universal rowids), then you must create a separate exceptions table for each index-organized table to accommodate its primary-key storage. You create multiple exceptions tables with different names by modifying and resubmitting the script.

#### Restrictions on the *exceptions\_clause*

The following restrictions apply to the *exceptions\_clause*:

- You cannot specify this clause for a view constraint.
- You cannot specify this clause in a `CREATE TABLE` statement, because no rowids exist until *after* the successful completion of the statement.

#### See Also:

- The `DBMS_IOT` package in *Oracle Database PL/SQL Packages and Types Reference* for information on the SQL scripts
- *Oracle Database Performance Tuning Guide* for information on eliminating migrated and chained rows

## View Constraints

Oracle does not enforce view constraints. However, operations on views are subject to the integrity constraints defined on the underlying base tables. This means that you can enforce constraints on views through constraints on base tables.

### Notes on View Constraints

View constraints are a subset of table constraints and are subject to the following restrictions:

- You can specify only unique, primary key, and foreign key constraints on views. However, you can define the view using the `WITH CHECK OPTION` clause, which is equivalent to specifying a check constraint for the view.
- View constraints are supported only in `DISABLE NOVALIDATE` mode. You cannot specify any other mode. You must specify the keyword `DISABLE` when you declare the view constraint. You need not specify `NOVALIDATE` explicitly, as it is the default.
- The `RELY` and `NORELY` parameters are optional. View constraints, because they are unenforced, are usually specified with the `RELY` parameter to make them more useful. The `RELY` or `NORELY` keyword must precede the `DISABLE` keyword.
- Because view constraints are not enforced directly, you cannot specify `INITIALLY DEFERRED` or `DEFERRABLE`.
- You cannot specify the `using_index_clause`, the `exceptions_clause` clause, or the `ON DELETE` clause of the `references_clause`.
- You cannot define view constraints on attributes of an object column.

### External Table Constraints

Starting with Oracle Database 12c Release 2 (12.2), you can specify `NOT NULL`, unique, primary key, and foreign key constraints on external tables.

`NOT NULL` constraints on external tables are enforced and prohibit columns from containing nulls.

Unique, primary key, and foreign key constraints are supported on external tables only in `RELY DISABLE` mode. You must specify the keywords `RELY` and `DISABLE` when you create these constraints. These constraints are declarative and are not enforced. They can increase query performance and reduce resource consumption because more optimizer transformations can be taken into account. In order for the optimizer to utilize these `RELY DISABLE` constraints, the `QUERY_REWRITE_INTEGRITY` initialization parameter must be set to either `trusted` or `stale_tolerated`.

## Examples

### Unique Key Example

The following statement is a variation of the statement that created the sample table `sh.promotions`. It defines inline and implicitly enables a unique key on the `promo_id` column (other constraints are not shown):

```
CREATE TABLE promotions_var1
  ( promo_id          NUMBER(6)
    CONSTRAINT promo_id_u  UNIQUE
  , promo_name       VARCHAR2(20)
  , promo_category   VARCHAR2(15)
```

```

, promo_cost      NUMBER(10,2)
, promo_begin_date DATE
, promo_end_date  DATE
) ;

```

The constraint `promo_id_u` identifies the `promo_id` column as a unique key. This constraint ensures that no two promotions in the table have the same ID. However, the constraint does allow promotions without identifiers.

Alternatively, you can define and enable this constraint out of line:

```

CREATE TABLE promotions_var2
( promo_id      NUMBER(6)
, promo_name   VARCHAR2(20)
, promo_category VARCHAR2(15)
, promo_cost   NUMBER(10,2)
, promo_begin_date DATE
, promo_end_date DATE
, CONSTRAINT promo_id_u UNIQUE (promo_id)
USING INDEX PCTFREE 20
TABLESPACE stocks
STORAGE (INITIAL 8M) );

```

The preceding statement also contains the *using\_index\_clause*, which specifies storage characteristics for the index that Oracle creates to enable the constraint.

### Composite Unique Key Example

The following statement defines and enables a composite unique key on the combination of the `warehouse_id` and `warehouse_name` columns of the `oe.warehouses` table:

```

ALTER TABLE warehouses
ADD CONSTRAINT wh_unq UNIQUE (warehouse_id, warehouse_name)
USING INDEX PCTFREE 5
EXCEPTIONS INTO wrong_id;

```

The `wh_unq` constraint ensures that the same combination of `warehouse_id` and `warehouse_name` values does not appear in the table more than once.

The `ADD CONSTRAINT` clause also specifies other properties of the constraint:

- The `USING INDEX` clause specifies storage characteristics for the index Oracle creates to enable the constraint.
- The `EXCEPTIONS INTO` clause causes Oracle to write to the `wrong_id` table information about any rows currently in the `warehouses` table that violate the constraint. If the `wrong_id` exceptions table does not already exist, then this statement will fail.

### Primary Key Example

The following statement is a variation of the statement that created the sample table `hr.locations`. It creates the `locations_demo` table and defines and enables a primary key on the `location_id` column (other constraints from the `hr.locations` table are omitted):

```

CREATE TABLE locations_demo
( location_id  NUMBER(4) CONSTRAINT loc_id_pk PRIMARY KEY
, street_address VARCHAR2(40)
, postal_code  VARCHAR2(12)

```



```

, city          VARCHAR2(30)
, state_province VARCHAR2(25)
, country_id    CHAR(2)
) ;

```

The `loc_id_pk` constraint, specified inline, identifies the `location_id` column as the primary key of the `locations_demo` table. This constraint ensures that no two locations in the table have the same location number and that no location identifier is `NULL`.

Alternatively, you can define and enable this constraint out of line:

```

CREATE TABLE locations_demo
( location_id    NUMBER(4)
, street_address VARCHAR2(40)
, postal_code   VARCHAR2(12)
, city          VARCHAR2(30)
, state_province VARCHAR2(25)
, country_id    CHAR(2)
, CONSTRAINT loc_id_pk PRIMARY KEY (location_id));

```

### NOT NULL Example

The following statement alters the `locations_demo` table (created in "[Primary Key Example](#)") to define and enable a `NOT NULL` constraint on the `country_id` column:

```

ALTER TABLE locations_demo
  MODIFY (country_id CONSTRAINT country_nn NOT NULL);

```

The constraint `country_nn` ensures that no location in the table has a null `country_id`.

### Composite Primary Key Example

The following statement defines a composite primary key on the combination of the `prod_id` and `cust_id` columns of the sample table `sh.sales`:

```

ALTER TABLE sales
  ADD CONSTRAINT sales_pk PRIMARY KEY (prod_id, cust_id) DISABLE;

```

This constraint identifies the combination of the `prod_id` and `cust_id` columns as the primary key of the `sales` table. The constraint ensures that no two rows in the table have the same combination of values for the `prod_id` column and `cust_id` columns.

The constraint clause (`PRIMARY KEY`) also specifies the following properties of the constraint:

- The constraint definition does not include a constraint name, so Oracle generates a name for the constraint.
- The `DISABLE` clause causes Oracle to define the constraint but not enable it.

### Foreign Key Constraint Example

The following statement creates the `dept_20` table and defines and enables a foreign key on the `department_id` column that references the primary key on the `department_id` column of the `departments` table:

```

CREATE TABLE dept_20
( employee_id    NUMBER(4),
  last_name      VARCHAR2(10),
  job_id         VARCHAR2(9),
  manager_id     NUMBER(4),
  hire_date      DATE,

```

```

salary          NUMBER(7,2),
commission_pct  NUMBER(7,2),
department_id   CONSTRAINT fk_deptno
                REFERENCES departments(department_id) );

```

The constraint `fk_deptno` ensures that all departments given for employees in the `dept_20` table are present in the `departments` table. However, employees can have null department numbers, meaning they are not assigned to any department. To ensure that all employees are assigned to a department, you could create a `NOT NULL` constraint on the `department_id` column in the `dept_20` table in addition to the `REFERENCES` constraint.

Before you define and enable this constraint, you must define and enable a constraint that designates the `department_id` column of the `departments` table as a primary or unique key.

The foreign key constraint definition does not use the `FOREIGN KEY` clause, because the constraint is defined inline. The data type of the `department_id` column is not needed, because Oracle automatically assigns to this column the data type of the referenced key.

The constraint definition identifies both the parent table and the columns of the referenced key. Because the referenced key is the primary key of the parent table, the referenced key column names are optional.

Alternatively, you can define this foreign key constraint out of line:

```

CREATE TABLE dept_20
(employee_id     NUMBER(4),
last_name      VARCHAR2(10),
job_id         VARCHAR2(9),
manager_id     NUMBER(4),
hire_date      DATE,
salary         NUMBER(7,2),
commission_pct NUMBER(7,2),
department_id,
CONSTRAINT fk_deptno
    FOREIGN KEY (department_id)
    REFERENCES departments(department_id) );

```

The foreign key definitions in both variations of this statement omit the `ON DELETE` clause, causing Oracle to prevent the deletion of a department if any employee works in that department.

### ON DELETE Example

This statement creates the `dept_20` table, defines and enables two referential integrity constraints, and uses the `ON DELETE` clause:

```

CREATE TABLE dept_20
(employee_id     NUMBER(4) PRIMARY KEY,
last_name      VARCHAR2(10),
job_id         VARCHAR2(9),
manager_id     NUMBER(4) CONSTRAINT fk_mgr
                REFERENCES employees ON DELETE SET NULL,
hire_date      DATE,
salary         NUMBER(7,2),
commission_pct NUMBER(7,2),
department_id  NUMBER(2)  CONSTRAINT fk_deptno

```

```
REFERENCES departments (department_id)
ON DELETE CASCADE );
```

Because of the first `ON DELETE` clause, if manager number 2332 is deleted from the `employees` table, then Oracle sets to null the value of `manager_id` for all employees in the `dept_20` table who previously had manager 2332.

Because of the second `ON DELETE` clause, Oracle cascades any deletion of a `department_id` value in the `departments` table to the `department_id` values of its dependent rows of the `dept_20` table. For example, if Department 20 is deleted from the `departments` table, then Oracle deletes all of the employees in Department 20 from the `dept_20` table.

### Composite Foreign Key Constraint Example

The following statement defines and enables a foreign key on the combination of the `employee_id` and `hire_date` columns of the `dept_20` table:

```
ALTER TABLE dept_20
  ADD CONSTRAINT fk_empid_hiredate
  FOREIGN KEY (employee_id, hire_date)
  REFERENCES hr.job_history(employee_id, start_date)
  EXCEPTIONS INTO wrong_emp;
```

The constraint `fk_empid_hiredate` ensures that all the employees in the `dept_20` table have `employee_id` and `hire_date` combinations that exist in the `employees` table. Before you define and enable this constraint, you must define and enable a constraint that designates the combination of the `employee_id` and `hire_date` columns of the `employees` table as a primary or unique key.

The `EXCEPTIONS INTO` clause causes Oracle to write information to the `wrong_emp` table about any rows in the `dept_20` table that violate the constraint. If the `wrong_emp` exceptions table does not already exist, then this statement will fail.

### Check Constraint Examples

The following statement creates a `divisions` table and defines a check constraint in each column of the table:

```
CREATE TABLE divisions
  (div_no    NUMBER CONSTRAINT check_divno
   CHECK (div_no BETWEEN 10 AND 99)
   DISABLE,
  div_name  VARCHAR2(9)  CONSTRAINT check_divname
   CHECK (div_name = UPPER(div_name))
   DISABLE,
  office    VARCHAR2(10) CONSTRAINT check_office
   CHECK (office IN ('DALLAS','BOSTON',
   'PARIS','TOKYO'))
   DISABLE);
```

Each constraint restricts the values of the column in which it is defined:

- `check_divno` ensures that no division numbers are less than 10 or greater than 99.
- `check_divname` ensures that all division names are in uppercase.
- `check_office` restricts office locations to Dallas, Boston, Paris, or Tokyo.

Because each `CONSTRAINT` clause contains the `DISABLE` clause, Oracle only defines the constraints and does not enable them.

The following statement creates the `dept_20` table, defining out of line and implicitly enabling a check constraint:

```
CREATE TABLE dept_20
  (employee_id NUMBER(4) PRIMARY KEY,
   last_name   VARCHAR2(10),
   job_id      VARCHAR2(9),
   manager_id  NUMBER(4),
   salary      NUMBER(7,2),
   commission_pct NUMBER(7,2),
   department_id NUMBER(2),
   CONSTRAINT check_sal CHECK (salary * commission_pct <= 5000));
```

This constraint uses an inequality condition to limit an employee's total commission, the product of `salary` and `commission_pct`, to \$5000:

- If an employee has non-null values for both `salary` and `commission`, then the product of these values must not exceed \$5000 to satisfy the constraint.
- If an employee has a null `salary` or `commission`, then the result of the condition is unknown and the employee automatically satisfies the constraint.

Because the constraint clause in this example does not supply a constraint name, Oracle generates a name for the constraint.

The following statement defines and enables a primary key constraint, two foreign key constraints, a NOT NULL constraint, and two check constraints:

```
CREATE TABLE order_detail
  (CONSTRAINT pk_od PRIMARY KEY (order_id, part_no),
   order_id NUMBER
   CONSTRAINT fk_oid
   REFERENCES oe.orders(order_id),
   part_no NUMBER
   CONSTRAINT fk_pno
   REFERENCES oe.product_information(product_id),
   quantity NUMBER
   CONSTRAINT nn_qty NOT NULL
   CONSTRAINT check_qty CHECK (quantity > 0),
   cost NUMBER
   CONSTRAINT check_cost CHECK (cost > 0) );
```

The constraints enable the following rules on table data:

- `pk_od` identifies the combination of the `order_id` and `part_no` columns as the primary key of the table. To satisfy this constraint, no two rows in the table can contain the same combination of values in the `order_id` and the `part_no` columns, and no row in the table can have a null in either the `order_id` or the `part_no` column.
- `fk_oid` identifies the `order_id` column as a foreign key that references the `order_id` column in the `orders` table in the sample schema `oe`. All new values added to the column `order_detail.order_id` must already appear in the column `oe.orders.order_id`.
- `fk_pno` identifies the `product_id` column as a foreign key that references the `product_id` column in the `product_information` table owned by `oe`. All new values added to the column `order_detail.product_id` must already appear in the column `oe.product_information.product_id`.
- `nn_qty` forbids nulls in the `quantity` column.

- `check_qty` ensures that values in the `quantity` column are always greater than zero.
- `check_cost` ensures the values in the `cost` column are always greater than zero.

This example also illustrates the following points about constraint clauses and column definitions:

- Out-of-line constraint definition can appear before or after the column definitions. In this example, the out-of-line definition of the `pk_od` constraint precedes the column definitions.
- A column definition can contain multiple inline constraint definitions. In this example, the definition of the `quantity` column contains the definitions of both the `nn_qty` and `check_qty` constraints.
- A table can have multiple `CHECK` constraints. Multiple `CHECK` constraints, each with a simple condition enforcing a single business rule, are preferable to a single `CHECK` constraint with a complicated condition enforcing multiple business rules. When a constraint is violated, Oracle returns an error identifying the constraint. Such an error more precisely identifies the violated business rule if the identified constraint enables a single business rule.

### Create a Table with PRECHECK: Example

The following example creates a table `Product` with `PRECHECK` constraints on columns `Price`, `Color`, `Description`, constant `NUMBER`, and constraint `TC1` :

```
CREATE TABLE Product(
  Id NUMBER NOT NULL PRIMARY KEY,
  Name VARCHAR2(50),
  Price NUMBER CHECK (mod(price,4) = 0 and 10 <> price) PRECHECK,
  Color NUMBER CHECK (Color >= 10 and Color <=50 and mod(color,2) = 0)
  PRECHECK,
  Description VARCHAR2(50) CHECK (Length(Description) <= 40) PRECHECK,
  Constant NUMBER CHECK (Constant=10) PRECHECK,
  CONSTRAINT TC1 CHECK (Color > 0 AND Price > 10) PRECHECK,
  CONSTRAINT TC2 CHECK (CATEGORY IN ('Home', 'Apparel') AND Price > 10)
);
Table PRODUCT created.
```

### Add Precheck State to a New Constraint using ALTER TABLE:

```
ALTER TABLE Product MODIFY (Name VARCHAR2(50) CHECK
  (regexp_like(Name, '^Product')) PRECHECK);
```

### Add Precheck to an Existing Costraint State :

```
ALTER TABLE Product MODIFY CONSTRAINT TC2 PRECHECK;
```

### Remove an Existing Precheck State:

```
ALTER TABLE Product MODIFY CONSTRAINT TC1 NOPRECHECK;
```

### Check PRECHECK State in USER\_CONSTRAINTS: Example

Given the following table `Product`:

```
SQL> CREATE TABLE Product (
    Id NUMBER NOT NULL PRIMARY KEY,
    Name VARCHAR2(50),
    Category VARCHAR2(10) NOT NULL,
    Price NUMBER CHECK (mod(price,4) = 0 and 10 <> price),
    Color NUMBER CHECK (Color >= 10 and Color <=50) PRECHECK,
    Description VARCHAR2(50) CHECK (Length(Description) <= 40),
    Created_At DATE,
    Updated_At DATE,
    CONSTRAINT TC1 CHECK (Color > 0 AND Price > 10),
    CONSTRAINT TC2 CHECK (CATEGORY IN ('Home', 'Apparel')) NOPRECHECK,
    CONSTRAINT TC3 CHECK (Created_At > Updated_At)
);
```

Table PRODUCT created.

You can check the PRECHECK state in USER\_CONSTRAINTS as follows:

```
SELECT CONSTRAINT_NAME, SEARCH_CONDITION, PRECHECK
FROM USER_CONSTRAINTS
WHERE table_name='PRODUCT' and constraint_type='C';
```

The result is:

CONSTRAINT_NAME	SEARCH_CONDITION
PRECHECK	
SYS_C008676 "ID"	IS NOT NULL
SYS_C008677 "CATEGORY"	IS NOT NULL
SYS_C008678 mod(price,4)	= 0 and 10 <> price
PRECHECK	
SYS_C008679 Color	>= 10 and Color <=50
PRECHECK	
SYS_C008680 Length(Description)	<= 40
PRECHECK	
TC1	Color > 0 AND Price > 10
PRECHECK	
TC2	CATEGORY IN ('Home', 'Apparel')
NOPRECHECK	
TC3	Created_At > Updated_At
NOPRECHECK	

8 rows selected.

Several constraints are automatically set to a value in both inline and out-of-line constraints.

### Case-Insensitive Constraints Example

The following statements create two tables in a parent-child relationship. The parent table is a product description table and the child table is a product component description table. Unique constraints are defined to assure that product and description values are unambiguous. For illustrative purposes, the product and component ID are case-insensitive character values. (In real-world applications, primary key IDs are usually numeric or case-normalized.)

```

CREATE TABLE products
  ( product_id VARCHAR2(20) COLLATE BINARY_CI
    CONSTRAINT product_pk PRIMARY KEY
  , description VARCHAR2(1000) COLLATE BINARY_CI
    CONSTRAINT product_description_unq UNIQUE
  );

CREATE TABLE product_components
  ( component_id VARCHAR2(40) COLLATE BINARY_CI
    CONSTRAINT product_component_pk PRIMARY KEY
  , product_id CONSTRAINT product_component_fk REFERENCES products(product_id)
  , description VARCHAR2(1000) COLLATE BINARY_CI
    CONSTRAINT product_component_descr_unq UNIQUE
  );

```

Note that if you do not specify the data type or the collation for a foreign key column, then they are inherited from the parent key column.

The following statements add a product and its components into the tables:

```

INSERT INTO products(product_id, description)
  VALUES('BICY0001', 'Men's bicycle, fr 21", wh 24", gear 3x7');
INSERT INTO product_components(component_id, product_id, description)
  VALUES('BICY0001_FRAME01', 'BICY0001', 'Aluminium frame 21"');
INSERT INTO product_components(component_id, product_id, description)
  VALUES('BICY0001_WHEEL01', 'bicy0001', 'Wheels 24"');
INSERT INTO product_components(component_id, product_id, description)
  VALUES('BICY0001_GEAR01', 'Bicy0001', 'Front derailleur 3 chainrings');
INSERT INTO product_components(component_id, product_id, description)
  VALUES('BICY0001_gear02', 'BiCy0001', 'Rear derailleur 7 chainrings');

```

Note the different case of the product ID in different component rows. Because the primary key on the product ID is declared as case-insensitive, all possible letter case combinations of the same ID are considered equal.

The following statement demonstrates that it is not possible to enter another product with the same description differing only by case. It fails with the error ORA-00001: unique constraint (*schema.PRODUCT\_DESCRIPTION\_UNQ*) violated.

```

INSERT INTO products(product_id, description)
  VALUES('BICY0002', 'MEN'S BICYCLE, fr 21", wh 24", gear 3x7');

```

Similarly, the following statement demonstrates that the primary key constraint of the product table is case-insensitive and does not allow values differing only by case. It fails with the error ORA-00001: unique constraint (*schema.PRODUCT\_PK*) violated.

```

INSERT INTO products(component_id, product_id, description)
  VALUES('bicy0001', 'Women's bicycle, fr 21", wh 24", gear 2x6');

```

The following statement demonstrates that it is not possible to enter another component with the same description differing only by case. It fails with the error ORA-00001: unique constraint (*schema.PRODUCT\_COMPONENT\_DESCR\_UNQ*) violated.

```

INSERT INTO product_components(component_id, product_id, description)
  VALUES('BICY0001_gear03', 'BiCy0001', 'REAR DERAILLEUR 7 CHAINRINGS');

```

### Attribute-Level Constraints Example

The following example guarantees that a value exists for both the *first\_name* and *last\_name* attributes of the *name* column in the *students* table:

```

CREATE TYPE person_name AS OBJECT
  (first_name VARCHAR2(30), last_name VARCHAR2(30));
/

CREATE TABLE students (name person_name, age INTEGER,
  CHECK (name.first_name IS NOT NULL AND
    name.last_name IS NOT NULL));

```

### REF Constraint Examples

The following example creates a duplicate of the sample schema object type `cust_address_typ`, and then creates a table containing a REF column with a SCOPE constraint:

```

CREATE TYPE cust_address_typ_new AS OBJECT
  ( street_address  VARCHAR2(40)
  , postal_code     VARCHAR2(10)
  , city            VARCHAR2(30)
  , state_province VARCHAR2(10)
  , country_id      CHAR(2)
  );
/

CREATE TABLE address_table OF cust_address_typ_new;

CREATE TABLE customer_addresses (
  add_id NUMBER,
  address REF cust_address_typ_new
  SCOPE IS address_table);

```

The following example creates the same table but with a referential integrity constraint on the REF column that references the object identifier column of the parent table:

```

CREATE TABLE customer_addresses (
  add_id NUMBER,
  address REF cust_address_typ REFERENCES address_table);

```

The following example uses the type `department_typ` and the table `departments_obj_t`, created in ["Creating Object Tables: Examples"](#). A table with a scoped REF is then created.

```

CREATE TABLE employees_obj
  ( e_name  VARCHAR2(100),
    e_number NUMBER,
    e_dept  REF department_typ SCOPE IS departments_obj_t );

```

The following statement creates a table with a REF column which has a referential integrity constraint defined on it:

```

CREATE TABLE employees_obj
  ( e_name  VARCHAR2(100),
    e_number NUMBER,
    e_dept  REF department_typ REFERENCES departments_obj_t);

```

### Explicit Index Control Example

The following statement shows another way to create a unique (or primary key) constraint that gives you explicit control over the index (or indexes) Oracle uses to enforce the constraint:

```

CREATE TABLE promotions_var3
  ( promo_id  NUMBER(6)

```



```

, promo_name          VARCHAR2(20)
, promo_category     VARCHAR2(15)
, promo_cost         NUMBER(10,2)
, promo_begin_date   DATE
, promo_end_date     DATE
, CONSTRAINT promo_id_u UNIQUE (promo_id, promo_cost)
  USING INDEX (CREATE UNIQUE INDEX promo_ix1
              ON promotions_var3 (promo_id, promo_cost))
, CONSTRAINT promo_id_u2 UNIQUE (promo_cost, promo_id)
  USING INDEX promo_ix1);

```

This example also shows that you can create an index for one constraint and use that index to create and enable another constraint in the same statement.

### DEFERRABLE Constraint Examples

The following statement creates table `games` with a `NOT DEFERRABLE INITIALLY IMMEDIATE` constraint check (by default) on the `scores` column:

```
CREATE TABLE games (scores NUMBER CHECK (scores >= 0));
```

To define a unique constraint on a column as `INITIALLY DEFERRED DEFERRABLE`, issue the following statement:

```
CREATE TABLE games
(scores NUMBER, CONSTRAINT unq_num UNIQUE (scores)
INITIALLY DEFERRED DEFERRABLE);
```

## deallocate\_unused\_clause

### Purpose

Use the *deallocate\_unused\_clause* to explicitly deallocate unused space at the end of a database object segment and make the space available for other segments in the tablespace.

You can deallocate unused space using the following statements:

- `ALTER CLUSTER` (see [ALTER CLUSTER](#) )
- `ALTER INDEX`: to deallocate unused space from the index, an index partition, or an index subpartition (see [ALTER INDEX](#) )
- `ALTER MATERIALIZED VIEW`: to deallocate unused space from the overflow segment of an index-organized materialized view (see [ALTER MATERIALIZED VIEW](#) )
- `ALTER TABLE`: to deallocate unused space from the table, a table partition, a table subpartition, the mapping table of an index-organized table, the overflow segment of an index-organized table, or a LOB storage segment (see [ALTER TABLE](#) )

### Syntax

***deallocate\_unused\_clause*::=**



(*size\_clause*::=)

### Semantics

This section describes the semantics of the *deallocate\_unused\_clause*. For additional information, refer to the SQL statement in which you set or reset this clause for a particular database object.

You cannot specify both the *deallocate\_unused\_clause* and the *allocate\_extent\_clause* in the same statement.

Oracle Database frees only unused space above the high water mark (the point beyond which database blocks have not yet been formatted to receive data). Oracle deallocates unused space beginning from the end of the object and moving toward the beginning of the object to the high water mark.

If an extent is completely contained in the deallocation, then the whole extent is freed for reuse. If an extent is partially contained in the deallocation, then the used part up to the high water mark becomes the extent, and the remaining unused space is freed for reuse.

Oracle credits the amount of the released space to the user quota for the tablespace in which the deallocation occurs.

The exact amount of space freed depends on the values of the `INITIAL`, `MINEXTENTS`, and `NEXT` storage parameters. Refer to the [storage\\_clause](#) for a description of these parameters.

### KEEP integer

Specify the number of bytes above the high water mark that the segment of the database object is to have after deallocation.

- If you omit `KEEP` and the high water mark is above the size of `INITIAL` and `MINEXTENTS`, then all unused space above the high water mark is freed. When the high water mark is less than the size of `INITIAL` or `MINEXTENTS`, then all unused space above `MINEXTENTS` is freed.
- If you specify `KEEP`, then the specified amount of space is kept and the remaining space is freed. When the remaining number of extents is less than `MINEXTENTS`, then Oracle adjusts `MINEXTENTS` to the new number of extents. If the initial extent becomes smaller than `INITIAL`, then Oracle adjusts `INITIAL` to the new size.
- In either case, Oracle sets the value of the `NEXT` storage parameter to the size of the last extent that was deallocated.

## file\_specification

### Purpose

Use one of the *file\_specification* forms to specify a file as a data file or temp file, or to specify a group of one or more files as a redo log file group. If you are storing your files in Oracle Automatic Storage Management (Oracle ASM) disk groups, then you can further specify the file as a disk group file.

A *file\_specification* can appear in the following statements:

- `CREATE CONTROLFILE` (see [CREATE CONTROLFILE](#) )


- CREATE DATABASE (see [CREATE DATABASE](#))
- ALTER DATABASE (see [ALTER DATABASE](#))
- CREATE TABLESPACE (see [CREATE TABLESPACE](#))
- ALTER TABLESPACE (see [ALTER TABLESPACE](#))
- ALTER DISKGROUP (see [ALTER DISKGROUP](#))

### Prerequisites


You must have the privileges necessary to issue the statement in which the file specification appears.

### Syntax

**file\_specification::=**




**datafile\_tempfile\_spec::=**




*(size\_clause::=)*

**redo\_log\_file\_spec::=**




*(size\_clause::=)*


**ASM\_filename::=**




**fully\_qualified\_file\_name::=**




**numeric\_file\_name::=**




**incomplete\_file\_name::=**



**alias\_file\_name::=**




**autoextend\_clause::=**



**(size\_clause::=)**

**maxsize\_clause::=**



(*size\_clause*::=)

### Semantics

This section describes the semantics of *file\_specification*. For additional information, refer to the SQL statement in which you specify a data file, temp file, redo log file, or Oracle ASM disk group or disk group file.

#### ***datafile\_tempfile\_spec***

Use this clause to specify the attributes of data files and temp files if your database storage is in a file system or in Oracle ASM disk groups.

#### ***redo\_log\_file\_spec***

Use this clause to specify the attributes of redo log files if your database storage is in a file system or in Oracle ASM disk groups.

#### ***filename***

Use *filename* for files stored in a file system. The *filename* can specify either a new file or an existing file. For a *new* file:

- If you are *not* using Oracle Managed Files, then you must specify both *filename* and the *SIZE* clause or the statement fails. When you specify a filename without a size, Oracle attempts to reuse an existing file and returns an error if the file does not exist.
- If you *are* using Oracle Managed Files, then *filename* is optional, as are the remaining clauses of the specification. In this case, Oracle Database creates a unique name for the file and saves it in the directory specified by one of the following initialization parameters:
  - The *DB\_RECOVERY\_FILE\_DEST* (for logfiles and control files)
  - The *DB\_CREATE\_FILE\_DEST* initialization parameter (for any type of file)
  - The *DB\_CREATE\_ONLINE\_LOG\_DEST\_n* initialization parameter, which takes precedence over *DB\_CREATE\_FILE\_DEST* and *DB\_RECOVERY\_FILE\_DEST* for log files.

For an *existing* file, specify the name of either a data file, temp file, or a redo log file member. The *filename* can contain only single-byte characters from 7-bit ASCII or EBCDIC character sets. Multibyte characters are not valid.

The filename can include a path prefix. If you do not specify such a path prefix, then the database adds the path prefix for the default storage location, which is platform dependent.

A redo log file group can have one or more members (copies). Each *filename* must be fully specified according to the conventions for your operating system.

The way the database interprets *filename* also depends on whether you specify it with the *SIZE* and *REUSE* clauses.

- If you specify *filename* only, or with the *REUSE* clause but without the *SIZE* clause, then the file must already exist.
- If you specify *filename* with *SIZE* but without *REUSE*, then the file must be a new file.
- If you specify *filename* with both *SIZE* and *REUSE*, then the file can be either new or existing. If the file exists, then it is reused with the new size. If it does not exist, then the database ignores the *REUSE* keyword and creates a new file of the specified size.

 **See Also:**

Oracle Automatic Storage Management Administrator's Guide for more information on Oracle Managed Files, "[Specifying a Data File: Example](#)", and "[Specifying a Log File: Example](#)"

**ASM\_filename**

Use a form of `ASM_filename` for files stored in Oracle ASM disk groups. You can create or refer to data files, temp files, and redo log files with this syntax.

All forms of `ASM_filename` begin with the plus sign (+) followed by the name of the disk group. You can determine the names of all Oracle ASM disk groups by querying the `V$ASM_DISKGROUP` view.

 **See Also:**

Oracle Automatic Storage Management Administrator's Guide for information on using Oracle ASM

**fully\_qualified\_file\_name**

When you create a file in an Oracle ASM disk group, the file receives a system-generated fully qualified Oracle ASM filename. You can use this form only when referring to an existing Oracle ASM file. Therefore, if you are using this form during file creation, you must also specify `REUSE`.

- `db_name` is the value of the `DB_UNIQUE_NAME` initialization parameter. This name is equivalent to the name of the database on which the file resides, but the parameter distinguishes between primary and standby databases, if both exist.
- `file_type` and `file_type_tag` indicate the type of database file. [Table 8-1](#) lists all of the file types and their corresponding Oracle ASM tags.
- `filenumber` and `incarnation_number` are system-generated identifiers to guarantee uniqueness.

You can determine the fully qualified names of Oracle ASM files by querying the dynamic performance view appropriate for the file type (for example `V$DATAFILE` for data files, `V$CONTROLFILE` for control files, and so on). You can also obtain the `filenumber` and `incarnation_number` portions of the fully qualified names by querying the `V$ASM_FILE` view.

**Table 8-1 Oracle File Types and Oracle ASM File Type Tags**

Oracle ASM <i>file_type</i>	Description	Oracle ASM <i>file_type_tag</i>	Comments
CONTROLFILE	Control files and backup control files	Current Backup	—
DATAFILE	Data files and data file copies	<i>tsname</i>	Tablespace into which the file is added

**Table 8-1 (Cont.) Oracle File Types and Oracle ASM File Type Tags**

Oracle ASM <i>file_type</i>	Description	Oracle ASM <i>file_type_tag</i>	Comments
ONLINELOG	Online logs	<i>group_group#</i>	—
ARCHIVELOG	Archive logs	<i>thread_thread#_seq_quence#</i>	—
TEMPFILE	Temp files	<i>tsname</i>	Tablespace into which the file is added
BACKUPSET	Data file and archive log backup pieces; data file incremental backup pieces	<i>hasspfile_timestamp</i>	<i>hasspfile</i> can take one of two values: <i>s</i> indicates that the backup set includes the <i>spfile</i> ; <i>n</i> indicates that the backup set does not include the <i>spfile</i> .
PARAMETERFILE	Persistent parameter files	<i>spfile</i>	—
DATAGUARDCONFIG	Data Guard configuration file	<i>db_unique_name</i>	Data Guard uses the value of the <code>DB_UNIQUE_NAME</code> initialization parameter.
FLASHBACK	Flashback logs	<i>log_log#</i>	—
CHANGETRACKING	Block change tracking data	<i>ctf</i>	Used during incremental backups
DUMPSET	Data Pump dumpset	<i>user_obj#_file#</i>	Dump set files encode the user name, the job number that created the dump set, and the file number as part of the tag.
XTRANSPORT	Data file convert	<i>tsname</i>	—
AUTOBACKUP	Automatic backup files	<i>hasspfile_timestamp</i>	<i>hasspfile</i> can take one of two values: <i>s</i> indicates that the backup set includes the <i>spfile</i> ; <i>n</i> indicates that the backup set does not include the <i>spfile</i> .

***numeric\_file\_name***

A numeric Oracle ASM filename is similar to a fully qualified filename except that it uses only the unique *filename.incarnation\_number* string. You can use this form only to refer to an existing file. Therefore, if you are using this form during file creation, you must also specify `REUSE`.

***incomplete\_file\_name***

Incomplete Oracle ASM filenames are used during file creation only. If you specify the disk group name alone, then Oracle ASM uses the appropriate default template for the file type. For example, if you are creating a data file in a `CREATE TABLESPACE` statement, Oracle ASM uses the default `DATAFILE` template to create an Oracle ASM data file. If you specify the disk group name with a template, then Oracle ASM uses the specified template to create the file. In both cases, Oracle ASM also creates a fully qualified filename.

### ***template\_name***

A template is a named collection of attributes. You can create templates and apply them to files in a disk group. You can determine the names of all Oracle ASM template names by querying the `V$ASM_TEMPLATE` data dictionary view. Refer to [diskgroup\\_template\\_clauses](#) for instructions on creating Oracle ASM templates.

You can specify `template` only during file creation. It appears in the incomplete and alias name forms of the `ASM_filename` diagram:

- If you specify `template` immediately after the disk group name, then Oracle ASM uses the specified template to create the file, and gives the file a fully qualified filename.
- If you specify `template` after specifying an alias, then Oracle ASM uses the specified template to create the file, gives the file a fully qualified filename, and also creates the alias so that you can subsequently use it to refer to the file. If the alias you specify refers to an existing file, then Oracle ASM ignores the template specification unless you also specify `REUSE`.



#### **See Also:**

[diskgroup\\_template\\_clauses](#) for information about the default templates

### ***alias\_file\_name***

An alias is a user-friendly name for an Oracle ASM file. You can use alias filenames during file creation or reference. You can specify a template with an alias, but only during file creation. To determine the alias names for Oracle ASM files, query the `V$ASM_ALIAS` data dictionary view.

If you are specifying an alias during file creation, then refer to [diskgroup\\_directory\\_clauses](#) and [diskgroup\\_alias\\_clauses](#) for instructions on specifying the full alias name.

### **SIZE Clause**

Specify the size of the file in bytes. Use `K`, `M`, `G`, or `T` to specify the size in kilobytes, megabytes, gigabytes, or terabytes.

- For undo tablespaces, you must specify the `SIZE` clause for each data file. For other tablespaces, you can omit this parameter if the file already exists, or if you are creating an Oracle Managed File.
- If you omit this clause when creating an Oracle Managed File, then Oracle creates a 100M file.
- The size of a tablespace must be one block greater than the sum of the sizes of the objects contained in it.



 **See Also:**

*Oracle Database Administrator's Guide* for information on automatic undo management and undo tablespaces and "[Adding a Log File: Example](#)"

**BLOCKSIZE Clause**

Specify `BLOCKSIZE` to override the operating system-dependent sector size. If you omit this clause, then the database uses the operating system-dependent sector size as the block size.

When you add a redo log file to a 512-byte sector disk or to a 4KB sector disk with 512-byte emulation, the blocksize of the new file must be the original platform base block size or 4KB.

- If the redo log file is being added to a 512-byte sector disk, then you must specify 512 or 1024 (or 1K) as the block size, depending on your platform.
- If the redo log file is being added to a 4KB sector disk (native), then you must specify either 4096 or 4K as the block size.
- If the redo log file is being added to a 4KB sector disk with 512-byte emulation, then you can specify either 512, 1024 (or 1K), or 4096 (or 4K) as the block size, depending on your platform.

All logs within a log group must have the same block size. Two log groups created on separate disks can have different block sizes. However, the mixed configuration introduces overhead at every log switch. Oracle recommends that you create all log files with the same block size.

This clause is useful when the 4K sector size is in use, but you want to optimize disk space use rather than performance. In such a case you can override the operating system sector size by specifying `BLOCKSIZE 512` or, for HP-UX, `BLOCKSIZE 1024`.

 **See Also:**

"[Adding a Log File: Example](#)"

**REUSE**

Specify `REUSE` to allow Oracle to reuse an existing file.

- If the file already exists, then Oracle reuses the filename and applies the new size (if you specify `SIZE`) or retains the original size.
- If the file does not exist, then Oracle ignores this clause and creates the file.

**Restriction on the REUSE Clause**

You cannot specify `REUSE` unless you have specified *filename*.

Whenever Oracle uses an existing file, the previous contents of the file are lost.

**See Also:**

"Adding a Data File: Example" and "Adding a Log File: Example"

***autoextend\_clause***

The *autoextend\_clause* is valid for data files and temp files but not for redo log files. Use this clause to enable or disable the automatic extension of a new or existing data file or temp file. If you omit this clause, then:

- For Oracle Managed Files:
  - If you specify `SIZE`, then Oracle Database creates a file of the specified size with `AUTOEXTEND` disabled.
  - If you do not specify `SIZE`, then the database creates a 100M file with `AUTOEXTEND` enabled. When autoextension is required, the database extends the file by its original size or 100MB, whichever is smaller. You can override this default behavior by specifying the `NEXT` clause.
- For user-managed files, with or without `SIZE` specified, Oracle creates a file with `AUTOEXTEND` disabled.

**ON**

Specify `ON` to enable autoextend.

**OFF**

Specify `OFF` to turn off autoextend if it is turned on. When you turn off autoextend, the values of `NEXT` and `MAXSIZE` are set to zero. If you turn autoextend back on in a subsequent statement, then you must reset these values.

**NEXT**

Use the `NEXT` clause to specify the size in bytes of the next increment of disk space to be allocated automatically when more extents are required. The default is the size of one data block.

**MAXSIZE**

Use the `MAXSIZE` clause to specify the maximum disk space allowed for automatic extension of the data file.

**UNLIMITED**

Use the `UNLIMITED` clause if you do not want to limit the disk space that Oracle can allocate to the data file or temp file.

**Restriction on the *autoextend\_clause***

You cannot specify this clause as part of the *datafile\_tempfile\_spec* in a `CREATE CONTROLFILE` statement or in an `ALTER DATABASE CREATE DATAFILE` clause.

**Examples****Specifying a Log File: Example**

The following statement creates a database named `payable` that has two redo log file groups, each with two members, and one data file:

```
CREATE DATABASE payable
  LOGFILE GROUP 1 ('diska:log1.log', 'diskb:log1.log') SIZE 50K,
  GROUP 2 ('diska:log2.log', 'diskb:log2.log') SIZE 50K
  DATAFILE 'diskc:dbone.dbf' SIZE 30M;
```

The first file specification in the `LOGFILE` clause specifies a redo log file group with the `GROUP` value 1. This group has members named `'diska:log1.log'` and `'diskb:log1.log'`, each 50 kilobytes in size.

The second file specification in the `LOGFILE` clause specifies a redo log file group with the `GROUP` value 2. This group has members named `'diska:log2.log'` and `'diskb:log2.log'`, also 50 kilobytes in size.

The file specification in the `DATAFILE` clause specifies a data file named `'diskc:dbone.dbf'`, 30 megabytes in size.

Each file specification specifies a value for the `SIZE` parameter and omits the `REUSE` clause, so none of these files can already exist. Oracle must create them.

### Adding a Log File: Example

The following statement adds another redo log file group with two members to the `payable` database:

```
ALTER DATABASE payable
  ADD LOGFILE GROUP 3 ('diska:log3.log', 'diskb:log3.log')
  SIZE 50K REUSE;
```

The file specification in the `ADD LOGFILE` clause specifies a new redo log file group with the `GROUP` value 3. This new group has members named `'diska:log3.log'` and `'diskb:log3.log'`, each 50 kilobytes in size. Because the file specification specifies the `REUSE` clause, each member can (but need not) already exist.

The following statement adds a logfile group 5 with member log files on migration target disks `4k_disk_a` and `4k_disk_b`. After executing this statement, you can [switch existing log files](#) on disks with 512-byte block size to logs with 4K block size using the [switch\\_logfile\\_clause](#).

```
ALTER DATABASE ADD LOGFILE GROUP 5
  ('4k_disk_a:log5.log', '4k_disk_b:log5.log')
  SIZE 100M BLOCKSIZE 4096 REUSE;
```

### Specifying a Data File: Example

The following statement creates a tablespace named `stocks` that has three data files:

```
CREATE TABLESPACE stocks
  DATAFILE 'stock1.dbf' SIZE 10M,
  'stock2.dbf' SIZE 10M,
  'stock3.dbf' SIZE 10M;
```

The file specifications for the data files specify files named `'diskc:stock1.dbf'`, `'diskc:stock2.dbf'`, and `'diskc:stock3.dbf'`.

### Adding a Data File: Example

The following statement alters the `stocks` tablespace and adds a new data file:

```
ALTER TABLESPACE stocks
  ADD DATAFILE 'stock4.dbf' SIZE 10M REUSE;
```

The file specification specifies a data file named 'stock4.dbf'. If the filename does not exist, then Oracle simply ignores the `REUSE` keyword.

### Using a Fully Qualified Oracle ASM Data File Name: Example

When using Oracle ASM, the following syntax shows how to use the *fully\_qualified\_file\_name* clause to bring online a data file in a hypothetical database, `testdb`:

```
ALTER DATABASE testdb
  DATAFILE '+dgroup_01/testdb/datafile/system.261.1' ONLINE;
```

## logging\_clause

### Purpose

The *logging\_clause* lets you specify whether certain DML operations will be logged in the redo log file (`LOGGING`) or not (`NOLOGGING`).

You can specify the *logging\_clause* in the following statements:

- `CREATE TABLE` and `ALTER TABLE`: for logging of the table, a table partition, a LOB segment, or the overflow segment of an index-organized table (see [CREATE TABLE](#) and [ALTER TABLE](#)).

#### Note:

Logging specified for a LOB column can differ from logging set at the table level. If you specify `LOGGING` at the table level and `NOLOGGING` for a LOB column, then DML changes to the base table row are logged, but DML changes to the LOB data are not logged.


- `CREATE INDEX` and `ALTER INDEX`: for logging of the index or an index partition (see [CREATE INDEX](#) and [ALTER INDEX](#)).
- `CREATE MATERIALIZED VIEW` and `ALTER MATERIALIZED VIEW`: for logging of the materialized view, one of its partitions, or a LOB segment (see [CREATE MATERIALIZED VIEW](#) and [ALTER MATERIALIZED VIEW](#)).
- `CREATE MATERIALIZED VIEW LOG` and `ALTER MATERIALIZED VIEW LOG`: for logging of the materialized view log or one of its partitions (see [CREATE MATERIALIZED VIEW LOG](#) and [ALTER MATERIALIZED VIEW LOG](#)).
- `CREATE TABLESPACE` and `ALTER TABLESPACE`: to set or modify the default logging characteristics for all objects created in the tablespace (see [CREATE TABLESPACE](#) and [ALTER TABLESPACE](#)).
- `CREATE PLUGGABLE DATABASE` and `ALTER PLUGGABLE DATABASE`: to set or modify the default logging characteristics for all tablespaces created in the pluggable database (PDB) (see [CREATE PLUGGABLE DATABASE](#) and [ALTER PLUGGABLE DATABASE](#)).

You can also specify `LOGGING` or `NOLOGGING` for the following operations:

- Rebuilding an index (using `CREATE INDEX ... REBUILD`)
- Moving a table (using `ALTER TABLE ... MOVE`)

### Syntax

*logging\_clause*::=



### Semantics

This section describes the semantics of the *logging\_clause*. For additional information, refer to the SQL statement in which you set or reset logging characteristics for a particular database object.

- If you specify `LOGGING`, then the creation of a database object, as well as subsequent inserts into the object, will be logged in the redo log file.
- If you specify `NOLOGGING`, then the creation of a database object, as well as subsequent conventional inserts, will be logged in the redo log file. Direct-path inserts will not be logged.
  - For a **nonpartitioned object**, the value specified for this clause is the actual physical attribute of the segment associated with the object.
  - For **partitioned objects**, the value specified for this clause is the default physical attribute of the segments associated with all partitions specified in the `CREATE` statement (and in subsequent `ALTER ... ADD PARTITION` statements), unless you specify the logging attribute in the `PARTITION` description.
  - For SecureFiles LOBs, the `NOLOGGING` setting is converted internally to `FILESYSTEM_LIKE_LOGGING`.
  - `CACHE NOLOGGING` is not allowed for BasicFiles LOBs.
- The `FILESYSTEM_LIKE_LOGGING` clause is valid only for logging of SecureFiles LOB segments. You cannot specify this setting for BasicFiles LOBs. Specify this setting if you want to log only metadata changes. This setting is similar to the metadata journaling of file systems, which reduces mean time to recovery from failures. The `LOGGING` setting, for SecureFiles LOBs, is similar to the data journaling of file systems. Both the `LOGGING` and `FILESYSTEM_LIKE_LOGGING` settings provide a complete transactional file system by way of SecureFiles.

 **Note:**

For LOB segments, with the `NOLOGGING` and `FILESYSTEM_LIKE_LOGGING` settings it is possible for data to be changed on disk during a backup operation, resulting in an inconsistent backup. To avoid this situation, ensure that changes to LOB segments are saved in the redo log file by setting `LOGGING` for LOB storage. Alternatively, change the database to `FORCE LOGGING` mode so that changes to *all* LOB segments are saved in the redo.

If the object for which you are specifying the logging attributes resides in a database or tablespace in force logging mode, then Oracle Database ignores any `NOLOGGING` setting until the database or tablespace is taken out of force logging mode.

If the database is running in `ARCHIVELOG` mode, then media recovery from a backup made before the `LOGGING` operation re-creates the object. However, media recovery from a backup made before the `NOLOGGING` operation does not re-create the object.

The size of a redo log generated for an operation in `NOLOGGING` mode is significantly smaller than the log generated in `LOGGING` mode.

In `NOLOGGING` mode, data is modified with minimal logging (to mark new extents `INVALID` and to record dictionary changes). When applied during media recovery, the extent invalidation records mark a range of blocks as logically corrupt, because the redo data is not fully logged. Therefore, if you cannot afford to lose the database object, then you should take a backup after the `NOLOGGING` operation.

`NOLOGGING` is supported in only a subset of the locations that support `LOGGING`. Only the following operations support the `NOLOGGING` mode:

**DML:**

- Direct-path `INSERT` (serial or parallel) resulting either from an `INSERT` or a `MERGE` statement. `NOLOGGING` is not applicable to any `UPDATE` operations resulting from the `MERGE` statement.
- Direct Loader (SQL\*Loader)

**DDL:**

- `CREATE TABLE ... AS SELECT` (In `NOLOGGING` mode, the creation of the table will be logged, but direct-path inserts will not be logged.)
- `CREATE TABLE ... LOB_storage_clause ... LOB_parameters ... CACHE | NOCACHE | CACHE READS`
- `ALTER TABLE ... LOB_storage_clause ... LOB_parameters ... CACHE | NOCACHE | CACHE READS` (to specify logging of newly created LOB columns)
- `ALTER TABLE ... modify_LOB_storage_clause ... modify_LOB_parameters ... CACHE | NOCACHE | CACHE READS` (to change logging of existing LOB columns)
- `ALTER TABLE ... MOVE`
- `ALTER TABLE ...` (all partition operations that involve data movement)
  - `ALTER TABLE ... ADD PARTITION` (hash partition only)

- ALTER TABLE ... MERGE PARTITIONS
- ALTER TABLE ... SPLIT PARTITION
- ALTER TABLE ... MOVE PARTITION
- ALTER TABLE ... MODIFY PARTITION ... ADD SUBPARTITION
- ALTER TABLE ... MODIFY PARTITION ... COALESCE SUBPARTITION
- CREATE INDEX
- ALTER INDEX ... REBUILD
- ALTER INDEX ... REBUILD [SUB]PARTITION
- ALTER INDEX ... SPLIT PARTITION

For **objects other than LOBs**, if you omit this clause, then the logging attribute of the object defaults to the logging attribute of the tablespace in which it resides.

For **LOBs**, if you omit this clause, then:

- If you specify `CACHE`, then `LOGGING` is used (because you cannot have `CACHE NOLOGGING`).
- If you specify `NOCACHE` or `CACHE READS`, then the logging attribute defaults to the logging attribute of the tablespace in which it resides.

`NOLOGGING` does not apply to LOBs that are stored internally (in the table with row data). If you specify `NOLOGGING` for LOBs with values less than 4000 bytes and you have not disabled `STORAGE IN ROW`, then Oracle ignores the `NOLOGGING` specification and treats the LOB data the same as other table data.

## parallel\_clause

### Purpose

The *parallel\_clause* lets you parallelize the creation of a database object and set the default degree of parallelism for subsequent queries of and DML operations on the object.

You can specify the *parallel\_clause* in the following statements:

- `CREATE TABLE`: to set parallelism for the table (see [CREATE TABLE](#)).
- `ALTER TABLE` (see [ALTER TABLE](#)):
  - To change parallelism for the table
  - To parallelize the operations of adding, coalescing, exchanging, merging, splitting, truncating, dropping, or moving a table partition
- `CREATE CLUSTER` and `ALTER CLUSTER`: to set or alter parallelism for a cluster (see [CREATE CLUSTER](#) and [ALTER CLUSTER](#) ).
- `CREATE INDEX`: to set parallelism for the index (see [CREATE INDEX](#) ).
- `ALTER INDEX` (see [ALTER INDEX](#) ):
  - To change parallelism for the index
  - To parallelize the rebuilding of the index or the splitting of an index partition
- `CREATE MATERIALIZED VIEW`: to set parallelism for the materialized view (see [CREATE MATERIALIZED VIEW](#) ).


- ALTER MATERIALIZED VIEW (see [ALTER MATERIALIZED VIEW](#)):
  - To change parallelism for the materialized view
  - To parallelize the operations of adding, coalescing, exchanging, merging, splitting, truncating, dropping, or moving a materialized view partition
  - To parallelize the operations of adding or moving materialized view subpartitions
- CREATE MATERIALIZED VIEW LOG: to set parallelism for the materialized view log (see [CREATE MATERIALIZED VIEW LOG](#)).
- ALTER MATERIALIZED VIEW LOG (see [ALTER MATERIALIZED VIEW LOG](#)):
  - To change parallelism for the materialized view log
  - To parallelize the operations of adding, coalescing, exchanging, merging, splitting, truncating, dropping, or moving a materialized view log partition
- ALTER DATABASE ... RECOVER: to recover the database (see [ALTER DATABASE](#)).
- ALTER DATABASE ... *standby\_database\_clauses*: to parallelize operations on the standby database (see [ALTER DATABASE](#)).

#### See Also:

*Oracle Database PL/SQL Packages and Types Reference* for information on the `DBMS_PARALLEL_EXECUTE` package, which provides methods to apply table changes in chunks of rows. Changes to each chunk are independently committed when there are no errors.

## Syntax

***parallel\_clause*::=**



## Semantics

This section describes the semantics of the *parallel\_clause*. For additional information, refer to the SQL statement in which you set or reset parallelism for a particular database object or operation.

#### Note:

The syntax of the *parallel\_clause* supersedes syntax appearing in earlier releases of Oracle. The superseded syntax is still supported for backward compatibility, but may result in slightly different behavior from that documented.



The database interprets the *parallel\_clause* based on the setting of the `PARALLEL_DEGREE_POLICY` initialization parameter. When that parameter is set to `AUTO`, the *parallel\_clause* is ignored entirely, and the optimizer determines the best degree of parallelism for all statements. When `PARALLEL_DEGREE_POLICY` is set to either `MANUAL` or `LIMITED`, the *parallel\_clause* is interpreted as follows:

### **NOPARALLEL**

Specify `NOPARALLEL` for serial execution. This is the default.

### **PARALLEL**

Specify `PARALLEL` for parallel execution.

- If `PARALLEL_DEGREE_POLICY` is set to `MANUAL`, then the optimizer calculates a degree of parallelism equal to the number of CPUs available on all participating instances times the value of the `PARALLEL_THREADS_PER_CPU` initialization parameter.
- If `PARALLEL_DEGREE_POLICY` is set to `LIMITED`, then the optimizer determines the best degree of parallelism.

### **PARALLEL *integer***

Specification of *integer* indicates the **degree of parallelism**, which is the number of parallel threads used in the parallel operation. Each parallel thread may use one or two parallel execution servers.

### **Notes on the *parallel\_clause***

The following notes apply to the *parallel\_clause*:

- Parallelism is disabled for DML operations on tables on which you have defined a trigger or referential integrity constraint.
- Parallelism is not supported for `UPDATE` or `DELETE` operations on index-organized tables.
- When you specify the *parallel\_clause* during creation of a table, if the table contains any columns of LOB or user-defined object type, then subsequent `INSERT`, `UPDATE`, `DELETE` or `MERGE` operations that modify the LOB or object type column are executed serially without notification. Subsequent queries, however, will be executed in parallel.
- A parallel hint overrides the effect of the *parallel\_clause*.
- DML statements and `CREATE TABLE ... AS SELECT` statements that reference remote objects can run in parallel. However, the remote object must really be on a remote database. The reference cannot loop back to an object on the local database, for example, by way of a synonym on the remote database pointing back to an object on the local database.
- DML operations on tables with LOB columns can be parallelized. However, intrapartition parallelism is not supported.

#### **See Also:**

*Oracle Database VLDB and Partitioning Guide* for more information on parallelized operations, and "[Creating a Table: Parallelism Examples](#)"

## physical\_attributes\_clause

### Purpose


The *physical\_attributes\_clause* lets you specify the value of the PCTFREE, PCTUSED, and INITRANS parameters and the storage characteristics of a table, cluster, index, or materialized view.

You can specify the *physical\_attributes\_clause* in the following statements:

- CREATE CLUSTER and ALTER CLUSTER: to set or change the physical attributes of the cluster and all tables in the cluster (see [CREATE CLUSTER](#) and [ALTER CLUSTER](#) ).
- CREATE TABLE: to set the physical attributes of the table, a table partition, the OIDINDEX of an object table, or the overflow segment of an index-organized table (see [CREATE TABLE](#) ).
- ALTER TABLE: to change the physical attributes of the table, the default physical attributes of future table partitions, or the physical attributes of existing table partitions (see [ALTER TABLE](#) ). The following restrictions apply:
  - You cannot specify physical attributes for a temporary table.
  - You cannot specify physical attributes for a clustered table. Tables in a cluster inherit the physical attributes of the cluster.
- CREATE INDEX: to set the physical attributes of an index or index partition (see [CREATE INDEX](#) ).
- ALTER INDEX: to change the physical attributes of the index, the default physical attributes of future index partitions, or the physical attributes of existing index partitions (see [ALTER INDEX](#) ).
- CREATE MATERIALIZED VIEW: to set the physical attributes of the materialized view, one of its partitions, or the index Oracle Database generates to maintain the materialized view (see [CREATE MATERIALIZED VIEW](#) ).
- ALTER MATERIALIZED VIEW: to change the physical attributes of the materialized view, the default physical attributes of future partitions, the physical attributes of an existing partition, or the index Oracle creates to maintain the materialized view (see [ALTER MATERIALIZED VIEW](#) ).
- CREATE MATERIALIZED VIEW LOG and ALTER MATERIALIZED VIEW LOG: to set or change the physical attributes of the materialized view log (see [CREATE MATERIALIZED VIEW LOG](#) and [ALTER MATERIALIZED VIEW LOG](#) ).

### Syntax

*physical\_attributes\_clause*::=



(*storage\_clause*::=)

### Semantics

This section describes the parameters of the *physical\_attributes\_clause*. For additional information, refer to the SQL statement in which you set or reset these parameters for a particular database object.

#### **PCTFREE integer**

Specify a whole number representing the percentage of space in each data block of the database object reserved for future updates to rows of the object. The value of `PCTFREE` must be a value from 0 to 99. A value of 0 means that the entire block can be filled by inserts of new rows. The default value is 10. This value reserves 10% of each block for updates to existing rows and allows inserts of new rows to fill a maximum of 90% of each block.

`PCTFREE` has the same function in the statements that create and alter tables, partitions, clusters, indexes, materialized views, materialized view logs, and zone maps. The combination of `PCTFREE` and `PCTUSED` determines whether new rows will be inserted into existing data blocks or into new blocks. See "[How PCTFREE and PCTUSED Work Together](#)".

#### **Restriction on the PCTFREE Clause**

When altering an index, you can specify this parameter only in the *modify\_index\_default\_attrs* clause and the *split\_index\_partition* clause.

#### **PCTUSED integer**

Specify a whole number representing the minimum percentage of used space that Oracle maintains for each data block of the database object. `PCTUSED` is specified as a positive integer from 0 to 99 and defaults to 40.

`PCTUSED` has the same function in the statements that create and alter tables, partitions, clusters, materialized views, materialized view logs, and zone maps.

`PCTUSED` is not a valid table storage characteristic for an index-organized table.

The sum of `PCTFREE` and `PCTUSED` must be equal to or less than 100. You can use `PCTFREE` and `PCTUSED` together to utilize space within a database object more efficiently. See "[How PCTFREE and PCTUSED Work Together](#)".

#### **Restrictions on the PCTUSED Clause**

The `PCTUSED` parameter is subject to the following restrictions:

- You cannot specify this parameter for an index or for the index segment of an index-organized table.
- This parameter is not useful and is ignored for objects with automatic segment-space management.

#### See Also:

*Oracle Database Performance Tuning Guide* for information on the performance effects of different values of `PCTUSED` and `PCTFREE` and `CREATE TABLESPACE segment_management_clause` for information on automatic segment-space management

## How PCTFREE and PCTUSED Work Together

In a newly allocated data block, the space available for inserts is the block size minus the sum of the block overhead and free space (`PCTFREE`). Updates to existing data can use any available space in the block. Therefore, updates can reduce the available space of a block to less than `PCTFREE`.

After a data block is filled to the limit determined by `PCTFREE`, Oracle Database considers the block unavailable for the insertion of new rows until the percentage of that block falls beneath the parameter `PCTUSED`. Until this value is achieved, Oracle Database uses the free space of the data block only for updates to rows already contained in the data block. A block becomes a candidate for row insertion when its used space falls below `PCTUSED`.



### See Also:

[FREELISTS](#) for information on how `PCTUSED` and `PCTFREE` work with freelist segment space management

## INITRANS integer

Specify the initial number of concurrent transaction entries allocated within each data block allocated to the database object. This value can range from 1 to 255 and defaults to 1, with the following exceptions:

- The default `INITRANS` value for a cluster is 2 or the default `INITRANS` value of the tablespace in which the cluster resides, whichever is greater.
- The default value for an index is 2.

In general, you should not change the `INITRANS` value from its default.

Each transaction that updates a block requires a transaction entry in the block. This parameter ensures that a minimum number of concurrent transactions can update the block and helps avoid the overhead of dynamically allocating a transaction entry.

The `INITRANS` parameter serves the same purpose in the statements that create and alter tables, partitions, clusters, indexes, materialized views, and materialized view logs.

## MAXTRANS Parameter

In earlier releases, the `MAXTRANS` parameter determined the maximum number of concurrent update transactions allowed for each data block in the segment. This parameter has been deprecated. Oracle now automatically allows up to 255 concurrent update transactions for any data block, depending on the available space in the block. Note that the maximum number of concurrent update transactions is based on the size of the block

Existing objects for which a value of `MAXTRANS` has already been set retain that setting. However, if you attempt to change the value for `MAXTRANS`, Oracle ignores the new specification and substitutes the value 255 without returning an error.

## storage\_clause

The *storage\_clause* lets you specify storage characteristics for the table, object table `OIDINDEX`, partition, LOB data segment, or index-organized table overflow data segment. This clause has performance ramifications for large tables. Storage should be allocated to minimize dynamic allocation of additional space. Refer to the [storage\\_clause](#) for more information.


## size\_clause

### Purpose

The *size\_clause* lets you specify a number of bytes, kilobytes (K), megabytes (M), gigabytes (G), terabytes (T), petabytes (P), or exabytes (E) in any statement that lets you establish amounts of disk or memory space.

### Syntax

**size\_clause::=**



### Semantics

Use the *size\_clause* to specify a number or multiple of bytes. If you do not specify any of the multiple abbreviations, then the *integer* is interpreted as bytes.



#### Note:

Not all multiples of bytes are appropriate in all cases, and context-sensitive limitations may apply. In the latter case, Oracle issues an error message.

## storage\_clause

### Purpose

The *storage\_clause* lets you specify how Oracle Database should store a permanent database object. Storage parameters for temporary segments always use the default storage parameters for the associated tablespace. Storage parameters affect both how long it takes to access data stored in the database and how efficiently space in the database is used.

 **See Also:**

*Oracle Automatic Storage Management Administrator's Guide* for a discussion of the effects of the storage parameters

When you create a cluster, index, materialized view, materialized view log, rollback segment, table, LOB, varray, nested table, or partition, you can specify values for the storage parameters for the segments allocated to these objects. If you omit any storage parameter, then Oracle uses the value of that parameter specified for the tablespace in which the object resides. If no value was specified for the tablespace, then the database uses default values.

 **Note:**

The specification of storage parameters for objects in locally managed tablespaces is supported for backward compatibility. If you are using locally managed tablespaces, then you can omit these storage parameter when creating objects in those tablespaces.

When you alter a cluster, index, materialized view, materialized view log, rollback segment, table, varray, nested table, or partition, you can change the values of storage parameters. The new values affect only future extent allocations.

The *storage\_clause* is part of the *physical\_attributes\_clause*, so you can specify this clause in any of the statements where you can specify the physical attributes clause (see [physical\\_attributes\\_clause](#)). In addition, you can specify the *storage\_clause* in the following statements:

- **CREATE CLUSTER and ALTER CLUSTER:** to set or change the storage characteristics of the **cluster and all tables in the cluster** (see [CREATE CLUSTER](#) and [ALTER CLUSTER](#)).
- **CREATE INDEX and ALTER INDEX:** to set or change the storage characteristics of an index segment created for a **table index or index partition** or an **index segment created for an index used to enforce a primary key or unique constraint** (see [CREATE INDEX](#) and [ALTER INDEX](#)).
- The **ENABLE ... USING INDEX** clause of **CREATE TABLE** or **ALTER TABLE:** to set or change the storage characteristics of an **index created by the system to enforce a primary key or unique constraint**.
- **CREATE MATERIALIZED VIEW and ALTER MATERIALIZED VIEW:** to set or change the storage characteristics of a **materialized view, one of its partitions, or the index Oracle generates to maintain the materialized view** (see [CREATE MATERIALIZED VIEW](#) and [ALTER MATERIALIZED VIEW](#)).
- **CREATE MATERIALIZED VIEW LOG and ALTER MATERIALIZED VIEW LOG:** to set or change the storage characteristics of the **materialized view log** (see [CREATE MATERIALIZED VIEW LOG](#) and [ALTER MATERIALIZED VIEW LOG](#)).
- **CREATE ROLLBACK SEGMENT and ALTER ROLLBACK SEGMENT:** to set or change the storage characteristics of a **rollback segment** (see [CREATE ROLLBACK SEGMENT](#) and [ALTER ROLLBACK SEGMENT](#)).


- CREATE TABLE and ALTER TABLE: to set the storage characteristics of a **LOB or varray data segment** of the nonclustered table or one of its partitions or subpartitions, or the **storage table of a nested table** (see CREATE TABLE and ALTER TABLE).
- CREATE TABLESPACE and ALTER TABLESPACE: to set or change the default storage characteristics for **objects created in the tablespace** (see CREATE TABLESPACE and ALTER TABLESPACE ). Changes to tablespace storage parameters affect only new objects created in the tablespace or new extents allocated for a segment.
- *constraint*: to specify storage for the **index (and its partitions, if it is a partitioned index) used to enforce the constraint** (see *constraint*).

### Prerequisites

To change the value of a STORAGE parameter, you must have the privileges necessary to use the appropriate CREATE or ALTER statement.


### Syntax

*storage\_clause*::=



(*size\_clause*::=)

**maxsize\_clause**::=



(*size\_clause*::=)

### Semantics

This section describes the parameters of the *storage\_clause*. For additional information, refer to the SQL statement in which you set or reset these storage parameters for a particular database object.

#### Note:

The *storage\_clause* is interpreted differently for locally managed tablespaces. For locally managed tablespaces, Oracle Database uses `INITIAL`, `NEXT`, `PCTINCREASE`, and `MINEXTENTS` to compute how many extents are allocated when the object is first created. After object creation, these parameters are ignored. For more information, see [CREATE TABLESPACE](#).

#### See Also:

"[Specifying Table Storage Attributes: Example](#)"

### INITIAL

Specify the size of the first extent of the object. Oracle allocates space for this extent when you create the schema object. Refer to [size\\_clause](#) for information on that clause.

In locally managed tablespaces, Oracle uses the value of `INITIAL`, in conjunction with the type of local management—`AUTOALLOCATE` or `UNIFORM`—and the values of `MINEXTENTS`, `NEXT` and `PCTINCREASE`, to determine the initial size of the segment.

- With `AUTOALLOCATE` extent management, Oracle uses the `INITIAL` setting to optimize the number of extents allocated. Extents of 64K, 1M, 8M, and 64M can be allocated. During segment creation, the system chooses the greatest of these four sizes that is equal to or smaller than `INITIAL`, and allocates as many extents of that size as are needed to reach the `INITIAL` setting. For example, if you set `INITIAL` to 4M, then the database creates four 1M extents.
- For `UNIFORM` extent management, the number of extents is determined from initial segment size and the uniform extent size specified at tablespace creation time. For example, in a uniform locally managed tablespace with 1M extents, if you specify an `INITIAL` value of 5M, then Oracle creates five 1M extents.



Consider this comparison: With `AUTOALLOCATE`, if you set `INITIAL` to 72K, then the initial segment size will be 128K (greater than `INITIAL`). The database cannot allocate an extent smaller than 64K, so it must allocate two 64K extents. If you set `INITIAL` to 72K with a `UNIFORM` extent size of 24K, then the database will allocate three 24K extents to equal 72K.

In dictionary managed tablespaces, the default initial extent size is 5 blocks, and all subsequent extents are rounded to 5 blocks. If `MINIMUM EXTENT` was specified at tablespace creation time, then the extent sizes are rounded to the value of `MINIMUM EXTENT`.

### Restriction on INITIAL

You cannot specify `INITIAL` in an `ALTER` statement.

### NEXT

Specify in bytes the size of the next extent to be allocated to the object. Refer to [size\\_clause](#) for information on that clause.

In locally managed tablespaces, any user-supplied value for `NEXT` is ignored and the size of `NEXT` is determined by Oracle if the tablespace is set for autoallocate extent management. In `UNIFORM` tablespaces, the size of `NEXT` is the uniform extent size specified at tablespace creation time.

In dictionary-managed tablespaces, the default value is the size of 5 data blocks. The minimum value is the size of 1 data block. The maximum value depends on your operating system. Oracle rounds values up to the next multiple of the data block size for values less than 5 data blocks. For values greater than 5 data blocks, Oracle rounds up to a value that minimizes fragmentation.



### See Also:

*Oracle Database Concepts* for information on how Oracle minimizes fragmentation

### PCTINCREASE

In locally managed tablespaces, Oracle Database uses the value of `PCTINCREASE` during segment creation to determine the initial segment size and ignores this parameter during subsequent space allocation.

In dictionary-managed tablespaces, specify the percent by which the third and subsequent extents grow over the preceding extent. The default value is 50, meaning that each subsequent extent is 50% larger than the preceding extent. The minimum value is 0, meaning all extents after the first are the same size. The maximum value depends on your operating system. Oracle rounds the calculated size of each new extent to the nearest multiple of the data block size. If you change the value of the `PCTINCREASE` parameter by specifying it in an `ALTER` statement, then Oracle calculates the size of the next extent using this new value and the size of the most recently allocated extent.

### Restriction on PCTINCREASE

You cannot specify `PCTINCREASE` for rollback segments. Rollback segments always have a `PCTINCREASE` value of 0.

### MINEXTENTS

In locally managed tablespaces, Oracle Database uses the value of `MINEXTENTS` in conjunction with `PCTINCREASE`, `INITIAL` and `NEXT` to determine the initial segment size.

In dictionary-managed tablespaces, specify the total number of extents to allocate when the object is created. The default and minimum value is 1, meaning that Oracle allocates only the initial extent, except for rollback segments, for which the default and minimum value is 2. The maximum value depends on your operating system.

- In a locally managed tablespace, `MINEXTENTS` is used to compute the initial amount of space allocated, which is equal to `INITIAL * MINEXTENTS`. Thereafter this value is set to 1, which is reflected in the `DBA_SEGMENTS` view.
- In a dictionary-managed tablespace, `MINEXTENTS` is simply the minimum number of extents that must be allocated to the segment.

If the `MINEXTENTS` value is greater than 1, then Oracle calculates the size of subsequent extents based on the values of the `INITIAL`, `NEXT`, and `PCTINCREASE` storage parameters.

When changing the value of `MINEXTENTS` by specifying it in an `ALTER` statement, you can reduce the value from its current value, but you cannot increase it. Resetting `MINEXTENTS` to a smaller value might be useful, for example, before a `TRUNCATE ... DROP STORAGE` statement, if you want to ensure that the segment will maintain a minimum number of extents after the `TRUNCATE` operation.

### Restrictions on MINEXTENTS

The `MINEXTENTS` storage parameter is subject to the following restrictions:

- `MINEXTENTS` is not applicable at the tablespace level.
- You cannot change the value of `MINEXTENTS` in an `ALTER` statement or for an object that resides in a locally managed tablespace.

### MAXEXTENTS

This storage parameter is valid only for objects in dictionary-managed tablespaces. Specify the total number of extents, including the first, that Oracle can allocate for the object. The minimum value is 1 except for rollback segments, which always have a minimum of 2. The default value depends on your data block size.

### Restriction on MAXEXTENTS

`MAXEXTENTS` is ignored for objects residing in a locally managed tablespace, unless the value of `ALLOCATION_TYPE` is `USER` for the tablespace in the `DBA_TABLESPACES` data dictionary view.



#### See Also:

*Oracle Database Reference* for more information on the `DBA_TABLESPACES` data dictionary view

### UNLIMITED

Specify `UNLIMITED` if you want extents to be allocated automatically as needed. Oracle recommends this setting as a way to minimize fragmentation.

Do not use this clause for rollback segments. Doing so allows the possibility that long-running rogue DML transactions will continue to create new extents until a disk is full.

 **Note:**

A rollback segment that you create without specifying the *storage\_clause* has the same storage parameters as the tablespace in which the rollback segment is created. Thus, if you create a tablespace with `MAXEXTENTS UNLIMITED`, then the rollback segment will have this same default.

## MAXSIZE

The `MAXSIZE` clause lets you specify the maximum size of the storage element. For LOB storage, `MAXSIZE` has the following effects

- If you specify `RETENTION MAX` in *LOB\_parameters*, then the LOB segment increases to the specified size before any space can be reclaimed from undo space.
- If you specify `RETENTION AUTO`, `MIN`, or `NONE` in *LOB\_parameters*, then the specified size is a hard limit on the LOB segment size and has no bearing on undo retention.

## UNLIMITED

Use the `UNLIMITED` clause if you do not want to limit the disk space of the storage element. This clause is not compatible with a specification of `RETENTION MAX` in *LOB\_parameters*. If you specify both, then the database uses `RETENTION AUTO` and `MAXSIZE UNLIMITED`.

## FREELISTS

In tablespaces with manual segment-space management, Oracle Database uses the `FREELISTS` storage parameter to improve performance of space management in OLTP systems by increasing the number of insert points in the segment. In tablespaces with automatic segment-space management, this parameter is ignored, because the database adapts to varying workload.

In tablespaces with manual segment-space management, for objects other than tablespaces and rollback segments, specify the number of free lists for each of the free list groups for the table, partition, cluster, or index. The default and minimum value for this parameter is 1, meaning that each free list group contains one free list. The maximum value of this parameter depends on the data block size. If you specify a `FREELISTS` value that is too large, then Oracle returns an error indicating the maximum value.

This clause is not valid or useful if you have specified the `SECUREFILE` parameter of [LOB\\_parameters](#). If you specify both the `SECUREFILE` parameter and `FREELISTS`, then the database silently ignores the `FREELISTS` specification.

### Restriction on FREELISTS

You can specify `FREELISTS` in the *storage\_clause* of any statement except when creating or altering a tablespace or rollback segment.

## FREELIST GROUPS

In tablespaces with manual segment-space management, Oracle Database uses the value of this storage parameter to statically partition the segment free space in an Oracle Real Application Clusters environment. This partitioning improves the performance of space

allocation and deallocation by avoiding inter instance transfer of segment metadata. In tablespaces with automatic segment-space management, this parameter is ignored, because Oracle dynamically adapts to inter instance workload.

In tablespaces with manual segment-space management, specify the number of groups of free lists for the database object you are creating. The default and minimum value for this parameter is 1. Oracle uses the instance number of Oracle Real Application Clusters (Oracle RAC) instances to map each instance to one free list group.

Each free list group uses one database block. Therefore:

- If you do not specify a large enough value for `INITIAL` to cover the minimum value plus one data block for each free list group, then Oracle increases the value of `INITIAL` the necessary amount.
- If you are creating an object in a uniform locally managed tablespace, and the extent size is not large enough to accommodate the number of freelist groups, then the create operation will fail.

This clause is not valid or useful if you have specified the `SECUREFILE` parameter of [LOB\\_parameters](#). If you specify both the `SECUREFILE` parameter and `FREELIST GROUPS`, then the database silently ignores the `FREELIST GROUPS` specification.

### Restriction on FREELIST GROUPS

You can specify the `FREELIST GROUPS` parameter only in `CREATE TABLE`, `CREATE CLUSTER`, `CREATE MATERIALIZED VIEW`, `CREATE MATERIALIZED VIEW LOG`, and `CREATE INDEX` statements.

### OPTIMAL

The `OPTIMAL` keyword is relevant only to rollback segments. It specifies an optimal size in bytes for a rollback segment. Refer to [size\\_clause](#) for information on that clause.

Oracle tries to maintain this size for the rollback segment by dynamically deallocating extents when their data is no longer needed for active transactions. Oracle deallocates as many extents as possible without reducing the total size of the rollback segment below the `OPTIMAL` value.

The value of `OPTIMAL` cannot be less than the space initially allocated by the `MINEXTENTS`, `INITIAL`, `NEXT`, and `PCTINCREASE` parameters. The maximum value depends on your operating system. Oracle rounds values up to the next multiple of the data block size.

### NULL

Specify `NULL` for no optimal size for the rollback segment, meaning that Oracle never deallocates the extents of the rollback segment. This is the default behavior.

### BUFFER\_POOL

The `BUFFER_POOL` clause lets you specify a default buffer pool or cache for a schema object. All blocks for the object are stored in the specified cache.

- If you define a buffer pool for a partitioned table or index, then the partitions inherit the buffer pool from the table or index definition unless overridden by a partition-level definition.

- For an index-organized table, you can specify a buffer pool separately for the index segment and the overflow segment.

### Restrictions on the BUFFER\_POOL Parameter

`BUFFER_POOL` is subject to the following restrictions:

- You cannot specify this clause for a cluster table. However, you can specify it for a cluster.
- You cannot specify this clause for a tablespace or a rollback segment.

### KEEP

Specify `KEEP` to put blocks from the segment into the `KEEP` buffer pool. Maintaining an appropriately sized `KEEP` buffer pool lets Oracle retain the schema object in memory to avoid I/O operations. `KEEP` takes precedence over any `NOCACHE` clause you specify for a table, cluster, materialized view, or materialized view log.

### RECYCLE

Specify `RECYCLE` to put blocks from the segment into the `RECYCLE` pool. An appropriately sized `RECYCLE` pool reduces the number of objects whose default pool is the `RECYCLE` pool from taking up unnecessary cache space.

### DEFAULT

Specify `DEFAULT` to indicate the default buffer pool. This is the default for objects not assigned to `KEEP` or `RECYCLE`.



#### See Also:

*Oracle Database Performance Tuning Guide* for more information about using multiple buffer pools

### FLASH\_CACHE

The `FLASH_CACHE` clause lets you override the automatic buffer cache policy and specify how specific schema objects are cached in flash memory. To use this clause, Database Smart Flash Cache (flash cache) must be configured on your system. The flash cache is an extension of the database buffer cache that is stored on a flash disk, a storage device that uses flash memory. Because flash memory is faster than magnetic disks, the database can improve performance by caching buffers in the flash cache instead of reading from magnetic disk.

### KEEP

Specify `KEEP` if you want the schema object buffers to remain cached in the flash cache as long as the flash cache is large enough.

### NONE

Specify `NONE` to ensure that the schema object buffers are never cached in the flash cache. This allows you to reserve the flash cache space for more frequently accessed objects.

## DEFAULT

Specify `DEFAULT` if you want the schema object buffers to be written to the flash cache when they are aged out of main memory, and then be aged out of the flash cache with the standard buffer cache replacement algorithm. This is the default if flash cache is configured and you do not specify `KEEP` or `NONE`.

### Note:

Database Smart Flash Cache is available only in Solaris and Oracle Linux.

### See Also:

- *Oracle Database Concepts* for more information about Database Smart Flash Cache
- *Oracle Database Administrator's Guide* to learn how to configure Database Smart Flash Cache

## ENCRYPT

This clause is valid only when you are creating a tablespace. Specify `ENCRYPT` to encrypt the entire tablespace. You must also specify the `ENCRYPTION` clause in the `CREATE TABLESPACE` statement.

### Note:

The `ENCRYPT` clause is supported for backward compatibility. However, beginning with Oracle Database 12c Release 2 (12.2), you can instead specify `ENCRYPT` in the `tablespace_encryption_clause`. Refer to the [tablespace\\_encryption\\_clause](#) of `CREATE TABLESPACE` for more information.

## Example

### Specifying Table Storage Attributes: Example

The following statement creates a table and provides storage parameter values:

```
CREATE TABLE divisions
  (div_no      NUMBER(2),
   div_name    VARCHAR2(14),
   location    VARCHAR2(13) )
  STORAGE ( INITIAL 8M MAXSIZE 1G );
```

The following statement queries the table for the size of the first extent:

```
SELECT INITIAL_EXTENT FROM USER_TABLES WHERE TABLE_NAME='DIVISIONS';

INITIAL_EXTENT
```

-----  
8388608

Oracle allocates space for the table based on the `STORAGE` parameter values as follows:

- The `INITIAL` value is 8M, so the size of the first extent is 8 megabytes.
- The `MAXSIZE` value is 1G, so the maximum size of the storage element is 1 gigabyte.

## annotations\_clause

### Purpose

Annotations provide a mechanism to store application metadata centrally in the database, so that they can be shared across applications, modules and microservices.

You can add annotations to any supported schema objects that you own at creation time via `CREATE` statements.

On supported schema objects that you have alter privileges on, you can add and drop annotations via `ALTER` statements. You do not need to qualify the annotation name with the schema name. Whenever a schema object drops an annotation, or when a schema object is dropped altogether, the usage of the annotation is updated to reflect the drop.

An individual annotation has a name and an optional value. Both the name and the value are freeform text fields. Annotations are additive, meaning that multiple annotations can be specified for the same schema object in a single DDL.

When an annotation name is specified for a schema object for the first time, an annotation is automatically created. Supported schema objects include tables, views, materialized views, and indexes. The annotation is represented as a subordinate element to the database object to which it has been added. Whenever a schema object drops an annotation, or when a schema object is dropped altogether, the usage of the annotation is updated to reflect the drop.

Dictionary views track the list of annotations and their usage across all schema objects. You can query dictionary views `USER|ALL|DBA_ANNOTATIONS_USAGE` to list the annotations for a schema object.

### Prerequisites


You must own the schema object or have `ALTER` privileges on the schema object in order to specify annotations on the object.

### Syntax


**annotations\_clause::=**

→ ANNOTATIONS ( annotations\_list ) →


**annotations\_list::=**




**annotation::=**



**annotation\_name::=**



**annotation\_value::=**



**Semantics**

**annotations\_clause**

Specify ADD, DROP, or REPLACE to create, remove, or change annotations respectively.

- ADD creates *annotation\_name*. This is the default when no keyword is specified before annotation. If the object already has an annotation with this name, the statement raises an error.  
 Use ADD IF NOT EXISTS to allow the statement to complete without error. If *annotation\_name* is already present, it keeps its original value when using the IF NOT EXISTS clause.  
 ADD [IF NOT EXISTS] is the only valid option to use with CREATE statements.
- DROP removes *annotation\_name* from the object. If the object has no annotation with this name, the statement raises an error. Use DROP IF EXISTS to allow the statement to complete without error. This clause is only valid in ALTER statements.



- **REPLACE** changes *annotation\_value* for *annotation\_name* to the supplied value. If you omit the value, this removes any existing value for *annotation\_name*. If *annotation\_name* does not exist the statement will raise an error. This clause is only valid in **ALTER** statements.

The *annotation\_name* is an identifier that can have up to 1024 characters. If the annotation name is a reserved word it must be provided in double quotes. When a double quoted identifier is used, the identifier can also contain whitespace characters. However, identifiers that contain only whitespace characters are not accepted.

An annotation is either a name-value pair or a name by itself. The name and the optional value are freeform text fields. Value can have a maximum of 4000 characters. An annotation `Display_Label`, `'Employee Salary'` has a name and a value, whereas an annotation `UI_Hidden` has only a name and it does not need a value. `UI_Hidden` is a standalone annotation used to specify that the column should be hidden.

## Examples

### Add Annotations to a Table

The following example adds two operations with values *Sort* and *Group*, and a standalone *Hidden* without a value, to table *t1*:

```
CREATE TABLE t1 (T NUMBER) ANNOTATIONS(Operations ["Sort", "Group"], Hidden);
```

The annotation can be preceded by the keyword **ADD** which is the default operation if nothing is specified as the following example shows:

```
CREATE TABLE t1 (T NUMBER) ANNOTATIONS (ADD Hidden);
```

### Alter Annotations at the Table Level

The following example drops all annotations from *t1*:

```
ALTER TABLE t1 ANNOTATIONS(DROP Operations, DROP Hidden);
```

### Add Annotations to Table Columns

```
CREATE TABLE t1 (T NUMBER ANNOTATIONS(Operations 'Sort' , Hidden) );
```

### Add Annotations to Table and Columns

```
CREATE TABLE employee (
  id NUMBER(5)
    ANNOTATIONS(Identity, Display 'Employee ID', "Group" 'Emp_Info'),
  ename VARCHAR2(50)
    ANNOTATIONS(Display 'Employee Name', "Group" 'Emp_Info'),
  sal NUMBER
    ANNOTATIONS(Display 'Employee Salary', UI_Hidden)
) ANNOTATIONS (Display 'Employee Table');
```

### Alter Annotations at the Column Level

```
ALTER TABLE employee
  MODIFY ename ANNOTATIONS (
    DROP "Group",
    DROP IF EXISTS missing_annotation,
    REPLACE Display 'Emp name'
  );
```

# 9

## SQL Queries and Subqueries

This chapter describes SQL queries and subqueries.

This chapter contains these sections:

- [About Queries and Subqueries](#)
- [Creating Simple Queries](#)
- [Hierarchical Queries](#)
- [The Set Operators](#)
- [Sorting Query Results](#)
- [Joins](#)
- [Using Subqueries](#)
- [Unnesting of Nested Subqueries](#)
- [Selecting from the DUAL Table](#)
- [Distributed Queries](#)

### About Queries and Subqueries


A **query** is an operation that retrieves data from one or more tables or views. In this reference, a top-level `SELECT` statement is called a **query**, and a query nested within another SQL statement is called a **subquery**.


This section describes some types of queries and subqueries and how to use them. The top level of the syntax is shown in this chapter. Refer to [SELECT](#) for the full syntax of all the clauses and the semantics of this statement.

***select::=***



***subquery::=***



**query\_block::=**

## Creating Simple Queries

The list of expressions that appears after the `SELECT` keyword and before the `FROM` clause is called the **select list**. Within the select list, you specify one or more columns in the set of rows you want Oracle Database to return from one or more tables, views, or materialized views. The number of columns, as well as their data type and length, are determined by the elements of the select list.


If two or more tables have some column names in common, then you must qualify column names with names of tables. Otherwise, fully qualified column names are optional. However, it is always a good idea to qualify table and column references explicitly. Oracle often does less work with fully qualified table and column names.

You can use a column alias, `c_alias`, to label the immediately preceding expression in the select list so that the column is displayed with a new heading. The alias effectively renames the select list item for the duration of the query. The alias can be used in the `ORDER BY` clause, but not other clauses in the query.

You can use comments in a `SELECT` statement to pass instructions, or **hints**, to the Oracle Database optimizer. The optimizer uses hints to choose an execution plan for the statement. Refer to "[Hints](#)" for more information on hints.

## Hierarchical Queries

If a table contains hierarchical data, then you can select rows in a hierarchical order using the hierarchical query clause:

**hierarchical\_query\_clause::=**

*condition* can be any condition as described in [Conditions](#).

**START WITH** specifies the root row(s) of the hierarchy.

**CONNECT BY** specifies the relationship between parent rows and child rows of the hierarchy.

- The **NOCYCLE** parameter instructs Oracle Database to return rows from a query even if a **CONNECT BY** loop exists in the data. Use this parameter along with the **CONNECT\_BY\_ISCYCLE** pseudocolumn to see which rows contain the loop. Refer to [CONNECT\\_BY\\_ISCYCLE Pseudocolumn](#) for more information.
- In a hierarchical query, one expression in *condition* must be qualified with the **PRIOR** operator to refer to the parent row. For example,

```
... PRIOR expr = expr
or
... expr = PRIOR expr
```

If the **CONNECT BY** *condition* is compound, then only one condition requires the **PRIOR** operator, although you can have multiple **PRIOR** conditions. For example:

```
CONNECT BY last_name != 'King' AND PRIOR employee_id = manager_id ...
CONNECT BY PRIOR employee_id = manager_id and
           PRIOR account_mgr_id = customer_id ...
```

**PRIOR** is a unary operator and has the same precedence as the unary **+** and **-** arithmetic operators. It evaluates the immediately following expression for the parent row of the current row in a hierarchical query.

**PRIOR** is most commonly used when comparing column values with the equality operator. (The **PRIOR** keyword can be on either side of the operator.) **PRIOR** causes Oracle to use the value of the parent row in the column. Operators other than the equal sign (**=**) are theoretically possible in **CONNECT BY** clauses. However, the conditions created by these other operators can result in an infinite loop through the possible combinations. In this case Oracle detects the loop at run time and returns an error.

Both the **CONNECT BY** *condition* and the **PRIOR** expression can take the form of an uncorrelated subquery. However, **CURRVAL** and **NEXTVAL** are not valid **PRIOR** expressions, so the **PRIOR** expression cannot refer to a sequence.

You can further refine a hierarchical query by using the **CONNECT\_BY\_ROOT** operator to qualify a column in the select list. This operator extends the functionality of the **CONNECT BY** [**PRIOR**] *condition* of hierarchical queries by returning not only the immediate parent row but all ancestor rows in the hierarchy.

 **See Also:**

[CONNECT\\_BY\\_ROOT](#) for more information about this operator and "Hierarchical Query Examples"


Oracle processes hierarchical queries as follows:

- A join, if present, is evaluated first, whether the join is specified in the `FROM` clause or with `WHERE` clause predicates.
- The `CONNECT BY` condition is evaluated.
- Any remaining `WHERE` clause predicates are evaluated.

Oracle then uses the information from these evaluations to form the hierarchy using the following steps:

1. Oracle selects the root row(s) of the hierarchy—those rows that satisfy the `START WITH` condition.
2. Oracle selects the child rows of each root row. Each child row must satisfy the condition of the `CONNECT BY` condition with respect to one of the root rows.
3. Oracle selects successive generations of child rows. Oracle first selects the children of the rows returned in step 2, and then the children of those children, and so on. Oracle always selects children by evaluating the `CONNECT BY` condition with respect to a current parent row.
4. If the query contains a `WHERE` clause without a join, then Oracle eliminates all rows from the hierarchy that do not satisfy the condition of the `WHERE` clause. Oracle evaluates this condition for each row individually, rather than removing all the children of a row that does not satisfy the condition.
5. Oracle returns the rows in the order shown in [Figure 9-1](#). In the diagram, children appear below their parents. For an explanation of hierarchical trees, see [Figure 3-1](#).

**Figure 9-1 Hierarchical Queries**



To find the children of a parent row, Oracle evaluates the `PRIOR` expression of the `CONNECT BY` condition for the parent row and the other expression for each row in the table. Rows for which the condition is true are the children of the parent. The `CONNECT`

BY condition can contain other conditions to further filter the rows selected by the query.

If the `CONNECT BY` condition results in a loop in the hierarchy, then Oracle returns an error. A loop occurs if one row is both the parent (or grandparent or direct ancestor) and a child (or a grandchild or a direct descendent) of another row.



#### Note:

In a hierarchical query, do not specify either `ORDER BY` or `GROUP BY`, as they will override the hierarchical order of the `CONNECT BY` results. If you want to order rows of siblings of the same parent, then use the `ORDER SIBLINGS BY` clause. See [order\\_by\\_clause](#).

## Hierarchical Query Examples

### `CONNECT BY` Example

The following hierarchical query uses the `CONNECT BY` clause to define the relationship between employees and managers:

```
SELECT employee_id, last_name, manager_id
   FROM employees
   CONNECT BY PRIOR employee_id = manager_id;
```

EMPLOYEE_ID	LAST_NAME	MANAGER_ID
101	Kochhar	100
108	Greenberg	101
109	Faviet	108
110	Chen	108
111	Sciarra	108
112	Urman	108
113	Popp	108
200	Whalen	101
203	Mavris	101
204	Baer	101
. . .		

### `LEVEL` Example

The next example is similar to the preceding example, but uses the `LEVEL` pseudocolumn to show parent and child rows:

```
SELECT employee_id, last_name, manager_id, LEVEL
   FROM employees
   CONNECT BY PRIOR employee_id = manager_id;
```

EMPLOYEE_ID	LAST_NAME	MANAGER_ID	LEVEL
101	Kochhar	100	1
108	Greenberg	101	2
109	Faviet	108	3
110	Chen	108	3
111	Sciarra	108	3
112	Urman	108	3
113	Popp	108	3

```

200 Whalen          101          2
203 Mavris          101          2
204 Baer            101          2
205 Higgins         101          2
206 Gietz           205          3
102 De Haan         100          1
...

```

### START WITH Examples

The next example adds a `START WITH` clause to specify a root row for the hierarchy and an `ORDER BY` clause using the `SIBLINGS` keyword to preserve ordering within the hierarchy:

```

SELECT last_name, employee_id, manager_id, LEVEL
       FROM employees
       START WITH employee_id = 100
       CONNECT BY PRIOR employee_id = manager_id
       ORDER SIBLINGS BY last_name;

```

LAST_NAME	EMPLOYEE_ID	MANAGER_ID	LEVEL
King	100		1
Cambrault	148	100	2
Bates	172	148	3
Bloom	169	148	3
Fox	170	148	3
Kumar	173	148	3
Ozer	168	148	3
Smith	171	148	3
De Haan	102	100	2
Hunold	103	102	3
Austin	105	103	4
Ernst	104	103	4
Lorentz	107	103	4
Pataballa	106	103	4
Errazuriz	147	100	2
Ande	166	147	3
Banda	167	147	3
...			

In the `hr.employees` table, the employee Steven King is the head of the company and has no manager. Among his employees is John Russell, who is the manager of department 80. If you update the `employees` table to set Russell as King's manager, you create a loop in the data:

```

UPDATE employees SET manager_id = 145
       WHERE employee_id = 100;

SELECT last_name "Employee",
       LEVEL, SYS_CONNECT_BY_PATH(last_name, '/') "Path"
       FROM employees
       WHERE level <= 3 AND department_id = 80
       START WITH last_name = 'King'
       CONNECT BY PRIOR employee_id = manager_id AND LEVEL <= 4;

ERROR:
ORA-01436: CONNECT BY loop in user data

```

The `NOCYCLE` parameter in the `CONNECT BY` condition causes Oracle to return the rows in spite of the loop. The `CONNECT_BY_ISCYCLE` pseudocolumn shows you which rows contain the cycle:

```
SELECT last_name "Employee", CONNECT_BY_ISCYCLE "Cycle",
       LEVEL, SYS_CONNECT_BY_PATH(last_name, '/') "Path"
FROM employees
WHERE level <= 3 AND department_id = 80
START WITH last_name = 'King'
CONNECT BY NOCYCLE PRIOR employee_id = manager_id AND LEVEL <= 4
ORDER BY "Employee", "Cycle", LEVEL, "Path";
```

Employee	Cycle	LEVEL	Path
Abel	0	3	/King/Zlotkey/Abel
Ande	0	3	/King/Errazuriz/Ande
Banda	0	3	/King/Errazuriz/Banda
Bates	0	3	/King/Cambrault/Bates
Bernstein	0	3	/King/Russell/Bernstein
Bloom	0	3	/King/Cambrault/Bloom
Cambrault	0	2	/King/Cambrault
Cambrault	0	3	/King/Russell/Cambrault
Doran	0	3	/King/Partners/Doran
Errazuriz	0	2	/King/Errazuriz
Fox	0	3	/King/Cambrault/Fox
...			

### CONNECT\_BY\_ISLEAF Example

The following statement shows how you can use a hierarchical query to turn the values in a column into a comma-delimited list:

```
SELECT LTRIM(SYS_CONNECT_BY_PATH (warehouse_id,','),',') FROM
  (SELECT ROWNUM r, warehouse_id FROM warehouses)
WHERE CONNECT_BY_ISLEAF = 1
START WITH r = 1
CONNECT BY r = PRIOR r + 1
ORDER BY warehouse_id;
```

```
LTRIM(SYS_CONNECT_BY_PATH(WAREHOUSE_ID,','),',')
```

```
-----
1,2,3,4,5,6,7,8,9
```

### CONNECT\_BY\_ROOT Examples

The following example returns the last name of each employee in department 110, each manager at the highest level above that employee in the hierarchy, the number of levels between manager and employee, and the path between the two:

```
SELECT last_name "Employee", CONNECT_BY_ROOT last_name "Manager",
       LEVEL-1 "Pathlen", SYS_CONNECT_BY_PATH(last_name, '/') "Path"
FROM employees
WHERE LEVEL > 1 and department_id = 110
CONNECT BY PRIOR employee_id = manager_id
ORDER BY "Employee", "Manager", "Pathlen", "Path";
```

Employee	Manager	Pathlen	Path
Gietz	Higgins	1	/Higgins/Gietz
Gietz	King	3	/King/Kochhar/Higgins/Gietz
Gietz	Kochhar	2	/Kochhar/Higgins/Gietz



Higgins	King	2 /King/Kochhar/Higgins
Higgins	Kochhar	1 /Kochhar/Higgins

The following example uses a `GROUP BY` clause to return the total salary of each employee in department 110 and all employees above that employee in the hierarchy:

```
SELECT name, SUM(salary) "Total_Salary" FROM (
  SELECT CONNECT_BY_ROOT last_name as name, Salary
    FROM employees
   WHERE department_id = 110
  CONNECT BY PRIOR employee_id = manager_id)
 GROUP BY name
 ORDER BY name, "Total_Salary";
```

NAME	Total_Salary
-----	-----
Gietz	8300
Higgins	20300
King	20300
Kochhar	20300

#### See Also:

- [LEVEL Pseudocolumn](#) and [CONNECT\\_BY\\_ISCYCLE Pseudocolumn](#) for a discussion of how these pseudocolumns operate in a hierarchical query
- [SYS\\_CONNECT\\_BY\\_PATH](#) for information on retrieving the path of column values from root to node
- [order\\_by\\_clause](#) for more information on the `SIBLINGS` keyword of `ORDER BY` clauses
- [subquery\\_factoring\\_clause](#), which supports recursive subquery factoring (recursive `WITH`) and lets you query hierarchical data. This feature is more powerful than `CONNECT BY` in that it provides depth-first search and breadth-first search, and supports multiple recursive branches.

## The Set Operators

You can combine multiple queries using the set operators `UNION`, `UNION ALL`, `INTERSECT`, `INTERSECT ALL`, `EXCEPT`, `EXCEPT ALL`, `MINUS`, and `MINUS ALL`. All set operators have equal precedence. If a SQL statement contains multiple set operators, then Oracle Database evaluates them from the left to right unless parentheses explicitly specify another order.

The corresponding expressions in the select lists of the component queries of a compound query must match in number and must be in the same data type group (such as numeric or character).

If component queries select character data, then the data type of the return values are determined as follows:

- If both queries select values of data type `CHAR` of equal length, then the returned values have data type `CHAR` of that length. If the queries select values of `CHAR` with different lengths, then the returned value is `VARCHAR2` with the length of the larger `CHAR` value.
- If either or both of the queries select values of data type `VARCHAR2`, then the returned values have data type `VARCHAR2`.

If component queries select numeric data, then the data type of the return values is determined by numeric precedence:

- If any query selects values of type `BINARY_DOUBLE`, then the returned values have data type `BINARY_DOUBLE`.
- If no query selects values of type `BINARY_DOUBLE` but any query selects values of type `BINARY_FLOAT`, then the returned values have data type `BINARY_FLOAT`.
- If all queries select values of type `NUMBER`, then the returned values have data type `NUMBER`.

In queries using set operators, Oracle does not perform implicit conversion across data type groups. Therefore, if the corresponding expressions of component queries resolve to both character data and numeric data, Oracle returns an error.

The `INTERSECT` operator with the keyword `ALL` returns the result of two or more `SELECT` statements in which rows appear in all result sets. Null values that are common across the component queries of `INTERSECT ALL` are returned at the end of the result set.

The `MINUS` operator with the keyword `ALL` returns the result of two `SELECT` statements in which rows appear in the first result set but not in the second result set.

If the first query has  $x$  nulls and the second query has  $y$  nulls, and  $x$  is greater than  $y$ , then  $x$  minus  $y$  `NULLS` are returned at the end of the result query set. `MINUS ALL` returns no rows if the result set returned by the first `SELECT` statement is a subset of the result set returned by the second `SELECT`.

The `EXCEPT` operator is a synonym for `MINUS` and has the exact same semantics. `EXCEPT ALL` returns rows that are present in the first result set but not in the second. However, duplicates may be present in the final result.

`EXCEPT ALL`, `MINUS ALL` `INTERSECT ALL` return equivalent instead of the original value, when `NLS_SORT=BINARY_CI[AI]` is acceptable for the SQL standard.

#### See Also:

[Table 2-9](#) for more information on implicit conversion and "Numeric Precedence" for information on numeric precedence

### Examples for Valid and Invalid Data Type Conversions for Set Operators

The following query is valid:

```
SELECT 3 FROM DUAL
INTERSECT
SELECT 3f FROM DUAL;
```

This is implicitly converted to the following compound query:

```
SELECT TO_BINARY_FLOAT(3) FROM DUAL
INTERSECT
SELECT 3f FROM DUAL;
```

The following query returns an error:

```
SELECT '3' FROM DUAL
INTERSECT
SELECT 3f FROM DUAL;
```

### Restrictions on the Set Operators

The set operators are subject to the following restrictions:

- The set operators are not valid on columns of type BLOB, CLOB, BFILE, VARRAY, or nested table.
- The UNION, INTERSECT, EXCEPT, and MINUS operators are not valid on LONG columns.
- If the select list preceding the set operator contains an expression, then you must provide a column alias for the expression in order to refer to it in the *order\_by\_clause*.
- You cannot also specify the *for\_update\_clause* with the set operators.
- You cannot specify the *order\_by\_clause* in the *subquery* of these operators.
- You cannot use these operators in SELECT statements containing TABLE collection expressions.

#### Note:

To comply with emerging SQL standards, a future release of Oracle will give the INTERSECT operator greater precedence than the other set operators. Therefore, you should use parentheses to specify order of evaluation in queries that use the INTERSECT operator with other set operators.

### UNION Example

The following statement combines the results of two queries with the UNION operator, which eliminates duplicate selected rows. This statement shows that you must match data type (using the TO\_CHAR function) when columns do not exist in one or the other table:

```
SELECT location_id, department_name "Department",
       TO_CHAR(NULL) "Warehouse" FROM departments
UNION
SELECT location_id, TO_CHAR(NULL) "Department", warehouse_name
FROM warehouses;
```

LOCATION_ID	Department	Warehouse
1400	IT	
1400		Southlake, Texas
1500	Shipping	
1500		San Francisco
1600		New Jersey

```
1700 Accounting
1700 Administration
1700 Benefits
1700 Construction
1700 Contracting
1700 Control And Credit
...
```

### UNION ALL Example

The `UNION` operator returns only distinct rows that appear in either result, while the `UNION ALL` operator returns all rows. The `UNION ALL` operator does not eliminate duplicate selected rows:

```
SELECT product_id FROM order_items
UNION
SELECT product_id FROM inventories
ORDER BY product_id;

SELECT location_id FROM locations
UNION ALL
SELECT location_id FROM departments
ORDER BY location_id;
```

A `location_id` value that appears multiple times in either or both queries (such as '1700') is returned only once by the `UNION` operator, but multiple times by the `UNION ALL` operator.

### INTERSECT Example

The following statement combines the results with the `INTERSECT` operator, which returns only those unique rows returned by both queries:

```
SELECT product_id FROM inventories
INTERSECT
SELECT product_id FROM order_items
ORDER BY product_id;
```

### MINUS Example

The following statement combines results with the `MINUS` operator, which returns only unique rows returned by the first query but not by the second:

```
SELECT product_id FROM inventories
MINUS
SELECT product_id FROM order_items
ORDER BY product_id;
```

### EXCEPT Example

You can use `EXCEPT` or `MINUS` when you want to exclude a result set from the final result set. In this example, the result of the second query is ignored.

The following statement combines results with the `EXCEPT` operator, which returns only unique rows returned by the first query but not by the second:

```
SELECT product_id FROM inventories
EXCEPT
SELECT product_id FROM order_items
ORDER BY product_id;
```

## Sorting Query Results

Use the `ORDER BY` clause to order the rows selected by a query. Sorting by position is useful in the following cases:

- To order by a lengthy select list expression, you can specify its position in the `ORDER BY` clause rather than duplicate the entire expression.
- For compound queries containing set operators `UNION`, `INTERSECT`, `MINUS`, or `UNION ALL`, the `ORDER BY` clause must specify positions or aliases rather than explicit expressions. Also, the `ORDER BY` clause can appear only in the last component query. The `ORDER BY` clause orders all rows returned by the entire compound query.

The ordering method by which Oracle Database sorts character values for the `ORDER BY` clause, also known as the collation, is determined for each `ORDER BY` clause expression separately using the collation derivation rules.

If the determined collation of an expression is not the collation `BINARY`, then the character values are compared linguistically. In this case, they are first transformed to collation keys and then compared like `RAW` values. The collation keys are generated implicitly using the same method that the SQL function `NLSSORT` uses. Generated collation keys are subject to the same restrictions that are described in "NLSSORT". As a result of these restrictions, if the initialization parameter `MAX_STRING_SIZE` is set to `STANDARD`, two values may compare as linguistically equal if they do not differ in the prefix that was used to produce the collation key, even if they differ in the rest of the value. If the parameter's value is `EXTENDED`, then the error "ORA-12742: unable to create the collation key" may be reported under certain circumstances. See the links below for further information on the restrictions.



### See Also:

- Collation Derivation
- Linguistic Sorting and Matching
- Default Values for NLS Parameters in SQL Functions
- [NLSSORT](#)

## Joins

A **join** is a query that combines rows from two or more tables, views, or materialized views. Oracle Database performs a join whenever multiple tables appear in the `FROM` clause of the query. The select list of the query can select any columns from any of these tables. If any two of these tables have a column name in common, then you must qualify all references to these columns throughout the query with table names to avoid ambiguity.

## Join Conditions

Most join queries contain at least one **join condition**, either in the `FROM` clause or in the `WHERE` clause. The join condition compares two columns, each from a different table. To execute a join, Oracle Database combines pairs of rows, each containing one row from each table, for which the join condition evaluates to `TRUE`. The columns in the join conditions need not also appear in the select list.

To execute a join of three or more tables, Oracle first joins two of the tables based on the join conditions comparing their columns and then joins the result to another table based on join conditions containing columns of the joined tables and the new table. Oracle continues this process until all tables are joined into the result. The optimizer determines the order in which Oracle joins tables based on the join conditions, indexes on the tables, and, any available statistics for the tables.

A `WHERE` clause that contains a join condition can also contain other conditions that refer to columns of only one table. These conditions can further restrict the rows returned by the join query.

### Note:

You cannot specify LOB columns in the `WHERE` clause if the `WHERE` clause contains the join condition. The use of LOBs in `WHERE` clauses is also subject to other restrictions. See *Oracle Database SecureFiles and Large Objects Developer's Guide* for more information.

## Equijoins

An **equijoin** is a join with a join condition containing an equality operator. An equijoin combines rows that have equivalent values for the specified columns. Depending on the internal algorithm the optimizer chooses to execute the join, the total size of the columns in the equijoin condition in a single table may be limited to the size of a data block minus some overhead. The size of a data block is specified by the initialization parameter `DB_BLOCK_SIZE`.

### See Also:

["Using Join Queries: Examples"](#)

## Band Joins

A **band join** is a special type of nonequijoin in which key values in one data set must fall within the specified range ("band") of the second data set. The same table can serve as both the first and second data sets.

 **See Also:**

- *Database SQL Tuning Guide* for more information on band joins
- [USE\\_BAND Hint](#)
- [NO\\_USE\\_BAND Hint](#)

## Self Joins

A **self join** is a join of a table to itself. This table appears twice in the `FROM` clause and is followed by table aliases that qualify column names in the join condition. To perform a self join, Oracle Database combines and returns rows of the table that satisfy the join condition.

 **See Also:**

["Using Self Joins: Example"](#)

## Cartesian Products

If two tables in a join query have no join condition, then Oracle Database returns their **Cartesian product**. Oracle combines each row of one table with each row of the other. A Cartesian product always generates many rows and is rarely useful. For example, the Cartesian product of two tables, each with 100 rows, has 10,000 rows. Always include a join condition unless you specifically need a Cartesian product. If a query joins three or more tables and you do not specify a join condition for a specific pair, then the optimizer may choose a join order that avoids producing an intermediate Cartesian product.

## Inner Joins

An **inner join** (sometimes called a **simple join**) is a join of two or more tables that returns only those rows that satisfy the join condition.

## Outer Joins

An **outer join** extends the result of a simple join. An outer join returns all rows that satisfy the join condition and also returns some or all of those rows from one table for which no rows from the other satisfy the join condition.

- To write a query that performs an outer join of tables A and B and returns all rows from A (a **left outer join**), use the `LEFT [OUTER] JOIN` syntax in the `FROM` clause, or apply the outer join operator (+) to all columns of B in the join condition in the `WHERE` clause. For all rows in A that have no matching rows in B, Oracle Database returns null for any select list expressions containing columns of B.
- To write a query that performs an outer join of tables A and B and returns all rows from B (a **right outer join**), use the `RIGHT [OUTER] JOIN` syntax in the `FROM` clause,

or apply the outer join operator (+) to all columns of A in the join condition in the `WHERE` clause. For all rows in B that have no matching rows in A, Oracle returns null for any select list expressions containing columns of A.

- To write a query that performs an outer join and returns all rows from A and B, extended with nulls if they do not satisfy the join condition (a **full outer join**), use the `FULL [OUTER] JOIN` syntax in the `FROM` clause.

You cannot compare a column with a subquery in the `WHERE` clause of any outer join, regardless which form you specify.

You can use outer joins to fill gaps in sparse data. Such a join is called a **partitioned outer join** and is formed using the `query_partition_clause` of the `join_clause` syntax. Sparse data is data that does not have rows for all possible values of a dimension such as time or department. For example, tables of sales data typically do not have rows for products that had no sales on a given date. Filling data gaps is useful in situations where data sparsity complicates analytic computation or where some data might be missed if the sparse data is queried directly.

#### See Also:

- [join\\_clause](#) for more information about using outer joins to fill gaps in sparse data
- *Oracle Database Data Warehousing Guide* for a complete discussion of group outer joins and filling gaps in sparse data

Oracle recommends that you use the `FROM clause OUTER JOIN` syntax rather than the Oracle join operator. Outer join queries that use the Oracle join operator (+) are subject to the following rules and restrictions, which do not apply to the `FROM clause OUTER JOIN` syntax:

- You cannot specify the (+) operator in a query block that also contains `FROM clause join` syntax.
- The (+) operator can appear only in the `WHERE` clause or, in the context of left-correlation (when specifying the `TABLE` clause) in the `FROM` clause, and can be applied only to a column of a table or view.
- If A and B are joined by multiple join conditions, then you must use the (+) operator in all of these conditions. If you do not, then Oracle Database will return only the rows resulting from a simple join, but without a warning or error to advise you that you do not have the results of an outer join.
- The (+) operator does not produce an outer join if you specify one table in the outer query and the other table in an inner query.
- You cannot use the (+) operator to outer-join a table to itself, although self joins are valid. For example, the following statement is **not** valid:

```
-- The following statement is not valid:
SELECT employee_id, manager_id
   FROM employees
   WHERE employees.manager_id(+) = employees.employee_id;
```

However, the following self join is valid:



```
SELECT e1.employee_id, e1.manager_id, e2.employee_id
       FROM employees e1, employees e2
       WHERE e1.manager_id(+) = e2.employee_id
       ORDER BY e1.employee_id, e1.manager_id, e2.employee_id;
```

- The (+) operator can be applied only to a column, not to an arbitrary expression. However, an arbitrary expression can contain one or more columns marked with the (+) operator.
- A WHERE condition containing the (+) operator cannot be combined with another condition using the OR logical operator.
- A WHERE condition cannot use the IN comparison condition to compare a column marked with the (+) operator with an expression.

If the WHERE clause contains a condition that compares a column from table B with a constant, then the (+) operator must be applied to the column so that Oracle returns the rows from table A for which it has generated nulls for this column. Otherwise Oracle returns only the results of a simple join.

In previous releases of Oracle Database, in a query that performed outer joins of more than two pairs of tables, a single table could be the null-generated table for only one other table. Beginning with Oracle Database 12c, a single table can be the null-generated table for multiple tables. For example, the following statement is allowed in Oracle Database 12c:

```
SELECT * FROM A, B, D
       WHERE A.c1 = B.c2(+) and D.c3 = B.c4(+);
```

In this example, B, the null-generated table, is outer-joined to two tables, A and D. Refer to [SELECT](#) for the syntax for an outer join.

## Antijoins

An antijoin returns rows from the left side of the predicate for which there are no corresponding rows on the right side of the predicate. It returns rows that fail to match (NOT IN) the subquery on the right side.



### See Also:

["Using Antijoins: Example"](#)

## Semijoins

A semijoin returns rows that match an EXISTS subquery without duplicating rows from the left side of the predicate when multiple rows on the right side satisfy the criteria of the subquery.

Semijoin and antijoin transformation cannot be done if the subquery is on an OR branch of the WHERE clause.

**See Also:**

["Using Semijoins: Example"](#)

## Using Subqueries

A **subquery** answers multiple-part questions. For example, to determine who works in Taylor's department, you can first use a subquery to determine the department in which Taylor works. You can then answer the original question with the parent `SELECT` statement. A subquery in the `FROM` clause of a `SELECT` statement is also called an **inline view**. You can nest any number of subqueries in an inline view. A subquery in the `WHERE` clause of a `SELECT` statement is also called a **nested subquery**. You can nest up to 255 levels of subqueries in a nested subquery.

A subquery can contain another subquery. Oracle Database imposes no limit on the number of subquery levels in the `FROM` clause of the top-level query. You can nest up to 255 levels of subqueries in the `WHERE` clause.

If columns in a subquery have the same name as columns in the containing statement, then you must prefix any reference to the column of the table from the containing statement with the table name or alias. To make your statements easier to read, always qualify the columns in a subquery with the name or alias of the table, view, or materialized view.

Oracle performs a **correlated subquery** when a nested subquery references a column from a table referred to a parent statement one or more levels above the subquery or nested subquery. The parent statement can be a `SELECT`, `UPDATE`, or `DELETE` statement in which the subquery is nested. A correlated subquery conceptually is evaluated once for each row processed by the parent statement. However, the optimizer may choose to rewrite the query as a join or use some other technique to formulate a query that is semantically equivalent. Oracle resolves unqualified columns in the subquery by looking in the tables named in the subquery and then in the tables named in the parent statement.

A correlated subquery answers a multiple-part question whose answer depends on the value in each row processed by the parent statement. For example, you can use a correlated subquery to determine which employees earn more than the average salaries for their departments. In this case, the correlated subquery specifically computes the average salary for each department.

**See Also:**

["Using Correlated Subqueries: Examples"](#)

Use subqueries for the following purposes:

- To define the set of rows to be inserted into the target table of an `INSERT` or `CREATE TABLE` statement
- To define the set of rows to be included in a view or materialized view in a `CREATE VIEW` or `CREATE MATERIALIZED VIEW` statement
- To define one or more values to be assigned to existing rows in an `UPDATE` statement

- To provide values for conditions in a `WHERE` clause, `HAVING` clause, or `START WITH` clause of `SELECT`, `UPDATE`, and `DELETE` statements
- To define a table to be operated on by a containing query

You do this by placing the subquery in the `FROM` clause of the containing query as you would a table name. You may use subqueries in place of tables in this way as well in `INSERT`, `UPDATE`, and `DELETE` statements.

Subqueries so used can employ correlation variables, both defined within the subquery itself and those defined in query blocks containing the subquery. Refer to [table\\_collection\\_expression](#) for more information.

Scalar subqueries, which return a single column value from a single row, are a valid form of expression. You can use scalar subquery expressions in most of the places where `expr` is called for in syntax. Refer to "[Scalar Subquery Expressions](#)" for more information.

## Unnesting of Nested Subqueries

The term *subquery* refers to a sub-query block that appears in the `WHERE` and `HAVING` clauses. A sub-query that appears in the `FROM` clause is called a *view* or derived table.

A `WHERE` clause subquery belongs to one of the following types: `SINGLE-ROW`, `EXISTS`, `NOT EXISTS`, `ANY`, or `ALL`. A single-row subquery must return at most one row, whereas the other types of subquery can return zero or more rows.

`ANY` and `ALL` subqueries are used with relational comparison operators: `=`, `>`, `>=`, `<`, `<=`, and `<>`.

In SQL, the set operator `IN` is used as a shorthand for `=ANY` and the set operator `NOT IN` is used as a shorthand for `<>ALL`.

### Example: Correlated `EXISTS` Subquery

The subquery in the example is correlated, because the column `C.cust_id` comes from the table `customers`, that is not defined by the subquery.

```
SELECT C.cust_last_name, C.country_id
       FROM customers C
       WHERE EXISTS (SELECT 1
                    FROM sales S
                    WHERE S.quantity_sold > 1000 and
                          S.cust_id = C.cust_id);
```

Nested subqueries are those subqueries that appear in the `WHERE` and `HAVING` clauses of a parent statement like `SELECT`. When Oracle Database evaluates a statement with a nested subquery, it must evaluate the subquery portion multiple times and may overlook more efficient access paths or joins.

Subquery unnesting is an optimization that converts a subquery into a join in the outer query and allows the optimizer to consider subquery tables during access path, join method, and join order selection. Unnesting either merges the subquery into the body of the outer query block or turns it into an inline view.

When a subquery is unnested, it is merged into the statement that contains it, allowing the optimizer to consider them together when evaluating access paths and joins. The

optimizer can unnest most subqueries, with some exceptions. Those exceptions include hierarchical subqueries and subqueries that contain a `ROWNUM` pseudocolumn, one of the set operators, a nested aggregate function, or a correlated reference to a query block that is not the immediate outer query block of the subquery.

Assuming no restrictions exist, the optimizer automatically unnests some (but not all) of the following nested subqueries:

- Uncorrelated `IN` subqueries
- `IN` and `EXISTS` correlated subqueries, as long as they do not contain aggregate functions or a `GROUP BY` clause

You can enable **extended subquery unnesting** by instructing the optimizer to unnest additional types of subqueries:

- You can unnest an uncorrelated `NOT IN` subquery by specifying the `HASH_AJ` or `MERGE_AJ` hint in the subquery.
- You can unnest other subqueries by specifying the `UNNEST` hint in the subquery.



#### See Also:

"Hints" for information on hints

#### Example: Uncorrelated ANY Subquery

```
SELECT C.cust_last_name, C.country_id
       FROM customers C
       WHERE C.cust_id =ANY (SELECT S.cust_id
                            FROM sales S
                            WHERE S.quantity_sold > 1000);
```

#### Example: NOT EXISTS Subquery

```
SELECT C.cust_last_name, C.country_id
       FROM customers C
       WHERE NOT EXISTS (SELECT 1
                        FROM sales S, products P
                        WHERE P.prod_id = S.prod_id and
                               P.prod_min_price > 90 and
                               S.cust_id = C.cust_id);
```

## Selecting from the DUAL Table

`DUAL` is a table automatically created by Oracle Database along with the data dictionary. `DUAL` is in the schema of the user `SYS` but is accessible by the name `DUAL` to all users. It has one column, `DUMMY`, defined to be `VARCHAR2(1)`, and contains one row with a value `X`. Selecting from the `DUAL` table is useful for computing a constant expression with the `SELECT` statement.

Because `DUAL` has only one row, the constant is returned only once. Alternatively, you can select a constant, pseudocolumn, or expression from any table, but the value will be returned as many times as there are rows in the table. Refer to "[About SQL Functions](#)" for many examples of selecting a constant value from `DUAL`.

Beginning with Oracle Database Release 23, it is now optional to select expressions using the `FROM DUAL` clause.

 **Note:**

Beginning with Oracle Database 10g Release 1, logical I/O is not performed on the `DUAL` table when computing an expression that does not include the `DUMMY` column. This optimization is listed as `FAST DUAL` in the execution plan. If you `SELECT` the `DUMMY` column from `DUAL`, then this optimization does not take place and logical I/O occurs.

## Distributed Queries

The Oracle distributed database management system architecture lets you access data in remote databases using Oracle Net and an Oracle Database server. You can identify a remote table, view, or materialized view by appending `@dblink` to the end of its name. The `dblink` must be a complete or partial name for a database link to the database containing the remote table, view, or materialized view.

 **See Also:**

[References to Objects in Remote Databases](#) for more information on referring to database links

### Restrictions on Distributed Queries

Distributed queries are currently subject to the restriction that all tables locked by a `FOR UPDATE` clause and all tables with `LONG` columns selected by the query must be located on the same database. In addition, Oracle Database currently does not support distributed queries that select user-defined types or object `REF` data types on remote tables.

# 10

## SQL Statements: ADMINISTER KEY MANAGEMENT to ALTER JAVA

This chapter lists the various types of SQL statements and then describes the first set (in alphabetical order) of SQL statements. The remaining SQL statements appear in alphabetical order in the subsequent chapters.

This chapter contains the following sections:

- [Types of SQL Statements](#)
- [How the SQL Statement Chapters are Organized](#)
- [ADMINISTER KEY MANAGEMENT](#)
- [ALTER ANALYTIC VIEW](#)
- [ALTER ATTRIBUTE DIMENSION](#)
- [ALTER AUDIT POLICY \(Unified Auditing\)](#)
- [ALTER CLUSTER](#)
- [ALTER DATABASE](#)
- [ALTER DATABASE DICTIONARY](#)
- [ALTER DATABASE LINK](#)
- [ALTER DIMENSION](#)
- [ALTER DISKGROUP](#)
- [ALTER FLASHBACK ARCHIVE](#)
- [ALTER FUNCTION](#)
- [ALTER HIERARCHY](#)
- [ALTER INDEX](#)
- [ALTER INDEXTYPE](#)
- [ALTER INMEMORY JOIN GROUP](#)
- [ALTER JAVA](#)

### Types of SQL Statements

The lists in the following sections provide a functional summary of SQL statements and are divided into these categories:

- [Data Definition Language \(DDL\) Statements](#)
- [Data Manipulation Language \(DML\) Statements](#)
- [Transaction Control Statements](#)
- [Session Control Statements](#)

- [System Control Statement](#)
- [Embedded SQL Statements](#)

## Data Definition Language (DDL) Statements

Data definition language (DDL) statements let you to perform these tasks:

- Create, alter, and drop schema objects
- Grant and revoke privileges and roles
- Analyze information on a table, index, or cluster
- Establish auditing options
- Add comments to the data dictionary

The `CREATE`, `ALTER`, and `DROP` commands require exclusive access to the specified object. For example, an `ALTER TABLE` statement fails if another user has an open transaction on the specified table.

The `GRANT`, `REVOKE`, `ANALYZE`, `AUDIT`, and `COMMENT` commands do not require exclusive access to the specified object. For example, you can analyze a table while other users are updating the table.

Oracle Database implicitly commits the current transaction before and after every DDL statement.

A DDL statement is either blocking or nonblocking, and both types of DDL statements require exclusive locks on internal structures.

### See Also:

*Oracle Database Development Guide* to learn about the difference between blocking and nonblocking DDL

Many DDL statements may cause Oracle Database to recompile or reauthorize schema objects. For information on how Oracle Database recompiles and reauthorizes schema objects and the circumstances under which a DDL statement would cause this, see *Oracle Database Concepts*.

DDL statements are supported by PL/SQL with the use of the `DBMS_SQL` package.

### See Also:

*Oracle Database PL/SQL Packages and Types Reference* for more information about this package

The DDL statements are:

```
ALTER ... (All statements beginning with ALTER, except ALTER SESSION and ALTER
SYSTEM—see "Session Control Statements" and "System Control Statement")
ANALYZE
```

ASSOCIATE STATISTICS  
AUDIT  
COMMENT  
CREATE ... (All statements beginning with CREATE)  
DISASSOCIATE STATISTICS  
DROP ... (All statements beginning with DROP)  
FLASHBACK ... (All statements beginning with FLASHBACK)  
GRANT  
NOAUDIT  
PURGE  
RENAME  
REVOKE  
TRUNCATE

## Data Manipulation Language (DML) Statements

Data manipulation language (DML) statements access and manipulate data in existing schema objects. These statements do not implicitly commit the current transaction. The data manipulation language statements are:

CALL  
DELETE  
EXPLAIN PLAN  
INSERT  
LOCK TABLE  
MERGE  
SELECT  
UPDATE

The `SELECT` statement is a limited form of DML statement in that it can only access data in the database. It cannot manipulate data stored in the database, although it can manipulate the accessed data before returning the results of the query.

The `SELECT` statement is supported in PL/SQL only when executed dynamically. However, you can use the similar PL/SQL statement `SELECT INTO` in PL/SQL code, and you do not have to execute it dynamically. The `CALL` and `EXPLAIN PLAN` statements are supported in PL/SQL only when executed dynamically. All other DML statements are fully supported in PL/SQL.

## Transaction Control Statements

Transaction control statements manage changes made by DML statements. The transaction control statements are:

COMMIT  
ROLLBACK  
SAVEPOINT  
SET TRANSACTION  
SET CONSTRAINT

All transaction control statements, except certain forms of the `COMMIT` and `ROLLBACK` commands, are supported in PL/SQL. For information on the restrictions, see [COMMIT](#) and [ROLLBACK](#).



## Session Control Statements

Session control statements dynamically manage the properties of a user session. These statements do not implicitly commit the current transaction.

PL/SQL does not support session control statements. The session control statements are:

```
ALTER SESSION
SET ROLE
```

## System Control Statement

The single system control statement, `ALTER SYSTEM`, dynamically manages the properties of an Oracle Database instance. This statement does not implicitly commit the current transaction and is not supported in PL/SQL.

## Embedded SQL Statements

Embedded SQL statements place DDL, DML, and transaction control statements within a procedural language program. Embedded SQL is supported by the Oracle precompilers and is documented in the following books:

- *Pro\*COBOL Programmer's Guide*
- *Pro\*C/C++ Programmer's Guide*

## How the SQL Statement Chapters are Organized

All SQL statements in this book are organized into the following sections:

### Syntax

The syntax diagrams show the keywords and parameters that make up the statement.

### Note:

Not all keywords and parameters are valid in all circumstances. Be sure to refer to the "Semantics" section of each statement and clause to learn about any restrictions on the syntax.

### Purpose

The "Purpose" section describes the basic uses of the statement.

### Prerequisites

The "Prerequisites" section lists privileges you must have and steps that you must take before using the statement. In addition to the prerequisites listed, most statements also require that the database be opened by your instance, unless otherwise noted.

### Semantics

The "Semantics" section describes the purpose of the keywords, parameters, and clauses that make up the syntax, as well as restrictions and other usage notes that may apply to them. (The conventions for keywords and parameters used in this chapter are explained in the "Preface" of this reference.)

### Examples

The "Examples" section shows how to use the various clauses and parameters of the statement.

## ADMINISTER KEY MANAGEMENT

### Purpose

The `ADMINISTER KEY MANAGEMENT` statement provides a unified key management interface for Transparent Data Encryption. Use this statement to:

- Manage software and hardware keystores
- Manage encryption keys
- Manage secrets

Starting with Oracle Database 23ai, the Transparent Data Encryption (TDE) decryption libraries for the GOST and SEED algorithms are deprecated, and encryption to GOST and SEED are desupported.


### Prerequisites

You must have the `ADMINISTER KEY MANAGEMENT` or `SYSKM` system privilege.

To specify the `CONTAINER` clause, you must be connected to a multitenant container database (CDB). To specify `CONTAINER = ALL`, the current container must be the root and you must have the commonly granted `ADMINISTER KEY MANAGEMENT` or `SYSKM` privilege.


### Syntax

***administer\_key\_management::=***




*(keystore\_management\_clauses::=, key\_management\_clauses::=, secret\_management\_clauses::=)*

**keystore\_management\_clauses::=**




(*create\_keystore::=, open\_keystore::=, close\_keystore::=, backup\_keystore::=, alter\_keystore\_password::=, merge\_into\_new\_keystore::=, merge\_into\_existing\_keystore::=*)


**create\_keystore::=**




**open\_keystore::=**




**close\_keystore::=**




**backup\_keystore::=**




**alter\_keystore\_password::=**




**merge\_into\_new\_keystore::=**




**merge\_into\_existing\_keystore::=**




***isolate\_keystore::=***



***unite\_keystore ::=***




***key\_management\_clauses::=***




*(set\_key::=, create\_key::=, use\_key::=, set\_key\_tag::=, export\_keys::=, import\_keys::=, migrate\_key::=, reverse\_migrate\_key::=)*


**set\_key::=**




**create\_key::=**




**use\_key::=**




**set\_key\_tag::=**




**export\_keys::=**




**import\_keys::=**




**migrate\_key ::=**




**reverse\_migrate\_key ::=**



**move\_keys ::=**




**secret\_management\_clauses ::=**






(*add\_update\_secret::=*, *delete\_secret::=*)


***add\_update\_secret::=***




***delete\_secret::=***



***add\_update\_secret\_seps::=***



***delete\_secret\_seps::=***



***zero\_downtime\_software\_patching\_clauses::=*****Semantics*****keystore\_management\_clauses***

Use these clauses to perform the following keystore management operations:

- Create a software keystore
- Open and close a software keystore or a hardware keystore
- Back up a password-protected software keystore
- Change the password of a password-protected software keystore
- Merge two existing software keystores into a new password-protected software keystore
- Merge one existing software keystore into an existing password-protected software keystore
- Isolate the keystore of a Pluggable Database (PDB) from the Container Database (CDB) so that the PDB can manage its own keystore.
- Unite the keystore of a PDB with the CDB.

***create\_keystore***

This clause lets you create the following types of software keystores: password-protected software keystores and auto-login software keystores. To issue this clause in a multitenant environment, you must be connected to the root.

**CREATE KEYSTORE**

Specify this clause to create a password-protected software keystore.

- For *keystore\_location*, specify the full path name of the software keystore directory. The keystore will be created in this directory in a file named `ewallet.p12`. This clause is optional if the `WALLET_ROOT` parameter has been set. Refer to *Oracle Database Advanced Security Guide* to learn how to determine the software keystore directory for your system.
- Use the `IDENTIFIED BY` clause to set the password for the keystore. Refer to "[Notes on Specifying Keystore Passwords](#)" for more information.

**CREATE [ LOCAL ] AUTO\_LOGIN KEYSTORE**

Specify this clause to create an auto-login software keystore. An auto-login software keystore is created from an existing password-protected software keystore. The auto-login keystore has a system-generated password. It is stored in a PKCS#12-based file named `cwallet.sso` in the same directory as the password-protected software keystore.

- By default, Oracle creates an auto-login keystore, which can be opened from computers other than the computer on which the keystore resides. If you specify the `LOCAL` keyword, then Oracle Database creates a local auto-login keystore, which can be opened only from the computer on which the keystore resides.

- For `keystore_location`, specify the full path name of the directory in which the existing password-protected software keystore resides. The password-protected software keystore can be open or closed.
- Use the `IDENTIFIED BY` clause to specify the password for the existing password-protected software keystore. Refer to "[Notes on Specifying Keystore Passwords](#)" for more information.

### Restriction on Creating Keystores

You can create at most one password-protected software keystore and one auto-login software keystore, either local or not, in any single directory.

#### See Also:

*Oracle Database Advanced Security Guide* for more information on creating software keystores

### `open_keystore`

This clause lets you open a password-protected software keystore or a hardware keystore.

#### Note:

You do not need to use this clause to open auto-login and local auto-login software keystores because they are opened automatically when they are required—that is, when the master encryption key is accessed.

- The `FORCE KEYSTORE` clause is useful when opening a keystore in a PDB. It ensures that the CDB root keystore is open before opening the PDB keystore. Refer to "[Notes on the FORCE KEYSTORE Clause](#)" for more information.
- Use the `IDENTIFIED BY` clause to specify the password for the keystore. Refer to "[Notes on Specifying Keystore Passwords](#)" for more information.
- The `CONTAINER` clause applies when you are connected to a CDB.

If the current container is a pluggable database (PDB), then specify `CONTAINER = CURRENT` to open the keystore in the PDB. The keystore must be open in the root before you open it in the PDB.

If the current container is the root, then specify `CONTAINER = CURRENT` to open the keystore in the root, or specify `CONTAINER = ALL` to open the keystore in the root and in all PDBs.

If you omit this clause, then `CONTAINER = CURRENT` is the default.

 **See Also:**

- *Oracle Database Advanced Security Guide Managing Keystores and TDE Master Encryption Keys in United Mode*
- *Oracle Database Advanced Security Guide Managing Keystores and TDE Master Encryption Keys in Isolated Mode*
- *Oracle Database Advanced Security Guide* for more information on opening password-based software keystores and hardware keystores

***close\_keystore***

This clause lets you close a password-protected software keystore, an auto-login software keystore, or a hardware keystore. Closing a keystore disables all encryption and decryption operations. Any attempt to encrypt or decrypt data or access encrypted data results in an error.

- To close a password-protected software keystore or a hardware keystore, specify the `IDENTIFIED BY` clause. Refer to "[Notes on Specifying Keystore Passwords](#)" for more information.
- To close an auto-login keystore, do not specify the `IDENTIFIED BY` clause. Before you close an auto-login keystore, check the `WALLET_TYPE` column of the `V$ENCRYPTION_WALLET` view. If it returns `AUTOLOGIN`, then you can close the keystore. Otherwise, if you attempt to close the keystore, then an error occurs.
- The `CONTAINER` clause applies when you are connected to a CDB.

If the current container is a PDB, then specify `CONTAINER = CURRENT` to close the keystore in the PDB.

If the current container is the root, then the `CONTAINER = CURRENT` and `CONTAINER = ALL` clauses have the same effect; both clauses close the keystore in the root and in all PDBs.

If you omit this clause, then `CONTAINER = CURRENT` is the default.

 **See Also:**

*Oracle Database Advanced Security Guide* for more information on closing keystores

***backup\_keystore***

This clause lets you back up a password-protected software keystore. The keystore must be open.

- By default, Oracle Database creates a backup file with a name of the form `ewallet_timestamp.p12`, where `timestamp` is the file creation timestamp in UTC format. The optional `USING 'backup_identifier'` clause lets you specify a backup identifier which is added to the backup file name. For example, if you specify a backup identifier of `'Backup1'`, then Oracle Database creates a backup file with a name of the form `ewallet_timestamp_Backup1.p12`.

- The `FORCE KEYSTORE` clause enables this operation even if the keystore is closed. Refer to "[Notes on the FORCE KEYSTORE Clause](#)" for more information.
- Use the `IDENTIFIED BY` clause to specify the password for the keystore. Refer to "[Notes on Specifying Keystore Passwords](#)" for more information.
- The optional `TO 'keystore_location'` clause lets you specify the directory in which the backup file is created. If you omit this clause, then the backup is created in the same directory as the keystore that you are backing up.

 **See Also:**

*Oracle Database Advanced Security Guide* for more information on backing up password-based software keystores

### ***alter\_keystore\_password***

This clause lets you change the password for a password-protected software keystore. The keystore must be open.

- The `FORCE KEYSTORE` clause enables this operation even if the keystore is closed. Refer to "[Notes on the FORCE KEYSTORE Clause](#)" for more information.
- For `old_keystore_password`, specify the old password for the keystore. For `new_keystore_password`, specify the new password for the keystore. Refer to "[Notes on Specifying Keystore Passwords](#)" for more information.
- The optional `WITH BACKUP` clause instructs the database to create a backup of the keystore before changing the password. Refer to "[Notes on the WITH BACKUP Clause](#)" for more information.

 **See Also:**

*Oracle Database Advanced Security Guide* for more information on changing a password-based software keystore password

### ***merge\_into\_new\_keystore***

This clause lets you merge two software keystores into a new keystore. The keys and attributes in the two constituent keystores are added to the new keystore. The constituent keystores can be password-based or auto-login (including local auto-login) software keystores; they can be open or closed. The new keystore is a password-protected software keystore. It is in a closed state when the merge completes. Any or none of the keystores specified in this clause can be the keystore configured for use by the database.

- For `keystore1_location`, specify the full path name of the directory in which the first keystore resides.
- Specify `IDENTIFIED BY keystore1_password` only if the first keystore is a password-based software keystore. Refer to "[Notes on Specifying Keystore Passwords](#)" for more information.

- For *keystore2\_location*, specify the full path name of the directory in which the second keystore resides.
- Specify `IDENTIFIED BY keystore2_password` only if the second keystore is a password-based software keystore.
- For *keystore3\_location*, specify the full path name of the directory in which the new keystore is created.
- For *keystore3\_password*, specify the password for the new keystore.

 **See Also:**

*Oracle Database Advanced Security Guide* for more information on merging software keystores

### *merge\_into\_existing\_keystore*

This clause lets you merge a software keystore into another existing software keystore. The keys and attributes in the keystore from which you merge are added to the keystore into which you merge. The keystore from which you merge can be a password-protected or auto-login (including local auto-login) software keystore; it can be open or closed. The keystore into which you merge must be a password-based software keystore. It can be open or closed when the merge begins. However, it will be in a closed state when the merge completes. Either or neither of the keystores specified in this clause can be the keystore configured for use by the database.

- For *keystore1\_location*, specify the full path name of the directory in which the keystore from which you merge resides.
- Specify `IDENTIFIED BY keystore1_password` only if the keystore from which you merge is a password-based software keystore.
- For *keystore2\_location*, specify the full path name of the directory in which the keystore into which you merge resides.
- For *keystore2\_password*, specify the password for the keystore into which you merge.
- The optional `WITH BACKUP` clause instructs the database to create a backup of the keystore into which you merge before performing the merge. Refer to "[Notes on the WITH BACKUP Clause](#)" for more information.

 **See Also:**

*Oracle Database Advanced Security Guide* for more information on merging software keystores

### *isolate\_keystore*

Pluggable Databases (PDB) within a Container Database (CDB) can create and manage their own keystore. The *isolate\_keystore* clause allows a tenant to:

- Manage its Transparent Data Encryption keys independently from those of the CDB.

- Create a password for its independent keystore.

Within the CDB environment you can choose how the keys of a given PDB are protected. PDBs can either protect their keys with an independent password, or use the united password of the CDB.

- Use the `IDENTIFIED BY` clause to specify the password for the keystore.
- The `isolated_keystore_password` refers to the independent password of the PDB keystore.
- The `FORCE KEYSTORE` clause enables this operation even if the keystore is closed. Refer to "[Notes on the FORCE KEYSTORE Clause](#)" for more information.
- The `united_keystore_password` refers to the password of the CDB keystore.
- The optional `WITH BACKUP` clause instructs the database to create a backup of the keystore before changing the password. Refer to "[Notes on the WITH BACKUP Clause](#)" for more information.

### **FORCE Clause with *isolate\_keystore***

The `FORCE` clause of the `ADMINISTER KEY MANAGEMENT FORCE ISOLATE KEYSTORE` command is used when a clone of the PDB is using the master key being isolated. This command copies the keys from the CDB keystore into the isolated PDB keystore. For example:

```
ADMINISTER KEY MANAGEMENT
FORCE ISOLATE KEYSTORE
IDENTIFIED BY <isolated_keystore_password>
FROM ROOT KEYSTORE
[FORCE KEYSTORE]
IDENTIFIED BY [EXTERNAL STORE | <united_keystore_password>]
[WITH BACKUP [USING <backup_identifier>]]
```

### ***unite\_keystore***

The `unite_keystore` clause allows a PDB that was independently managing its keystore to change its keystore management mode to united. In united mode `CDB$ROOT` keystore password is used to manage PDBs within the CDB.

- Use the `IDENTIFIED BY` clause to specify the password for the keystore.
- The `isolated_keystore_password` refers to the independent password of the PDB keystore.
- The `FORCE KEYSTORE` clause enables this operation even if the keystore is closed. Refer to "[Notes on the FORCE KEYSTORE Clause](#)" for more information.
- The `united_keystore_password` refers to the password of the CDB keystore.
- The optional `WITH BACKUP` clause instructs the database to create a backup of the keystore before changing the password. Refer to "[Notes on the WITH BACKUP Clause](#)" for more information.

For example:

```
ADMINISTER KEY MANAGEMENT
UNITE KEYSTORE
IDENTIFIED BY <isolated_keystore_password>
```

```
WITH ROOT KEYSTORE  
[FORCE KEYSTORE]  
IDENTIFIED BY [EXTERNAL STORE | <united_keystore_password>]  
[WITH BACKUP [USING <backup_identifier>]]
```

### ***key\_management\_clauses***

Use these clauses to perform the following key management operations:

- Create and activate a master encryption key
- Set the tag for an encryption key
- Export encryption keys from a keystore into a file
- Import encryption keys from a file into a keystore
- Migrate from a password-protected software keystore to a hardware keystore
- Migrate from a hardware keystore to a password-protected software keystore

### ***set\_key***

This clause creates a new master encryption key and activates it. You can use this clause to create the first master encryption key in a keystore or to rotate (change) the master encryption key. If a master encryption key is active when you use this clause, then it is deactivated before the new master encryption key is activated. The keystore that contains the key can be a password-protected software keystore or a hardware keystore. The keystore must be open.

Specify the desired value for your TDE Master Key ID (`MKID`) and desired value of the TDE Master Encryption Key (`MK`) to create your own TDE Master Encryption Key.

If you do not specify `MKID` or `MK`, the default keys used are the system generated `MKID` and `MK`.

- In TDE encrypted databases, the TDE Master Key ID(`MKID`) is used to keep track of which TDE Master Encryption Key is in use. The `MKID:MK` option allows both the `MKID` and the `MK` to be specified.
- If only the `MK` is specified, the database generates a `MKID` for you, so that you can keep track of the TDE Master Encryption Key having the `MK` value that you specified.
- If the `MKID` is invalid, for example if it is the wrong length, or if it is a string of zeroes, you will see the following error: `ORA-46685: invalid master key identifier or master key value.`
- If the `MKID` you specified is the same as the `MKID` of an existing TDE Master Encryption Key in the keystore, you will see the following error: `ORA-46684: master key identifier exists in the keystore.`
- If either the `MKID` or the `MK` is invalid, you will see the following error: `ORA-46685: invalid master key identifier or master key value.`
- You must specify both `MKID:MK` for the `set_key` clause and `create_key` clause.
- For the `use_key` clause, you need to only specify `MKID`.
- The `ENCRYPTION` keyword is optional and is provided for semantic clarity.
- Specify the optional `USING TAG` clause to associate a tag to the new master encryption key. Refer to "[Notes on the USING TAG Clause](#)" for more information.



- If you specify the `USING ALGORITHM` clause, then the database creates a master encryption key that conforms to the specified encryption algorithm. For `encrypt_algorithm`, you can specify `AES256`, `ARIA256`, `GOST256`, or `SEED128`. To specify this clause, the `COMPATIBLE` initialization parameter must be set to 12.2 or higher. If you omit this clause, then the default is `AES256`.

The `ARIA`, `SEED`, and `GOST` algorithms are country-specific national and government standards for encryption and hashing. See *Oracle Database Security Guide* for more information.

- The `FORCE KEYSTORE` clause enables this operation even if the keystore is closed. Refer to "[Notes on the FORCE KEYSTORE Clause](#)" for more information.
- Use the `IDENTIFIED BY` clause to specify the password for the keystore. Refer to "[Notes on Specifying Keystore Passwords](#)" for more information.
- Specify the `WITH BACKUP` clause, and optionally the `USING 'backup_identifier'` clause, to create a backup of the keystore before the new master encryption key is created. Refer to "[Notes on the WITH BACKUP Clause](#)" for more information.
- The `CONTAINER` clause applies when you are connected to a CDB.

If the current container is a PDB, then specify `CONTAINER = CURRENT` to create and activate a new master encryption key in the PDB. A master encryption key must exist in the root before you create a master encryption key in the PDB.

If the current container is the root, then specify `CONTAINER = CURRENT` to create and activate a new master encryption key in the root, or specify `CONTAINER = ALL` to create and activate new master encryption keys in the root and in all PDBs.

If you omit this clause, then `CONTAINER = CURRENT` is the default.

#### See Also:

- *Oracle Database Advanced Security Guide Managing Keystores and TDE Master Encryption Keys in United Mode*
- *Oracle Database Advanced Security Guide Managing Keystores and TDE Master Encryption Keys in Isolated Mode*
- *Oracle Database Advanced Security Guide* for more information on creating and activating a master encryption key

### **`create_key`**

For details on specifying the `MKID:MK` option, see the semantics for the `set_key` clause.

This clause lets you create a master encryption key for later use. You can subsequently activate the key by using the [use\\_key](#) clause. The keystore that contains the key can be a password-protected software keystore or a hardware keystore. The keystore must be open.

- The `ENCRYPTION` keyword is optional and is provided for semantic clarity.
- Specify the optional `USING TAG` clause to associate a tag to the encryption key. Refer to "[Notes on the USING TAG Clause](#)" for more information.

- If you specify the `USING ALGORITHM` clause, then the database creates a master encryption key that conforms to the specified encryption algorithm. For `encrypt_algorithm`, you can specify `AES256`, `ARIA256`, `GOST256`, or `SEED128`. To specify this clause, the `COMPATIBLE` initialization parameter must be set to 12.2 or higher. If you omit this clause, then the default is `AES256`.

The `ARIA`, `SEED`, and `GOST` algorithms are country-specific national and government standards for encryption and hashing. See *Oracle Database Security Guide* for more information.

- The `FORCE KEYSTORE` clause enables this operation even if the keystore is closed. Refer to "[Notes on the FORCE KEYSTORE Clause](#)" for more information.
- Use the `IDENTIFIED BY` clause to specify the password for the keystore in which the key will be created. Refer to "[Notes on Specifying Keystore Passwords](#)" for more information.
- Specify the `WITH BACKUP` clause, and optionally the `USING 'backup_identifier'` clause, to create a backup of the keystore before the key is created. Refer to "[Notes on the WITH BACKUP Clause](#)" for more information.
- The `CONTAINER` clause applies when you are connected to a CDB.

If the current container is a PDB, then specify `CONTAINER = CURRENT` to create a master encryption key in the PDB. A master encryption key must exist in the root before you create a master encryption key in the PDB

If the current container is the root, then specify `CONTAINER = CURRENT` to create a master encryption key in the root, or specify `CONTAINER = ALL` to create master encryption keys in the root and in all PDBs.

If you omit this clause, then `CONTAINER = CURRENT` is the default.

#### See Also:

*Oracle Database Advanced Security Guide* for more information on creating a master encryption key for later use

### ***use\_key***

This clause lets you activate a master encryption key that has already been created. If a master encryption key is active when you use this clause, then it is deactivated before the new master encryption key is activated. The keystore that contains the key can be a password-based software keystore or a hardware keystore. The keystore must be open.

- The `ENCRYPTION` keyword is optional and is provided for semantic clarity.
- For `key_id`, specify the identifier of the key that you want to activate. You can find the key identifier by querying the `KEY_ID` column of the `V$ENCRYPTION_KEYS` view.
- Specify the optional `USING TAG` clause to associate a tag to the encryption key. Refer to "[Notes on the USING TAG Clause](#)" for more information.
- The `FORCE KEYSTORE` clause enables this operation even if the keystore is closed. Refer to "[Notes on the FORCE KEYSTORE Clause](#)" for more information.
- Use the `IDENTIFIED BY` clause to specify the password for the keystore that contains the key. Refer to "[Notes on Specifying Keystore Passwords](#)" for more information.

- Specify the `WITH BACKUP` clause, and optionally the `USING 'backup_identifier'` clause, to create a backup of the keystore before the key is activated. Refer to "[Notes on the WITH BACKUP Clause](#)" for more information.

 **See Also:**

*Oracle Database Advanced Security Guide* for more information on activating a master encryption key

### ***set\_key\_tag***

This clause lets you set the tag for the specified encryption key. The tag is an optional, user-defined descriptor for the key. If the key has no tag, then use this clause to create a tag. If the key already has a tag, then use this clause to replace the tag. You can view encryption key tags by querying the `TAG` column of the `V$ENCRYPTION_KEYS` view. The keystore must be open.

- For *tag*, specify an alphanumeric string. Enclose *tag* in single quotation marks.
- For *key\_id*, specify the identifier of the encryption key. You can find the key identifier by querying the `KEY_ID` column of the `V$ENCRYPTION_KEYS` view.
- The `FORCE KEYSTORE` clause enables this operation even if the keystore is closed. Refer to "[Notes on the FORCE KEYSTORE Clause](#)" for more information.
- Use the `IDENTIFIED BY` clause to specify the password for the keystore that contains the key. Refer to "[Notes on Specifying Keystore Passwords](#)" for more information.
- Specify the `WITH BACKUP` clause, and optionally the `USING 'backup_identifier'` clause, to create a backup of the keystore before you set the key tag. Refer to "[Notes on the WITH BACKUP Clause](#)" for more information.

 **See Also:**

*Oracle Database Advanced Security Guide* for more information on setting a key tag

### ***export\_keys***

Use this clause to export one or more encryption keys from a password-protected software keystore into a file. The keystore must be open. Each encryption key is exported together with its key identifier and key attributes. The exported keys are protected in the file with a password (secret). You can subsequently import one or more of the keys into a password-protected software keystore by using the [import\\_keys](#) clause.

- The `ENCRYPTION` keyword is optional and is provided for semantic clarity.
- Specify *secret* to set the password (secret) that protects the keys in the file. The secret is an alphanumeric string. You can optionally enclose the secret in double quotation marks. Quoted and nonquoted secrets are case sensitive.

- For *filename*, specify the full path name of the file to which the keys are to be exported. Enclose *filename* in single quotation marks.
- The `FORCE KEYSTORE` clause enables this operation even if the keystore is closed. Refer to "Notes on the `FORCE KEYSTORE` Clause" for more information.
- Use the `IDENTIFIED BY` clause to specify the password for the keystore that contains the keys you want to export. Refer to "Notes on the `WITH BACKUP` Clause" for more information.
- Use the `WITH IDENTIFIER IN` clause to specify one or more encryption keys that you would like to export using one of the following methods:
  - Use *key\_id* to specify the identifier of the encryption key you would like to export. You can specify more than one *key\_id* in a comma-separated list. You can find key identifiers by querying the `KEY_ID` column of the `V$ENCRYPTION_KEYS` view.
  - Use *subquery* to specify a query that returns a list of key identifiers for the encryption keys you would like to export. For example, the following *subquery* returns the key identifiers for all encryption keys in the database whose tags begin with the string *mytag*:

```
SELECT KEY_ID FROM V$ENCRYPTION_KEYS WHERE TAG LIKE 'mytag%'
```

Be aware that Oracle Database executes *subquery* within the current user's rights and not with definer's rights.
  - If you omit the `WITH IDENTIFIER IN` clause, then all encryption keys in the database are exported.

### Restriction on the `WITH IDENTIFIER IN` Clause

In a multitenant environment, you cannot specify `WITH IDENTIFIER IN` when exporting keys from a PDB. This ensures that all of the keys in the PDB are exported, along with metadata about the active encryption key. If you subsequently clone the PDB, or unplug and plug in the PDB, then you can use the export file to import the keys into the cloned or newly plugged-in PDB and preserve information about the active encryption key.

Note, that the keystores on Automatic Storage Management (ASM) disk groups or regular file systems can be merged with `MERGE` statements. The export files used in the `EXPORT` and the `IMPORT` statements can only be a regular operating system file and cannot be located on an ASM disk group.

`ADMINISTER KEY MANAGEMENT export_keys` and `import_keys` do not support wallet files in ASM.



#### See Also:

*Oracle Database Advanced Security Guide* for more information on exporting encryption keys

### *import\_keys*

Use this clause to import one or more encryption keys from a file into a password-based software keystore. The keystore must be open. Each encryption key is imported together with its key identifier and key attributes. The keys must have been previously exported to the file

by using the `export_keys` clause. You cannot re-import keys that have already been imported into the keystore.

- The `ENCRYPTION` keyword is optional and is provided for semantic clarity.
- For `secret`, specify the password (secret) that protects the keys in the file. The secret is an alphanumeric string. You can optionally enclose the secret in double quotation marks. Quoted and nonquoted secrets are case sensitive.
- For `filename`, specify the full path name of the file from which the keys are to be imported. Enclose `filename` in single quotation marks.
- The `FORCE KEYSTORE` clause enables this operation even if the keystore is closed. Refer to "[Notes on the FORCE KEYSTORE Clause](#)" for more information.
- Use the `IDENTIFIED BY` clause to specify the password for the keystore into which you want to import the keys. Refer to "[Notes on the WITH BACKUP Clause](#)" for more information.
- Specify the `WITH BACKUP` clause, and optionally the `USING 'backup_identifier'` clause, to create a backup of the keystore before the keys are imported. Refer to "[Notes on the WITH BACKUP Clause](#)" for more information.

Note, that the keystores on Automatic Storage Management (ASM) disk groups or regular file systems can be merged with `MERGE` statements. The export files used in the `EXPORT` and the `IMPORT` statements can only be a regular operating system file and cannot be located on an ASM disk group.

ADMINISTER KEY MANAGEMENT `export_keys` and `import_keys` do not support wallet files in ASM.



#### See Also:

*Oracle Database Advanced Security Guide* for more information on importing encryption keys

### ***migrate\_key***

Use this clause to migrate from a password-protected software keystore to a hardware keystore. This clause decrypts existing table encryption keys and tablespace encryption keys with the master encryption key in the software keystore and then re-encrypts them with the newly created master encryption key in the hardware keystore.

You can use `use_key` with `migrate_key` to migrate an existing key to a hardware keystore.

You must specify the `key_id` with `use_key` as follows:

```
ADMINISTER KEY MANAGEMENT
  USE ENCRYPTION KEY '0673C1262AA1D04F14BF26D720480C55B2'
  IDENTIFIED BY "external_keystore_password"
  MIGRATE USING software_keystore_password;
```

 **Note:**

The use of this clause is only one step in a series of steps for migrating from a password-protected software keystore to a hardware keystore. Refer to *Oracle Database Advanced Security Guide* for the complete set of steps before you use this clause.

- The `ENCRYPTION` keyword is optional and is provided for semantic clarity.
- For `HSM_auth_string`, specify the hardware keystore password. Refer to "[Notes on Specifying Keystore Passwords](#)" for more information.
- The `FORCE KEYSTORE` clause enables this operation even if the keystores are closed. Refer to "[Notes on the FORCE KEYSTORE Clause](#)" for more information.
- For `software_keystore_password`, specify the password-based software keystore password. Refer to "[Notes on Specifying Keystore Passwords](#)" for more information.
- Specify the `WITH BACKUP` clause, and optionally the `USING 'backup_identifier'` clause, to create a backup of the keystore before the migration occurs. Refer to "[Notes on the WITH BACKUP Clause](#)" for more information.

***reverse\_migrate\_key***

Use this clause to migrate from a hardware keystore to a password-protected software keystore. This clause decrypts existing table encryption keys and tablespace encryption keys with the master encryption key in the hardware keystore and then re-encrypts them with the newly created master encryption key in the password-protected software keystore.

 **Note:**

The use of this clause is only one step in a series of steps for migrating from a hardware keystore to a password-protected software keystore. Refer to *Oracle Database Advanced Security Guide* for the complete set of steps before you use this clause.

- The `ENCRYPTION` keyword is optional and is provided for semantic clarity.
- For `software_keystore_password`, specify the password-based software keystore password. Refer to "[Notes on Specifying Keystore Passwords](#)" for more information.
- The `FORCE KEYSTORE` clause enables this operation even if the keystores are closed. Refer to "[Notes on the FORCE KEYSTORE Clause](#)" for more information.
- For `HSM_auth_string`, specify the hardware keystore password. Refer to "[Notes on Specifying Keystore Passwords](#)" for more information.

***move\_keys***

Use the `move_keys` clause to move an encryption key into a new keystore. You must be a user with the `ADMINISTER KEY MANAGEMENT` or `SYSKM` privileges to log into the database. You must query the `KEY_ID` column of the `V$ENCRYPTION_KEYS` view to find the key identifier of the keystore that you want to move the keys to.

`keystore_location1` is the path to the wallet directory that will store the new keystore .p12 file. By default, this directory is in `$ORACLE_BASE/admin/db_unique_name/wallet`.

`keystore1_password` is the password for the new keystore.

`keystore_password` is the password for the keystore from which the key is moving.

`key_identifier` is the key identifier that you find from querying the `KEY_ID` column of the `V$ENCRYPTION_KEYS` view. Enclose this setting in single quotation marks (' ').

`subquery` can be used to find the exact key identifier that you want.

`backup_identifier` is an optional description of the backup. Enclose `backup_identifier` in single quotation marks (' ').

For example:

```
ADMINISTER KEY MANAGEMENT MOVE KEYS
TO NEW KEYSTORE $ORACLE_BASE/admin/orcl/wallet
IDENTIFIED BY keystore_password
FROM FORCE KEYSTORE
IDENTIFIED BY keystore_password
WITH IDENTIFIER IN
(SELECT KEY_ID FROM V$ENCRYPTION_KEYS WHERE ROWNUM < 2);
```

### ***secret\_management\_clauses***

Use these clauses to add, update, and delete secrets in password-protected software keystores or hardware keystores.



#### **See Also:**

*Oracle Database Advanced Security Guide* for more information on adding, updating, and deleting secrets

### ***add\_update\_secret***

This clause lets you add a secret to a keystore or update an existing secret in a keystore. The keystore must be open.

- Specify `ADD` to add a secret to a keystore.
- Specify `UPDATE` to update an existing secret in a keystore.
- For *secret*, specify the secret to be added or updated. The secret is an alphanumeric string. Enclose the secret in single quotation marks.
- For *client\_identifier*, specify an alphanumeric string used to identify the secret. Enclose *client\_identifier* in single quotation marks. This value is case-sensitive.
- Specify the optional `USING TAG` clause to associate a tag to *secret*. The *tag* is an optional, user-defined descriptor for the secret. Enclose the tag in single quotation marks. You can view secret tags by querying the `SECRET_TAG` column of the `V$CLIENT_SECRETS` view.

- The `FORCE KEYSTORE` clause enables this operation even if the keystore is closed. Refer to "Notes on the `FORCE KEYSTORE` Clause" for more information.
- Use the `IDENTIFIED BY` clause to specify the password for the keystore. Refer to "Notes on Specifying Keystore Passwords" for more information.
- Specify the `WITH BACKUP` clause, and optionally the `USING 'backup_identifier'` clause, to create a backup of the keystore before adding or updating the secret in a password-based software keystore. Refer to "Notes on the `WITH BACKUP` Clause" for more information.

### ***delete\_secret***

This clause lets you delete a secret from a keystore. The keystore must be open.

- For *client\_identifier*, specify an alphanumeric string used to identify the secret. Enclose *client\_identifier* in single quotation marks. You can view client identifiers by querying the `CLIENT` column of the `V$CLIENT_SECRETS` view.
- The `FORCE KEYSTORE` clause enables this operation even if the keystore is closed. Refer to "Notes on the `FORCE KEYSTORE` Clause" for more information.
- Use the `IDENTIFIED BY` clause to specify the password for the keystore. Refer to "Notes on Specifying Keystore Passwords" for more information.
- Specify the `WITH BACKUP` clause, and optionally the `USING 'backup_identifier'` clause, to create a backup of the keystore before deleting the secret from a password-based software keystore. Refer to "Notes on the `WITH BACKUP` Clause" for more information.

### **Notes on the USING TAG Clause**

Many `ADMINISTER KEY MANAGEMENT` operations include the `USING TAG` clause, which lets you associate a tag to an encryption key. The *tag* is an optional, user-defined descriptor for the key. It is a character string enclosed in single quotation marks.

You can view encryption key tags by querying the `TAG` column of the `V$ENCRYPTION_KEYS` view.

### **Notes on the FORCE KEYSTORE Clause**

When a auto-login wallet exists, the `FORCE KEYSTORE` clause enables a keystore operation even if the keystore is closed.. The behavior of this clause depends on whether you are connected to a non-CDB, a CDB root, or a PDB.

#### **Note:**

A multitenant container database is the only supported architecture in Oracle Database 21c and later releases. While the documentation is being revised, legacy terminology may persist. In most cases, "database" and "non-CDB" refer to a CDB or PDB, depending on context. In some contexts, such as upgrades, "non-CDB" refers to a non-CDB from a previous release.

- When you are connected to a non-CDB:
  - If the password-protected software or hardware keystore is closed, then the database opens the password-protected software or hardware keystore while the operation is



- performed and leaves it open, and then updates the auto-login keystore, if one exists, with the new information.
- If the auto-login keystore is open, then the database opens the password-protected software or hardware keystore temporarily while the operation is performed and updates the auto-login keystore with the new information, without switching out the auto-login keystore.
  - If the password-protected software or hardware keystore is open, then the `FORCE KEYSTORE` clause is not necessary and has no effect.
- When you are connected to the CDB root:
    - To perform an operation on the CDB root keystore (`CONTAINER=CURRENT`), the CDB root keystore must be open. Therefore, the behavior described for a non-CDB applies to the CDB root.
    - To perform an operation on the CDB root keystore and all PDB keystores (`CONTAINER=ALL`), the CDB root keystore and all PDB keystores must be open. Therefore, the behavior described for a non-CDB applies to the CDB root and each PDB.
  - When you are connected to a PDB:
    - To perform an operation on a PDB keystore, the CDB root keystore and the keystore for that PDB must be open. Therefore, the behavior described for a non-CDB applies to the CDB root and that PDB.

### Notes on Specifying Keystore Passwords

Specify keystore passwords as follows:

- For a password-protected software keystore, specify the password as a character string. You can optionally enclose the password in double quotation marks. Quoted and nonquoted passwords are case sensitive. Keystore passwords adhere to the same rules as database user passwords. Refer to the [BY password](#) clause of `CREATE USER` for the complete details.
- For a hardware keystore, specify the password as a string of the form `"user_id:password"` where:
  - `user_id` is the user ID created for the database using the HSM management interface
  - `password` is the password created for the user ID using the HSM management interface

Enclose the `user_id:password` string in double quotation marks (" ") and separate `user_id` and `password` with a colon (:).

- If you specify `EXTERNAL STORE`, then the database uses the keystore password stored in the external store to perform the operation. This feature enables you to store the password in a separate location where it can be centrally managed and accessed. To use this functionality, you must first set the `EXTERNAL_KEYSTORE_CREDENTIAL_LOCATION` initialization parameter to a location where the keystore password will be stored. Refer to *Oracle Database Advanced Security Guide* for more information on configuring an external store for a keystore password.

### Notes on the WITH BACKUP Clause

Many ADMINISTER KEY MANAGEMENT operations include the WITH BACKUP clause. This clause applies only to password-protected software keystores. It indicates that the keystore must be backed up before the operation is performed.

You must either specify WITH BACKUP when performing the operation, or issue ADMINISTER KEY MANAGEMENT with WITH BACKUP immediately *before* performing the operation.

You can also back up the auto-login wallet using WITH BACKUP.

When you specify the WITH BACKUP clause, Oracle Database creates a backup file with a name of the form `ewallet_timestamp.p12`, where *timestamp* is the file creation timestamp in UTC format. The backup file is created in the same directory as the keystore you are backing up.

The optional USING '*backup\_identifier*' clause lets you specify a backup identifier, which is added to the backup file name. For example, if you specify a backup identifier of 'Backup1', then Oracle Database creates a backup file with a name of the form `ewallet_timestamp_Backup1.p12`.

The WITH BACKUP clause is mandatory for password-protected software keystores, but optional for hardware keystores.

### ***add\_update\_secret\_seps***

Specify this clause to manage keys in a secure external password store (SEPS) also known as a SEPS wallet. The semantics of this clause is the same as the *add\_update\_secret* clause.

### ***delete\_secret\_seps***

Specify this clause to delete keys in a secure external password store (SEPS) also known as a SEPS wallet. The semantics of this clause is the same as the *delete\_secret* clause.

### ***zero\_downtime\_software\_patching\_clauses***

Specify this clause to switch over to a new PKCS#11 endpoint library. Afterward, you can switch over to the updated PKCS#11 endpoint shared library by executing the following statement:

```
ADMINISTER KEY MANAGEMENT SWITCHOVER TO LIBRARY
'updated_fully_qualified_file_name_of_library' FOR ALL CONTAINERS
```



#### **See Also:**

Managing Updates to the PKCS#11 Library

## **Examples**

### **Creating a Keystore: Examples**

The following statement creates a password-protected software keystore in directory `/etc/ORACLE/WALLETS/orcl`:

```
ADMINISTER KEY MANAGEMENT
CREATE KEYSTORE '/etc/ORACLE/WALLETS/orcl'
IDENTIFIED BY password;
```

The following statement creates an auto-login software keystore from the keystore created in the previous statement:

```
ADMINISTER KEY MANAGEMENT
  CREATE AUTO_LOGIN KEYSTORE FROM KEYSTORE '/etc/ORACLE/WALLETS/orcl'
  IDENTIFIED BY password;
```

### Opening a Keystore: Examples

The following statement opens a password-protected software keystore:

```
ADMINISTER KEY MANAGEMENT
  SET KEYSTORE OPEN
  IDENTIFIED BY password;
```

If you are connected to a CDB, then the following statement opens a password-protected software keystore in the current container:

```
ADMINISTER KEY MANAGEMENT
  SET KEYSTORE OPEN
  IDENTIFIED BY password
  CONTAINER = CURRENT;
```

The following statement opens a hardware keystore:

```
ADMINISTER KEY MANAGEMENT
  SET KEYSTORE OPEN
  IDENTIFIED BY "user_id:password";
```

The following statement opens a keystore whose password is stored in the external store:

```
ADMINISTER KEY MANAGEMENT
  SET KEYSTORE OPEN
  IDENTIFIED BY EXTERNAL STORE;
```

### Closing a Keystore: Examples

The following statement closes a password-protected software keystore:

```
ADMINISTER KEY MANAGEMENT
  SET KEYSTORE CLOSE
  IDENTIFIED BY password;
```

The following statement closes an auto-login software keystore:

```
ADMINISTER KEY MANAGEMENT
  SET KEYSTORE CLOSE;
```

The following statement closes a hardware keystore:

```
ADMINISTER KEY MANAGEMENT
  SET KEYSTORE CLOSE
  IDENTIFIED BY "user_id:password";
```

The following statement closes a keystore whose password is stored in the external store:

```
ADMINISTER KEY MANAGEMENT
  SET KEYSTORE CLOSE
  IDENTIFIED BY EXTERNAL STORE;
```

### Backing Up a Keystore: Example

The following statement creates a backup of a password-protected software keystore. The backup is stored in directory `/etc/ORACLE/KEYSTORE/DB1` and the backup file name contains the tag `hr.emp_keystore`.

```
ADMINISTER KEY MANAGEMENT
  BACKUP KEYSTORE USING 'hr.emp_keystore'
  IDENTIFIED BY password
  TO '/etc/ORACLE/KEYSTORE/DB1/';
```

### Changing a Keystore Password: Example

The following statement changes the password for a password-protected software keystore. It also creates a backup of the keystore, with the tag `pwd_change`, before changing the password.

```
ADMINISTER KEY MANAGEMENT
  ALTER KEYSTORE PASSWORD IDENTIFIED BY old_password
  SET new_password WITH BACKUP USING 'pwd_change';
```

### Merging Two Keystores Into a New Keystore: Example

The following statement merges an auto-login software keystore with a password-protected software keystore to create a new password-protected software keystore at a new location:

```
ADMINISTER KEY MANAGEMENT
  MERGE KEYSTORE '/etc/ORACLE/KEYSTORE/DB1'
  AND KEYSTORE '/etc/ORACLE/KEYSTORE/DB2'
  IDENTIFIED BY existing_keystore_password
  INTO NEW KEYSTORE '/etc/ORACLE/KEYSTORE/DB3'
  IDENTIFIED BY new_keystore_password;
```

### Merging a Keystore Into an Existing Keystore: Example

The following statement merges an auto-login software keystore into a password-protected software keystore. It also creates a backup of the password-protected software keystore before performing the merge.

```
ADMINISTER KEY MANAGEMENT
  MERGE KEYSTORE '/etc/ORACLE/KEYSTORE/DB1'
  INTO EXISTING KEYSTORE '/etc/ORACLE/KEYSTORE/DB2'
  IDENTIFIED BY existing_keystore_password
  WITH BACKUP;
```

### Creating and Activating a Master Encryption Key: Examples

The following statement creates and activates a master encryption key in a password-protected software keystore. It encrypts the key using the `SEED128` algorithm. It also creates a backup of the keystore before creating the new master encryption key.

```
ADMINISTER KEY MANAGEMENT
  SET KEY USING ALGORITHM 'SEED128'
  IDENTIFIED BY password
  WITH BACKUP;
```

The following statement creates a master encryption key in a password-protected software keystore, but does not activate the key. It also creates a backup of the keystore before creating the new master encryption key.

```
ADMINISTER KEY MANAGEMENT
CREATE KEY USING TAG 'mykey1'
IDENTIFIED BY password
WITH BACKUP;
```

The following query displays the key identifier for the master encryption key that was created in the previous statement:

```
SELECT TAG, KEY_ID
FROM V$ENCRYPTION_KEYS
WHERE TAG = 'mykey1';

TAG      KEY_ID
-----
mykey1   ARgEtzPxpE/Nv8WdPu8LJJUAAAAAAAAAAAAAAAAAAAAAAAAAAAA
```

The following statement activates the master encryption key that was queried in the previous statement. It also creates a backup of the keystore before activating the new master encryption key.

```
ADMINISTER KEY MANAGEMENT
USE KEY 'ARgEtzPxpE/Nv8WdPu8LJJUAAAAAAAAAAAAAAAAAAAAAAAAAAAA'
IDENTIFIED BY password
WITH BACKUP;
```

### Setting a Key Tag: Example

This example assumes that the keystore is closed. The following statement temporarily opens the keystore and changes the tag to `mykey2` for the master encryption key that was activated in the previous example. It also creates a backup of the keystore before changing the tag.

```
ADMINISTER KEY MANAGEMENT
SET TAG 'mykey2' FOR 'ARgEtzPxpE/Nv8WdPu8LJJUAAAAAAAAAAAAAAAAAAAAAAAAAAAA'
FORCE KEYSTORE
IDENTIFIED BY password
WITH BACKUP;
```

### Exporting Keys: Examples

The following statement exports two master encryption keys from a password-protected software keystore to file `/etc/TDE/export.exp`. The statement encrypts the master encryption keys in the file using the secret `my_secret`. The identifiers of the master encryption keys to be exported are provided as a comma-separated list.

```
ADMINISTER KEY MANAGEMENT
EXPORT KEYS WITH SECRET "my_secret"
TO '/etc/TDE/export.exp'
IDENTIFIED BY password
WITH IDENTIFIER IN 'AdoxnJ0uH08cv7xkz83ovwsAAAAAAAAAAAAAAAAAAAAAAAAAAAA',
                  'AW5z3CoyKE/yv3cNT5CWCXUAAAAAAAAAAAAAAAAAAAAAAAAAAAA';
```

The following statement exports master encryption keys from a password-protected software keystore to file `/etc/TDE/export.exp`. Only the keys whose tags are `mytag1` or `mytag2` are exported. The master encryption keys in the file are encrypted using the secret `my_secret`. The key identifiers are found by querying the `V$ENCRYPTION_KEYS` view.

```
ADMINISTER KEY MANAGEMENT
EXPORT KEYS WITH SECRET "my_secret"
```

```

TO '/etc/TDE/export.exp'
IDENTIFIED BY password
WITH IDENTIFIER IN
  (SELECT KEY_ID FROM V$ENCRYPTION_KEYS WHERE TAG IN ('mytag1', 'mytag2'));

```

The following statement exports all master encryption keys of the database to file `/etc/TDE/export.exp`. The master encryption keys in the file are encrypted using the secret `my_secret`.

```

ADMINISTER KEY MANAGEMENT
EXPORT KEYS WITH SECRET "my_secret"
TO '/etc/TDE/export.exp'
IDENTIFIED BY password;

```

In a multitenant environment, the following statements exports all master encryption keys of the PDB `salespdb`, along with metadata, to file `/etc/TDE/salespdb.exp`. The master encryption keys in the file are encrypted using the secret `my_secret`. If the PDB is subsequently cloned, or unplugged and plugged back in, then the export file created by this statement can be used to import the keys into the cloned or newly plugged-in PDB.

```

ALTER SESSION SET CONTAINER = salespdb;
ADMINISTER KEY MANAGEMENT
EXPORT KEYS WITH SECRET "my_secret"
TO '/etc/TDE/salespdb.exp'
IDENTIFIED BY password;

```

### Importing Keys: Example

The following statement imports the master encryption keys, encrypted with secret `my_secret`, from file `/etc/TDE/export.exp` to a password-protected software keystore. It also creates a backup of the password-protected software keystore before importing the keys.

```

ADMINISTER KEY MANAGEMENT
IMPORT KEYS WITH SECRET "my_secret"
FROM '/etc/TDE/export.exp'
IDENTIFIED BY password
WITH BACKUP;

```

### Migrating a Keystore: Example

The following statement migrates from a password-protected software keystore to a hardware keystore. It also creates a backup of the password-protected software keystore before performing the migration.

```

ADMINISTER KEY MANAGEMENT
SET ENCRYPTION KEY IDENTIFIED BY "user_id:password"
MIGRATE USING software_keystore_password
WITH BACKUP;

```

### Reverse Migrating a Keystore: Example

The following statement reverse migrates from a hardware keystore to a password-protected software keystore:

```

ADMINISTER KEY MANAGEMENT
SET ENCRYPTION KEY IDENTIFIED BY software_keystore_password
REVERSE MIGRATE USING "user_id:password";

```

### Adding a Secret to a Keystore: Examples

The following statement adds secret `secret1`, with the tag `My first secret`, for client `client1` to a password-protected software keystore. It also creates a backup of the password-protected software keystore before adding the secret.

```
ADMINISTER KEY MANAGEMENT
  ADD SECRET 'secret1' FOR CLIENT 'client1'
  USING TAG 'My first secret'
  IDENTIFIED BY password
  WITH BACKUP;
```

The following statement adds a similar secret to a hardware keystore:

```
ADMINISTER KEY MANAGEMENT
  ADD SECRET 'secret2' FOR CLIENT 'client2'
  USING TAG 'My second secret'
  IDENTIFIED BY "user_id:password";
```

### Updating a Secret in a Keystore: Examples

The following statement updates the secret that was created in the previous example in a password-based software keystore. It also creates a backup of the password-protected software keystore before updating the secret.

```
ADMINISTER KEY MANAGEMENT
  UPDATE SECRET 'secret1' FOR CLIENT 'client1'
  USING TAG 'New Tag 1'
  IDENTIFIED BY password
  WITH BACKUP;
```

The following statement updates the secret that was created in the previous example in a hardware keystore:

```
ADMINISTER KEY MANAGEMENT
  UPDATE SECRET 'secret2' FOR CLIENT 'client2'
  USING TAG 'New Tag 2'
  IDENTIFIED BY "user_id:password";
```

### Deleting a Secret from a Keystore: Examples

The following statement deletes the secret that was updated in the previous example from a password-protected software keystore. It also creates a backup of the password-protected software keystore before deleting the secret.

```
ADMINISTER KEY MANAGEMENT
  DELETE SECRET FOR CLIENT 'client1'
  IDENTIFIED BY password
  WITH BACKUP;
```

The following statement deletes the secret that was updated in the previous example from a hardware keystore:

```
ADMINISTER KEY MANAGEMENT
  DELETE SECRET FOR CLIENT 'client2'
  IDENTIFIED BY "user_id:password";
```

# ALTER ANALYTIC VIEW

## Purpose

Use the `ALTER ANALYTIC VIEW` statement to rename or compile an analytic view. Additionally, you can modify grouping level caches by adding or dropping a new level grouping cache to a specified analytic view.


For other alterations, use `CREATE OR REPLACE ANALYTIC VIEW`.

## Prerequisites


To alter an analytic view in your own schema, you must have the `ALTER ANALYTIC VIEW` system privilege. To alter an analytic view in another user's schema, you must have the `ALTER ANY ANALYTIC VIEW` system privilege or `ALTER ANY TABLE` granted on the analytic view.

## Syntax


***alter\_analytic\_view::=***



***alter\_add\_cache\_clause::=***





***alter\_drop\_cache\_clause::=*****Semantics****IF EXISTS**

Specify `IF EXISTS` to alter an existing table.

Specifying `IF NOT EXISTS` with `ALTER VIEW` results in `ORA-11544: Incorrect IF EXISTS clause for ALTER/DROP statement.`

***schema***

Specify the schema in which the analytic view exists. If you do not specify a schema, then Oracle Database looks for the analytic view in your own schema.

***analytic\_view\_name***

Specify the name of the analytic view.

**RENAME TO**

Specify `RENAME TO` to change the name of the analytic view. For *new\_av\_name*, specify a new name for the analytic view.

**COMPILE**

Specify `COMPILE` to compile the analytic view.

***alter\_add\_cache\_clause***

Use this clause to add a new level grouping cache to a specified analytic view like the measure group, level clause and the cache type. Before you add a new level grouping cache, you must ensure that it does not match a previously defined cache with the same measures and levels.

***alter\_drop\_cache\_clause***

Use this clause to drop an existent level grouping cache from an analytic view. You must specify the attributes of the level grouping you are about to drop, like the measure group and the level clause.

**Example: Change the Name of an Analytic View**

```
ALTER ANALYTIC VIEW sales_av RENAME TO mysales_av;
```

**Example: Add a New Level Grouping Cache to an Analytic View**

```
ALTER ANALYTIC VIEW TKHCSSL308_UNITS_AVIEW_CACHE ADD CACHE
  MEASURE GROUP (sales, units, cost)
  LEVELS (TIME.FISCAL.FISCAL_QUARTER, WAREHOUSE);
```

## ALTER ATTRIBUTE DIMENSION

**Purpose**


Use the `ALTER ATTRIBUTE DIMENSION` statement to rename or compile an attribute dimension. For other alterations, use `CREATE OR REPLACE ATTRIBUTE DIMENSION`.

**Prerequisites**

To alter an attribute dimension in your own schema, you must have the `ALTER ATTRIBUTE DIMENSION` system privilege. To alter an attribute dimension in another user's schema, you must have the `ALTER ANY ATTRIBUTE DIMENSION` system privilege or have been granted `ALTER` on the attribute dimension directly.

**Syntax**

*alter\_attribute\_dimension::=*

**Semantics****IF EXISTS**

Specify `IF EXISTS` to alter an existing table.

**Specifying `IF NOT EXISTS` with `ALTER VIEW` results in ORA-11544: Incorrect `IF EXISTS` clause for `ALTER/DROP` statement.**

**schema**

Specify the schema in which the attribute dimension exists. If you do not specify a schema, then Oracle Database looks for the attribute dimension in your own schema.

**attr\_dim\_name**

Specify the name of the attribute dimension.

### RENAME TO

Specify `RENAME TO` to change the name of the attribute dimension. For `new_attr_dim_name`, specify a new name for the attribute dimension.

### COMPILE

Specify `COMPILE` to compile the attribute dimension.

### Example

The following statement changes the name of an attribute dimension:

```
ALTER ATTRIBUTE DIMENSION product_attr_dim RENAME TO  
my_product_attr_dim;
```

## ALTER AUDIT POLICY (Unified Auditing)

This section describes the `ALTER AUDIT POLICY` statement for **unified auditing**. This type of auditing is new beginning with Oracle Database 12c and provides a full set of enhanced auditing features. Refer to *Oracle Database Security Guide* for more information on unified auditing.

### Purpose

Use the `ALTER AUDIT POLICY` statement to modify a unified audit policy.

#### See Also:

- [CREATE AUDIT POLICY \(Unified Auditing\)](#)
- [DROP AUDIT POLICY \(Unified Auditing\)](#)
- [AUDIT \(Unified Auditing\)](#)
- [NOAUDIT \(Unified Auditing\)](#)

### Prerequisites


You must have the `AUDIT SYSTEM` system privilege or the `AUDIT_ADMIN` role.

If you are connected to a multitenant container database (CDB), then to modify a common unified audit policy, the current container must be the root and you must have the commonly granted `AUDIT SYSTEM` privilege or the `AUDIT_ADMIN` common role. To modify a local unified audit policy, the current container must be the container in which the audit policy was created and you must have the commonly granted `AUDIT SYSTEM` privilege or the `AUDIT_ADMIN` common role, or you must have the locally granted `AUDIT SYSTEM` privilege or the `AUDIT_ADMIN` local role in the container.

After you alter an unified audit policy with object audit options, the new audit settings take place immediately, for both the active and subsequent user sessions. If you alter an unified audit policy with system audit options, or audit conditions, then they become effective only for new user sessions, but not for the current user session.

### Syntax

***alter\_audit\_policy::=***




#### Note:


If you specify the `ADD` or `DROP` clause, then you must specify at least one of the clauses `privilege_audit_clause`, `action_audit_clause`, or `role_audit_clause`.

[\*\(privilege\\_audit\\_clause::=, action\\_audit\\_clause::=, role\\_audit\\_clause::=\)\*](#)


***privilege\_audit\_clause::=***




***action\_audit\_clause::=***




**standard\_actions::=**



**component\_actions::=**



**role\_audit\_clause::=**



**Semantics**

**policy**

Specify the name of the unified audit policy to be modified. The policy must have been created using the `CREATE AUDIT POLICY` statement. You can find descriptions of all unified audit policies by querying the `AUDIT_UNIFIED_POLICIES` view.

 **See Also:**

- [CREATE AUDIT POLICY \(Unified Auditing\)](#)
- *Oracle Database Reference* for more information on the `AUDIT_UNIFIED_POLICIES` view

**ADD | DROP**

Use the `ADD` clause to add privileges to be audited to *policy*.

Use the `DROP` clause to remove privileges to be audited from *policy*.

Refer to [privilege\\_audit\\_clause](#), [action\\_audit\\_clause](#), and [role\\_audit\\_clause](#) of `CREATE AUDIT POLICY` for the full semantics of these clauses.

**CONDITION**

Use this clause to drop, add, or replace the audit condition for *policy*.

Specify `DROP` to drop the audit condition from *policy*.

Specify `'audit_condition' ...` to add or replace the audit condition for *policy*.

Refer to [audit\\_condition](#), [EVALUATE PER STATEMENT](#), [EVALUATE PER SESSION](#), and [EVALUATE PER INSTANCE](#) of `CREATE AUDIT POLICY` for the full semantics of these clauses.

**ONLY TOPLEVEL**

Specify this clause to change the existing unified audit policy to audit only the top level SQL statements issued by the user.

**Example: Add Top Level Auditing**

The example changes the HR audit policy *hr\_audit\_policy* to capture only top level statements.

```
ALTER AUDIT POLICY hr_audit_policy ADD ONLY TOPLEVEL
```

You can drop top level auditing from an existing audit policy auditing the top level SQL statements.

**Example: Drop Top Level Auditing**

```
ALTER AUDIT POLICY hr_audit_policy DROP ONLY TOPLEVEL
```

See *Database Security Guide* for more information.

**Examples**

The following examples modify unified audit policies that were created in the `CREATE AUDIT POLICY` "[Examples](#)".

**Adding Privileges, Actions, and Roles to a Unified Audit Policy: Examples**

The following statement adds the system privileges `CREATE ANY TABLE` and `DROP ANY TABLE` to unified audit policy *dml\_pol*:

```
ALTER AUDIT POLICY dml_pol
  ADD PRIVILEGES CREATE ANY TABLE, DROP ANY TABLE;
```

The following statement adds the system actions CREATE JAVA, ALTER JAVA, and DROP JAVA to unified audit policy java\_pol:

```
ALTER AUDIT POLICY java_pol
  ADD ACTIONS CREATE JAVA, ALTER JAVA, DROP JAVA;
```

The following statement adds the role dba to unified audit policy table\_pol:

```
ALTER AUDIT POLICY table_pol
  ADD ROLES dba;
```

The following statement adds multiple system privileges, actions, and roles to unified audit policy security\_pol:

```
ALTER AUDIT POLICY security_pol
  ADD PRIVILEGES CREATE ANY LIBRARY, DROP ANY LIBRARY
  ACTIONS DELETE on hr.employees,
           INSERT on hr.employees,
           UPDATE on hr.employees,
           ALL on hr.departments
  ROLES dba, connect;
```

### Dropping Privileges, Actions, and Roles from a Unified Audit Policy: Examples

The following statement drops the system privilege CREATE ANY TABLE from unified audit policy table\_pol:

```
ALTER AUDIT POLICY table_pol
  DROP PRIVILEGES CREATE ANY TABLE;
```

The following statement drops the INSERT and UPDATE actions on hr.employees from unified audit policy dml\_pol:

```
ALTER AUDIT POLICY dml_pol
  DROP ACTIONS INSERT on hr.employees,
           UPDATE on hr.employees;
```

The following statement drops the role java\_deploy from unified audit policy java\_pol:

```
ALTER AUDIT POLICY java_pol
  DROP ROLES java_deploy;
```

The following statement drops a system privilege, an action, and a role from unified audit policy hr\_admin\_pol:

```
ALTER AUDIT POLICY hr_admin_pol
  DROP PRIVILEGES CREATE ANY TABLE
  ACTIONS LOCK TABLE
  ROLES audit_viewer;
```

### Adding and Dropping Actions for a Unified Audit Policy: Example

The following statement adds EXPORT actions for Oracle Data Pump to unified audit policy dp\_actions\_pol and drops IMPORT actions for Oracle Data Pump:

```
ALTER AUDIT POLICY dp_actions_pol
  ADD ACTIONS COMPONENT = datapump EXPORT
  DROP ACTIONS COMPONENT = datapump IMPORT;
```

### Dropping the Audit Condition from a Unified Audit Policy: Example

The following statement drops the audit condition from unified audit policy `order_updates_pol`:

```
ALTER AUDIT POLICY order_updates_pol
  CONDITION DROP;
```

### Modifying the Audit Condition for a Unified Audit Policy: Example

The following statement modifies the audit condition for unified audit policy `emp_updates_pol` so that the policy is enforced only when the auditable statement is issued by a user whose UID is 102:

```
ALTER AUDIT POLICY emp_updates_pol
  CONDITION 'UID = 102'
  EVALUATE PER STATEMENT;
```

### Altering an Audit Policy at the Column Level: Example

The audit policy `employee_audit_policy` generates audit records only when the select operation is performed on the `sal` column in the `emp` table.

```
CREATE AUDIT POLICY employee_audit_policy ACTIONS SELECT(sal) on scott.emp;
```

The example alters the `employee_audit_policy` so that audit records are generated also when insert operations are done in the `dname` column of the `dept` table.

```
ALTER AUDIT POLICY employee_audit_policy ACTIONS ADD INSERT(dname) on scott.dept;
```

## ALTER CLUSTER

### Purpose

Use the `ALTER CLUSTER` statement to redefine storage and parallelism characteristics of a cluster.

#### Note:

You cannot use this statement to change the number or the name of columns in the cluster key, and you cannot change the tablespace in which the cluster is stored.

#### See Also:

[CREATE CLUSTER](#) for information on creating a cluster, [DROP CLUSTER](#) and [DROP TABLE](#) for information on removing tables from a cluster, and [CREATE TABLE ... \*physical\\_properties\*](#) for information on adding a table to a cluster


### Prerequisites

The cluster must be in your own schema or you must have the `ALTER ANY CLUSTER` system privilege.




**Syntax**

***alter\_cluster::=***




(*physical\_attributes\_clause::=*, *size\_clause::=*, `MODIFY PARTITION`, *allocate\_extent\_clause::=*, *deallocate\_unused\_clause::=*, *parallel\_clause::=*)

***physical\_attributes\_clause::=***



(*storage\_clause::=*)

***allocate\_extent\_clause::=***




(*size\_clause::=*)

***deallocate\_unused\_clause::=***



(*size\_clause*::=)

***parallel\_clause***::=



## Semantics

### IF EXISTS

Specify `IF EXISTS` to alter an existing table.

Specifying `IF NOT EXISTS` with `ALTER VIEW` results in `ORA-11544: Incorrect IF EXISTS clause for ALTER/DROP statement.`

### *schema*

Specify the schema containing the cluster. If you omit *schema*, then Oracle Database assumes the cluster is in your own schema.

### *cluster*

Specify the name of the cluster to be altered.

### *physical\_attributes\_clause*

Use this clause to change the values of the `PCTUSED`, `PCTFREE`, and `INITRANS` parameters of the cluster.

Use the `STORAGE` clause to change the storage characteristics of the cluster.

#### See Also:

- [physical\\_attributes\\_clause](#) for information on the parameters
- [storage\\_clause](#) for a full description of that clause

### Restriction on Physical Attributes

You cannot change the values of the storage parameters `INITIAL` and `MINEXTENTS` for a cluster.

### SIZE

#### *integer*

Use the `SIZE` clause to specify the number of cluster keys that will be stored in data blocks allocated to the cluster.

### Restriction on SIZE

You can change the `SIZE` parameter only for an indexed cluster, not for a hash cluster.

**See Also:**

[CREATE CLUSTER](#) for a description of the `SIZE` parameter and "[Modifying a Cluster: Example](#)"

**MODIFY PARTITION**

Specify `MODIFY PARTITION partition allocate_extent_clause` to explicitly allocate a new extent for a cluster partition. This operation is valid only for range-partitioned hash clusters. For *partition*, specify the cluster partition name.

***allocate\_extent\_clause***

Specify *allocate\_extent\_clause* to explicitly allocate a new extent for a cluster. This operation is valid only for indexed clusters and nonpartitioned hash clusters.

When you explicitly allocate an extent with the *allocate\_extent\_clause*, Oracle Database does not evaluate the storage parameters of the cluster and determine a new size for the next extent to be allocated (as it does when you create a table). Therefore, specify `SIZE` if you do not want Oracle Database to use a default value.

**See Also:**

[allocate\\_extent\\_clause](#) for a full description of this clause

***deallocate\_unused\_clause***

Use the *deallocate\_unused\_clause* to explicitly deallocate unused space at the end of the cluster and make the freed space available for other segments.

**See Also:**

[deallocate\\_unused\\_clause](#) for a full description of this clause and "[Deallocating Unused Space: Example](#)"

***parallel\_clause***

Specify the *parallel\_clause* to change the default degree of parallelism for queries on the cluster.

 **See Also:**

[parallel\\_clause](#) in the documentation on CREATE TABLE for complete information on this clause

**Examples**

The following examples modify the clusters that were created in the CREATE CLUSTER "Examples".

**Modifying a Cluster: Example**

The next statement alters the personnel cluster:

```
ALTER CLUSTER personnel
  SIZE 1024 CACHE;
```

Oracle Database allocates 1024 bytes for each cluster key value and enables the cache attribute. Assuming a data block size of 2 kilobytes, future data blocks within this cluster contain 2 cluster keys in each data block, or 2 kilobytes divided by 1024 bytes.

**Deallocating Unused Space: Example**

The following statement deallocates unused space from the language cluster, keeping 30 kilobytes of unused space for future use:

```
ALTER CLUSTER language
  DEALLOCATE UNUSED KEEP 30 K;
```

**Altering Clusters: Example**

The following statement creates a cluster with the default key size (600):

```
CREATE CLUSTER EMP_DEPT (DEPTNO NUMBER(3))
  SIZE 600
  TABLESPACE USERS
  STORAGE (INITIAL 200K
    NEXT 300K
    MINEXTENTS 2
    PCTINCREASE 33);
```

The following statement queries USER\_CLUSTERS to display the cluster metadata:

```
SELECT CLUSTER_NAME, TABLESPACE_NAME, KEY_SIZE, CLUSTER_TYPE,
  AVG_BLOCKS_PER_KEY, MIN_EXTENTS, MAX_EXTENTS FROM USER_CLUSTERS;
```

CLUSTER_NAME	TABLESPACE_NAME	KEY_SIZE	CLUSTER_TYPE	AVG_BLOCKS_PER_KEY	MIN_EXTENTS	MAX_EXTENTS
EMP_DEPT	USERS	600	INDEX	1	2147483645	

The following statement modifies the cluster key size:

```
ALTER CLUSTER EMP_DEPT SIZE 1024;
```

The following statement displays the metadata of the modified cluster:

```
SELECT CLUSTER_NAME, TABLESPACE_NAME, KEY_SIZE, CLUSTER_TYPE,
AVG_BLOCKS_PER_KEY, MIN_EXTENTS, MAX_EXTENTS FROM USER_CLUSTERS;
```

CLUSTER_NAME	TABLESPACE_NAME	KEY_SIZE	CLUST
AVG_BLOCKS_PER_KEY	MIN_EXTENTS	MAX_EXTENTS	
EMP_DEPT	USERS	1024	
INDEX		1	2147483645

The following statement deallocates unused space from the EMP\_DEPT cluster, keeping 30 kilobytes of unused space for future use:

```
ALTER CLUSTER EMP_DEPT DEALLOCATE UNUSED KEEP 30 K;
```

The following statement displays the metadata of the modified cluster:

```
SELECT CLUSTER_NAME, TABLESPACE_NAME, KEY_SIZE, CLUSTER_TYPE,
AVG_BLOCKS_PER_KEY, MIN_EXTENTS, MAX_EXTENTS FROM USER_CLUSTERS;
```

CLUSTER_NAME	TABLESPACE_NAME	KEY_SIZE	CLUST
AVG_BLOCKS_PER_KEY	MIN_EXTENTS	MAX_EXTENTS	
EMP_DEPT	USERS	1024	
INDEX		1	2147483645

#### Live SQL:

View and run a related example on Oracle Live SQL at [Creating and Altering Clusters](#)

## ALTER DATABASE

### Purpose

Use the ALTER DATABASE statement to modify, maintain, or recover an existing database.

 **See Also:**

- *Oracle Database Backup and Recovery User's Guide* for examples of performing media recovery
- *Oracle Data Guard Concepts and Administration* for additional information on using the `ALTER DATABASE` statement to maintain standby databases
- [CREATE DATABASE](#) for information on creating a database

### Prerequisites

You must have the `ALTER DATABASE` system privilege.

To specify the `startup_clauses`, you must also be connected `AS SYSDBA`, `AS SYSOPER`, `AS SYSBACKUP`, or `AS SYSDG`.

To specify the `general_recovery` clause, you must also have the `SYSDBA` or `SYSBACKUP` system privilege.

To specify the `DEFAULT EDITION` clause, you must also have the `USE` object privilege `WITH GRANT OPTION` on the specified edition.

If you are connected to a multitenant container database (CDB):

- To modify the entire CDB, the current container must be the root and you must have the commonly granted `ALTER DATABASE` privilege.
- To modify a container, it must be the current container and you must have the `ALTER DATABASE` privilege, either granted commonly or granted locally in the container.

### Notes on Using ALTER DATABASE in a CDB

When you issue the `ALTER DATABASE` statement while connected to a CDB, the behavior of the statement depends on the current container and the clause(s) you specify.

If the current container is the root, then `ALTER DATABASE` statements with the following clauses modify the entire CDB. In order to specify these clauses, you must have the commonly granted `ALTER DATABASE` privilege:

- `startup_clauses`
- `recovery_clauses`

**Note:** A subset of the `recovery_clauses` are supported to back up and recover an individual pluggable database (PDB). In order to specify these clauses, you must have the `ALTER DATABASE` privilege, either granted commonly or granted locally in the PDB. Refer to "[Notes on Using the recovery\\_clauses in a CDB](#)" for more information.

- `logfile_clauses`
- `controlfile_clauses`
- `standby_database_clauses`
- `instance_clauses`
- `security_clause`
- `RENAME GLOBAL_NAME TO`

- ENABLE BLOCK CHANGE TRACKING
- DISABLE BLOCK CHANGE TRACKING
- *undo\_mode\_clause*

If the current container is the root, then ALTER DATABASE statements with the following clauses modify only the root. In order to specify these clauses, you must have the ALTER DATABASE privilege, either granted commonly or granted locally in the root:

- *database\_file\_clauses*
- DEFAULT EDITION
- DEFAULT TABLESPACE


If the current container is the root, then ALTER DATABASE statements with the following clauses modify the root and set default values for the PDBs. In order to specify these clauses, you must have the commonly granted ALTER DATABASE privilege:

- DEFAULT [ LOCAL ] TEMPORARY TABLESPACE
- *flashback\_mode\_clause*
- SET DEFAULT { BIGFILE | SMALLFILE } TABLESPACE
- *set\_time\_zone\_clause*

If the current container is a PDB, then ALTER DATABASE statements modify that PDB. In this case, you can issue only ALTER DATABASE clauses that are also supported by the ALTER PLUGGABLE DATABASE statement. This functionality is provided to maintain backward compatibility for applications that have been migrated to a CDB environment. The exception is modifying PDB storage limits, for which you must use the *pdb\_storage\_clause* of ALTER PLUGGABLE DATABASE. Refer to the documentation on [ALTER PLUGGABLE DATABASE](#) for complete information on these clauses.

## Syntax


***alter\_database::=***



### Groups of ALTER DATABASE syntax:


- ***startup\_clauses::=***
- ***recovery\_clauses::=***
- ***database\_file\_clauses::=***
- ***logfile\_clauses::=***
- ***controlfile\_clauses::=***
- ***standby\_database\_clauses::=***
- ***default\_settings\_clauses::=***
- ***instance\_clauses::=***
- ***security\_clause::=***

***database\_clause::=***






**startup\_clauses::=**





**recovery\_clauses::=**




*(general\_recovery::=, managed\_standby\_recovery::=)*

**general\_recovery::=**




*(full\_database\_recovery::=, partial\_database\_recovery::=, parallel\_clause::=)*


**full\_database\_recovery::=**




**partial\_database\_recovery::=**



**parallel\_clause::=**



**managed\_standby\_recovery::=**




(parallel\_clause::=)



**Note:**


Several subclauses of *managed\_standby\_recovery* are no longer needed and have been deprecated. These clauses no longer appear in the syntax diagrams. Refer to the semantics of *managed\_standby\_recovery*.

**database\_file\_clauses::=**




(create\_datafile\_clause::=, alter\_datafile\_clause::=, alter\_tempfile\_clause::=, move\_datafile\_clause::=)

**create\_datafile\_clause::=**




*(file\_specification::=)*

**alter\_datafile\_clause::=**




*(autoextend\_clause::=, size\_clause::=)*

**alter\_tempfile\_clause::=**




*(autoextend\_clause::=, size\_clause::=)*


**move\_datafile\_clause::=**




**ASM\_filename::=**



**autoextend\_clause::=**




**maxsize\_clause::=**




*(size\_clause::=)*

**logfile\_clauses::=**




*(logfile\_descriptor::=, add\_logfile\_clauses::=, drop\_logfile\_clauses::=, switch\_logfile\_clause::=, supplemental\_db\_logging::=)*

**add\_logfile\_clauses::=**




*(redo\_log\_file\_spec::=, logfile\_descriptor::=)*

**drop\_logfile\_clauses::=**




*(logfile\_descriptor::=)*

**switch\_logfile\_clause::=**




**supplemental\_db\_logging::=**




*(supplemental\_id\_key\_clause::=)*

**supplemental\_id\_key\_clause::=**




**supplemental\_plsql\_clause::=**




**supplemental\_subset\_replication\_clause**



**logfile\_descriptor::=**




**controlfile\_clauses::=**




**(trace\_file\_clause::=)**

**trace\_file\_clause::=**




**standby\_database\_clauses::=**




*(activate\_standby\_db\_clause::=, maximize\_standby\_db\_clause::=, register\_logfile\_clause::=, commit\_switchover\_clause::=, start\_standby\_clause::=, stop\_standby\_clause::=, convert\_database\_clause::=, parallel\_clause::=, switchover\_clause::=, failover\_clause::=)*

**activate\_standby\_db\_clause::=**






**maximize\_standby\_db\_clause::=**



**register\_logfile\_clause::=**




**(file\_specification::=)**


**switchover\_clause::=**




**failover\_clause::=**




**commit\_switchover\_clause::=**




**start\_standby\_clause::=**




**stop\_standby\_clause::=**



**convert\_database\_clause::=**




**default\_settings\_clauses::=**




*([flashback\\_mode\\_clause::=](#), [undo\\_mode\\_clause::=](#), [set\\_time\\_zone\\_clause::=](#))*


**flashback\_mode\_clause::=**




**undo\_mode\_clause::=**




**set\_time\_zone\_clause::=**




**instance\_clauses::=**




**security\_clause::=**




**prepare\_clause::=**




**drop\_mirror\_copy::=**




**lost\_write\_protection ::=**



***cdb\_fleet\_clauses::=***



***lead\_cdb\_clause::=***




***lead\_cdb\_uri\_clause::=***



***property\_clause***



***replay\_upgrade\_clause::=***



**Semantics**

***database\_clause***

Specify the `DATABASE` option for a non-container database.

***db\_name***

Specify the name of the database to be altered. If you omit *db\_name*, then Oracle Database alters the database identified by the value of the initialization parameter `DB_NAME`. You can alter only the database whose control files are specified by the initialization parameter `CONTROL_FILES`. The database identifier is not related to the Oracle Net database specification.

### *startup\_clauses*

The *startup\_clauses* let you mount and open the database so that it is accessible to users.

#### **MOUNT Clause**

Use the `MOUNT` clause to mount the database. Do not use this clause when the database is already mounted.

#### **MOUNT STANDBY DATABASE**

You can specify `MOUNT STANDBY DATABASE` to mount a physical standby database. The keywords `STANDBY DATABASE` are optional, because Oracle Database determines automatically whether the database to be mounted is a primary or standby database. As soon as this statement executes, the standby instance can receive redo data from the primary instance.



#### **See Also:**

*Oracle Data Guard Concepts and Administration* for more information on standby databases

#### **MOUNT CLONE DATABASE**

Specify `MOUNT CLONE DATABASE` to mount the clone database.

#### **OPEN Clause**

Use the `OPEN` clause to make the database available for normal use. You must mount the database before you can open it.

If you specify only `OPEN` without any other keywords, then the default is `OPEN READ WRITE NORESETLOGS` on a primary database, logical standby database, or snapshot standby database and `OPEN READ ONLY` on a physical standby database.

#### **OPEN READ WRITE**

Specify `OPEN READ WRITE` to open the database in read/write mode, allowing users to generate redo logs. This is the default if you are opening a primary database. You cannot specify this clause for a physical standby database.



#### **See Also:**

["READ ONLY / READ WRITE: Example"](#)

#### **RESETLOGS | NORESETLOGS**

This clause determines whether Oracle Database resets the current log sequence number to 1, archives any unarchived logs (including the current log), and discards any redo information that was not applied during recovery, ensuring that it will never be applied. Oracle Database uses `NORESETLOGS` automatically except in the following specific situations, which require a setting for this clause:

- You must specify `RESETLOGS`:
  - After performing incomplete media recovery or media recovery using a backup control file
  - After a previous `OPEN RESETLOGS` operation that did not complete
  - After a `FLASHBACK DATABASE` operation
- If a created control file is mounted, then you must specify `RESETLOGS` if the online logs are lost, or you must specify `NORESETLOGS` if they are not lost.

## UPGRADE | DOWNGRADE

Use these `OPEN` clause parameters only if you are upgrading or downgrading a database. This clause instructs Oracle Database to modify system parameters dynamically as required for upgrade and downgrade, respectively. You can achieve the same result using the SQL\*Plus `STARTUP UPGRADE` or `STARTUP DOWNGRADE` command.

When you use the `UPGRADE` or `DOWNGRADE` parameters for a CDB, the root container is opened in the specified mode, but all other containers are opened in `READ WRITE` mode.

### See Also:

- *Oracle Database Upgrade Guide* for information on the steps required to upgrade or downgrade a database from one release to another
- *SQL\*Plus User's Guide and Reference* for information on the SQL\*Plus `STARTUP` command

## OPEN READ ONLY

Specify `OPEN READ ONLY` to restrict users to read-only transactions, preventing them from generating redo logs. This setting is the default when you are opening a physical standby database, so that the physical standby database is available for queries even while archive logs are being copied from the primary database site.

### Restrictions on Opening a Database

The following restrictions apply to opening a database:

- You cannot open a database in `READ ONLY` mode if it is currently opened in `READ WRITE` mode by another instance.
- You cannot open a database in `READ ONLY` mode if it requires recovery.
- You cannot take tablespaces offline while the database is open in `READ ONLY` mode. However, you can take data files offline and online, and you can recover offline data files and tablespaces while the database is open in `READ ONLY` mode.

### See Also:

*Oracle Data Guard Concepts and Administration* for additional information about opening a physical standby database

### *recovery\_clauses*

The *recovery\_clauses* include post-backup operations. For all of these clauses, Oracle Database recovers the database using any incarnations of data files and log files that are known to the current control file.

#### See Also:

*Oracle Database Backup and Recovery User's Guide* for information on backing up the database and "[Database Recovery: Examples](#)"

### Notes on Using the *recovery\_clauses* in a CDB

When the current container is the root, you can specify all of the *recovery\_clauses* to back up and recover the entire CDB.

When the current container is a PDB, you can specify the following subclauses of the *recovery\_clauses* to back up and recover the PDB:

- BEGIN BACKUP
- END BACKUP
- *full\_database\_recovery*: You can specify only the DATABASE keyword
- *partial\_database\_recovery*
- The LOGFILE and CONTINUE clauses of *general\_recovery*

You can also specify the preceding subclauses using the *pdb\_recovery\_clauses* of ALTER PLUGGABLE DATABASE. Refer to the syntax diagram [pdb\\_recovery\\_clauses](#) of ALTER PLUGGABLE DATABASE.

### *general\_recovery*

The *general\_recovery* clause lets you control media recovery for the database or standby database or for specified tablespaces or files. You can use this clause when your instance has the database mounted, open or closed, and the files involved are not in use.

#### Note:

Parallelism is enabled by default during full or partial database recovery and logfile recovery. The database computes the degree of parallelism. You can disable parallelism of these operations by specifying NOPARALLEL, or specify a degree of parallelism with PARALLEL *integer*, as shown in the respective syntax diagrams.

### Restrictions on General Database Recovery

General recovery is subject to the following restrictions:

- You can recover the entire database only when the database is closed.
- Your instance must have the database mounted in exclusive mode.



- You can recover tablespaces or data files when the database is open or closed, if the tablespaces or data files to be recovered are offline.
- You cannot perform media recovery if you are connected to Oracle Database through the shared server architecture.

 **See Also:**

- *Oracle Database Backup and Recovery User's Guide* for more information on RMAN media recovery and user-defined media recovery
- *SQL\*Plus User's Guide and Reference* for information on the SQL\*Plus `RECOVER` command

## AUTOMATIC

Specify `AUTOMATIC` if you want Oracle Database to automatically generate the name of the next archived redo log file needed to continue the recovery operation. If the `LOG_ARCHIVE_DEST_n` parameters are defined, then Oracle Database scans those that are valid and enabled for the first local destination. It uses that destination in conjunction with `LOG_ARCHIVE_FORMAT` to generate the target redo log filename. If the `LOG_ARCHIVE_DEST_n` parameters are not defined, then Oracle Database uses the value of the `LOG_ARCHIVE_DEST` parameter instead.

If the resulting file is found, then Oracle Database applies the redo contained in that file. If the file is not found, then Oracle Database prompts you for a filename, displaying the generated filename as a suggestion.

If you specify neither `AUTOMATIC` nor `LOGFILE`, then Oracle Database prompts you for a filename, displaying the generated filename as a suggestion. You can then accept the generated filename or replace it with a fully qualified filename. If you know that the archived filename differs from what Oracle Database would generate, then you can save time by using the `LOGFILE` clause.

## FROM 'location'

Specify `FROM 'location'` to indicate the location from which the archived redo log file group is read. The value of `location` must be a fully specified file location following the conventions of your operating system. If you omit this parameter, then Oracle Database assumes that the archived redo log file group is in the location specified by the initialization parameter `LOG_ARCHIVE_DEST` or `LOG_ARCHIVE_DEST_1`.

## full\_database\_recovery

The `full_database_recovery` clause lets you recover an entire database.

## DATABASE

Specify the `DATABASE` clause to recover the entire database. This is the default. You can use this clause only when the database is closed.

## STANDBY DATABASE

Specify the `STANDBY DATABASE` clause to manually recover a physical standby database using the control file and archived redo log files copied from the primary database. The standby database must be mounted but not open.

This clause recovers only online data files.

- Use the `UNTIL` clause to specify the duration of the recovery operation.
  - `CANCEL` indicates cancel-based recovery. This clause recovers the database until you issue the `ALTER DATABASE` statement with the `RECOVER CANCEL` clause.
  - `TIME` indicates time-based recovery. This parameter recovers the database to the time specified by the date. The date must be a character literal in the format `'YYYY-MM-DD:HH24:MI:SS'`.
  - `CHANGE` indicates change-based recovery. This parameter recovers the database to a transaction-consistent state immediately before the system change number specified by *integer*.
  - `CONSISTENT` recovers the database until all online files are brought to a consistent SCN point so that the database can be open in read only mode. This clause requires the controlfile to be a backup controlfile.
- Specify `USING BACKUP CONTROLFILE` if you want to use a backup control file instead of the current control file.
- Specify the `SNAPSHOT TIME` clause to recover the database with a storage snapshot using Storage Snapshot Optimization. This clause can be used in cases where the database was not placed in backup mode when the storage snapshot was created.
  - *date* must be a character literal in the format `'YYYY-MM-DD:HH24:MI:SS'`. It must represent a time that is immediately after the snapshot was completed. If you specify the `UNTIL TIME` clause, then `SNAPSHOT TIME date` must be earlier than `UNTIL TIME date`.

 **See Also:**

*Oracle Database Backup and Recovery User's Guide* for more information on recovery using Storage Snapshot Optimization

### *partial\_database\_recovery*

The *partial\_database\_recovery* clause lets you recover individual tablespaces and data files.

#### **TABLESPACE**

Specify the `TABLESPACE` clause to recover only the specified tablespaces. You can use this clause if the database is open or closed, provided the tablespaces to be recovered are offline.

 **See Also:**

["Using Parallel Recovery Processes: Example"](#)

#### **DATAFILE**

Specify the `DATAFILE` clause to recover the specified data files. You can use this clause when the database is open or closed, provided the data files to be recovered are offline.

You can identify the data file by name or by number. If you identify it by number, then *filenumber* is an integer representing the number found in the FILE# column of the V\$DATAFILE dynamic performance view or in the FILE\_ID column of the DBA\_DATA\_FILES data dictionary view.

### STANDBY {TABLESPACE | DATAFILE}

In earlier releases, you could specify STANDBY TABLESPACE or STANDBY DATAFILE to recover older backups of a specific tablespace or a specific data file on the standby to be consistent with the rest of the standby database. These two clauses are now desupported. Instead, to recover the standby database to a consistent point, but no further, use the statement ALTER DATABASE RECOVER MANAGED STANDBY DATABASE UNTIL CONSISTENT.

### LOGFILE

Specify the LOGFILE '*filename*' to continue media recovery by applying the specified redo log file.

### TEST

Use the TEST clause to conduct a trial recovery. A trial recovery is useful if a normal recovery procedure has encountered some problem. It lets you look ahead into the redo stream to detect possible additional problems. The trial recovery applies redo in a way similar to normal recovery, but it does not write changes to disk, and it rolls back its changes at the end of the trial recovery.

You can use this clause only if you have restored a backup taken since the last RESETLOGS operation. Otherwise, Oracle Database returns an error.

### ALLOW ... CORRUPTION

The ALLOW *integer* CORRUPTION clause lets you specify, in the event of logfile corruption, the number of corrupt blocks that can be tolerated while allowing recovery to proceed.

#### See Also:

- *Oracle Database Backup and Recovery User's Guide* for information on database recovery in general
- *Oracle Data Guard Concepts and Administration* for information on managed recovery of standby databases

### CONTINUE

Specify CONTINUE to continue multi-instance recovery after it has been interrupted to disable a thread.

Specify CONTINUE DEFAULT to continue recovery using the redo log file that Oracle Database would automatically generate if no other logfile were specified. This clause is equivalent to specifying AUTOMATIC, except that Oracle Database does not prompt for a filename.

### CANCEL

Specify `CANCEL` to terminate cancel-based recovery.

### *managed\_standby\_recovery*

Use the *managed\_standby\_recovery* clause to start and stop Redo Apply on a physical standby database. Redo Apply keeps the standby database transactionally consistent with the primary database by continuously applying redo received from the primary database.

A primary database transmits its redo data to standby sites. As the redo data is written to redo log files at the physical standby site, the log files become available for use by Redo Apply. You can use the *managed\_standby\_recovery* clause when your standby instance has the database mounted or is opened read-only.

#### Note:

Beginning with Oracle Database 12c, **real-time apply** is enabled by default during Redo Apply. Real-time apply recovers redo from the standby redo log files as soon as they are written, without requiring them to be archived first at the physical standby database. You can disable real-time apply with the `USING ARCHIVED LOGFILE` clause. Refer to:

- *Oracle Data Guard Concepts and Administration* for more information on real-time apply
- [USING ARCHIVED LOGFILE Clause](#)

#### Note:

Parallelism is enabled by default during Redo Apply. The database computes the degree of parallelism. You can disable parallelism of these operations by specifying `NOPARALLEL`, or specify a degree of parallelism with `PARALLEL integer`, as shown in the respective syntax diagrams.

### Restrictions on Managed Standby Recovery

The same restrictions listed under [general\\_recovery](#) apply to this clause.

#### See Also:

*Oracle Data Guard Concepts and Administration* for more information on the use of this clause

### USING ARCHIVED LOGFILE Clause

Specify `USING ARCHIVED LOGFILE` to start Redo Apply without enabling real-time apply.

### DISCONNECT

Specify `DISCONNECT` to indicate that Redo Apply should be performed in the background, leaving the current session available for other tasks. The `FROM SESSION` keywords are optional and are provided for semantic clarity.

### **NODELAY**

The `NODELAY` clause overrides the `DELAY` attribute on the `LOG_ARCHIVE_DEST_n` parameter on the primary database. If you do not specify the `NODELAY` clause, then application of the archived redo log file is delayed according to the `DELAY` attribute of the `LOG_ARCHIVE_DEST_n` setting (if any). If the `DELAY` attribute was not specified on that parameter, then the archived redo log file is applied immediately to the standby database.

If you specify real-time apply with the `USING CURRENT LOGFILE` clause, then any `DELAY` value specified for the `LOG_ARCHIVE_DEST_n` parameter at the primary for this standby is ignored, and `NODELAY` is the default.

### **UNTIL CHANGE Clause**

Use this clause to instruct Redo Apply to recover redo data up to, but not including, the specified system change number.

### **UNTIL CONSISTENT**

Use this clause to recover the standby database to a consistent SCN point so that the standby database can be opened in read only mode.

### **USING INSTANCES**

This clause is applicable only for Oracle Real Application Clusters (Oracle RAC) or Oracle RAC One Node databases and allows you to start apply processes on multiple instances of the standby that are started in the same mode (`MOUNTED` or `READ ONLY`) as the instance on which the command is executed. Specify `USING INSTANCES ALL` to perform Redo Apply on all instances in an Oracle RAC standby database started in the same mode. Specify `USING INSTANCES integer` to perform Redo Apply on the specified number of instances that are started in the same mode. For *integer*, specify an integer value from 1 to the number of instances in the standby database. The database chooses the instances on which to perform Redo Apply; you cannot specify particular instances. For example, if you specify 4 instances from an instance that is `MOUNTED` and only 3 instances of the standby are running in the `MOUNTED` mode, then Redo Apply will only be started on 3 instances. If you omit the `USING INSTANCES` clause, then Oracle Database performs Redo Apply only on the instance where the command was executed.

### **FINISH**

Specify `FINISH` to complete applying all available redo data in preparation for a failover.

Use the `FINISH` clause only in the event of the failure of the primary database. This clause overrides any specified delay intervals and applies all available redo immediately. After the `FINISH` command completes, this database can no longer run in the standby database role, and it must be converted to a primary database by issuing the `ALTER DATABASE COMMIT TO SWITCHOVER TO PRIMARY` statement.

### **CANCEL**

Specify `CANCEL` to stop Redo Apply immediately. Control is returned as soon as Redo Apply stops.

### TO LOGICAL STANDBY Clause

Use this clause to convert a physical standby database into a logical standby database.

#### *db\_name*

Specify a database name to identify the new logical standby database. If you are using a server parameter file (spfile) at the time you issue this statement, then the database will update the file with appropriate information about the new logical standby database. If you are not using an spfile, then the database issues a message reminding you to set the name of the `DB_NAME` parameter after shutting down the database. In addition, you must invoke the `DBMS_LOGSTDBY.BUILD PL/SQL` procedure on the primary database before using this clause on the standby database.

#### See Also:

*Oracle Database PL/SQL Packages and Types Reference* for information about the `DBMS_LOGSTDBY.BUILD` procedure

### KEEP IDENTITY

Use this clause if you want to use the rolling upgrade feature provided by a logical standby and also revert to the original configuration of a primary database and a physical standby. A logical standby database created using this clause provides only limited support for switchover and failover. Therefore, do not use this clause create a general-purpose logical standby database.

#### See Also:

*Oracle Data Guard Concepts and Administration* for more information on rolling upgrade

### Deprecated Managed Standby Recovery Clauses

The following clauses appeared in the syntax of earlier releases. They have been deprecated and are no longer needed. Oracle recommends that you do not use these clauses.

#### FINISH FORCE, FINISH WAIT, FINISH NOWAIT

These optional forms of the `FINISH` clause are deprecated. Their semantics are presented here for backward compatibility:

- `FORCE` terminates inactive redo transport sessions that would otherwise prevent `FINISH` processing from beginning.
- `NOWAIT` returns control to the foreground process before the recovery completes
- `WAIT` (the default) returns control to the foreground process after recovery completes

When specified, these clauses are ignored. Terminal recovery now runs in the foreground and always terminates all redo transport sessions. Therefore control is not returned to the user until recovery completes.

### **CANCEL IMMEDIATE, CANCEL WAIT, CANCEL NOWAIT**

These optional forms of the `CANCEL` clause are deprecated. Their semantics are presented here for backward compatibility:

- Include the `IMMEDIATE` keyword to stop Redo Apply *before* completely applying the current redo log file. Session control returns when Redo Apply actually stops.
- Include the `NOWAIT` keyword to return session control without waiting for the `CANCEL` operation to complete.

When specified, these clauses are ignored. Redo Apply is now always cancelled immediately and control returns to the session only after the operation completes.

### **USING CURRENT LOGFILE Clause**

The `USING CURRENT LOGFILE` clause is deprecated. It invokes real-time apply during Redo Apply. However, this is now the default behavior and this clause is no longer useful.

### **BACKUP Clauses**

Use these clauses to move all the data files in the database into or out of online backup mode (also called hot backup mode).



#### **See Also:**

[ALTER TABLESPACE](#) for information on moving all data files in an individual tablespace into and out of online backup mode

### **BEGIN BACKUP Clause**

Specify `BEGIN BACKUP` to move all data files in the database into online backup mode. The database must be mounted and open, and media recovery must be enabled (the database must be in `ARCHIVELOG` mode).

While the database is in online backup mode, you cannot shut down the instance normally, begin backup of an individual tablespace, or take any tablespace offline or make it read only.

This clause has no effect on data files that are in offline or on read-only tablespaces.

### **END BACKUP Clause**

Specify `END BACKUP` to take out of online backup mode any data files in the database currently in online backup mode. The database must be mounted (either open or closed) when you perform this operation.

After a system failure, instance failure, or `SHUTDOWN ABORT` operation, Oracle Database does not know whether the files in online backup mode match the files at the time the system crashed. If you know the files are consistent, then you can take either individual data files or all data files out of online backup mode. Doing so avoids media recovery of the files upon startup.

- To take an individual data file out of online backup mode, use the `ALTER DATABASE DATAFILE ... END BACKUP` statement. See [database\\_file\\_clauses](#).
- To take all data files in a tablespace out of online backup mode, use an `ALTER TABLESPACE ... END BACKUP` statement.

### **database\_file\_clauses**

The *database\_file\_clauses* let you modify data files and temp files. You can use any of the following clauses when your instance has the database mounted, open or closed, and the files involved are not in use. The exception is the *move\_datafile\_clause*, which allows you to move a data file that is in use.

### **RENAME FILE Clause**

Use the `RENAME FILE` clause to rename data files, temp files, or redo log file members. You must create each filename using the conventions for filenames on your operating system before specifying this clause.

- To use this clause for a data file or temp file, the database must be mounted. The database can also be open, but the data file or temp file being renamed must be offline. In addition, you must first rename the file on the file system to the new name.
- To use this clause for logfiles, the database must be mounted but not open.
- If you have enabled block change tracking, then you can use this clause to rename the block change tracking file. The database must be mounted but not open when you rename the block change tracking file.

This clause renames only files in the control file. It does not actually rename them on your operating system. The operating system files continue to exist, but Oracle Database no longer uses them.



#### **See Also:**

- *Oracle Database Backup and Recovery User's Guide* for information on recovery of data files and temp files
- ["Renaming a Log File Member: Example"](#) and ["Manipulating Temp Files: Example"](#)

### **create\_datafile\_clause**

Use the `CREATE DATAFILE` clause to create a new empty data file in place of an old one. You can use this clause to re-create a data file that was lost with no backup. The *filename* or *filenumber* must identify a file that is or was once part of the database. If you identify the file by number, then *filenumber* is an integer representing the number found in the `FILE#` column of the `V$DATAFILE` dynamic performance view or in the `FILE_ID` column of the `DBA_DATA_FILES` data dictionary view.

- Specify `AS NEW` to create an Oracle-managed data file with a system-generated filename, the same size as the file being replaced, in the default file system location for data files.
- Specify `AS file_specification` to assign a file name (and optional size) to the new data file. Use the *datafile\_tempfile\_spec* form of *file\_specification* (see



*file\_specification* ) to list regular data files and temp files in an operating system file system or to list Oracle Automatic Storage Management (Oracle ASM) disk group files.

If the original file (*filename* or *filenumber*) is an existing Oracle-managed data file, then Oracle Database attempts to delete the original file after creating the new file. If the original file is an existing user-managed data file, then Oracle Database does not attempt to delete the original file.

If you omit the `AS` clause entirely, then Oracle Database creates the new file with the same name and size as the file specified by *filename* or *filenumber*.

During recovery, all archived redo logs written to since the original data file was created must be applied to the new, empty version of the lost data file.

Oracle Database creates the new file in the same state as the old file when it was created. You must perform media recovery on the new file to return it to the state of the old file at the time it was lost.

### Restrictions on Creating New Data Files

The creation of new data files is subject to the following restrictions:

- You cannot create a new file based on the first data file of the `SYSTEM` tablespace.
- You cannot specify the *autoextend\_clause* of *datafile\_tempfile\_spec* in this `CREATE DATAFILE` clause.

#### See Also:

- "[DATAFILE Clause](#)" of `CREATE DATABASE` for information on the result of this clause if you do not specify a name for the new data file
- [file\\_specification](#) for a full description of the file specification (*datafile\_tempfile\_spec*) and "[Creating a New Data File: Example](#)"

### *alter\_datafile\_clause*

The `DATAFILE` clause lets you manipulate a file that you identify by name or by number. If you identify it by number, then *filenumber* is an integer representing the number found in the `FILE#` column of the `V$DATAFILE` dynamic performance view or in the `FILE_ID` column of the `DBA_DATA_FILES` data dictionary view. The `DATAFILE` clauses affect your database files as follows:

#### **ONLINE**

Specify `ONLINE` to bring the data file online.

#### **OFFLINE**

Specify `OFFLINE` to take the data file offline. If the database is open, then you must perform media recovery on the data file before bringing it back online, because a checkpoint is not performed on the data file before it is taken offline.

#### **FOR DROP**

If the database is in `NOARCHIVELOG` mode, then you must specify `FOR DROP` clause to take a data file offline. However, this clause does not remove the data file from the database. To do that, you must use an operating system command or drop the tablespace in which the data file resides. Until you do so, the data file remains in the data dictionary with the status `RECOVER` or `OFFLINE`.

If the database is in `ARCHIVELOG` mode, then Oracle Database ignores the `FOR DROP` clause.

## RESIZE

Specify `RESIZE` if you want Oracle Database to attempt to increase or decrease the size of the data file to the specified absolute size in bytes. There is no default, so you must specify a size. You can also use this command to resize datafiles in shadow tablespaces, that store lost write data.

If sufficient disk space is not available for the increased size, or if the file contains data beyond the specified decreased size, then Oracle Database returns an error.



### See Also:

["Resizing a Data File: Example"](#)

## END BACKUP

Specify `END BACKUP` to take the data file out of online backup mode. The `END BACKUP` clause is described more fully at the top level of the syntax of `ALTER DATABASE`. See ["END BACKUP Clause"](#).

## ENCRYPT | DECRYPT

Use these clauses to perform offline encryption or decryption of the data file using Transparent Data Encryption (TDE). In any given tablespace, either all data files must be encrypted or all data files must be unencrypted.

Before issuing either of these clauses, the database must be mounted. The database can also be open, but the tablespace that contains the data file being encrypted or decrypted must be offline. The TDE master key must be loaded into database memory.

- Specify `ENCRYPT` to encrypt an unencrypted data file. The data file is encrypted using the `AES128` algorithm.
- Specify `DECRYPT` to decrypt a data file. The data file must have been previously encrypted with the `ALTER DATABASE DATAFILE ... ENCRYPT` statement.

## Restrictions on Encrypting and Decrypting Data Files

The following restrictions apply to the `ENCRYPT` and `DECRYPT` clauses:

- You cannot encrypt or decrypt a temporary data file of a temporary tablespace. Instead, you must drop the temporary tablespace and recreate it as an encrypted tablespace.
- Oracle recommends against encrypting the data files of an undo tablespace. Doing so prevents the keystore from being closed, which prevents the database from functioning. Furthermore, this practice is unnecessary because all undo records that are associated with an encrypted tablespace are already automatically encrypted in the undo tablespace.

 **Note:**

The use of the `ENCRYPT` or `DECRYPT` clause is only one step in a series of steps for performing offline encryption or decryption of a data file. Refer to *Oracle Database Advanced Security Guide* for the complete set of steps before you use either of these clauses.

***alter\_tempfile\_clause***

Use the `TEMPFILE` clause to resize your temporary data file or specify the *autoextend\_clause*, with the same effect as for a permanent data file. The database must be open. You can identify the temp file by name or by number. If you identify it by number, then *filenumber* is an integer representing the number found in the `FILE#` column of the `V$TEMPFILE` dynamic performance view.

 **Note:**

On some operating systems, Oracle does not allocate space for a temp file until the temp file blocks are actually accessed. This delay in space allocation results in faster creation and resizing of temp files, but it requires that sufficient disk space is available when the temp files are later used. To avoid potential problems, before you create or resize a temp file, ensure that the available disk space exceeds the size of the new temp file or the increased size of a resized temp file. The excess space should allow for anticipated increases in disk space use by unrelated operations as well. Then proceed with the creation or resizing operation.

**DROP**

Specify `DROP` to drop *tempfile* from the database. The tablespace remains.

If you specify `INCLUDING DATAFILES`, then Oracle Database also deletes the associated operating system files and writes a message to the alert log for each such deleted file. You can achieve the same result using an `ALTER TABLESPACE ... DROP TEMPFILE` statement. Refer to the `ALTER TABLESPACE` [DROP Clause](#) for more information.

***move\_datafile\_clause***

Use the `MOVE DATAFILE` clause to move an online data file to a new location. The database can be open and accessing the data file when you perform this operation. The database creates a copy of the data file when it is performing this operation. Ensure that there is adequate disk space for the original data file and the copy before using this clause.

You can specify the original data file using the *file\_name*, *ASM\_filename*, or *file\_number*. Refer to [ASM\\_filename](#) for information on ASM file names. If you identify the file by number, then *file\_number* is an integer representing the number found in the `FILE#` column of the `V$DATAFILE` dynamic performance view or in the `FILE_ID` column of the `DBA_DATA_FILES` data dictionary view.

Use the `TO` clause to specify the new `file_name` or `ASM_filename`. If you are using Oracle Managed Files, then you can omit the `TO` clause. In this case, Oracle Database creates a unique name for the data file and saves it in the directory specified by the `DB_CREATE_FILE_DEST` initialization parameter.

If you specify `REUSE`, then the new data file is created even if it already exists.

If you specify `KEEP`, then the original data file will be kept after the `MOVE DATAFILE` operation. You cannot specify `KEEP` if the original data file is an Oracle Managed File. You can specify `KEEP` if the new data file is an Oracle Managed File.

### ***autoextend\_clause***

Use the `autoextend_clause` to enable or disable the automatic extension of a new or existing data file or temp file. Refer to [file\\_specification](#) for information about this clause.

### ***logfile\_clauses***

The logfile clauses let you add, drop, or modify log files.

### **ARCHIVELOG**

Specify `ARCHIVELOG` if you want the contents of a redo log file group to be archived before the group can be reused. This mode prepares for the possibility of media recovery. Use this clause only after shutting down your instance normally, or immediately with no errors, and then restarting it and mounting the database.

### **MANUAL**

Specify `MANUAL` to indicate that Oracle Database should create redo log files, but the archiving of the redo log files is controlled entirely by the user. This clause is provided for backward compatibility, for example for users who archive directly to tape. If you specify `MANUAL`, then:

- Oracle Database does not archive redo log files when a log switch occurs. You must handle this manually.
- You cannot have specified a standby database as an archive log destinations. As a result, the database cannot be in `MAXIMUM PROTECTION` or `MAXIMUM AVAILABILITY` standby protection mode.

If you omit this clause, then Oracle Database automatically archives the redo log files to the destination specified in the `LOG_ARCHIVE_DEST_n` initialization parameters.

### **NOARCHIVELOG**

Specify `NOARCHIVELOG` if you do not want the contents of a redo log file group to be archived so that the group can be reused. This mode does not prepare for recovery after media failure. Use this clause only if your instance has the database mounted but not open.

### **[NO] FORCE LOGGING**

Use this clause to put the database into or take the database out of `FORCE LOGGING` mode. The database must be mounted or open.

In `FORCE LOGGING` mode, Oracle Database logs all changes in the database except changes in temporary tablespaces and temporary segments. This setting takes precedence over and is independent of any `NOLOGGING` or `FORCE LOGGING` settings you specify for individual tablespaces and any `NOLOGGING` settings you specify for individual database objects.

If you specify `FORCE LOGGING`, then Oracle Database waits for all ongoing unlogged operations to finish.



### See Also:

*Oracle Database Administrator's Guide* for information on when to use `FORCE LOGGING` mode

## SET STANDBY NOLOGGING

Standby nologging instructs the database to not log operations that qualify to be done without logging. The database sends the data blocks created by the operation to each qualifying standby database in the Data Guard configuration, to prevent missed data on the standby and keep it in sync with the primary.

Use this clause to determine how nonlogged tasks are handled. You can choose one of two logging modes for a database when you create the database, and you can change the logging mode of a database from one mode to the other.

- `SET STANDBY NOLOGGING FOR LOAD PERFORMANCE` to put the database into standby nologging for load performance mode. In this mode, the data loaded as part of the nonlogged task is sent to the qualifying standbys via a private network connection, provided that doing so will not slow down the load process. If the load process slows, then the data is not sent but automatically fetched from the primary as each standby encounters the invalidation redo and will be retried until the data blocks are eventually received.
- Specify `SET STANDBY NOLOGGING FOR DATA AVAILABILITY` to put the database into standby nologging for data availability mode. In this mode the data loaded as part of the nonlogged task is sent to the qualifying standbys either via a network connection or via block images in the redo, in case the network connection fails. That is to say, in this mode the load will switch to be done in a logged fashion if the network connection or related processes prevent the sending of the data over the private network connection.

For the standby nologging modes, a qualifying standby is one that is open for read, running managed recovery and receiving redo into standby redo logs.

### Restrictions on Setting Standby Nologging

The `SET STANDBY NOLOGGING` clause cannot be used at the same time as `FORCE LOGGING`.

### RENAME FILE Clause

This clause has the same function for logfiles that it has for data files and temp files. See "[RENAME FILE Clause](#)".

### CLEAR LOGFILE Clause

Use the `CLEAR LOGFILE` clause to reinitialize an online redo log, optionally without archiving the redo log. `CLEAR LOGFILE` is similar to adding and dropping a redo log, except that the statement may be issued even if there are only two logs for the thread and may be issued for the current redo log of a closed thread.

For a standby database, if the `STANDBY_FILE_MANAGEMENT` initialization parameter is set to `AUTO`, and if any of the log files are Oracle Managed Files, Oracle Database will create as many Oracle-managed log files as are in the control file. The log file members will reside in the current default log file destination.

- You must specify `UNARCHIVED` if you want to reuse a redo log that was not archived.

 **Note:**

Specifying `UNARCHIVED` makes backups unusable if the redo log is needed for recovery.

- You must specify `UNRECOVERABLE DATAFILE` if you have taken the data file offline with the database in `ARCHIVELOG` mode (that is, you specified `ALTER DATABASE ... DATAFILE OFFLINE` without the `DROP` keyword), and if the unarchived log to be cleared is needed to recover the data file before bringing it back online. In this case, you must drop the data file and the entire tablespace once the `CLEAR LOGFILE` statement completes.

Do not use `CLEAR LOGFILE` to clear a log needed for media recovery. If it is necessary to clear a log containing redo after the database checkpoint, then you must first perform incomplete media recovery. The current redo log of an open thread can be cleared. The current log of a closed thread can be cleared by switching logs in the closed thread.

If the `CLEAR LOGFILE` statement is interrupted by a system or instance failure, then the database may hang. In this case, reissue the statement after the database is restarted. If the failure occurred because of I/O errors accessing one member of a log group, then that member can be dropped and other members added.

 **See Also:**

["Clearing a Log File: Example"](#)

### *add\_logfile\_clauses*

Use these clauses to add redo log file groups to the database and to add new members to existing redo log file groups.

#### **ADD LOGFILE Clause**

Use the `ADD LOGFILE` clause to add one or more redo log file groups to the online redo log or standby redo log.

 **See Also:**

- "[LOGFILE Clause](#)" of CREATE DATABASE for information on the result of this clause for Oracle Managed Files if you do not specify a name for the new log file group
- "[Adding Redo Log File Groups: Examples](#)"
- *Oracle Data Guard Concepts and Administration* for more information on standby redo logs

## STANDBY

Use the `STANDBY` clause to add a redo log file group to the standby redo log. If you do not specify this clause, then a log file group is added to the online redo log.

## INSTANCE

The `INSTANCE` clause is applicable only for Oracle Real Application Clusters (Oracle RAC) or Oracle RAC One Node databases. Specify the name of the instance for which you want to add a redo log file group. The instance name is a string of up to 80 characters. Oracle Database automatically uses the thread that is mapped to the specified instance. If no thread is mapped to the specified instance, then Oracle Database automatically acquires an available unmapped thread and assigns it to that instance. If you do not specify this clause, then Oracle Database executes the command as if you had specified the current instance. If the specified instance has no current thread mapping and there are no available unmapped threads, then Oracle Database returns an error.

## THREAD

When adding a redo log file group to the standby redo log, use the `THREAD` clause to assign the log file group to a specific primary database redo thread. Query the `V$INSTANCE` view on the primary database to determine which redo threads have been opened, and specify one of these thread numbers.

You can also use the `THREAD` clause to assign a log file group to a specific redo thread when adding the log file group to the online redo log. This usage has been deprecated. The `INSTANCE` clause achieves the same purpose and is easier to use.

## GROUP

The `GROUP` clause uniquely identifies the redo log file group among all groups in all threads and can range from 1 to the value specified for `MAXLOGFILES` in the `CREATE DATABASE` statement. You cannot add multiple redo log file groups having the same `GROUP` value. If you omit this parameter, then Oracle Database generates its value automatically. You can examine the `GROUP` value for a redo log file group through the dynamic performance view `V$LOG`.

### *redo\_log\_file\_spec*

Each *redo\_log\_file\_spec* specifies a redo log file group containing one or more members (copies). If you do not specify a filename for the new log file, then Oracle Database creates Oracle Managed Files according to the rules described in the "[LOGFILE Clause](#)" of `CREATE DATABASE`.

 **See Also:**

- [file\\_specification](#)
- *Oracle Database Reference* for information on dynamic performance views

**ADD LOGFILE MEMBER Clause**

Use the `ADD LOGFILE MEMBER` clause to add new members to existing redo log file groups. Each new member is specified by `'filename'`. If the file already exists, then it must be the same size as the other group members and you must specify `REUSE`. If the file does not exist, then Oracle Database creates a file of the correct size. You cannot add a member to a group if all of the members of the group have been lost through media failure.

**STANDBY**

You must specify `STANDBY` when adding a member to a standby redo log file group. Otherwise, Oracle Database returns an error.

You can use the `logfile_descriptor` clause to specify an existing redo log file group in one of two ways:

**GROUP *integer***

Specify the value of the `GROUP` parameter that identifies the redo log file group.

***filename(s)***

List all members of the redo log file group. You must fully specify each filename according to the conventions of your operating system.

 **See Also:**

- "[LOGFILE Clause](#)" of `CREATE DATABASE` for information on the result of this clause for Oracle Managed Files if you do not specify a name for the new log file group
- "[Adding Redo Log File Group Members: Example](#)"

***drop\_logfile\_clauses***

Use these clauses to drop redo log file groups or redo log file members.

**DROP LOGFILE Clause**

Use the `DROP LOGFILE` clause to drop all members of a redo log file group. If you use this clause to drop Oracle Managed Files, then Oracle Database also removes all log file members from disk. Specify a redo log file group as indicated for the `ADD LOGFILE MEMBER` clause.

- To drop the current log file group, you must first issue an `ALTER SYSTEM SWITCH LOGFILE` statement.
- You cannot drop a redo log file group if it needs archiving.



- You cannot drop a redo log file group if doing so would cause the redo thread to contain less than two redo log file groups.

 **See Also:**

[ALTER SYSTEM](#) and ["Dropping Log File Members: Example"](#)

### DROP LOGFILE MEMBER Clause

Use the `DROP LOGFILE MEMBER` clause to drop one or more redo log file members. Each `'filename'` must fully specify a member using the conventions for filenames on your operating system.

- To drop a log file in the current log, you must first issue an `ALTER SYSTEM SWITCH LOGFILE` statement. Refer to [ALTER SYSTEM](#) for more information.
- You cannot use this clause to drop all members of a redo log file group that contains valid data. To perform that operation, use the `DROP LOGFILE` clause.

 **See Also:**

["Dropping Log File Members: Example"](#)

### *switch\_logfile\_clause*

This clause is useful when you are migrating the database to disks with a different block size that the block size of the current database. Use this clause to switch logfiles to a different block size for all externally enabled threads, including both open and closed threads. If you are migrating the database to use 4KB sector disks, then you must specify 4096 for *integer*. If you are unmigrating the database back to using 512B sector disks, then you must specify 512 for *integer*.

This clause is an extension of the existing `ALTER SYSTEM SWITCH LOGFILE` statement. That statement switches logs for a single thread. This clause switches logfiles for all externally enabled threads, including both open and closed threads.

Before using this clause, you must already have created at least two redo log groups with the same target block size on the migration target disk.

 **See Also:**

*Oracle Database Administrator's Guide* for more information on migrating the database to disks with a different block size, and ["Adding a Log File: Example"](#)

### *supplemental\_db\_logging*

Use these clauses to instruct Oracle Database to add or stop adding supplemental data into the log stream.

### ADD SUPPLEMENTAL LOG Clause

Specify `ADD SUPPLEMENTAL LOG DATA` to enable **minimal supplemental logging**. Specify `ADD SUPPLEMENTAL LOG supplemental_id_key_clause` to enable column data logging in addition to minimal supplemental logging. Specify `ADD SUPPLEMENTAL LOG supplemental_plsql_clause` to enable supplemental logging of PL/SQL calls. Oracle Database does not enable either minimal supplemental logging or supplemental logging by default.

Minimal supplemental logging ensures that LogMiner (and any products building on LogMiner technology) will have sufficient information to support chained rows and various storage arrangements such as cluster tables.

If the redo generated on one database is to be the source of changes (to be mined and applied) at another database, as is the case with logical standby, then the affected rows need to be identified using column data (as opposed to rowids). In this case, you should specify the *supplemental\_id\_key\_clause*.

You can query the appropriate columns in the `V$DATABASE` view to determine whether any supplemental logging has already been enabled.

You can use this clause when the database is open. However, Oracle Database will invalidate all DML cursors in the cursor cache, which will have an effect on performance until the cache is repopulated.

If you use this clause in a CDB, then the current container must be the root and the operation will be performed on the entire CDB.

You can enable supplemental logging levels at PDB without minimal supplemental logging enabled at `CDB$ROOT`. Dropping all supplemental logging from `CDB$ROOT` will not disable supplemental logging enabled at the PDB level.

For a full discussion of the *supplemental\_id\_clause*, refer to [supplemental\\_id\\_key\\_clause](#) in the documentation on `CREATE TABLE`.

#### See Also:

- *Oracle Data Guard Concepts and Administration* for information on supplemental logging on the primary database to support a logical standby database
- *Oracle Database Utilities* for examples using the *supplemental\_db\_logging* clause syntax

## DROP SUPPLEMENTAL LOG Clause

Use this clause to stop supplemental logging.

- Specify `DROP SUPPLEMENTAL LOG DATA` to instruct Oracle Database to stop placing minimal additional log information into the redo log stream whenever an update operation occurs. If Oracle Database is doing column data supplemental logging specified with the *supplemental\_id\_key\_clause*, then you must first stop the column data supplemental logging with the `DROP SUPPLEMENTAL LOG supplemental_id_key_clause` and then specify this clause.
- Specify `DROP SUPPLEMENTAL LOG supplemental_id_key_clause` to drop some or all of the system-generated supplemental log groups. You must specify the

*supplemental\_id\_key\_clause* if the supplemental log groups you want to drop were added using that clause.

- Specify `DROP SUPPLEMENTAL LOG supplemental_plsql_clause disable` supplemental logging of PL/SQL calls.

If you use this clause in a CDB, then the current container must be the root and the operation will be performed on the entire CDB.

**ADD SUPPLEMENTAL LOG DATA SUBSET DATABASE REPLICATION** of `ALTER DATABASE` enables low impact minimal supplemental logging.

- You can execute this DDL only when the *enable\_goldengate\_replication* parameter is TRUE, and database compatible is 19.0 or higher.
- This DDL implicitly adds DB-level minimal supplemental logging, similar to other DB-level supplemental logging DDLs.
- In case of CDB, this DDL can be executed in both `CDB$ROOT` and pluggable databases.
- When executed in `CDB$ROOT`, it enables low impact minimal supplemental logging for entire database. Low impact minimal supplemental logging will be enabled for all the pluggable databases regardless of the PDB level setting for subset database replication.
- When executed in pluggable database, it's same as `ALTER PLUGGABLE DATABASE ADD SUPPLEMENTAL LOG DATA SUBSET DATABASE REPLICATION`. See [ALTER PLUGGABLE DATABASE](#) for details.

**DROP SUPPLEMENTAL LOG DATA SUBSET DATABASE REPLICATION** of `ALTER DATABASE` disables low impact minimal supplemental logging.

- You can execute this DDL only when the *enable\_goldengate\_replication* parameter is TRUE, and database compatible should be 19.0 or higher.
- You must have explicitly enabled other supplemental log data. This restriction ensures that disabling low impact minimal supplemental logging never disables minimal supplemental logging.
- Once this DDL is executed, the minimal supplemental logging will go back to its current behavior.
- In case of CDB, this DDL can be executed in both `CDB$ROOT` and pluggable databases.
- When executed in `CDB$ROOT`, it disables low impact minimal supplemental logging at the database level. For each pluggable database, whether low impact supplemental logging is enabled depends on the PDB-level setting for subset database replication.
- When executed in pluggable database, the behavior is the same as `ALTER PLUGGABLE DATABASE DROP SUPPLEMENTAL LOG DATA SUBSET DATABASE REPLICATION`. See [ALTER PLUGGABLE DATABASE](#) for details.



#### See Also:

*Oracle Data Guard Concepts and Administration* for information on supplemental logging

### ***controlfile\_clauses***

The *controlfile\_clauses* let you create or back up a control file.

#### **CREATE CONTROLFILE Clause**

The `CREATE CONTROLFILE` clause lets you create a control file.

- Specify `PHYSICAL STANDBY` to create a control file to be used to maintain a physical database. This is the default if you specify `STANDBY` and do not specify `PHYSICAL` or `LOGICAL`.
- Specify `LOGICAL STANDBY` to create a control file to be used to maintain a logical database.
- Specify `FAR SYNC INSTANCE` to create a control file to be used to maintain a Data Guard far sync instance.

If the file already exists, then you must specify `REUSE`. In an Oracle RAC environment, the control file must be on shared storage.



#### **See Also:**

*Oracle Data Guard Concepts and Administration* for more information on creating control files

#### **BACKUP CONTROLFILE Clause**

Use the `BACKUP CONTROLFILE` clause to back up the current control file. The database must be open or mounted when you specify this clause.

##### **TO 'filename'**

Use this clause to specify a binary backup of the control file. You must fully specify the *filename* using the conventions for your operating system. If the specified file already exists, then you must specify `REUSE`. In an Oracle RAC environment, *filename* must be on shared storage.

A binary backup contains information that is not captured if you specify `TO TRACE`, such as the archived log history, offline range for read-only and offline tablespaces, and backup sets and copies (if you use `RMAN`). If the `COMPATIBLE` initialization parameter is 10.2 or higher, binary control file backups include temp file entries.

##### **TO TRACE**

Specify `TO TRACE` if you want Oracle Database to write SQL statements to a trace file rather than making a physical backup of the control file. You can use SQL statements written to the trace file to start up the database, re-create the control file, and recover and open the database appropriately, based on the created control file. If you issue an `ALTER DATABASE BACKUP CONTROLFILE TO TRACE` statement while block change tracking is enabled, then the resulting trace file will contain a command to reenable block change tracking.

This statement issues an implicit `ALTER DATABASE REGISTER LOGFILE` statement, which creates incarnation records if the archived log files reside in the current archivelog destinations.

The trace file will also include `ALTER DATABASE REGISTER LOGFILE` statements for existing logfiles that reside in the current archivelog destinations. This will implicitly create database incarnation records for the branches of redo to which the logfiles apply.

You can copy the statements from the trace file into a script file, edit the statements as necessary, and use the script if all copies of the control file are lost (or to change the size of the control file).

- Specify `AS filename` if you want Oracle Database to place the trace output into a file called `filename` rather than into the standard trace file.
- Specify `REUSE` to allow Oracle Database to overwrite any existing file called `filename`.
- `RESETLOGS` indicates that the SQL statement written to the trace file for starting the database is `ALTER DATABASE OPEN RESETLOGS`. This setting is valid only if the online logs are unavailable.
- `NORESETLOGS` indicates that the SQL statement written to the trace file for starting the database is `ALTER DATABASE OPEN NORESETLOGS`. This setting is valid only if all the online logs are available.

If you cannot predict the future state of the online logs, then specify neither `RESETLOGS` nor `NORESETLOGS`. In this case, Oracle Database puts both versions of the script into the trace file, and you can choose which version is appropriate when the script becomes necessary.

The trace files are stored in a subdirectory determined by the `DIAGNOSTIC_DEST` initialization parameter. You can find the name and location of the trace file to which the `CREATE CONTROLFILE` statements were written by looking in the alert log. You can also find the directory for trace files by querying the `NAME` and `VALUE` columns of the `V$DIAG_INFO` dynamic performance view.

 **See Also:**

*Oracle Database Administrator's Guide* for information on viewing the alert log

### ***standby\_database\_clauses***

Use these clauses to activate the standby database or to specify whether it is in protected or unprotected mode.

 **See Also:**

*Oracle Data Guard Concepts and Administration* for descriptions of the physical and logical standby database and for information on maintaining and using standby databases

### *activate\_standby\_db\_clause*

Use the `ACTIVATE STANDBY DATABASE` clause to convert a standby database into a primary database.

#### Note:

Before using this command, refer to *Oracle Data Guard Concepts and Administration* for important usage information.

### PHYSICAL

Specify `PHYSICAL` to activate a physical standby database. This is the default.

### LOGICAL

Specify `LOGICAL` to activate a logical standby database. If you have more than one logical standby database, then you should first ensure that the same log data is available on all the standby systems.

### FINISH APPLY

This clause applies only to logical standby databases. Use it to initiate **terminal apply**, which is the application of any remaining redo to bring the logical standby database to the same state as the primary database. When terminal apply is complete, the database completes the switchover from logical standby to primary database.

If you require immediate restoration of the database in spite of data loss, then omit this clause. The database will execute the switchover from logical standby to primary database immediately without terminal apply.

### *maximize\_standby\_db\_clause*

Use this clause to specify the level of protection for the data in your database environment. You specify this clause from the primary database.

#### Note:

The `PROTECTED` and `UNPROTECTED` keywords have been replaced for clarity but are still supported. `PROTECTED` is equivalent to `TO MAXIMIZE PROTECTION`. `UNPROTECTED` is equivalent to `TO MAXIMIZE PERFORMANCE`.

### TO MAXIMIZE PROTECTION

This setting establishes **maximum protection mode** and offers the highest level of data protection. A transaction does not commit until all data needed to recover that transaction has been written to at least one physical standby database that is configured to use the `SYNC` log transport mode. If the primary database is unable to write the redo records to at least one such standby database, then the primary database is shut down. This mode guarantees zero data loss, but it has the greatest potential impact on the performance and availability of the primary database.

## Restriction on Establishing Maximum Protection Mode

You can specify `TO MAXIMIZE PROTECTION` on an open database only if the current data protection mode is `MAXIMUM AVAILABILITY` and there is at least one synchronized standby database.

### TO MAXIMIZE AVAILABILITY

This setting establishes **maximum availability mode** and offers the next highest level of data protection. A transaction does not commit until all data needed to recover that transaction has been written to at least one physical or logical standby database that is configured to use the `SYNC` log transport mode. Unlike maximum protection mode, the primary database does not shut down if it is unable to write the redo records to at least one such standby database. Instead, the protection is lowered to maximum performance mode until the fault has been corrected and the standby database has caught up with the primary database. This mode guarantees zero data loss unless the primary database fails while in maximum performance mode. Maximum availability mode provides the highest level of data protection that is possible without affecting the availability of the primary database.

### TO MAXIMIZE PERFORMANCE

This setting establishes **maximum performance mode** and is the default setting. A transaction commits before the data needed to recover that transaction has been written to a standby database. Therefore, some transactions may be lost if the primary database fails and you are unable to recover the redo records from the primary database. This mode provides the highest level of data protection that is possible without affecting the performance of the primary database.

To determine the current mode of the database, query the `PROTECTION_MODE` column of the `V$DATABASE` dynamic performance view.

#### See Also:

*Oracle Data Guard Concepts and Administration* for full information on using these standby database settings

### *register logfile clause*

Specify the `REGISTER LOGFILE` clause from the standby database to manually register log files from the failed primary. Use the `redo_log_file_spec` form of *file\_specification* (see [file\\_specification](#)) to list regular redo log files in an operating system file system or to list Oracle ASM disk group redo log files.

When a log file is from an unknown incarnation, the `REGISTER LOGFILE` clause causes an incarnation record to be added to the `V$DATABASE_INCARNATION` view. If the newly registered log file belongs to an incarnation having a higher `RESETLOGS_TIME` than the current `RECOVERY_TARGET_INCARNATION#`, then the `REGISTER LOGFILE` clause also causes `RECOVERY_TARGET_INCARNATION#` to be changed to correspond to the newly added incarnation record.

### OR REPLACE

Specify `OR REPLACE` to allow an existing archive log entry in the standby database to be updated, for example, when its location or file specification changes. The system

change numbers of the entries must match exactly, and the original entry must have been created by the managed standby log transmittal mechanism.

#### **FOR logminer\_session\_name**

This clause is useful in a Streams environment. It lets you register the log file with one specified LogMiner session.

#### **switchover\_clause**

##### **Caution:**

Before using this command, refer to *Oracle Data Guard Concepts and Administration* for complete usage information.

Use this clause to perform a switchover to a physical standby database. Specify this clause from the primary database. For *target\_db\_name*, specify the `DB_UNIQUE_NAME` of the standby database.

#### **VERIFY**

Use this clause to verify that a physical standby database is ready for a switchover. Specify this clause from the primary database. For *target\_db\_name*, specify the `DB_UNIQUE_NAME` of the standby database. If the standby database is ready for a switchover, then the "Database Altered" message is returned. Otherwise, an error message that will assist you in preparing the standby database for a switchover is returned.

#### **FORCE**

Use this clause if a previous switchover command failed and created a configuration with no primary database. Specify this clause from the physical standby database that you want to convert to the primary database. For *target\_db\_name*, specify the `DB_UNIQUE_NAME` of the database that you want to convert to the primary database.

#### **failover\_clause**

##### **Caution:**

Before using this command, refer to *Oracle Data Guard Concepts and Administration* for complete usage information.

Use this clause to perform a failover to a physical standby database. Specify this clause from the standby database. For *target\_db\_name*, specify the `DB_UNIQUE_NAME` of the standby database.

#### **FORCE**

This clause has meaning only when the failover target is serviced by a Data Guard far sync instance. Use this clause when a previous failover command failed and the reason for the failure cannot be resolved. It instructs the failover to ignore any failures encountered when interacting with the Data Guard far sync instance and proceed with the failover, if at all possible.



### ***commit\_switchover\_clause***

Use this clause to perform database role transitions in a Data Guard configuration.

#### **▲ Caution:**

Before using this command, refer to *Oracle Data Guard Concepts and Administration* for complete usage information.

### **PREPARE TO SWITCHOVER**

This clause prepares a primary database to become a logical standby database or a logical standby database to become a primary database.

- Specify `PREPARE TO SWITCHOVER TO LOGICAL STANDBY` on a primary database.
- Specify `PREPARE TO SWITCHOVER TO PRIMARY DATABASE` on a logical standby database.

### **COMMIT TO SWITCHOVER**

This clause switches a primary database to a standby database role or switches a standby database to the primary database role.

- Specify `COMMIT TO SWITCHOVER TO PHYSICAL STANDBY` or `COMMIT TO SWITCHOVER TO LOGICAL STANDBY` on a primary database.
- Specify `COMMIT TO SWITCHOVER TO PRIMARY DATABASE` on a standby database.

### **PHYSICAL**

This clause is always optional. Use of this clause with the `COMMIT TO SWITCHOVER TO PRIMARY` clause has been deprecated.

### **LOGICAL**

This clause is specified with the `PREPARE TO SWITCHOVER` or `COMMIT TO SWITCHOVER` clauses when switching a primary database to the logical standby database role. Use of this clause with the `COMMIT TO SWITCHOVER TO PRIMARY` clause has been deprecated.

### **WITH SESSION SHUTDOWN**

This clause causes all database sessions to be closed and uncommitted transactions to be rolled back before performing a database role transition.

### **WITHOUT SESSION SHUTDOWN**

This clause prevents a requested role transition from occurring if there are any database sessions. This is the default.

### **WAIT**

Specify this clause to wait for a role transition to complete before returning control to the user.

### **NOWAIT**

Specify this clause to return control to the user without waiting for a role transition to complete. This is the default.

### **CANCEL**

Specify this clause to reverse the effect of a previously specified `PREPARE TO SWITCHOVER` statement.

#### **See Also:**

*Oracle Data Guard Concepts and Administration* for full information on switchover between primary and standby databases

### ***start\_standby\_clause***

Specify the `START LOGICAL STANDBY APPLY` clause to begin applying redo logs to a logical standby database. This clause enables primary key, unique index, and unique constraint supplemental logging as well as PL/SQL call logging.

- Specify `IMMEDIATE` to apply redo data from the current standby redo log file.
- Specify `NODELAY` if you want Oracle Database to ignore a delay for this apply. This is useful if the primary database is no longer present, which would otherwise require a PL/SQL call to be made.
- Specify `INITIAL` the first time you apply the logs to the standby database.
- The `NEW PRIMARY` clause is needed in two situations:
  - On a failover to a logical standby, specify this clause on a logical standby not participating in the failover operation, and on the old primary database after it has been reinstated as a logical standby database.
  - During a rolling upgrade using a logical standby database (which uses an unprepared switchover operation), specify this clause after the original primary database has been upgraded to the new database software.
- Specify `SKIP FAILED [TRANSACTION]` to skip the last transaction in the events table and restart the apply.
- Specify `FINISH` to force the standby redo logfile information into archived logs. If the primary database becomes disabled, then you can then apply the data in the redo log files.

### ***stop\_standby\_clause***

Use this clause to stop the log apply services. This clause applies only to logical standby databases, not to physical standby databases. Use the `STOP` clause to stop the apply in an orderly fashion.

### ***convert\_database\_clause***

Use this clause to convert a database from one form to another.

- Specify `CONVERT TO PHYSICAL STANDBY` to convert a primary database, a logical standby database, or a snapshot standby database into a physical standby database.

Perform these steps before specifying this clause:

- On an Oracle Real Application Clusters (Oracle RAC) database, shut down all but one instance.
- Ensure that the database is mounted, but not open.

The database is dismounted after conversion and must be restarted.

- Specify `CONVERT TO SNAPSHOT STANDBY` to convert a physical standby database into a snapshot standby database.

Ensure that redo apply is stopped before specifying this clause.

 **Note:**

A snapshot standby database must be opened at least once in read/write mode before it can be converted into a physical standby database.

 **See Also:**

*Oracle Data Guard Concepts and Administration* for more information about standby databases

### ***default\_settings\_clauses***

Use these clauses to modify the default settings of the database.

#### **DEFAULT EDITION Clause**

Use this clause to designate the specified edition as the default edition for the database. The specified edition must already have been created and must be `USABLE`. The change takes place immediately and is visible to all nodes in an Oracle RAC environment. New database sessions automatically start out in the specified edition. The new setting persists across database shutdown and startup.

When you designate an edition as the database default edition, all users can use the edition, as though the `USE` object privilege were granted on the specified edition to the role `PUBLIC`.

You can determine the current default edition of the database with the following query:

```
SELECT PROPERTY_VALUE FROM DATABASE_PROPERTIES
WHERE PROPERTY_NAME = 'DEFAULT_EDITION';
```

 **See Also:**

[CREATE EDITION](#) for more information on editions and *Oracle Database PL/SQL Language Reference* for information on how editions are designated as `USABLE`

### **CHARACTER SET, NATIONAL CHARACTER SET**

You can no longer change the database character set or the national character set using the `ALTER DATABASE` statement. Refer to *Oracle Database Globalization Support Guide* for information on database character set migration.

### SET DEFAULT TABLESPACE Clause

Use this clause to specify or change the default type of subsequently created tablespaces. Specify `BIGFILE` or `SMALLFILE` to indicate whether the tablespaces should be bigfile or smallfile tablespaces.

- A **bigfile tablespace** contains only one data file or temp file, which can contain up to approximately 4 billion ( $2^{32}$ ) blocks. The maximum size of the single data file or temp file is 128 terabytes (TB) for a tablespace with 32K blocks and 32TB for a tablespace with 8K blocks.
- A **smallfile tablespace** is a traditional Oracle tablespace, which can contain 1022 data files or temp files, each of which can contain up to approximately 4 million ( $2^{22}$ ) blocks.

#### See Also:

- *Oracle Database Administrator's Guide* for more information about bigfile tablespaces
- ["Setting the Default Type of Tablespaces: Example"](#)

### DEFAULT TABLESPACE Clause

Specify this clause to establish or change the default permanent tablespace of the database. The tablespace you specify must already have been created. After this operation completes, Oracle Database automatically reassigns to the new default tablespace all non-`SYSTEM` users. All objects subsequently created by those users will by default be stored in the new default tablespace. If you are replacing a previously specified default tablespace, then you can move the previously created objects from the old to the new default tablespace, and then drop the old default tablespace if you want to.

### DEFAULT [LOCAL] TEMPORARY TABLESPACE Clause

Specify this clause to change the default shared temporary tablespace of the database to a new tablespace or tablespace group, or to change the default local temporary tablespace to a new tablespace.

- Specify *tablespace* to indicate the new default temporary tablespace for the database. After this operation completes, Oracle Database automatically reassigns to the new default temporary tablespace all users who had been assigned to the old default temporary tablespace. You can then drop the old default temporary tablespace if you want to. Specify `DEFAULT TEMPORARY TABLESPACE` to change the default shared temporary tablespace. Specify `DEFAULT LOCAL TEMPORARY TABLESPACE` to change the default local temporary tablespace.
- Specify *tablespace\_group\_name* to indicate that all tablespaces in the tablespace group specified by *tablespace\_group\_name* are now default shared temporary tablespaces for the database. After this operation completes, users who have not been explicitly assigned a default temporary tablespace can create temporary segments in any of the tablespaces that are part of *tablespace\_group\_name*. You cannot drop an old default

temporary tablespace if it is part of the default temporary tablespace group. Local temporary tablespaces cannot be part of a tablespace group.

To learn the name of the current default temporary tablespace or default temporary tablespace group, query the `TEMPORARY_TABLESPACE` column of the `ALL_`, `DBA_`, or `USER_USERS` data dictionary views.

### Restrictions on Default Temporary Tablespaces

Default temporary tablespaces are subject to the following restrictions:

- The tablespace you assign or reassign as the default temporary tablespace must have a standard block size.
- If the `SYSTEM` tablespace is locally managed, then the tablespace you specify as the default temporary tablespace must also be locally managed.

#### See Also:

- *Oracle Database Administrator's Guide* for information on tablespace groups
- ["Changing the Default Temporary Tablespace: Examples"](#)

### *instance\_clauses*

In an Oracle Real Application Clusters environment, specify `ENABLE INSTANCE` to enable the thread that is mapped to the specified database instance. The thread must have at least two redo log file groups, and the database must be open.

Specify `DISABLE INSTANCE` to disable the thread that is mapped to the specified database instance. The name of the instance is a string of up to 80 characters. If no thread is currently mapped to the specified instance, then Oracle Database returns an error. The database must be open, but you cannot disable a thread if an instance using it has the database mounted.

#### See Also:

*Oracle Real Application Clusters Administration and Deployment Guide* for more information on enabling and disabling instances

### RENAME GLOBAL\_NAME Clause

Specify `RENAME GLOBAL_NAME` to change the global name of the database. The database must be open. The *database* is the new database name and can be as long as eight bytes. The optional *domain* specifies where the database is effectively located in the network hierarchy. If you specify a domain name, then the components of the domain name must be legal identifiers. See ["Database Object Naming Rules"](#) for information on valid identifiers.

 **Note:**

Renaming your database does not change global references to your database from existing database links, synonyms, and stored procedures and functions on remote databases. Changing such references is the responsibility of the administrator of the remote databases.

 **See Also:**

["Changing the Global Database Name: Example"](#)

## BLOCK CHANGE TRACKING Clauses

The **block change tracking** feature causes Oracle Database to keep track of the physical locations of all database updates on both the primary database and any physical standby database. You must enable block change tracking on each database for which you want tracking to be performed. The tracking information is maintained in a separate file called the block change tracking file. If you are using Oracle Managed Files, then Oracle Database automatically creates the block change tracking file in the location specified by `DB_CREATE_FILE_DEST`. If you are not using Oracle Managed Files, then you must specify the change tracking filename. Oracle Database uses change tracking data for some internal tasks, such as increasing the performance of incremental backups. You can enable or disable block change tracking with the database either open or mounted, in either archivelog or `NOARCHIVELOG` mode.

### ENABLE BLOCK CHANGE TRACKING

This clause enables block change tracking and causes Oracle Database to create a block change tracking file.

- Specify `USING FILE 'filename'` if you want to name the block change tracking file instead of letting Oracle Database generate a name for it. You must specify this clause if you are not using Oracle Managed Files.
- Specify `REUSE` to allow Oracle Database to overwrite an existing block change tracking file of the same name.

 **Note:**

On a standby database, the block change tracking only becomes effective when the managed recovery starts. If the recovery is already active on the standby database when you issue the command, the recovery must be stopped and then started again to benefit from the fast incremental backups.

### DISABLE BLOCK CHANGE TRACKING

Specify this clause if you want Oracle Database to stop tracking changes and delete the existing block change tracking file.

 **See Also:**

*Oracle Database Backup and Recovery User's Guide* for information on setting up block change tracking and "[Enabling and Disabling Block Change Tracking: Examples](#)"

## [NO] FORCE FULL DATABASE CACHING

Use this clause to enable or disable the force full database caching mode. In contrast to the default mode, which is automatic, the force full database caching mode considers the entire database, including `NOCACHE` LOBs, as eligible for caching in the buffer cache.

The database must be mounted but not open. In an Oracle RAC environment, the database must be mounted but not open in the current instance and unmounted in all other instances.

- Specify `FORCE FULL DATABASE CACHING` to enable the force full database caching mode.
- Specify `NO FORCE FULL DATABASE CACHING` to disable the force full database caching mode. This is the default mode.

You can determine whether the force full database caching mode is enabled by querying the `FORCE_FULL_DB_CACHING` column of the `V$DATABASE` dynamic performance view.

 **See Also:**

- *Oracle Database Concepts* for more information on the force full database caching mode
- *Oracle Database Administrator's Guide* to learn how to enable the force full database caching mode
- *Oracle Database Reference* for more information on the `V$DATABASE` dynamic performance view

## CONTAINERS DEFAULT TARGET

Use this clause to specify the default container for DML statements in a CDB. You must be connect to the CDB root.

- For `container_name`, specify the name of the default container. The default container can be any container in the CDB, including the CDB root, a PDB, an application root, or an application PDB. You can specify only one default container.
- If you specify `NONE`, then the default container is the CDB root. This is the default.

When a DML statement is issued in a CDB root without specifying containers in the `WHERE` clause, the DML statement affects the default container for the CDB.

### *flashback\_mode\_clause*

Use this clause to put the database in or take the database out of `FLASHBACK` mode. You can specify this clause only if the database is in `ARCHIVELOG` mode and you have already prepared a fast recovery area for the database. You can specify this clause when the database is mounted or open. This clause cannot be specified on a physical standby database if redo apply is active.

#### See Also:

*Oracle Database Backup and Recovery User's Guide* for information on preparing the fast recovery area for Flashback operations

### **FLASHBACK ON**

Use this clause to put the database in `FLASHBACK` mode. When the database is in `FLASHBACK` mode, Oracle Database automatically creates and manages Flashback Database logs in the fast recovery area. Users with `SYSDBA` system privilege can then issue a `FLASHBACK DATABASE` statement.

### **FLASHBACK OFF**

Use this clause to take the database out of `FLASHBACK` mode. Oracle Database stops logging Flashback data and deletes all existing Flashback Database logs. Any attempt to issue a `FLASHBACK DATABASE` will fail with an error.

### *undo\_mode\_clause*

This clause is valid only when you are connected to a CDB. It lets you change the undo mode for the CDB. The CDB must be in `OPEN UPGRADE` mode.

- Specify `LOCAL UNDO ON` to change the CDB to use local undo mode.
- Specify `LOCAL UNDO OFF` to change the CDB to use shared undo mode.

#### See Also:

- `CREATE DATABASE undo\_mode\_clause` for the full semantics of this clause
- *Oracle Database Administrator's Guide* for the complete steps for configuring a CDB to use local undo mode or shared undo mode

### *set\_time\_zone\_clause*

This clause has the same semantics in `CREATE DATABASE` and `ALTER DATABASE` statements. When used in with `ALTER DATABASE`, this clause resets the time zone of the database. To determine the time zone of the database, query the built-in function `DBTIMEZONE`. After setting or changing the time zone with this clause, you must restart the database for the new time zone to take effect.



Oracle Database normalizes all new `TIMESTAMP WITH LOCAL TIME ZONE` data to the time zone of the database when the data is stored on disk. Oracle Database does not automatically update existing data in the database to the new time zone. Therefore, you cannot reset the database time zone if there is any `TIMESTAMP WITH LOCAL TIME ZONE` data in the database. You must first delete or export the `TIMESTAMP WITH LOCAL TIME ZONE` data and then reset the database time zone. For this reason, Oracle does not encourage you to change the time zone of a database that contains data.

For a full description of this clause, refer to [set\\_time\\_zone\\_clause](#) in the documentation on `CREATE DATABASE`.

### ***security\_clause***

Use the *security\_clause* (`GUARD`) to protect data in the database from being changed. You can override this setting for a current session using the `ALTER SESSION DISABLE GUARD` statement. Refer to [ALTER SESSION](#) for more information.

### **ALL**

Specify `ALL` to prevent all users other than `SYS` from making any changes to the database.

### **STANDBY**

Specify `STANDBY` to prevent all users other than `SYS` from making changes to any database object being maintained by logical standby. This setting is useful if you want report operations to be able to modify data as long as it is not being replicated by logical standby.



#### **See Also:**

*Oracle Data Guard Concepts and Administration* for information on logical standby

### **NONE**

Specify `NONE` if you want normal security for all data in the database.



#### **Note:**

Oracle strongly recommends that you not use this setting on a logical standby database.

### ***prepare\_clause***

- Use this clause to prepare mirror copies of the database. You must provide a *mirror\_name* to identify the filegroup that is created. The filegroup contains all the prepared files.
- Specify the number of copies to be prepared by the `REDUNDANCY` options: `EXTERNAL`, `NORMAL`, or `HIGH`.

- If you do not specify the redundancy of the mirror, the redundancy of the source database is used.

### Prepare a Database : Example

```
ALTER DATABASE db_name PREPARE MIRROR COPY mirror_name WITH HIGH REDUNDANCY
```

### *drop\_mirror\_copy*

Use this clause to discard mirror copies of data created by the prepare statement. You must specify the same mirror name that you used for the prepare operation.

You cannot use this clause to drop a database that has already been split by the `CREATE DATABASE` or `CREATE PLUGGABLE DATABASE` statement.

### *lost\_write\_protection*

Specify this clause to enable lost write protection for data files. You can enable, remove, and suspend lost write protection for data files.

### Example: Turn on Lost Write for a Datafile

The example turns on lost write on datafile `td_file.df`.

```
ALTER DATABASE DATAFILE td_file.df ENABLE LOST WRITE PROTECTION
```

Note that the lost write database is zeroed out. It is not initialized with the contents of the current data file.

You can turn off lost write protection for a datafile in two ways, with the `REMOVE` or `SUSPEND` options.

1. The `REMOVE` option stops lost write protection for the data file. Additionally, it removes all references to lost write protection including tracking data from the shadow tablespace.

### Example: Remove Lost Write for a Datafile

```
ALTER DATABASE DATAFILE td_file.df REMOVE LOST WRITE PROTECTION
```

2. The `SUSPEND` option disables updates and lost write checking, but leaves the tracking data in the shadow tablespace. If you suspend lost write protection for a short time, lost write protection for the data file is stopped during the suspended period. This means that no lost write data is gathered, and no blocks are checked. If you turn on lost write protection for the data file later, there will be no records of SCN updates made to the blocks in the datafile during the suspended period. Note that the `SUSPEND` option does not deallocate the lost write storage.

### Example: Suspend Lost Write for a Datafile

```
ALTER DATABASE DATAFILE td_file.df SUSPEND LOST WRITE PROTECTION
```

You can enable lost write protection for container databases and pluggable databases.

### Example: Turn on Lost Write for a Database

```
ALTER DATABASE ENABLE LOST WRITE PROTECTION
```

### Example: Turn off Lost Write for a Database

```
ALTER DATABASE DISABLE LOST WRITE PROTECTION
```

Note that disabling lost write for the database does not deallocate the lost write storage. You must use the `DROP TABLESPACE` statement to deallocate lost write storage.

### ***cdb\_fleet\_clauses***

Specify the *cdb\_fleet\_clauses* to set a Lead CDB in a collection of different CDBs.

### ***lead\_cdb\_clause***

Use this clause to designate a CDB as the Lead CDB in a CDB fleet. The database property `LEAD_CDB` indicates that the current CDB is a Lead CDB, and can be found in `DATABASE_PROPERTIES` view.

There is a new parameter in `SYS_CONTEXT` named `IS_LEAD_CDB` which can be used to determine if the current session is connected to a Lead CDB in a CDB fleet.

### ***lead\_cdb\_uri\_clause***

Use this clause to specify the connection URI for the Lead CDB in a CDB fleet. It is used to register a Member CDB with the Lead CDB of the fleet.

The database link name specified in `dblink` must exist in the CDB ROOT of the Member CDB joining the CDB fleet. It is used to synchronize PDB metadata with the Lead CDB in the fleet.

The `uri_string` specified is stored as a database property named `LEAD_CDB_URI` and can be found in `DATABASE_PROPERTIES` view.

There is a new parameter in `SYS_CONTEXT` named `IS_LEAD_CDB` which can be used to determine if the current session is connected to a Member CDB in a CDB fleet.

### ***property\_clause***

Specify this clause to set or remove database properties visible through `DATABASE_PROPERTIES` or `CDB_PROPERTIES` views.

### ***replay\_upgrade\_clause***

Use this clause to enable or disable replay upgrade on the database.

If `UPGRADE SYNC` is `ON`, then replay upgrade and upgrade on open is enabled.

## **Examples**

### **READ ONLY / READ WRITE: Example**

The following statement opens the database in read-only mode:

```
ALTER DATABASE OPEN READ ONLY;
```

The following statement opens the database in read/write mode and clears the online redo logs:

```
ALTER DATABASE OPEN READ WRITE RESETLOGS;
```

### **Using Parallel Recovery Processes: Example**

The following statement performs tablespace recovery using parallel recovery processes:

```
ALTER DATABASE  
  RECOVER TABLESPACE tbs_03  
  PARALLEL;
```

### Adding Redo Log File Groups: Examples

The following statement adds a redo log file group with two members and identifies it with a `GROUP` parameter value of 3:

```
ALTER DATABASE
  ADD LOGFILE GROUP 3
    ('diska:log3.log' ,
     'diskb:log3.log') SIZE 50K;
```

The following statement adds a redo log file group containing two members to thread 5 (in a Real Application Clusters environment) and assigns it a `GROUP` parameter value of 4:

```
ALTER DATABASE
  ADD LOGFILE THREAD 5 GROUP 4
    ('diska:log4.log',
     'diskb:log4:log');
```

### Adding Redo Log File Group Members: Example

The following statement adds a member to the redo log file group added in the previous example:

```
ALTER DATABASE
  ADD LOGFILE MEMBER 'diskc:log3.log'
  TO GROUP 3;
```

### Dropping Log File Members: Example

The following statement drops one redo log file member added in the previous example:

```
ALTER DATABASE
  DROP LOGFILE MEMBER 'diskb:log3.log';
```

The following statement drops all members of the redo log file group 3:

```
ALTER DATABASE DROP LOGFILE GROUP 3;
```

### Renaming a Log File Member: Example

The following statement renames a redo log file member:

```
ALTER DATABASE
  RENAME FILE 'diskc:log3.log' TO 'diskb:log3.log';
```

The preceding statement only changes the member of the redo log group from one file to another. The statement does not actually change the name of the file `diskc:log3.log` to `diskb:log3.log`. Before issuing this statement, you must change the name of the file through your operating system.

### Setting the Default Type of Tablespaces: Example

The following statement specifies that subsequently created tablespaces be created as bigfile tablespaces by default:

```
ALTER DATABASE
  SET DEFAULT BIGFILE TABLESPACE;
```

### Changing the Default Temporary Tablespace: Examples

The following statement makes the `tbs_05` tablespace (created in "[Creating a Temporary Tablespace: Example](#)") the default temporary tablespace of the database. This statement

either establishes a default temporary tablespace if none was specified at create time, or replaces an existing default temporary tablespace with `tbs_05`:

```
ALTER DATABASE
  DEFAULT TEMPORARY TABLESPACE tbs_05;
```

Alternatively, a group of tablespaces can be defined as the default temporary tablespace by using a tablespace group. The following statement makes the tablespaces in the tablespace group `tbs_group_01` (created in "[Adding a Temporary Tablespace to a Tablespace Group: Example](#)") the default temporary tablespaces of the database:

```
ALTER DATABASE
  DEFAULT TEMPORARY TABLESPACE tbs_grp_01;
```

### Creating a New Data File: Example

The following statement creates a new data file `tbs_f04.dbf` based on the file `tbs_f03.dbf`. Before creating the new data file, you must take the existing data file (or the tablespace in which it resides) offline.

```
ALTER DATABASE
  CREATE DATAFILE 'tbs_f03.dbf'
  AS 'tbs_f04.dbf';
```

### Manipulating Temp Files: Example

The following takes offline the temp file `temp02.dbf` created in [Adding and Dropping Data Files and Temp Files: Examples](#) and then renames the temp file:

```
ALTER DATABASE TEMPFILE 'temp02.dbf' OFFLINE;

ALTER DATABASE RENAME FILE 'temp02.dbf' TO 'temp03.dbf';
```

The statement renaming the temp file requires that you first create the file `temp03.dbf` on the operating system.

### Changing the Global Database Name: Example

The following statement changes the global name of the database and includes both the database name and domain:

```
ALTER DATABASE
  RENAME GLOBAL_NAME TO demo.world.example.com;
```

### Enabling and Disabling Block Change Tracking: Examples

The following statement enables block change tracking and causes Oracle Database to create a block change tracking file named `tracking_file` and overwrite the file if it already exists:

```
ALTER DATABASE
  ENABLE BLOCK CHANGE TRACKING
  USING FILE 'tracking_file' REUSE;
```

The following statement disables block change tracking and deletes the existing block change tracking file:

```
ALTER DATABASE
  DISABLE BLOCK CHANGE TRACKING;
```

### Resizing a Data File: Example

The following statement attempts to change the size of data file `diskb:tbs_f5.dbf`:

```
ALTER DATABASE
  DATAFILE 'diskb:tbs_f5.dbf' RESIZE 10 M;
```

### Clearing a Log File: Example

The following statement clears a log file:

```
ALTER DATABASE
  CLEAR LOGFILE 'diskc:log3.log';
```

### Database Recovery: Examples

The following statement performs complete recovery of the entire database, letting Oracle Database generate the name of the next archived redo log file needed:

```
ALTER DATABASE
  RECOVER AUTOMATIC DATABASE;
```

The following statement explicitly names a redo log file for Oracle Database to apply:

```
ALTER DATABASE
  RECOVER LOGFILE 'diskc:log3.log';
```

The following statement performs time-based recovery of the database:

```
ALTER DATABASE
  RECOVER AUTOMATIC UNTIL TIME '2001-10-27:14:00:00';
```

Oracle Database recovers the database until 2:00 p.m. on October 27, 2001.

For an example of recovering a tablespace, see ["Using Parallel Recovery Processes: Example"](#).

## ALTER DATABASE DICTIONARY

### Purpose

To encrypt obfuscated database link passwords and use the TDE framework to manage the encryption key.

A LOB locator ( pointer to the location of a large object (LOB) value) can be assigned a signature to secure the LOB.

### Prerequisites

- The TDE keystore must exist. The DDL first checks that the TDE:
  - Keystore exists.
  - Keystore is open.
  - Master Encryption Key exists in the TDE keystore.


If any of the checks fail, the DDL fails. When this happens you must create a TDE keystore and provision a TDE Master Key. For more see the *Database Security Guide*.

- The instance initialization parameter `COMPATIBLE` must be set to 12.2.0.2.

- You must have `SYSKM` privileges to execute the command.

### Syntax

***alter\_database\_dictionary::=***



### Semantics

***alter\_database\_dictionary\_encrypt\_credentials::=***

This DDL encrypts existing and future obfuscated sensitive information in data dictionaries, for example database link passwords stored in `SYS.LINK$`.

It performs the following actions:

- Inserts a new entry in `ENC$` corresponding to `SYS.LINK$`.
- It creates and initializes the SGA variable.
- De-obfuscates obfuscated passwords in `SYS.LINK$`.
- Encrypts the de-obfuscated passwords using the generated encryption key in `ENC$` for `SYS.LINK$`.
- Sets the flag to indicate a valid/usable dblink entry in `SYS.LINK$`.

When you use this DDL with LOB locator signature keys, they are always encrypted. A LOB locator ( pointer to the location of a large object (LOB) value) can be assigned a signature to secure the LOB.

***alter\_database\_dictionary\_rekey\_credentials::=***

This DDL is used to change the data encryption key. It is applied to `SYS.LINK$` and any other tables covered under the data dictionary encryption framework.

You can also use this DDL to regenerate the LOB locator signature key for LOB locators. If the database is in restricted mode, then Oracle Database regenerates a new LOB signature key and encrypts it with the new encryption key. If the database is in non-restricted mode, then a new signature key is not regenerated but instead, Oracle Database uses a new encryption key to encrypt the existing LOB signature key.

***alter\_database\_dictionary\_delete\_credentials\_key::=***

This DDL marks encrypted passwords unusable. That means that current password entries in `SYS.LINK$` are marked unusable. It deletes the key in `ENC$` that was used to encrypt the credentials, and clears the SGA variable to prevent future encryption.

You can also use this DDL to delete the encrypted LOB locator signature key and then regenerate a new LOB signature key in obfuscated form.

**See Also:***Managing Security for Application Developers in the Database Security Guide*

## ALTER DATABASE LINK

### Purpose

Use the `ALTER DATABASE LINK` statement to modify a fixed-user database link when the password of the connection or authentication user changes.

**Note:**


- You cannot use this statement to change the connection or authentication user associated with the database link. To change `user`, you must re-create the database link.
- You cannot use this statement to change the password of a connection or authentication user. You must use the `ALTER USER` statement for this purpose, and then alter the database link with the `ALTER DATABASE LINK` statement.
- This statement is valid only for fixed-user database links, not for connected-user or current user database links. See `CREATE DATABASE LINK` for more information on these two types of database links.

### Prerequisites


To alter a private database link, you must have the `ALTER DATABASE LINK` system privilege. To alter a public database link, you must have the `ALTER PUBLIC DATABASE LINK` system privilege.

### Syntax

**`alter_database_link::=`**



**`dblink_authentication`**





## Semantics

The `ALTER DATABASE LINK` statement is intended only to update fixed-user database links with the current passwords of connection and authentication users. Therefore, any clauses valid in a `CREATE DATABASE LINK` statement that do not appear in the syntax diagram above are not valid in an `ALTER DATABASE LINK` statement. The semantics of all of the clauses permitted in this statement are the same as the semantics for those clauses in `CREATE DATABASE LINK`. Refer to [CREATE DATABASE LINK](#) for this information.

## IF EXISTS

Specify `IF EXISTS` to alter an existing database link.

Specifying `IF NOT EXISTS` with `ALTER VIEW` results in `ORA-11544: Incorrect IF EXISTS clause for ALTER/DROP statement.`

## IDENTIFIED BY

You can set the password length to a maximum length of 1024 bytes.

## Examples

The following statements show the valid variations of the `ALTER DATABASE LINK` statement:

```
ALTER DATABASE LINK private_link
  CONNECT TO hr IDENTIFIED BY hr_new_password;

ALTER PUBLIC DATABASE LINK public_link
  CONNECT TO scott IDENTIFIED BY scott_new_password;

ALTER SHARED PUBLIC DATABASE LINK shared_pub_link
  CONNECT TO scott IDENTIFIED BY scott_new_password
  AUTHENTICATED BY hr IDENTIFIED BY hr_new_password;

ALTER SHARED DATABASE LINK shared_pub_link
  CONNECT TO scott IDENTIFIED BY scott_new_password;
```

# ALTER DIMENSION

## Purpose

Use the `ALTER DIMENSION` statement to change the hierarchical relationships or dimension attributes of a dimension.



### See Also:

[CREATE DIMENSION](#) and [DROP DIMENSION](#)


## Prerequisites

The dimension must be in your schema or you must have the `ALTER ANY DIMENSION` system privilege to use this statement.

A dimension is always altered under the rights of the owner.


**Syntax**

***alter\_dimension::=***




*(level\_clause::=, hierarchy\_clause::=, attribute\_clause::=, extended\_attribute\_clause::=)*

***level\_clause::=***




***hierarchy\_clause::=***




*(dimension\_join\_clause::=)*


***dimension\_join\_clause::=***



***attribute\_clause::=***



***extended\_attribute\_clause::=***



**Semantics**

The following keywords, parameters, and clauses have meaning unique to ALTER DIMENSION. Keywords, parameters, and clauses that do not appear here have the same functionality that they have in the CREATE DIMENSION statement. Refer to CREATE DIMENSION for more information.

***schema***

Specify the schema of the dimension you want to modify. If you do not specify *schema*, then Oracle Database assumes the dimension is in your own schema.

***dimension***

Specify the name of the dimension. This dimension must already exist.

**ADD**

The ADD clauses let you add a level, hierarchy, or attribute to the dimension. Adding one of these elements does not invalidate any existing materialized view.

Oracle Database processes ADD LEVEL clauses prior to any other ADD clauses.

## DROP

The `DROP` clauses let you drop a level, hierarchy, or attribute from the dimension. Any level, hierarchy, or attribute you specify must already exist.

Within one attribute, you can drop one or more level-to-column relationships associated with one level.

### Restriction on DROP

If any attributes or hierarchies reference a level, then you cannot drop the level until you either drop all the referencing attributes and hierarchies or specify `CASCADE`.

## CASCADE

Specify `CASCADE` if you want Oracle Database to drop any attributes or hierarchies that reference the level, along with the level itself.

## RESTRICT

Specify `RESTRICT` if you want to prevent Oracle Database from dropping a level that is referenced by any attributes or hierarchies. This is the default.

## COMPILE

Specify `COMPILE` to explicitly recompile an invalidated dimension. Oracle Database automatically compiles a dimension when you issue an `ADD` clause or `DROP` clause. However, if you alter an object referenced by the dimension (for example, if you drop and then re-create a table referenced in the dimension), Oracle Database invalidates, and you must recompile it explicitly.

## Examples

### Modifying a Dimension: Examples

The following examples modify the `customers_dim` dimension in the sample schema `sh`:

```
ALTER DIMENSION customers_dim
  DROP ATTRIBUTE country;

ALTER DIMENSION customers_dim
  ADD LEVEL zone IS customers.cust_postal_code
  ADD ATTRIBUTE zone DETERMINES (cust_city);
```

# ALTER DISKGROUP

### Note:

This SQL statement is valid only if you are using Oracle ASM and you have started an Oracle ASM instance. You must issue this statement from within the Oracle ASM instance, not from a normal database instance. For information on starting an Oracle ASM instance, refer to *Oracle Automatic Storage Management Administrator's Guide*.

## Purpose

The `ALTER DISKGROUP` statement lets you perform a number of operations on a disk group or on the disks in a disk group.

### See Also:

- [CREATE DISKGROUP](#) for information on creating disk groups
- *Oracle Automatic Storage Management Administrator's Guide* for information on Oracle ASM and using disk groups to simplify database administration

## Prerequisites

You must have an Oracle ASM instance started from which you issue this statement. The disk group to be modified must be mounted.

You can issue all `ALTER DISKGROUP` clauses if you have the `SYSASM` system privilege. You can issue specific clauses as follows:

- The `SYSOPER` privilege permits the following subset of the `ALTER DISKGROUP` operations: `diskgroup_availability`, `rebalance_diskgroup_clause`, `check_diskgroup_clause` (without the `REPAIR` option).
- If you are connected as `SYSDBA`, you have limited privileges to use this statement. The following operations are always granted to users connected as `SYSDBA`:
  - `ALTER DISKGROUP ... ADD DIRECTORY`
  - `ALTER DISKGROUP ... ADD/ALTER/DROP TEMPLATE` (nonsystem templates only)
  - `ALTER DISKGROUP ... ADD USERGROUP`
  - `SELECT`
  - `SHOW PARAMETER`

[Table 10-1](#) shows additional privileges granted to users connected as `SYSDBA` under the conditions shown:

**Table 10-1 Conditional Diskgroup Privileges for SYSDBA**


<b>ALTER DISKGROUP Operation</b>	<b>Condition</b>
DROP FILE	User must have read-write permission on the file.
ADD ALIAS	User must have read-write permission on the related file.
RENAME ALIAS	User must have read-write permission on the related file.
DROP ALIAS	User must have read-write permission on the related file.
RENAME DIRECTORY	Directory must contain only aliases and no files. User must have DROP ALIAS permissions on all aliases under the directory.

**Table 10-1 (Cont.) Conditional Diskgroup Privileges for SYSDBA**

<b>ALTER DISKGROUP Operation</b>	<b>Condition</b>
DROP DIRECTORY	Directory must contain only aliases and no files. User must have DROP ALIAS permissions on all aliases under the directory.
DROP USERGROUP	User must be the owner of the user group.
MODIFY USERGROUP ADD MEMBER	User must be the owner of the user group.
MODIFY USERGROUP DROP MEMBER	User must be the owner of the user group.
SET PERMISSION	User must be the owner of the file.
SET OWNER GROUP	User must be the owner of the file and a member of the user group.

Syntax


**alter\_diskgroup::=**



*(add\_disk\_clause::=, drop\_disk\_clause::=, resize\_disk\_clause::=, replace\_disk\_clause::=, rename\_disk\_clause::=, disk\_online\_clause::=, disk\_offline\_clause::=, rebalance\_diskgroup\_clause::=, check\_diskgroup\_clause::=, diskgroup\_template\_clauses::=, diskgroup\_directory\_clauses::=, diskgroup\_alias\_clauses::=, diskgroup\_volume\_clauses::=, diskgroup\_attributes::=, modify\_diskgroup\_file::=, drop\_diskgroup\_file\_clause::=,*


*convert\_redundancy\_clause::=, usergroup\_clauses::=, user\_clauses::=,  
file\_permissions\_clause::=, file\_owner\_clause::=, scrub\_clause::=, quotagroup\_clauses::=,  
filegroup\_clauses::=, undrop\_disk\_clause::=, diskgroup\_availability::=,  
enable\_disable\_volume::=)*

**add\_disk\_clause::=**




*(qualified\_disk\_clause::=)*

**qualified\_disk\_clause::=**




*(size\_clause::=)*

**drop\_disk\_clause::=**




**resize\_disk\_clause::=**




*(size\_clause::=)*




***replace\_disk\_clause::=***




***rename\_disk\_clause::=***




***disk\_online\_clause::=***




**disk\_offline\_clause::=**




**timeout\_clause::=**




**rebalance\_diskgroup\_clause::=**



**check\_diskgroup\_clause::=**




**diskgroup\_template\_clauses::=**




(qualified\_template\_clause::=)


qualified\_template\_clause::=




redundancy\_clause::=




striping\_clause::=




diskgroup\_directory\_clauses::=



diskgroup\_alias\_clauses::=




**diskgroup\_volume\_clauses::=**




(*add\_volume\_clause::=*, *modify\_volume\_clause::=*

**add\_volume\_clause::=**




(*size\_clause::=*, *redundancy\_clause::=*, )


**size\_clause::=**




**modify\_volume\_clause::=**




**diskgroup\_attributes::=**




**modify\_diskgroup\_file::=**




**drop\_diskgroup\_file\_clause::=**




**convert\_redundancy\_clause::=**




**usergroup\_clauses::=**




**user\_clauses::=**




**file\_permissions\_clause::=**




**file\_owner\_clause::=**




**scrub\_clause::=**



**quotagroup\_clauses::=**




**filegroup\_clauses::=**




(*add\_filegroup\_clause::=*, *modify\_filegroup\_clause::=*, *move\_to\_filegroup\_clause::=*,  
*drop\_filegroup\_clause::=*)


***add\_filegroup\_clause::=***




***modify\_filegroup\_clause::=***



***move\_to\_filegroup\_clause::=***





***drop\_filegroup\_clause::=***



***undrop\_disk\_clause::=***



**diskgroup\_availability::=****enable\_disable\_volume::=****Semantics****diskgroup\_name**

Specify the name of the disk group you want to modify. To determine the names of existing disk groups, query the `V$ASM_DISKGROUP` dynamic performance view.

**add\_disk\_clause**

Use this clause to add one or more disks to the disk group and specify attributes for the newly added disk. Oracle ASM automatically rebalances the disk group as part of this operation.

You cannot use this clause to change the failure group of a disk. Instead you must drop the disk from the disk group and then add the disk back into the disk group as part of the new failure group.

To determine the names of the disks already in this disk group, query the `V$ASM_DISK` dynamic performance view.

**QUORUM | REGULAR**

The semantics of these keyword are the same as the semantics in a `CREATE DISKGROUP` statement. See [QUORUM | REGULAR](#) for more information on these keywords.

You cannot change this qualifier for an existing disk or disk group. Therefore, you cannot specify in this clause a keyword different from the keyword that was specified when the disk group was created.

 **See Also:**

*Oracle Automatic Storage Management Administrator's Guide* for more information about the use of these keywords



## FAILGROUP Clause

Use this clause to assign the newly added disk to a failure group. If you omit this clause and you are adding the disk to a normal or high redundancy disk group, then Oracle Database automatically adds the newly added disk to its own failure group. The implicit name of the failure group is the same as the operating system independent disk name (see "[NAME Clause](#)").

You cannot specify this clause if you are creating an external redundancy disk group.

### *qualified\_disk\_clause*

This clause has the same semantics in `CREATE DISKGROUP` and `ALTER DISKGROUP` statements. For complete information on this clause, refer to [qualified\\_disk\\_clause](#) in the documentation on `CREATE DISKGROUP`.

### *drop\_disk\_clause*

Use this clause to drop one or more disks from the disk group.

## DROP DISK

The `DROP DISK` clause lets you drop one or more disks from the disk group and automatically rebalance the disk group. When you drop a disk, Oracle ASM relocates all the data from the disk and clears the disk header so that it no longer is part of the disk group. The disk header is not cleared if you specify the `FORCE` keyword.

Specify *disk\_name* as shown in the `NAME` column of the `V$ASM_DISK` dynamic performance view.

If a disk to be dropped is a quorum disk or belongs to a quorum failure group, then you must specify `QUORUM` in order to drop the disk. See [QUORUM | REGULAR](#).

## DROP DISKS IN FAILGROUP

The `DROP DISKS IN FAILGROUP` clause lets you drop all the disks in the specified failure group. The behavior is otherwise the same as that for the `DROP DISK` clause.

If the specified failure group is a quorum failure group, then you must specify the `QUORUM` keyword in order to drop the disks. See [QUORUM | REGULAR](#).

## FORCE | NOFORCE

These keywords let you specify when the disk is considered to be no longer part of the disk group. The default and recommended setting is `NOFORCE`.

- When you specify `NOFORCE`, Oracle ASM reallocates all of the extents of the disk to other disks and then expels the disk from the disk group and rebalances the disk group.

 **Note:**

`DROP DISK ... NOFORCE` returns control to the user before the disk can be safely reused or removed from the system. To ensure that the drop disk operation has completed, query the `V$ASM_DISK` view to verify that `HEADER_STATUS` has the value `FORMER`. Do not attempt to remove or reuse a disk if `STATE` has the value `DROPPING`. Query the `V$ASM_OPERATION` view for approximate information on how long it will take to complete the rebalance resulting from dropping the disk. If you also specify `REBALANCE ... WAIT` (see [rebalance\\_diskgroup\\_clause](#)), then the statement will not return until the rebalance operation is complete and the disk has been cleared. However, you should always verify that the `HEADER_STATUS` column of `V$ASM_DISK` is `FORMER`, because of the unlikely event the rebalance operations fails.

- When you specify `FORCE`, Oracle Database expels the disk from the disk group immediately. It then reconstructs the data from the redundant copies on other disks, reallocates the data to other disks, and rebalances the disk group.

The `FORCE` clause can be useful, for example, if Oracle ASM can no longer read the disk to be dropped. However, it is more time consuming than a `NOFORCE` drop, and it can leave portions of a file with reduced protection. You cannot specify `FORCE` for an external redundancy disk group at all, because in the absence of redundant data on the disk, Oracle ASM must read the data from the disk before it can be dropped.

The rebalance operation invoked when a disk is dropped is time consuming, whether or not you specify `FORCE` or `NOFORCE`. You can monitor the progress by querying the `V$ASM_OPERATION` dynamic performance view. Refer to [rebalance\\_diskgroup\\_clause](#) for more information on rebalance operations.

### ***resize\_disk\_clause***

Use this clause to specify a new size for every disk in a disk group. This clause lets you override the size returned by the operating system or the size you specified previously for the disks.

#### **SIZE**

Specify the new size in kilobytes, megabytes, gigabytes, or terabytes. You cannot specify a size greater than the capacity of the disk. If you specify a size smaller than the disk capacity, then you limit the amount of disk space Oracle ASM will use. If you omit this clause, then Oracle ASM attempts programatically to determine the size of the disks.

### ***replace\_disk\_clause***

Use this clause to replace one or more disks in the disk group. This clause allows you to replace disks with a single operation, which is more efficient than dropping and adding each disk.

For *disk\_name*, specify the name of the disk you want to replace. This name is assigned to the replacement disk. You can view disk names by querying the `NAME` column of the `V$ASM_DISK` dynamic performance view.

For *path\_name*, specify the full path name for the replacement disk.

#### **FORCE**

Specify `FORCE` if you want Oracle ASM to add the replacement disk to the disk group even if the replacement disk is already a member of a disk group.

**Note:**

Using `FORCE` in this way may destroy existing disk groups.

**NOFORCE**

Specify `NOFORCE` if you want Oracle ASM to return an error if the replacement disk is already a member of a disk group. `NOFORCE` is the default.

**POWER**

The `POWER` clause has the same semantics here as for a manual rebalancing of a disk group, except that the power value cannot be set to 0. See [POWER](#).

**WAIT | NOWAIT**

The `WAIT` and `NOWAIT` keywords have the same semantics here as for a manual rebalancing of a disk group. See [WAIT | NOWAIT](#).

***rename\_disk\_clause***

Use this clause to rename one or more disks in the disk group. The disk group must be in the `MOUNT RESTRICTED` state and all disks in the disk group must be online.

**RENAME DISK**

Specify this clause to rename one or more disks. For each disk, specify the *old\_disk\_name* and *new\_disk\_name*. If *new\_disk\_name* already exists, then this operation fails.

**RENAME DISKS ALL**

Specify this clause to rename all disks in the disk group to a name of the form *diskgroupname\_####*, where *####* is the disk number. Disk names that are already in the *diskgroupname\_####* format are not changed.

***disk\_online\_clause***

Use this clause to bring one or more disks online and rebalance the disk group.

**ONLINE DISK**

The `ONLINE DISK` clause lets you bring one or more specified disks online and rebalance the disk group.

Specify *disk\_name* as shown in the `NAME` column of the `V$ASM_DISK` dynamic performance view.

The `QUORUM` and `REGULAR` keywords have the same semantics here as they have when adding a disk to a disk group. See [QUORUM | REGULAR](#).

**ONLINE DISKS IN FAILGROUP**

The `ONLINE DISKS IN FAILGROUP` clause lets you bring all disks in the specified failure group online and rebalance the disk group.

If the specified failure group is a quorum failure group, then you must specify the `QUORUM` keyword in order to bring the disks online. See [QUORUM | REGULAR](#).

### **ALL**

The `ALL` clause lets you bring all disks in the disk group online and rebalance the disk group.

### **POWER**

The `POWER` clause has the same semantics here as for a manual rebalancing of a disk group. See [POWER](#).

### **WAIT | NOWAIT**

The `WAIT` and `NOWAIT` keywords have the same semantics here as for a manual rebalancing of a disk group. See [WAIT | NOWAIT](#).

### ***disk\_offline\_clause***

Use the *disk\_offline\_clause* to take one or more disks offline. This clause fails if the redundancy level of the disk group would be violated by taking the specified disks offline.

### **OFFLINE DISK**

The `OFFLINE DISK` clause lets you take one or more specified disks offline.

Specify *disk\_name* as shown in the `NAME` column of the `V$ASM_DISK` dynamic performance view.

The `QUORUM` and `REGULAR` keywords have the same semantics here as they have when adding a disk to a disk group. See [QUORUM | REGULAR](#).

### **OFFLINE DISKS IN FAILGROUP**

The `OFFLINE DISKS IN FAILGROUP` clause lets you take all disks in the specified failure group offline.

If the specified failure group is a quorum failure group, then you must specify the `QUORUM` keyword in order to take the disks offline. See [QUORUM | REGULAR](#).

### ***timeout\_clause***

By default, Oracle ASM drops a disk shortly after it is taken offline. You can delay this operation by specifying the *timeout\_clause*, which gives you the opportunity to repair the disk and bring it back online. You can specify the timeout value in units of minute or hour. If you omit the unit, then the default is hour.

You can change the timeout period by specifying this clause multiple times. Each time you specify it, Oracle ASM measures the time from the most recent previous *disk\_offline\_clause* while the disk group is mounted. To learn how much time remains before Oracle ASM will drop an offline disk, query the `REPAIR_TIMER` column of `V$ASM_DISK`.

This clause overrides any previous setting of the `disk_repair_time` attribute. Refer to [Table 13-2](#) for more information about disk group attributes.

 **See Also:**

*Oracle Automatic Storage Management Administrator's Guide* for more information about taking Oracle ASM disks online and offline

**WAIT | NOWAIT**

Specify `WAIT` for all disk handles to close all instances before offline returns. The default wait timeout is 300 seconds (5 minutes).

***rebalance\_diskgroup\_clause***

Use this clause to manually rebalance the disk group. During a rebalance operation, Oracle ASM redistributes data files evenly across all drives. This clause is rarely necessary, because Oracle ASM allocates files evenly and automatically rebalances disk groups when the storage configuration changes. However, it is useful if you want to perform a controlled rebalance operation. It allows you to include or exclude certain phases of a rebalance operation, pause and restart a rebalance operation, and adjust the power of a rebalance operation.

**WITH | WITHOUT**

A rebalance operation consists of the following phases: `RESTORE` (includes the `RESYNC`, `RESILVER`, or `REBUILD` phases), `BALANCE`, `PREPARE`, and `COMPACT`.

You can use the `WITH` or `WITHOUT` clause to instruct Oracle ASM to include or exclude specific phases of a rebalance operation. For example, if you have time constraints, you can include only the `RESTORE` phase. Or, if you are using flash storage disk groups or disk groups with flash cache, you can exclude the `COMPACT` phase, which is not beneficial for such disk groups.

- Use the `WITH` clause to include only the specified phases of a rebalance operation. You can specify any of phases `RESTORE`, `BALANCE`, `PREPARE`, and `COMPACT`. It is acceptable, but not necessary, to specify `RESTORE`, because the `RESTORE` phase always occurs.
- Use the `WITHOUT` clause to exclude the specified phases of a rebalance operation. You can specify any of the phases `BALANCE`, `PREPARE`, and `COMPACT`. You cannot specify `RESTORE`, because the `RESTORE` phase must always occur.

The order in which you specify multiple phases in the `WITH` or `WITHOUT` clause does not matter. Oracle ASM will perform the phases of the rebalance operation in the proper order. You cannot specify the `RESYNC`, `RESILVER`, or `REBUILD` phases; they are part of the `RESTORE` phase.

If you omit the `WITH` and `WITHOUT` clauses, then Oracle ASM performs all phases of the rebalance operation.

You can monitor the progress of the rebalance operation by querying the `V$ASM_OPERATION` dynamic performance view.

See *Oracle Automatic Storage Management Administrator's Guide* for more information on the phases of a rebalance operation.

**POWER**

This clause lets you specify the power, or speed, of the rebalance operation. It also lets you stop the rebalance operation.

For *integer*, specify a value from 0 to 1024:

- A value of 1 through 1024 specifies the power at which Oracle ASM is to perform the rebalance operation, with 1 representing the lowest possible power and 1024 representing the highest possible power.
- A value of 0 stops an active rebalance operation. No further rebalancing will occur until the start of another manual or automatic rebalance operation on the disk group, and at that time the rebalance operation will start from the beginning. If you would like to have the option of later resuming the rebalance operation from where it left off, then instead stop the rebalance operation by specifying `MODIFY POWER 0`. See the clause [MODIFY POWER](#) for more information.

If you omit the `POWER` clause, then the default power is determined as follows:

- For flex disk groups, Oracle ASM rebalances each file group according to the value of its `POWER_LIMIT` property. If the `POWER_LIMIT` property is not set for a file group, then Oracle ASM uses the value of the `ASM_POWER_LIMIT` initialization parameter for the file group.
- For all other types of disk groups, if you omit the `POWER` clause, then Oracle ASM rebalances the disk group according to the value of the `ASM_POWER_LIMIT` initialization parameter.

### WAIT | NOWAIT

Use this clause to specify when, in the course of the rebalance operation, control should be returned to the user.

- Specify `WAIT` if you want control returned to the user after the rebalance operation has finished. You can explicitly terminate a rebalance operation running in `WAIT` mode, although doing so does not undo any completed disk add, drop, or resize operations in the same statement.
- Specify `NOWAIT` if you want control returned to the user immediately after the statement is issued. This is the default.

### MODIFY POWER

Use this clause to pause, resume, or change the power of an active rebalance operation.

You can specify *integer* as follows:

- Specify 0 to pause the rebalance operation. When you pause a rebalance operation in this manner, you can subsequently resume the operation from the phase where it left off by issuing an `ALTER DISKGROUP ... MODIFY POWER ...` statement. If you subsequently start a manual rebalance operation on the disk group using the clause [POWER](#), or an automatic rebalance operation for the disk group occurs, then the rebalance operation will start at the beginning.
- Specify 1 through 1024 to specify the power of the rebalance operation, with 1 representing the lowest possible power and 1024 representing the highest possible power. If a rebalance operation is running, then Oracle ASM changes the power without interrupting the operation. If a rebalance operation was previously paused with the `MODIFY POWER 0` clause, then the rebalance operation resumes at the specified power.
- Omit *integer* to specify the default power. If a rebalance operation is running, then Oracle ASM changes the power to the default power without interrupting the operation. If

a rebalance operation was previously paused with the `MODIFY POWER 0` clause, then the rebalance operation resumes at the default power. Refer to the clause [POWER](#) for information on how the default power is determined.

#### See Also:

- *Oracle Database Reference* for more information on the `ASM_POWER_LIMIT` initialization parameter and the `V$ASM_OPERATION` dynamic performance view
- [Rebalancing a Disk Group: Example](#)

### ***check\_diskgroup\_clause***

The *check\_diskgroup\_clause* lets you verify the internal consistency of Oracle ASM disk group metadata. The disk group must be mounted. Oracle ASM displays summary errors and writes the details of the detected errors in the alert log.

The `CHECK` keyword performs the following operations:

- Checks the consistency of the disk.
- Cross checks all the file extent maps and allocation tables for consistency.
- Checks that the alias metadata directory and file directory are linked correctly.
- Checks that the alias directory tree is linked correctly.
- Checks that Oracle ASM metadata directories do not have unreachable allocated blocks.

### **REPAIR | NOREPAIR**

This clause lets you instruct Oracle ASM whether or not to attempt to repair any errors found during the consistency check. The default is `NOREPAIR`. The `NOREPAIR` setting is useful if you want to be alerted to any inconsistencies but do not want Oracle ASM to take any automatic action to resolve them.

### **Deprecated Clauses**

In earlier releases, you could specify `CHECK for ALL, DISK, DISKS IN FAILGROUP, or FILE`. Those clauses have been deprecated as they are no longer needed. If you specify them, then their behavior is the same as in earlier releases and a message is added to the alert log. However, Oracle recommends that you do not introduce these clauses into your new code, as they are scheduled for desupport. The deprecated clauses are these:

- `ALL` checks all disks and files in the disk group.
- `DISK` checks one or more specified disks in the disk group.
- `DISKS IN FAILGROUP` checks all disks in a specified failure group.
- `FILE` checks one or more specified files in the disk group. You must use one of the reference forms of the filename. Refer to [ASM\\_filename](#) for information on the reference forms of Oracle ASM filenames.

***diskgroup\_template\_clauses***

A template is a named collection of attributes. When you create a disk group, Oracle ASM associates a set of initial system default templates with that disk group. The attributes defined by the template are applied to all files in the disk group. Table 10-2 lists the system default templates and the attributes they apply to the various file types. The *diskgroup\_template\_clauses* described following the table let you change the template attributes and create new templates.

You cannot use this clause to change the attributes of a disk group file after it has been created. Instead, you must use Recovery Manager (RMAN) to copy the file into a new file with the new attributes.

**Table 10-2 Oracle Automatic Storage Management System Default File Group Templates**

Template Name	File Type	Mirroring Level in External Redundancy Disk Groups	Mirroring Level in Normal Redundancy Disk Groups	Mirroring Level in High Redundancy Disk Groups	Striped
CONTROLFILE	Control files	Unprotected	3-way mirror	3-way mirror	FINE
DATAFILE	Data Files and copies	Unprotected	2-way mirror	3-way mirror	COARSE
ONLINELOG	Online logs	Unprotected	2-way mirror	3-way mirror	COARSE
ARCHIVELOG	Archive logs	Unprotected	2-way mirror	3-way mirror	COARSE
TEMPFILE	Temp files	Unprotected	2-way mirror	3-way mirror	COARSE
BACKUPSET	Data File backup pieces, data file incremental backup pieces, and archive log backup pieces	Unprotected	2-way mirror	3-way mirror	COARSE
PARAMETERFILE	SPFILE	Unprotected	2-way mirror	3-way mirror	COARSE
DATAGUARDCONFIG	Disaster recovery configurations (used in standby databases)	Unprotected	2-way mirror	3-way mirror	COARSE
FLASHBACK	Flashback logs	Unprotected	2-way mirror	3-way mirror	COARSE
CHANGETRACKING	Block change tracking data (used during incremental backups)	Unprotected	2-way mirror	3-way mirror	COARSE
DUMPSET	Data Pump dumpset	Unprotected	2-way mirror	3-way mirror	COARSE
XTRANSPORT	Cross-platform converted data file	Unprotected	2-way mirror	3-way mirror	COARSE
AUTOBACKUP	Automatic backup files	Unprotected	2-way mirror	3-way mirror	COARSE
ASMPARAMETERFILE	SPFILE	Unprotected	2-way mirror	3-way mirror	COARSE
OCRFILE	Oracle Cluster Registry file	Unprotected	2-way mirror	3-way mirror	COARSE

**ADD TEMPLATE**



Use this clause to add one or more named templates to a disk group. To determine the names of existing templates, query the `V$ASM_TEMPLATE` dynamic performance view.

### MODIFY TEMPLATE

Use this clause to modify the attributes of a system default or user-defined disk group template. Only the specified attributes are altered. Unspecified properties retain their current values.

#### Note:

In earlier releases, the keywords `ALTER TEMPLATE` were used instead of `MODIFY TEMPLATE`. The `ALTER` keyword is still supported for backward compatibility, but is replaced with `MODIFY` for consistency with other Oracle SQL.

#### *template\_name*

Specify the name of the template to be added or modified. The maximum length of a template name is 30 characters. The name must satisfy the requirements listed in "[Database Object Naming Rules](#)".

#### *redundancy\_clause*

Specify `PARITY` for single parity protection for write-once file types like archive logs and backup sets. If parity protection is not specified, the default redundancy for write-once file types will continue to be derived from system templates.

Specify `DOUBLE` for double parity for write-once file types like archive logs and backup sets. If parity protection is not specified, the default redundancy for write-once file types will continue to be derived from system templates.

#### Example:

```
ALTER DISKGROUP <diskgroup_name> MODIFY TEMPLATE <archivelog> ATTRIBUTE (DOUBLE)
```

The redundancy of write-once file types may be changed to support parity protection later as needed.

Specify the redundancy level of the newly added or modified template:

- `MIRROR`: Files to which this template are applied are protected by mirroring their data blocks. In normal redundancy disk groups, each primary extent has one mirror extent (2-way mirroring). For high redundancy disk groups, each primary extent has two mirror extents (3-way mirroring). You cannot specify `MIRROR` for templates in external redundancy disk groups.
- `HIGH`: Files to which this template are applied are protected by mirroring their data blocks. Each primary extent has two mirror extents (3-way mirroring) for both normal redundancy and high redundancy disk groups. You cannot specify `HIGH` for templates in external redundancy disk groups.
- `UNPROTECTED`: Files to which this template are applied are not protected by Automated Storage Management from media failures. Disks taken offline, either through system action or by user command, can cause loss of unprotected files. `UNPROTECTED` is the only valid setting for external redundancy disk groups.

UNPROTECTED may not be specified for templates in high redundancy disk groups. Oracle discourages the use of unprotected files in high and normal redundancy disk groups.

- **PARITY:** Specify the property `PARITY` for single parity for write-once file types only.

If you omit the redundancy clause, then the value defaults to `MIRROR` for a normal redundancy disk group, `HIGH` for a high redundancy disk group, and `UNPROTECTED` for an external redundancy disk group.

### ***striping\_clause***

Specify how the files to which this template are applied will be striped:

- **FINE:** Files to which this template are applied are striped every 128KB. This striping mode is not valid for an Oracle ASM spfile.
- **COARSE:** Files to which this template are applied are striped every 1MB. This is the default value.

### **DROP TEMPLATE**

Use this clause to drop one or more templates from the disk group. You can use this clause to drop only user-defined templates, not system default templates.

### ***diskgroup\_directory\_clauses***

Before you can create alias names for Oracle ASM filenames (see [diskgroup\\_alias\\_clauses](#)), you must specify the full directory structure in which the alias name will reside. The *diskgroup\_directory\_clauses* let you create and manipulate such a directory structure.

### **ADD DIRECTORY**

Use this clause to create a new directory path for hierarchically named aliases. Use a slash (/) to separate components of the directory. Each directory component can be up to 48 bytes in length and must not contain the slash character. You cannot use a space for the first or last character of any component. The total length of the directory path cannot exceed 256 bytes minus the length of any alias name you intend to create in this directory (see [diskgroup\\_alias\\_clauses](#)).

### **DROP DIRECTORY**

Use this clause to drop a directory for hierarchically named aliases. Oracle ASM will not drop the directory if it contains any alias definitions unless you also specify `FORCE`. This clause is not valid for dropping directories created as part of a system alias. Such directories are labeled with the value `Y` in the `SYSTEM_CREATED` column of the `V$ASM_ALIAS` dynamic performance view.

### **RENAME DIRECTORY**

Use this clause to change the name of a directory for hierarchically named aliases. This clause is not valid for renaming directories created as part of a system alias. Such directories are labeled with the value `Y` in the `SYSTEM_CREATED` column of the `V$ASM_ALIAS` dynamic performance view.

### ***diskgroup\_alias\_clauses***

When an Oracle ASM file is created, either implicitly or by user specification, Oracle ASM assigns to the file a fully qualified name ending in a dotted pair of numbers (see [file\\_specification](#)). The *diskgroup\_alias\_clauses* let you create more user-friendly alias

names for the Oracle ASM filenames. You cannot specify an alias name that ends in a dotted pair of numbers, as this format is indistinguishable from an Oracle ASM filename.

Before specifying this clause, you must first create the directory structure appropriate for your naming conventions (see [diskgroup directory clauses](#)). The total length of the alias name, including the directory prefix, is limited to 256 bytes. Alias names are case insensitive but case retentive.

### ADD ALIAS

Use this clause to create an alias name for an Oracle ASM filename. The *alias\_name* consists of the full directory path and the alias itself. To determine the names of existing Oracle ASM aliases, query the `V$ASM_ALIASES` dynamic performance view. Refer to [ASM filename](#) for information on Oracle ASM filenames.

### DROP ALIAS

Use this clause to remove an alias name from the disk group directory. Each alias name consists of the full directory path and the alias itself. The underlying file to which the alias refers remains unchanged.

### RENAME ALIAS

Use this clause to change the name of an existing alias. The *alias\_name* consists of the full directory path and the alias itself.

### Restriction on Dropping and Renaming Aliases

You cannot drop or rename a system-generated alias. To determine whether an alias was system generated, query the `SYSTEM_CREATED` column of the `V$ASM_ALIASES` dynamic performance view.

### *diskgroup\_volume\_clauses*

Use these clauses to manipulate logical Oracle ASM Dynamic Volume Manager (Oracle ADVM) volumes corresponding to physical volume devices. To use these clauses, Oracle ASM must be started and the disk group being modified must be mounted.

#### See Also:

*Oracle Automatic Storage Management Administrator's Guide* for more information about disk group volumes, including examples

### *add\_volume\_clause*

Use this clause to add a volume to the disk group.

For *asm\_volume*, specify the name of the volume. The name can contain only alphanumeric characters and the first character must be alphabetic. The maximum length of the name is platform dependent. Refer to *Oracle Automatic Storage Management Administrator's Guide* for more information.

For *size\_clause*, specify the size of the Oracle ADVM volume. The Oracle ASM instance determines whether sufficient space exists to create the volume. If sufficient

space does not exist, then the Oracle ASM instance returns an error. If sufficient space does exist, then all nodes in the cluster with an Oracle ASM instance running and the disk group mounted are notified of the addition. Oracle ASM creates and enables on those nodes a volume device that can be used to create and mount file systems.

The following optional settings are also available:

- In the *redundancy\_clause*, specify the redundancy level of the Oracle ADVM volume. You can specify this clause only when creating a volume in a normal redundancy disk group. You can specify the following volume redundancy levels:
  - MIRROR: 2-way mirroring of the volume. This is the default.
  - HIGH: 3-way mirroring of the volume.
  - UNPROTECTED: No mirroring of the volume.

You cannot specify the *redundancy\_clause* when creating a volume in a high redundancy disk group or an external redundancy disk group. If you do so, then an error will result. In high redundancy disk groups, Oracle Database automatically sets the volume redundancy to HIGH (3-way mirroring). In external redundancy disk groups, Oracle Database automatically sets the volume redundancy to UNPROTECTED (no mirroring).

- In the *STRIPE\_WIDTH* clause, specify a stripe width for the Oracle ADVM volume. The valid range is from 4KB to 1MB, at intervals of the power of 2. The default value is 128K.
- In the *STRIPE\_COLUMNS* clause, specify the number of stripes in a stripe set of the Oracle ADVM volume. The valid range is 1 to 8. The default is 4. If *STRIPE\_COLUMNS* is set to 1, then striping becomes disabled. In this case, the stripe width is the extent size of the volume. This volume extent size is 64 times the allocation unit (AU) size of the disk group.

#### *modify\_volume\_clause*

Use this clause to modify the characteristics of an existing Oracle ADVM volume. You must specify at least one of the following clauses:

- In the *MOUNTPATH* clause, specify the mountpath name associated with the volume. The *mountpath\_name* can be up to 1024 characters.
- In the *USAGE* clause, specify the usage name associated with the volume. The *usage\_name* can be up to 30 characters.

#### **RESIZE VOLUME Clause**

Use this clause to change the size of an existing Oracle ADVM volume. In an Oracle ASM cluster, the new size is propagated to all nodes. If an Oracle Advanced Cluster File System (ACFS) exists on the volume, then you must use the `acfsutil size` command instead of the `ALTER DISKGROUP` statement.

#### See Also:

*Oracle Automatic Storage Management Administrator's Guide* for more information about the `acfsutil size` command

#### **DROP VOLUME Clause**

Use this clause to remove the Oracle ASM file that is the storage container for an existing Oracle ADVM volume. In an Oracle ASM cluster, all nodes with an Oracle ASM instance running and with this disk group open are notified of the drop operation, which results in removal of the volume device. If the volume file is open, then this clause returns an error.

### ***diskgroup\_attributes***

Use this clause to specify attributes for the disk group. [Table 13-2](#) lists the attributes you can set with this clause. Refer to the `CREATE DISKGROUP "ATTRIBUTE Clause "` for information on the behavior of this clause.

### ***drop\_diskgroup\_file\_clause***

Use this clause to drop a file from the disk group. Oracle ASM also drops all aliases associated with the file being dropped. You must use one of the reference forms of the filename. Most Oracle ASM files do not need to be manually deleted because, as Oracle Managed Files, they are removed automatically when they are no longer needed. Refer to [ASM\\_filename](#) for information on the reference forms of Oracle ASM filenames.

You cannot drop a disk group file if it is the spfile that was used to start up the current instance or any instance in the Oracle ASM cluster.

### ***convert\_redundancy\_clause***

You can use this clause to convert a `NORMAL REDUNDANCY` or `HIGH REDUNDANCY` disk group to a `FLEX REDUNDANCY` disk group. The disk group must have at least three failure groups before you start the conversion.

### ***usergroup\_clauses***

Use these clauses to add a user group to the disk group, remove a user group from the disk group, or to add a member to or drop a member from an existing user group.



#### **See Also:**

*Oracle Automatic Storage Management Administrator's Guide* for detailed information about user groups and members, including examples

## **ADD USERGROUP**

Use this clause to add a user group to the disk group. You must have `SYSASM` or `SYSDBA` privilege to create a user group. The maximum length of a user group name is 63 bytes. If you specify the user name, then it must be in the OS password file and its length cannot exceed 32 characters.

## **MODIFY USERGROUP**

Use these clauses to add a member to or drop a member from an existing user group. You must be an Oracle ASM administrator (with `SYSASM` privilege) or the creator (with `SYSDBA` privilege) of the user group to use these clauses. The user name must be an existing user in the OS password file.

## DROP USERGROUP

Use this clause to drop an existing user group from the disk group. You must be an Oracle ASM administrator (with SYSASM privilege) or the creator (with SYSDBA privilege) of the user group to use this clause. Dropping a user group may leave a disk group file without a valid user group. In this case, you can update the disk group file manually to add a new, valid group using the [file\\_permissions\\_clause](#).

### *user\_clauses*

Use these clauses to add a user to, drop a user from, or replace a user in a disk group.



#### Note:

When administering users with SQL\*Plus, the users must be existing operating system users and their user names must have corresponding operating system user IDs. However, only users in the same cluster as the Oracle ASM instance can be validated.

## ADD USER

Use this clause to add one or more operating system (OS) users to an Oracle ASM disk group and give those users access privileges on the disk group. A user name must be an existing user in the OS password file and its length cannot exceed 32 characters. If a specified user already exists in the disk group, as shown by `V$ASM_USER`, then the command records an error and continues to add other users, if any have been specified. This command is seldom needed, because the OS user running the database instance is added to a disk group automatically when the instance accesses the disk group. However, this clause is useful when adding users that are not associated with a particular database instance.

## DROP USER

Use this clause to drop one or more users from the disk group. If a specified user is not in the disk group, then this clause records an error and continues to drop other users, if any are specified. If the user owns any files, then you must specify the `CASCADE` keyword, which drops the user and all the user's files. If any files owned by the user are open, then `DROP USER CASCADE` fails with an error.

To delete a user without deleting the files owned by that user, change the owner of each of these files to another user and then issue an `ALTER DISKGROUP ... DROP USER` statement on the user. Alternatively, you can issue an `ALTER DISKGROUP ... REPLACE USER` statement to replace the user you want to drop with a user that currently does not exist in the disk group. This operation has the side effect of making the new user the owner of files that were previously owned by the dropped user.

## REPLACE USER

Use this clause to replace `old_user` with `new_user` in the disk group. All files that are currently owned by `old_user` will become owned by `new_user`, and `old_user` will be dropped from the disk group. `old_user` must exist in the disk group and `new_user` must not exist in the disk group.

***file\_permissions\_clause***

Use this clause to change the permission settings of a disk group file. The three classes of permissions are owner, user group, and other. You must be the file owner or the Oracle ASM administrator to use this clause.

If you change the permission settings of an open file, then the operation currently running on the file will complete using the old permission settings. The new permission settings will take effect when re-authentication is required.

***file\_owner\_clause***

Use this clause to set the owner or user group for a specified file. You must be the Oracle ASM administrator to change the owner of the file. You must be the owner of the file or the Oracle ASM administrator to change the user group of a file. In addition, to change the associated user group of a file, the specified user group must already exist in the disk group, and the owner of the file must be a member of that user group.

If you use this clause on an open file, then the following conditions apply:

- If you change the owner or user group of an open file, then the operation currently running on the file will complete using the old owner or user group. The new owner or user group will take effect when re-authentication is required.
- If you change the owner of an open file, then the new owner of the file cannot be dropped from the disk group until the instance has been restarted. In an Oracle ASM cluster, the new owner of the file cannot be dropped until all instances in the cluster have been restarted.
- If you change the owner of an open file, then the old owner cannot be dropped while the file is still open, even after the ownership of the file has changed.

***scrub\_clause***

Use this clause to scrub a disk group. The scrub operation checks for logical data corruptions and repairs the corruptions automatically in normal and high redundancy disks groups.

- Use the `FILE` clause to scrub the specified Oracle ASM file in the disk group. You must use one of the reference forms of the `ASM_filename`. Refer to [ASM\\_filename](#) for information on the reference forms of Oracle ASM filenames.
- Use the `DISK` clause to scrub the specified disk in the disk group.
- If you do not specify `FILE` or `DISK`, then all files and disks in the disk group are scrubbed.

**REPAIR | NOREPAIR**

Specify `REPAIR` to attempt to repair any errors found during the logical data corruption check. Specify `NOREPAIR` to be alerted of any corruptions; Oracle ASM will not take any action to resolve them. The default is `NOREPAIR`.

**POWER**

Use the `POWER` clause to specify the power level of the scrub operation. Valid values are `AUTO`, `LOW`, `HIGH`, and `MAX`. If you omit this clause, then the power level defaults to `AUTO` and the power adjusts to the optimum level for the system.

**WAIT | NOWAIT**

Specify `WAIT` to allow the scrub operation to complete before returning control to the user. Specify `NOWAIT` to add the operation to the scrubbing queue and return control to the user immediately. The default is `NOWAIT`.

### FORCE | NOFORCE

Specify `FORCE` to process the command even if the system I/O load is high or scrubbing has been disabled at the system level. Specify `NOFORCE` to process the command normally. The default is `NOFORCE`.

### STOP

Specify `STOP` if you want to stop an ongoing scrub operation.

You can monitor the progress of the scrub operation by querying the `V$ASM_OPERATION` dynamic performance view.

#### See Also:

*Oracle Automatic Storage Management Administrator's Guide* for more information on scrubbing disk groups and "[Scrubbing a Disk Group: Example](#)"

### *quotagroup\_clauses*

Use these clauses to add a quota group to the disk group, modify a quota group, move a file group into a quota group, or drop a quota group.

A quota group is a collection of file groups. A file group is a container for all files of a database within one disk group. A quota group has a specified quota limit, which is the maximum amount of storage space that its file groups can collectively use. Therefore, a quota group enables you to define the quota limit for a group of databases within a disk group. The sum of the quota limits for all quota groups in a disk group can exceed the storage capacity of the disk group.

Each disk group contains a default quota group named `GENERIC`. If you create a file group and do not specify its quota group, then the file group belongs to the `GENERIC` quota group. Oracle ASM automatically creates the `GENERIC` quota group when you create a disk group with the `compatible.asm` attribute set to 12.2 or higher, or when you set `compatible.asm` to 12.2 or higher for an existing disk group. Initially, the quota limit for `GENERIC` is `UNLIMITED`. You can subsequently modify this quota limit with the `MODIFY QUOTAGROUP` clause.

### ADD QUOTAGROUP

Use this clause to create a quota group and add it to the disk group. For *quotagroup\_name*, specify the name of the new quota group.

The `SET` clause allows you to set the quota limit for the quota group.

- For *property\_name*, specify `QUOTA`.
- For *property\_value*, specify one of the following clauses:
  - Specify *size\_clause* to set a number of bytes for the quota limit. The minimum value you can specify is 1 byte. You can specify a value that is greater than the storage size of the disk group. In this case, storage use is limited by the current size of the



disk group. However, if you subsequently increase the storage space for the disk group to a size that exceeds the quota limit, then the quota limit will be enforced. Refer to [size\\_clause](#) for the syntax and semantics of this clause. Note that specifying 0 bytes is equivalent to specifying `UNLIMITED`.

- Specify `UNLIMITED` if you do not want to set a quota limit. In this case, storage use is limited by the storage size of the disk group.

If you omit the `SET` clause, then the default is `SET QUOTA=UNLIMITED`.

## MODIFY QUOTAGROUP

Use this clause to modify the quota limit for a quota group. For *quotagroup\_name*, specify the name of the quota group you want to modify. You can modify the quota limit for any quota group, including the `GENERIC` quota group. The `SET` clause has the same semantics here as for the `ADD QUOTAGROUP` clause. The quota limit can be set below the amount of space currently used by the quota group. This action prevents any additional space from being allocated for files described by file groups associated with this quota group.

## MOVE FILEGROUP

Use this clause to move a file group from one quota group to another. For *filegroup\_name*, specify the file group you want to move. For *quotagroup\_name*, specify the name of the destination quota group. If the move operation causes the amount of used storage space in the destination quota group to exceed the quota limit, then the operation succeeds, but no new storage allocations can take place in the file groups within the quota group. This capability enables you to stop any files described by a specific file group from allocating additional space.

## DROP QUOTAGROUP

Use this clause to drop a quota group from the disk group. For *quotagroup\_name*, specify the quota group you want to drop. The quota group must not contain any file groups. You cannot drop the quota group `GENERIC`.



### See Also:

*Automatic Storage Management Administrator's Guide* for more information on quota groups

## *filegroup\_clauses*

The *filegroup\_clauses* are valid only for flex disk groups. Use these clauses to create a file group, modify a file group, move a file into a file group, or drop a file group. A file group is a container for all files of a database within one disk group. A file group must belong to a quota group.

Each disk group has a default file group with `FILEGROUP_NUMBER = 0`.

## *add\_filegroup\_clause*

Use this clause to create a file group.

For *filegroup\_name*, specify the name of the new file group. The maximum length of a file group name is 127 characters. The name must satisfy the requirements listed in

"[Database Object Naming Rules](#)", with the following addition: File group names are not case sensitive, even if you specify them with quotation marks. They are always stored internally as uppercase. File group names must be unique within a disk group.

- Use the `DATABASE` clause to specify the database (non-CDB, CDB, or PDB) with which the file group is associated.
- Use the `CLUSTER` clause to specify the cluster with which the file group is associated.
- Use the `VOLUME` clause to specify the volume with which the file group is associated.
- Use the `TEMPLATE` clause to create a file group template with which the file group is associated. You can use the template to customize a set of file group properties, that can then be inherited by one or more databases.

You cannot associate more than one file group in the same disk group with the same database, cluster, volume, or template. If the database, cluster, volume, or template does not exist at the time of file group creation, then the file group will be automatically associated with it when it is subsequently created. Database, cluster, volume, and template names must satisfy the requirements listed in "[Database Object Naming Rules](#)".

The `SET` clause allows you to set properties for the file group. If you do not specify the `SET` clause for a property, then the default value is assigned. You can specify the `file_type` for any property for which a file type applies. If you do not specify `file_type` for such a property, then the property applies to all file types. For complete information on file group properties and their default values, see *Oracle Automatic Storage Management Administrator's Guide*.

### Example 1: Create a file group from a file group template to inherit properties from the template

```
ALTER DISKGROUP hmdg ADD FILEGROUP fgtem TEMPLATE SET
'datafile.redundancy'='unprotected'
ALTER DISKGROUP hmdg ADD FILEGROUP fgdb DATABASE NONE FROM TEMPLATE fgtem
```

### Example 2: Create a file group or a tablespace from a file group template to inherit properties from the template

```
ALTER DISKGROUP hmdg ADD FILEGROUP fgtem2 TEMPLATE
CREATE TABLESPACE tbs1 datafile '+hmdg(fg$fgtem2)/dbs/tbs1.f' size 1M
```

#### *modify\_filegroup\_clause*

Use this clause to modify file group properties. For `filegroup_name`, specify the name of the file group you want to modify. You can modify properties for any file group, including the default file group. Any that you do not specify with this clause remain unchanged. The `SET` clause has the same semantics here as for the `add_filegroup_clause`.

#### *move\_to\_filegroup\_clause*

Use this clause to move a file to a file group. If the file is currently associated with a different file group, then it is disassociated from that file group. The target file group must have enough space available to contain the file. You must be the owner of the file and the target file group.

#### *drop\_filegroup\_clause*

Use this clause to drop an empty file group. For `filegroup_name`, specify the name of the file group you want to drop.

#### CASCADE

Use the keyword `CASCADE` to drop a file group that is not empty. When a file group is dropped with the keyword `CASCADE`, every file associated with the file group is automatically dropped.

#### FOR DATABASE Clause

- If the file group being dropped is associated with a pluggable database, then the `FOR PLUGGABLE DATABASE` clause names the pluggable database in `pdb_name`. You must then specify the `FOR DATABASE` clause with `db_unique_name`, the name of the container database that contains the pluggable database.
- If the file group being dropped is associated with a non-CDB database, then the `FOR DATABASE` clause names the non-CDB database in `db_unique_name`.
- You can specify the `CASCADE` clause with `FOR PLUGGABLE DATABASE` and `FOR DATABASE`.

Use the `CASCADE` option to delete every file associated with the file group as part of the file group drop.

When a file group of type `DATABASE` is dropped using the `CASCADE` option, ASM checks the OMF (Oracle Managed File) file name of the files being deleted to verify that they belong to the database or pluggable database that is associated with the file group being dropped.

#### See Also:

*Automatic Storage Management Administrator's Guide* for more information on file groups

#### *undrop\_disk\_clause*

Use this clause to cancel the drop of disks from the disk group. You can cancel the pending drop of all the disks in one or more disk groups (by specifying `diskgroup_name`) or of all the disks in all disk groups (by specifying `ALL`).

This clause is not relevant for disks that have already been completely dropped from the disk group or for disk groups that have been completely dropped. This clause results in a long-running operation. You can see the status of the operation by querying the `V$ASM_OPERATION` dynamic performance view.

#### See Also:

`V$ASM_OPERATION` for more information on the details of long-running Oracle ASM operations

#### *diskgroup\_availability*

Use this clause to make one or more disk groups available or unavailable to the database instances running on the same node as the Oracle ASM instance. This clause does not affect the status of the disk group on other nodes in a cluster.

#### MOUNT

Specify `MOUNT` to mount the disk groups in the local Oracle ASM instance. Specify `ALL MOUNT` to mount all disk groups specified in the `ASM_DISKGROUPS` initialization parameter. File operations can only be performed when a disk group is mounted. If Oracle ASM is running in a cluster or a standalone server managed by Oracle Grid Infrastructure for a standalone server, then the `MOUNT` clause automatically brings the corresponding resource online.

### RESTRICTED | NORMAL

Use these clauses to determine the manner in which the disk groups are mounted.

- In the `RESTRICTED` mode, the disk group is mounted in single-instance exclusive mode. No other Oracle ASM instance in the same cluster can mount that disk group. In this mode the disk group is not usable by any Oracle ASM client.
- In the `NORMAL` mode, the disk group is mounted in shared mode, so that other Oracle ASM instances and clients can access the disk group. This is the default.

### FORCE | NOFORCE

Use these clauses to determine the circumstances under which the disk groups are mounted.

- In the `FORCE` mode, Oracle ASM attempts to mount the disk group even if it cannot discover all of the devices that belong to the disk group. This setting is useful if some of the disks in a normal or high redundancy disk group became unavailable while the disk group was dismounted. When `MOUNT FORCE` succeeds, Oracle ASM takes the missing disks offline.

If Oracle ASM discovers *all* of the disks in the disk group, then `MOUNT FORCE` fails. Therefore, use the `MOUNT FORCE` setting only if some disks are unavailable. Otherwise, use `NOFORCE`.

In normal- and high-redundancy disk groups, disks from one failure group can be unavailable and `MOUNT FORCE` will succeed. Also in high-redundancy disk groups, two disks in two different failure groups can be unavailable and `MOUNT FORCE` will succeed. Any other combination of unavailable disks causes the operation to fail, because Oracle ASM cannot guarantee that a valid copy of all user data or metadata exists on the available disks.

- In the `NOFORCE` mode, Oracle ASM does not attempt to mount the disk group unless it can discover all the member disks. This is the default.

#### See Also:

`ASM_DISKGROUPS` for more information about adding disk group names to the initialization parameter file

### DISMOUNT

Specify `DISMOUNT` to dismount the specified disk groups. Oracle ASM returns an error if any file in the disk group is open unless you also specify `FORCE`. Specify `ALL DISMOUNT` to dismount all currently mounted disk groups. File operations can only be performed when a disk group is mounted. If Oracle ASM is running in a cluster or a standalone server managed by Oracle Grid Infrastructure for a standalone server, then the `DISMOUNT` clause automatically takes the corresponding resource offline.

### FORCE

Specify `FORCE` if you want Oracle ASM to dismount the disk groups even if some files in the disk group are open.

### ***enable\_disable\_volume***

Use this clause to enable or disable one or more volumes in the disk group.

- For each volume you enable, Oracle ASM creates a volume device file on the local node that can be used to create or mount the file system.
- For each volume you disable, Oracle ASM deletes the device file on the local node. If the volume file is open on the local node, then the `DISABLE` clause returns an error.

Use the `ALL` keyword to enable or disable all volumes in the disk group. If you specify `ALTER DISKGROUP ALL . . .`, then you must use the `ALL` keyword in this clause as well.



### **See Also:**

*Oracle Automatic Storage Management Administrator's Guide* for more information about disk group volumes

## **Examples**

The following examples require a disk group called `dgroup_01`. They assume that `ASM_DISKSTRING` is set to `/devices/disks/*`. In addition, they assume the Oracle user has read/write permission to `/devices/disks/d100`. Refer to "[Creating a Diskgroup: Example](#)" to create `dgroup_01`.

### **Adding a Disk to a Disk Group: Example**

To add a disk, `d100`, to a disk group, `dgroup_01`, issue the following statement:

```
ALTER DISKGROUP dgroup_01
  ADD DISK '/devices/disks/d100';
```

### **Dropping a Disk from a Disk Group: Example**

To drop a disk, `dgroup_01_0000`, from a disk group, `dgroup_01`, issue the following statement:

```
ALTER DISKGROUP dgroup_01
  DROP DISK dgroup_01_0000;
```

### **Undropping a Disk from a Disk Group: Example**

To cancel the drop of disks from a disk group, `dgroup_01`, issue the following statement:

```
ALTER DISKGROUP dgroup_01
  UNDROP DISKS;
```

### **Resizing a Disk Group: Example**

To resize every disk in a disk group, `dgroup_01`, issue the following statement:

```
ALTER DISKGROUP dgroup_01
  RESIZE ALL
  SIZE 36G;
```

### Rebalancing a Disk Group: Example

To manually rebalance a disk group, `dgroup_01`, and permit Oracle ASM to execute the rebalance as fast as possible, issue the following statement:

```
ALTER DISKGROUP dgroup_01
  REBALANCE POWER 11 WAIT;
```

The `WAIT` keyword causes the database to wait for the disk group to be rebalanced before returning control to the user.

### Verifying the Internal Consistency of Disk Group Metadata: Example

To verify the internal consistency of Oracle ASM disk group metadata and instruct Oracle ASM to repair any errors found, issue the following statement:

```
ALTER DISKGROUP dgroup_01
  CHECK ALL
  REPAIR;
```

### Adding a Named Template to a Disk Group: Example

To add a named template, `template_01` to a disk group, `dgroup_01`, issue the following statement:

```
ALTER DISKGROUP dgroup_01
  ADD TEMPLATE template_01
  ATTRIBUTES (UNPROTECTED COARSE);
```

### Changing the Attributes of a Disk Group Template: Example

To modify the attributes of a system default or user-defined disk group template, `template_01`, issue the following statement:

```
ALTER DISKGROUP dgroup_01
  MODIFY TEMPLATE template_01
  ATTRIBUTES (FINE);
```

### Dropping a User-Defined Template from a Disk Group: Example

To drop a user-defined template, `template_01`, from a disk group, `dgroup_01`, issue the following statement:

```
ALTER DISKGROUP dgroup_01
  DROP TEMPLATE template_01;
```

### Creating a Directory Path for Hierarchically Named Aliases: Example

To specify the directory structure in which alias names will reside, issue the following statement:

```
ALTER DISKGROUP dgroup_01
  ADD DIRECTORY '+dgroup_01/alias_dir';
```

### Creating an Alias Name for an Oracle ASM Filename: Example

To create a user alias by specifying the numeric Oracle ASM filename, issue the following statement:

```
ALTER DISKGROUP dgroup_01
  ADD ALIAS '+dgroup_01/alias_dir/datafile.dbf'
  FOR '+dgroup_01.261.1';
```

### Scrubbing a Disk Group: Example

To scrub a disk group, `dgroup_01`, issue the following statement. This statement attempts to repair any errors found during the logical data corruption check and allows the scrub operation to complete before returning control to the user.

```
ALTER DISKGROUP dgroup_01
  SCRUB REPAIR WAIT;
```

### Dismounting a Disk Group: Example

To dismount a disk group, `dgroup_01`, issue the following statement. This statement dismounts the disk group even if one or more files are active:

```
ALTER DISKGROUP dgroup_01
  DISMOUNT FORCE;
```

### Mounting a Disk Group: Example

To mount a disk group, `dgroup_01`, issue the following statement:

```
ALTER DISKGROUP dgroup_01
  MOUNT;
```

## ALTER DOMAIN

### Purpose


Use this statement to make changes to a domain. When you alter a domain note that checks and catalog changes are made on objects dependent on the domain.

### Prerequisites

The domain must be in your own schema, or you must have `ALTER` object privilege on the domain, or you must have `ALTER ANY DOMAIN` system privilege.

## Syntax

***alter\_domain ::=***



### [annotations\\_clause](#)

For the full syntax and semantics of the *annotations\_clause* see [annotations\\_clause](#).

## Semantics

### IF EXISTS

Specify **IF EXISTS** to alter an existing domain.

Specifying **IF NOT EXISTS** with **ALTER DOMAIN** results in the error: Incorrect IF EXISTS clause for ALTER/DROP statement.

### ADD DISPLAY

Adds the *display\_expression* to the domain. Raises an error if the domain already has a *display\_expression*.

Invalidates all SQL statements referencing `DOMAIN_DISPLAY` for an expression of the given domain.

For domain functions see [Domain Functions](#)

### MODIFY DISPLAY

Changes the domain's display expression to *display\_expression* and invalidates all SQL statements referencing `DOMAIN_DISPLAY` for an expression of the given domain.

Raises an error if the domain does not have an associated display expression

Invalidates all SQL statements referencing `DOMAIN_DISPLAY` for an expression of the given domain.

Both **ALTER DOMAIN ADD DISPLAY** and **ALTER DOMAIN MODIFY DISPLAY** type-check the display expression against all the allowed data types of the domain.

### DROP DISPLAY



Raises an error if the domain does not have a display expression. Raises an error if the domain has dependent flexible domain.

Otherwise it removes the display expression from the domain's description, and invalidates all SQL statements referencing `DOMAIN_DISPLAY` for an expression of the given domain.

### ADD MODIFY DROP ORDER

The semantics of these DDLs are the same as for `DISPLAY`, when translated to the `ORDER` expression and `DOMAIN_ORDER` function.

### *annotations\_clause*



#### See Also:

- For the full semantics of the annotations clause see [annotations\\_clause](#).
- [CREATE DOMAIN](#)

### Examples

The following statement changes the display expression of the domain `day_of_week`. It raises an error if the domain does not have a display expression:

```
ALTER DOMAIN day_of_week
    MODIFY DISPLAY LOWER(day_of_week);
```

The following statement removes the display expression from the domain `day_of_week`. It raises an error if the domain does not have a display expression:

```
ALTER DOMAIN day_of_week
    DROP DISPLAY;
```

The following statement adds a display expression to the domain `day_of_week`. It raises an error if the domain already has a display expression:

```
ALTER DOMAIN day_of_week
    ADD DISPLAY INITCAP(day_of_week);
```

The following statement changes the order expression of the domain `year_of_birth`. It raises an error if the domain does not have an order expression:

```
ALTER DOMAIN year_of_birth
    MODIFY ORDER MOD(year_of_birth,100);
```

The following statement removes the order expression from the domain `year_of_birth`. It raises an error if the domain does not have an order expression:

```
ALTER DOMAIN year_of_birth
    DROP ORDER;
```

The following statement adds an order expression to the domain `year_of_birth`. It raises an error if the domain already has an order expression:

```
ALTER DOMAIN year_of_birth
    ADD ORDER FLOOR(year_of_birth/100);
```

The following example adds the annotation `Display` with the value "day\_of\_week" to the domain. If the domain already has the `Display` annotation it raises an error:

```
ALTER DOMAIN day_of_week
  ANNOTATIONS (Display 'Day of week');
```

## ALTER FLASHBACK ARCHIVE

### Purpose

Use the `ALTER FLASHBACK ARCHIVE` statement for these operations:

- Designate a flashback archive as the default flashback archive for the system
- Add a tablespace for use by the flashback archive
- Change the quota of a tablespace used by the flashback archive
- Remove a tablespace from use by the flashback archive
- Change the retention period of the flashback archive
- Purge the flashback archive of old data that is no longer needed



### See Also:


*Oracle Database Development Guide* and [CREATE FLASHBACK ARCHIVE](#) for more information on using Flashback Time Travel

### Prerequisites


You must have the `FLASHBACK ARCHIVE ADMINISTER` system privilege to alter a flashback archive in any way. You must also have appropriate privileges on the affected tablespaces to add, modify, or remove a flashback archive tablespace.

## Syntax


***alter flashback archive::=***



***flashback\_archive\_quota::=***



***flashback\_archive\_retention::=***



## Semantics

***flashback\_archive***

Specify the name of an existing flashback archive.

## SET DEFAULT

You must be logged in as `SYSDBA` to specify this clause. Use this clause to designate this flashback archive as the default flashback archive for the system. When a `CREATE TABLE` or `ALTER TABLE` statement specifies the *flashback\_archive\_clause* without specifying a flashback archive name, the database uses the default flashback archive to store data from that table.

This statement overrides any previous designation of a different flashback archive as the default.



### See Also:

The `CREATE TABLE` *flashback\_archive\_clause* for more information

## ADD TABLESPACE

Use this clause to add a tablespace to the flashback archive. You can use the *flashback\_archive\_quota* clause to specify the amount of space that can be used by the flashback archive in the new tablespace. If you omit that clause, then the flashback archive has unlimited space in the newly added tablespace.

## MODIFY TABLESPACE

Use this clause to change the tablespace quota of a tablespace already used by the flashback archive.

## REMOVE TABLESPACE

Use this clause to remove a tablespace from use by the flashback archive. You cannot remove the last remaining tablespace used by the flashback archive.

If the tablespace to be removed contains any data within the retention period of the flashback archive, then that data will be dropped as well. Therefore, you should move your data to another tablespace before removing the tablespace with this clause.

## MODIFY RETENTION

Use this clause to change the retention period of the flashback archive.

## PURGE

Use this clause to purge data from the flashback archive.

- Specify `PURGE ALL` to remove all data from the flashback archive. This historical information can be retrieved using a flashback query only if the SCN or timestamp specified in the flashback query is within the undo retention duration.
- Specify `PURGE BEFORE SCN` to remove all data from the flashback archive before the specified system change number.
- Specify `PURGE BEFORE TIMESTAMP` to remove all data from the flashback archive before the specified timestamp.

**[NO] OPTIMIZE DATA**

This clause has the same semantics as the [\[NO\] OPTIMIZE DATA](#) clause of `CREATE FLASHBACK ARCHIVE`.

 **See Also:**

[CREATE FLASHBACK ARCHIVE](#) for information on creating flashback archives and for some simple examples of using flashback archives

## ALTER FUNCTION

**Purpose**

Functions are defined using PL/SQL. Therefore, this section provides some general information but refers to *Oracle Database PL/SQL Language Reference* for details of syntax and semantics.

Use the `ALTER FUNCTION` statement to recompile an invalid standalone stored function. Explicit recompilation eliminates the need for implicit run-time recompilation and prevents associated run-time compilation errors and performance overhead.


This statement does not change the declaration or definition of an existing function. To redeclare or redefine a function, use the `CREATE FUNCTION` statement with the `OR REPLACE` clause. See [CREATE FUNCTION](#).

**Prerequisites**

The function must be in your own schema or you must have `ALTER ANY PROCEDURE` system privilege.

**Syntax**

***alter\_function::=***



(*function\_compile\_clause*: See *Oracle Database PL/SQL Language Reference* for the syntax of this clause.)

**Semantics****IF EXISTS**

Specify `IF EXISTS` to alter an existing table.

Specifying `IF NOT EXISTS` with `ALTER VIEW` results in `ORA-11544: Incorrect IF EXISTS clause for ALTER/DROP statement.`

### *schema*

Specify the schema containing the function. If you omit *schema*, then Oracle Database assumes the function is in your own schema.

### *function\_name*

Specify the name of the function to be recompiled.

### *function\_compile\_clause*

See *Oracle Database PL/SQL Language Reference* for the syntax and semantics of this clause and for complete information on creating and compiling functions.

### EDITONABLE | NONEDITONABLE

Use these clauses to specify whether the function becomes an editioned or noneditioned object if editioning is later enabled for the schema object type `FUNCTION` in *schema*. The default is `EDITONABLE`. For information about altering editioned and noneditioned objects, see *Oracle Database Development Guide*.

## ALTER HIERARCHY

### Purpose


Use the `ALTER HIERARCHY` statement to rename or compile a hierarchy. For other alterations, use `CREATE OR REPLACE HIERARCHY`.

### Prerequisites

To alter a hierarchy in your own schema, you must have the `ALTER HIERARCHY` system privilege. To alter a hierarchy in another user's schema, you must have the `ALTER ANY HIERARCHY` system privilege or have been granted `ALTER` directly on the hierarchy.

### Syntax

*alter\_hierarchy ::=*



### Semantics

#### IF EXISTS

Specify `IF EXISTS` to alter an existing table.

Specifying `IF NOT EXISTS` with `ALTER VIEW` results in `ORA-11544: Incorrect IF EXISTS clause for ALTER/DROP statement.`

**schema**

Specify the schema in which the hierarchy exists. If you do not specify a schema, then Oracle Database looks for the hierarchy in your own schema.

**hierarchy\_name**

Specify the name of the hierarchy.

**RENAME TO**

Specify `RENAME TO` to change the name of the hierarchy.

**COMPILE**

Specify `COMPILE` to compile the hierarchy.

**new\_hier\_name**

Specify a new name for the hierarchy.

**Example**

The following statement changes the name of a hierarchy:

```
ALTER HIERARCHY product_hier RENAME TO myproduct_hier;
```

## ALTER INDEX

**Purpose**

Use the `ALTER INDEX` statement to change or rebuild an existing index.

**See Also:**

[CREATE INDEX](#) for information on creating an index

**Prerequisites**

The index must be in your own schema or you must have the `ALTER ANY INDEX` system privilege.

To execute the `MONITORING USAGE` clause, the index must be in your own schema.


To modify a domain index, you must have `EXECUTE` object privilege on the indextype of the index.

Object privileges are granted on the parent index, not on individual index partitions or subpartitions.

You must have tablespace quota to modify, rebuild, or split an index partition or to modify or rebuild an index subpartition.

### Syntax

**alter\_index ::=**




*(deallocate\_unused\_clause ::=, allocate\_extent\_clause ::=, shrink\_clause ::=, parallel\_clause ::=, physical\_attributes\_clause ::=, logging\_clause ::=, partial\_index\_clause ::=, rebuild\_clause ::=, alter\_index\_partitioning ::=)*




(The *ODCI\_parameters* are documented in Oracle Database Data Cartridge Developer's Guide.)


***index\_ilm\_clause::=***




***policy\_clause::=***




***tiering\_clause::=***




***condition\_clause::=***



***tracking\_statistics\_clause::=***




***deallocate\_unused\_clause::=***




(*size\_clause::=*)

**allocate\_extent\_clause::=**




**(size\_clause::=)**


**shrink\_clause::=**



**parallel\_clause::=**




**physical\_attributes\_clause::=**




**(storage\_clause::=)**



**logging\_clause::=**



***partial\_index\_clause::=***




***rebuild\_clause::=***




*(parallel\_clause::=, physical\_attributes\_clause::=, index\_compression::=, logging\_clause::=, partial\_index\_clause::=)*

(The *ODCI\_parameters* are documented in Oracle Database Data Cartridge Developer's Guide. The *XMLIndex\_parameters\_clause* is documented in Oracle XML DB Developer's Guide.


***index\_compression::=***



**prefix\_compression::=**




**advanced\_index\_compression::=**



**annotations\_clause::=**


For the full syntax and semantics of the *annotations\_clause* see [annotations\\_clause](#).

**alter\_index\_partitioning::=**




([modify\\_index\\_default\\_attrs::=](#), [add\\_hash\\_index\\_partition::=](#), [modify\\_index\\_partition::=](#), [rename\\_index\\_partition::=](#), [drop\\_index\\_partition::=](#), [split\\_index\\_partition::=](#), [coalesce\\_index\\_partition::=](#), [modify\\_index\\_subpartition::=](#))

**modify\_index\_default\_attrs::=**




*(physical\_attributes\_clause::=, logging\_clause::=)*

**add\_hash\_index\_partition::=**




*(index\_compression::=, parallel\_clause::=)*

**coalesce\_index\_partition::=**




*(parallel\_clause::=)*

**modify\_index\_partition::=**



*(deallocate\_unused\_clause::=, allocate\_extent\_clause::=,  
physical\_attributes\_clause::=, logging\_clause::=, index\_compression::=)*


**rename\_index\_partition::=**



**drop\_index\_partition::=**




**split\_index\_partition::=**



*(parallel\_clause::=)*


**index\_partition\_description::=**



*(segment\_attributes\_clause::=, index\_compression::=)*


**Note:**  
The `USABLE` and `UNUSABLE` keywords are not supported when `index_partition_description` is specified for the `split_index_partition` clause.

**segment\_attributes\_clause::=**



(*physical\_attributes\_clause::=*, *TABLESPACE SET*: not supported with ALTER INDEX, *logging\_clause::=*)

***modify\_index\_subpartition::=***



(*allocate\_extent\_clause::=*, *deallocate\_unused\_clause::=*)

### Semantics

#### IF EXISTS

Specify `IF EXISTS` to alter an existing index.

Specifying `IF NOT EXISTS` with `ALTER INDEX` results in `ORA-11544: Incorrect IF EXISTS clause for ALTER/DROP statement.`

#### *schema*

Specify the schema containing the index. If you omit *schema*, then Oracle Database assumes the index is in your own schema.

#### *index\_name*

Specify the name of the index to be altered.

### Restrictions on Modifying Indexes

The modification of indexes is subject to the following restrictions:

- If *index* is a domain index, then you can specify only the `PARAMETERS` clause, the `RENAME` clause, the *rebuild\_clause* (with or without the `PARAMETERS` clause), the *parallel\_clause*, or the `UNUSABLE` clause. No other clauses are valid.
- You cannot alter or rename a domain index that is marked `LOADING` or `FAILED`. If an index is marked `FAILED`, then the only clause you can specify is `REBUILD`.

#### See Also:

*Oracle Database Data Cartridge Developer's Guide* for information on the `LOADING` and `FAILED` states of domain indexes

#### *index\_ilm\_clause*

Please refer to [index\\_ilm\\_clause](#) in `CREATE INDEX` for full semantics.

***deallocate\_unused\_clause***

Use the *deallocate\_unused\_clause* to explicitly deallocate unused space at the end of the index and make the freed space available for other segments in the tablespace.

If *index* is range-partitioned or hash-partitioned, then Oracle Database deallocates unused space from each index partition. If *index* is a local index on a composite-partitioned table, then Oracle Database deallocates unused space from each index subpartition.

**Restrictions on Deallocating Space**

Deallocation of space is subject to the following restrictions:

- You cannot specify this clause for an index on a temporary table.
- You cannot specify this clause and also specify the *rebuild\_clause*.

Refer to [deallocate\\_unused\\_clause](#) for a full description of this clause.

**KEEP integer**

The **KEEP** clause lets you specify the number of bytes above the high water mark that the index will have after deallocation. If the number of remaining extents is less than **MINEXTENTS**, then **MINEXTENTS** is set to the current number of extents. If the initial extent becomes smaller than **INITIAL**, then **INITIAL** is set to the value of the current initial extent. If you omit **KEEP**, then all unused space is freed.

Refer to [ALTER TABLE](#) for a complete description of this clause.

***allocate\_extent\_clause***

The *allocate\_extent\_clause* lets you explicitly allocate a new extent for the index. For a local index on a hash-partitioned table, Oracle Database allocates a new extent for each partition of the index.

**Restriction on Allocating Extents**

You cannot specify this clause for an index on a temporary table or for a range-partitioned or composite-partitioned index.

Refer to [allocate\\_extent\\_clause](#) for a full description of this clause.

***shrink\_clause***

Use this clause to compact the index segments. Specifying **ALTER INDEX ... SHRINK SPACE COMPACT** is equivalent to specifying **ALTER INDEX ... COALESCE**.

For complete information on this clause, refer to [shrink\\_clause](#) in the documentation on **CREATE TABLE**.

**Restriction on Shrinking Index Segments**

You cannot specify this clause for a bitmap join index or for a function-based index.

***parallel\_clause***

Use the **PARALLEL** clause to change the default degree of parallelism for queries and DML on the index.

**Restriction on Parallelizing Indexes**



You cannot specify this clause for an index on a temporary table.

For complete information on this clause, refer to [parallel\\_clause](#) in the documentation on `CREATE TABLE`.

**See Also:**

["Enabling Parallel Queries: Example"](#)

***physical\_attributes\_clause***

Use the *physical\_attributes\_clause* to change the values of parameters for a nonpartitioned index, all partitions and subpartitions of a partitioned index, a specified partition, or all subpartitions of a specified partition.

**See Also:**

- the physical attributes parameters in [CREATE TABLE](#)
- ["Modifying Real Index Attributes: Example"](#) and ["Changing MAXEXTENTS: Example"](#)

**Restrictions on Index Physical Attributes**

Index physical attributes are subject to the following restrictions:

- You cannot specify this clause for an index on a temporary table.
- You cannot specify the `PCTUSED` parameter at all when altering an index.
- You can specify the `PCTFREE` parameter only as part of the *rebuild\_clause*, the *modify\_index\_default\_attrs* clause, or the *split\_index\_partition* clause.

***storage\_clause***

Use the *storage\_clause* to change the storage parameters for a nonpartitioned index, index partition, or all partitions of a partitioned index, or default values of these parameters for a partitioned index. Refer to [storage\\_clause](#) for complete information on this clause.

***logging\_clause***

Use the *logging\_clause* to change the logging attribute of the index. If you also specify the `REBUILD` clause, then this new setting affects the rebuild operation. If you specify a different value for logging in the `REBUILD` clause, then Oracle Database uses the last logging value specified as the logging attribute of the index and of the rebuild operation.

An index segment can have logging attributes different from those of the base table and different from those of other index segments for the same base table.

**Restriction on Index Logging**

You cannot specify this clause for an index on a temporary table.

 **See Also:**

- [logging\\_clause](#) for a full description of this clause
- *Oracle Database VLDB and Partitioning Guide* for more information about parallel DML

### *partial\_index\_clause*

Use the *partial\_index\_clause* to change the index to a full index or a partial index. Specify `INDEXING FULL` to change the index to a full index. Specify `INDEXING PARTIAL` to change the index to a partial index. This clause is valid only for indexes on partitioned tables. Refer to the [partial\\_index\\_clause](#) of `CREATE INDEX` for the full semantics of this clause.

### RECOVERABLE | UNRECOVERABLE

These keywords are deprecated and have been replaced with `LOGGING` and `NOLOGGING`, respectively. Although `RECOVERABLE` and `UNRECOVERABLE` are supported for backward compatibility, Oracle strongly recommends that you use the `LOGGING` and `NOLOGGING` keywords.

`RECOVERABLE` is not a valid keyword for creating partitioned tables or LOB storage characteristics. `UNRECOVERABLE` is not a valid keyword for creating partitioned or index-organized tables. Also, it can be specified only with the `AS` subquery clause of `CREATE INDEX`.

### *rebuild\_clause*

Use the *rebuild\_clause* to re-create an existing index or one of its partitions or subpartitions. If index is marked `UNUSABLE`, then a successful rebuild will mark it `USABLE`. For a function-based index, this clause also enables the index. If the function on which the index is based does not exist, then the rebuild statement will fail.

 **Note:**

When you rebuild the secondary index of an index-organized table, Oracle Database preserves the primary key columns contained in the logical rowid when the index was created. Therefore, if the index was created with the `COMPATIBLE` initialization parameter set to less than 10.0.0, the rebuilt index will contain the index key and any of the primary key columns of the table that are not also in the index key. If the index was created with the `COMPATIBLE` initialization parameter set to 10.0.0 or greater, then the rebuilt index will contain the index key and all the primary key columns of the table, including those also in the index key.

### Restrictions on Rebuilding Indexes

The rebuilding of indexes is subject to the following restrictions:

- You cannot rebuild an index on a temporary table.

- You cannot rebuild a bitmap index that is marked `INVALID`. Instead, you must drop and then re-create it.
- You cannot rebuild an entire partitioned index. You must rebuild each partition or subpartition, as described for the `PARTITION` clause.
- You cannot specify the `deallocate_unused_clause` in the same statement as the `rebuild_clause`.
- You cannot change the value of the `PCTFREE` parameter for the index as a whole (`ALTER INDEX`) or for a partition (`ALTER INDEX ... MODIFY PARTITION`). You can specify `PCTFREE` in all other forms of the `ALTER INDEX` statement.
- For a domain index:
  - You can specify only the `PARAMETERS` clause (either for the index or for a partition of the index) or the `parallel_clause`. No other rebuild clauses are valid.
  - You can rebuild an index only if the index is not marked `IN_PROGRESS`.
  - You can rebuild an index partition only if the index is not marked `IN_PROGRESS` or `FAILED` and the partition is not marked `IN_PROGRESS`.
- You cannot rebuild a local index, but you can rebuild a partition of a local index (`ALTER INDEX ... REBUILD PARTITION`).
- For a local index on a hash partition or subpartition, the only parameter you can specify is `TABLESPACE`.
- You cannot rebuild an online index that is used to enforce a deferrable unique constraint.

### **PARTITION Clause**

Use the `PARTITION` clause to rebuild one partition of an index. You can also use this clause to move an index partition to another tablespace or to change a create-time physical attribute.

The storage of partitioned database entities in tablespaces of different block sizes is subject to several restrictions. Refer to *Oracle Database VLDB and Partitioning Guide* for a discussion of these restrictions.

### **Restriction on Rebuilding Partitions**

You cannot specify this clause for a local index on a composite-partitioned table. Instead, use the `REBUILD SUBPARTITION` clause.

#### **See Also:**

*Oracle Database VLDB and Partitioning Guide* for more information about partition maintenance operations and "[Rebuilding Unusable Index Partitions: Example](#)"

## SUBPARTITION Clause

Use the `SUBPARTITION` clause to rebuild one subpartition of an index. You can also use this clause to move an index subpartition to another tablespace. If you do not specify `TABLESPACE`, then the subpartition is rebuilt in the same tablespace.

The storage of partitioned database entities in tablespaces of different block sizes is subject to several restrictions. Refer to *Oracle Database VLDB and Partitioning Guide* for a discussion of these restrictions.

## Restriction on Modifying Index Subpartitions

The only parameters you can specify for a subpartition are `TABLESPACE`, `ONLINE`, and the `parallel_clause`.

## REVERSE | NOREVERSE

Indicate whether the bytes of the index block are stored in reverse order:

- `REVERSE` stores the bytes of the index block in reverse order and excludes the rowid when the index is rebuilt.
- `NOREVERSE` stores the bytes of the index block without reversing the order when the index is rebuilt. Rebuilding a `REVERSE` index without the `NOREVERSE` keyword produces a rebuilt, reverse-keyed index.

## Restrictions on Reverse Indexes

Reverse indexes are subject to the following restrictions:

- You cannot reverse a bitmap index or an index-organized table.
- You cannot specify `REVERSE` or `NOREVERSE` for a partition or subpartition.



### See Also:

["Storing Index Blocks in Reverse Order: Example"](#)

## `parallel_clause`

Use the `parallel_clause` to parallelize the rebuilding of the index and to change the degree of parallelism for the index itself. All subsequent operations on the index will be executed with the degree of parallelism specified by this clause, unless overridden by a subsequent data definition language (DDL) statement with the `parallel_clause`. The following exceptions apply:

- If `ALTER SESSION DISABLE PARALLEL DDL` was specified before rebuilding the index, then the index will be rebuilt serially and the degree of parallelism for the index will be changed to 1.
- If `ALTER SESSION FORCE PARALLEL DDL` was specified before rebuilding the index, then the index will be rebuilt in parallel and the degree of parallelism for the index will be changed to the value that was specified in the `ALTER SESSION` statement, or `DEFAULT` if no value was specified.

**See Also:**

["Rebuilding an Index in Parallel: Example"](#)

**TABLESPACE Clause**

Specify the tablespace where the rebuilt index, index partition, or index subpartition will be stored. The default is the default tablespace where the index or partition resided before you rebuilt it.

***index\_compression***

Use the *index\_compression* clauses to enable or disable index compression for the index. Specify the *prefix\_compression* clause to enable or disable prefix compression for the index. Specify the *advanced\_index\_compression* clause to enable or disable advanced index compression for the index.

The *index\_compression* clauses have the same semantics for `CREATE INDEX` and `ALTER INDEX`. For full information on these clauses, refer to [index\\_compression](#) in the documentation on `CREATE INDEX`.

**ONLINE Clause**

Specify `ONLINE` to allow DML operations on the table or partition during rebuilding of the index.

**Restrictions on Online Indexes**

Online indexes are subject to the following restrictions:

- Parallel DML is not supported during online index building. If you specify `ONLINE` and subsequently issue parallel DML statements, then Oracle Database returns an error.
- You cannot specify `ONLINE` for a bitmap join index or a cluster index.
- For a nonunique secondary index on an index-organized table, the number of index key columns plus the number of primary key columns that are included in the logical rowid in the index-organized table cannot exceed 32. The logical rowid excludes columns that are part of the index key.

***logging\_clause***

Specify whether the `ALTER INDEX ... REBUILD` operation will be logged.

Refer to the [logging\\_clause](#) for a full description of this clause.

**PARAMETERS Clause**

This clause is valid only for domain indexes in a top-level `ALTER INDEX` statement and in the *rebuild\_clause*. This clause specifies the parameter string that is passed uninterpreted to the appropriate ODCI indextype routine.

The maximum length of the parameter string is 1000 characters.

If you are altering or rebuilding an entire index, then the string must refer to index-level parameters. If you are rebuilding a partition of the index, then the string must refer to partition-level parameters.

If *index* is marked `UNUSABLE`, then modifying the parameters alone does not make it `USABLE`. You must also rebuild the `UNUSABLE` index to make it usable.

If you have installed Oracle Text, then you can rebuild your Oracle Text domain indexes using parameters specific to that product. For more information on those parameters, refer to *Oracle Text Reference*.

### Restriction on the `PARAMETERS` Clause

You can modify index partitions only if *index* is not marked `IN_PROGRESS` or `FAILED`, no index partitions are marked `IN_PROGRESS`, and the partition being modified is not marked `FAILED`.

#### See Also:

- *Oracle Database Data Cartridge Developer's Guide* for more information on `indextype` routines for domain indexes
- [CREATE INDEX](#) for more information on domain indexes

### *XMLIndex\_parameters\_clause*

This clause is valid only for `XMLIndex` indexes. This clause specifies the parameter string that defines the `XMLIndex` implementation.

The maximum length of the parameter string is 1000 characters.

If you are altering or rebuilding an entire index, then the string must refer to index-level parameters. If you are rebuilding a partition of the index, then the string must refer to partition-level parameters.

If *index* is marked `UNUSABLE`, then modifying the parameters alone does not make it `USABLE`. You must also rebuild the `UNUSABLE` index to make it usable.

#### See Also:

*Oracle XML DB Developer's Guide* for more information on `XMLIndex`, including the syntax and semantics of the *XMLIndex\_parameters\_clause*

### Restriction on the *XMLIndex\_parameters\_clause*

You can modify index partitions only if *index* is not marked `IN_PROGRESS` or `FAILED`, no index partitions are marked `IN_PROGRESS`, and the partition being modified is not marked `FAILED`.

### { `DEFERRED` | `IMMEDIATE` } `INVALIDATION`

This clause lets you control when the database invalidates dependent cursors while rebuilding an index or while marking an index `UNUSABLE`.

- If you specify `DEFERRED INVALIDATION`, then the database avoids or defers invalidating dependent cursors, when possible.
- If you specify `IMMEDIATE INVALIDATION`, then the database immediately invalidates dependent cursors, as it did in Oracle Database 12c Release 1 (12.1) and prior releases. This is the default.

If you omit this clause, then the value of the `CURSOR_INVALIDATION` initialization parameter determines when cursors are invalidated.

 **See Also:**

- *Oracle Database SQL Tuning Guide* for more information on cursor invalidation
- *Oracle Database Reference* for more information in the `CURSOR_INVALIDATION` initialization parameter

### COMPILE Clause

Use this clause to recompile an invalid index explicitly. For domain indexes, this clause is useful when the underlying indextype has been altered to support system-managed domain indexes, so that the existing domain index has been marked `INVALID`. In this situation, this `ALTER INDEX` statement migrates the domain index from a user-managed domain index to a system-managed domain index. For all types of indexes, this clause is useful when an index has been marked `INVALID` by an `ALTER TABLE` statement. In this situation, this `ALTER INDEX` statement revalidates the index without rebuilding it.

 **See Also:**

The `CREATE INDEXTYPE` [storage\\_table\\_clause](#) and *Oracle Database Data Cartridge Developer's Guide* for information on creating system-managed domain indexes

### ENABLE Clause

`ENABLE` applies only to a function-based index that has been disabled, either by an `ALTER INDEX ... DISABLE` statement, or because a user-defined function used by the index was dropped or replaced. This clause enables such an index if these conditions are true:

- The function is currently valid.
- The signature of the current function matches the signature of the function when the index was created.
- The function is currently marked as `DETERMINISTIC`.

### Restrictions on Enabling Function-based Indexes

The `ENABLE` clause is subject to the following restrictions:

- You cannot specify any other clauses of `ALTER INDEX` in the same statement with `ENABLE`.
- You cannot specify this clause for an index on a temporary table. Instead, you must drop and recreate the index. You can retrieve the creation DDL for the index using the `DBMS_METADATA` package.

### DISABLE Clause

`DISABLE` applies only to a function-based index. This clause lets you disable the use of a function-based index. You might want to do so, for example, while working on the body of the function. Afterward you can either rebuild the index or specify another `ALTER INDEX` statement with the `ENABLE` keyword.

### USABLE | UNUSABLE

Specify `UNUSABLE` to mark the index or index partition(s) or index subpartition(s) `UNUSABLE`. The space allocated for an index or index partition or subpartition is freed immediately when the object is marked `UNUSABLE`. An unusable index must be rebuilt, or dropped and re-created, before it can be used. While one partition is marked `UNUSABLE`, the other partitions of the index are still valid. You can execute statements that require the index if the statements do not access the unusable partition. You can also split or rename the unusable partition before rebuilding it. Refer to `CREATE INDEX ... USABLE | UNUSABLE` for more information.

### ONLINE

Specify `ONLINE` to indicate that DML operations on the table or partition will be allowed while marking the index `UNUSABLE`. If you specify this clause, then the database will not drop the index segments.

### Restrictions on Marking Indexes Unusable

The following restrictions apply to marking indexes unusable:

- You cannot specify `UNUSABLE` for an index on a temporary table.
- When a global index is marked `UNUSABLE` during a partition maintenance operation, the database does not drop the unusable index segments.

### VISIBLE | INVISIBLE

Use this clause to specify whether the index is visible or invisible to the optimizer. Refer to "`VISIBLE | INVISIBLE`" in `CREATE INDEX` for a full description of this clause.

### RENAME Clause

Use this clause to rename an index. The `new_index_name` is a single identifier and does not include the schema name.

### Restriction on Renaming Indexes

For a domain index, neither `index` nor any partitions of `index` should be in `IN_PROGRESS` or `FAILED` state.



 **See Also:**

- *Building Domain Indexes* of the *Data Cartridge Developer's Guide*.
- *Extensible Indexing Interface* of the *Data Cartridge Developer's Guide*.
- [Renaming an Index: Example](#)

**COALESCE Clause**

Specify `COALESCE` to instruct Oracle Database to merge the contents of index blocks where possible to free blocks for reuse.

**CLEANUP**

Specify `CLEANUP` to remove orphaned index entries for records that were previously dropped or truncated by a table partition maintenance operation.

To determine whether an index contains orphaned index entries, you can query the `ORPHANED_ENTRIES` column of the `USER_`, `DBA_`, `ALL_INDEXES` data dictionary views. Refer to *Oracle Database Reference* for more information.

**ONLY**

Specify `ONLY` when you want to clean up the index without coalescing the index blocks.

***parallel\_clause***

Use the *parallel\_clause* to specify whether to parallelize the coalesce operation.

For complete information on this clause, refer to [parallel\\_clause](#) in the documentation on `CREATE TABLE`.

**Restrictions on Coalescing Index Blocks**

Coalescing of index blocks is subject to the following restrictions:

- You cannot specify this clause for an index on a temporary table.
- Do not specify this clause for the primary key index of an index-organized table. Instead use the `COALESCE` clause of `ALTER TABLE`.

 **See Also:**

- *Oracle Database Administrator's Guide* for more information on space management and coalescing indexes
- [COALESCE Clause](#) for information on coalescing the space of an index-organized table
- [shrink\\_clause](#) for an alternative method of compacting index segments

**MONITORING USAGE | NOMONITORING USAGE**

Use this clause to determine whether Oracle Database should monitor index use.

- Specify `MONITORING USAGE` to begin monitoring the index. Oracle Database first clears existing information on index use, and then monitors the index for use until a subsequent `ALTER INDEX ... NOMONITORING USAGE` statement is executed.
- To terminate monitoring of the index, specify `NOMONITORING USAGE`.

To see whether the index has been used since this `ALTER INDEX ... NOMONITORING USAGE` statement was issued, query the `USED` column of the `USER_OBJECT_USAGE` data dictionary view.

### See Also:

*Oracle Database Reference* for information on the `USER_OBJECT_USAGE` data dictionary view

## UPDATE BLOCK REFERENCES Clause

The `UPDATE BLOCK REFERENCES` clause is valid only for normal and domain indexes on index-organized tables. Specify this clause to update all the stale guess data block addresses stored as part of the index row with the correct database address for the corresponding block identified by the primary key.

For a domain index, Oracle Database executes the `ODCIIndexAlter` routine with the `alter_option` parameter set to `AlterIndexUpdBlockRefs`. This routine enables the cartridge code to update the stale guess data block addresses in the index.

## Restriction on UPDATE BLOCK REFERENCES

You cannot combine this clause with any other clause of `ALTER INDEX`.

### *annotations\_clause*

For the full semantics of the annotations clause see [annotations\\_clause](#).

### *alter\_index\_partitioning*

The partitioning clauses of the `ALTER INDEX` statement are valid only for partitioned indexes.

The storage of partitioned database entities in tablespaces of different block sizes is subject to several restrictions. Refer to *Oracle Database VLDB and Partitioning Guide* for a discussion of these restrictions.

## Restrictions on Modifying Index Partitions

Modifying index partitions is subject to the following restrictions:

- You cannot specify any of these clauses for an index on a temporary table.
- You can combine several operations on the base index into one `ALTER INDEX` statement (except `RENAME` and `REBUILD`), but you cannot combine partition operations with other partition operations or with operations on the base index.

### *modify\_index\_default\_attrs*

Specify new values for the default attributes of a partitioned index.

## Restriction on Modifying Partition Default Attributes

The only attribute you can specify for a hash-partitioned global index or for an index on a hash-partitioned table is `TABLESPACE`.

### **TABLESPACE**

Specify the default tablespace for new partitions of an index or subpartitions of an index partition.

#### ***logging\_clause***

Specify the default logging attribute of a partitioned index or an index partition.

Refer to [logging\\_clause](#) for a full description of this clause.

### **FOR PARTITION**

Use the `FOR PARTITION` clause to specify the default attributes for the subpartitions of a partition of a local index on a composite-partitioned table.

#### **Restriction on FOR PARTITION**

You cannot specify `FOR PARTITION` for a list partition.



#### **See Also:**

["Modifying Default Attributes: Example"](#)

#### ***add\_hash\_index\_partition***

Use this clause to add a partition to a global hash-partitioned index. Oracle Database adds hash partitions and populates them with index entries rehashed from an existing hash partition of the index, as determined by the hash function. If you omit the partition name, then Oracle Database assigns a name of the form `SYS_Pn`. If you omit the `TABLESPACE` clause, then Oracle Database places the partition in the tablespace specified for the index. If no tablespace is specified for the index, then Oracle Database places the partition in the default tablespace of the user, if one has been specified, or in the system default tablespace.

#### ***modify\_index\_partition***

Use the `modify_index_partition` clause to modify the real physical attributes, logging attribute, or storage characteristics of index partition *partition* or its subpartitions. For a hash-partitioned global index, the only subclause of this clause you can specify is `UNUSABLE`.

### **COALESCE**

Specify this clause to merge the contents of index partition blocks where possible to free blocks for reuse.

### **CLEANUP**

Specify `CLEANUP` to remove orphaned index entries for records that were previously dropped or truncated by a table partition maintenance operation.

To determine whether an index partition contains orphaned index entries, you can query the `ORPHANED_ENTRIES` column of the `USER_`, `DBA_`, `ALL_PART_INDEXES` data dictionary views. Refer to *Oracle Database Reference* for more information.

### UPDATE BLOCK REFERENCES

The `UPDATE BLOCK REFERENCES` clause is valid only for normal indexes on index-organized tables. Use this clause to update all stale guess data block addresses stored in the secondary index partition.

### Restrictions on UPDATE BLOCK REFERENCES

This clause is subject to the following restrictions:

- You cannot specify the `physical_attributes_clause` for an index on a hash-partitioned table.
- You cannot specify `UPDATE BLOCK REFERENCES` with any other clause in `ALTER INDEX`.

#### Note:

If the index is a local index on a composite-partitioned table, then the changes you specify here will override any attributes specified earlier for the subpartitions of index, as well as establish default values of attributes for future subpartitions of that partition. To change the default attributes of the partition without overriding the attributes of subpartitions, use `ALTER TABLE ... MODIFY DEFAULT ATTRIBUTES FOR PARTITION`.

#### See Also:

["Marking an Index Unusable: Examples"](#)

### UNUSABLE Clause

This clause has the same function for index partitions that it has for the index as a whole. Refer to "[USABLE | UNUSABLE](#)".

#### *index\_compression*

This clause is relevant for composite-partitioned indexes. Use this clause to change the compression attribute for the partition and every subpartition in that partition. Oracle Database marks each index subpartition in the partition `UNUSABLE` and you must then rebuild these subpartitions. Prefix compression must already have been specified for the index before you can specify the `prefix_compression` clause for a partition, or advanced index compression must have already been specified for the index before you can specify the `advanced_index_compression` clause for a partition. You can specify this clause only at the partition level. You cannot change the compression attribute for an individual subpartition.

You can use this clause for noncomposite index partitions. However, it is more efficient to use the `rebuild_clause` for noncomposite partitions, which lets you rebuild and set the compression attribute in one step.

### *rename\_index\_partition*

Use the *rename\_index\_partition* clauses to rename index *partition* or *subpartition* to *new\_name*.

#### Restrictions on Renaming Index Partitions

Renaming index partitions is subject to the following restrictions:

- You cannot rename the subpartition of a list partition.
- For a partition of a domain index, *index* cannot be marked `IN_PROGRESS` or `FAILED`, none of the partitions can be marked `IN_PROGRESS`, and the partition you are renaming cannot be marked `FAILED`.



#### See Also:

["Renaming an Index Partition: Example"](#)

### *drop\_index\_partition*

Use the *drop\_index\_partition* clause to remove a partition and the data in it from a partitioned global index. When you drop a partition of a global index, Oracle Database marks the next index partition `UNUSABLE`. You cannot drop the highest partition of a global index.



#### See Also:

["Dropping an Index Partition: Example"](#)

### *split\_index\_partition*

Use the *split\_index\_partition* clause to split a partition of a global range-partitioned index into two partitions, adding a new partition to the index. This clause is not valid for hash-partitioned global indexes. Instead, use the *add\_hash\_index\_partition* clause.

Splitting a partition marked `UNUSABLE` results in two partitions, both marked `UNUSABLE`. You must rebuild the partitions before you can use them.

Splitting a partition marked `USABLE` results in two partitions populated with index data. Both new partitions are marked `USABLE`.

#### AT Clause

Specify the new noninclusive upper bound for *split\_partition\_1*. The *value\_list* must evaluate to less than the presplit partition bound for *partition\_name\_old* and greater than the partition bound for the next lowest partition (if there is one).

#### INTO Clause

Specify (optionally) the name and physical attributes of each of the two partitions resulting from the split.

**See Also:**

"[Splitting a Partition: Example](#)"

***coalesce\_index\_partition***

This clause is valid only for hash-partitioned global indexes. Oracle Database reduces by one the number of index partitions. Oracle Database selects the partition to coalesce based on the requirements of the hash function. Use this clause if you want to distribute index entries of a selected partition into one of the remaining partitions and then remove the selected partition.

***modify\_index\_subpartition***

Use the *modify\_index\_subpartition* clause to mark UNUSABLE or allocate or deallocate storage for a subpartition of a local index on a composite-partitioned table. All other attributes of such a subpartition are inherited from partition-level default attributes.

**Examples****Storing Index Blocks in Reverse Order: Example**

The following statement rebuilds index `ord_customer_ix` (created in "[Creating an Index: Example](#)") so that the bytes of the index block are stored in reverse order:

```
ALTER INDEX ord_customer_ix REBUILD REVERSE;
```

**Rebuilding an Index in Parallel: Example**

The following statement causes the index to be rebuilt from the existing index by using parallel execution processes to scan the old and to build the new index:

```
ALTER INDEX ord_customer_ix REBUILD PARALLEL;
```

**Modifying Real Index Attributes: Example**

The following statement alters the `oe.cust_lname_ix` index so that future data blocks within this index use 5 initial transaction entries:

```
ALTER INDEX oe.cust_lname_ix  
  INITRANS 5;
```

If the `oe.cust_lname_ix` index were partitioned, then this statement would also alter the default attributes of future partitions of the index. Partitions added in the future would then use 5 initial transaction entries and an incremental extent of 100K.

**Enabling Parallel Queries: Example**

The following statement sets the parallel attributes for index `upper_ix` (created in "[Creating a Function-Based Index: Example](#)") so that scans on the index will be parallelized:

```
ALTER INDEX upper_ix PARALLEL;
```

**Renaming an Index: Example**

The following statement renames an index:

```
ALTER INDEX upper_ix RENAME TO upper_name_ix;
```

### Marking an Index Unusable: Examples

The following statements use the `cost_ix` index, which was created in ["Creating a Range-Partitioned Global Index: Example"](#). Partition `p1` of that index was dropped in ["Dropping an Index Partition: Example"](#). The first statement marks index partition `p2` as UNUSABLE:

```
ALTER INDEX cost_ix
  MODIFY PARTITION p2 UNUSABLE;
```

The next statement marks the entire index `cost_ix` as UNUSABLE:

```
ALTER INDEX cost_ix UNUSABLE;
```

### Rebuilding Unusable Index Partitions: Example

The following statements rebuild partitions `p2` and `p3` of the `cost_ix` index, making the index once more usable: The rebuilding of partition `p3` will not be logged:

```
ALTER INDEX cost_ix
  REBUILD PARTITION p2;
ALTER INDEX cost_ix
  REBUILD PARTITION p3 NOLOGGING;
```

### Changing MAXEXTENTS: Example

The following statement changes the maximum number of extents for partition `p3` and changes the logging attribute:

```
/* This example will fail if the tablespace in which partition p3
   resides is locally managed.
*/
ALTER INDEX cost_ix MODIFY PARTITION p3
  STORAGE (MAXEXTENTS 30) LOGGING;
```

### Renaming an Index Partition: Example

The following statement renames an index partition of the `cost_ix` index (created in ["Creating a Range-Partitioned Global Index: Example"](#)):

```
ALTER INDEX cost_ix
  RENAME PARTITION p3 TO p3_Q3;
```

### Splitting a Partition: Example

The following statement splits partition `p2` of index `cost_ix` (created in ["Creating a Range-Partitioned Global Index: Example"](#)) into `p2a` and `p2b`:

```
ALTER INDEX cost_ix
  SPLIT PARTITION p2 AT (1500)
  INTO ( PARTITION p2a TABLESPACE tbs_01 LOGGING,
        PARTITION p2b TABLESPACE tbs_02);
```

### Dropping an Index Partition: Example

The following statement drops index partition `p1` from the `cost_ix` index:

```
ALTER INDEX cost_ix
  DROP PARTITION p1;
```

### Modifying Default Attributes: Example

The following statement alters the default attributes of local partitioned index `prod_idx`, which was created in "Creating an Index on a Hash-Partitioned Table: Example". Partitions added in the future will use 5 initial transaction entries:

```
ALTER INDEX prod_idx
    MODIFY DEFAULT ATTRIBUTES INITRANS 5;
```

## ALTER INDEXTYPE

### Purpose

Use the `ALTER INDEXTYPE` statement to add or drop an operator of the indextype or to modify the implementation type or change the properties of the indextype.

### Prerequisites


The indextype must be in your own schema or you must have the `ALTER ANY INDEXTYPE` system privilege.

To add a new operator, you must have the `EXECUTE` object privilege on the operator.

To change the implementation type, you must have the `EXECUTE` object privilege on the new implementation type.

### Syntax

***alter\_indextype::=***



(*using\_type\_clause::=*, *storage\_table\_clause*)


***using\_type\_clause::=***



(*array\_DML\_clause*)



**array\_DML\_clause**



**storage\_table\_clause**



**Semantics**

**IF EXISTS**

Specify `IF EXISTS` to alter an existing table.

Specifying `IF NOT EXISTS` with `ALTER VIEW` results in `ORA-11544: Incorrect IF EXISTS clause for ALTER/DROP statement.`

**schema**

Specify the name of the schema in which the indextype resides. If you omit `schema`, then Oracle Database assumes the indextype is in your own schema.

**indextype**

Specify the name of the indextype to be modified.

**ADD | DROP**

Use the `ADD` or `DROP` clause to add or drop an operator.

No special privilege needed to drop.

- For `schema`, specify the schema containing the operator. If you omit `schema`, then Oracle assumes the operator is in your own schema.
- For `operator`, specify the name of the operator supported by the indextype.  
All the operators listed in this clause must be valid operators.
- For `parameter_type`, list the types of parameters to the operator.

***using\_type\_clause***

The `USING` clause lets you specify a new type to provide the implementation for the indextype.

***array\_DML\_clause***

Use this clause to modify the indextype to support the array interface for the `ODCIIndexInsert` method.

***type and varray\_type***

If the data type of the column to be indexed is a user-defined object type, then you must specify this clause to identify the varray *varray\_type* that Oracle should use to hold column values of *type*. If the indextype supports a list of types, then you can specify a corresponding list of varray types. If you omit *schema* for either *type* or *varray\_type*, then Oracle assumes the type is in your own schema.

If the data type of the column to be indexed is a built-in system type, then any varray type specified for the indextype takes precedence over the ODCI types defined by the system.

**COMPILE**

Use this clause to recompile the indextype explicitly. This clause is required only after some upgrade operations, because Oracle Database normally recompiles the indextype automatically.

***storage\_table\_clause***

This clause has the same behavior when altering an indextype that it has when you are creating an indextype. Refer to the `CREATE INDEXTYPE` [storage\\_table\\_clause](#) for more information.

**WITH LOCAL PARTITION**

This clause has the same behavior when altering an indextype that it has when you create an indextype. Refer to the `CREATE INDEXTYPE` clause [WITH LOCAL PARTITION](#) for more information.

**Examples****Altering an Indextype: Example**

The following example compiles the `position_indextype` indextype created in "[Creating an Indextype: Example](#)".

```
ALTER INDEXTYPE position_indextype COMPILE;
```

## ALTER INMEMORY JOIN GROUP

**Purpose**

Use the `ALTER INMEMORY JOIN GROUP` statement to add a table column to a join group or remove a table column from a join group.

 See Also:


- [CREATE INMEMORY JOIN GROUP](#) and [DROP INMEMORY JOIN GROUP](#)
- *Oracle Database In-Memory Guide* for more information on join groups

**Prerequisites**

If the join group is not in your own schema, or if the column you want to add to or remove from the join group is in a table that is not in your own schema, then you must have the `ALTER ANY TABLE` system privilege.

**Syntax**

***alter\_inmemory\_join\_group::=***

**Semantics****IF EXISTS**

Specify `IF EXISTS` to alter an existing table.

Specifying `IF NOT EXISTS` with `ALTER VIEW` results in `ORA-11544: Incorrect IF EXISTS clause for ALTER/DROP statement.`

***schema***

Specify the schema containing the join group. If you omit *schema*, then the database assumes the join group is in your own schema.

***join\_group***

Specify the name of the join group to be modified.

You can view existing join groups by querying the `DBA_JOINGROUPS` or `USER_JOINGROUPS` data dictionary view. Refer to *Oracle Database Reference* for more information on these views.

**ADD**

Specify `ADD` to add a table column to the join group. A join group can contain a maximum of 255 columns.

## REMOVE

Specify `REMOVE` to remove a table column from the join group. A join group must contain at least 2 columns.

### *schema*

Specify the schema of the table that contains the column to be added to or removed from the join group. If you omit *schema*, then Oracle Database assumes the table is in your own schema.

### *table*

Specify the name of the table that contains the column to be added to or removed from the join group.

### *column*

Specify the name of the column to be added to or removed from the join group.

## Examples

The following example adds a column to the `prod_id1` join group created in [Examples](#) in the documentation on `CREATE INMEMORY JOIN GROUP`:

```
ALTER INMEMORY JOIN GROUP prod_id1
  ADD(product_descriptions(product_id));
```

The following example removes a column from the `prod_id1` join group:

```
ALTER INMEMORY JOIN GROUP prod_id1
  REMOVE(product_descriptions(product_id));
```

# ALTER JAVA

## Purpose

Use the `ALTER JAVA` statement to force the resolution of a Java class schema object or compilation of a Java source schema object. (You cannot call the methods of a Java class before all its external references to Java names are associated with other classes.)

### See Also:


*Oracle Database Java Developer's Guide* for more information on resolving Java classes and compiling Java sources

## Prerequisites

The Java source or class must be in your own schema, or you must have the `ALTER ANY PROCEDURE` system privilege. You must also have the `EXECUTE` object privilege on Java classes.


## Syntax

***alter\_java ::=***



***(invoker\_rights\_clause ::=)***

***invoker\_rights\_clause ::=***



## Semantics

### IF EXISTS

Specify `IF EXISTS` to alter an existing table.

Specifying `IF NOT EXISTS` with `ALTER VIEW` results in `ORA-11544: Incorrect IF EXISTS clause for ALTER/DROP statement.`

### JAVA SOURCE

Use `ALTER JAVA SOURCE` to compile a Java source schema object.

### JAVA CLASS

Use `ALTER JAVA CLASS` to resolve a Java class schema object.

### *object\_name*

Specify a previously created Java class or source schema object. Use double quotation marks to preserve lower- or mixed-case names.

## RESOLVER

The `RESOLVER` clause lets you specify how schemas are searched for referenced fully specified Java names, using the mapping pairs specified when the Java class or source was created.



### See Also:

[CREATE JAVA](#) and ["Resolving a Java Class: Example"](#)

## RESOLVE | COMPILE

`RESOLVE` and `COMPILE` are synonymous keywords. They let you specify that Oracle Database should attempt to resolve the primary Java class schema object.

- When applied to a class, resolution of referenced names to other class schema objects occurs.
- When applied to a source, source compilation occurs.

### *invoker\_rights\_clause*

The *invoker\_rights\_clause* lets you specify whether the methods of the class execute with the privileges and in the schema of the user who defined it or with the privileges and in the schema of `CURRENT_USER`.

This clause also determines how Oracle Database resolves external names in queries, DML operations, and dynamic SQL statements in the member functions and procedures of the type.

### **AUTHID CURRENT\_USER**

Specify `CURRENT_USER` if you want the methods of the class to execute with the privileges of `CURRENT_USER`. This clause is the default and creates an **invoker-rights class**.

This clause also specifies that external names in queries, DML operations, and dynamic SQL statements resolve in the schema of `CURRENT_USER`. External names in all other statements resolve in the schema in which the methods reside.

### **AUTHID DEFINER**

Specify `DEFINER` if you want the methods of the class to execute with the privileges of the user who defined the class.

This clause also specifies that external names resolve in the schema where the methods reside.



### See Also:

*Oracle Database PL/SQL Language Reference* for information on how `CURRENT_USER` is determined

## Examples

### Resolving a Java Class: Example

The following statement forces the resolution of a Java class:

```
ALTER JAVA CLASS "Agent"  
  RESOLVER ("/usr/bin/bfile_dir/" pm) (* public)  
  RESOLVE;
```

# 11

## SQL Statements: ALTER LIBRARY to ALTER SESSION

This chapter contains the following SQL statements:

- ALTER LIBRARY
- ALTER LOCKDOWN PROFILE
- ALTER MATERIALIZED VIEW
- ALTER MATERIALIZED VIEW LOG
- ALTER MATERIALIZED ZONEMAP
- ALTER OPERATOR
- ALTER OUTLINE
- ALTER PACKAGE
- ALTER PLUGGABLE DATABASE
- ALTER PROCEDURE
- ALTER PROFILE
- ALTER RESOURCE COST
- ALTER ROLE
- ALTER ROLLBACK SEGMENT
- ALTER SEQUENCE
- ALTER SESSION

### ALTER LIBRARY

#### Purpose

The `ALTER LIBRARY` statement explicitly recompiles a library. Explicit recompilation eliminates the need for implicit run-time recompilation and prevents associated run-time compilation errors and performance overhead.



#### Note:

This statement does not change the declaration or definition of an existing library. To redeclare or redefine a library, use the "`CREATE LIBRARY`" with the `OR REPLACE` clause.




## Prerequisites

If the library is in the `SYS` schema, you must be connected as `SYSDBA`. Otherwise, the library must be in your own schema or you must have the `ALTER ANY LIBRARY` system privilege.

## Syntax

***alter\_library::=***



(*library\_compile\_clause*: See *Oracle Database PL/SQL Language Reference* for the syntax of this clause.)

## Semantics

### IF EXISTS

Specify `IF EXISTS` to alter an existing table.

Specifying `IF NOT EXISTS` with `ALTER VIEW` results in `ORA-11544: Incorrect IF EXISTS clause for ALTER/DROP statement`.

### *schema*

Specify the schema containing the library. If you omit *schema*, then Oracle Database assumes the procedure is in your own schema.

### *library\_name*

Specify the name of the library to be recompiled.

### *library\_compile\_clause*

See *Oracle Database PL/SQL Language Reference* for the syntax and semantics of this clause and for complete information on creating and compiling libraries.

### EDITIONABLE | NONEDITIONABLE

Use these clauses to specify whether the library becomes an editioned or noneditioned object if editioning is later enabled for the schema object type `LIBRARY` in *schema*. The default is `EDITIONABLE`. For information about altering editioned and noneditioned objects, see *Oracle Database Development Guide*.

# ALTER LOCKDOWN PROFILE

## Purpose

Use the `ALTER LOCKDOWN PROFILE` statement to alter a PDB lockdown profile. You can use PDB lockdown profiles in a multitenant environment to restrict user operations in pluggable databases (PDBs).

Immediately after you create a lockdown profile with the `CREATE LOCKDOWN PROFILE` statement, all user operations are enabled for the profile. You can then use the `ALTER LOCKDOWN PROFILE` statement to disable certain user operations for the profile. When a lockdown profile is applied to a CDB, application container, or PDB, users cannot perform the operations that are disabled for the profile. If you later would like to reenable some of the disabled user operations, you can use the `ALTER LOCKDOWN PROFILE` statement to do so.

The `ALTER LOCKDOWN PROFILE` statement allows you to disable or enable:

- User operations associated with certain database features (using the `lockdown_features` clause)
- User operations associated with certain database options (using the `lockdown_options` clause)
- The issuance of certain SQL statements (using the `lockdown_statements` clause)

### See Also:


- [CREATE LOCKDOWN PROFILE](#) and [DROP LOCKDOWN PROFILE](#)
- *Oracle Database Security Guide* for more information on PDB lockdown profiles

## Prerequisites


- You must issue the `ALTER LOCKDOWN PROFILE` statement from the CDB Root or Application Root.
- You must have the `ALTER LOCKDOWN PROFILE` system privilege in the container in which you issue the statement.

## Syntax


**`alter_lockdown_profile::=`**




**lockdown\_features::=**




**lockdown\_options::=**




**lockdown\_statements::=**




**statement\_clauses::=**



***clause\_options::=***



***option\_values::=***



**Semantics**

***profile\_name***

Specify the name of the PDB lockdown profile to be altered.

You can find the names of existing PDB lockdown profiles by querying the `DBA_LOCKDOWN_PROFILES` data dictionary view.

***lockdown\_features***

This clause lets you disable or enable user operations associated with certain database features.

- Specify `DISABLE` to add a restriction for the specified features. Users will be restricted from performing these operations in any PDB to which the profile applies.
- Specify `ENABLE` to remove a restriction for the specified features. Users will be allowed to perform these operations in any PDB to which the profile applies.
- Use `feature` to specify the features whose operations you want to disable or enable. [Table 11-1](#) lists the features you can specify and describes the operations associated with each feature. The table also indicates a feature bundle for each feature. For `feature`, you can specify a feature bundle name to disable or enable user operations for all features in that bundle, or you can specify an individual feature name. You can specify feature bundle names and feature names in any combination of uppercase and lowercase letters.
- Use `ALL` to specify all features listed in the table.

- Use `ALL EXCEPT` to specify all features listed in the table except the specified features.

If you omit this clause, then the default is `ENABLE ALL`.

 **Note:**

- The Oracle Text type `FILE_DATASTORE` is deprecated. Oracle recommends that you replace `FILE_DATASTORE` indexes with the `DIRECTORY_DATASTORE` index type for greater security as it enables file access to be based on directory objects.
- The Oracle Text type `URL_DATASTORE` is deprecated. Oracle recommends that you replace `URL_DATASTORE` with `NETWORK_DATASTORE`, which uses ACLs to control access to specific servers.

**Table 11-1 PDB Lockdown Profile Features**

Feature Bundle	Feature	Operations
<code>AWR_ACCESS</code>	<code>AWR_ACCESS</code>	The PDB taking manual and automatic Automatic Workload Repository (AWR) snapshots
<code>COMMON_SCHEMA_ACCESS</code>	<code>COMMON_USER_LOCAL_SCHEMA_ACCESS</code>	A common user invoking an invoker's rights code unit or accessing a <code>BEQUEATH CURRENT_USER</code> view owned by any local user in the PDB
<code>COMMON_SCHEMA_ACCESS</code>	<code>LOCAL_USER_COMMON_SCHEMA_ACCESS</code>	<ul style="list-style-type: none"> <li>• A local user with an <code>ANY</code> system privilege (for example, <code>CREATE ANY TABLE</code>) creating or accessing objects in a common user's schema for which the privilege applies. <b>Note:</b> Disabling the <code>LOCAL_USER_COMMON_SCHEMA_ACCESS</code> feature does not prevent a local user with the <code>SYSDBA</code> privilege or specific object privileges from creating or accessing objects in a common user's schema. Therefore, Oracle recommends against granting such privileges to local users.</li> <li>• A local user with the <code>BECOME USER</code> system privilege becoming a common user</li> <li>• A local user altering a common user by issuing an <code>ALTER USER</code> statement</li> <li>• A local user using a common user for proxy connections</li> </ul>

Table 11-1 (Cont.) PDB Lockdown Profile Features

Feature Bundle	Feature	Operations
COMMON_SCHEMA_ACCESS	SECURITY_POLICIES	Creation of certain security policies by a local user on a common object, including: <ul style="list-style-type: none"> <li>Data Redaction</li> <li>Fine Grained Auditing (FGA)</li> <li>Real Application Security (RAS)</li> <li>Virtual Private Database (VPD)</li> </ul>
CONNECTIONS	COMMON_USER_CONNECT	A common user connecting to the PDB directly. If this feature is disabled, then in order to connect to the PDB, a common user must first connect to the CDB root and then switch to the desired PDB using the ALTER SESSION SET CONTAINER statement.
CONNECTIONS	LOCAL_SYSOPER_RESTRICTED_MODE_CONNECT	A local user with the SYSOPER privilege connecting to a PDB that is open in RESTRICTED mode
CTX_LOGGING	CTX_LOGGING	Use logging in Oracle Text PL/SQL procedures such as CTX_OUTPUT.START_LOG and CTX_OUTPUT.START_QUERY_LOG
JAVA	JAVA	Java as a whole. If this feature is disabled, then all options and features of the database that depend on Java will be disabled.
JAVA_RUNTIME	JAVA_RUNTIME	Operations through Java that require java.lang.RuntimePermission
NETWORK_ACCESS	AQ_PROTOCOLS	Using HTTP, SMTP, and OCI notification features.

Table 11-1 (Cont.) PDB Lockdown Profile Features

Feature Bundle	Feature	Operations
NETWORK_ACCESS	CTX_PROTOCOLS	<ul style="list-style-type: none"> <li>Operations that access the Oracle Text datastore types DIRECTORY_DATASTORE and NETWORK_DATASTORE. The type DIRECTORY_DATASTORE has an attribute called DIRECTORY which is the directory object whose data is to be indexed. The default value of this attribute is null. The DIRECTORY_DATASTORE type replaces the FILE_DATASTORE type, which is deprecated. The NETWORK_DATASTORE type replaces the URL_DATASTORE type, which is deprecated. The type NETWORK_DATASTORE conforms to the standard database security model for providing URL access based on access control lists (ACLs), which support the HTTP and HTTPS protocols. The URL_DATASTORE type did not support HTTPS.</li> <li>Printing tokens as part of CTX logging with events EVENT_INDEX_PRINT_TOKEN and EVENT_OPT_PRINT_TOKEN</li> </ul>
NETWORK_ACCESS	DBMS_DEBUG_JDWP	Using the DBMS_DEBUG_JDWP PL/SQL package
NETWORK_ACCESS	UTL_HTTP	Using the UTL_HTTP PL/SQL package
NETWORK_ACCESS	UTL_INADDR	Using the UTL_INADDR PL/SQL package
NETWORK_ACCESS	UTL_SMTP	Using the UTL_SMTP PL/SQL package
NETWORK_ACCESS	UTL_TCP	Using the UTL_TCP PL/SQL package
NETWORK_ACCESS	XDB_PROTOCOLS	Using HTTP, FTP, and other network protocols through XDB
OS_ACCESS	DROP_TABLESPACE_KEEP_DATAFILES	Dropping a tablespace in the PDB without specifying the INCLUDING CONTENTS AND DATAFILES clause in DROP TABLESPACE statement
OS_ACCESS	EXTERNAL_FILE_ACCESS	Using external files or directory objects in the PDB when PATH_PREFIX is not set for the PDB
OS_ACCESS	EXTERNAL_PROCEDURES	Using external procedure agent extproc in the PDB
OS_ACCESS	FILE_TRANSFER	Using the DBMS_FILE_TRANSFER package

Table 11-1 (Cont.) PDB Lockdown Profile Features

Feature Bundle	Feature	Operations
OS_ACCESS	JAVA_OS_ACCESS	Using <code>java.io.FilePermission</code> from Java
OS_ACCESS	LOB_FILE_ACCESS	Using BFILE and CFILE data types
OS_ACCESS	TRACE_VIEW_ACCESS	Using the following trace views: <ul style="list-style-type: none"> <li>• [G]V\$DIAG_OPT_TRACE_RECORDS</li> <li>• [G]V\$DIAG_SQL_TRACE_RECORDS</li> <li>• [G]V\$DIAG_TRACE_FILE_CONTENTS</li> <li>• V\$DIAG_SESS_OPT_TRACE_RECORDS</li> <li>• V\$DIAG_SESS_SQL_TRACE_RECORDS</li> </ul>
OS_ACCESS	UTL_FILE	Using UTL_FILE. If this feature is disabled, then the database blocks use of the UTL_FILE.FOPEN function.

***lockdown\_options***

This clause lets you disable or enable user operations associate with certain database options.

- Specify `DISABLE` to disable user operations for the specified options. Users will be restricted from performing these operations in any PDB to which the profile applies.
- Specify `ENABLE` to enable user operations for the specified options. Users will be allowed to perform these operations in any PDB to which the profile applies.
- For *option*, you can specify the following database options in any combination of uppercase and lowercase letters:
  - `DATABASE QUEUING` – Represents user operations associated with the Oracle Database Advanced Queuing option
  - `PARTITIONING` – Represents user operations associated with the Oracle Partitioning option
- Use `ALL` to specify all options in the preceding list.
- Use `ALL EXCEPT` to specify all options in the preceding list except the specified options.

If you omit this clause, then the default is `ENABLE OPTION ALL`.

***lockdown\_statements***

This clause lets you disable or enable the issuance of certain SQL statements.

- Specify `DISABLE` to disable the issuance of the specified SQL statements. Users will be restricted from issuing these statements in any PDB to which the profile applies.
- Specify `ENABLE` to enable the issuance of the specified SQL statements. Users will be allowed to issue these statements in any PDB to which the profile applies.
- For *SQL\_statement*, you can specify the following statements in any combination of uppercase and lowercase letters:
  - `ADMINISTER KEY MANAGEMENT`



- ALTER DATABASE
  - ALTER PLUGGABLE DATABASE
  - ALTER SESSION
  - ALTER SYSTEM
  - ALTER TABLE
  - ALTER INDEX
  - ALTER TABLESPACE
  - ALTER PROFILE
  - CREATE TABLE
  - CREATE INDEX
  - CREATE TABLESPACE
  - CREATE PROFILE
  - CREATE DATABASE LINK
  - DROP TABLE
  - DROP INDEX
  - DROP TABLESPACE
  - DROP PROFILE
- Use `ALL` to specify all statements in the preceding list.
  - Use `ALL EXCEPT` to specify all statements in the preceding list except the specified statements.

If you omit this clause, then the default is `ENABLE STATEMENT ALL`.

### ***statement\_clauses***

This clause lets you disable or enable specific clauses of the specified SQL statement.

- Use *clause* to specify the SQL keywords that form the clause you want to disable or enable. You can specify a clause in any combination of uppercase and lowercase letters.
- Use `ALL` to specify all clauses for the SQL statement.
- Use `ALL EXCEPT` to specify all clauses for the SQL statement except the specified clauses.

For *clause*, you must specify at least enough keywords to unambiguously identify a single clause for the SQL statement. The following are some examples of how to specify *clause* for the `ALTER SYSTEM` statement:

- To specify the [archive\\_log\\_clause::=](#), specify `ARCHIVE`. This is sufficient because no other `ALTER SYSTEM` clause begins with the keyword `ARCHIVE`. Alternatively, you can specify `ARCHIVE LOG` for semantic clarity, but the `LOG` keyword is unnecessary.
- To specify either of the [rolling\\_migration\\_clauses::=](#), you must specify `START ROLLING MIGRATION` or `STOP ROLLING MIGRATION` in order to distinguish these clauses from the similarly named [rolling\\_patch\\_clauses::=](#) `START ROLLING PATCH` and `STOP ROLLING PATCH`.

- You cannot specify the single keyword `FLUSH`, because several `ALTER SYSTEM` clauses begin with this keyword. You must instead specify each clause separately, such as `FLUSH SHARED_POOL` or `FLUSH GLOBAL CONTEXT`.

There is no need to specify optional keywords within a clause, because they have no effect. For example:

- The `archive_log_clause::=` has an optional `INSTANCE` keyword. However, you cannot enable or disable only `ARCHIVE LOG` clauses that contain the `INSTANCE` keyword. Specifying `ARCHIVE LOG INSTANCE` is equivalent to specifying `ARCHIVE` or `ARCHIVE LOG`.

There is no need to specify parameter values within a clause, because they have no effect. For example:

- The `shutdown_dispatcher_clause::=` requires you to specify a `dispatcher_name`. However, you cannot enable or disable `SHUTDOWN` clauses that contain a specific dispatcher name. Specifying `SHUTDOWN dispatcher1` is equivalent to specifying `SHUTDOWN`.



#### See Also:

[ALTER DATABASE](#) , [ALTER PLUGGABLE DATABASE](#), [ALTER SESSION](#) , and [ALTER SYSTEM](#) for complete information on the clauses for these statements

### *clause\_options*

This clause is valid only when you specify one of the following for *lockdown\_statements* and *statement\_clauses*:

```
{ DISABLE | ENABLE } STATEMENT = ('ALTER SESSION') CLAUSE = ('SET')
{ DISABLE | ENABLE } STATEMENT = ('ALTER SYSTEM') CLAUSE = ('SET')
```

This clause lets you disable or enable the setting or modification of specific options with the `ALTER SESSION SET` or `ALTER SYSTEM SET` statements.

- Use *clause\_option* to specify the option you want to disable or enable.
- Use *clause\_option\_pattern* to specify a pattern that matches multiple options. Within the pattern, specify a percent sign (%) to match zero or more characters in an option name. For example, specifying `'QUERY_REWRITE_%%'` is equivalent to specifying both the `QUERY_REWRITE_ENABLED` and `QUERY_REWRITE_INTEGRITY` options.
- You can specify *clause\_option* and *clause\_option\_pattern* in any combination of uppercase and lowercase letters.
- Use `ALL` to specify all options.
- Use `ALL EXCEPT` to specify all options except the specified options.

 **See Also:**

The [alter\\_session\\_set\\_clause](#) clause of ALTER SESSION and the [alter\\_system\\_set\\_clause](#) clause of ALTER SYSTEM for complete information on the options you can specify for these statements

**option\_values**

This clause is valid only when you specify one of the following for *lockdown\_statements*, *statement\_clauses*, and *clause\_options*:

```
DISABLE STATEMENT = ('ALTER SESSION') CLAUSE = ('SET') OPTION =
clause_option
DISABLE STATEMENT = ('ALTER SYSTEM') CLAUSE = ('SET') OPTION =
clause_option
```

This clause lets you specify a default value for an option when disabling the setting of that option. For options that take numeric values, this clause also lets you restrict users from setting an option to certain values.

- The **VALUE** clause lets you specify a default *option\_value* for *clause\_option*, which will go into effect for any PDB to which the profile applies after you close and reopen the PDB. If *clause\_option* accepts multiple default values, then you can specify more than one *option\_value* in a comma-separated list. The purpose of using this clause is to simultaneously set a default value for an option and restrict users from setting or modifying the value.
- The **MINVALUE** clause lets you restricts users from setting the value of *clause\_option* to a value less than *option\_value*. You can specify this clause only for options that take a numeric value.
- The **MAXVALUE** clause lets you restricts users from setting the value of *clause\_option* to a value greater than *option\_value*. You can specify this clause only for options that take a numeric value.
- You can specify both the **MINVALUE** and **MAXVALUE** clauses together to restrict users from setting the value of *clause\_options* to any value less than **MINVALUE** or greater than **MAXVALUE**.
- **MINVALUE** and **MAXVALUE** settings take effect immediately when the lockdown profile is assigned to a PDB; you need not close and reopen the PDB.

 **See Also:**

*Oracle Database Reference* for complete information on the values allowed for the various options

**USERS Clause**

As a CDB administrator or an Application administrator you can use the **USERS** clause to configure lockdown rules for a specific set of users.

The values for `USERS` in a `CDB$ROOT` lockdown profile are as follows:

- `USERS = ALL` means that the lockdown rule applies to all users in the PDB.
- `USERS = COMMON` means that the lockdown rule applies only to `CDB COMMON` users in the PDB.
- `USERS = LOCAL` means that the lockdown rule applies only to local users in the PDB. Application common users are considered local users at the CDB level.

The values for `USERS` in an Application `ROOT` lockdown profile are as follows:

- `USERS = ALL` means that the lockdown rule applies to all users in the PDB.
- `USERS = COMMON` means that the lockdown rule applies only to Application `COMMON` users in the PDB.
- `USERS = LOCAL` means that the lockdown rule applies only to local users in the PDB.

Note that the Application lockdown profile rules should not affect CDB common users.

- `ALL` users means Application common users and local users in the PDB.
- `COMMON` users means Application common users in the PDB.

### Examples

The following statement creates PDB lockdown profile `hr_prof`:

```
CREATE LOCKDOWN PROFILE hr_prof;
```

The remaining examples in this section alter `hr_prof`.

### Disabling Features for PDB Lockdown Profiles: Examples

The following statement disables all features in the feature bundle `NETWORK_ACCESS`:

```
ALTER LOCKDOWN PROFILE hr_prof  
  DISABLE FEATURE = ('NETWORK_ACCESS');
```

The following statement disables the `LOB_FILE_ACCESS` and `TRACE_VIEW_ACCESS` features:

```
ALTER LOCKDOWN PROFILE hr_prof  
  DISABLE FEATURE = ('LOB_FILE_ACCESS', 'TRACE_VIEW_ACCESS');
```

The following statement disables all features except the `COMMON_USER_LOCAL_SCHEMA_ACCESS` and `LOCAL_USER_COMMON_SCHEMA_ACCESS` features:

```
ALTER LOCKDOWN PROFILE hr_prof  
  DISABLE FEATURE ALL EXCEPT = ('COMMON_USER_LOCAL_SCHEMA_ACCESS',  
'LOCAL_USER_COMMON_SCHEMA_ACCESS');
```

The following statement disables all features:

```
ALTER LOCKDOWN PROFILE hr_prof  
  DISABLE FEATURE ALL;
```

### Enabling Features for PDB Lockdown Profiles: Examples

The following statement enables the UTL\_HTTP and UTL\_SMTP features, as well as all features in the feature bundle OS\_ACCESS:

```
ALTER LOCKDOWN PROFILE hr_prof
  ENABLE FEATURE = ('UTL_HTTP', 'UTL_SMTP', 'OS_ACCESS');
```

The following statement enables all features except the AQ\_PROTOCOLS and CTX\_PROTOCOLS features:

```
ALTER LOCKDOWN PROFILE hr_prof
  ENABLE FEATURE ALL EXCEPT = ('AQ_PROTOCOLS', 'CTX_PROTOCOLS');
```

The following statement enables all features:

```
ALTER LOCKDOWN PROFILE hr_prof
  ENABLE FEATURE ALL;
```

### Disabling Options for PDB Lockdown Profiles: Examples

The following statement disables user operations associated with the Oracle Database Advanced Queuing option:

```
ALTER LOCKDOWN PROFILE hr_prof
  DISABLE OPTION = ('DATABASE QUEUING');
```

The following statement disables user operations associated with the Oracle Partitioning option:

```
ALTER LOCKDOWN PROFILE hr_prof
  DISABLE OPTION = ('PARTITIONING');
```

### Enabling Options for PDB Lockdown Profiles: Examples

The following statement enables user operations associated with the Oracle Database Advanced Queuing option:

```
ALTER LOCKDOWN PROFILE hr_prof
  ENABLE OPTION = ('DATABASE QUEUING');
```

The following statement enables user operations associated both with the Oracle Database Advanced Queuing option and the Oracle Partitioning option:

```
ALTER LOCKDOWN PROFILE hr_prof
  ENABLE OPTION ALL;
```

### Disabling SQL Statements for PBB Lockdown Profiles: Examples

The following statement disables the ALTER DATABASE statement:

```
ALTER LOCKDOWN PROFILE hr_prof
  DISABLE STATEMENT = ('ALTER DATABASE');
```

The following statement disables the ALTER SYSTEM SUSPEND and ALTER SYSTEM RESUME statements:

```
ALTER LOCKDOWN PROFILE hr_prof
  DISABLE STATEMENT = ('ALTER SYSTEM')
  CLAUSE = ('SUSPEND', 'RESUME');
```

The following statement disables all clauses of the ALTER PLUGGABLE DATABASE statement, except DEFAULT TABLESPACE and DEFAULT TEMPORARY TABLESPACE:

```
ALTER LOCKDOWN PROFILE hr_prof
  DISABLE STATEMENT = ('ALTER PLUGGABLE DATABASE')
  CLAUSE ALL EXCEPT = ('DEFAULT TABLESPACE', 'DEFAULT TEMPORARY
TABLESPACE');
```

The following statement disables using the ALTER SESSION statement to set or modify COMMIT\_WAIT or CURSOR\_SHARING:

```
ALTER LOCKDOWN PROFILE hr_prof
  DISABLE STATEMENT = ('ALTER SESSION')
  CLAUSE = ('SET')
  OPTION = ('COMMIT_WAIT', 'CURSOR_SHARING');
```

The following statement disables using the ALTER SYSTEM statement to set or modify the value of PDB\_FILE\_NAME\_CONVERT. It also sets the default value for PDB\_FILE\_NAME\_CONVERT to 'cdb1\_pdb0', 'cdb1\_pdb1'. This default value will take effect the next time the PDB is closed and reopened.

```
ALTER LOCKDOWN PROFILE hr_prof
  DISABLE STATEMENT = ('ALTER SYSTEM')
  CLAUSE = ('SET')
  OPTION = ('PDB_FILE_NAME_CONVERT')
  VALUE = ('cdb1_pdb0', 'cdb1_pdb1');
```

The following statement disables using the ALTER SYSTEM statement to set or modify the value of CPU\_COUNT to a value less than 8:

```
ALTER LOCKDOWN PROFILE hr_prof
  DISABLE STATEMENT = ('ALTER SYSTEM')
  CLAUSE = ('SET')
  OPTION = ('CPU_COUNT')
  MINVALUE = '8';
```

The following statement disables using the ALTER SYSTEM statement to set or modify the value of CPU\_COUNT to a value greater than 2:

```
ALTER LOCKDOWN PROFILE hr_prof
  DISABLE STATEMENT = ('ALTER SYSTEM')
    CLAUSE = ('SET')
    OPTION = ('CPU_COUNT')
  MAXVALUE = '2';
```

The following statement disables using the ALTER SYSTEM statement to set or modify the value of CPU\_COUNT to a value less than 2 or greater than 6:

```
ALTER LOCKDOWN PROFILE hr_prof
  DISABLE STATEMENT = ('ALTER SYSTEM')
    CLAUSE = ('SET')
    OPTION = ('CPU_COUNT')
  MINVALUE = '2'
  MAXVALUE = '6';
```

### Enabling SQL Statements for PBB Lockdown Profiles: Examples

The following statement enables all statements except ALTER DATABASE:

```
ALTER LOCKDOWN PROFILE hr_prof
  ENABLE STATEMENT ALL EXCEPT = ('ALTER DATABASE');
```

The following statement enables the ALTER DATABASE MOUNT and ALTER DATABASE OPEN statements:

```
ALTER LOCKDOWN PROFILE hr_prof
  ENABLE STATEMENT = ('ALTER DATABASE')
    CLAUSE = ('MOUNT', 'OPEN');
```

The following statement enables all clauses of the ALTER PLUGGABLE DATABASE statement, except DEFAULT TABLESPACE and DEFAULT TEMPORARY TABLESPACE:

```
ALTER LOCKDOWN PROFILE hr_prof
  ENABLE STATEMENT = ('ALTER PLUGGABLE DATABASE')
    CLAUSE ALL EXCEPT = ('DEFAULT TABLESPACE', 'DEFAULT TEMPORARY
TABLESPACE');
```

The following statement enables using the ALTER SESSION statement to set or modify COMMIT\_WAIT or CURSOR\_SHARING:

```
ALTER LOCKDOWN PROFILE hr_prof
  ENABLE STATEMENT = ('ALTER SESSION')
    CLAUSE = ('SET')
    OPTION = ('COMMIT_WAIT', 'CURSOR_SHARING');
```

# ALTER MATERIALIZED VIEW

## Purpose

A materialized view is a database object that contains the results of a query. The `FROM` clause of the query can name tables, views, and other materialized views. Collectively these source objects are called **master tables** (a replication term) or **detail tables** (a data warehousing term). This reference uses the term master tables for consistency. The databases containing the master tables are called the **master databases**.

Use the `ALTER MATERIALIZED VIEW` statement to modify an existing materialized view in one or more of the following ways:

- To change its storage characteristics
- To change its refresh method, mode, or time
- To alter its structure so that it is a different type of materialized view
- To enable or disable query rewrite



### Note:

The keyword `SNAPSHOT` is supported in place of `MATERIALIZED VIEW` for backward compatibility.



### See Also:

- [CREATE MATERIALIZED VIEW](#) for more information on creating materialized views
- *Oracle Database Administrator's Guide* for information on materialized views in a replication environment
- *Oracle Database Data Warehousing Guide* for information on materialized views in a data warehousing environment

## Prerequisites

The materialized view must be in your own schema, or you must have the `ALTER ANY MATERIALIZED VIEW` system privilege.

To enable a materialized view for query rewrite:

- If all of the master tables in the materialized view are in your schema, then you must have the `QUERY REWRITE` privilege.
- If any of the master tables are in another schema, then you must have the `GLOBAL QUERY REWRITE` privilege.
- If the materialized view is in another user's schema, then both you and the owner of that schema must have the appropriate `QUERY REWRITE` privilege, as described in the




preceding two items. In addition, the owner of the materialized view must have `SELECT` access to any master tables that the materialized view owner does not own.

To specify an edition in the *evaluation\_edition\_clause* or the *unusable\_editions\_clause*, you must have the `USE` privilege on the edition.


### Syntax

***alter\_materialized\_view::=***




(*physical\_attributes\_clause*::=, *modify\_mv\_column\_clause*::=, *table\_compression*::=, *inmemory\_table\_clause*::=, *LOB\_storage\_clause*::=, *modify\_LOB\_storage\_clause*::=, *alter\_table\_partitioning*::= (part of ALTER TABLE), *parallel\_clause*::=, *logging\_clause*::=, *allocate\_extent\_clause*::=, *deallocate\_unused\_clause*::=, *shrink\_clause*::=, *alter\_iot\_clauses*::=, *scoped\_table\_ref\_constraint*::=, *alter\_mv\_refresh*::=, *evaluation\_edition\_clause*::=, *alter\_query\_rewrite\_clause*::=, *annotations\_clause*)

***physical\_attributes\_clause*::=**




(*storage\_clause*::=)


***modify\_mv\_column\_clause*::=**



***table\_compression*::=**




***inmemory\_table\_clause*::=**




*(inmemory\_attributes::=, inmemory\_column\_clause::=)*

***inmemory\_attributes::=***




*(inmemory\_memcompress::=, inmemory\_priority::=, inmemory\_distribute::=, inmemory\_duplicate::=)*


***inmemory\_memcompress::=***




***inmemory\_priority::=***




***inmemory\_distribute::=***



***inmemory\_duplicate::=***




***inmemory\_column\_clause::=***




***(inmemory\_memcompress::=)***

***LOB\_storage\_clause::=***




***(LOB\_storage\_parameters::=)***

***LOB\_storage\_parameters::=***




(TABLESPACE SET: not supported with ALTER MATERIALIZED VIEW, *LOB\_parameters::=*,  
*storage\_clause::=*)

**LOB\_parameters::=**




(*storage\_clause::=*, *logging\_clause::=*)

**modify\_LOB\_storage\_clause::=**




(*modify\_LOB\_parameters::=*)

**modify\_LOB\_parameters::=**




(*storage\_clause::=*, *LOB\_retention\_clause::=*, *LOB\_compression\_clause::=*,  
*logging\_clause::=*, *allocate\_extent\_clause::=*, *shrink\_clause::=*,  
*deallocate\_unused\_clause::=*)


**parallel\_clause::=**



**logging\_clause::=**



**allocate\_extent\_clause::=**




(size\_clause::=)

**deallocate\_unused\_clause::=**




(size\_clause::=)


**shrink\_clause::=**



**annotations\_clause::=**




**annotations\_list::=**







**annotation::=**




**annotation\_name::=**



**annotation\_value::=**




**alter\_iot\_clauses::=**




([index\\_org\\_table\\_clause::=](#), [alter\\_overflow\\_clause::=](#), [alter\\_mapping\\_table\\_clauses::=](#): not supported with materialized views)

**index\_org\_table\_clause::=**




([mapping\\_table\\_clause::=](#): not supported with materialized views, [prefix\\_compression::=](#): not supported for altering materialized views, [index\\_org\\_overflow\\_clause::=](#))

**index\_org\_overflow\_clause::=**




(*segment\_attributes\_clause*::=—part of ALTER TABLE)

**alter\_overflow\_clause**::=




(*allocate\_extent\_clause*::=, *shrink\_clause*::=, *deallocate\_unused\_clause*::=)

**add\_overflow\_clause**::=




(*segment\_attributes\_clause*::=--part of ALTER TABLE)


**scoped\_table\_ref\_constraint**::=




**alter\_mv\_refresh**::=



**evaluation\_edition\_clause::=**




**alter\_query\_rewrite\_clause::=**



**Note:**

You cannot specify only `QUERY REWRITE`. You must specify at least one of the following: `ENABLE`, `DISABLE`, or a subclause of the `unusable_editions_clause`.

***unusable\_editions\_clause::=*****Semantics****IF EXISTS**

Specify `IF EXISTS` to alter an existing materialized view.

Specifying `IF NOT EXISTS` with `ALTER VIEW` results in `ORA-11544: Incorrect IF EXISTS clause for ALTER/DROP statement.`

***schema***

Specify the schema containing the materialized view. If you omit *schema*, then Oracle Database assumes the materialized view is in your own schema.

***materialized\_view***

Specify the name of the materialized view to be altered.

***physical\_attributes\_clause***

Specify new values for the `PCTFREE`, `PCTUSED`, and `INITRANS` parameters (or, when used in the `USING INDEX` clause, for the `INITRANS` parameter only) and the storage characteristics for the materialized view. Refer to [ALTER TABLE](#) for information on the `PCTFREE`, `PCTUSED`, and `INITRANS` parameters and to [storage\\_clause](#) for information about storage characteristics.

***modify\_mv\_column\_clause***

Use this clause to encrypt or decrypt this column of the materialized view. Refer to the `CREATE TABLE` clause [encryption\\_spec](#) for information on this clause.

***table\_compression***

Use the *table\_compression* clause to instruct Oracle Database whether to compress data segments to reduce disk and memory use. Refer to the [table\\_compression](#) clause of `CREATE TABLE` for the full semantics of this clause.

***inmemory\_table\_clause***

Use the *inmemory\_table\_clause* to enable or disable the materialized view or its columns for the In-Memory Column Store (IM column store), or to change the In-Memory attributes for the materialized view or its columns. This clause has the same semantics here as it has for the

ALTER TABLE statement. Refer to the [inmemory\\_table\\_clause](#) of ALTER TABLE for the full semantics of this clause.

### ***LOB\_storage\_clause***

The *LOB\_storage\_clause* lets you specify the storage characteristics of a new LOB. LOB storage behaves for materialized views exactly as it does for tables. Refer to the [LOB\\_storage\\_clause](#) (in CREATE TABLE) for information on the LOB storage parameters.

### ***modify\_LOB\_storage\_clause***

The *modify\_LOB\_storage\_clause* lets you modify the physical attributes of the LOB attribute *LOB\_item* or the LOB object attribute. Modification of LOB storage behaves for materialized views exactly as it does for tables.

#### See Also:

The [modify\\_LOB\\_storage\\_clause](#) of ALTER TABLE for information on the LOB storage parameters that can be modified

### ***alter\_table\_partitioning***

The syntax and general functioning of the partitioning clauses for materialized views is the same as for partitioned tables. Refer to [alter\\_table\\_partitioning](#) in the documentation on ALTER TABLE.

### **Restriction on Altering Materialized View Partitions**

You cannot specify the *LOB\_storage\_clause* or *modify\_LOB\_storage\_clause* within any of the *partitioning\_clauses*.

#### Note:

If you want to keep the contents of the materialized view synchronized with those of the master table, then Oracle recommends that you manually perform a complete refresh of all materialized views dependent on the table after dropping or truncating a table partition.

### **MODIFY PARTITION UNUSABLE LOCAL INDEXES**

Use this clause to mark UNUSABLE all the local index partitions associated with *partition*.

### **MODIFY PARTITION REBUILD UNUSABLE LOCAL INDEXES**

Use this clause to rebuild the unusable local index partitions associated with *partition*.

***parallel\_clause***

The *parallel\_clause* lets you change the default degree of parallelism for the materialized view.

For complete information on this clause, refer to [parallel\\_clause](#) in the documentation on CREATE TABLE.

***logging\_clause***

Specify or change the logging characteristics of the materialized view. Refer to the [logging\\_clause](#) for a full description of this clause.

***allocate\_extent\_clause***

The *allocate\_extent\_clause* lets you explicitly allocate a new extent for the materialized view. Refer to the [allocate\\_extent\\_clause](#) for a full description of this clause.

***deallocate\_unused\_clause***

Use the *deallocate\_unused\_clause* to explicitly deallocate unused space at the end of the materialized view and make the freed space available for other segments. Refer to the [deallocate\\_unused\\_clause](#) for a full description of this clause.

***shrink\_clause***

Use this clause to compact the materialized view segments. For complete information on this clause, refer to [shrink\\_clause](#) in the documentation on CREATE TABLE.

**CACHE | NOCACHE**

For data that will be accessed frequently, **CACHE** specifies that the blocks retrieved for this table are placed at the most recently used end of the LRU list in the buffer cache when a full table scan is performed. This attribute is useful for small lookup tables. **NOCACHE** specifies that the blocks are placed at the least recently used end of the LRU list. Refer to "[CACHE | NOCACHE | CACHE READS](#)" in the documentation on CREATE TABLE for more information about this clause.

***annotations\_clause***

The *annotation\_name* is an identifier that can have up to 4000 characters. If the annotation name is a reserved word it must be provided in double quotes. When a double quoted identifier is used, the identifier can also contain whitespace characters. However, identifiers that contain only whitespace characters are not accepted.

You can only change annotations at the view level with the ALTER statement. To drop column-level annotations, you must drop and recreate the view.

For the full semantics of the annotations clause see [annotations\\_clause](#) of CREATE TABLE.

***alter\_iot\_clauses***

Use the *alter\_iot\_clauses* to change the characteristics of an index-organized materialized view. The keywords and parameters of the components of the *alter\_iot\_clauses* have the same semantics as in ALTER TABLE, with the restrictions that follow.

**Restrictions on Altering Index-Organized Materialized Views**

You cannot specify the *mapping\_table\_clause* or the *prefix\_compression* clause of the *index\_org\_table\_clause*.

**See Also:**

[index\\_org\\_table\\_clause](#) of CREATE MATERIALIZED VIEW for information on creating an index-organized materialized view

**USING INDEX Clause**

Use this clause to change the value of `INITRANS` and `STORAGE` parameters for the index Oracle Database uses to maintain the materialized view data.

**Restriction on the USING INDEX clause**

You cannot specify the `PCTUSED` or `PCTFREE` parameters in this clause.

**MODIFY *scoped\_table\_ref\_constraint***

Use the `MODIFY scoped_table_ref_constraint` clause to rescope a `REF` column or attribute to a new table or to an alias for a new column.

**Restrictions on Rescoping REF Columns**

You can rescope only one `REF` column or attribute in each `ALTER MATERIALIZED VIEW` statement, and this must be the only clause in this statement.

***alter\_mv\_refresh***

Use the `alter_mv_refresh` clause to change the default method and mode and the default times for automatic refreshes. If the contents of the master tables of a materialized view are modified, then the data in the materialized view must be updated to make the materialized view accurately reflect the data currently in its master table(s). This clause lets you schedule the times and specify the method and mode for Oracle Database to refresh the materialized view.

**See Also:**

- This clause only sets the default refresh options. For instructions on actually implementing the refresh, refer to *Oracle Database Administrator's Guide* and *Oracle Database Data Warehousing Guide*.
- *Oracle Database Data Warehousing Guide* to learn how to use refresh statistics to monitor the performance of materialized view refresh operations

**FAST Clause**

Specify `FAST` for the fast refresh method, which performs the refresh according to the changes that have occurred to the master tables. The changes are stored either in the materialized view log associated with the master table (for conventional DML changes) or in the direct loader log (for direct-path `INSERT` operations).

For both conventional DML changes and for direct-path `INSERT` operations, other conditions may restrict the eligibility of a materialized view for fast refresh.

When you change the refresh method to `FAST` in an `ALTER MATERIALIZED VIEW` statement, Oracle Database does not perform this verification. If the materialized view is not eligible for fast refresh, then Oracle Database returns an error when you attempt to refresh this view.

 **See Also:**

- *Oracle Database Administrator's Guide* for restrictions on fast refresh in replication environments
- *Oracle Database Data Warehousing Guide* for restrictions on fast refresh in data warehouse environments
- ["Automatic Refresh: Examples"](#)

**COMPLETE Clause**

Specify `COMPLETE` for the complete refresh method, which is implemented by executing the defining query of the materialized view. If you specify a complete refresh, then Oracle Database performs a complete refresh even if a fast refresh is possible.

 **See Also:**

["Complete Refresh: Example"](#)

**FORCE Clause**

Specify `FORCE` if, when a refresh occurs, you want Oracle Database to perform a fast refresh if one is possible or a complete refresh otherwise.

**ON COMMIT Clause**

Specify `ON COMMIT` if you want a refresh to occur whenever Oracle Database commits a transaction that operates on a master table of the materialized view.

You cannot specify both `ON COMMIT` and `ON DEMAND`. If you specify `ON COMMIT`, then you cannot also specify `START WITH` or `NEXT`.

**Restriction on ON COMMIT**

This clause is supported only for materialized join views and single-table materialized aggregate views.

**ON DEMAND Clause**

Specify `ON DEMAND` if you want the materialized view to be refreshed on demand by calling one of the three `DBMS_MVIEW` refresh procedures. If you omit both `ON COMMIT` and `ON DEMAND`, then `ON DEMAND` is the default.



You cannot specify both `ON COMMIT` and `ON DEMAND`. `START WITH` and `NEXT` take precedence over `ON DEMAND`. Therefore, in most circumstances it is not meaningful to specify `ON DEMAND` when you have specified `START WITH` or `NEXT`.

 **See Also:**

- *Oracle Database PL/SQL Packages and Types Reference* for information on these procedures
- *Oracle Database Data Warehousing Guide* on the types of materialized views you can create by specifying `REFRESH ON DEMAND`

**START WITH Clause**

Specify `START WITH date` to indicate a date for the first automatic refresh time.

**NEXT Clause**

Specify `NEXT` to indicate a date expression for calculating the interval between automatic refreshes.

Both the `START WITH` and `NEXT` values must evaluate to a time in the future. If you omit the `START WITH` value, then Oracle Database determines the first automatic refresh time by evaluating the `NEXT` expression with respect to the creation time of the materialized view. If you specify a `START WITH` value but omit the `NEXT` value, then Oracle Database refreshes the materialized view only once. If you omit both the `START WITH` and `NEXT` values, or if you omit the `alter_mv_refresh` entirely, then Oracle Database does not automatically refresh the materialized view.

**WITH PRIMARY KEY Clause**

Specify `WITH PRIMARY KEY` to change a rowid materialized view to a primary key materialized view. Primary key materialized views allow materialized view master tables to be reorganized without affecting the ability of the materialized view to continue to fast refresh.

For you to specify this clause, the master table must contain an enabled primary key constraint and must have defined on it a materialized view log that logs primary key information.

 **See Also:**

- *Oracle Database Administrator's Guide* for detailed information about primary key materialized views
- ["Primary Key Materialized View: Example"](#)

**USING ROLLBACK SEGMENT Clause**

This clause is not valid if your database is in automatic undo mode, because in that mode Oracle Database uses undo tablespaces instead of rollback segments. Oracle strongly recommends that you use automatic undo mode. This clause is supported for

backward compatibility with replication environments containing older versions of Oracle Database that still use rollback segments.

For complete information on this clause, refer to `CREATE MATERIALIZED VIEW ... "USING ROLLBACK SEGMENT Clause"`.

### **USING ... CONSTRAINTS Clause**

This clause has the same semantics in `CREATE MATERIALIZED VIEW` and `ALTER MATERIALIZED VIEW` statements. For complete information, refer to "`USING ... CONSTRAINTS Clause`" in the documentation on `CREATE MATERIALIZED VIEW`.

### ***evaluation\_edition\_clause***

Use this clause to change the evaluation edition for the materialized view. This clause has the same semantics in `CREATE MATERIALIZED VIEW` and `ALTER MATERIALIZED VIEW` statements. For complete information on this clause, refer to `evaluation_edition_clause` in the documentation on `CREATE MATERIALIZED VIEW`.

### **Notes on Changing the Evaluation Edition of a Materialized View**

The following notes apply when changing the evaluation edition of a materialized view:

- If you change the evaluation edition of a refresh-on-commit materialized view, then Oracle Database performs a complete refresh of the materialized view unless you specify `CONSIDER FRESH`.
- If you change the evaluation edition of a refresh-on-demand materialized view, then Oracle Database sets the staleness state of the materialized view to `STALE` unless you specify `CONSIDER FRESH`.
- For both refresh-on-commit and refresh-on-demand materialized views: If you change the evaluation edition and specify `CONSIDER FRESH`, then Oracle Database does not update the staleness state of the materialized view and does not rebuild the materialized view. Therefore, you can specify `CONSIDER FRESH` to indicate that, although the evaluation edition has changed, there is no difference in the results that *subquery* will produce. If the materialized view is stale and in need of either a fast refresh or a complete refresh before this statement is issued, then the state will not be changed and the materialized view may contain bad data.

### **{ ENABLE | DISABLE } ON QUERY COMPUTATION**

This clause lets you control whether the materialized view is a real-time materialized view or a regular materialized view.

- Specify `ENABLE ON QUERY COMPUTATION` to convert a regular materialized view into a real-time materialized view by enabling on-query computation.
- Specify `DISABLE ON QUERY COMPUTATION` to convert a real-time materialized view into a regular materialized view by disabling on-query computation.

This clause has the same semantics in `CREATE MATERIALIZED VIEW` and `ALTER MATERIALIZED VIEW` statements. For complete information on this clause, refer to `{ ENABLE | DISABLE } ON QUERY COMPUTATION` in the documentation on `CREATE MATERIALIZED VIEW`.

### ***alter\_query\_rewrite\_clause***

Use this clause to specify whether the materialized view is eligible to be used for query rewrite.

## ENABLE Clause

Specify `ENABLE` to enable the materialized view for query rewrite. If you currently specify, or previously specified, the `unusable_editions_clause` for the materialized view, then it is not enabled for query rewrite in the unusable editions.

### See Also:

- "Enabling Query Rewrite: Example"
- *Oracle Database Data Warehousing Guide* to learn how to use refresh statistics to monitor the performance of materialized view refresh operations

## Restrictions on Enabling Materialized Views

Enabling materialized views is subject to the following restrictions:

- If the materialized view is in an invalid or unusable state, then it is not eligible for query rewrite in spite of the `ENABLE` mode.
- You cannot enable query rewrite if the materialized view was created totally or in part from a view.
- You can enable query rewrite only if all user-defined functions in the materialized view are `DETERMINISTIC`.

### See Also:

`CREATE FUNCTION`

- You can enable query rewrite only if expressions in the statement are repeatable. For example, you cannot include `CURRENT_TIME` or `USER`.

### See Also:

*Oracle Database Data Warehousing Guide* for more information on query rewrite

## DISABLE Clause

Specify `DISABLE` if you do not want the materialized view to be eligible for use by query rewrite. If a materialized view is in the invalid state, then it is not eligible for use by query rewrite, whether or not it is disabled. However, a disabled materialized view can be refreshed.

### *unusable\_editions\_clause*

Use this clause to specify the editions in which the materialized view is not eligible for query rewrite. This clause has the same semantics in `CREATE MATERIALIZED VIEW` and

ALTER MATERIALIZED VIEW statements. For complete information on this clause, refer to [unusable\\_editions\\_clause](#) in the documentation on CREATE MATERIALIZED VIEW.

Cursors that use the materialized view for query rewrite and were compiled in an edition that is made unusable will be invalidated.

### ENABLE | DISABLE CONCURRENT REFRESH

Enable concurrent refresh to refresh the same on-commit atomic materialized view across multiple sessions. Multiple sessions which have DML on a base table can refresh the MV concurrently. There are no limitations on how many materialized views can be refreshed.

Concurrent refresh is disabled by default. You must explicitly enable it on the materialized view. Note that you can enable it only on on-commit materialized views.



#### See Also:

*Refreshing Materialized Views of the Oracle Database Data Warehousing Guide.*

### COMPILE

Specify `COMPILE` to explicitly revalidate a materialized view. If an object upon which the materialized view depends is dropped or altered, then the materialized view remains accessible, but it is invalid for query rewrite. You can use this clause to explicitly revalidate the materialized view to make it eligible for query rewrite.

If the materialized view fails to revalidate, then it cannot be refreshed or used for query rewrite.



#### See Also:

["Compiling a Materialized View: Example"](#)

### CONSIDER FRESH

This clause lets you manage the staleness state of a materialized view after changes have been made to its master tables. `CONSIDER FRESH` directs Oracle Database to consider the materialized view fresh and therefore eligible for query rewrite in the `TRUSTED` or `STALE_TOLERATED` modes.



#### Caution:

The `CONSIDER FRESH` clause also directs Oracle Database to no longer apply any rows in a materialized view log or Partition Change Tracking changes to the materialized view prior to the issuance of the `CONSIDER FRESH` clause. In other words, the pending changes will be ignored and deleted, not applied to the materialized view. This may result in the materialized view containing more or less data than the base table.

Because Oracle Database cannot guarantee the freshness of the materialized view, query rewrite in `ENFORCED` mode is not supported. This clause also sets the staleness state of the materialized view to `UNKNOWN`. The staleness state is displayed in the `STALENESS` column of the `ALL_MVIEWS`, `DBA_MVIEWS`, and `USER_MVIEWS` data dictionary views.

A materialized view is stale if changes have been made to the contents of any of its master tables. This clause directs Oracle Database to assume that the materialized view is fresh and that no such changes have been made. Therefore, actual updates to those tables pending refresh are purged with respect to the materialized view.

#### See Also:

- *Oracle Database Data Warehousing Guide* for more information on query rewrite and the implications of performing partition maintenance operations on master tables
- "[CONSIDER FRESH: Example](#)"

## Examples

### Automatic Refresh: Examples

The following statement changes the default refresh method for the `sales_by_month_by_state` materialized view (created in "[Creating Materialized Aggregate Views: Example](#)") to `FAST`:

```
ALTER MATERIALIZED VIEW sales_by_month_by_state
  REFRESH FAST;
```

The next automatic refresh of the materialized view will be a fast refresh provided it is a simple materialized view and its master table has a materialized view log that was created before the materialized view was created or last refreshed.

Because the `REFRESH` clause does not specify `START WITH` or `NEXT` values, Oracle Database will use the refresh intervals established by the `REFRESH` clause when the `sales_by_month_by_state` materialized view was created or last altered.

The following statement establishes a new interval between automatic refreshes for the `sales_by_month_by_state` materialized view:

```
ALTER MATERIALIZED VIEW sales_by_month_by_state
  REFRESH NEXT SYSDATE+7;
```

Because the `REFRESH` clause does not specify a `START WITH` value, the next automatic refresh occurs at the time established by the `START WITH` and `NEXT` values specified when the `sales_by_month_by_state` materialized view was created or last altered.

At the time of the next automatic refresh, Oracle Database refreshes the materialized view, evaluates the `NEXT` expression `SYSDATE+7` to determine the next automatic refresh time, and continues to refresh the materialized view automatically once a week. Because the `REFRESH` clause does not explicitly specify a refresh method, Oracle Database continues to use the refresh method specified by the `REFRESH` clause of the `CREATE MATERIALIZED VIEW` or most recent `ALTER MATERIALIZED VIEW` statement.

### CONSIDER FRESH: Example

The following statement instructs Oracle Database that materialized view `sales_by_month_by_state` should be considered fresh. This statement allows `sales_by_month_by_state` to be eligible for query rewrite in `TRUSTED` mode even after you have performed partition maintenance operations on the master tables of `sales_by_month_by_state`:

```
ALTER MATERIALIZED VIEW sales_by_month_by_state CONSIDER FRESH;
```

As a result of the preceding statement, any partition maintenance operations that were done to the base table since the last refresh of the materialized view will not be applied to the materialized view. For example, the add, drop, or change of data in a partition in the base table will not be reflected in the materialized view if `CONSIDER FRESH` is used before the next refresh of the materialized view. Refer to [CONSIDER FRESH](#) for more information.

#### See Also:

"[Splitting Table Partitions: Examples](#)" for a partitioning maintenance example that would require this `ALTER MATERIALIZED VIEW` example

### Complete Refresh: Example

The following statement specifies a new refresh method, a new `NEXT` refresh time, and a new interval between automatic refreshes of the `emp_data` materialized view (created in "[Periodic Refresh of Materialized Views: Example](#)"):

```
ALTER MATERIALIZED VIEW emp_data
  REFRESH COMPLETE
  START WITH TRUNC(SYSDATE+1) + 9/24
  NEXT SYSDATE+7;
```

The `START WITH` value establishes the next automatic refresh for the materialized view to be 9:00 a.m. tomorrow. At that point, Oracle Database performs a complete refresh of the materialized view, evaluates the `NEXT` expression, and subsequently refreshes the materialized view every week.

### Enabling Query Rewrite: Example

The following statement enables query rewrite on the materialized view `emp_data` and implicitly revalidates it:

```
ALTER MATERIALIZED VIEW emp_data
  ENABLE QUERY REWRITE;
```

### Primary Key Materialized View: Example

The following statement changes the rowid materialized view `order_data` (created in "[Creating Rowid Materialized Views: Example](#)") to a primary key materialized view. This example requires that you have already defined a materialized view log with a primary key on `order_data`.

```
ALTER MATERIALIZED VIEW order_data
  REFRESH WITH PRIMARY KEY;
```

### Compiling a Materialized View: Example

The following statement revalidates the materialized view `store_mv`:

```
ALTER MATERIALIZED VIEW order_data COMPILE;
```

### Drop Annotation from View: Example

The following example drops annotation `Snapshot` from view `MView1`:

```
ALTER MATERIALIZED VIEW MView1 ANNOTATIONS(DROP Snapshot);
```

## ALTER MATERIALIZED VIEW LOG

### Purpose

A **materialized view log** is a table associated with the master table of a materialized view. Use the `ALTER MATERIALIZED VIEW LOG` statement to alter the storage characteristics or type of an existing materialized view log.



#### Note:

The keyword `SNAPSHOT` is supported in place of `MATERIALIZED VIEW` for backward compatibility.



#### See Also:

- [CREATE MATERIALIZED VIEW LOG](#) for information on creating a materialized view log
- [ALTER MATERIALIZED VIEW](#) for more information on materialized views, including refreshing them
- [CREATE MATERIALIZED VIEW](#) for a description of the various types of materialized views

### Prerequisites

You must be the owner of the master table, or you must have the `READ` or `SELECT` privilege on the master table and the `ALTER` privilege on the materialized view log.




#### See Also:

*Oracle Database Administrator's Guide* for detailed information about the prerequisites for `ALTER MATERIALIZED VIEW LOG`


**Syntax**

***alter\_materialized\_view\_log::=***




*(physical\_attributes\_clause::=, add\_mv\_log\_column\_clause::=, alter\_table\_partitioning::= (in ALTER TABLE), parallel\_clause::=, logging\_clause::=, allocate\_extent\_clause::=, shrink\_clause::=, move\_mv\_log\_clause::=, mv\_log\_augmentation::=, mv\_log\_purge\_clause::=, for\_refresh\_clause::=)*

***physical\_attributes\_clause::=***




*storage\_clause::=*

***add\_mv\_log\_column\_clause::=***





***allocate\_extent\_clause::=***




***(size\_clause::=)***


***shrink\_clause::=***




***move\_mv\_log\_clause::=***



***parallel\_clause::=***




***mv\_log\_augmentation::=***




*(new\_values\_clause::=*


***new\_values\_clause::=***



***mv\_log\_purge\_clause::=***



***for\_refresh\_clause::=***



### Semantics

#### IF EXISTS

Specify `IF EXISTS` to alter an existing table.

Specifying `IF NOT EXISTS` with `ALTER VIEW` results in `ORA-11544: Incorrect IF EXISTS clause for ALTER/DROP statement.`

#### FORCE

If you specify `FORCE` and any items specified with the `ADD` clause have already been specified for the materialized view log, then Oracle Database does not return an error, but silently ignores the existing elements and adds to the materialized view log any items that do not already exist in the log. Likewise, if you specify `INCLUDING NEW VALUES` and that attribute has already been specified for the materialized view log, Oracle Database ignores the redundancy and does not return an error.

#### schema

Specify the schema containing the master table. If you omit *schema*, then Oracle Database assumes the materialized view log is in your own schema.

***table***

Specify the name of the master table associated with the materialized view log to be altered.

***physical\_attributes\_clause***

The *physical\_attributes\_clause* lets you change the value of the `PCTFREE`, `PCTUSED`, and `INITRANS` parameters and the storage characteristics for the materialized view log, the partition, the overflow data segment, or the default characteristics of a partitioned materialized view log.

**Restriction on Materialized View Log Physical Attributes**

You cannot use the *storage\_clause* to modify extent parameters if the materialized view log resides in a locally managed tablespace. Refer to [CREATE TABLE](#) for a description of these parameters.

***add\_mv\_log\_column\_clause***

When you add a column to the master table of the materialized view log, the database does not automatically add a column to the materialized view log. Therefore, use this clause to add a column to the materialized view log. Oracle Database will encrypt the newly added column if the corresponding column of the master table is encrypted.

***alter\_table\_partitioning***

The syntax and general functioning of the partitioning clauses is the same as described for the `ALTER TABLE` statement. Refer to [alter\\_table\\_partitioning](#) in the documentation on `ALTER TABLE`.

**Restrictions on Altering Materialized View Log Partitions**

Altering materialized view log partitions is subject to the following restrictions:

- You cannot use the *LOB\_storage\_clause* or *modify\_LOB\_storage\_clause* when modifying partitions of a materialized view log.
- If you attempt to drop, truncate, or exchange a materialized view log partition, then Oracle Database raises an error.

***parallel\_clause***

The *parallel\_clause* lets you specify whether parallel operations will be supported for the materialized view log.

For complete information on this clause, refer to [parallel\\_clause](#) in the documentation on `CREATE TABLE`.

***logging\_clause***

Specify the logging attribute of the materialized view log. Refer to the [logging\\_clause](#) for a full description of this clause.

***allocate\_extent\_clause***

Use the *allocate\_extent\_clause* to explicitly allocate a new extent for the materialized view log. Refer to [allocate\\_extent\\_clause](#) for a full description of this clause.

***shrink\_clause***

Use this clause to compact the materialized view log segments. For complete information on this clause, refer to [shrink\\_clause](#) in the documentation on `CREATE TABLE`.

***move\_mv\_log\_clause***

Use the `MOVE` clause to move the materialized view log table to a different tablespace, to change other segment or storage attributes of the materialized view log, or to change the parallelism of the materialized view log.

**Restriction on Moving Materialized View Logs**

The `ENCRYPT` clause of the *storage\_clause* of *segment\_attributes* is not valid for materialized view logs.

**CACHE | NOCACHE Clause**

For data that will be accessed frequently, `CACHE` specifies that the blocks retrieved for this log are placed at the most recently used end of the LRU list in the buffer cache when a full table scan is performed. This attribute is useful for small lookup tables. `NOCACHE` specifies that the blocks are placed at the least recently used end of the LRU list. Refer to "[CACHE | NOCACHE | CACHE READS](#)" in the documentation on `CREATE TABLE` for more information about this clause.

***mv\_log\_augmentation***

Use the `ADD` clause to augment the materialized view log so that it records the primary key values, rowid values, object ID values, or a sequence when rows in the materialized view master table are changed. This clause can also be used to record additional columns.

To stop recording any of this information, you must first drop the materialized view log and then re-create it. Dropping the materialized view log and then re-creating it forces a complete refresh for each of the existing materialized views that depend on the master table on its next refresh.

**Restriction on Augmenting Materialized View Logs**

You can specify only one `PRIMARY KEY`, one `ROWID`, one `OBJECT ID`, one `SEQUENCE`, and each column in the column list once for each materialized view log. You can specify only a single occurrence of `PRIMARY KEY`, `ROWID`, `OBJECT ID`, `SEQUENCE`, and column list within this `ALTER` statement. Also, if any of these values was specified at create time (either implicitly or explicitly), you cannot specify that value in this `ALTER` statement unless you use the `FORCE` option.

**OBJECT ID**

Specify `OBJECT ID` if you want the appropriate object identifier of all rows that are changed to be recorded in the materialized view log.

**Restriction on the OBJECT ID clause**

You can specify `OBJECT ID` only for logs on object tables, and you cannot specify it for storage tables.

### PRIMARY KEY

Specify `PRIMARY KEY` if you want the primary key values of all rows that are changed to be recorded in the materialized view log.

### ROWID

Specify `ROWID` if you want the rowid values of all rows that are changed to be recorded in the materialized view log.

### SEQUENCE

Specify `SEQUENCE` to indicate that a sequence value providing additional ordering information should be recorded in the materialized view log.

### *column*

Specify the additional columns whose values you want to be recorded in the materialized view log for all rows that are changed. Typically these columns are filter columns (non-primary-key columns referenced by subquery materialized views) and join columns (non-primary-key columns that define a join in the `WHERE` clause of the subquery).

#### See Also:

- [CREATE MATERIALIZED VIEW](#) for details on explicit and implicit inclusion of materialized view log values
- *Oracle Database Administrator's Guide* for more information about filter columns and join columns
- ["Rowid Materialized View Log: Example"](#)

### NEW VALUES Clause

The `NEW VALUES` clause lets you specify whether Oracle Database saves both old and new values for update DML operations in the materialized view log. The value you set in this clause applies to all columns in the log, not only to columns you may have added in this `ALTER MATERIALIZED VIEW LOG` statement.

### INCLUDING

Specify `INCLUDING` to save both new and old values in the log. If this log is for a table on which you have a single-table materialized aggregate view, and if you want the materialized view to be eligible for fast refresh, then you must specify `INCLUDING`.

### EXCLUDING

Specify `EXCLUDING` to disable the recording of new values in the log. You can use this clause to avoid the overhead of recording new values.

If you have a fast-refreshable single-table materialized aggregate view defined on this table, then do not specify `EXCLUDING NEW VALUES` unless you first change the refresh mode of the materialized view to something other than `FAST`.

**See Also:**

"Materialized View Log EXCLUDING NEW VALUES: Example"

***mv\_log\_purge\_clause***

Use this clause alter the purge attributes of the materialized view log in the following ways:

- Change the purge from `IMMEDIATE SYNCHRONOUS` to `IMMEDIATE ASYNCHRONOUS` or from `IMMEDIATE ASYNCHRONOUS` to `IMMEDIATE SYNCHRONOUS`
- Change the purge from `IMMEDIATE` to `scheduled` or from `scheduled` to `IMMEDIATE`
- Specify a new start time and a new `next time` and `interval`

If you are altering purge from `scheduled` to `IMMEDIATE`, then the scheduled purged job associated with that materialized view log is dropped. If you are altering purge from `IMMEDIATE` to `scheduled`, then a purge job is created with the attributes provided. If you are altering scheduled purge attributes, then only those attributes specified will be changed in the scheduler purge job.

You must specify `FORCE` if you are altering log purge to its current state (that is, you are not making any change), unless you are changing scheduled purge attributes.

To learn whether the purge time or interval has already been set for this materialized view log, query the `*_MVIEW_LOGS` data dictionary views. See the `CREATE MATERIALIZED VIEW LOG` clause [mv\\_log\\_purge\\_clause](#) for the full semantics of this clause.

***for\_refresh\_clause***

Use this clause to change the refresh method for which the materialized view log will be used.

**FOR SYNCHRONOUS REFRESH**

Specify this clause to change from fast refresh to synchronous refresh, or complete refresh to synchronous refresh. A staging log will be created.

If you are changing from fast refresh, then ensure that the following conditions are satisfied before using this clause:

- All changes in the materialized view log have been consumed.
- Any refresh-on-demand materialized views associated with the master table have been refreshed.
- Any refresh-on-commit materialized views associated with the master table have been converted to refresh-on-demand materialized views.

After you use this clause, you cannot perform DML operations directly on the master table. You must use the procedures in the `DBMS_SYNC_REFRESH` package to prepare and execute change data operations.

**FOR FAST REFRESH**

Specify this clause to change from synchronous refresh to fast refresh, or complete refresh to fast refresh. A materialized view log will be created.

If you are changing from synchronous refresh to fast refresh, then ensure that all changes in the staging log have been consumed before using this clause.

After you use this clause, you can perform DML operations directly on the master table.

See the `CREATE MATERIALIZED VIEW LOG` clause [for\\_refresh\\_clause](#) for the full semantics of this clause.

## Examples

### Rowid Materialized View Log: Example

The following statement alters an existing primary key materialized view log to also record rowid information:

```
ALTER MATERIALIZED VIEW LOG ON order_items ADD ROWID;
```

### Materialized View Log EXCLUDING NEW VALUES: Example

The following statement alters the materialized view log on `hr.employees` by adding a filter column and excluding new values. Any materialized aggregate views that use this log will no longer be fast refreshable. However, if fast refresh is no longer needed, this action avoids the overhead of recording new values:

```
ALTER MATERIALIZED VIEW LOG ON employees
  ADD (commission_pct)
  EXCLUDING NEW VALUES;
```

# ALTER MATERIALIZED ZONEMAP

## Purpose

Use the `ALTER MATERIALIZED ZONEMAP` statement to modify an existing zone map in one of the following ways:

- To change its attributes
- To change its default refresh method and mode
- To enable or disable its use for pruning
- To compile it, rebuild it, or make it unusable

### See Also:

- [CREATE MATERIALIZED ZONEMAP](#) for information on creating zone maps
- *Oracle Database Data Warehousing Guide* for more information on zone maps


## Prerequisites

The zone map must be in your own schema or you must have the `ALTER ANY MATERIALIZED VIEW` system privilege.


The user who owns the schema containing the zone map must have access to any base tables of the zone map that reside outside of that schema, either through a `READ` or `SELECT` object privilege on each of the tables, or through the `READ ANY TABLE` or `SELECT ANY TABLE` system privilege.

### Syntax


***alter\_materialized\_zonemap::=***



***alter\_zonemap\_attributes::=***



***zonemap\_refresh\_clause::=***



#### Note:

When specifying the `zonemap_refresh_clause`, you must specify at least one clause after the `REFRESH` keyword.



## Semantics

### IF EXISTS

Specify `IF EXISTS` to alter an existing table.

Specifying `IF NOT EXISTS` with `ALTER VIEW` results in `ORA-11544: Incorrect IF EXISTS clause for ALTER/DROP statement.`

### *schema*

Specify the schema containing the zone map. If you omit *schema*, then Oracle Database assumes the zone map is in your own schema.

### *zonemap\_name*

Specify the name of the zone map to be altered.

### *alter\_zonemap\_attributes*

Use this clause to modify the following attributes for the zone map: `PCTFREE`, `PCTUSED`, and `CACHE` or `NOCACHE`. These attributes have the same semantics for `ALTER MATERIALIZED ZONEMAP` and `CREATE MATERIALIZED ZONEMAP`. For complete information on these attributes, refer to [PCTFREE](#), [PCTUSED](#), and [CACHE | NOCACHE](#) in the documentation on `CREATE MATERIALIZED ZONEMAP`.

### *zonemap\_refresh\_clause*

Use this clause to modify the default refresh method and mode for the zone map. This clause has the same semantics for `ALTER MATERIALIZED ZONEMAP` and `CREATE MATERIALIZED ZONEMAP`. For complete information on this clause, refer to [zonemap\\_refresh\\_clause](#) in the documentation on `CREATE MATERIALIZED ZONEMAP`.

### ENABLE | DISABLE PRUNING

Use this clause to enable or disable use of the zone map for pruning. This clause has the same semantics for `ALTER MATERIALIZED ZONEMAP` and `CREATE MATERIALIZED ZONEMAP`. For complete information on this clause, refer to [ENABLE | DISABLE PRUNING](#) in the documentation on `CREATE MATERIALIZED ZONEMAP`.

### COMPILE

This clause lets you explicitly compile the zone map. This operation validates the zone map after a DDL operation changes the structure of one or more of its base tables. It is usually not necessary to issue this clause because Oracle database automatically compiles a zone map that requires compilation before using it. However, if you would like to explicitly compile a zone map, then you can use this clause to do so.

The result of compiling a zone map depends on whether a base table is changed in a way that affects the zone map. For example, if a column is added to a base table, then the zone map will be valid after compilation because the change does not affect the zone map. However, if a column that is included in the defining subquery of the zone map is dropped from a base table, then the zone map will be invalid after compilation.

You can determine if a zone map requires compilation by querying the `COMPILE_STATE` column of the `ALL_`, `DBA_`, and `USER_ZONEMAPS` data dictionary views. If the value of the column is `NEEDS_COMPILE`, then the zone map requires compilation.

## REBUILD

This clause lets you explicitly rebuild the zone map. This operation refreshes the data in the zone map. This clause is useful in the following situations:

- You can use this clause to refresh the data for a refresh-on-demand zone map. Refer to the [ON DEMAND](#) clause in the documentation on `CREATE MATERIALIZED ZONEMAP` for more information.
- You must issue this clause after an `EXCHANGE PARTITION` operation on one of the base tables of a zone map, regardless of the default refresh mode of the zone map.
- If a zone map is marked unusable, then you must issue this clause to mark it usable. You can determine if a zone map is marked unusable by querying the `UNUSABLE` column of the `ALL_`, `DBA_`, and `USER_ZONEMAPS` data dictionary views.

## UNUSABLE

Specify this clause to make the zone map unusable. Subsequent queries will not use the zone map and the database will no longer maintain the zone map. You can make the zone map usable again by issuing an `ALTER MATERIALIZED ZONEMAP ... REBUILD` statement.

## Examples

### Modifying Zone Map Attributes: Example

The following statement modifies the `PCTFREE` and `PCTUSED` attributes of zone map `sales_zmap`, and modifies the zone map so that it does not use caching:

```
ALTER MATERIALIZED ZONEMAP sales_zmap
  PCTFREE 20 PCTUSED 50 NOCACHE;
```

### Modifying the Default Refresh Method and Mode for a Zone Map: Example

The following statement changes the default refresh method to `FAST` and the default refresh mode to `ON COMMIT` for zone map `sales_zmap`:

```
ALTER MATERIALIZED ZONEMAP sales_zmap
  REFRESH FAST ON COMMIT;
```

### Disabling Use of a Zone Map for Pruning: Example

The following statement disables use of zone map `sales_zmap` for pruning:

```
ALTER MATERIALIZED ZONEMAP sales_zmap
  DISABLE PRUNING;
```

### Compiling a Zone Map: Example

The following statement compiles zone map `sales_zmap`:

```
ALTER MATERIALIZED ZONEMAP sales_zmap
  COMPILE;
```

### Rebuilding a Zone Map: Example

The following statement rebuilds zone map `sales_zmap`:

```
ALTER MATERIALIZED ZONEMAP sales_zmap
REBUILD;
```

### Making a Zone Map Unusable: Example

The following statement makes zone map `sales_zmap` unusable:

```
ALTER MATERIALIZED ZONEMAP sales_zmap
UNUSABLE;
```

## ALTER MLE ENV


### Purpose

Use `ALTER MLE ENV` to alter an existing MLE environment. You can add, remove, and alter mappings for import names and set language options.

### Prerequisites

You must have the `ALTER ANY MLE` privilege to alter an environment in schemas other than your own. No privilege is needed to alter an environment in your own schema.

### Syntax



### Semantics

#### IF EXISTS

The `ALTER MLE MODULE` statement raises an `ORA-04103` error if the module does not exist, or an `ORA-00922` error if an invalid attribute is specified.

#### schema

Specify the schema containing the MLE module. If you do not specify the schema, then Oracle Database assumes that the module is in your own schema.

#### ADD IMPORTS Clause

Use `ADD IMPORTS` to add new mappings from import names to MLE module schema objects. Mappings to be added are specified as a comma-separated list enclosed in

parentheses. Each element in the list is of the form: *import-name* *MODULE* [*schema*]. *mle-module-name*.

The following cases produce errors:

- If the environment already contains one or more of the import names, an `ORA-04109` error is thrown.
- If one or more of the MLE modules does not reside in the same schema as the environment, an `ORA-01031` error is thrown.

### DROP IMPORTS Clause

Use `DROP IMPORTS` to remove import names from the environment.

If the environment does not contain one or more of the specified import names, an `ORA-04110` error is thrown.

### ALTER IMPORTS Clause

Use `ALTER IMPORTS` to update import mappings for each of the specified import names.

The following cases produce errors:

- If the environment does not contain one or more of the import names, an `ORA-04110` error is thrown.
- If one or more of the new MLE modules does not reside in the same schema as the environment, an `ORA-01031` error is thrown.

### SET LANGUAGE OPTIONS Clause

Use `LANGUAGE OPTIONS` to specify language options for all execution contexts created with this environment. Language options are specified as a string literal consisting of comma-separated key-value pairs. Language options are only parsed at runtime when an execution context is created using the MLE environment.

If at context creation the language options string turns out to be invalid (invalid format, unsupported options), an `ORA-04152` error is thrown.

### Example

The following example modifies an existing environment `myenv` by enabling JavaScript in strict mode:

```
ALTER MLE ENV scott."myenv" SET LANGUAGE OPTIONS 'js.strict=
true ';
```

### COMPILE Clause

Use `COMPILE` to explicitly recompile an MLE environment. You can use this clause to revalidate an environment that has become invalid and thereby catch errors before run time.

#### See Also:

- *MLE JavaScript Modules and Environments*

- CREATE MLE ENV
- DROP MLE ENV

## ALTER MLE MODULE


### Purpose

Use `ALTER MLE MODULE` to add metadata to existing MLE modules in the database.

### Prerequisites

To alter MLE modules in another schema you need the `ALTER ANY MLE` system privilege. No privileges are required to alter MLE modules in your own schema.

### Syntax



### Semantics

#### IF EXISTS

The `ALTER MLE MODULE` statement raises an `ORA-04103` error if the module does not exist, or an `ORA-00922` error if an invalid attribute is specified.

#### *schema*

Specify the schema containing the MLE module. If you do not specify the schema, then Oracle Database assumes that the module is in your own schema.

#### *module\_name*

*module\_name* refers to the name of the MLE module.

#### CLOB

`CLOB` refers to the text you can attach to an MLE module. You can use it to refer to a commit in a version control system or as a part of a Software Bill of Materials. The `CLOB` contents are freeform metadata that can be attached to the MLE module. The metadata does not impact module functionality in any way. Oracle recommends that the metadata be used to record version information for the MLE module, e.g., the commit in a version control system that corresponds to the deployed version of the module, or a Software Bill of Materials for the module, for example the contents of `package-lock.json` for a bundled JavaScript module.

### Examples

The following example attaches metadata as `JSON` to MLE module `myMLEModule`:

```
ALTER MLE MODULE myMLEModule
SET METADATA USING CLOB (
SELECT JSON(
  '{
    "name": "value",
    "version": "1.2.0",
    "commitHash": "23fas4h",
    "projectName": "Database Backend"
  }')
)
```

#### See Also:

- [MLE JavaScript Modules and Environments](#)
- [CREATE MLE MODULE](#)
- [DROP MLE MODULE](#)

## ALTER OPERATOR

### Purpose

Use the `ALTER OPERATOR` statement to add bindings to, drop bindings from, or compile an existing operator.

#### See Also:


[CREATE OPERATOR](#)

### Prerequisites

The operator must already have been created by a previous `CREATE OPERATOR` statement. The operator must be in your own schema or you must have the `ALTER ANY OPERATOR` system privilege. You must have the `EXECUTE` object privilege on the operators and functions referenced in the `ALTER OPERATOR` statement.


### Syntax

***alter\_operator ::=***




*(add\_binding\_clause ::=, drop\_binding\_clause ::=)*

**add\_binding\_clause::=**




(implementation\_clause::=, using\_function\_clause::=)

**implementation\_clause::=**




(context\_clause::=)


**context\_clause::=**



**using\_function\_clause::=**



**drop\_binding\_clause::=**



## Semantics

### IF EXISTS

Specify `IF EXISTS` to alter an existing table.

Specifying `IF NOT EXISTS` with `ALTER VIEW` results in `ORA-11544: Incorrect IF EXISTS clause for ALTER/DROP statement.`

### *schema*

Specify the schema containing the operator. If you omit this clause, then Oracle Database assumes the operator is in your own schema.

### *operator*

Specify the name of the operator to be altered.

### *add\_binding\_clause*

Use this clause to add an operator binding and specify its parameter data types and return type. The signature must be different from the signature of any existing binding for this operator.

If a binding of an operator is associated with an indextype and you add another binding to the operator, then Oracle Database does not automatically associate the new binding with the indextype. If you want to make such an association, then you must issue an explicit `ALTER INDEXTYPE ... ADD OPERATOR` statement.

### *implementation\_clause*

This clause has the same semantics in `CREATE OPERATOR` and `ALTER OPERATOR` statements. For full information, refer to [implementation\\_clause](#) in the documentation on `CREATE OPERATOR`.

### *context\_clause*

This clause has the same semantics in `CREATE OPERATOR` and `ALTER OPERATOR` statements. For full information, refer to [context\\_clause](#) in the documentation on `CREATE OPERATOR`.

### *using\_function\_clause*

This clause has the same semantics in `CREATE OPERATOR` and `ALTER OPERATOR` statements. For full information, refer to [using\\_function\\_clause](#) in the documentation on `CREATE OPERATOR`.

### *drop\_binding\_clause*

Use this clause to specify the list of parameter data types of the binding you want to drop from the operator. You must specify `FORCE` if the binding has any dependent objects, such as an indextype or an ancillary operator binding. If you specify `FORCE`, then Oracle Database marks `INVALID` all objects that are dependent on the binding. The dependent objects are revalidated the next time they are referenced in a DDL or DML statement or a query.

You cannot use this clause to drop the only binding associated with this operator. Instead you must use the `DROP OPERATOR` statement. Refer to [DROP OPERATOR](#) for more information.



## COMPILE

Specify `COMPILE` to cause Oracle Database to recompile the operator.

### Examples

#### Compiling a User-defined Operator: Example

The following example compiles the operator `eq_op` (which was created in "[Creating User-Defined Operators: Example](#)"):

```
ALTER OPERATOR eq_op COMPILE;
```

# ALTER OUTLINE

## Purpose

### Note:

Stored outlines are deprecated. They are still supported for backward compatibility. However, Oracle recommends that you use SQL plan management instead. SQL plan management creates SQL plan baselines, which offer superior SQL performance stability compared with stored outlines.

You can migrate existing stored outlines to SQL plan baselines by using the `MIGRATE_STORED_OUTLINE` function of the `DBMS_SPM` package or Enterprise Manager Cloud Control. When the migration is complete, the stored outlines are marked as migrated and can be removed. You can drop all migrated stored outlines on your system by using the `DROP_MIGRATED_STORED_OUTLINE` function of the `DBMS_SPM` package.

See Also: *Oracle Database SQL Tuning Guide* for more information about SQL plan management and *Oracle Database PL/SQL Packages and Types Reference* for information about the `DBMS_SPM` package

Use the `ALTER OUTLINE` statement to rename a stored outline, reassign it to a different category, or regenerate it by compiling the outline's SQL statement and replacing the old outline data with the outline created under current conditions.

### See Also:


[CREATE OUTLINE](#) for information on creating an outline

## Prerequisites

To modify an outline, you must have the `ALTER ANY OUTLINE` system privilege.

## Syntax

***alter\_outline ::=***



## Semantics

### **PUBLIC | PRIVATE**

Specify `PUBLIC` if you want to modify the public version of this outline. This is the default.

Specify `PRIVATE` if you want to modify an outline that is private to the current session and whose data is stored in the current parsing schema.

### ***outline***

Specify the name of the outline to be modified.

### **REBUILD**

Specify `REBUILD` to regenerate the execution plan for *outline* using current conditions.



#### **See Also:**

["Rebuilding an Outline: Example"](#)

### **RENAME TO Clause**

Use the `RENAME TO` clause to specify an outline name to replace *outline*.

### **CHANGE CATEGORY TO Clause**

Use the `CHANGE CATEGORY TO` clause to specify the name of the category into which the *outline* will be moved.

### **ENABLE | DISABLE**

Use this clause to selectively enable or disable this outline. Outlines are enabled by default. The `DISABLE` keyword lets you disable one outline without affecting the use of other outlines.

## Examples

### **Rebuilding an Outline: Example**

The following statement regenerates a stored outline called `salaries` by compiling the text of the outline and replacing the old outline data with the outline created under current conditions.

```
ALTER OUTLINE salaries REBUILD;
```

## ALTER PACKAGE

### Purpose

Packages are defined using PL/SQL. Therefore, this section provides some general information but refers to *Oracle Database PL/SQL Language Reference* for details of syntax and semantics.

Use the `ALTER PACKAGE` statement to explicitly recompile a package specification, body, or both. Explicit recompilation eliminates the need for implicit run-time recompilation and prevents associated run-time compilation errors and performance overhead.

Because all objects in a package are stored as a unit, the `ALTER PACKAGE` statement recompiles all package objects together. You cannot use the `ALTER PROCEDURE` statement or `ALTER FUNCTION` statement to recompile individually a procedure or function that is part of a package.



### Note:


This statement does not change the declaration or definition of an existing package. To redeclare or redefine a package, use the `CREATE PACKAGE` or the `CREATE PACKAGE BODY` statement with the `OR REPLACE` clause.

### Prerequisites

For you to modify a package, the package must be in your own schema or you must have `ALTER ANY PROCEDURE` system privilege.

### Syntax

**`alter_package ::=`**



(*package\_compile\_clause*: See *Oracle Database PL/SQL Language Reference* for the syntax of this clause.)

### Semantics

#### IF EXISTS

Specify `IF EXISTS` to alter an existing table.

Specifying `IF NOT EXISTS` with `ALTER VIEW` results in `ORA-11544: Incorrect IF EXISTS clause for ALTER/DROP statement.`

### ***schema***

Specify the schema containing the package. If you omit *schema*, then Oracle Database assumes the package is in your own schema.

### ***package\_name***

Specify the name of the package to be recompiled.

### ***package\_compile\_clause***

See *Oracle Database PL/SQL Language Reference* for the syntax and semantics of this clause and for complete information on creating and compiling packages.

### **EDITIONABLE | NONEDITIONABLE**

Use these clauses to specify whether the package becomes an editioned or noneditioned object if editioning is later enabled for the schema object type `PACKAGE` in *schema*. The default is `EDITIONABLE`. For information about altering editioned and noneditioned objects, see *Oracle Database Development Guide*.

## ALTER PLUGGABLE DATABASE

### **Purpose**

Use the `ALTER PLUGGABLE DATABASE` statement to modify a pluggable database (PDB). The PDB can be a traditional PDB, an application container, or an application PDB.

This statement enables you to perform the following tasks:

- Unplug a PDB from a multitenant container database (CDB) (using the *pdb\_unplug\_clause*)
- Modify the settings of a PDB (using the *pdb\_settings\_clauses*)
- Bring PDB data files online or take them offline (using the *pdb\_datafile\_clause*)
- Back up and recover a PDB (using the *pdb\_recovery\_clauses*)
- Modify the state of a PDB (using the *pdb\_change\_state\_clause*)
- Modify the state of multiple PDBs within a CDB (using the *pdb\_change\_state\_from\_root\_clause*)
- Perform operations on applications in an application container (using the *application\_clauses*)
- Create and manage PDB snapshots using the *snapshot\_clauses*

 **Note:**

You can perform all ALTER PLUGGABLE DATABASE tasks by connecting to a PDB and running the corresponding ALTER DATABASE statement. This functionality is provided to maintain backward compatibility for applications that have been migrated to a CDB environment. The exception is modifying PDB storage limits, for which you must use the *pdb\_storage\_clause* of ALTER PLUGGABLE DATABASE.

 **See Also:**

[CREATE PLUGGABLE DATABASE](#) for information on creating PDBs

### Prerequisites

You must be connected to a CDB.

To specify the *pdb\_unplug\_clause*, the current container must be the root or the application root, you must be authenticated AS SYSDBA or AS SYSOPER, and the SYSDBA or SYSOPER privilege must be either granted to you commonly, or granted to you locally in the root and locally in the PDB you want to unplug.

To specify the *pdb\_settings\_clauses*, the current container must be the PDB whose settings you want to modify and you must have the ALTER DATABASE privilege, either granted commonly or granted locally in the PDB. To specify the *pdb\_logging\_clauses* or the RENAME GLOBAL\_NAME clause, you must also have the RESTRICTED SESSION privilege, either granted commonly or granted locally in the PDB being renamed, and the PDB must be in READ WRITE RESTRICTED mode.

To specify the *pdb\_datafile\_clause*, the current container must be the PDB whose datafiles you want to bring online or take offline and you must have the ALTER DATABASE privilege, either granted commonly or granted locally in the PDB.

To specify the *pdb\_recovery\_clauses*, the current container must be the PDB you want to back up or recover and you must have the ALTER DATABASE privilege, either granted commonly or granted locally in the PDB.

To specify the *pdb\_change\_state* clause, the current container must be the PDB whose state you want to change and you must be authenticated AS SYSBACKUP, AS SYSDBA, AS SYSDG, or AS SYSOPER.


To specify the *pdb\_change\_state\_from\_root* clause, the current container must be the root or the application root, you must be authenticated AS SYSBACKUP, AS SYSDBA, AS SYSDG, or AS SYSOPER, and the SYSBACKUP, SYSDBA, SYSDG, or SYSOPER privilege must be either granted to you commonly, or granted to you locally in the root or application root, and locally in the PDB(s) whose state(s) you want to change.

To specify the *application\_clauses*, the current container must be an application container, you must be authenticated AS SYSBACKUP or AS SYSDBA, and the SYSBACKUP or SYSDBA privilege must be either granted to you commonly, or granted to you locally

in the application root and locally in the application PDB(s) in which you want to perform application operations.


**Syntax**

***alter pluggable database::=***



*(pdb\_unplug\_clause::=, pdb\_settings\_clauses::=, pdb\_datafile\_clause::=, pdb\_recovery\_clauses, pdb\_change\_state::=, pdb\_change\_state\_from\_root::=, application\_clauses::=)*


***database\_clause::=***




***pdb\_unplug\_clause::=***



***pdb\_unplug\_encrypt::=***




***pdb\_settings\_clauses::=***




*(set\_time\_zone\_clause::=, database\_file\_clauses::=, supplemental\_db\_logging::=, pdb\_storage\_clause::=, pdb\_logging\_clauses::=, pdb\_refresh\_mode\_clause::=)*

***pdb\_storage\_clause::=***




(*size\_clause*::=)


***pdb\_logging\_clauses*::=**




***logging\_clause*::=**




***pdb\_force\_logging\_clause*::=**




***pdb\_refresh\_mode\_clause*::=**



***pdb\_refresh\_switchover\_clause* ::=**




***pdb\_datafile\_clause*::=**







***pdb\_recovery\_clauses***



***pdb\_general\_recovery::=***




***pdb\_change\_state::=***




*(pdb\_open::=, pdb\_close::=, pdb\_save\_or\_discard\_state::=)*


***pdb\_open::=***




***instances\_clause::=***




***services\_clause::=***




***pdb\_close::=***




**relocate\_clause::=**



**pdb\_save\_or\_discard\_state::=**




**pdb\_change\_state\_from\_root::=**




(`pdb_open::=`, `pdb_close::=`, `pdb_save_or_discard_state::=`)


***application\_clauses ::=***



***snapshot\_clauses ::=***




***pdb\_snapshot\_clause ::=***




**materialize\_clause ::=**




**create\_snapshot\_clause ::=**




**drop\_snapshot\_clause ::=**




**set\_max\_pdb\_snapshots ::=**



**prepare\_clause ::=**




**drop\_mirror\_copy ::=**



**lost\_write\_protection ::=**

The usage for the `lost_write_protection` clause with the `ALTER PLUGGABLE DATABASE` statement is identical to the `ALTER DATABASE` statement. Look here [ALTER DATABASE](#) for syntax details.

***pdb\_managed\_recovery ::=***



## Semantics

### ***database\_clause***

Specify the `PLUGGABLE DATABASE` option for a container database.

### ***pdb\_name***

Specify the name of the database to be altered. If you omit *db\_name*, then Oracle Database alters the database identified by the value of the initialization parameter `DB_NAME`. You can alter only the database whose control files are specified by the initialization parameter `CONTROL_FILES`. The database identifier is not related to the Oracle Net database specification.

### ***pdb\_unplug\_clause***

This clause lets you unplug a PDB from a CDB. When you unplug a PDB, Oracle stores information about the PDB in a file on your operating system. You can subsequently use this file to plug the PDB into a CDB.

For *pdb\_name*, specify the name of the PDB you want to unplug. The PDB must be closed—that is, the open mode must be `MOUNTED`. In an Oracle Real Application Clusters (Oracle RAC) environment, the PDB must be closed in all Oracle RAC instances

For *filename*, specify the full path name of the operating system file in which to store information about the PDB. The file name that you specify determines the type of information stored and how it is stored.

- If you specify a file name that ends with the extension `.xml`, then Oracle creates an XML file containing metadata about the PDB. You can then copy the XML file and the PDB's data files to a new location and specify the XML file name when plugging the PDB into a CDB. In this case, you must copy the PDB's data files separately.
- If you specify a file name that ends with the extension `.pdb`, then Oracle creates a `.pdb` archive file. This is a compressed file that includes an XML file containing metadata about the PDB, as well as the PDB's data files. You can then copy this single archive file to a new location and specify the archive file name when plugging the PDB into a CDB. This eliminates having to copy the PDB's data files separately. When you use a `.pdb` archive file when plugging in a PDB, this file is extracted when you plug in the PDB, and the PDB's files are placed in the same directory as the `.pdb` archive file.

After a PDB is unplugged, it remains in the CDB with an open mode of `MOUNTED` and a status of `UNPLUGGED`. The only operation you can perform on an unplugged PDB is `DROP PLUGGABLE DATABASE`, which will remove it from the CDB. You must drop the PDB before you can plug it into the same CDB or another CDB.

 **See Also:**

- *Oracle Database Administrator's Guide* for more information on unplugging a PDB
- The [create\\_pdb\\_from\\_xml](#) clause of CREATE PLUGGABLE DATABASE for information on plugging a PDB into a CDB

***pdb\_unplug\_encrypt***

You must have the SYSKM privilege to execute this command.

**United PDBs**

- ENCRYPT USING `transport_secret` is optional.
- If TDE is in use, you must specify this clause. If TDE is not in use, the statement throws the following error ORA-46680:master keys of the container database must be exported.
- The wallet must be open in ROOT if TDE is in use.
- Keys are encrypted using the provided `transport_secret` and exported into the .XML or archive file

**Unplugging a PDB Into an XML Metadata File: Example**

```
ALTER PLUGGABLE DATABASE CDB1_PDB2 UNPLUG INTO '/tmp/cdb1_pdb2.xml' ENCRYPT
USING transport_secret
```

**Unplugging a PDB Into an Archive File: Example**

```
ALTER PLUGGABLE DATABASE CDB1_PDB1_1 UNPLUG INTO '/tmp/CDB1_PDB1_1.pdb' ENCRYPT
USING transport_secret
```

For PDBs in **isolated** mode, you need not specify ENCRYPT USING `transport_secret`. This is not required because the wallet file of the PDB is copied during the creation of the pluggable database from an XML file. If you are unplugging a PDB as an archive file, the wallet file of the PDB is added to the zipped archive with the .pdb extension.

If the `ewallet.p12` file already exists at the destination, a backup is automatically initiated. The backup file has the following format:

```
ewallet_PLGDB_2017090517455564.p12.
```

***pdb\_settings\_clauses***

These clauses lets you modify various settings for a PDB.

***pdb\_name***

You can optionally use `pdb_name` to specify the name of the PDB whose settings you want to modify.

**DEFAULT EDITION Clause**

Use this clause to designate the specified edition as the default edition for the PDB. For the full semantics of this clause, refer to "[DEFAULT EDITION Clause](#)" in the `ALTER DATABASE` documentation.

**SET DEFAULT TABLESPACE Clause**

Use this clause to specify or change the default type of tablespaces subsequently created in the PDB. For the full semantics of this clause, refer to "[SET DEFAULT TABLESPACE Clause](#)" in the `ALTER DATABASE` documentation.

**DEFAULT TABLESPACE Clause**

Use this clause to establish or change the default permanent tablespace of the PDB. For the full semantics of this clause, refer to "[DEFAULT TABLESPACE Clause](#)" in the `ALTER DATABASE` documentation.

**DEFAULT TEMPORARY TABLESPACE Clause**

Use this clause to change the default temporary tablespace of the PDB to a new tablespace or tablespace group. For the full semantics of this clause, refer to "[DEFAULT \[LOCAL\] TEMPORARY TABLESPACE Clause](#)" in the `ALTER DATABASE` documentation.

**RENAME GLOBAL\_NAME TO Clause**

Use this clause to change the global name of the PDB. The new global name must be unique within the CDB. For an Oracle Real Application Clusters (Oracle RAC) database, the PDB must be open in `READ WRITE RESTRICTED` mode on the current instance only. The PDB must be closed on all other instances. For the full semantics of this clause, refer to "[RENAME GLOBAL\\_NAME Clause](#)" in the `ALTER DATABASE` documentation.

**Note:**

When you change the global name of a PDB, be sure to change the `PLUGGABLE DATABASE` property for database services that are used to connect to the PDB.

***set\_time\_zone\_clause***

Use this clause to modify the time zone setting for the PDB. For the full semantics of this clause, refer to [set\\_time\\_zone\\_clause](#) in the `ALTER DATABASE` documentation.

***database\_file\_clauses***

Use this clause to modify data files and temp files for the PDB. For the full semantics of this clause, refer to [database\\_file\\_clauses](#) in the `ALTER DATABASE` documentation.

***supplemental\_db\_logging***

Use these clauses to instruct Oracle Database to add or stop adding supplemental data into the log stream for the PDB.

- Specify the `ADD SUPPLEMENTAL LOG` clause to add supplemental data into the log stream for the PDB. In order to issue this clause, supplemental logging must have been enabled



for the CDB root with the `ALTER DATABASE ... ADD SUPPLEMENTAL LOG ...` statement. The level of supplemental logging that you specify for the PDB does not need to match that of the CDB root. That is, you can specify any of the clauses `DATA`, `supplemental_id_key_clause`, or `supplemental_plsql_clause` for the PDB, regardless of which clause was specified when enabling supplemental logging for the CDB root.

- Specify the `DROP SUPPLEMENTAL LOG` clause to stop adding supplemental data into the log stream for the PDB.

**ADD SUPPLEMENTAL LOG DATA SUBSET DATABASE REPLICATION**, of `ALTER PLUGGABLE DATABASE` enables low impact minimal supplemental logging on the PDB.

- You can only execute this DDL on a pluggable database.
- You can execute this DDL only when the `enable_goldengate_replication` parameter is `TRUE`, and database compatible is 19.0 or higher.
- You must enable minimal supplemental logging in `CDB$ROOT` to run this command.
- After you execute this DDL, minimal supplemental logging will become low impact for the pluggable database. `SYS.PROPS` will be updated to indicate that low impact minimal supplemental logging is enabled at the PDB level for this pluggable database.

**DROP SUPPLEMENTAL LOG DATA SUBSET DATABASE REPLICATION**, of `ALTER PLUGGABLE DATABASE` disables low impact minimal supplemental logging on the PDB.

- You can only execute this DDL on a pluggable database.
- You can execute this DDL only when the `enable_goldengate_replication` parameter is `TRUE`, and database compatible is 19.0 or higher.
- You must enable minimal supplemental logging in `CDB$ROOT` to run this command.
- `SYS.PROPS` will be updated to indicate that supplemental logging for subset database replication is disabled at the PDB level for this pluggable database. If supplemental logging for subset database replication is also disabled at `CDB$ROOT` (CDB level), then low impact minimal supplemental logging will be disabled for this pluggable database.

For the full semantics of this clause, refer to [supplemental\\_db\\_logging](#) in the `ALTER DATABASE` documentation.

### ***pdb\_storage\_clause***

Use this clause to modify the storage limits for a PDB.

This clause has the same semantics as the [pdb\\_storage\\_clause](#) in the `CREATE PLUGGABLE DATABASE` documentation, with the following additions:

- If you specify `MAXSIZE size_clause`, then the value you specify for `size_clause` must be greater than or equal to the combined size of the existing tablespaces belonging to the PDB. Otherwise, an error occurs.
- If you specify `MAX_AUDIT_SIZE size_clause`, then the value you specify for `size_clause` must be greater than or equal to the amount of storage used by the existing unified audit OS spillover (`.bin` format) files in the PDB. Otherwise, an error occurs.

- If you specify `MAX_DIAG_SIZE size_clause`, then the value you specify for `size_clause` must be greater than or equal to the amount of storage for diagnostics in the Automatic Diagnostic Repository (ADR) that is currently used by the PDB. Otherwise an error occurs.

### ***pdb\_logging\_clauses***

Use these clauses to set or change the logging characteristics of the PDB.

#### ***logging\_clause***

Use this clause to change the default logging attribute for tablespaces subsequently created within the PDB. This clause has the same semantics as the [logging\\_clause](#) in the `CREATE PLUGGABLE DATABASE` documentation.

#### ***pdb\_force\_logging\_clause***

Use this clause to place a PDB into, or take it out of, one of four logging modes.

Force logging mode instructs the database to log all changes in the PDB, except changes in temporary tablespaces and temporary segments. Force nologging mode instructs the database to not log any changes in the PDB.

Standby nologging instructs the database to not log operations that qualify to be done without logging. The database sends the data blocks that were created by the operation to each qualifying standby database in the Data Guard configuration, typically resulting in those standbys not having invalid blocks.

CDB-wide force logging mode takes precedence over any other setting. PDB-level force logging mode and force nologging mode take precedence over and are independent of any `LOGGING`, `NOLOGGING`, or `FORCE LOGGING` settings you specify for individual tablespaces in the PDB and any `LOGGING` or `NOLOGGING` settings you specify for individual database objects in the PDB.

- Specify `ENABLE FORCE LOGGING` to place the PDB in force logging mode. If the PDB is currently in force nologging mode, then specifying this clause results in an error. You must first specify `DISABLE FORCE NOLOGGING`.
- Specify `DISABLE FORCE LOGGING` to take the PDB out of force logging mode. If the PDB is not currently in force logging mode, then specifying this clause results in an error.
- Specify `ENABLE FORCE NOLOGGING` to place the PDB in force nologging mode. If the PDB is currently in force logging mode, then specifying this clause results in an error. You must first specify `DISABLE FORCE LOGGING`. The nonlogged operations will use classic invalidation redo, even if the CDB has a standby nologging mode set.
- Specify `DISABLE FORCE NOLOGGING` to take the PDB out of force nologging mode. If the PDB is not currently in force nologging mode, then specifying this clause results in an error.
- Specify `SET STANDBY NOLOGGING FOR LOAD PERFORMANCE` to put the PDB into standby nologging for load performance mode. In this mode the data loaded as part of the nonlogged task is sent to the qualifying standbys via a private network connection, provided that doing so will not slow down the load process. If a slow down occurs, then the data is not sent but fetched automatically from the primary as each standby encounters the invalidation redo and will be retried until the data blocks are eventually received.

- Specify `SET STANDBY NOLOGGING FOR DATA AVAILABILITY` to put the PDB into standby nologging for data availability mode. In this mode the data loaded as part of the nonlogged task is sent to the qualifying standbys either via a network connection to them, or if that fails, via block images in the redo. That is to say, in this mode the load will switch to be done in a logged fashion if the network connection or related processes prevent the sending of the data over the private network connection.

For the standby nologging modes a qualifying standby is one that is open for read, running managed recovery, and receiving redo into standby redo logs.

This clause does not change the default `LOGGING` or `NOLOGGING` mode of the PDB specified by the [logging\\_clause](#).

### ***pdb\_refresh\_mode\_clause***

Use this clause to change the refresh mode of a PDB. You can specify this clause only for a refreshable PDB, that is, a PDB whose current refresh mode is `MANUAL` or `EVERY refresh_interval MINUTES` or `HOURS`. You can switch a PDB from manual refresh to automatic refresh, or from automatic refresh to manual refresh. You can also use this clause to change the number of minutes between automatic refreshes. You can switch a PDB from manual or automatic refresh to no refresh, but you cannot enable manual or automatic refresh for a PDB that is not refreshable. For the complete semantics of this clause, refer to the [pdb\\_refresh\\_mode\\_clause](#) in the documentation on `CREATE PLUGGABLE DATABASE`.

## **REFRESH**

Specify this clause to perform a manual refresh of a refreshable PDB, that is, a PDB whose current refresh mode is `MANUAL` or `EVERY number MINUTES`. The PDB must be closed. For more information on refreshable PDBs, refer to the [pdb\\_refresh\\_mode\\_clause](#) in the documentation on `CREATE PLUGGABLE DATABASE`.

### ***pdb\_refresh\_switchover\_clause***

Use this clause to reverse roles between a refreshable clone PDB and a primary PDB. This clause makes the refreshable clone PDB into a primary PDB, which can be opened in read write mode. The former primary PDB becomes the refreshable clone..

- This command must be executed from the primary PDB .
- `REFRESH MODE NONE` may not be specified when issuing this statement.
- The `dblink` should point to the Root of the CDB where the refreshable clone PDB currently resides.
- After this operation, the current PDB will become the refreshable clone and can only be opened in `READ ONLY` mode.
- The database link user must exist in the primary PDB, if the refreshable clone exists in a different CDB.

## **PRIORITY**

You can control the order of operations on PDBs by assigning a `PRIORITY` to the PDB. The `priorityvalue` should be a whole number greater than 0 and less than 4099. A value outside this range throws an error.

The following ordering rules apply to manage different kinds of PDBs:

- PDBs are processed in an ascending order of priority. A PDB with a lower priority value will be processed before a PDB with a higher priority value.
- PDBs with the same priority may be processed in any order. However, if App PDBs and the App Root have the same priority or have no priority, App PDBs will still be opened after the App Root.
- PDBs have no priority are considered to be the lowest priority.
- PDB priority for a given PDB is applicable to all RAC instances, i.e priority is NOT specific to a given RAC instance.
- Priority will not be copied from source PDB to target PDB by plug, unplug or refreshable clone.
- App PDBs cannot have a higher priority than App Root.
- App Root clones have the same priority as App Roots, and cannot be explicitly given a PDB priority.
- The priority of `CDB$ROOT` and `PDB$SEED` is determined internally by Oracle RDBMS and is not subject to PDB priority .

### SET CONTAINER\_MAP

Use this clause to specify the `CONTAINER_MAP` database property for an application container. The current container must be the application root. The *map\_object* is of the form `[schema.]table`. For *schema*, specify the schema containing *table*. If you omit *schema*, then the database assumed that the table is in your own schema. For *table*, specify a range-, list-, or hash-partitioned table.

### CONTAINERS DEFAULT TARGET

Use this clause to specify the default container for DML statements in an application container. You must be connect to the application root.

- For *container\_name*, specify the name of the default container. The default container can be any container in the application container, including the application root or an application PDB. You can specify only one default container.
- If you specify `NONE`, then the default container is the CDB root. This is the default.

When a DML statement is issued in the application root without specifying containers in the `WHERE` clause, the DML statement affects the default container for the application container.

### CONTAINERS HOST and PORT

Use the `HOST` and `PORT` clauses if you want to create a PDB that you plan to reference from a proxy PDB. This type of PDB is called a referenced PDB.

The following statements can be executed within a PDB:

```
ALTER PLUGGABLE DATABASE CONTAINERS HOST='myhost.example.com';
```

```
ALTER PLUGGABLE DATABASE CONTAINERS PORT=1599;
```

The following statements can be executed within CDB Root, Application Root, or within a PDB :

```
ALTER PLUGGABLE DATABASE <pdbname> CONTAINERS HOST='myhost.example.com';
```

```
ALTER PLUGGABLE DATABASE <pdbname> CONTAINERS PORT=1599;
```

*pdbname* must meet the following criteria:

- If the statement is executed in Application Root, then *pdbname* has to match the name of Application Root or the name of one of its Application PDBs.
- If the statement is executed in CDB Root, then *pdbname* has to match the name of one of the PDBs in the CDB.
- If the statement is executed in a PDB, then *pdbname* has to match the name of the current PDB.



#### See Also:

[HOST and PORT](#) of CREATE PLUGGABLE DATABASE for the full semantics of HOST and PORT

### ***pdb\_datafile\_clause***

This clause lets you bring data files associated with a PDB online or take them offline. The PDB must be closed when you issue this clause.

- For *pdb\_name*, specify the name of the PDB. If the current container is the PDB, then you can omit *pdb\_name*.
- The `DATAFILE` clauses let you specify the data files you want to bring online or take offline. Use *filename* or *filenumber* to identify specific data files by name or by number. You can view data file names and numbers by querying the `NAME` and `FILE#` columns of the `V$DATAFILE` dynamic performance view. Use `ALL` to specify all datafiles associated with the PDB.
- Specify `ONLINE` to bring the data files online or `OFFLINE` to take the data files offline.

### ***pdb\_recovery\_clauses***

Use the *pdb\_recovery\_clauses* to back up and recover a PDB.

#### ***pdb\_name***

You can optionally use *pdb\_name* to specify the name of the PDB you want to back up or recover.

#### ***pdb\_general\_recovery***

This clause lets you control media recovery for the PDB or standby database or for specified tablespaces or files. The *pdb\_general\_recovery* clause has the same semantics as the *general\_recovery* clause of ALTER DATABASE. Refer to the [general\\_recovery](#) clause of ALTER DATABASE for more information.

### **BACKUP Clauses**

Use these clauses to move all of the data files in the PDB into or out of online backup mode (also called hot backup mode). These clauses have the same semantics in ALTER PLUGGABLE DATABASE and ALTER DATABASE. Refer to the "[BACKUP Clauses](#)" of ALTER DATABASE for more information.

### **RECOVERY Clauses**

Use these clauses to enable or disable a PDB for recovery. The PDB must be closed—that is, the open mode must be `MOUNTED`.

- Specify `ENABLE RECOVERY` to bring all data files that belong to a PDB online and enable the PDB for recovery.
- Specify `DISABLE RECOVERY` to take all data files that belong to a PDB offline and disable the PDB for recovery.

#### See Also:

*Oracle Data Guard Concepts and Administration* for more information on the `RECOVERY` clauses

### ***pdb\_change\_state***

This clause enables you to change the state, or open mode, of a PDB. [Table 11-2](#) lists the open modes of a PDB.

- Specify the `pdb_open` clause to change the open mode to `READ WRITE`, `READ ONLY`, or `MIGRATE`.
- Specify the `pdb_close` clause to change the open mode to `MOUNTED`.

**Table 11-2 PDB Open Modes**

Open Mode	Description
<code>READ WRITE</code>	A PDB in open read/write mode allows queries and user transactions to proceed and allows users to generate redo logs.
<code>READ ONLY</code>	A PDB in open read-only mode allows queries but does not allow user changes.
<code>MIGRATE</code>	When a PDB is in open migrate mode, you can run database upgrade scripts on the PDB.
<code>MOUNTED</code>	When a PDB is in mounted mode, it behaves like a non-CDB in mounted mode. It does not allow changes to any objects, and it is accessible only to database administrators. It cannot read from or write to data files. Information about the PDB is removed from memory caches. Cold backups of the PDB are possible.

You can view the open mode of a PDB by querying the `OPEN_MODE` column of the `V$PDBS` view.

#### See Also:

*Oracle Database Administrator's Guide* for a complete description of PDB open modes

### ***pdb\_name***

You can optionally use `pdb_name` to specify the name of the PDB whose open mode you want to change.

***pdb\_open***

This clause lets you change the open mode of a PDB to `READ WRITE`, `READ ONLY`, or `MIGRATE`. When you specify this clause, the PDB must be in `MOUNTED` mode unless you specify the `FORCE` keyword.

If you do not specify `READ WRITE` or `READ ONLY`, then the default is `READ WRITE`. The exception is when the PDB belongs to a CDB that is used as a physical standby database, in which case the default is `READ ONLY`.

**READ WRITE**

Specify this clause to change the open mode to `READ WRITE`.

**READ ONLY**

Specify this clause to change the open mode to `READ ONLY`.

**HYBRID READ ONLY**

Specify this clause to open a PDB in `READ ONLY` and `READ WRITE` mode depending on the type of user that connects to it. When a local user connects to the PDB, the PDB operates in `READ ONLY` mode. The PDB operates in `READ WRITE` mode for common users.

**[READ WRITE] UPGRADE**

Specify this clause to change the open mode to `MIGRATE`. The `READ WRITE` keywords are optional and are provided for semantic clarity.

**RESTRICTED**

If you specify the optional `RESTRICTED` keyword, then the PDB is accessible only to users with the `RESTRICTED SESSION` privilege in the PDB.

If the PDB is in `READ WRITE` or `READ ONLY` mode, and you specify the `RESTRICTED` and `FORCE` keywords while changing the open mode, then all sessions connected to the PDB that do not have the `RESTRICTED SESSION` privilege in the PDB are terminated, and their transactions are rolled back.

**FORCE**

Specify this keyword to change the open mode of a PDB from `READ WRITE` to `READ ONLY`, or from `READ ONLY` to `READ WRITE`. The `FORCE` keyword allows users to remain connected to the PDB while the open mode is changed.

When you specify `FORCE` to change the open mode of a PDB from `READ WRITE` to `READ ONLY`, any `READ WRITE` transaction that is open when you change the open mode will not be allowed to perform any more DML operations or to `COMMIT`.

**Restriction on FORCE**

You cannot specify the `FORCE` keyword if the PDB is currently in `MIGRATE` mode, and you cannot specify the `FORCE` keyword to change a currently open PDB to `MIGRATE` mode.

**RESETLOGS**

Specify this clause to create a new PDB incarnation and open the PDB in `READ WRITE` mode after point-in-time recovery of the PDB.

 **See Also:**

*Oracle Database Backup and Recovery User's Guide* for more information on performing point-in-time recovery of CDBs and PDBs

***instances\_clause***

In an Oracle Real Application Clusters environment, use this clause to modify the state of the PDB in the specified Oracle RAC instances. If you omit this clause, then the state of the PDB is modified only in the current instance.

- Use *instance\_name* to specify one or more instance names, in a comma-separated list enclosed in parenthesis. This modifies the state of the PDB only in those instances.
- Specify `ALL` to modify the state of the PDB in all instances.
- Specify `ALL EXCEPT` to modify the state of the PDB in all instances except the specified instances.

If the PDB is already open in one or more instances, then you can open it in additional instances, but it must be opened in the same mode as in the instances in which it is already open.

***services\_clause***

- Use *service\_name* to specify one or more services, in a comma-separated list enclosed in parenthesis.
- Specify `ALL` to specify all services on the PDB.
- Specify `ALL EXCEPT` to specify all services except the services specified.

***pdb\_close***

This clause lets you change the open mode of a PDB to `MOUNTED`. When you specify this clause, the PDB must be in `READ WRITE`, `READ ONLY`, or `MIGRATE` mode. This clause is the PDB equivalent of the SQL\*Plus `SHUTDOWN` command.

**IMMEDIATE**

If you specify the optional `IMMEDIATE` keyword, then this clause is the PDB equivalent of the SQL\*Plus `SHUTDOWN` command with the immediate mode. Otherwise, the PDB is shut down with the normal mode.

 **See Also:**

*SQL\*Plus User's Guide and Reference* for more information on the SQL\*Plus `SHUTDOWN` command

**ABORT**

Specify `ABORT` to forcibly shut down the PDB.

***instances\_clause***



In an Oracle Real Application Clusters environment, use this clause to modify the state of the PDB in the specified Oracle RAC instances. You can close a PDB in some instances and leave it open in others. Refer to the [instances\\_clause](#) for the full semantics of this clause.

### ***relocate\_clause***

In an Oracle Real Application Clusters environment, use this clause to instruct the database to reopen the PDB on a different Oracle RAC instance.

- Specify `RELOCATE` to reopen the PDB on a different instance that is selected by Oracle Database.
- Specify `RELOCATE TO 'instance_name'` to reopen the PDB in the specified instance.
- Specify `NORELOCATE` to close the PDB in the current instance. This is the default.

### ***pdb\_save\_or\_discard\_state***

Use this clause to instruct the database to save or discard the open mode of the PDB when the CDB restarts.

- If you specify `SAVE`, then the PDB's open mode after the CDB restarts will be identical to its open mode just before the CDB restarted.
- If you specify `DISCARD`, then the PDB's open mode after the CDB restarts will be `MOUNTED`. This is the default.

### ***instances\_clause***

In an Oracle Real Application Clusters environment, use this clause to instruct the database to save or discard the open mode of the PDB in the specified Oracle RAC instances. If you omit this clause, then the database applies the `SAVE` or `DISCARD` setting only to the PDB in the current instance.

- Use `instance_name` to specify one or more instance names, in a comma-separated list enclosed in parenthesis. This applies the `SAVE` or `DISCARD` setting to the PDB only in those instances.
- Specify `ALL` to apply the `SAVE` or `DISCARD` setting to the PDB in all instances.
- Specify `ALL EXCEPT` to apply the `SAVE` or `DISCARD` setting to the PDB in all instances except the specified instances.

### ***pdb\_change\_state\_from\_root***

This clause enables you to modify the state of one or more PDBs.

- Specify the `pdb_name` for one or more PDBs whose state you want to modify.
- Specify `ALL` to modify the state of all PDBs in the CDB.
- Specify `ALL EXCEPT` to modify the state of all PDBs in the CDB except those specified by using `pdb_name`.

If a PDB is already in the specified state, then the PDB's state is unchanged and no error is returned. If the state of a PDB cannot be changed, then an error occurs only for that PDB.

### *application\_clauses*

Use the `APPLICATION` clauses to:

- Install, patch, upgrade, and uninstall applications
- Register application versions and patch numbers
- Sync operations on applications



#### See Also:

*Oracle Database Administrator's Guide* for more information on administering application containers

### Specifying Application Names

Most of the *application\_clauses* require you to specify an application name. The maximum length of an application name is 30 bytes. The name must satisfy the requirements listed in "[Database Object Naming Rules](#)". The application name must be unique within an application container.

### Specifying Application Versions

Several of the *application\_clauses* require you to specify an application version. The application version can be up to 30 bytes in length and can contain alphanumeric characters, punctuation marks, and spaces. The application version is case-sensitive and must be enclosed in single quotation marks.

### Specifying Comments

Several of the *application\_clauses* allow you to specify a comment to associate with an application install, patch, or upgrade operation. For *comment*, enter a character string enclosed in single quotation marks.

### INSTALL Clauses

Use the `INSTALL` clauses when installing an application in an application container. The current container must be the application root, not an application PDB.

- Specify the `BEGIN INSTALL` clause before you start installing the application.
  - Use *app\_name* to assign a name to the application.
  - Use *app\_version* to assign a version to the application.
  - The optional `COMMENT` clause allows you to enter a comment to be associated with the application version created by this installation.
- Specify the `END INSTALL` clause after you have finished installing the application.
  - You must specify the same *app\_name* that you specified for the corresponding `BEGIN INSTALL` clause.
  - You need not specify *app\_version*, but if you do, then you must specify the same version that you specified for the corresponding `BEGIN INSTALL` clause.

### PATCH Clauses

Use the `PATCH` clauses when patching an application in an application container. The current container must be the application root, not an application PDB.

- Specify the `BEGIN PATCH` clause before you start patching the application.
  - For `app_name`, specify the name of the application you want to patch.
  - For `number`, specify the patch number.
  - The optional `MINIMUM VERSION` clause allows you to specify the minimum version at which the application must be before the patch can be applied. For `app_version`, specify the minimum application version. If the current application version is lower than the minimum application version, then an error occurs. If you omit this clause, then the minimum version is the current application version.
  - The optional `COMMENT` clause allows you to enter a comment to be associated with the patch.
- Specify the `END PATCH` clause after you finish patching the application.
  - You must specify the same `app_name` that you specified for the corresponding `BEGIN PATCH` clause.
  - You need not specify `number`, but if you do, then you must specify the same value that you specified for the corresponding `BEGIN PATCH` clause.

### UPGRADE Clauses

Use the `UPGRADE` clauses when upgrading an application in an application container. The current container must be the application root, not an application PDB.

If the application root is using TDE, then you must configure an external store before upgrading the application.

- Specify the `BEGIN UPGRADE` clause before you start upgrading the application.
  - For `app_name`, specify the name of the application you want to upgrade.
  - For `start_app_version`, specify the version from which you are upgrading the application. If this version does not match the current application version, then an error occurs.
  - For `end_app_version`, specify the version to which you are upgrading the application.
  - The optional `COMMENT` clause allows you to enter a comment to be associated with the upgrade.
- Specify the `END UPGRADE` clause after you finish upgrading the application.
  - You must specify the same `app_name` that you specified for the corresponding `BEGIN UPGRADE` clause.
  - You need not specify `TO end_app_version`, but if you do, then you must specify the same version that you specified for the corresponding `BEGIN UPGRADE` clause.

### UNINSTALL Clauses

Use the `UNINSTALL` clauses when uninstalling an application from an application container. The current container must be the application root, not an application PDB.

- Specify the `BEGIN UNINSTALL` clause before you start uninstalling the application.
  - For `app_name`, specify the name of the application you want to uninstall.
- Specify the `END UNINSTALL` clause after you have finished uninstalling the application.
  - You must specify the same `app_name` that you specified for the corresponding `BEGIN UNINSTALL` clause.

### SET PATCH

Use the `SET PATCH` clause to register the patch number of an application that is already installed in an application container. This clause allows you to assign a patch number to an application that was not patched using the `PATCH` clauses. This is useful if the application was migrated from a PDB in an earlier Oracle Database release, when the `PATCH` clauses were not available. The current container can be the application root or an application PDB.

- For `app_name`, specify the name of an existing application.
- Use `number` to assign a patch number to the existing application.

### SET VERSION

Use the `SET VERSION` clause to register the version of an application that is already installed in an application container. This clause allows you to assign a name and a version to an application that was not installed using the `INSTALL` clauses. This is useful if the application was migrated from a PDB in an earlier Oracle Database release, when the `INSTALL` clauses were not available. The current container can be the application root or an application PDB.

- Use `app_name` to assign a name to the existing application.
- Use `app_version` to assign a version to the existing application.

### SET COMPATIBILITY VERSION

Use the `SET COMPATIBILITY VERSION` clause to set the compatibility version for an application.

The compatibility version of an application is the earliest version of the application possible for the application PDBs that belong to the application container. The current container must be the application root, not an application PDB.

 **Note:**

You cannot plug in an application PDB that uses an application version earlier than the compatibility setting of the application container.

- Use `app_name` to specify the name of the application.
- Use `app_version` to specify the compatibility version for the application.
- If you specify `CURRENT`, then the compatibility version is set to the version of the application in the application root.

The compatibility version is enforced when the compatibility version is set and when an application PDB is created. If there are application root clones that resulted from application upgrades, then all application root clones that correspond to versions earlier than the compatibility version are implicitly dropped.

## SYNC TO

You can synchronize an application to a particular version or a patch number. There are two variations:

1. `SYNC TO version_string`
2. `SYNC TO PATCH patch_number`

### Example

Assume that you perform the following operations on application `salesapp` :

1. Install version 1.0
2. Patch 101
3. Upgrade to version 2.0
4. Patch 102
5. Upgrade to 3.0

`ALTER PLUGGABLE DATABASE APPLICATION salesapp SYNC TO 2.0` replays all statements up to and including ' Upgrade to version 2.0'.

`ALTER PLUGGABLE DATABASE APPLICATION salesapp SYNC TO PATCH 102` replays all statements up to and including ' Patch 102'.

### Restrictions on SYNC TO

You can use `SYNC TO` only with an individual application.

You cannot use `SYNC TO` with the `ALL SYNC` clause.

You cannot use `SYNC TO` with the `SYNC` clause, in the case when you are synchronizing multiple applications in a single statement.

## SYNC

Use the `SYNC` clause to synchronize an application in an application PDB to the version and patch level of the same application in the application root. The current container must be an application PDB.

*app\_name* specifies the name of an application that exists in the application root. The application may or may not exist in the application PDB.

Starting with Oracle Database Release 21c you can synchronize multiple applications in one statement with `SYNC` . This is necessary to preserve functional correctness for applications that depend on one another.

### Example

```
ALTER PLUGGABLE DATABASE APPLICATION hrapp payrollapp employeesapp SYNC
```

### Restrictions on Synchronizing Multiple Applications Using SYNC

- You cannot use the `SYNC TO version_string` clause while synchronizing multiple applications with `SYNC`.
- You cannot use the `SYNC TO PATCH patch_number` clause while synchronizing multiple applications with `SYNC`.

## ALL SYNC

Use the `ALL SYNC` clause to sync all applications in an application PDB with all applications in the application root. This clause is useful, if you have recently added the application PDB to the CDB and would like to sync its applications with the CDB. The current container must be an application PDB.

With Release 21c you can use `EXCEPT` to exclude applications from `ALL SYNC`.

### Example

```
ALTER PLUGGABLE DATABASE APPLICATION ALL EXCEPT hrapp payrollapp SYNC
```

### Restrictions on Excluding Multiple Applications Using ALL SYNC

- You cannot use the `SYNC TO version_string` clause while excluding multiple applications with `ALL EXCEPT SYNC`.
- You cannot use the `SYNC TO PATCH patch_number` clause while excluding multiple applications with `ALL EXCEPT SYNC`.

### *snapshot\_clauses*

The snapshot clauses allow you to create and manage snapshots of the PDB for the lifetime of the PDB.

### *pdb\_snapshot\_clause*

Specify this clause to enable the creation of PDB snapshots. You can also specify this clause in the `CREATE PLUGGABLE DATABASE` statement.

- `NONE` is the default and means that no snapshots of the PDB can be created.
- `MANUAL` means that a snapshot of the PDB can be created only manually.
- If `snapshot_interval` is specified, PDB snapshots will be created automatically at the interval specified. In addition, a user will also be able to create PDB snapshots manually.
- If expressed in minutes, the `snapshot_interval` must be less than 3000.
- If expressed in hours, the `snapshot_interval` must be less than 2000.

### *materialize\_clause*

Use this clause to convert a snapshot PDB into a full PDB clone. You can delete and purge a PDB snapshot using the clause in this way.

- This clause can only be specified for PDBs created as a snapshot.
- All blocks in all datafiles belonging to the PDB will be copied.

### *create\_snapshot\_clause*

Use this clause to manually create a PDB snapshot after connecting to the PDB.

- This statement may be issued even if the PDB was set to have PDB snapshots created automatically.
- If a PDB Snapshot with the specified name already exists, an error will be reported.
- A PDB Snapshot with specified name will be created.

***drop\_snapshot\_clause***

Use this clause to manually drop a PDB snapshot after connecting to the PDB.

- If this snapshot is being used by some PDB, an error will be reported.

***set\_max\_pdb\_snapshots***

Use this clause to increase or decrease the maximum number of snapshots for a given PDB. You must first connect to the PDB.

- If the PDB is not open in read/write mode when issuing the statement, an error is raised.
- You can drop all PDB snapshots by setting the the max number to 0.
- The maximum number of snapshots that you can set per PDB is 8.

***prepare\_clause***

- Use this clause to prepare mirror copies of the database. You must provide a *mirror\_name* to identify the filegroup that is created. The created filegroup contains all the prepared files.
- Specify the number of copies to be prepared by the REDUNDANCY options: EXTERNAL, NORMAL, or HIGH.
- If you do not specify the redundancy of the mirror, the redundancy of the source database is used.
- Use the FOR DATABASE clause to specify the new name of the CDB. This name should be unique. It will be used in the *create\_pdb\_from\_mirror\_copy* clause of the CREATE PLUGGABLE DATABASE statement.

**Prepare a Pluggable Database By Name: Example**

If you specify the name (*pdb\_name*) of the pluggable database, it checks if *pdb\_name* matches with the current PDB. If it matches, it runs.

```
ALTER PLUGGABLE DATABASE pdb_name PREPARE MIRROR COPY mirror_name WITH HIGH REDUNDANCY
```

**Prepare a Pluggable Database Without a Name: Example**

If you do not specify the name (*pdb\_name*) of the pluggable database, the statement runs on the current PDB.

```
ALTER PLUGGABLE DATABASE PREPARE MIRROR COPY mirror_name WITH HIGH REDUNDANCY
```

***drop\_mirror\_copy***

Use this clause to discard mirror copies of data and metadata created by the prepare statement. You must specify the same mirror name that you used for the prepare operation.

You cannot use this clause to drop a database that has already been split by the CREATE DATABASE or CREATE PLUGGABLE DATABASE statement.

***lost\_write\_protection*****Turn on Lost Write for a Pluggable Database : Example**

```
ALTER PLUGGABLE DATABASE
  ENABLE LOST WRITE PROTECTION
```

### Turn off Lost Write for a Pluggable Database : Example

```
ALTER PLUGGABLE DATABASE
  DISABLE LOST WRITE PROTECTION
```

Note that disabling lost write for the database does not deallocate the lost write storage. You must use the `DROP TABLESPACE` statement to deallocate lost write storage.

### *pdb\_managed\_recovery*

Specify this clause to recover a PDB in instances where the PDB is within a physical standby CDB.

### ENABLE | DISABLE BACKUP

PDB backup is enabled by default. To exclude the PDB from the backup, you can specify `disable`.

### Examples

#### Unplugging a PDB from a CDB: Example

The following statement unplugs PDB `pdb1` and stores metadata for the PDB into XML file `/oracle/data/pdb1.xml`:

```
ALTER PLUGGABLE DATABASE pdb1
  UNPLUG INTO '/oracle/data/pdb1.xml';
```

#### Modifying the Settings of a PDB: Example

The following statement changes the limit for the amount of storage used by all tablespaces in PDB `pdb2` to 500M:

```
ALTER PLUGGABLE DATABASE pdb2
  STORAGE (MAXSIZE 500M);
```

#### Taking the Data Files of a PDB Offline: Example

The following statement takes the data files associated with PDB `pdb3` offline:

```
ALTER PLUGGABLE DATABASE pdb3
  DATAFILE ALL OFFLINE;
```

#### Changing the State of a PDB: Examples

Assume that PDB `pdb4` is closed—that is, its open mode is `MOUNTED`. The following statement opens `pdb4` with open mode `READ ONLY`:

```
ALTER PLUGGABLE DATABASE pdb4
  OPEN READ ONLY;
```

The following statement uses the `FORCE` keyword to change the open mode of `pdb4` from `READ ONLY` to `READ WRITE`:

```
ALTER PLUGGABLE DATABASE pdb4
  OPEN READ WRITE FORCE;
```

The following statement closes PDB `pdb4`:



```
ALTER PLUGGABLE DATABASE pdb4
CLOSE;
```

The following statement opens PDB `pdb4` with open mode `READ ONLY`. Because the `RESTRICTED` keyword is specified, the PDB is accessible only to users with the `RESTRICTED SESSION` privilege in the PDB.

```
ALTER PLUGGABLE DATABASE pdb4
OPEN READ ONLY RESTRICTED;
```

Assume that PDB `pdb5` is closed—that is, its open mode is `MOUNTED`. In an Oracle Real Application Clusters environment, the following statement opens PDB `pdb5` with open mode `READ WRITE` in instances `ORCLDB_1` and `ORCLDB_2`:

```
ALTER PLUGGABLE DATABASE pdb5
OPEN READ WRITE INSTANCES = ('ORCLDB_1', 'ORCLDB_2');
```

In an Oracle Real Application Clusters environment, the following statement closes PDB `pdb6` in the current instance and instructs the database to reopen `pdb6` in instance `ORCLDB_3`:

```
ALTER PLUGGABLE DATABASE pdb6
CLOSE RELOCATE TO 'ORCLDB_3';
```

### Changing the State of All PDBs in a CDB: Example

Assume that the current container is the root. The following statement opens all PDBs in the CDB with open mode `READ ONLY`:

```
ALTER PLUGGABLE DATABASE ALL
OPEN READ ONLY;
```

## ALTER PMEM FILESTORE

### Purpose


Use this command to change the attributes of a PMEM file store.

### Prerequisites

You cannot change the block size of a PMEM file store.

### Syntax

*alter\_pmem\_filestore*



## Semantics

### MOUNT

Use this command to mount a PMEM file store. If you have already specified the mount point and backing file paths in the `init.ora` file you can issue the command like this:

```
ALTER PMEM FILESTORE 'filestore_name' MOUNT
```

You can also specify the mount point and backing file paths in the command line. In this case, you must ensure that there is no mismatch between the values in the `init.ora` file and the values you specify in the command line. The command fails when a mismatch occurs, unless you specify `FORCE` to override the values in the `init.ora` file. The paths on the command line become the new paths for the PMEM file store.

If you use a `spfile`, then the parameters are automatically updated with the new paths specified on the command line.

Use the mount PMEM file store command in cases when the PMEM file store was not already automatically mounted during database startup.

Specify the mount point path or the backing file path on the command line when:

- You have not specified either the mount point path or the backing file path in the `init.ora` file
- You want to specify new values for either the mount point path or the backing file path

Before you can change the mount point and the backing file, you must first dismount the file store.

### DISMOUNT

Use this command to dismount a PMEM file store. You must ensure that the database instance is in `NOMOUNT` mode.

### Examples

#### Example 1: Resize File Store Named `cloud_db_1`

```
ALTER PMEM FILESTORE cloud_db_1 RESIZE 5T
```

#### Example 2: Mount File Store Named `cloud_db_1`

```
ALTER PMEM FILESTORE cloud_db_1 MOUNT MOUNTPOINT '/corp/db/cloud_db_1'  
BACKINGFILE '/var/pmem/foo_1'
```

#### Example 3: Dismount File Store Named `cloud_db_1`

```
ALTER PMEM FILESTORE cloud_db_1 DISMOUNT
```

# ALTER PROCEDURE

## Purpose

Packages are defined using PL/SQL. Therefore, this section provides some general information but refers to *Oracle Database PL/SQL Language Reference* for details of syntax and semantics.

Use the `ALTER PROCEDURE` statement to explicitly recompile a standalone stored procedure. Explicit recompilation eliminates the need for implicit run-time recompilation and prevents associated run-time compilation errors and performance overhead.

To recompile a procedure that is part of a package, recompile the entire package using the `ALTER PACKAGE` statement (see [ALTER PACKAGE](#)).

### Note:

This statement does not change the declaration or definition of an existing procedure. To redeclare or redefine a procedure, use the `CREATE PROCEDURE` statement with the `OR REPLACE` clause (see [CREATE PROCEDURE](#)).


The `ALTER PROCEDURE` statement is quite similar to the `ALTER FUNCTION` statement. Refer to [ALTER FUNCTION](#) for more information.

## Prerequisites

The procedure must be in your own schema or you must have `ALTER ANY PROCEDURE` system privilege.

## Syntax

`alter_procedure::=`



(*procedure\_compile\_clause*: See *Oracle Database PL/SQL Language Reference* for the syntax of this clause.)

## Semantics

### IF EXISTS

Specify `IF EXISTS` to alter an existing table.

Specifying `IF NOT EXISTS` with `ALTER VIEW` results in `ORA-11544: Incorrect IF EXISTS clause for ALTER/DROP statement.`

**schema**

Specify the schema containing the procedure. If you omit *schema*, then Oracle Database assumes the procedure is in your own schema.

**procedure\_name**

Specify the name of the procedure to be recompiled.

**procedure\_compile\_clause**

See *Oracle Database PL/SQL Language Reference* for the syntax and semantics of this clause and for complete information on creating and compiling procedures.

**EDITIONABLE | NONEDITIONABLE**

Use these clauses to specify whether the procedure becomes an editioned or noneditioned object if editioning is later enabled for the schema object type `PROCEDURE` in *schema*. The default is `EDITIONABLE`. For information about altering editioned and noneditioned objects, see *Oracle Database Development Guide*.

## ALTER PROFILE

**Purpose**

Use the `ALTER PROFILE` statement to add, modify, or remove a resource limit or password management parameter in a profile.

Changes made to a profile with an `ALTER PROFILE` statement affect users only in their subsequent sessions, not in their current sessions.

**See Also:**

[CREATE PROFILE](#) for information on creating a profile


**Prerequisites**

You must have the `ALTER PROFILE` system privilege.

To specify the `CONTAINER` clause, you must be connected to a multitenant container database (CDB). To specify `CONTAINER = ALL`, the current container must be the root. To specify `CONTAINER = CURRENT`, the current container must be a pluggable database (PDB).


**Syntax**

**alter\_profile ::=**




*(resource\_parameters::=, password\_parameters::=)*

**resource\_parameters::=**



*(size\_clause::=)*

**password\_parameters::=**



## Semantics

The keywords, parameters, and clauses common to `ALTER PROFILE` and `CREATE PROFILE` have the same meaning. For full semantics of these keywords, parameters, and clauses refer to [CREATE PROFILE](#).

Only common users who have been commonly granted the `ALTER PROFILE` system privilege can alter or drop the mandatory profile, and only from the CDB root.

You cannot remove a limit from the `DEFAULT` profile.

## Examples

### Making a Password Unavailable: Example

The following statement makes the password of the `new_profile` profile (created in ["Creating a Profile: Example"](#)) unavailable for reuse for 90 days:

```
ALTER PROFILE new_profile
  LIMIT PASSWORD_REUSE_TIME 90
  PASSWORD_REUSE_MAX UNLIMITED;
```

### Setting Default Password Values: Example

The following statement defaults the `PASSWORD_REUSE_TIME` value of the `app_user` profile (created in ["Setting Profile Resource Limits: Example"](#)) to its defined value in the `DEFAULT` profile:

```
ALTER PROFILE app_user
  LIMIT PASSWORD_REUSE_TIME DEFAULT
  PASSWORD_REUSE_MAX UNLIMITED;
```

### Limiting Login Attempts and Password Lock Time: Example

The following statement alters profile `app_user` with `FAILED_LOGIN_ATTEMPTS` set to 5 and `PASSWORD_LOCK_TIME` set to 1:

```
ALTER PROFILE app_user LIMIT
  FAILED_LOGIN_ATTEMPTS 5
  PASSWORD_LOCK_TIME 1;
```

This statement causes any user account to which the `app_user` profile is assigned to become locked for one day after five consecutive unsuccessful login attempts.

### Changing Password Lifetime and Grace Period: Example

The following statement modifies the profile `app_user2` `PASSWORD_LIFE_TIME` to 90 days and `PASSWORD_GRACE_TIME` to 5 days:

```
ALTER PROFILE app_user2 LIMIT
  PASSWORD_LIFE_TIME 90
  PASSWORD_GRACE_TIME 5;
```

### Limiting Account Inactivity: Example

The following statement modifies the profile `app_user2` `INACTIVE_ACCOUNT_TIME` to 30 consecutive days:

```
ALTER PROFILE app_user2 LIMIT
  INACTIVE_ACCOUNT_TIME 30;
```

If the account has already been inactive for a certain number of days, then those days count toward the new 30 day limit.

### Limiting Concurrent Sessions: Example

This statement defines a new limit of 5 concurrent sessions for the `app_user` profile:

```
ALTER PROFILE app_user LIMIT SESSIONS_PER_USER 5;
```

If the `app_user` profile does not currently define a limit for `SESSIONS_PER_USER`, then the preceding statement adds the limit of 5 to the profile. If the profile already defines a limit, then the preceding statement redefines it to 5. Any user assigned the `app_user` profile is subsequently limited to 5 concurrent sessions.

### Removing Profile Limits: Example

This statement removes the `IDLE_TIME` limit from the `app_user` profile:

```
ALTER PROFILE app_user LIMIT IDLE_TIME DEFAULT;
```

Any user assigned the `app_user` profile is subject in their subsequent sessions to the `IDLE_TIME` limit defined in the `DEFAULT` profile.

### Limiting Profile Idle Time: Example

This statement defines a limit of 2 minutes of idle time for the `DEFAULT` profile:

```
ALTER PROFILE default LIMIT IDLE_TIME 2;
```

This `IDLE_TIME` limit applies to these users:

- Users who are not explicitly assigned any profile
- Users who are explicitly assigned a profile that does not define an `IDLE_TIME` limit

This statement defines unlimited idle time for the `app_user2` profile:

```
ALTER PROFILE app_user2 LIMIT IDLE_TIME UNLIMITED;
```

Any user assigned the `app_user2` profile is subsequently permitted unlimited idle time.

### Enable Gradual Password Rollover: Example

This statement sets the password rollover time to 2 days in the profile `usr_prof`:

```
ALTER PROFILE usr_prof LIMIT PASSWORD_ROLLOVER_TIME 2 ;
```

## ALTER PROPERTY GRAPH

### Purpose


Changes to the underlying objects of the property graph may cause the property graph to be in an invalid state. You can revalidate a graph with `ALTER PROPERTY GRAPH COMPILE`.

### Prerequisites

To alter a property graph in any schema except `SYS` and `AUDSYS`, you must have the `ALTER ANY PROPERTY GRAPH` privilege.

## Syntax

***alter\_property\_graph::=***



## Semantics

### IF EXISTS

Specify `IF EXISTS` to alter an existing property graph.

If you specify `IF NOT EXISTS` with `ALTER`, the command fails with the error message:  
Incorrect `IF EXISTS` clause for `ALTER/DROP` statement.

### COMPILE

Use `ALTER PROPERTY GRAPH COMPILE` to revalidate a graph that reports an invalid state even though it is actually valid. This happens because the dependencies of the graph to its underlying objects may be too coarse. In such cases, it may be enough to use `ALTER PROPERTY GRAPH COMPILE` to revalidate the property graph.

### Example: How a Valid Graph May Falsely Report an Invalid State

```
SQL> create table tbl1(c1 number primary key, c2 number, c3 number, c4 as
(c2/c3), c5 as (1 / (c2+c3)));
```

Table created.

```
SQL> create property graph g vertex tables(tbl1 properties(c2, c3, c5));
```

Property graph created.

```
SQL> select object_name, object_type, status from user_objects where
object_type in ('PROPERTY GRAPH', 'TABLE');
```

```

OBJECT_NAME OBJECT_TYPE STATUS
-----
G PROPERTY GRAPH VALID
TBL1 TABLE VALID

```

```
SQL> alter table tbl1 drop column c4;
```

Table altered.

```
SQL> select object_name, object_type, status from user_objects where
object_type in ('PROPERTY GRAPH', 'TABLE');
```

```

OBJECT_NAME OBJECT_TYPE STATUS
-----
G PROPERTY GRAPH INVALID
TBL1 TABLE VALID

```



```
SQL> alter property graph g compile;

Property graph altered.

SQL> select object_name, object_type, status from user_objects where
object_type in ('PROPERTY GRAPH', 'TABLE');

OBJECT_NAME OBJECT_TYPE STATUS
-----
G PROPERTY GRAPH VALID
TBL1 TABLE VALID

SQL>
```

If `ALTER PROPERTY GRAPH COMPILE` fails to revalidate the graph, then the graph enters the error state. You must then redefine the graph with `CREATE OR REPLACE PROPERTY GRAPH`.

## ALTER RESOURCE COST

### Purpose

Use the `ALTER RESOURCE COST` statement to specify or change the formula by which Oracle Database calculates the total resource cost used in a session.

Although Oracle Database monitors the use of other resources, only the four resources shown in the syntax can contribute to the total resource cost for a session.

This statement lets you apply weights to the four resources. Oracle Database then applies the weights to the value of these resources that were specified for a profile to establish a formula for calculating total resource cost. You can limit this cost for a session with the `COMPOSITE_LIMIT` parameter of the `CREATE PROFILE` statement. If the resource cost of a session exceeds the limit, then Oracle Database aborts the session and returns an error. If you use the `ALTER RESOURCE COST` statement to change the weight assigned to each resource, then Oracle Database uses these new weights to calculate the total resource cost for all current and subsequent sessions.



#### See Also:


[CREATE PROFILE](#) for information on all resources and on establishing resource limits

### Prerequisites

You must have the `ALTER RESOURCE COST` system privilege.

## Syntax

***alter\_resource\_cost::=***



## Semantics

Oracle Database calculates the total resource cost by first multiplying the amount of each resource used in the session by the weight of the resource, and then summing the products for all four resources. For any session, this cost is limited by the value of the `COMPOSITE_LIMIT` parameter in the user's profile. Both the products and the total cost are expressed in units called **service units**.

### CPU\_PER\_SESSION

Use this keyword to apply a weight to the `CPU_PER_SESSION` resource.

### CONNECT\_TIME

Use this keyword to apply a weight to the `CONNECT_TIME` resource.

### LOGICAL\_READS\_PER\_SESSION

Use this clause to apply a weight to the `LOGICAL_READS_PER_SESSION` resource. Logical reads include blocks read from both memory and disk.

### PRIVATE\_SGA

Use this clause to apply a weight to the `PRIVATE_SGA` resource. This limit applies only if you are using shared server architecture and allocating private space in the SGA for your session.

### *integer*

Specify the weight of each resource. The weight that you assign to each resource determines how much the use of that resource contributes to the total resource cost. If you do not assign a weight to a resource, then the weight defaults to 0, and use of the resource subsequently does not contribute to the cost. The weights you assign apply to all subsequent sessions in the database.

## Examples

### Altering Resource Costs: Examples

The following statement assigns weights to the resources `CPU_PER_SESSION` and `CONNECT_TIME`:

```
ALTER RESOURCE COST
  CPU_PER_SESSION 100
  CONNECT_TIME     1;
```

The weights establish this cost formula for a session:

$$\text{cost} = (100 * \text{CPU\_PER\_SESSION}) + (1 * \text{CONNECT\_TIME})$$

In this example, the values of `CPU_PER_SESSION` and `CONNECT_TIME` are either values in the `DEFAULT` profile or in the profile of the user of the session.

Because the preceding statement assigns no weight to the resources `LOGICAL_READS_PER_SESSION` and `PRIVATE_SGA`, these resources do not appear in the formula.

If a user is assigned a profile with a `COMPOSITE_LIMIT` value of 500, then a session exceeds this limit whenever `cost` exceeds 500. For example, a session using 0.04 seconds of CPU time and 101 minutes of elapsed time exceeds the limit. A session using 0.0301 seconds of CPU time and 200 minutes of elapsed time also exceeds the limit.

You can subsequently change the weights with another `ALTER RESOURCE` statement:

```
ALTER RESOURCE COST
  LOGICAL_READS_PER_SESSION 2
  CONNECT_TIME 0;
```

These new weights establish a new cost formula:

$$\text{cost} = (100 * \text{CPU\_PER\_SESSION}) + (2 * \text{LOGICAL\_READ\_PER\_SECOND})$$

where the values of `CPU_PER_SESSION` and `LOGICAL_READS_PER_SECOND` are either the values in the `DEFAULT` profile or in the profile of the user of this session.

This `ALTER RESOURCE COST` statement changes the formula in these ways:

- The statement omits a weight for the `CPU_PER_SESSION` resource. That resource was already assigned a weight, so the resource remains in the formula with its original weight.
- The statement assigns a weight to the `LOGICAL_READS_PER_SESSION` resource, so this resource now appears in the formula.
- The statement assigns a weight of 0 to the `CONNECT_TIME` resource, so this resource no longer appears in the formula.
- The statement omits a weight for the `PRIVATE_SGA` resource. That resource was not already assigned a weight, so the resource still does not appear in the formula.

## ALTER ROLE

### Purpose

Use the `ALTER ROLE` statement to change the authorization needed to enable a role.

 See Also:

- [CREATE ROLE](#) for information on creating a role
- [SET ROLE](#) for information on enabling or disabling a role for your session

**Prerequisites**

You must either have been granted the role with the `ADMIN OPTION` or have `ALTER ANY ROLE` system privilege.

Before you alter a role to `IDENTIFIED GLOBALLY`, you must:


- Revoke all grants of roles identified externally to the role and
- Revoke the grant of the role from all users, roles, and `PUBLIC`.

The one exception to this rule is that you should not revoke the role from the user who is currently altering the role.

To specify the `CONTAINER` clause, you must be connected to a multitenant container database (CDB). To specify `CONTAINER = ALL`, the current container must be the root. To specify `CONTAINER = CURRENT`, the current container must be a pluggable database (PDB).

**Syntax**

*alter\_role::=*

**Semantics**

The keywords, parameters, and clauses in the `ALTER ROLE` statement all have the same meaning as in the `CREATE ROLE` statement.

Specify `GLOBALLY` with `AS` to map a directory group to a global role when using centrally managed users. The directory group is identified by its domain name.

**Restriction on Altering a Role**

You cannot alter a `NOT IDENTIFIED` role to any of the `IDENTIFIED` types if it is granted to another role.

**Notes on Altering a Role:**

- User sessions in which the role is already enabled are not affected.
- If you change a role identified by password to an application role (with the `USING package` clause), then password information associated with the role is lost. Oracle Database will use the new authentication mechanism the next time the role is to be enabled.
- If you have the `ALTER ANY ROLE` system privilege and you change a role that is `IDENTIFIED GLOBALLY` to `IDENTIFIED BY password`, `IDENTIFIED EXTERNALLY`, or `NOT IDENTIFIED`, then Oracle Database grants you the altered role with the `ADMIN OPTION`, as it would have if you had created the role identified nonglobally.

For more information, refer to [CREATE ROLE](#) and to the examples that follow.

**Examples****Changing Role Identification: Example**

The following statement changes the role `warehouse_user` (created in "[Creating a Role: Example](#)") to `NOT IDENTIFIED`:

```
ALTER ROLE warehouse_user NOT IDENTIFIED;
```

**Changing a Role Password: Example**

This statement changes the password on the `dw_manager` role (created in "[Creating a Role: Example](#)") to `data`:

```
ALTER ROLE dw_manager  
  IDENTIFIED BY data;
```

Users granted the `dw_manager` role must subsequently use the new password `data` to enable the role.

**Application Roles: Example**

The following example changes the `dw_manager` role to an application role using the `hr.admin` package:

```
ALTER ROLE dw_manager IDENTIFIED USING hr.admin;
```

## ALTER ROLLBACK SEGMENT

 **Note:**

Oracle strongly recommends that you run your database in automatic undo management mode instead of using rollback segments. Do not use rollback segments unless you must do so for compatibility with earlier versions of Oracle Database. Refer to *Oracle Database Administrator's Guide* for information on automatic undo management.

## Purpose

Use the `ALTER ROLLBACK SEGMENT` statement to bring a rollback segment online or offline, change its storage characteristics, or shrink it to an optimal or specified size.

This section assumes that your database is running in rollback undo mode (the `UNDO_MANAGEMENT` initialization parameter is set to `MANUAL` or not set at all). If your database is running in automatic undo mode (the `UNDO_MANAGEMENT` initialization parameter is set to `AUTO`, which is the default), then user-created rollback segments are irrelevant.

### See Also:


- [CREATE ROLLBACK SEGMENT](#) for information on creating a rollback segment
- *Oracle Database Reference* for information on the `UNDO_MANAGEMENT` parameter

## Prerequisites

You must have the `ALTER ROLLBACK SEGMENT` system privilege.

## Syntax

***alter\_rollback\_segment::=***



*(storage\_clause , size\_clause::=)*

## Semantics

### ***rollback\_segment***

Specify the name of an existing rollback segment.

### **ONLINE**

Specify `ONLINE` to bring the rollback segment online. When you create a rollback segment, it is initially offline and not available for transactions. This clause brings the rollback segment online, making it available for transactions by your instance. You can also bring a rollback segment online when you start your instance with the initialization parameter `ROLLBACK_SEGMENTS`.

**See Also:**

["Bringing a Rollback Segment Online: Example"](#)

**OFFLINE**

Specify `OFFLINE` to take the rollback segment offline.

- If the rollback segment does not contain any information needed to roll back an active transaction, then Oracle Database takes it offline immediately.
- If the rollback segment does contain information for active transactions, then the database makes the rollback segment unavailable for future transactions and takes it offline after all the active transactions are committed or rolled back.

When the rollback segment is offline, it can be brought online by any instance.

To see whether a rollback segment is online or offline, query `STATUS` column of the data dictionary view `DBA_ROLLBACK_SEGS`. Online rollback segments have a value of `IN_USE`. Offline rollback segments have a value of `AVAILABLE`.

**Restriction on Taking Rollback Segments Offline**

You cannot take the `SYSTEM` rollback segment offline.

***storage\_clause***

Use the *storage\_clause* to change the storage characteristics of the rollback segment.

**Restrictions on Rollback Segment Storage**

You cannot change the value of `INITIAL` parameter. If the rollback segment is in a locally managed tablespace, then the only storage parameter you can change is `OPTIMAL`. If the rollback segment is in a dictionary-managed tablespace, then the only storage parameters you can change are `NEXT`, `MINEXTENTS`, `MAXEXTENTS` and `OPTIMAL`.

**See Also:**

[storage\\_clause](#) for syntax and additional information

**SHRINK Clause**

Specify `SHRINK` if you want Oracle Database to attempt to shrink the rollback segment to an optimal or specified size. The success and amount of shrinkage depend on the available free space in the rollback segment and how active transactions are holding space in the rollback segment.

If you do not specify `TO size_clause`, then the size defaults to the `OPTIMAL` value of the *storage\_clause* of the `CREATE ROLLBACK SEGMENT` statement that created the rollback segment. If `OPTIMAL` was not specified, then the size defaults to the `MINEXTENTS` value of the *storage\_clause* of the `CREATE ROLLBACK SEGMENT` statement.

Regardless of whether you specify `TO size_clause`:

- The value to which Oracle Database shrinks the rollback segment is valid for the execution of the statement. Thereafter, the size reverts to the `OPTIMAL` value of the `CREATE ROLLBACK SEGMENT` statement.
- The rollback segment cannot shrink to less than two extents.

To determine the actual size of a rollback segment after attempting to shrink it, query the `BYTES`, `BLOCKS`, and `EXTENTS` columns of the `DBA_SEGMENTS` view.

### Restriction on Shrinking Rollback Segments

In an Oracle Real Application Clusters environment, you can shrink only rollback segments that are online to your instance.



#### See Also:

[size\\_clause](#) for information on that clause, and "[Resizing a Rollback Segment: Example](#)"

### Examples

The following examples use the `rbs_one` rollback segment, which was created in "[Creating a Rollback Segment: Example](#)".

#### Bringing a Rollback Segment Online: Example

This statement brings the rollback segment `rbs_one` online:

```
ALTER ROLLBACK SEGMENT rbs_one ONLINE;
```

#### Resizing a Rollback Segment: Example

This statement shrinks the rollback segment `rbs_one`:

```
ALTER ROLLBACK SEGMENT rbs_one  
SHRINK TO 100M;
```

## ALTER SEQUENCE

### Purpose

Use the `ALTER SEQUENCE` statement to change the increment, minimum and maximum values, cached numbers, and behavior of an existing sequence. This statement affects only future sequence numbers.



#### See Also:

[CREATE SEQUENCE](#) for additional information on sequences


### Prerequisites

The sequence must be in your own schema, or you must have the `ALTER` object privilege on the sequence, or you must have the `ALTER ANY SEQUENCE` system privilege.



## Syntax

*alter\_sequence ::=*



## Semantics

The keywords and parameters in this statement serve the same purposes they serve when you create a sequence.

- If you change the `INCREMENT BY` value before the first invocation of `NEXTVAL`, then some sequence numbers will be skipped. Therefore, if you want to retain the original `START WITH` value, you must drop the sequence and re-create it with the original `START WITH` value and the new `INCREMENT BY` value.
- Specify `RESTART` to reset `NEXTVAL` to `MINVALUE` for an ascending sequence. For a descending sequence `RESTART` resets `NEXTVAL` to `MAXVALUE`.

- To restart the sequence at a different number, specify `RESTART` with the `START WITH` clause to set the value at which the sequence restarts.
- If you alter the sequence by specifying the `KEEP` or `NOKEEP` clause between runtime and failover of a request, then the original value of `NEXTVAL` is not retained during replay for Application Continuity for that request.
- Oracle Database performs some validations. For example, a new `MAXVALUE` cannot be imposed that is less than the current sequence number.

 **See Also:**

[CREATE SEQUENCE](#) for information on creating a sequence and [DROP SEQUENCE](#) for information on dropping and re-creating a sequence

### IF EXISTS

Specify `IF EXISTS` to alter an existing table.

Specifying `IF NOT EXISTS` with `ALTER VIEW` results in `ORA-11544: Incorrect IF EXISTS clause for ALTER/DROP statement.`

### SCALE

Use `SCALE` to enable sequence scalability. When `SCALE` is specified, a numeric offset is affixed to the beginning of the sequence which removes all duplicates in generated values.

### EXTEND

If you specify `EXTEND` with `SCALE` the generated sequence values are all of length  $(x+y)$ , where  $x$  is the length of the scalable offset (default value is 6), and  $y$  is the maximum number of digits in the sequence (`maxvalue/minvalue`).

When you use `SCALE` it is highly recommended that you not use `ORDER` simultaneously on the sequence.

### NOEXTEND

`NOEXTEND` is the default setting for the `SCALE` clause. With the `NOEXTEND` setting, the generated sequence values are at most as wide as the maximum number of digits in the sequence (`maxvalue/minvalue`). This setting is useful for integration with existing applications where sequences are used to populate fixed width columns.

### SHARD

Use this clause to generate unique sequence numbers across shards.

The sequence object is created as a global, all-shards sharded object that returns unique sequence values across all shards. The sequence object is also created at the catalog database that returns unique sequence values relative to the shard databases.

The `EXTEND` and `NOEXTEND` keywords define the behavior of a sharded sequence.

## EXTEND

When you specify `EXTEND` with the `SHARD` clause, the generated sequence values are all of length  $(x + y)$ , where  $x$  is the length of an(a) `SHARD` offset of size 3. The size 3 corresponds to the width of the maximum number of shards i.e. 1000 affixed at the beginning of the sequence values.  $y$  is the maximum number of digits in the sequence *maxvalue/minvalue*.

## NOEXTEND

The default setting for the `SHARD` clause is `NOEXTEND`.

When you specify `NOEXTEND`, the generated sequence values are at most as wide as the maximum number of digits in the sequence *maxvalue/minvalue*. This setting is useful for integration with existing applications where sequences are used to populate fixed width columns.

If you call `NEXTVAL` on a sequence with `SHARD NOEXTEND` specified, a user error is thrown, if the generated value requires more digits of representation than the *maxvalue/minvalue* of the sequence.

## Sequence with SHARD and SCALE

If you specify the `SCALE` and the `SHARD` clauses together, the sequence generates scalable, globally unique values within a shard database for multiple instances and sessions.

If you specify `EXTEND` with the `SCALE` and `SHARD` clauses, the generated sequence values are all of length  $(x+y+z)$ , where  $x$  is the length of a `SHARD` offset with a default value of size 4,  $y$  is the length of the scalable offset with a default value of 6(5), and  $z$  is the maximum number of digits in the sequence *maxvalue/minvalue*.

If you specify `EXTEND` or `NOEXTEND` with the `SHARD` and `SCALE` clauses, it applies to both `SHARD` and `SCALE`. You do not need to specify `EXTEND` or `NOEXTEND` separately. If you specify the `EXTEND` or `NOEXTEND` option separately for both the `SHARD` and `SCALE` clauses, with the same or different value, a parsing error results, with a message of a duplicate or conflicting `EXTEND` clause.

When you use `SHARD` it is highly recommended that you not use `ORDER` simultaneously on the sequence.

You can use `SHARD` with `CACHE` and `NOCACHE` modes of operation.

### Note:

- Starting with Oracle Database Release 23 a sharded sequence without scale will have the leading "1" of the offset removed.
- Starting with Oracle Database Release 23 a sharded sequence with scale will have the leading "1" of the offset removed.

Prior to Release 23, a a sharded sequence with scale had one leading "1" for the combined offset. This leading "1" is removed from Release 23 onwards.

## Examples

### Modifying a Sequence: Examples

This statement sets a new maximum value for the `customers_seq` sequence, which was created in ["Creating a Sequence: Example"](#):

```
ALTER SEQUENCE customers_seq  
  MAXVALUE 1500;
```

This statement turns on `CYCLE` and `CACHE` for the `customers_seq` sequence:

```
ALTER SEQUENCE customers_seq  
  CYCLE  
  CACHE 5;
```

# ALTER SESSION

## Purpose

Use the `ALTER SESSION` statement to set or modify any of the conditions or parameters that affect your connection to the database. The statement stays in effect until you disconnect from the database.

## Prerequisites


To enable and disable the SQL trace facility, you must have `ALTER SESSION` system privilege.

To enable or disable resumable space allocation, you must have the `RESUMABLE` system privilege.


You do not need any privileges to perform the other operations of this statement unless otherwise indicated.

**Syntax**

***alter\_session ::=***



***alter\_session\_set\_clause ::=***



## Semantics

### ADVISE Clause

The `ADVISE` clause sends advice to a remote database to force a distributed transaction. The advice appears in the `ADVISE` column of the `DBA_2PC_PENDING` view on the remote database (the values are 'C' for `COMMIT`, 'R' for `ROLLBACK`, and ' ' for `NOTHING`). If the transaction becomes in doubt, then the administrator of that database can use this advice to decide whether to commit or roll back the transaction.

You can send different advice to different remote databases by issuing multiple `ALTER SESSION` statements with the `ADVISE` clause in a single transaction. Each such statement sends advice to the databases referenced in the following statements in the transaction until another such statement is issued.



#### See Also:

["Forcing a Distributed Transaction: Example"](#)

### CLOSE DATABASE LINK Clause

Specify `CLOSE DATABASE LINK` to close the database link `dblink`. When you issue a statement that uses a database link, Oracle Database creates a session for you on the remote database using that link. The connection remains open until you end your local session or until the number of database links for your session exceeds the value of the initialization parameter `OPEN_LINKS`. If you want to reduce the network overhead associated with keeping the link open, then use this clause to close the link explicitly if you do not plan to use it again in your session.



#### See Also:

[Closing a Database Link: Example](#)

### ENABLE | DISABLE COMMIT IN PROCEDURE

Procedures and stored functions written in PL/SQL can issue `COMMIT` and `ROLLBACK` statements. If your application would be disrupted by a `COMMIT` or `ROLLBACK` statement not issued directly by the application itself, then specify `DISABLE COMMIT IN PROCEDURE` clause to prevent procedures and stored functions called during your session from issuing these statements.

You can subsequently allow procedures and stored functions to issue `COMMIT` and `ROLLBACK` statements in your session by issuing the `ENABLE COMMIT IN PROCEDURE`.

Some applications automatically prohibit `COMMIT` and `ROLLBACK` statements in procedures and stored functions. Refer to your application documentation for more information.

## ENABLE | DISABLE GUARD

The *security\_clause* of ALTER DATABASE lets you prevent anyone other than the SYS user from making any changes to data or database objects on the primary or standby database. This clause lets you override that setting for the current session.



### See Also:

[security\\_clause](#) for more information on the `GUARD` setting

## PARALLEL DML | DDL | QUERY

The `PARALLEL` parameter determines whether all subsequent DML, DDL, or query statements in the session will be considered for parallel execution. This clause enables you to override the degree of parallelism of tables during the current session without changing the tables themselves. Uncommitted transactions must either be committed or rolled back prior to executing this clause for DML.



### See Also:

["Enabling Parallel DML: Example"](#)

### ENABLE Clause

Specify `ENABLE` to execute subsequent statements in the session in parallel. This is the default for DDL and query statements.

- `DML`: DML statements are executed in parallel mode if a parallel hint or a parallel clause is specified.
- `DDL`: DDL statements are executed in parallel mode if a parallel clause is specified.
- `QUERY`: Queries are executed in parallel mode if a parallel hint or a parallel clause is specified.

### Restriction on the ENABLE clause

You cannot specify the optional `PARALLEL integer` with `ENABLE`.

### DISABLE Clause

Specify `DISABLE` to execute subsequent statements in the session serially. This is the default for DML statements.

- `DML`: DML statements are executed serially.
- `DDL`: DDL statements are executed serially.
- `QUERY`: Queries are executed serially.

### Restriction on the DISABLE clause

You cannot specify the optional `PARALLEL integer` with `DISABLE`.

## FORCE Clause

`FORCE` forces parallel execution of subsequent statements in the session. If no parallel clause or hint is specified, then a default degree of parallelism is used. This clause overrides any `parallel_clause` specified in subsequent statements in the session but is overridden by a parallel hint.

- **DML:** Provided no parallel DML restrictions are violated, subsequent DML statements in the session are executed with the default degree of parallelism, unless a degree is specified in this clause.
- **DDL:** Subsequent DDL statements in the session are executed with the default degree of parallelism, unless a degree is specified in this clause. Resulting database objects will have associated with them the prevailing degree of parallelism.

Specifying `FORCE DDL` automatically causes all tables created in this session to be created with a default level of parallelism. The effect is the same as if you had specified the `parallel_clause` (with the default degree) in the `CREATE TABLE` statement.

- **QUERY:** Subsequent queries are executed with the default degree of parallelism, unless a degree is specified in this clause.

## PARALLEL *integer*

Specify an integer to explicitly specify a degree of parallelism:

- For `FORCE DDL`, the degree overrides any parallel clause in subsequent DDL statements.
- For `FORCE DML` and `QUERY`, the degree overrides the degree currently stored for the table in the data dictionary.
- A degree specified in a statement through a hint will override the degree being forced.

The following types of DML operations are not parallelized regardless of this clause:

- Operations on cluster tables
- Operations with embedded functions that either write or read database or package states
- Operations on tables with triggers that could fire
- Operations on tables or schema objects containing object types, or `LONG` or `LOB` data types

## RESUMABLE Clauses

These clauses let you enable and disable resumable space allocation. This feature allows an operation to be suspended in the event of an out-of-space error condition and to resume automatically from the point of interruption when the error condition is fixed.



### Note:

Resumable space allocation is fully supported for operations on locally managed tablespaces. Some restrictions apply if you are using dictionary-managed tablespaces. For information on these restrictions, refer to *Oracle Database Administrator's Guide*.

## ENABLE RESUMABLE



This clause enables resumable space allocation for the session.

### TIMEOUT

`TIMEOUT` lets you specify (in seconds) the time during which an operation can remain suspended while waiting for the error condition to be fixed. If the error condition is not fixed within the `TIMEOUT` period, then Oracle Database aborts the suspended operation.

### NAME

`NAME` lets you specify a user-defined text string to help users identify the statements issued during the session while the session is in resumable mode. Oracle Database inserts the text string into the `USER_RESUMABLE` and `DBA_RESUMABLE` data dictionary views. If you do not specify `NAME`, then Oracle Database inserts the default string 'User *username(userid)*, Session *sessionid*, Instance *instanceid*'.



#### See Also:

*Oracle Database Reference* for information on the data dictionary views

### DISABLE RESUMABLE

This clause disables resumable space allocation for the session.

### SHARD DDL Clauses

These clauses are valid only if you are connected to a sharded database. They let you control whether DDLs issued in the session are issued against the shard catalog database and all shards, or against only the shard catalog database.

- If you specify `ENABLE SHARD DDL`, then DDLs issued in the session are issued against the shard catalog database and all shards. This mode is the default for the SDB user—a user that exists in the shard catalog database and in all shards.
- If you specify `DISABLE SHARD DDL`, then DDLs issued in the session are issued against only the shard catalog database. This mode is the default for a local user—a user that exists only in the shard catalog database.



#### See Also:

*Using Oracle Sharding*

### SYNC WITH PRIMARY

Use this clause to synchronize redo apply on a physical standby database with the primary database. An `ALTER SESSION` statement with this clause blocks until redo apply has applied all redo data received by the standby at the time the statement is issued. This clause returns an error, and synchronization does not occur, if the redo transport state for the standby database is not `SYNCHRONIZED` or if redo apply is not active.

 **See Also:**

*Oracle Data Guard Concepts and Administration* for more information on this session parameter

***alter\_session\_set\_clause***

Use the *alter\_session\_set\_clause* to set initialization parameter values or to set an edition for the current session.

**Initialization Parameters**

You can set two types of parameters using this clause:

- Initialization parameters that are dynamic in the scope of the ALTER SESSION statement (listed in "[Initialization Parameters and ALTER SESSION](#)")
- Session parameters (listed in "[Session Parameters and ALTER SESSION](#)")

You can set values for multiple parameters in the same *alter\_session\_set\_clause*.

**EDITION**

Specify `EDITION = edition` to set the specified edition as the edition in the database session. You must have the `USE` object privilege on *edition*, *edition* must already have been created, and it must be `USABLE`.

When this statement is successful, the database discards PL/SQL package state corresponding to editionable packages but retains package state corresponding to packages that are not editionable.

You can also set the edition for the current session at startup with the `EDITION` parameter of the SQL\*Plus `CONNECT` command. However, you cannot specify an `ALTER SESSION SET EDITION` statement in a recursive SQL or PL/SQL block.

You can determine the edition in use by the current session with the following query:

```
SELECT SYS_CONTEXT('USERENV', 'CURRENT_EDITION_NAME') FROM DUAL;
```

 **See Also:**

[CREATE EDITION](#) for more information on editions and *Oracle Database PL/SQL Language Reference* for information on how editions are designated as `USABLE`

**CONTAINER**

Use this clause in a multitenant container database (CDB) to switch to the container specified by *container\_name*.

To use this clause, you must be a common user with the `SET CONTAINER` privilege, either granted commonly or granted locally in *container\_name*.

For *container\_name*, specify one of the following:

- `CDB$ROOT` to switch to the root
- `PDB$SEED` to switch to the seed
- A pluggable database (PDB) name to switch to that PDB. You can view the names of the PDBs in a CDB by querying the `DBA_PDBS` view.

You can determine the container to which the current session is connected by using the SQL\*Plus `SHOW CON_NAME` command or with the following SQL query:

```
SELECT SYS_CONTEXT('USERENV', 'CON_NAME') FROM DUAL;
```

## SERVICE

By default, when you switch to a container, the session uses the default service for the container. Specify the `SERVICE` clause to use a different service for the container. For `service_name`, specify the name of the service you want to use.



### See Also:

*Oracle Database Administrator's Guide* for more information on switching to a container

## ROW ARCHIVAL VISIBILITY

Use this clause to configure row archival visibility for the session. This clause lets you implement In-Database Archiving, which allows you to designate table rows as active or archived. You can then perform queries on only the active rows within the table.

- If you specify `ACTIVE`, then the database will consider only active rows when performing queries on tables that are enabled for row archival. This is the default.
- If you specify `ALL`, then the database will consider all rows when performing queries on tables that are enabled for row archival.

This clause has no effect on queries on tables that are not enabled for row archival.



### See Also:

- The `CREATE TABLE ROW ARCHIVAL` clause to learn how to enable a new table for row archival
- The `ALTER TABLE [NO] ROW ARCHIVAL` clause to learn how to enable or disable an existing table for row archival
- *Oracle Database VLDB and Partitioning Guide* for more information on In-Database Archiving

## DEFAULT\_COLLATION

Use this clause to set the default collation for the session.

- Use `collation_name` to specify the default collation for the session. You can specify the name of any valid named collation or pseudo-collation. This collation

becomes the *effective schema default collation*. This collation is assigned to tables, views, and materialized views that are subsequently created in any schema for the duration of the session. The default collation for the session does not get propagated to any remote sessions connected to the current session using DB links.

- If you specify `NONE`, then there is no default collation for the session. In this case, the default collation for a particular schema becomes the *effective schema default collation* for that schema. That default collation is assigned to tables, views, and materialized views that are subsequently created in the schema for the duration of the session.

In either of the preceding cases, you can override the effective schema default collation and assign a default collation to a particular table, materialized view, or view by specifying the `DEFAULT COLLATION` clause of the `CREATE` or `ALTER` statement for the table, materialized view, or view.

The effective schema default collation also affects the DDL statements `CREATE FUNCTION`, `CREATE PACKAGE`, `CREATE PROCEDURE`, `CREATE TRIGGER`, and `CREATE TYPE`. Refer to *Oracle Database PL/SQL Language Reference* for more details on these statements.

You can query the default collation for a session with the following statement:

```
SELECT SYS_CONTEXT('USERENV', 'SESSION_DEFAULT_COLLATION') FROM DUAL;
```

You can specify the `SET DEFAULT_COLLATION` clause only if the `COMPATIBLE` initialization parameter is set to 12.2 or greater, and the `MAX_STRING_SIZE` initialization parameter is set to `EXTENDED`.

#### See Also:

The [DEFAULT COLLATION Clause](#) clause of `CREATE USER` for more information on the default collation of a schema

#### Note:

The effective schema default collation for a session should not be confused with the session parameter `NLS_SORT`. The effective schema default collation is used by DDL statements to decide the default data-bound collation of tables, views, and materialized views when they are created. The session parameter `NLS_SORT` points to a named collation that is used when Oracle executes a query, a DML statement, or PL/SQL code containing a SQL operation whose determined collation is a pseudo-collation, such as `USING_NLS_COMP` or `USING_NLS_SORT`. Refer to *Oracle Database Globalization Support Guide* for more information.

## Initialization Parameters and ALTER SESSION

Some initialization parameters are dynamic in the scope of `ALTER SESSION`. When you set these parameters using `ALTER SESSION`, the value you set persists only for the duration of the current session. To determine whether a parameter can be altered using an `ALTER SESSION`

statement, query the `ISSES_MODIFIABLE` column of the `V$PARAMETER` dynamic performance view.

**Note:**

Before changing the values of initialization parameters, refer to their full description in *Oracle Database Reference*.

A number of parameters that can be set using `ALTER SESSION` are not initialization parameters. You can set them only with `ALTER SESSION`, not in an initialization parameter file. Those session parameters are described in "[Session Parameters and ALTER SESSION](#)".

## Session Parameters and ALTER SESSION

The following parameters are session parameters only, not initialization parameters:

### CONSTRAINT[S]

**Syntax:**

```
CONSTRAINT[S] = { IMMEDIATE | DEFERRED | DEFAULT }
```

The `CONSTRAINT[S]` parameter determines when conditions specified by a deferrable constraint are enforced.

- `IMMEDIATE` indicates that the conditions specified by the deferrable constraint are checked immediately after each DML statement. This setting is equivalent to issuing the `SET CONSTRAINTS ALL IMMEDIATE` statement at the beginning of each transaction in your session.
- `DEFERRED` indicates that the conditions specified by the deferrable constraint are checked when the transaction is committed. This setting is equivalent to issuing the `SET CONSTRAINTS ALL DEFERRED` statement at the beginning of each transaction in your session.
- `DEFAULT` restores all constraints at the beginning of each transaction to their initial state of `DEFERRED` or `IMMEDIATE`.

### CURRENT\_SCHEMA

**Syntax:**

```
CURRENT_SCHEMA = schema
```

The `CURRENT_SCHEMA` parameter changes the current schema of the session to the specified schema. Subsequent unqualified references to schema objects during the session will resolve to objects in the specified schema. The setting persists for the duration of the session or until you issue another `ALTER SESSION SET CURRENT_SCHEMA` statement.

This setting offers a convenient way to perform operations on objects in a schema other than that of the current user without having to qualify the objects with the schema name. This setting changes the current schema, but it does not change the

session user or the current user, nor does it give the session user any additional system or object privileges for the session.

## ERROR\_ON\_OVERLAP\_TIME

### Syntax:

```
ERROR_ON_OVERLAP_TIME = {TRUE | FALSE}
```

The `ERROR_ON_OVERLAP_TIME` parameter determines how Oracle Database should handle an ambiguous boundary datetime value—a case in which it is not clear whether the datetime is in standard or daylight saving time.

- Specify `TRUE` to return an error for the ambiguous overlap timestamp.
- Specify `FALSE` to default the ambiguous overlap timestamp to the standard time. This is the default.

Refer to "[Support for Daylight Saving Times](#)" for more information on boundary datetime values.

## FLAGGER

### Syntax:

```
FLAGGER = { ENTRY | OFF }
```

The `FLAGGER` parameter specifies FIPS flagging (as specified in Federal Information Processing Standard 127-2), which causes an error message to be generated when a SQL statement issued is an extension of the Entry Level of SQL-92 (officially, ANSI X3.135-1992, a standard that is now superseded by SQL:2016). `FLAGGER` is a session parameter only, not an initialization parameter.

After flagging is set in a session, a subsequent `ALTER SESSION SET FLAGGER` statement will work, but generates the message, ORA-00097. This allows FIPS flagging to be altered without disconnecting the session. `OFF` turns off flagging.

### See Also:

[Oracle and Standard SQL](#), for more information about Oracle compliance with current ANSI SQL standards

Starting with Oracle Database 23ai, several parameters associated with `FIPS_140` are deprecated.

`FIPS_140` in `FIPS.ORA` can be used to enable FIPS for all features starting with Oracle Database 23ai. The following FIPS parameters are deprecated:

- `SQLNET.ORA: FIPS_140` to enable FIPS for native network encryption
- `FIPS.ORA: SSLFIPS_140` to enable FIPS for TLS
- Initialization parameter: `DBFIPS_140` to enable FIPS for TDE and `DBMS_CRYPTO`

## INSTANCE

### Syntax:

```
INSTANCE = integer
```

Setting the `INSTANCE` parameter lets you access another instance as if you were connected to your own instance. `INSTANCE` is a session parameter only, not an initialization parameter. In an Oracle Real Application Clusters (Oracle RAC) environment, each Oracle RAC instance retains static or dynamic ownership of disk space for optimal DML performance based on the setting of this parameter.

## ISOLATION\_LEVEL

### Syntax:

```
ISOLATION_LEVEL = {SERIALIZABLE | READ COMMITTED}
```

The `ISOLATION_LEVEL` parameter specifies how transactions containing database modifications are handled. `ISOLATION_LEVEL` is a session parameter only, not an initialization parameter.

- `SERIALIZABLE` indicates that transactions in the session use the serializable transaction isolation mode as specified in the SQL standard. If a serializable transaction attempts to execute a DML statement that updates rows currently being updated by another uncommitted transaction at the start of the serializable transaction, then the DML statement fails. A serializable transaction can see its own updates.
- `READ COMMITTED` indicates that transactions in the session will use the default Oracle Database transaction behavior. If the transaction contains DML that requires row locks held by another transaction, then the DML statement will wait until the row locks are released.

### Note:

Serializable transactions do not work with deferred segment creation or interval partitioning. Trying to insert data into an empty table with no segment created, or into a partition of an interval partitioned table that does not yet have a segment, causes an error.

## STANDBY\_MAX\_DATA\_DELAY

### Syntax:

```
STANDBY_MAX_DATA_DELAY = { integer | NONE }
```

In an Active Data Guard environment, this session parameter can be used to specify a session-specific apply lag tolerance, measured in seconds, for queries issued by non-administrative users to a physical standby database that is in real-time query mode. This capability allows queries to be safely offloaded from the primary database to a physical standby database, because it is possible to detect if the standby database has become unacceptably stale.

If `STANDBY_MAX_DATA_DELAY` is set to the default value of `NONE`, queries issued to a physical standby database will be executed regardless of the apply lag on that database.

If `STANDBY_MAX_DATA_DELAY` is set to a nonzero value, a query issued to a physical standby database will be executed only if the apply lag is less than or equal to `STANDBY_MAX_DATA_DELAY`. Otherwise, an `ORA-3172` error is returned to alert the client that the apply lag is too large.

If `STANDBY_MAX_DATA_DELAY` is set to 0, a query issued to a physical standby database is guaranteed to return the exact same result as if the query were issued on the primary database, unless the standby database is lagging behind the primary database, in which case an `ORA-3172` error is returned.



### See Also:

*Oracle Data Guard Concepts and Administration* for more information on Active Data Guard and using this session parameter

## TIME\_ZONE

### Syntax:

```
TIME_ZONE = '[+ | -] hh:mi'
            | LOCAL
            | DBTIMEZONE
            | 'time_zone_region'
```

The `TIME_ZONE` parameter specifies the default local time zone offset or region name for the current SQL session. `TIME_ZONE` is a session parameter only, not an initialization parameter. To determine the time zone of the current session, query the built-in function `SESSIONTIMEZONE` (see [SESSIONTIMEZONE](#)).

- Specify a format mask ('`[+|-]hh:mi`') indicating the hours and minutes before or after UTC (Coordinated Universal Time—formerly Greenwich Mean Time). The valid range for `hh:mi` is `-12:00` to `+14:00`.
- Specify `LOCAL` to set the default local time zone offset of the current SQL session to the original default local time zone offset that was established when the current SQL session was started.
- Specify `DBTIMEZONE` to set the current session time zone to match the value set for the database time zone. If you specify this setting, then the `DBTIMEZONE` function will return the database time zone as a UTC offset or a time zone region, depending on how the database time zone has been set.
- Specify a valid `time_zone_region`. To see a listing of valid time zone region names, query the `TZNAME` column of the `V$TIMEZONE_NAMES` dynamic performance view. If you specify this setting, then the `SESSIONTIMEZONE` function will return the region name.



 **Note:**

Time zone region names are needed by the daylight saving feature. These names are stored in two types of time zone files: one large and one small. One of these files is the default file, depending on your environment and the release of Oracle Database you are using. For more information regarding time zone files and names, see *Oracle Database Globalization Support Guide*.

 **See Also:**

*Oracle Database Globalization Support Guide* for a complete listing of the time zone region names in both files

 **Note:**

You can also set the default client session time zone using the `ORA_SDTZ` environment variable. Refer to *Oracle Database Globalization Support Guide* for more information on this variable.

## USE\_PRIVATE\_OUTLINES

**Syntax:**

```
USE_PRIVATE_OUTLINES = { TRUE | FALSE | category_name }
```

The `USE_PRIVATE_OUTLINES` parameter lets you control the use of private outlines. When this parameter is enabled and an outlined SQL statement is issued, the optimizer retrieves the outline from the session private area rather than the public area used when `USE_STORED_OUTLINES` is enabled. If no outline exists in the session private area, then the optimizer will not use an outline to compile the statement. `USE_PRIVATE_OUTLINES` is not an initialization parameter.

- `TRUE` causes the optimizer to use private outlines stored in the `DEFAULT` category when compiling requests.
- `FALSE` specifies that the optimizer should not use stored private outlines. This is the default. If `USE_STORED_OUTLINES` is enabled, then the optimizer will use stored public outlines.
- `category_name` causes the optimizer to use outlines stored in the `category_name` category when compiling requests.

**Restriction on USE\_PRIVATE\_OUTLINES**

You cannot enable this parameter if `USE_STORED_OUTLINES` is enabled.

## USE\_STORED\_OUTLINES



### Note:

Stored outlines are deprecated. They are still supported for backward compatibility. However, Oracle recommends that you use SQL plan management instead. Refer to *Oracle Database SQL Tuning Guide* for more information about SQL plan management.

### Syntax:

```
USE_STORED_OUTLINES = { TRUE | FALSE | category_name }
```

The `USE_STORED_OUTLINES` parameter determines whether the optimizer will use stored public outlines to generate execution plans. `USE_STORED_OUTLINES` is not an initialization parameter.

- `TRUE` causes the optimizer to use outlines stored in the `DEFAULT` category when compiling requests.
- `FALSE` specifies that the optimizer should not use stored outlines. This is the default.
- `category_name` causes the optimizer to use outlines stored in the `category_name` category when compiling requests.

### Restriction on USED\_STORED\_OUTLINES

You cannot enable this parameter if `USE_PRIVATE_OUTLINES` is enabled.

### Examples

#### Enabling Parallel DML: Example

Issue the following statement to enable parallel DML mode for the current session:

```
ALTER SESSION ENABLE PARALLEL DML;
```

#### Forcing a Distributed Transaction: Example

The following transaction inserts an employee record into the `employees` table on the database identified by the database link `remote` and deletes an employee record from the `employees` table on the database identified by `local`:

```
ALTER SESSION
  ADVISE COMMIT;

INSERT INTO employees@remote
  VALUES (8002, 'Juan', 'Fernandez', 'juanf@example.com', NULL,
    TO_DATE('04-OCT-1992', 'DD-MON-YYYY'), 'SA_CLERK', 3000,
    NULL, 121, 20);

ALTER SESSION
  ADVISE ROLLBACK;

DELETE FROM employees@local
  WHERE employee_id = 8002;
```

```
COMMIT;
```

This transaction has two `ALTER SESSION` statements with the `ADVISE` clause. If the transaction becomes in doubt, then `remote` is sent the advice 'COMMIT' by virtue of the first `ALTER SESSION` statement and `local` is sent the advice 'ROLLBACK' by virtue of the second statement.

### Closing a Database Link: Example

This statement updates the `jobs` table on the `local` database using a database link, commits the transaction, and explicitly closes the database link:

```
UPDATE jobs@local SET min_salary = 3000
   WHERE job_id = 'SH_CLERK';
```

```
COMMIT;
```

```
ALTER SESSION
   CLOSE DATABASE LINK local;
```

### Changing the Date Format Dynamically: Example

The following statement dynamically changes the default date format for your session to 'YYYY MM DD-HH24:MI:SS':

```
ALTER SESSION
   SET NLS_DATE_FORMAT = 'YYYY MM DD HH24:MI:SS';
```

Oracle Database uses the new default date format:

```
SELECT TO_CHAR(SYSDATE) Today
   FROM DUAL;
```

```
TODAY
-----
2001 04 12 12:30:38
```

### Changing the Date Language Dynamically: Example

The following statement changes the language for date format elements to French:

```
ALTER SESSION
   SET NLS_DATE_LANGUAGE = French;

SELECT TO_CHAR(SYSDATE, 'Day DD Month YYYY') Today
   FROM DUAL;
```

```
TODAY
-----
Jeudi   12 Avril   2001
```

### Changing the ISO Currency: Example

The following statement dynamically changes the ISO currency symbol to the ISO currency symbol for the territory America:

```
ALTER SESSION
   SET NLS_ISO_CURRENCY = America;

SELECT TO_CHAR(SUM(salary), 'C999G999D99') Total
   FROM employees;
```

```
TOTAL
-----
      USD694,900.00
```

### Changing the Decimal Character and Group Separator: Example

The following statement dynamically changes the decimal character to comma (,) and the group separator to period (.):

```
ALTER SESSION SET NLS_NUMERIC_CHARACTERS = ',.' ;
```

Oracle Database returns these new characters when you use their number format elements:

```
ALTER SESSION SET NLS_CURRENCY = 'FF';

SELECT TO_CHAR( SUM(salary), 'L999G999D99') Total FROM employees;

TOTAL
-----
      FF694.900,00
```

### Changing the NLS Currency: Example

The following statement dynamically changes the local currency symbol to 'DM':

```
ALTER SESSION
  SET NLS_CURRENCY = 'DM';

SELECT TO_CHAR( SUM(salary), 'L999G999D99') Total
  FROM employees;

TOTAL
-----
      DM694.900,00
```

### Changing the NLS Language: Example

The following statement dynamically changes to French the language in which error messages are displayed:

```
ALTER SESSION
  SET NLS_LANGUAGE = FRENCH;

Session modifiée.

SELECT * FROM DMP;

ORA-00942: Table ou vue inexistante
```

### Changing the Linguistic Sort Sequence: Example

The following statement dynamically changes the linguistic sort sequence to Spanish:

```
ALTER SESSION
  SET NLS_SORT = XSpanish;
```

Oracle Database sorts character values based on their position in the Spanish linguistic sort sequence.

### Enabling Query Rewrite: Example

This statement enables query rewrite in the current session for all materialized views that have not been explicitly disabled:

```
ALTER SESSION
  SET QUERY_REWRITE_ENABLED = TRUE;
```

# 12

## SQL Statements: ALTER SYNONYM to COMMENT

This chapter contains the following SQL statements:

- ALTER SYNONYM
- ALTER SYSTEM
- ALTER TABLE
- ALTER TABLESPACE
- ALTER TABLESPACE SET
- ALTER TRIGGER
- ALTER TYPE
- ALTER USER
- ALTER VIEW
- ANALYZE
- ASSOCIATE STATISTICS
- AUDIT (Traditional Auditing)
- AUDIT (Unified Auditing)
- CALL
- COMMENT

### ALTER SYNONYM

#### Purpose

Use the `ALTER SYNONYM` statement to modify an existing synonym.


#### Prerequisites

To modify a private synonym in another user's schema, you must have the `CREATE ANY SYNONYM` and `DROP ANY SYNONYM` system privileges.

To modify a `PUBLIC` synonym, you must have the `CREATE PUBLIC SYNONYM` and `DROP PUBLIC SYNONYM` system privileges.

## Syntax

***alter\_synonym::=***



## Semantics

### **PUBLIC**

Specify **PUBLIC** if *synonym* is a public synonym. You cannot use this clause to change a public synonym to a private synonym, or vice versa.

### **IF EXISTS**

Specify **IF EXISTS** to alter an existing table.

Specifying **IF NOT EXISTS** with **ALTER VIEW** results in **ORA-11544: Incorrect IF EXISTS clause for ALTER/DROP statement.**

### ***schema***

Specify the schema containing the synonym. If you omit *schema*, then Oracle Database assumes the synonym is in your own schema.

### ***synonym***

Specify the name of the synonym to be altered.

### **EDITIONABLE | NONEDITIONABLE**

Use these clauses to specify whether the synonym becomes an editioned or noneditioned object if editioning is later enabled for the schema object type **SYNONYM** in *schema*. The default is **EDITIONABLE**. For information about altering editioned and noneditioned objects, see *Oracle Database Development Guide*.

### **Restriction on EDITIONABLE | NONEDITIONABLE**

You cannot specify these clauses for a public synonym because editioning is always enabled for the object type **SYNONYM** in the **PUBLIC** schema.

### **COMPILE**

Use this clause to compile *synonym*. A synonym places a dependency on its target object and becomes invalid if the target object is changed or dropped. When you compile an invalid synonym, it becomes valid again.

 **Note:**

You can determine if a synonym is valid or invalid by querying the `STATUS` column of the `ALL_`, `DBA_`, and `USER_OBJECTS` data dictionary views.

### Examples

The following examples modify synonyms that were created in the `CREATE SYNONYM` "Examples".

The following statement compiles synonym `offices`:

```
ALTER SYNONYM offices COMPILE;
```

The following statement compiles public synonym `emp_table`:

```
ALTER PUBLIC SYNONYM emp_table COMPILE;
```

The following statement causes synonym `offices` to remain a noneditioned object if editioning is later enabled for schema object type `SYNONYM` in the schema that contains the synonym `offices`:

```
ALTER SYNONYM offices NONEDITIONABLE;
```

## ALTER SYSTEM

### Purpose

Use the `ALTER SYSTEM` statement to dynamically alter your Oracle Database instance. The settings stay in effect as long as the database is mounted.

When you use the `ALTER SYSTEM` statement in a multitenant container database (CDB), you can specify some clauses to alter the CDB as a whole and other clauses to alter a specific pluggable database (PDB).

 **See Also:**

*Oracle Database Administrator's Guide* for complete information on using the `ALTER SYSTEM` statement in a CDB

### Prerequisites

To specify the `RELOCATE CLIENT` clause, you must be authenticated `AS SYSASM`.

To specify all other clauses, you must have the `ALTER SYSTEM` system privilege.

If you are connected to a CDB:


- To alter the CDB as a whole, the current container must be the root and you must have the commonly granted `ALTER SYSTEM` privilege.



- To alter a PDB, the current container must be the PDB and you must have the ALTER SYSTEM privilege, either granted commonly or granted locally in the PDB.


### Syntax

**alter\_system ::=**




*(archive\_log\_clause::=, checkpoint\_clause::=, check\_datafiles\_clause::=, distributed\_recov\_clauses::=, end\_session\_clauses::=, quiesce\_clauses::=, rolling\_migration\_clauses::=, rolling\_patch\_clauses::=, security\_clauses::=, shutdown\_dispatcher\_clause::=, alter\_system\_set\_clause::=, alter\_system\_reset\_clause::=, cancel\_sql\_clause)*


**archive\_log\_clause::=**



**checkpoint\_clause::=**




**check\_datafiles\_clause::=**




**distributed\_recov\_clauses::=**




**flush\_clause**




**end\_session\_clauses::=**




**quiesce\_clauses::=**




**rolling\_migration\_clauses::=**




**rolling\_patch\_clauses::=**




**security\_clauses::=**



**affinity\_clauses::=**




**set\_encryption\_key::=**




**shutdown\_dispatcher\_clause::=**




***alter\_system\_set\_clause::=***




***set\_parameter\_clause::=***



***alter\_system\_reset\_clause::=***



***cancel\_sql\_clause::=***



## Semantics

### *archive\_log\_clause*

The *archive\_log\_clause* manually archives redo log files or enables or disables automatic archiving. To use this clause, your instance must have the database mounted. The database can be either open or closed unless otherwise noted.

### INSTANCE Clause

This clause is relevant only if you are using Oracle Real Application Clusters (Oracle RAC). Specify the name of the instance for which you want the redo log file group to be archived. The instance name is a string of up to 80 characters. Oracle Database automatically determines the thread that is mapped to the specified instance and archives the corresponding redo log file group. If no thread is mapped to the specified instance, then Oracle Database returns an error.

### SEQUENCE Clause

Specify `SEQUENCE` to manually archive the online redo log file group identified by the log sequence number *integer* in the specified thread. If you omit the `THREAD` parameter, then Oracle Database archives the specified group from the thread assigned to your instance.

### CHANGE Clause

Specify `CHANGE` to manually archive the online redo log file group containing the redo log entry with the system change number (SCN) specified by *integer* in the specified thread. If the SCN is in the current redo log file group, then Oracle Database performs a log switch. If you omit the `THREAD` parameter, then Oracle Database archives the groups containing this SCN from all enabled threads.

You can use this clause only when your instance has the database open.

### CURRENT Clause

Specify `CURRENT` to manually archive the current redo log file group of the specified thread, forcing a log switch. If you omit the `THREAD` parameter, then Oracle Database archives all redo log file groups from all enabled threads, including logs previous to current logs. You can specify `CURRENT` only when the database is open.

### NOSWITCH

Specify `NOSWITCH` if you want to manually archive the current redo log file group without forcing a log switch. This setting is used primarily with standby databases to prevent data divergence when the primary database shuts down. Divergence implies the possibility of data loss in case of primary database failure.

You can use the `NOSWITCH` clause only when your instance has the database mounted but not open. If the database is open, then this operation closes the database automatically. You must then manually shut down the database before you can reopen it.

### GROUP Clause

Specify `GROUP` to manually archive the online redo log file group with the `GROUP` value specified by *integer*. You can determine the `GROUP` value for a redo log file group by querying the dynamic performance view `V$LOG`. If you specify both the `THREAD` and `GROUP` parameters, then the specified redo log file group must be in the specified thread.

### LOGFILE Clause

Specify `LOGFILE` to manually archive the online redo log file group containing the redo log file member identified by '*filename*'. If you specify both the `THREAD` and `LOGFILE` parameters, then the specified redo log file group must be in the specified thread.

If the database was mounted with a backup control file, then specify `USING BACKUP CONTROLFILE` to permit archiving of all online logfiles, including the current logfile.

#### **Restriction on the LOGFILE clause**

You must archive redo log file groups in the order in which they are filled. If you specify a redo log file group for archiving with the `LOGFILE` parameter, and earlier redo log file groups are not yet archived, then Oracle Database returns an error.

#### **NEXT Clause**

Specify `NEXT` to manually archive the next online redo log file group from the specified thread that is full but has not yet been archived. If you omit the `THREAD` parameter, then Oracle Database archives the earliest unarchived redo log file group from any enabled thread.

#### **ALL Clause**

Specify `ALL` to manually archive all online redo log file groups from the specified thread that are full but have not been archived. If you omit the `THREAD` parameter, then Oracle Database archives all full unarchived redo log file groups from all enabled threads.

#### **TO *location* Clause**

Specify `TO 'location'` to indicate the primary location to which the redo log file groups are archived. The value of this parameter must be a fully specified file location following the conventions of your operating system. If you omit this parameter, then Oracle Database archives the redo log file group to the location specified by the initialization parameters `LOG_ARCHIVE_DEST` or `LOG_ARCHIVE_DEST_n`.

#### ***checkpoint\_clause***

Specify `CHECKPOINT` to explicitly force Oracle Database to perform a checkpoint, ensuring that all changes made by committed transactions are written to data files on disk. You can specify this clause only when your instance has the database open. Oracle Database does not return control to you until the checkpoint is complete.

#### **GLOBAL**

In an Oracle Real Application Clusters (Oracle RAC) environment, this setting causes Oracle Database to perform a checkpoint for all instances that have opened the database. This is the default.

#### **LOCAL**

In an Oracle RAC environment, this setting causes Oracle Database to perform a checkpoint only for the thread of redo log file groups for the instance from which you issue the statement.



#### **See Also:**

["Forcing a Checkpoint: Example"](#)

### ***check\_datafiles\_clause***

In a distributed database system, such as an Oracle RAC environment, this clause updates an instance's SGA from the database control file to reflect information on all online data files.

- Specify `GLOBAL` to perform this synchronization for all instances that have opened the database. This is the default.
- Specify `LOCAL` to perform this synchronization only for the local instance.

Your instance should have the database open.

### ***distributed\_recov\_clauses***

The `DISTRIBUTED RECOVERY` clause lets you enable or disable distributed recovery. To use this clause, your instance must have the database open.

#### **ENABLE**

Specify `ENABLE` to enable distributed recovery. In a single-process environment, you must use this clause to initiate distributed recovery.

You may need to issue the `ENABLE DISTRIBUTED RECOVERY` statement more than once to recover an in-doubt transaction if the remote node involved in the transaction is not accessible. In-doubt transactions appear in the data dictionary view `DBA_2PC_PENDING`.



#### **See Also:**

["Enabling Distributed Recovery: Example"](#)

#### **DISABLE**

Specify `DISABLE` to disable distributed recovery.

#### **FLUSH SHARED\_POOL Clause**

The `FLUSH SHARED_POOL` clause lets you clear data from the shared pool in the system global area (SGA). The shared pool stores:

- Cached data dictionary information and
- Shared SQL and PL/SQL areas for SQL statements, stored procedures, functions, packages, and triggers.

This statement does not clear global application context information, nor does it clear shared SQL and PL/SQL areas for items that are currently being executed. You can use this clause regardless of whether your instance has the database dismounted or mounted, open or closed.



#### **See Also:**

["Clearing the Shared Pool: Example"](#)



### FLUSH GLOBAL CONTEXT Clause

The `FLUSH GLOBAL CONTEXT` clause lets you flush all global application context information from the shared pool in the system global area (SGA). You can use this clause regardless of whether your instance has the database dismounted or mounted, open or closed.

### FLUSH BUFFER\_CACHE Clause

The `FLUSH BUFFER_CACHE` clause lets you clear all data from the buffer cache in the system global area (SGA), including the `KEEP`, `RECYCLE`, and `DEFAULT` buffer pools.

Specify `LOCAL` if you only want to flush the local instance. To flush the buffer cache of all instances, specify `GLOBAL`. `GLOBAL` is the default.

#### Note:

This clause is intended for use only on a test database. Do not use this clause on a production database, because as a result of this statement, subsequent queries will have no hits, only misses.

This clause is useful if you need to measure the performance of rewritten queries or a suite of queries from identical starting points.

### FLUSH FLASH\_CACHE Clause

Use the `FLUSH FLASH_CACHE` clause to flush the Database Smart Flash Cache. This clause can be useful if you need to measure the performance of rewritten queries or a suite of queries from identical starting points, or if there might be corruption in the cache.

Specify `LOCAL` if you only want to flush the local instance. To flush the flash cache of all instances, specify `GLOBAL`. `GLOBAL` is the default.

### FLUSH REDO Clause

Use the `FLUSH REDO` clause to flush redo data from a primary database to a standby database and to optionally wait for the flushed redo data to be applied to a physical or logical standby database.

This clause can allow a failover to be performed on the target standby database without data loss, even if the primary database is not in a zero data loss data protection mode, provided that all redo data that has been generated by the primary database can be flushed to the standby database.

The `FLUSH REDO` clause must be issued on a mounted, but not open, primary database.

#### ***target\_db\_name***

For *target\_db\_name*, specify the `DB_UNIQUE_NAME` of the standby database that is to receive the redo data flushed from the primary database.

The value of the `LOG_ARCHIVE_DEST_n` database initialization parameter that corresponds to the target standby database must contain the `DB_UNIQUE_NAME`

attribute, and the value of that attribute must match the `DB_UNIQUE_NAME` of the target standby database.

### NO CONFIRM APPLY

If you specify this clause, then the `ALTER SYSTEM` statement will not complete until the standby database has received all of the flushed redo data. You must specify this clause if the target standby database is a snapshot standby database.

### CONFIRM APPLY

If you specify this clause, then the `ALTER SYSTEM` statement will not complete until the target standby database has received and applied all flushed redo data. This is the default behavior unless you specify `NO CONFIRM APPLY`. You cannot specify this clause if the target standby database is a snapshot standby database.

#### See Also:

*Oracle Data Guard Concepts and Administration* for more information about the `FLUSH REDO` clause and failovers

### FLUSH PASSWORDFILE\_METADATA\_CACHE

If the location or the name of the password file changes, you must notify the database that a change has occurred. The command `ALTER SYSTEM FLUSH PASSWORDFILE_METADATA_CACHE` flushes the password file metadata cache stored in the SGA and informs the database that a change has occurred.

The command also flushes the cache from all the RAC instances if it is run in a cluster environment. Note the delay in propagating the change across all instances. Until the flush is fully propagated, some instances might continue to use the old password file.

#### *end\_session\_clauses*

The *end\_session\_clauses* give you several ways to end the current session.

### DISCONNECT SESSION Clause

Use the `DISCONNECT SESSION` clause to disconnect the current session by destroying the dedicated server process (or virtual circuit if the connection was made by way of a Shared Server). To use this clause, your instance must have the database open. You must identify the session with both of the following values from the `V$SESSION` view:

- For *session\_id*, specify the value of the `SID` column.
- For *serial\_number*, specify the value of the `SERIAL#` column.

If system parameters are appropriately configured, then application failover will take effect.

- The `POST_TRANSACTION` setting allows ongoing transactions to complete before the session is disconnected. If the session has no ongoing transactions, then this clause has the same effect described for as `KILL SESSION`.
- The `IMMEDIATE` setting disconnects the session and recovers the entire session state immediately, without waiting for ongoing transactions to complete.

- If you also specify `POST_TRANSACTION` and the session has ongoing transactions, then the `IMMEDIATE` keyword is ignored.
- If you do not specify `POST_TRANSACTION`, or you specify `POST_TRANSACTION` but the session has no ongoing transactions, then this clause has the same effect as described for `KILL SESSION IMMEDIATE`.

**See Also:**

["Disconnecting a Session: Example"](#)

### KILL SESSION Clause

The `KILL SESSION` clause lets you mark a session as terminated, roll back ongoing transactions, release all session locks, and partially recover session resources. To use this clause, your instance must have the database open. Your session and the session to be terminated must be on the same instance unless you specify `integer3`. You must identify the session with the following values from the `V$SESSION` view:

- For `session_id`, specify the value of the `SID` column.
- For `serial_number`, specify the value of the `SERIAL#` column.
- For the optional `instance_id`, specify the ID of the instance where the target session to be killed exists. You can find the instance ID by querying the `GV$` tables.

If the session is performing some activity that must be completed, such as waiting for a reply from a remote database or rolling back a transaction, then Oracle Database waits for this activity to complete, marks the session as terminated, and then returns control to you. If the waiting lasts a minute, then Oracle Database marks the session to be terminated and returns control to you with a message that the session is marked to be terminated. The `PMON` background process then marks the session as terminated when the activity is complete.

Whether or not the session has an ongoing transaction, Oracle Database does not recover the entire session state until the session user issues a request to the session and receives a message that the session has been terminated.

**See Also:**

["Terminating a Session: Example"](#)

### IMMEDIATE

Specify `IMMEDIATE` to instruct Oracle Database to roll back ongoing transactions, release all session locks, recover the entire session state, and return control to you immediately.

Note that `IMMEDIATE` only returns control immediately, if `TIMEOUT` is not specified.

`IMMEDIATE` is similar to the case when the session is deleted without a modifier in that it waits until the activity completes. Once the activity completes, the full session is deleted without waiting for the session user and the connection is closed.

## FORCE

`FORCE` is similar to `IMMEDIATE` except that `FORCE` will forcefully terminate the connection if a timeout occurs.

### Example

```
ALTER SYSTEM KILL SESSION '20,1' FORCE;
```

## NOREPLAY

This clause is valid if you are using Application Continuity. When connected to a service with Application Continuity enabled (that is, `FAILOVER_TYPE = TRANSACTION`), the session is recovered after the session fails or is killed. If you do not want to recover a session after it is terminated, then specify `NOREPLAY`.

## TIMEOUT

Specify `TIMEOUT` to set the maximum amount of time (in seconds) to wait before terminating the session. It overrides the default timeout.

The current default timeout values are:

- 60 seconds when no modifier is specified
- 0 seconds when the modifier `IMMEDIATE` is specified
- 5 seconds when the modifier `FORCE` is specified

The action that occurs at `TIMEOUT` is different for `IMMEDIATE`, which marks the session for termination and `FORCE`, which forcefully terminates the session.

### Example

```
ALTER SYSTEM KILL SESSION '20,1' TIMEOUT 20;
```

## SWITCH LOGFILE Clause

The `SWITCH LOGFILE` clause lets you explicitly force Oracle Database to begin writing to a new redo log file group, regardless of whether the files in the current redo log file group are full. When you force a log switch, Oracle Database begins to perform a checkpoint but returns control to you immediately rather than when the checkpoint is complete. To use this clause, your instance must have the database open.



### See Also:

["Forcing a Log Switch: Example"](#)

## SUSPEND | RESUME

The `SUSPEND` clause lets you suspend all I/O (data file, control file, and file header) as well as queries, in all instances, enabling you to make copies of the database without having to handle ongoing transactions.

### Restrictions on SUSPEND and RESUME

`SUSPEND` and `RESUME` are subject to the following restrictions:

- Do not use this clause unless you have put the database tablespaces in hot backup mode.
- Do not terminate the session that issued the `ALTER SYSTEM SUSPEND` statement. An attempt to reconnect while the system is suspended may fail because of recursive SQL that is running during the `SYS` login.
- If you start a new instance while the system is suspended, then that new instance will not be suspended.

The `RESUME` clause lets you make the database available once again for queries and I/O.

### *quiesce\_clauses*

Use the `QUIESCE RESTRICTED` and `UNQUIESCE` clauses to put the database in and take it out of the **quiesced state**. This state enables database administrators to perform administrative operations that cannot be safely performed in the presence of concurrent transactions, queries, or PL/SQL operations.

#### **Note:**

The `QUIESCE RESTRICTED` clause is valid only if the Database Resource Manager is installed and only if the Resource Manager has been on continuously since database startup in any instances that have opened the database.

If multiple `QUIESCE RESTRICTED` or `UNQUIESCE` statements issue at the same time from different sessions or instances, then all but one will receive an error.

### **QUIESCE RESTRICTED**

Specify `QUIESCE RESTRICTED` to put the database in the quiesced state. For all instances with the database open, this clause has the following effect:

- Oracle Database instructs the Database Resource Manager in all instances to prevent all inactive sessions (other than `SYS` and `SYSTEM`) from becoming active. No user other than `SYS` and `SYSTEM` can start a new transaction, a new query, a new fetch, or a new PL/SQL operation.
- Oracle Database waits for all existing transactions in all instances that were initiated by a user other than `SYS` or `SYSTEM` to finish (either commit or abort). Oracle Database also waits for all running queries, fetches, and PL/SQL procedures in all instances that were initiated by users other than `SYS` or `SYSTEM` and that are not inside transactions to finish. If a query is carried out by multiple successive OCI fetches, then Oracle Database does not wait for all fetches to finish. It waits for the current fetch to finish and then blocks the next fetch. Oracle Database also waits for all sessions (other than those of `SYS` or `SYSTEM`) that hold any shared resources (such as enqueues) to release those resources. After all these operations finish, Oracle Database places the database into quiesced state and finishes executing the `QUIESCE RESTRICTED` statement.
- If an instance is running in shared server mode, then Oracle Database instructs the Database Resource Manager to block logins (other than `SYS` or `SYSTEM`) on that

instance. If an instance is running in non-shared-server mode, then Oracle Database does not impose any restrictions on user logins in that instance.

During the quiesced state, you cannot change the Resource Manager plan in any instance.

## UNQUIESCE

Specify `UNQUIESCE` to take the database out of quiesced state. Doing so permits transactions, queries, fetches, and PL/SQL procedures that were initiated by users other than `SYS` or `SYSTEM` to be undertaken once again. The `UNQUIESCE` statement does not have to originate in the same session that issued the `QUIESCE RESTRICTED` statement.

### *rolling\_migration\_clauses*

Use these clauses in a clustered Oracle Automatic Storage Management (Oracle ASM) environment to migrate one node at a time to a different Oracle ASM version without affecting the overall availability of the Oracle ASM cluster or the database clusters using Oracle ASM for storage.

## START ROLLING MIGRATION

When starting rolling upgrade, for `ASM_version`, you must specify the following string:

```
'<version_num>, <release_num>, <update_num>,<port_release_num>,<port_update_num>'
```

`ASM_version` must be equal to or greater than 11.1.0.0.0. The surrounding single quotation marks are required. Oracle ASM first verifies that the current release is compatible for migration to the specified release, and then goes into limited functionality mode. Oracle ASM then determines whether any rebalance operations are under way anywhere in the cluster. If there are any such operations, then the statement fails and must be reissued after the rebalance operations are complete.

Rolling upgrade mode is a cluster-wide In-Memory persistent state. The cluster continues to be in this state until there is at least one Oracle ASM instance running in the cluster. Any new instance joining the cluster switches to migration mode immediately upon startup. If all the instances in the cluster terminate, then subsequent startup of any Oracle ASM instance will not be in rolling upgrade mode until you reissue this statement to restart rolling upgrade of the Oracle ASM instances.

## STOP ROLLING MIGRATION

Use this clause to stop rolling upgrade and bring the cluster back into normal operation. Specify this clause only after all instances in the cluster have migrated to the same software version. The statement will fail if the cluster is not in rolling upgrade mode.

When you specify this clause, the Oracle ASM instance validates that all the members of the cluster are at the same software version, takes the instance out of rolling upgrade mode, and returns to full functionality of the Oracle ASM cluster. If any rebalance operations are pending because disks have gone offline, then those operations are restarted if the `ASM_POWER_LIMIT` parameter would not be violated by such a restart.

### See Also:

*Oracle Automatic Storage Management Administrator's Guide* for more information about rolling upgrade

### *rolling\_patch\_clauses*

Use these clauses in a clustered Oracle Automatic Storage Management (Oracle ASM) environment to update one node at a time to the latest patch level without affecting the overall availability of the Oracle ASM cluster or the database clusters using Oracle ASM for storage.

#### **START ROLLING PATCH**

Use this clause to start the rolling patch operation. Oracle ASM first verifies that all live nodes in the cluster are at the same version, and then goes into rolling patch mode, which is a cluster-wide In-Memory persistent state. The cluster continues to be in this state until all live nodes have been patched to the latest patch level.

Any nodes that are down during this operation are not patched. This does not affect the success of the rolling patch operation. However, you must patch these nodes before they are started. Otherwise, they will not be allowed to join the cluster.

#### **STOP ROLLING PATCH**

use this clause to stop the rolling patch operation and bring the cluster back into normal operation. Specify this clause only after all live nodes in the cluster have been patched to the latest patch level. The statement will fail if the cluster is not in rolling patch mode.

When you specify this clause, the Oracle ASM instance validates that all members of the cluster are at the same patch level, takes the instance out of rolling patch mode, and returns full functionality of the Oracle ASM cluster. If any members of the cluster are not at the latest patch level, then this operation fails and the cluster goes into limited functionality mode.

The following queries display information about rolling patches. In order to run these queries, you must be connected to the Oracle ASM instance in the Grid home, and the Grid Infrastructure home must be configured with the Oracle Clusterware option for an Oracle RAC environment.

- You can determine whether a cluster is in rolling patch mode with the following query:  

```
SELECT SYS_CONTEXT('SYS_CLUSTER_PROPERTIES', 'CLUSTER_STATE') FROM DUAL;
```
- You can determine the patch level of a cluster with the following query:  

```
SELECT SYS_CONTEXT('SYS_CLUSTER_PROPERTIES', 'CURRENT_PATCHLVL') FROM DUAL;
```
- You can display a list of patches applied on the Oracle ASM instance, by querying the `V$PATCHES` dynamic performance view. Refer to *Oracle Database Reference* for more information.



#### **See Also:**

*Oracle Automatic Storage Management Administrator's Guide* for more information about rolling patches

### *security\_clauses*

The *security\_clauses* let you control access to the instance. They also allow you to enable or disable access to the encrypted data in the instance.

#### **RESTRICTED SESSION**

The `RESTRICTED SESSION` clause lets you restrict logon to Oracle Database. You can use this clause regardless of whether your instance has the database dismounted or mounted, open or closed.

- Specify `ENABLE` to allow only users with `RESTRICTED SESSION` system privilege to log on to Oracle Database. Existing sessions are not terminated.

This clause applies only to the current instance. Therefore, in an Oracle RAC environment, authorized users without the `RESTRICTED SESSION` system privilege can still access the database by way of other instances.

- Specify `DISABLE` to reverse the effect of the `ENABLE RESTRICTED SESSION` clause, allowing all users with `CREATE SESSION` system privilege to log on to Oracle Database. This is the default.

#### See Also:

- ["Restricting Sessions: Example"](#)
- The description of the `CREATE TABLE` "*encryption\_spec*" for information on using that feature to encrypt table columns
- ["Establishing a Wallet and Encryption Key: Examples"](#)

### *affinity\_clauses*

Use the affinity clauses to enable data-dependent routing to provide cache affinity on a RAC database. The affinity logically partitions data across RAC instances so that a distinct subset of data is assigned to each instance. When data is accessed with a sharding key, the request will be routed to the instance that holds the corresponding subset of data. The benefits of affinity are:

- Sharded access for shard-aware applications and transparency for non-sharded applications
- Better cache utilization and reduced block pings

### *shutdown\_dispatcher\_clause*

The `SHUTDOWN` clause is relevant only if your system is using the shared server architecture of Oracle Database. It shuts down a dispatcher identified by *dispatcher\_name*.

#### Note:

Do not confuse this clause with the SQL\*Plus command `SHUTDOWN`, which is used to shut down the entire database.



The `dispatcher_name` must be a string of the form 'Dxxx', where xxx indicates the number of the dispatcher. For a listing of dispatcher names, query the `NAME` column of the `V$DISPATCHER` dynamic performance view.

- If you specify `IMMEDIATE`, then the dispatcher stops accepting new connections immediately and Oracle Database terminates all existing connections through that dispatcher. After all sessions are cleaned up, the dispatcher process shuts down.
- If you do not specify `IMMEDIATE`, then the dispatcher stops accepting new connections immediately but waits for all its users to disconnect and for all its database links to terminate. Then it shuts down.

### REGISTER Clause

Specify `REGISTER` to instruct the `PMON` background process to register the instance with the listeners immediately. If you do not specify this clause, then registration of the instance does not occur until the next time `PMON` executes the discovery routine. As a result, clients may not be able to access the services for as long as 60 seconds after the listener is started.



#### See Also:

*Oracle Database Concepts* and *Oracle Database Net Services Administrator's Guide* for information on the `PMON` background process and listeners

### *alter\_system\_set\_clause*

This clause allows you to change parameter values. The `set_parameter_clause` allows you to change the value of a specified initialization parameter. The `USE_STORED_OUTLINES` and `GLOBAL_TOPIC_ENABLED` clauses allow you to change the value of those system parameters.

### *set\_parameter\_clause*

You can change the value of many initialization parameters for the current instance, whether you have started the database with a traditional plain-text parameter file (pfile) or with a server parameter file (spfile). *Oracle Database Reference* indicates these parameters in the "Modifiable" category of each parameter description. If you are using a pfile, then the change will persist only for the duration of the instance. However, if you have started the database with an spfile, then you can change the value of the parameter in the spfile itself, so that the new value will occur in subsequent instances.

Oracle Database Reference documents all initialization parameters in full. The parameters fall into three categories:

- **Basic parameters:** Database administrators should be familiar with and consider the setting for all of the basic parameters.
- **Functional categories:** Oracle Database Reference also lists the initialization parameters by their functional category.
- **Alphabetical listing:** The Table of Contents of *Oracle Database Reference* contains all initialization parameters in alphabetical order.

The ability to change initialization parameter values depends on whether you have started up the database with a traditional plain-text initialization parameter file (pfile) or with a server parameter file (spfile). To determine whether you can change the value of a particular parameter, query the `ISSYS_MODIFIABLE` column of the `V$PARAMETER` dynamic performance view.

If you want to enforce case on parameter values that are string literals, you must enclose them within single quotes.

You can enforce the minimum password length for database user accounts across the entire CDB or individual PDBs by setting the `MANDATORY_USER_PROFILE` parameter in the `init.ora` file.

### Example

This statement sets the `MANDATORY_USER_PROFILE` parameter to the mandatory profile `c##cdb_profile` for all the PDBs in the CDB:

```
ALTER SYSTEM SET MANDATORY_USER_PROFILE=c##cdb_profile;
```

Only a common user who has been commonly granted the `ALTER SYSTEM` privilege or has the `SYSDBA` administrative privilege can modify the `MANDATORY_USER_PROFILE` in the `init.ora` file.

#### See Also:

- [CREATE PROFILE](#)
- [Managing Security for Oracle Databases](#)

When setting a parameter value, you can specify additional settings as follows:

#### COMMENT

The `COMMENT` clause lets you associate a comment string with this change in the value of the parameter. The comment string cannot contain control characters or a line break. If you also specify `SPFILE`, then this comment will appear in the parameter file to indicate the most recent change made to this parameter.

#### DEFERRED

The `DEFERRED` keyword sets or modifies the value of the parameter for future sessions that connect to the database. Current sessions retain the old value.

You must specify `DEFERRED` if the value of the `ISSYS_MODIFIABLE` column of `V$PARAMETER` for this parameter is `DEFERRED`. If the value of that column is `IMMEDIATE`, then the `DEFERRED` keyword in this clause is optional. If the value of that column is `FALSE`, then you cannot specify `DEFERRED` in this `ALTER SYSTEM` statement.

#### See Also:

*Oracle Database Reference* for information on the `V$PARAMETER` dynamic performance view

## CONTAINER

You can specify the `CONTAINER` clause when you set a parameter value in a CDB. A CDB uses an inheritance model for initialization parameters in which PDBs inherit initialization parameter values from the root. In this case, inheritance means that the value of a particular parameter in the root applies to a particular PDB.

A PDB can override the root's setting for some parameters, which means that a PDB has an inheritance property for each initialization parameter that is either true or false. The inheritance property is true for a parameter when the PDB inherits the root's value for the parameter. The inheritance property is false for a parameter when the PDB does not inherit the root's value for the parameter.

The inheritance property for some parameters must be true. For other parameters, you can change the inheritance property by running the `ALTER SYSTEM SET` statement to set the parameter when the current container is the PDB. If `ISPDB_MODIFIABLE` is `TRUE` for an initialization parameter in the `V$SYSTEM_PARAMETER` view, then the inheritance property can be false for the parameter.

- If you specify `CONTAINER = ALL`, then the parameter setting applies to all containers in the CDB, including the root and all of the PDBs. The current container must be the root.

Specifying `ALL` sets the inheritance property to true for the parameter in all PDBs.

- If you specify `CONTAINER = CURRENT`, then the parameter setting applies only to the current container. When the current container is the root, the parameter setting applies to the root and to any PDB with an inheritance property of true for the parameter.

If you omit this clause, then `CONTAINER = CURRENT` is the default.

### See Also:

*Oracle Database Administrator's Guide* for more information on modifying parameters in a CDB

## SCOPE

The `SCOPE` clause lets you specify when the change takes effect. The behavior of this clause depends on whether you are connected to a non-CDB, a CDB root, or a PDB.

**When you issue the `ALTER SYSTEM` statement while connected to a non-CDB or a CDB root**, the scope depends on whether you started up the database using a traditional plain-text parameter file (pfile) or server parameter file (spfile).

- `MEMORY` indicates that the change is made in memory, takes effect immediately, and persists until the database is shut down. If you started up the database using a parameter file (pfile), then this is the only scope you can specify.

Note that `MEMORY` makes changes in memory of all the instances and overwrites values set individually on the instance.

- `SPFILE` indicates that the change is made in the server parameter file. The new setting takes effect when the database is next shut down and started up again.

You must specify `SPFILE` when changing the value of a static parameter that is described as not modifiable in *Oracle Database Reference*.

Note that `SPFILE` makes no changes in memory, which means that the instance parameter set individually on the instance takes precedence over global.

- `BOTH` indicates that the change is made in memory and in the server parameter file. The new setting takes effect immediately and persists after the database is shut down and started up again.

Note that `BOTH` makes changes in memory of all the instances and overwrites values set individually on the instance, until the instance is restarted. When the instance is restarted, the spfile is read and then the instance parameter takes precedence.

If a server parameter file was used to start up the database, then `BOTH` is the default. If a parameter file was used to start up the database, then `MEMORY` is the default, as well as the only scope you can specify.

**When you issue the `ALTER SYSTEM` statement while connected to a PDB**, you can modify only initialization parameters for which the `ISPDB_MODIFIABLE` column is `TRUE` in the `V$SYSTEM_PARAMETER` view. The initialization parameter value takes effect only for the PDB. For any initialization parameter that is not set explicitly for a PDB, the PDB inherits the CDB root's parameter value.

- `MEMORY` indicates that the change is made in memory and takes effect immediately in the PDB. The setting reverts to the value set in the CDB root in the any of the following cases:
  - An `ALTER SYSTEM SET` statement sets the value of the parameter in the root with `SCOPE` equal to `BOTH` or `MEMORY`, and the PDB is closed and reopened. The parameter value in the PDB is not changed if `SCOPE` is equal to `SPFILE`, and the PDB is closed and reopened.
  - The PDB is closed and reopened.
  - The CDB is shut down and reopened.
- `SPFILE` indicates that the change is made for the PDB and stored persistently. The new setting affects only the PDB and takes effect in either of the following cases:
  - The PDB is closed and reopened.
  - The CDB is shut down and reopened.
- `BOTH` indicates that the change is made in memory, made for the PDB, and stored persistently. The new setting takes effect immediately in the PDB and persists after the PDB is closed and reopened or the CDB is shut down and reopened. The new setting affects only the PDB.

When a PDB is unplugged from a CDB, the values of the initialization parameters that were specified for the PDB with `SCOPE=BOTH` or `SCOPE=SPFILE` are added to the PDB's XML metadata file. These values are restored for the PDB when it is plugged in to a CDB.

 **Note:**

Oracle may internally adjust the parameter value passed in `ALTER SYSTEM SET` before it is set in memory or the spfile. For example, if you input a non-prime number when the parameter value should be a prime number, Oracle will adjust the value to the next prime number. You can query the parameter value from parameter views `V$PARAMETER`, `V$SYSTEM_PARAMETER`, and `V$SPPARAMETER`.

**SID**

The `SID` clause lets you specify the SID of the instance where the value will take effect.

- Specify `SID = '*'` if you want Oracle Database to change the value of the parameter for all instances that do not already have an explicit setting for this parameter.
- Specify `SID = 'sid'` if you want Oracle Database to change the value of the parameter only for the instance `sid`. This setting takes precedence over previous and subsequent `ALTER SYSTEM SET` statements that specify `SID = '*'`.

If you do not specify this clause, then:

- If the instance was started up with a pfile (traditional plain-text initialization parameter file), then Oracle Database assumes the SID of the current instance.
- If the instance was started up with an spfile (server parameter file), then Oracle Database assumes `SID = '*'`.

If you specify an instance other than the current instance, then Oracle Database sends a message to that instance to change the parameter value in the memory of that instance.

**USE\_STORED\_OUTLINES Clause** **Note:**

Stored outlines are deprecated. They are still supported for backward compatibility. However, Oracle recommends that you use SQL plan management instead. Refer to *Oracle Database SQL Tuning Guide* for more information about SQL plan management.

`USE_STORED_OUTLINES` is a system parameter, not an initialization parameter. You cannot set it in a pfile or spfile, but you can set it with an `ALTER SYSTEM` statement. This parameter determines whether the optimizer will use stored public outlines to generate execution plans.

- `TRUE` causes the optimizer to use outlines stored in the `DEFAULT` category when compiling requests.
- `FALSE` specifies that the optimizer should not use stored outlines. This is the default.

- *category\_name* causes the optimizer to use outlines stored in the *category\_name* category when compiling requests.

### GLOBAL\_TOPIC\_ENABLED

GLOBAL\_TOPIC\_ENABLED is a system parameter, not an initialization parameter. You cannot set it in a pfile or spfile, but you can set it with an ALTER SYSTEM statement. If GLOBAL\_TOPIC\_ENABLED = TRUE when a queue table is created, altered, or dropped, then the corresponding Lightweight Directory Access Protocol (LDAP) entry is also created, altered or dropped.

The parameter works the same way for the Java Message Service (JMS). If a database has been configured to use LDAP and the GLOBAL\_TOPIC\_ENABLED parameter has been set to TRUE, then all JMS queues and topics are automatically registered with the LDAP server when they are created. The administrator can also create aliases to the queues and topics registered in LDAP. Queues and topics that are registered in LDAP can be looked up through JNDI using the name or alias of the queue or topic.

### Shared Server Parameters

When you start your instance, Oracle Database creates shared server processes and dispatcher processes for the shared server architecture based on the values of the SHARED\_SERVERS and DISPATCHERS initialization parameters. You can also set the SHARED\_SERVERS and DISPATCHERS parameters with ALTER SYSTEM to perform one of the following operations while the instance is running:

- Create additional shared server processes by increasing the minimum number of shared server processes.
- Terminate existing shared server processes after their current calls finish processing.
- Create more dispatcher processes for a specific protocol, up to a maximum across all protocols specified by the initialization parameter MAX\_DISPATCHERS.
- Terminate existing dispatcher processes for a specific protocol after their current user processes disconnect from the instance.

#### See Also:

- *Oracle Real Application Clusters Administration and Deployment Guide* for information on setting parameter values for an individual instance in an Oracle Real Application Clusters environment
- The following examples of using the ALTER SYSTEM statement: "[Changing Licensing Parameters: Examples](#)", "[Enabling Query Rewrite: Example](#)", "[Enabling Resource Limits: Example](#)", "[Shared Server Parameters](#)", and "[Changing Shared Server Settings: Examples](#)"

### *alter\_system\_reset\_clause*

This clause lets you reset an initialization parameter.

The semantics of this clause are similar to the *set\_parameter\_clause*, except instead of changing the value of an initialization parameter, this clause removes the setting of an initialization parameter. Refer to the [set\\_parameter\\_clause](#) to learn about the parameters you can reset, and for the full semantics of the SCOPE and SID clauses.

## RELOCATE CLIENT

This clause is valid only if you are using Oracle Flex ASM. You must issue this clause from within an Oracle ASM instance, not from a normal database instance.

Use this clause to relocate the specified client to the least loaded Oracle ASM instance. When you issue this clause, the connection to the client is terminated and the client fails over to the least loaded instance. If the client is currently connected to the least loaded instance, then the connection to the client is terminated and the client fails over to that same instance.

For *client\_id*, specify a string of the following form enclosed in single quotation marks:

```
instance_name:db_name
```

where *instance\_name* is the identifier for the client and *db\_name* is the database name for the client. You can find these values by querying the `INSTANCE_NAME` and `DB_NAME` columns of the `V$ASM_CLIENT` dynamic performance view.

### See Also:

- *Oracle Automatic Storage Management Administrator's Guide* for more information on managing Oracle Flex ASM
- *Oracle Database Reference* for more information on the `V$ASM_CLIENT` dynamic performance view

### **cancel\_sql\_clause**

Use this clause to terminate a SQL operation that is consuming excessive resources, including parallel servers. You must provide the session id and the session serial number of the session whose active SQL statement you want to cancel. If the session is idle (no actively running SQL statement), the next SQL statement will be canceled. To avoid the next SQL statement from getting canceled, specify the *sql\_id* in the arguments to identify the SQL statement to be canceled.

- *session\_id* is required and stands for the session identifier.
- *serial\_number* is required and stands for the serial number of the session.
- *instance\_id* is optional. If this argument is omitted, the instance id of the current session is used.
- *sql\_id* is optional. If this argument is specified, the *sql\_id* will be matched with the actively-running SQL statement in the session before terminating the SQL. If the session is executing a SQL statement other than the one specified in the *sql\_id* argument, an error is raised.

### Examples

#### Archiving Redo Logs Manually: Examples

The following statement manually archives the redo log file group containing the redo log entry with the SCN 9356083:

```
ALTER SYSTEM ARCHIVE LOG CHANGE 9356083;
```

The following statement manually archives the redo log file group containing a member named 'disk1:log6.log' to an archived redo log file in the location 'diska:[arch\$]':

```
ALTER SYSTEM ARCHIVE LOG
  LOGFILE 'disk1:log6.log'
  TO 'diska:[arch$]';
```

### Enabling Query Rewrite: Example

This statement enables query rewrite in all sessions for all materialized views for which query rewrite has not been explicitly disabled:

```
ALTER SYSTEM SET QUERY_REWRITE_ENABLED = TRUE;
```

### Restricting Sessions: Example

You might want to restrict sessions if you are performing application maintenance and you want only application developers with `RESTRICTED SESSION` system privilege to log on. To restrict sessions, issue the following statement:

```
ALTER SYSTEM
  ENABLE RESTRICTED SESSION;
```

You can then terminate any existing sessions using the `KILL SESSION` clause of the `ALTER SYSTEM` statement.

After performing maintenance on your application, issue the following statement to allow any user with `CREATE SESSION` system privilege to log on:

```
ALTER SYSTEM
  DISABLE RESTRICTED SESSION;
```

### Establishing a Wallet and Encryption Key: Examples

The following statements load information from the server wallet into memory and set the Transparent Data Encryption master key:

```
ALTER SYSTEM SET ENCRYPTION WALLET OPEN IDENTIFIED BY "password";
ALTER SYSTEM SET ENCRYPTION KEY IDENTIFIED BY "password";
```

These statements assume that you have initialized the security module and created a wallet with `password`.

### Closing a Wallet: Examples

The following statement removes password-based wallet information from memory:

```
ALTER SYSTEM SET ENCRYPTION WALLET CLOSE IDENTIFIED BY "password";
```

The following statement removes password-based wallet information and auto-login information, if present, from memory:

```
ALTER SYSTEM SET ENCRYPTION WALLET CLOSE;
```

### Clearing the Shared Pool: Example

You might want to clear the shared pool before beginning performance analysis. To clear the shared pool, issue the following statement:

```
ALTER SYSTEM FLUSH SHARED_POOL;
```



### Forcing a Checkpoint: Example

The following statement forces a checkpoint:

```
ALTER SYSTEM CHECKPOINT;
```

### Enabling Resource Limits: Example

This ALTER SYSTEM statement dynamically enables resource limits:

```
ALTER SYSTEM SET RESOURCE_LIMIT = TRUE;
```

### Changing Shared Server Settings: Examples

The following statement changes the minimum number of shared server processes to 25:

```
ALTER SYSTEM SET SHARED_SERVERS = 25;
```

If there are currently fewer than 25 shared server processes, then Oracle Database creates more. If there are currently more than 25, then Oracle Database terminates some of them when they are finished processing their current calls if the load could be managed by the remaining 25.

The following statement dynamically changes the number of dispatcher processes for the TCP/IP protocol to 5 and the number of dispatcher processes for the ipc protocol to 10:

```
ALTER SYSTEM
  SET DISPATCHERS =
    '(INDEX=0) (PROTOCOL=TCP) (DISPATCHERS=5) ',
    '(INDEX=1) (PROTOCOL=ipc) (DISPATCHERS=10) ';
```

If there are currently fewer than 5 dispatcher processes for TCP, then Oracle Database creates new ones. If there are currently more than 5, then Oracle Database terminates some of them after the connected users disconnect.

If there are currently fewer than 10 dispatcher processes for ipc, then Oracle Database creates new ones. If there are currently more than 10, then Oracle Database terminates some of them after the connected users disconnect.

If there are currently existing dispatchers for another protocol, then the preceding statement does not affect the number of dispatchers for that protocol.

### Changing Licensing Parameters: Examples

The following statement dynamically changes the limit on sessions for your instance to 64 and the warning threshold for sessions on your instance to 54:

```
ALTER SYSTEM
  SET LICENSE_MAX_SESSIONS = 64
  LICENSE_SESSIONS_WARNING = 54;
```

If the number of sessions reaches 54, then Oracle Database writes a warning message to the ALERT file for each subsequent session. Also, users with RESTRICTED SESSION system privilege receive warning messages when they begin subsequent sessions.

If the number of sessions reaches 64, then only users with RESTRICTED SESSION system privilege can begin new sessions until the number of sessions falls below 64 again.

The following statement dynamically disables the limit for sessions on your instance. After you issue this statement, Oracle Database no longer limits the number of sessions on your instance.

```
ALTER SYSTEM SET LICENSE_MAX_SESSIONS = 0;
```

The following statement dynamically changes the limit on the number of users in the database to 200. After you issue the preceding statement, Oracle Database prevents the number of users in the database from exceeding 200.

```
ALTER SYSTEM SET LICENSE_MAX_USERS = 200;
```

### Forcing a Log Switch: Example

You might want to force a log switch to drop or rename the current redo log file group or one of its members, because you cannot drop or rename a file while Oracle Database is writing to it. The forced log switch affects only the redo log thread of your instance. The following statement forces a log switch:

```
ALTER SYSTEM SWITCH LOGFILE;
```

### Enabling Distributed Recovery: Example

The following statement enables distributed recovery:

```
ALTER SYSTEM ENABLE DISTRIBUTED RECOVERY;
```

You might want to disable distributed recovery for demonstration or testing purposes. You can disable distributed recovery in both single-process and multiprocess mode with the following statement:

```
ALTER SYSTEM DISABLE DISTRIBUTED RECOVERY;
```

When your demonstration or testing is complete, you can then enable distributed recovery again by issuing an `ALTER SYSTEM` statement with the `ENABLE DISTRIBUTED RECOVERY` clause.

### Terminating a Session: Example

You might want to terminate the session of a user that is holding resources needed by other users. The user receives an error message indicating that the session has been terminated. That user can no longer make calls to the database without beginning a new session. Consider this data from the `V$SESSION` dynamic performance table, when the users `SYS` and `oe` both have open sessions:

```
SELECT sid, serial#, username
       FROM V$SESSION;
```

SID	SERIAL#	USERNAME
29	85	SYS
33	1	
35	8	
39	23	OE
40	1	
. . .		

The following statement terminates the session of the user `scott` using the `SID` and `SERIAL#` values from `V$SESSION`:

```
ALTER SYSTEM KILL SESSION '39, 23';
```

### Disconnecting a Session: Example

The following statement disconnects user `scott`'s session, using the `SID` and `SERIAL#` values from `V$SESSION`:

```
ALTER SYSTEM DISCONNECT SESSION '13, 8' POST_TRANSACTION;
```

## ALTER TABLE

### Purpose

Use the `ALTER TABLE` statement to alter the definition of a nonpartitioned table, a partitioned table, a table partition, or a table subpartition. For object tables or relational tables with object columns, use `ALTER TABLE` to convert the table to the latest definition of its referenced type after the type has been altered.

#### Note:

Oracle recommends that you use the `ALTER MATERIALIZED VIEW LOG` statement, rather than `ALTER TABLE`, whenever possible for operations on materialized view log tables.

#### See Also:

- [CREATE TABLE](#) for information on creating tables
- *Oracle Text Reference* for information on `ALTER TABLE` statements in conjunction with Oracle Text

### Prerequisites

The table must be in your own schema, or you must have `ALTER` object privilege on the table, or you must have `ALTER ANY TABLE` system privilege.

#### Additional Prerequisites for Partitioning Operations

If you are not the owner of the table, then you need the `DROP ANY TABLE` privilege in order to use the `d_table_partition` or `truncate_table_partition` clause.

You must also have space quota in the tablespace in which space is to be acquired in order to use the `add_table_partition`, `modify_table_partition`, `move_table_partition`, and `split_table_partition` clauses.

When a partitioning operation cascades to reference-partitioned child tables, privileges are not required on the reference-partitioned child tables.

When using the `exchange_partition_subpart` clause, if the table data being exchanged contains an identity column and you are not the owner of both tables involved in the exchange, then you must have the `ALTER ANY SEQUENCE` system privilege.

You cannot partition a non-partitioned table that has an object type.

### Additional Prerequisites for Constraints and Triggers

To enable a unique or primary key constraint, you must have the privileges necessary to create an index on the table. You need these privileges because Oracle Database creates an index on the columns of the unique or primary key in the schema containing the table.

To enable or disable triggers, the triggers must be in your schema or you must have the `ALTER ANY TRIGGER` system privilege.



#### See Also:

[CREATE INDEX](#) for information on the privileges needed to create indexes

### Additional Prerequisites When Using Object Types

To use an object type in a column definition when modifying a table, either that object must belong to the same schema as the table being altered, or you must have either the `EXECUTE ANY TYPE` system privilege or the `EXECUTE` object privilege for the object type.

### Additional Prerequisites for Flashback Data Archive Operations


To use the `flashback_archive_clause` to *enable* historical tracking for the table, you must have the `FLASHBACK ARCHIVE` object privilege on the flashback data archive that will contain the historical data. To use the `flashback_archive_clause` to *disable* historical tracking for the table, you must have the `FLASHBACK ARCHIVE ADMINISTER` system privilege or you must be logged in as `SYSDBA`.

### Additional Prerequisite for Referring to Editioned Objects

To specify an edition in the `evaluation_edition_clause` or the `unusable_editions_clause`, you must have the `USE` privilege on the edition.

## Syntax

***alter\_table ::=***



### Note:

You must specify some clause after *table*. None of the clauses after *table* are required, but you must specify at least one of them.


### Groups of ALTER TABLE syntax:

- ***alter\_table\_properties ::=***
- ***column\_clauses ::=***
- ***constraint\_clauses ::=***
- ***alter\_table\_partitioning ::=***
- ***alter\_table\_partitionset ::=***
- ***alter\_external\_table ::=***
- ***move\_table\_clause ::=***
- ***modify\_to\_partitioned ::=***
- ***modify\_opaque\_type ::=***
- ***immutable\_table\_clauses***
- ***blockchain\_table\_clauses***


- [duplicated\\_table\\_refresh::=](#)
- [enable\\_disable\\_clause::=](#)

After each clause you will find links to its component subclauses.


***memoptimize\_read\_clause::=***



***memoptimize\_write\_clause***



**alter\_table\_properties::=**




**Note:**

If you specify the `MODIFY CLUSTERING` clause, then you must specify at least one of the clauses `clustering_when` or `zonemap_clause`.


(*physical\_attributes\_clause*::=, *logging\_clause*::=, *table\_compression*::=, *inmemory\_table\_clause*::=, *ilm\_clause*::=, *supplemental\_table\_logging*::=, *allocate\_extent\_clause*::=, *deallocate\_unused\_clause*::=, *upgrade\_table\_clause*::=, *records\_per\_block\_clause*::=, *parallel\_clause*::=, *row\_movement\_clause*::=, *logical\_replication\_clause*::=, *flashback\_archive\_clause*::=, *shrink\_clause*::=, *attribute\_clustering\_clause*::=, *clustering\_when*::=, *zonemap\_clause*::=, *alter\_iot\_clauses*::=, *alter\_XMLSchema\_clause*::=, *annotations\_clause*::=)

***physical\_attributes\_clause*::=**




(*storage\_clause*::=)

***logging\_clause*::=**




***table\_compression*::=**






***inmemory\_table\_clause::=***




*(inmemory\_attributes::=, inmemory\_column\_clause::=)*

***inmemory\_attributes::=***




*(inmemory\_memcompress::=, inmemory\_priority::=, inmemory\_distribute::=, inmemory\_duplicate::=)*


***inmemory\_memcompress::=***




***inmemory\_priority::=***




***inmemory\_distribute::=***




***inmemory\_duplicate::=***



***inmemory\_spatial::=***




***inmemory\_column\_clause::=***




***(inmemory\_memcompress::=)***

***ilm\_clause::=***




***ilm\_policy\_clause::=***




*(ilm\_compression\_policy::=, ilm\_tiering\_policy::=, ilm\_inmemory\_policy::=)*

***ilm\_compression\_policy::=***




*(table\_compression::=, ilm\_time\_period::=)*

***ilm\_tiering\_policy::=***




*(ilm\_time\_period::=)*


***ilm\_inmemory\_policy::=***




***ilm\_time\_period::=***




***supplemental\_table\_logging::=***




***supplemental\_log\_grp\_clause::=***



**supplemental\_id\_key\_clause::=**




**allocate\_extent\_clause::=**




*(size\_clause::=)*

**deallocate\_unused\_clause::=**




*(size\_clause::=)*


**rename\_lob\_storage\_clause::=**




**rename\_lob\_parameters::=**



**result\_cache\_clause::=**




**upgrade\_table\_clause::=**




*(column\_properties::=)*


**records\_per\_block\_clause::=**




**row\_movement\_clause::=**




**logical\_replication\_clause::=**



**flashback\_archive\_clause::=**




***alter\_iot\_clauses::=***




*(alter\_overflow\_clause::=, alter\_mapping\_table\_clauses::=)*

***index\_org\_table\_clause::=***




*(mapping\_table\_clauses::=, prefix\_compression::=, index\_org\_overflow\_clause::=)*


***mapping\_table\_clauses::=***




***index\_compression::=***




***prefix\_compression::=***




***iot\_advanced\_compression::=***



***advanced\_index\_compression::=***




***index\_org\_overflow\_clause::=***




***(segment\_attributes\_clause::=)***


***partition\_extended\_name::=***



***subpartition\_extended\_name::=***




***segment\_attributes\_clause::=***






(*physical\_attributes\_clause::=*, TABLESPACE SET: not supported with ALTER TABLE,  
*logging\_clause::=*)

***alter\_overflow\_clause::=***




(*segment\_attributes\_clause::=*, *allocate\_extent\_clause::=*, *shrink\_clause::=*,  
*deallocate\_unused\_clause::=*)

***add\_overflow\_clause::=***



(*segment\_attributes\_clause::=*)

***alter\_mapping\_table\_clauses::=***




(*allocate\_extent\_clause::=*, *deallocate\_unused\_clause::=*)

***shrink\_clause::=***




***attribute\_clustering\_clause::=***




(*clustering\_join::=*, *cluster\_clause::=*, *clustering\_when::=*, *zonemap\_clause::=*)


***clustering\_join::=***




***cluster\_clause::=***




***clustering\_columns::=***




***clustering\_column\_group::=***



***clustering\_when::=***




***zonemap\_clause::=***



**annotations\_clause::=**


For the full syntax and semantics of the *annotations\_clause* see [annotations\\_clause](#).

**column\_clauses::=**




([add\\_column\\_clause::=](#), [modify\\_column\\_clauses::=](#), [drop\\_column\\_clause::=](#),  
[add\\_period\\_clause::=](#), [drop\\_period\\_clause::=](#), [rename\\_column\\_clause::=](#),  
[modify\\_collection\\_retrieval::=](#), [modify\\_LOB\\_storage\\_clause::=](#),  
[alter\\_varray\\_col\\_properties::=](#))

**add\_column\_clause::=**




([column\\_definition::=](#), [virtual\\_column\\_definition::=](#), [column\\_properties::=](#),  
[out\\_of\\_line\\_part\\_storage::=](#))

**column\_definition::=**




(*identity\_clause::=*, *encryption\_spec::=*, *inline\_constraint* and *inline\_ref\_constraint::=* constraint::=)


**datatype\_domain::=**




**identity\_clause::=**



**identity\_options::=**




**virtual\_column\_definition::=**




(*evaluation\_edition\_clause::=, unusable\_editions\_clause::=, constraint::=*)


**domain\_definition::=**




**evaluation\_edition\_clause::=**



**unusable\_editions\_clause::=**




**modify\_column\_clauses::=**




(*modify\_col\_properties::=*, *modify\_virtcol\_properties::=*, *modify\_col\_visibility::=*,  
*modify\_col\_substitutable::=*, *modify\_domain::=*)

***modify\_col\_properties::=***




(*default\_clause::=*, *identity\_clause::=*, *encryption\_spec::=*, *constraint::=*,  
*LOB\_storage\_clause::=*, *alter\_XMLSchema\_clause::=*, *annotations\_clause*)


***default\_clause::=***



***encryption\_spec::=***




***modify\_virtcol\_properties::=***




(*evaluation\_edition\_clause::=*, *unusable\_editions\_clause::=*)


***modify\_col\_visibility::=***




***modify\_col\_substitutable::=***



***modify\_domain::=***




***drop\_column\_clause::=***






***add\_period\_clause::=***




***period\_definition::=***




***drop\_period\_clause::=***




***rename\_column\_clause::=***



***modify\_collection\_retrieval::=***




***constraint\_clauses::=***




*(out\_of\_line\_constraint::=, out\_of\_line\_ref\_constraint::=, constraint\_state::=)*


**drop\_constraint\_clause::=**




**column\_properties::=**




**out\_of\_line\_part\_storage::=**




**object\_type\_col\_properties::=**




***substitutable\_column\_clause::=***



***nested\_table\_col\_properties::=***




***object\_properties::=***




For constraint clauses see [constraint::=](#)

***supplemental\_logging\_props::=***




(*supplemental\_log\_grp\_clause::=*, *supplemental\_id\_key\_clause::=*)

***physical\_properties::=***




(*deferred\_segment\_creation::=* , *segment\_attributes\_clause::=*, *table\_compression::=*, *inmemory\_table\_clause::=*—part of CREATE TABLE syntax, *ilm\_clause::=*, *heap\_org\_table\_clause::=*, *index\_org\_table\_clause::=*, *external\_table\_clause::=*—part of CREATE TABLE syntax)

***deferred\_segment\_creation::=***




***heap\_org\_table\_clause::=***




(*table\_compression::=*, *inmemory\_table\_clause::=*—part of CREATE TABLE syntax, *ilm\_clause::=*)

***varray\_col\_properties::=***




(*substitutable\_column\_clause::=*, *varray\_storage\_clause::=*)

**varray\_storage\_clause::=**




**(LOB\_parameters::=)**

**LOB\_storage\_clause::=**




**(LOB\_storage\_parameters::=)**

**LOB\_storage\_parameters::=**




(TABLESPACE SET: not supported with ALTER TABLE, `LOB_parameters::=`,  
`storage_clause::=`)

**LOB\_parameters::=**




(*LOB\_retention\_clause::=*, *LOB\_deduplicate\_clause::=*, *LOB\_compression\_clause::=*,  
*encryption\_spec::=*, *logging\_clause::=*)

**modify\_LOB\_storage\_clause::=**




**modify\_LOB\_parameters::=**




(*storage\_clause::=*, *LOB\_retention\_clause::=*, *LOB\_compression\_clause::=*,  
*encryption\_spec::=*, *logging\_clause::=*, *allocate\_extent\_clause::=*, *shrink\_clause::=*,  
*deallocate\_unused\_clause::=*)


**LOB\_retention\_clause::=**




**LOB\_deduplicate\_clause::=**



**LOB\_compression\_clause::=**




**alter\_varray\_col\_properties::=**




*(modify\_LOB\_parameters::=)*

**LOB\_partition\_storage::=**



*(LOB\_storage\_clause::=, varray\_col\_properties::=, LOB\_partitioning\_storage::=)*

**LOB\_partitioning\_storage::=**






(TABLESPACE SET: not supported with ALTER TABLE)


**XMLType\_column\_properties::=**




**XMLType\_storage::=**




**XMLSchema\_spec::=**




**alter\_XMLSchema\_clause::=**




**JSON\_storage\_clause::=**



**JSON\_parameters ::=**




**alter\_external\_table::=**





([add\\_column\\_clause::=](#), [modify\\_column\\_clauses::=](#), [drop\\_column\\_clause::=](#),  
[parallel\\_clause::=](#), [external\\_table\\_data\\_props::=](#))

***external\_table\_data\_props::=***




***external\_part\_subpart\_data\_props::=***



***alter\_table\_partitioning::=***


*(modify\_table\_default\_attrs::=, alter\_automatic\_partitioning::=, alter\_interval\_partitioning::=, set\_subpartition\_template::=, modify\_table\_partition::=, modify\_table\_subpartition::=, move\_table\_partition::=, move\_table\_subpartition::=, add\_table\_partition::=, coalesce\_table\_partition::=, drop\_table\_partition::=, drop\_table\_subpartition::=, rename\_partition\_subpart::=, truncate\_partition\_subpart::=, split\_table\_partition::=, split\_table\_subpartition::=, merge\_table\_partitions::=, merge\_table\_subpartitions::=, exchange\_partition\_subpart::=*

**modify\_table\_default\_attrs::=**




(partition\_extended\_name::=, deferred\_segment\_creation::=, read\_only\_clause::=, indexing\_clause::=, segment\_attributes\_clause::=, table\_compression::=, inmemory\_clause::=, prefix\_compression::=, alter\_overflow\_clause::=, LOB\_parameters::=)


**read\_only\_clause::=**



**indexing\_clause::=**




**inmemory\_clause::=**




(inmemory\_attributes::=)


***alter\_automatic\_partitioning::=***



***alter\_interval\_partitioning::=***




***set\_subpartition\_template::=***




*(range\_subpartition\_desc::=, list\_subpartition\_desc::=, individual\_hash\_subparts::=)*

***modify\_table\_partition::=***




*(modify\_range\_partition::=, modify\_hash\_partition::=, modify\_list\_partition::=)*

***modify\_range\_partition::=***




*(partition\_extended\_name::=, partition\_attributes::=, add\_range\_subpartition::=, add\_hash\_subpartition::=, add\_list\_subpartition::=, coalesce\_table\_subpartition::=, alter\_mapping\_table\_clauses::=, read\_only\_clause::=, indexing\_clause::=)*

***modify\_hash\_partition::=***




*(partition\_extended\_name::=, coalesce\_table\_subpartition::=, partition\_attributes::=, alter\_mapping\_table\_clauses::=, read\_only\_clause::=, indexing\_clause::=)*

**modify\_list\_partition::=**



(*partition\_extended\_name::=, partition\_attributes::=, list\_values::=, add\_range\_subpartition::=, add\_list\_subpartition::=, add\_hash\_subpartition::=, coalesce\_table\_subpartition::=, read\_only\_clause::=, indexing\_clause::=*)


**modify\_table\_subpartition::=**



(*subpartition\_extended\_name::=, allocate\_extent\_clause::=, deallocate\_unused\_clause::=, shrink\_clause::=, modify\_LOB\_parameters::=, list\_values::=, read\_only\_clause::=, indexing\_clause::=*)



***move\_table\_partition::=***




*(partition\_extended\_name::=, table\_partition\_description::=, filter\_condition::=, update\_index\_clauses::=, parallel\_clause::=, allow\_disallow\_clustering::=)*


***filter\_condition::=***



***allow\_disallow\_clustering::=***




***move\_table\_subpartition::=***




*(subpartition\_extended\_name::=, indexing\_clause::=, partitioning\_storage\_clause::=, update\_index\_clauses::=, filter\_condition::=, parallel\_clause::=, allow\_disallow\_clustering::=)*

***add\_external\_partition\_attrs***




**add\_table\_partition::=**




(*add\_range\_partition\_clause::=, add\_list\_partition\_clause::=, add\_system\_partition\_clause::=, add\_hash\_partition\_clause::=, dependent\_tables\_clause::=*)

**add\_range\_partition\_clause::=**




(*range\_values\_clause::=, table\_partition\_description::=, external\_part\_subpart\_data\_props::=, range\_subpartition\_desc::=, list\_subpartition\_desc::=, individual\_hash\_subparts::=, hash\_subparts\_by\_quantity::=, update\_index\_clauses::=*)

**add\_hash\_partition\_clause::=**



(*partitioning\_storage\_clause::=*, *update\_index\_clauses::=*, *parallel\_clause::=*,  
*read\_only\_clause::=*, *indexing\_clause::=*)

**add\_list\_partition\_clause::=**




(*list\_values\_clause::=*, *table\_partition\_description::=*,  
*external\_part\_subpart\_data\_props::=*, *range\_subpartition\_desc::=*,  
*list\_subpartition\_desc::=*, *individual\_hash\_subparts::=*, *hash\_subparts\_by\_quantity::=*,  
*update\_index\_clauses::=*)

**add\_system\_partition\_clause::=**




(*table\_partition\_description::=*, *update\_index\_clauses::=*)

**add\_range\_subpartition::=**




(*range\_subpartition\_desc::=*, *dependent\_tables\_clause::=*, *update\_index\_clauses::=*)

**add\_hash\_subpartition::=**




*(individual\_hash\_subparts::=, dependent\_tables\_clause:=, update\_index\_clauses::=, parallel\_clause::=)*

**add\_list\_subpartition::=**




*(list\_subpartition\_desc::=, dependent\_tables\_clause:=, update\_index\_clauses::=)*

**dependent\_tables\_clause:=**




*(partition\_spec::=)*

**coalesce\_table\_partition::=**




*(update\_index\_clauses::=, parallel\_clause::=, allow\_disallow\_clustering::=)*

**coalesce\_table\_subpartition::=**




*(update\_index\_clauses::=, parallel\_clause::=, allow\_disallow\_clustering::=)*

**drop\_external\_partition\_attrs::=**




**drop\_table\_partition::=**




*(partition\_extended\_names::=, update\_index\_clauses::=, parallel\_clause::=)*

**drop\_table\_subpartition::=**




*(subpartition\_extended\_names::=, update\_index\_clauses::=, parallel\_clause::=)*

**rename\_partition\_subpart::=**




*(partition\_extended\_name::=, subpartition\_extended\_name::=)*

**truncate\_partition\_subpart::=**




*(partition\_extended\_names::=, subpartition\_extended\_names::=, update\_index\_clauses::=, parallel\_clause::=)*


**partition\_extended\_names::=**



**subpartition\_extended\_names::=**




**split\_table\_partition::=**




(*partition\_extended\_name::=, range\_partition\_desc::=, list\_values::=, list\_partition\_desc::=, partition\_spec::=, split\_nested\_table\_part::=, filter\_condition::=, dependent\_tables\_clause::=, update\_index\_clauses::=, parallel\_clause::=, allow\_disallow\_clustering::=*)


**split\_nested\_table\_part::=**



**nested\_table\_partition\_spec::=**




**split\_table\_subpartition::=**




*(subpartition\_extended\_name::=, range\_subpartition\_desc::=, list\_values::=, list\_subpartition\_desc::=, subpartition\_spec::=, filter\_condition::=, dependent\_tables\_clause::=, update\_index\_clauses::=, parallel\_clause::=, allow\_disallow\_clustering::=*

**subpartition\_spec::=**




**merge\_table\_partitions::=**




(*partition\_or\_key\_value::=*, *partition\_spec::=*, *filter\_condition::=*, *dependent\_tables\_clause::=*,  
*update\_index\_clauses::=*, *parallel\_clause::=*, *allow\_disallow\_clustering::=*)

***partition\_or\_key\_value::=***




***merge\_table\_subpartitions::=***




(*subpartition\_or\_key\_value::=*, *range\_subpartition\_desc::=*, *list\_subpartition\_desc::=*,  
*filter\_condition::=*, *dependent\_tables\_clause::=*, *update\_index\_clauses::=*, *parallel\_clause::=*,  
*allow\_disallow\_clustering::=*)

***subpartition\_or\_key\_value::=***




***exchange\_partition\_subpart::=***






(*partition\_extended\_name::=*, *subpartition\_extended\_name::=*, *exceptions\_clause::=*,  
*update\_index\_clauses::=*, *parallel\_clause::=*)


**exceptions\_clause::=**



**range\_values\_clause::=**




**list\_values\_clause::=**




(*list\_values::=*)

**list\_values::=**




**table\_partition\_description::=**




(deferred\_segment\_creation::= , read\_only\_clause::=, indexing\_clause::=,  
segment\_attributes\_clause::=, table\_compression::=, prefix\_compression::=,  
inmemory\_clause::=, LOB\_storage\_clause::=, varray\_col\_properties::=)

**range\_partition\_desc::=**




(range\_values\_clause::=, table\_partition\_description::=, range\_subpartition\_desc::=,  
list\_subpartition\_desc::=)

***list\_partition\_desc::=***




*(list\_values\_clause::=, table\_partition\_description::=, range\_subpartition\_desc::=, list\_subpartition\_desc::=)*

***range\_subpartition\_desc::=***




*(range\_values\_clause::=, read\_only\_clause::=, indexing\_clause::=, partitioning\_storage\_clause::=, external\_part\_subpart\_data\_props::=)*

***list\_subpartition\_desc::=***




*(list\_values\_clause::=, read\_only\_clause::=, indexing\_clause::=, partitioning\_storage\_clause::=, external\_part\_subpart\_data\_props::=)*

***individual\_hash\_subparts::=***




(*read\_only\_clause::=*, *indexing\_clause::=*, *partitioning\_storage\_clause::=*)

**hash\_subparts\_by\_quantity::=**




**partitioning\_storage\_clause::=**




(*TABLESPACE SET*: not supported with ALTER TABLE, *table\_compression::=*, *index\_compression::=*, *inmemory\_clause::=*, *LOB\_partitioning\_storage::=*)

**partition\_attributes::=**




*(physical\_attributes\_clause::=, logging\_clause::=, allocate\_extent\_clause::=, deallocate\_unused\_clause::=, shrink\_clause::=, table\_compression::=, inmemory\_clause::=, modify\_LOB\_parameters::=)*

**partition\_spec::=**




*(table\_partition\_description::=)*

**update\_index\_clauses::=**




*(update\_global\_index\_clause::=, update\_all\_indexes\_clause::=)*

**update\_global\_index\_clause::=**




**update\_all\_indexes\_clause::=**




*(update\_index\_partition::=, update\_index\_subpartition::=)*

**update\_index\_partition::=**




*(index\_partition\_description::=, index\_subpartition\_clause::=)*

**update\_index\_subpartition::=**




**index\_partition\_description::=**




(*segment\_attributes\_clause::=*, *index\_compression::=*)

**index\_subpartition\_clause::=**




(*index\_compression::=*)


**parallel\_clause::=**




**alter\_table\_partitionset::=**




**add\_partitionset::=**




**modify\_partitionset::=**



**move\_partitionset::=**




**move\_table\_clause::=**




*(filter\_condition::=, segment\_attributes\_clause::=, table\_compression::=,  
index\_org\_table\_clause::=, LOB\_storage\_clause::=, varray\_col\_properties::=,  
parallel\_clause::=, allow\_disallow\_clustering::=, update\_index\_partition::=)*


***modify\_to\_partitioned::=***




***modify\_opaque\_type::=***




***immutable\_table\_clauses::=***



***blockchain\_table\_clauses::=***




***duplicated\_table\_refresh::=***






***enable\_disable\_clause::=***




*(using\_index\_clause::=, exceptions\_clause::=,)*

***using\_index\_clause::=***




*(create\_index::=, index\_properties::=)*

***index\_properties::=***



*(global\_partitioned\_index::=, local\_partitioned\_index::=—part of CREATE INDEX, index\_attributes::=, domain\_index\_clause: not supported in using\_index\_clause)*

***index\_attributes::=***

*(physical\_attributes\_clause::=, logging\_clause::=, index\_compression::=, partial\_index\_clause and parallel\_clause: not supported in using\_index\_clause)*

**Semantics**

Many clauses of the `ALTER TABLE` statement have the same functionality they have in a `CREATE TABLE` statement. For more information on such clauses, see [CREATE TABLE](#).

**Note:**

Operations performed by the `ALTER TABLE` statement can cause Oracle Database to invalidate procedures and stored functions that access the table. For information on how and when the database invalidates such objects, see *Oracle Database Development Guide*.

**IF EXISTS**

Specify `IF EXISTS` to alter an existing table.

Specifying `IF NOT EXISTS` with `ALTER VIEW` results in `ORA-11544: Incorrect IF EXISTS clause for ALTER/DROP statement`.

**schema**

Specify the schema containing the table. If you omit *schema*, then Oracle Database assumes the table is in your own schema.

**table**

Specify the name of the table to be altered.

 **Note:**

If you alter a table that is a master table for one or more materialized views, then Oracle Database marks the materialized views `INVALID`. Invalid materialized views cannot be used by query rewrite and cannot be refreshed. For information on revalidating a materialized view, see [ALTER MATERIALIZED VIEW](#).

 **See Also:**

*Oracle Database Data Warehousing Guide* for more information on materialized views in general

**Restrictions on Altering Temporary Tables**

You can modify, drop columns from, or rename a temporary table. However, for a temporary table you cannot:

- Add columns of nested table type. You can add columns of other types.
- Specify referential integrity (foreign key) constraints for an added or modified column.
- Specify the following clauses of the *LOB\_storage\_clause* for an added or modified LOB column: *TABLESPACE*, *storage\_clause*, *logging\_clause*, *allocate\_extent\_clause*, or *deallocate\_unused\_clause*.
- Specify the *physical\_attributes\_clause*, *nested\_table\_col\_properties*, *parallel\_clause*, *allocate\_extent\_clause*, *deallocate\_unused\_clause*, or any of the index-organized table clauses.
- Exchange partitions between a partition and a temporary table.
- Specify the *logging\_clause*.
- Specify `MOVE`.
- Add an `INVISIBLE` column or modify an existing column to be `INVISIBLE`.

**Restrictions on Altering External Tables**

You can add, drop, or modify the columns of an external table. However, for an external table you cannot:

- Add a `LONG`, `LOB`, or object type column or change the data type of an external table column to any of these data types.
- Modify the storage parameters of an external table.
- Specify the *logging\_clause*.
- Specify `MOVE`.
- Add an `INVISIBLE` column or modify an existing column to be `INVISIBLE`.

### ***memoptimize\_read\_clause***

Use this clause to improve the performance high frequency data query operations. The `MEMOPTIMIZE_POOL_SIZE` initialization parameter controls the size of the memoptimize pool. Note that the feature uses additional memory from the SGA.

- You must specify this clause as a top-level attribute of the table, it cannot be specified at the partition or subpartition level.
- You must explicitly enable the table for `MEMOPTIMIZE FOR READ` before you can read data from the table.
- You must explicitly disable the table for `NO MEMOPTIMIZE FOR READ` when you no longer need it.

### ***memoptimize\_write\_clause***

Use this clause to enable fast ingest. Fast ingest optimizes the processing of high frequency single row data inserts from Internet of Things (IoT) applications by using a large buffering pool to store the inserts before writing them to disk.

### **Restrictions**

Blockchain and immutable tables do not support the *memoptimize\_write\_clause*.

### ***alter\_table\_properties***

Use the *alter\_table\_clauses* to modify a database table.

### ***physical\_attributes\_clause***

The *physical\_attributes\_clause* lets you change the value of the `PCTFREE`, `PCTUSED`, and `INITRANS` parameters and storage characteristics. Refer to [physical\\_attributes\\_clause](#) and [storage\\_clause](#) for a full description of these parameters and characteristics.

### **Restrictions on Altering Table Physical Attributes**

Altering physical attributes is subject to the following restrictions:

- You cannot specify the `PCTUSED` parameter for the index segment of an index-organized table.
- If you attempt to alter the storage attributes of tables in locally managed tablespaces, then Oracle Database raises an error. However, if some segments of a partitioned table reside in a locally managed tablespace and other segments reside in a dictionary-managed tablespace, then the database alters the storage attributes of the segments in the dictionary-managed tablespace but does not alter the attributes of the segments in the locally managed tablespace, and does not raise an error.

- For segments with automatic segment-space management, the database ignores attempts to change the `PCTUSED` setting. If you alter the `PCTFREE` setting, then you must subsequently run the `DBMS_REPAIR.SEGMENT_FIX_STATUS` procedure to implement the new setting on blocks already allocated to the segment.

### Cautions on Altering Tables Physical Attributes

The values you specify in this clause affect the table as follows:

- For a nonpartitioned table, the values you specify override any values specified for the table at create time.
- For a range-, list-, or hash-partitioned table, the values you specify are the default values for the table and the actual values for every existing partition, overriding any values already set for the partitions. To change default table attributes without overriding existing partition values, use the `modify_table_default_attrs` clause.
- For a composite-partitioned table, the values you specify are the default values for the table and all partitions of the table and the actual values for all subpartitions of the table, overriding any values already set for the subpartitions. To change default partition attributes without overriding existing subpartition values, use the `modify_table_default_attrs` clause with the `FOR PARTITION` clause.

### *logging\_clause*

Use the *logging\_clause* to change the logging attribute of the table. The *logging\_clause* specifies whether subsequent `ALTER TABLE ... MOVE` and `ALTER TABLE ... SPLIT` operations will be logged or not logged.

When used with the *modify\_table\_default\_attrs* clause, this clause affects the logging attribute of a partitioned table.

#### See Also:

- [logging\\_clause](#) for a full description of this clause
- *Oracle Database VLDB and Partitioning Guide* for more information about the *logging\_clause* and parallel DML

### *table\_compression*

The *table\_compression* clause is valid only for heap-organized tables. Use this clause to instruct Oracle Database whether to compress data segments to reduce disk and memory use. Refer to the `CREATE TABLE` [table\\_compression](#) for the full semantics of this clause and for information on creating objects with table compression.

#### Note:

The first time a table is altered in such a way that compressed data will be added, all bitmap indexes and bitmap index partitions on that table must be marked `UNUSABLE`.

### *inmemory\_table\_clause*

Use this clause to enable or disable a table or table column for the In-Memory Column Store (IM column store), or to change the In-Memory attributes for a table or table column.

- Specify `INMEMORY` to enable a table for the IM column store, or to change the *inmemory\_attributes* for a table that is already enabled for the IM column store.
- Specify `NO INMEMORY` to disable a table for the IM column store.
- Specify the *inmemory\_column\_clause* to enable or disable a table column for the IM column store, or to change the *inmemory\_memcompress* setting for a table column. If you specify this clause when the table or partition is disabled for the IM column store, then the column settings will take effect when the table or partition is subsequently enabled for the IM column store. Regardless of whether the table or partition is enabled or disabled for the IM column store, when you specify `NO INMEMORY` for a column, any previously specified *inmemory\_memcompress* setting for the column is lost. Refer to the *inmemory\_column\_clause* of `CREATE TABLE` for the full semantics of this clause.

This *inmemory\_table\_clause* has the same semantics as the *inmemory\_table\_clause* of `CREATE TABLE`, with the following additions:

- When you specify the *inmemory\_memcompress* clause to change the data compression method for a table that is already enabled for the IM column store, any columns that were previously assigned a specific data compression method will retain that data compression method. Refer to the *inmemory\_memcompress* clause of `CREATE TABLE` for more information on this clause.
- When you specify the *inmemory\_distribute* clause, if you omit one subclause, then its setting remains unchanged. That is, if you specify only the `AUTO` or `BY` clause, then the `FOR SERVICE` setting for the table remains unchanged, and if you specify only the `FOR SERVICE` clause, then the `AUTO` or `BY` setting for the table remains unchanged. If you omit both subclauses and specify only the `DISTRIBUTE` keyword, then the table is assigned the `DISTRIBUTE AUTO` setting and its `FOR SERVICE` setting remains unchanged. Refer to the *inmemory\_distribute* clause of `CREATE TABLE` for more information on this clause.
- When you specify `NO INMEMORY` to disable a partitioned or nonpartitioned table for the IM column store, any column-level In-Memory settings are lost. If you subsequently enable the table for the IM column store, then all columns will use the In-Memory settings for the table, unless you specify otherwise when enabling the table.
- When you specify `NO INMEMORY` to disable a partition for the IM column store, the column-level In-Memory settings are retained, even if all partitions in the table are disabled. If you subsequently enable the table or a partition for the IM column store, then the column-level In-Memory settings will go into effect, unless you specify otherwise when enabling the table or partition.
- If a table is currently populated in the IM column store and you change any *inmemory\_attribute* of the table other than `PRIORITY`, then the database evicts the table from the IM column store. The repopulation behavior depends on the `PRIORITY` setting.

### *inmemory\_clause*

Use this clause to enable or disable a table partition for the IM column store, or to change the In-Memory parameters for a table partition. This clause has the same semantics in `CREATE TABLE` and `ALTER TABLE`. Refer to the *inmemory\_clause* in the documentation on `CREATE TABLE` for the full semantics of this clause.

You can specify `IMMEMORY` on non-partitioned tables using the `ORACLE_HIVE`, `ORACLE_HDFS`, and `ORACLE_BIGDATA` driver types.

For more details on the In-Memory column architecture see Oracle Database In-Memory Guide

### Restriction

If a segment on disk is 64 KB or less, then it is not populated in the IM column store. Therefore, some small database objects that were enabled for the IM column store might not be populated.

### *ilm\_clause*

Use this clause to add, delete, enable, or disable Automatic Data Optimization policies for the table.

### ADD POLICY

Specify this clause to add a policy for the table.

Use *ilm\_policy\_clause* to specify the policy. Refer to the *ilm\_policy\_clause* for the full semantics of this clause

Oracle Database assigns a name to the policy of the form  $P_n$  where  $n$  is an integer value

### { DELETE | ENABLE | DISABLE } POLICY

Specify these clauses to delete a policy for the table, enable a policy for the table, or disable a policy for the table, respectively.

For *ilm\_policy\_name*, specify the name of the policy. You can view policy names by querying the `POLICY_NAME` column of the `DBA_ILMPOLICIES` view.

### { DELETE\_ALL, ENABLE\_ALL, DISABLE\_ALL }

Specify these clauses to delete all policies for the table, enable all policies for the table, or disable all policies for the table, respectively.



#### See Also:

*Oracle Database VLDB and Partitioning Guide* for more information on managing policies for Automatic Data Optimization

### *ilm\_policy\_clause*

This clause lets you specify an Automatic Data Optimization policy. You can use the *ilm\_compression\_policy* clause to specify a compression policy, the *ilm\_tiering\_policy* clause to specify a storage tiering policy, or the *ilm\_inmemory\_policy* clause to specify an In-Memory Column Store policy.

### *ilm\_compression\_policy*

Use this clause to specify a compression policy. This type of policy instructs the database to compress data when a specified condition is met. Use the `SEGMENT`, `GROUP`, or `ROW` clause to specify a segment-level, group-level, or row-level compression policy.

### ***table\_compression***

Use the *table\_compression* clause to specify the compression type. This clause applies to segment-level and group-level compression policies.

You must specify a compression type that is higher than the current compression type. The order of compression types from lowest to highest is:

```
NOCOMPRESS
ROW STORE COMPRESS BASIC
ROW STORE COMPRESS ADVANCED
COLUMN STORE COMPRESS FOR QUERY LOW
COLUMN STORE COMPRESS FOR QUERY HIGH
COLUMN STORE COMPRESS FOR ARCHIVE LOW
COLUMN STORE COMPRESS FOR ARCHIVE HIGH
```

Refer to [table\\_compression](#) for the full semantics of this clause.

### **SEGMENT**

Specify **SEGMENT** to create a segment-level compression policy. This type of policy instructs the database to compress table segments when the condition specified in the **AFTER** clause is met or when the PL/SQL function specified in the **ON** clause returns **TRUE**.

Note that you cannot modify a segment using **ALTER TABLE**.

### **GROUP**

Specify **GROUP** to create a group-level compression policy. This type of policy instructs the database to compress the table and its dependent objects, such as indexes and SecureFiles LOBs, when the condition specified in the **AFTER** clause is met or when the PL/SQL function specified in the **ON** clause returns **TRUE**.

### **ROW**

Specify **ROW** to create a row-level compression policy. This type of policy instructs the database to compress database blocks in which all the rows have not been modified for a specified period of time. When creating a row-level policy, you must specify **ROW STORE COMPRESS ADVANCED** or **COLUMN STORE COMPRESS FOR QUERY** compression, and you must specify **AFTER *ilm\_time\_period* OF NO MODIFICATION**. Refer to [table\\_compression](#) for the full semantics of the **ROW STORE COMPRESS ADVANCED** and **COLUMN STORE COMPRESS FOR QUERY** clauses.

### **AFTER**

Use this clause to describe the condition that must be met in order for the policy to take effect. The condition consists of a length of time, specified with the *ilm\_time\_period* clause, and one of the following condition types:

- **OF NO ACCESS:** The policy will take effect after table has not been accessed for the specified length of time.
- **OF NO MODIFICATION:** The policy will take effect after table has not been modified for the specified length of time.
- **OF CREATION:** The policy will take effect when the specified length of time has passed since table was created.

### ***ilm\_time\_period***



Specify a length of time in days, months, or years after which the condition must be met. For *integer*, specify a positive integer. The `DAY` and `DAYS` keywords can be used interchangeably and are provided for semantic clarity. This is also the case for the `MONTH` and `MONTHS` keywords, and the `YEAR` and `YEARS` keywords.

## ON

Use this clause to specify a PL/SQL function that returns a boolean value. For *function\_name*, specify the name of the function. The policy will take effect when the function returns `TRUE`.



### Note:

The `ON function_name` clause is not supported for tablespaces.

## *ilm\_tiering\_policy*

Use this clause to specify a storage tiering policy. This type of policy instructs the database to migrate data to a specified tablespace, either when a specified condition is met or when data usage reaches a specified limit. Use the `SEGMENT` or `GROUP` clause to specify a segment-level or group-level policy. You can migrate data to a read/write tablespace or a read-only tablespace.

### TIER TO *tablespace*

Use this clause to migrate data to a read/write *tablespace*.

- If you specify the `ON function` clause, then data will be migrated when function returns `TRUE`. Refer to the [ON](#) clause for the full semantics of this clause.
- If you omit the `ON function` clause, then data will be migrated when data usage of the tablespace quota reaches the percentage defined by `TBS_PERCENT_USED`. The database will make a best effort to migrate enough data so that the amount of free space within the tablespace quota reaches the percentage defined by `TBS_PERCENT_FREE`. Refer to *Oracle Database PL/SQL Packages and Types Reference* for more information on `TBS_PERCENT_USED` and `TBS_PERCENT_FREE`, which are constants in the `DBMS_ILM_ADMIN` package.

### TIER TO *tablespace* READ ONLY

Use this clause to migrate data to a read-only tablespace. When migrating data to the tablespace, the database temporarily places the tablespace in read/write mode, migrates the data, and then places the tablespace back in read-only mode.

- If you specify the `AFTER` clause, then data will be migrated when the specified condition is met. Refer to the [AFTER](#) clause for the full semantics of this clause
- If you specify the `ON function` clause, then data will be migrated when function returns `TRUE`. Refer to the [ON](#) clause for the full semantics of this clause.

### SEGMENT | GROUP

Specify `SEGMENT` to create a segment-level storage tiering policy. This type of policy instructs the database to migrate table segments to *tablespace*. Specify `GROUP` to create a group-level storage tiering policy. This type of policy instructs the database to

migrate the table and its dependent objects, such as indexes and SecureFiles LOBs, to *tablespace*. The default is `SEGMENT`.

**Note:**

The `ON function_name` clause is not supported for tablespaces.

***ilm\_inmemory\_policy***

Use this clause to specify an In-Memory Column Store (IM column store) policy. This type of policy instructs the database to enable or disable the table for the IM column store, or to change the compression method for the table in the IM column store, when a specified condition is met.

**SET INMEMORY**

Use this clause to enable the table for the IM column store when the specified condition is met. You can optionally use the *inmemory\_attributes* clause to specify how table data will be stored in the IM column store. Refer to [inmemory\\_attributes](#) for the full semantics of this clause.

**MODIFY INMEMORY**

Use this clause to change the compression method for table data stored in the IM column store when the specified condition is met. The table must be enabled for the IM column store.

You must specify a compression method that is higher than the current compression method. The order of compression methods from lowest to highest is:

```
NO INMEMORY
MEMCOMPRESS FOR DML
MEMCOMPRESS FOR QUERY LOW
MEMCOMPRESS FOR QUERY HIGH
MEMCOMPRESS FOR CAPACITY LOW
MEMCOMPRESS FOR CAPACITY HIGH
```

Refer to [inmemory\\_memcompress](#) for the full semantics of this clause.

**NO INMEMORY**

Use this clause to disable the table for the IM column store when the specified condition is met.

**SEGMENT**

The `SEGMENT` keyword is optional and is provided for semantic clarity. IM column store policies are always segment-level policies.

**AFTER | ON**

The `AFTER` and `ON` clauses enable you to specify the condition that must be met in order for the IM column store policy to take effect:

- If you specify the `AFTER` clause, then the policy will take effect when the specified condition is met. Refer to the [AFTER](#) clause for the full semantics of this clause

- If you specify the `ON` function clause, then the policy will take effect when function returns `TRUE`. Refer to the [ON](#) clause for the full semantics of this clause.

**Note:**

The `ON function_name` clause is not supported for tablespaces.

**See Also:**

*Oracle Database In-Memory Guide* for more information on using Automatic Data Optimization policies with the IM column store

***supplemental\_table\_logging***

Use the `supplemental_table_logging` clause to add or drop a redo log group or one or more supplementally logged columns in a redo log group.

- In the `ADD` clause, use `supplemental_log_grp_clause` to create named supplemental log group. Use the `supplemental_id_key_clause` to create a system-generated log group.
- On the `DROP` clause, use `GROUP log_group` syntax to drop a named supplemental log group and use the `supplemental_id_key_clause` to drop a system-generated log group.

The `supplemental_log_grp_clause` and the `supplemental_id_key_clause` have the same semantics in `CREATE TABLE` and `ALTER TABLE` statements. For full information on these clauses, refer to [supplemental\\_log\\_grp\\_clause](#) and [supplemental\\_id\\_key\\_clause](#) in the documentation on `CREATE TABLE`.

**See Also:**

*Oracle Data Guard Concepts and Administration* for information on supplemental redo log groups

***allocate\_extent\_clause***

Use the `allocate_extent_clause` to explicitly allocate a new extent for the table, the partition or subpartition, the overflow data segment, the LOB data segment, or the LOB index.

**Restriction on Allocating Table Extents**

You cannot allocate an extent for a temporary table or for a range- or composite-partitioned table.

 **See Also:**

[allocate\\_extent\\_clause](#) for a full description of this clause and "[Allocating Extents: Example](#)"

***deallocate\_unused\_clause***

*deallocate\_unused\_clause* Use the *deallocate\_unused\_clause* to explicitly deallocate unused space at the end of the table, partition or subpartition, overflow data segment, LOB data segment, or LOB index and make the space available for other segments in the tablespace.

 **See Also:**

[deallocate\\_unused\\_clause](#) for a full description of this clause and "[Deallocating Unused Space: Example](#)"

***rename\_lob\_storage\_clause***

Specify this clause to rename a LOB data segment internally.

Specify the following arguments:

- *table\_name*
- *column\_name* can be of type BLOB or BLOB
- *old\_segment\_name* can query *all\_lob*s, *all\_lob\_partition* or *all\_lob\_subpartition*
- PARTITION or SUBPARTITION for partitioned tables, NULL for non-partitioned tables
- *new\_segment\_name*. The rename ensures that the new segment name is unique within the database. A name conflict results in an error.

**CACHE | NOCACHE**

The CACHE and NOCACHE clauses have the same semantics in CREATE TABLE and ALTER TABLE statements. For complete information on these clauses, refer to "[CACHE | NOCACHE | CACHE READS](#)" in the documentation on CREATE TABLE. If you omit both of these clauses in an ALTER TABLE statement, then the existing value is unchanged.

***result\_cache\_clause***

The *result\_cache\_clause* clause has the same semantics in CREATE TABLE and ALTER TABLE statements. For complete information on this clause, refer to "[result\\_cache\\_clause](#)" in the documentation on CREATE TABLE. If you omit this clause in an ALTER TABLE statement, then the existing setting is unchanged.

**Examples**

```
ALTER TABLE employee RESULT_CACHE (MODE DEFAULT)
ALTER TABLE employee RESULT_CACHE (STANDBY ENABLE)
ALTER TABLE employee RESULT_CACHE (MODE DEFAULT, STANDBY ENABLE)
ALTER TABLE employee RESULT_CACHE (STANDBY ENABLE, MODE FORCE)
```

### ***upgrade\_table\_clause***

The *upgrade\_table\_clause* is relevant for object tables and for relational tables with object columns. It lets you instruct Oracle Database to convert the metadata of the target table to conform with the latest version of each referenced type. If table is already valid, then the table metadata remains unchanged.

### **Restriction on Upgrading Object Tables and Columns**

Within this clause, you cannot specify *object\_type\_col\_properties* as a clause of *column\_properties*.

### **INCLUDING DATA**

Specify **INCLUDING DATA** if you want Oracle Database to convert the data in the table to the latest type version format. You can define the storage for any new column while upgrading the table by using the *column\_properties* and the *LOB\_partition\_storage*. This is the default.

You can convert data in the table at the time you upgrade the type by specifying **CASCADE INCLUDING TABLE DATA** in the *dependent\_handling\_clause* of the **ALTER TYPE** statement. See *Oracle Database PL/SQL Language Reference* for information on this clause. For information on whether a table contains data based on an older type version, refer to the **DATA\_UPGRADED** column of the **USER\_TAB\_COLUMNS** data dictionary view.

### **NOT INCLUDING DATA**

Specify **NOT INCLUDING DATA** if you want Oracle Database to leave column data unchanged.

### **Restriction on NOT INCLUDING DATA**

You cannot specify **NOT INCLUDING DATA** if the table contains columns in Oracle8 release 8.0.x image format. To determine whether the table contains such columns, refer to the **V80\_FMT\_IMAGE** column of the **USER\_TAB\_COLUMNS** data dictionary view.

#### **See Also:**

- *Oracle Database Reference* for information on the data dictionary views
- **ALTER TYPE** for information on converting dependent table data when modifying a type upon which the table depends

### ***records\_per\_block\_clause***

The *records\_per\_block\_clause* lets you specify whether Oracle Database restricts the number of records that can be stored in a block. This clause ensures that any bitmap indexes subsequently created on the table will be as compressed as possible.

### **Restrictions on Records in a Block**

The *record\_per\_block\_clause* is subject to the following restrictions:

- You cannot specify either `MINIMIZE` or `NOMINIMIZE` if a bitmap index has already been defined on table. You must first drop the bitmap index.
- You cannot specify this clause for an index-organized table or a nested table.

### **MINIMIZE**

Specify `MINIMIZE` to instruct Oracle Database to calculate the largest number of records in any block in the table and to limit future inserts so that no block can contain more than that number of records.

Oracle recommends that a representative set of data already exist in the table before you specify `MINIMIZE`. If you are using table compression (see [table\\_compression](#)), then a representative set of compressed data should already exist in the table.

### **Restriction on MINIMIZE**

You cannot specify `MINIMIZE` for an empty table.

### **NOMINIMIZE**

Specify `NOMINIMIZE` to disable the `MINIMIZE` feature. This is the default.

### ***row\_movement\_clause***

You cannot disable row movement in a reference-partitioned table unless row movement is also disabled in the parent table. Otherwise, this clause has the same semantics in `CREATE TABLE` and `ALTER TABLE` statements. For complete information on these clauses, refer to [row\\_movement\\_clause](#) in the documentation on `CREATE TABLE`.

### ***logical\_replication\_clause***

You can perform partial database replication for users such as Oracle GoldenGate, and reduce the supplemental logging overhead of uninteresting tables in interesting schema where supplemental logging is enabled. For full semantics see `CREATE TABLE logical\_replication\_clause::=`.

### ***flashback\_archive\_clause***

You must have the `FLASHBACK ARCHIVE` object privilege on the specified flashback archive to specify this clause. Use this clause to enable or disable historical tracking for the table.

- Specify `FLASHBACK ARCHIVE` to enable tracking for the table. You can specify *flashback\_archive* to designate a particular flashback archive for this table. The flashback archive you specify must already exist.  
  
If you omit the archive name, then the database uses the default flashback archive designated for the system. If no default flashback archive has been designated for the system, then you must specify *flashback\_archive*.  
  
You cannot specify `FLASHBACK ARCHIVE` to *change* the flashback archive for this table. Instead you must first issue an `ALTER TABLE` statement with the `NO FLASHBACK ARCHIVE` clause and then issue an `ALTER TABLE` statement with the `FLASHBACK ARCHIVE` clause.
- Specify `NO FLASHBACK ARCHIVE` to disable tracking for the table.

 **See Also:**

The `CREATE TABLE flashback_archive_clause` for information on creating a table with tracking enabled and `CREATE FLASHBACK ARCHIVE` for information on creating default flashback archives

## RENAME TO

Use the `RENAME` clause to rename *table* to *new\_table\_name*.

Using this clause invalidates any dependent materialized views. For more information on materialized views, see `CREATE MATERIALIZED VIEW` and *Oracle Database Data Warehousing Guide*.

If a domain index is defined on the table, then the database invokes the `ODCIIndexAlter()` method with the `RENAME` option. This operation establishes correspondence between the `indextype` metadata and the base table.

### Restriction on Renaming Tables

You cannot rename a sharded table or a duplicated table.

### *shrink\_clause*

The `shrink` clause lets you manually shrink space in a table, index-organized table or its overflow segment, index, partition, subpartition, LOB segment, materialized view, or materialized view log. This clause is valid only for segments in tablespaces with automatic segment management. By default, Oracle Database compacts the segment, adjusts the high water mark, and releases the recuperated space immediately.

Compacting the segment requires row movement. Therefore, you must enable row movement for the object you want to shrink before specifying this clause. Further, if your application has any rowid-based triggers, you should disable them before issuing this clause.

With release 21c, you can use the *shrink\_clause* on SecureFile LOB segments. There are two ways to invoke the *shrink\_clause*:

1. This command targets a specific LOB column and all its partitions.

```
ALTER TABLE <table_name> MODIFY LOB <lob_column> SHRINK SPACE
```

2. This command cascades the shrink operation for all the LOB columns and its partitions for the given table .

```
ALTER TABLE <table_name> SHRINK SPACE CASCADE
```

### Restrictions:

The *shrink\_clause* is not supported on IOT partition tables.

 **Note:**

Do not attempt to enable row movement for an index-organized table before specifying the *shrink\_clause*. The `ROWID` of an index-organized table is its primary key, which never changes. Therefore, row movement is neither relevant nor valid for such tables.

## COMPACT

If you specify `COMPACT`, then Oracle Database only defragments the segment space and compacts the table rows for subsequent release. The database does not readjust the high water mark and does not release the space immediately. You must issue another `ALTER TABLE ... SHRINK SPACE` statement later to complete the operation. This clause is useful if you want to accomplish the shrink operation in two shorter steps rather than one longer step.

For an index or index-organized table, specifying `ALTER [INDEX | TABLE] ... SHRINK SPACE COMPACT` is equivalent to specifying `ALTER [INDEX | TABLE] ... COALESCE`. The *shrink\_clause* can be cascaded (refer to the `CASCADE` clause, which follows) and compacts the segment more densely than does a coalesce operation, which can improve performance. However, if you do not want to release the unused space, then you can use the appropriate `COALESCE` clause.

## CASCADE

If you specify `CASCADE`, then Oracle Database performs the same operations on all dependent objects of *table*, including secondary indexes on index-organized tables.

### Restrictions on the *shrink\_clause*

The *shrink\_clause* is subject to the following restrictions:

- You cannot combine this clause with any other clauses in the same `ALTER TABLE` statement.  
You cannot specify this clause for a cluster, a clustered table, or any object with a `LONG` column.
- Segment shrink is not supported for tables with function-based indexes, domain indexes, or bitmap join indexes.
- This clause does not shrink mapping tables of index-organized tables, even if you specify `CASCADE`.
- You can specify this clause for a table with Advanced Row Compression enabled (`ROW STORE COMPRESS ADVANCED`). You cannot specify this clause for a table with any other type of table compression enabled.
- You cannot shrink a table that is the master table of an `ON COMMIT` materialized view. Rowid materialized views must be rebuilt after the shrink operation.

## READ ONLY | READ WRITE

Specify `READ ONLY` to put the table in read-only mode. When the table is in `READ ONLY` mode, you cannot issue any DML statements that affect the table or any `SELECT ... FOR UPDATE` statements. You can issue DDL statements as long as they do not modify any table data. Operations on indexes associated with the table are allowed when the table is in `READ ONLY`



mode. See *Oracle Database Administrator's Guide* for the complete list of operations that are allowed and disallowed on read-only tables.

Specify `READ WRITE` to return a read-only table to read/write mode.

### **REKEY *encryption\_spec***

Use the `REKEY` clause to generate a new encryption key or to switch between different algorithms. This operation returns only after all encrypted columns in the table, including LOB columns, have been reencrypted.

### **DEFAULT COLLATION**

This clause lets you change the default collation for the table. For *collation\_name*, specify a valid named collation or pseudo-collation.

The new default collation for the table is assigned to columns of a character data type that are subsequently added to the table with an `ALTER TABLE ADD` statement or modified from a non-character data type with an `ALTER TABLE MODIFY` statement. The collations for existing columns in the table are not changed. Refer to the [DEFAULT COLLATION](#) clause of `CREATE TABLE` for the full semantics of this clause.

### **[NO] ROW ARCHIVAL**

Specify this clause to enable or disable *table* for row archival.

- Specify `ROW ARCHIVAL` to enable *table* for row archival. A hidden column `ORA_ARCHIVE_STATE` is created in the table. If the table is already populated with data, then the value of `ORA_ARCHIVE_STATE` is set to 0 for each existing row in the table. You can subsequently use the `UPDATE` statement to set the value of `ORA_ARCHIVE_STATE` to 1 for rows you want to archive.
- Specify `NO ROW ARCHIVAL` to disable *table* for row archival. The hidden column `ORA_ARCHIVE_STATE` is dropped from the table.

### **Restrictions on [NO] ROW ARCHIVAL**

The following restrictions apply to this clause:

- You cannot specify the `ROW ARCHIVAL` clause for a table that already contains a column named `ORA_ARCHIVE_STATE`.
- You cannot specify the `NO ROW ARCHIVAL` clause for tables owned by `SYS`.

#### See Also:

- The `CREATE TABLE ROW ARCHIVAL` clause for the full semantics of this clause
- *Oracle Database VLDB and Partitioning Guide* for more information on In-Database Archiving

### ***attribute\_clustering\_clause***

Use the `ADD attribute_clustering_clause` to enable the table for attribute clustering. The *attribute\_clustering\_clause* has the same semantics for `ALTER TABLE` and

CREATE TABLE. Refer to the [attribute\\_clustering\\_clause](#) in the documentation on CREATE TABLE.

### MODIFY CLUSTERING

Use this clause to allow or disallow attribute clustering for the table during direct-path insert operations or data movement operations. The table must be enabled for attribute clustering. The [clustering\\_when](#) clause and the [zonemap\\_clause](#) have the same semantics for ALTER TABLE and CREATE TABLE. Refer to the [clustering\\_when](#) clause and the [zonemap\\_clause](#) in the documentation on CREATE TABLE.

### DROP CLUSTERING

Use this clause to disable the table for attribute clustering.

If a zone map on the table was created using the WITH MATERIALIZED ZONEMAP clause of CREATE TABLE or ALTER TABLE, then the zone map will be dropped. If a zone map on the table was created using the CREATE MATERIALIZED ZONEMAP statement, then the zone map will not be dropped.

### FOR STAGING

You can change the staging property of an existing table with ALTER TABLE *t* FOR STAGING. The staging table *t* now has all the characteristics of a staging table created with CREATE TABLE *t* FOR STAGING.

Refer to CREATE TABLE clause for the full semantics of staging tables: [FOR STAGING](#)

### ALTER TABLE *t* NOT FOR STAGING

You can change a staging table with ALTER TABLE *t* NOT FOR STAGING. This means:

- You can enable compression explicitly on the table, its partitions, and future data loads.
- You can gather statistics on the table explicitly or by using an statistics gathering application.
- When you drop the table, it can be put in the recyclebin.

#### *alter\_iot\_clauses*

#### *index\_org\_table\_clause*

This clause lets you alter some of the characteristics of an existing index-organized table. Index-organized tables keep data sorted on the primary key and are therefore best suited for primary-key-based access and manipulation. See [index\\_org\\_table\\_clause](#) in the context of CREATE TABLE.



#### See Also:

["Modifying Index-Organized Tables: Examples"](#)

#### *prefix\_compression*

Use the [prefix\\_compression](#) clause to enable prefix compression for the table. Specify COMPRESS to instruct Oracle Database to combine the primary key index blocks of the index-

organized table where possible to free blocks for reuse. You can specify this clause with the *parallel\_clause*. Specify `NOCOMPRESS` to disable prefix compression for the table.

### ***iot\_advanced\_compression***

Specify *iot\_advanced\_compression* to compress the indexes of index organized tables (IOTs) and table partitions in order to reduce the storage footprint of IOTs.

You can enable advanced low index compression for all IOTs on specific partitions of a table, and leave other partitions uncompressed.

### **PCTTHRESHOLD *integer***

Refer to "[PCTTHRESHOLD \*integer\*](#)" in the documentation on `CREATE TABLE`.

### **INCLUDING *column\_name***

Refer to "[INCLUDING \*column\\_name\*](#)" in the documentation on `CREATE TABLE`.

### ***overflow\_attributes***

The *overflow\_attributes* let you specify the overflow data segment physical storage and logging attributes to be modified for the index-organized table. Parameter values specified in this clause apply only to the overflow data segment.



**See Also:**

[CREATE TABLE](#)

### ***add\_overflow\_clause***

The *add\_overflow\_clause* lets you add an overflow data segment to the specified index-organized table. You can also use this clause to explicitly allocate an extent to or deallocate unused space from an existing overflow segment.

Use the `STORE IN tablespace` clause to specify tablespace storage for the entire overflow segment. Use the `PARTITION` clause to specify tablespace storage for the segment by partition.

For a partitioned index-organized table:

- If you do not specify `PARTITION`, then Oracle Database automatically allocates an overflow segment for each partition. The physical attributes of these segments are inherited from the table level.
- If you want to specify separate physical attributes for one or more partitions, then you must specify such attributes for *every* partition in the table. You need not specify the name of the partitions, but you must specify their attributes in the order in which they were created.

You can find the order of the partitions by querying the `PARTITION_NAME` and `PARTITION_POSITION` columns of the `USER_IND_PARTITIONS` view.

If you do not specify `TABLESPACE` for a particular partition, then the database uses the tablespace specified for the table. If you do not specify `TABLESPACE` at the table level, then the database uses the tablespace of the partition primary key index segment.

### Restrictions on Overflow Attributes

Within the `segment_attributes_clause`:

- You cannot specify the `OPTIMAL` parameter of the `physical_attributes_clause`.
- You cannot specify tablespace storage for the overflow segment using this clause. For a nonpartitioned table, you can use `ALTER TABLE ... MOVE ... OVERFLOW` to move the segment to a different tablespace. For a partitioned table, use `ALTER TABLE ... MODIFY DEFAULT ATTRIBUTES ... OVERFLOW` to change the default tablespace of the overflow segment.

Additional restrictions apply if `table` is in a locally managed tablespace, because in such tablespaces several segment attributes are managed automatically by the database.



#### See Also:

[allocate\\_extent\\_clause](#) and [deallocate\\_unused\\_clause](#) for full descriptions of these clauses of the `add_overflow_clause`

### `alter_overflow_clause`

The `alter_overflow_clause` lets you change the definition of the overflow segment of an existing index-organized table.

The restrictions that apply to the `add_overflow_clause` also apply to the `alter_overflow_clause`.



#### Note:

When you add a column to an index-organized table, Oracle Database evaluates the maximum size of each column to estimate the largest possible row. If an overflow segment is needed but you have not specified `OVERFLOW`, then the database raises an error and does not execute the `ALTER TABLE` statement. This checking function guarantees that subsequent DML operations on the index-organized table will not fail because an overflow segment is lacking.

### `alter_mapping_table_clauses`

The `alter_mapping_table_clauses` is valid only if `table` is index organized and has a mapping table.

### `allocate_extent_clause`

Use the `allocate_extent_clause` to allocate a new extent at the end of the mapping table for the index-organized table. Refer to [allocate\\_extent\\_clause](#) for a full description of this clause.

***deallocate\_unused\_clause***

Specify the *deallocate\_unused\_clause* to deallocate unused space at the end of the mapping table of the index-organized table. Refer to [deallocate\\_unused\\_clause](#) for a full description of this clause.

Oracle Database automatically maintains all other attributes of the mapping table or its partitions.

**COALESCE Clause**

Specify `COALESCE` to instruct Oracle Database to merge the contents of index blocks of the index the database uses to maintain the index-organized table where possible to free blocks for reuse. Refer to the [shrink\\_clause](#) for information on the relationship between these two clauses.

***alter\_XMLSchema\_clause***

This clause is valid as part of *alter\_table\_properties* only if you are modifying an `XMLType` table with `BINARY XML` storage. Refer to [XMLSchema\\_spec](#) in the documentation on `CREATE TABLE` for more information on the `ALLOW` and `DISALLOW` clauses.

***column\_clauses***

Use these clauses to add, drop, or otherwise modify a column.

***add\_column\_clause***

The *add\_column\_clause* lets you add a column to a table.

**See Also:**

[CREATE TABLE](#) for a description of the keywords and parameters of this clause and "[Adding a Table Column: Example](#)"

Use `ALTER TABLE ADD` to associate columns to a domain:

```
ALTER TABLE [owner.]name ADD (<column_list_def_clause> [, DOMAIN  
[domain_owner.]domain_name (<column_name_list>)]+)
```

***column\_definition***

Unless otherwise noted in this section, the elements of *column\_definition* have the same behavior when adding a column to an existing table as they do when creating a new table. Refer to the [column\\_definition](#) clause of `CREATE TABLE` for information.

**Restriction on *column\_definition***

The `SORT` parameter is valid only when creating a new table. You cannot specify `SORT` in the *column\_definition* of an `ALTER TABLE ... ADD` statement.

When you add a column, the initial value of each row for the new column is null, unless you specify the `DEFAULT` clause.

You can add an overflow data segment to each partition of a partitioned index-organized table.

You can add LOB columns to nonpartitioned and partitioned tables. You can specify LOB storage at the table and at the partition or subpartition level.

If you previously created a view with a query that used the `SELECT *` syntax to select all columns from table, and you now add a column to `table`, then the database does not automatically add the new column to the view. To add the new column to the view, re-create the view using the `CREATE VIEW` statement with the `OR REPLACE` clause. Refer to [CREATE VIEW](#) for more information.

### Restrictions on Adding Columns

The addition of columns is subject to the following restrictions:

- You cannot add a LOB column or an `INVISIBLE` column to a cluster table.
- If you add a LOB column to a hash-partitioned table, then the only attribute you can specify for the new partition is `TABLESPACE`.
- You cannot add a column with a `NOT NULL` constraint if `table` has any rows unless you also specify the `DEFAULT` clause.
- If you specify this clause for an index-organized table, then you cannot specify any other clauses in the same statement.
- You cannot add a column to a duplicated table.

### DEFAULT

Use the `DEFAULT` clause to specify a default for a new column or a new default for an existing column. Oracle Database assigns this value to the column if a subsequent `INSERT` statement omits a value for the column.

The data type of the expression must match the data type specified for the column. The column must also be large enough to hold this expression.

The `DEFAULT` expression can include any SQL function as long as the function does not return a literal argument, a column reference, or a nested function invocation.

The `DEFAULT` expression can include the sequence pseudocolumns `CURRVAL` and `NEXTVAL`, as long as the sequence exists and you have the privileges necessary to access it. Users who perform subsequent inserts that use the `DEFAULT` expression must have the `INSERT` privilege on the table and the `SELECT` privilege on the sequence. If the sequence is later dropped, then subsequent insert statements where the `DEFAULT` expression is used will result in an error. If you are adding a new column to a table, then the order in which `NEXTVAL` is assigned to each existing row is nondeterministic. If you do not fully qualify the sequence by specifying the sequence owner, for example, `SCOTT.SEQ1`, then Oracle Database will default the sequence owner to be the user who issues the `ALTER TABLE` statement. For example, if user `MARY` adds a column to `SCOTT.TABLE` and refers to a sequence that is not fully qualified, such as `SEQ2`, then the column will use sequence `MARY.SEQ2`. Synonyms on sequences undergo a full name resolution and are stored as the fully qualified sequence in the data dictionary; this is true for public and private synonyms. For example, if user `BETH` adds a column referring to public or private synonym `SYN1` and the synonym refers to `PETER.SEQ7`, then the column will store `PETER.SEQ7` as the default.

If you specify the `DEFAULT` clause for a column, then the default value is stored as metadata but the column itself is not populated with data. However, subsequent queries that specify the

new column are rewritten so that the default value is returned in the result set. This optimized behavior is subject to the following restrictions:

- The table cannot have any LOB columns. It cannot be index-organized, temporary, or part of a cluster. It also cannot be a queue table, an object table, or the container table of a materialized view.
- If the table has a Virtual Private Database (VPD) policy on it, then the optimized behavior will not take place unless the user who issues the `ALTER TABLE ... ADD` statement has the `EXEMPT ACCESS POLICY` system privilege.
- The column being added cannot be encrypted, and cannot be an object column, nested table column, or a LOB column.
- The `DEFAULT` expression cannot include the sequence pseudocolumns `CURRVAL` or `NEXTVAL`.

If the optimized behavior cannot take place due to the preceding restrictions, then Oracle Database updates each row in the newly created column with the default value. In this case, the database does not fire any `UPDATE` triggers that are defined on the table.

### Restrictions on Default Column Values

Default column values are subject to the following restrictions:

- A `DEFAULT` expression cannot contain references to PL/SQL functions or to other columns, the pseudocolumns `LEVEL`, `PRIOR`, and `ROWNUM`, or date constants that are not fully specified.
- The expression can be of any form except a scalar subquery expression.

### ON NULL

If you specify the `ON NULL` clause, then Oracle Database assigns the `DEFAULT` column value when a subsequent `INSERT` or optionally an `UPDATE` statement attempts to assign a value that evaluates to `NULL`.

When you specify `ON NULL`, the `NOT NULL` constraint and `NOT DEFERRABLE` constraint state are implicitly specified. If you specify an inline constraint that conflicts with `NOT NULL` and `NOT DEFERRABLE`, then an error is raised.

Refer to `CREATE TABLE ON NULL` for the full semantics of `DEFAULT ON NULL`.



#### See Also:

["Specifying a Default Column Value: Examples"](#)

### *identity\_clause*

The *identity\_clause* has the same semantics when you add an identity column that it has when you create an identity column. Refer to `CREATE TABLE identity_clause` for more information.

When you add a new identity column to a table, all existing rows are updated using the sequence generator. The order in which a value is assigned to each existing row is nondeterministic.

### *identity\_options*

Use the *identity\_options* clause to configure the sequence generator. The *identity\_options* clause has the same parameters as the CREATE SEQUENCE statement. Refer to [CREATE SEQUENCE](#) for a full description of these parameters and characteristics. The exception is START WITH LIMIT VALUE, which is specific to *identity\_options* and can only be used with ALTER TABLE MODIFY. Refer to [identity\\_options](#) for more information.

### *inline\_constraint*

Use *inline\_constraint* to add a constraint to the new column.

### *inline\_ref\_constraint*

This clause lets you describe a new column of type REF. Refer to [constraint](#) for syntax and description of this type of constraint, including restrictions.

### *virtual\_column\_definition*

The *virtual\_column\_definition* has the same semantics when you add a column that it has when you create a column.



#### See Also:

The CREATE TABLE [virtual\\_column\\_definition](#) and "[Adding a Virtual Table Column: Example](#)" for more information

### **Restriction on Adding a Virtual Column**

You cannot add a virtual column when the SQL expression for the virtual column involves a column on which an Oracle Data Redaction policy is defined.

### *column\_properties*

The clauses of *column\_properties* determine the storage characteristics of an object type, nested table, varray, or LOB column.

### *object\_type\_col\_properties*

This clause is valid only when you are adding a new object type column or attribute. To modify the properties of an existing object type column, use the *modify\_column\_clauses*. The semantics of this clause are the same as for CREATE TABLE unless otherwise noted.

Use the *object\_type\_col\_properties* clause to specify storage characteristics for a new object column or attribute or an element of a collection column or attribute.

For complete information on this clause, refer to [object\\_type\\_col\\_properties](#) in the documentation on CREATE TABLE.

### *nested\_table\_col\_properties*

The *nested\_table\_col\_properties* clause lets you specify separate storage characteristics for a nested table, which in turn lets you to define the nested table as an index-organized table. You must include this clause when creating a table with columns or column attributes



whose type is a nested table. (Clauses within this clause that function the same way they function for parent object tables are not repeated here. See the `CREATE TABLE` clause [nested\\_table\\_col\\_properties](#) for more information about these clauses.)

- For *nested\_item*, specify the name of a column (or a top-level attribute of the nested table object type) whose type is a nested table.  
  
If the nested table is a multilevel collection, and the inner nested table does not have a name, then specify `COLUMN_VALUE` in place of the *nested\_item* name.
- For *storage\_table*, specify the name of the table where the rows of *nested\_item* reside. The storage table is created in the same schema and the same tablespace as the parent table.

### Restrictions on Nested Table Column Properties

Nested table column properties are subject to the following restrictions:

- You cannot specify the *parallel\_clause*.
- You cannot specify `CLUSTER` as part of the *physical\_properties* clause.



#### See Also:

["Nested Tables: Examples"](#)

### *varray\_col\_properties*

The *varray\_col\_properties* clause lets you specify separate storage characteristics for the LOB in which a varray will be stored. If you specify this clause, then Oracle Database will always store the varray in a LOB, even if it is small enough to be stored inline. If *varray\_item* is a multilevel collection, then the database stores all collection items nested within *varray\_item* in the same LOB in which *varray\_item* is stored.

### Restriction on Varray Column Properties

You cannot specify `TABLESPACE` as part of *LOB\_parameters* for a varray column. The LOB tablespace for a varray defaults to the tablespace of the containing table.

### *out\_of\_line\_part\_storage*

This clause lets you specify storage attributes the newly added column for each partition or subpartition in a partitioned table. For any partition or subpartition you do not name in this clause, the storage attributes for the new column are the same as those specified in the *nested\_table\_col\_properties* at the table level.

### *LOB\_storage\_clause*

Use the *LOB\_storage\_clause* to specify the LOB storage characteristics for a newly added LOB column, LOB partition, or LOB subpartition, or when you are converting a `LONG` column into a LOB column. You cannot use this clause to modify an existing LOB. Instead, you must use the [modify\\_LOB\\_storage\\_clause](#).

Unless otherwise noted in this section, all LOB parameters, in both the *LOB\_storage\_clause* and the *modify\_LOB\_storage\_clause*, have the same semantics

in an `ALTER TABLE` statement that they have in a `CREATE TABLE` statement. Refer to the `CREATE TABLE` [LOB\\_storage\\_clause](#) for complete information on this clause.

### Restriction on LOB Parameters

The only parameter of `LOB_parameters` you can specify for a hash partition or hash subpartition is `TABLESPACE`.

### CACHE READS Clause

When you add a new LOB column, you can specify the logging attribute with `CACHE READS`, as you can when defining a LOB column at create time. Refer to the `CREATE TABLE` clause [CACHE READS](#) for full information on this clause.

### ENABLE | DISABLE STORAGE IN ROW

You cannot change `STORAGE IN ROW` once it is set. Therefore, you cannot specify this clause as part of the `modify_col_properties` clause. However, you can change this setting when adding a new column ([add\\_column\\_clause](#)) or when moving the table ([move\\_table\\_clause](#)). Refer to the `CREATE TABLE` clause [ENABLE STORAGE IN ROW](#) for complete information on this clause.

### CHUNK *integer*

You cannot use the `modify_col_properties` clause to change the value of `CHUNK` after it has been set. If you require a different `CHUNK` value for a column after it has been created, use `ALTER TABLE ... MOVE`. Refer to the `CREATE TABLE` clause [CHUNK integer](#) for more information.

### RETENTION

For BasicFiles LOBs, if the database is in automatic undo mode, then you can specify `RETENTION` instead of `PCTVERSION` to instruct Oracle Database to retain old versions of this LOB. This clause overrides any prior setting of `PCTVERSION`. Refer to the `CREATE TABLE` clause [LOB\\_retention\\_clause](#) for a full description of this parameter.

### FREEPOOLS *integer*

For BasicFiles LOBs, if the database is in automatic undo mode, then you can use this clause to specify the number of freelist groups for this LOB. This clause overrides any prior setting of `FREELIST GROUPS`. Refer to the `CREATE TABLE` clause [FREEPOOLS integer](#) for a full description of this parameter. The database ignores this parameter for SecureFiles LOBs.

### LOB\_partition\_storage

You can specify only one list of `LOB_partition_storage` clauses in a single `ALTER TABLE` statement, and all `LOB_storage_clauses` and `varray_col_properties` clause must precede the list of `LOB_partition_storage` clauses. Refer to the `CREATE TABLE` clause [LOB\\_partition\\_storage](#) for full information on this clause, including restrictions.

### XMLType\_column\_properties

Refer to the `CREATE TABLE` clause [XMLType\\_column\\_properties](#) for a full description of this clause.

 **See Also:**

- [LOB\\_storage\\_clause](#) for information on the *LOB\_segname* and *LOB\_parameters* clauses
- "[XMLType Column Examples](#)" for an example of XMLType columns in object-relational tables and "[Using XML in SQL Statements](#)" for an example of creating an XMLSchema
- *Oracle XML DB Developer's Guide* for more information on XMLType columns and tables and on creating an XMLSchema

***XMLType\_storage***

Refer to the CREATE TABLE clause [XMLType\\_storage](#).

***JSON\_storage\_clause***

With 21c you can define a column of JSON data type using the *JSON\_storage\_clause*.

**Example**

```
ALTER TABLE t ADD (jcol JSON)
```

***modify\_column\_clauses***

Use the *modify\_column\_clauses* to modify the properties of an existing column, the visibility of an existing column, or the substitutability of an existing object type column.

 **See Also:**

["Modifying Table Columns: Examples"](#)

***modify\_col\_properties***

Use this clause to modify the properties of the column. Any of the optional parts of the column definition (data type, default value, or constraint) that you omit from this clause remain unchanged.

***datatype***

You can change the data type of any column if all rows of the column contain nulls. However, if you change the data type of a column in a materialized view container table, then Oracle Database invalidates the corresponding materialized view.

You can omit the data type only if the statement also designates the column as part of the foreign key of a referential integrity constraint. The database automatically assigns the column the same data type as the corresponding column of the referenced key of the referential integrity constraint.

You can always increase the size of a character or raw column or the precision of a numeric column, whether or not all the rows contain nulls. You can reduce the size of a data type of a column as long as the change does not require data to be modified. The

database scans existing data and returns an error if data exists that exceeds the new length limit.

When you increase the size of a `VARCHAR2`, `NVARCHAR2`, or `RAW` column to exceed 4000 bytes, Oracle Database performs an in-place length extension and does not migrate the inline storage to external LOB storage. This enables uninterrupted migration of large tables, especially after migration, to leverage extended data types. However, the inline storage of the column will not be preserved during table reorganization operations, such as `CREATE TABLE ... AS SELECT`, export, import, or online redefinition. To migrate to the new out-of-line storage of extended data type columns, you must recreate the table using one of the aforementioned methods. The inline storage of the column will be preserved during table or partition movement operations, such as `ALTER TABLE MOVE [[SUB]PARTITION]`, and partition maintenance operations, such as `ALTER TABLE SPLIT [SUB]PARTITION`, `ALTER TABLE MERGE [SUB]PARTITIONS`, and `ALTER TABLE COALESCE [SUB]PARTITIONS`.

 **Note:**

Oracle recommends against excessively increasing the size of a `VARCHAR2`, `NVARCHAR2`, or `RAW` column beyond 4000 bytes for the following reasons:

- Row chaining may occur.
- Data that is stored inline must be read in its entirety, whether a column is selected or not. Therefore, extended data type columns that are stored inline can have a negative impact on performance.

You can reduce the size of a data type of a column as long as the change does not require data to be modified. The database scans existing data and returns an error if data exists that exceeds the new length limit.

You can change a `DATE` column to a `TIMESTAMP` or `TIMESTAMP WITH LOCAL TIME ZONE` column, and you can change a `TIMESTAMP` or `TIMESTAMP WITH LOCAL TIME ZONE` column to a `DATE` column. The following rules apply:

- When you change a `TIMESTAMP` or `TIMESTAMP WITH LOCAL TIME ZONE` column to a `DATE` column, Oracle Database updates each column value that has nonzero fractional seconds by rounding the value to the nearest second. If, while updating such a value, Oracle Database encounters a minute field greater than or equal to 60 (which can occur in a boundary case when the daylight saving rule switches), then it updates the minute field by subtracting 60 from it.
- After you change a `TIMESTAMP WITH LOCAL TIME ZONE` column to a `DATE` column, the values in the column still represent the local time that they represented in the database time zone. However, the database time zone is no longer associated with the values. When queried in SQL\*Plus, the values are no longer automatically adjusted to the session time zone. It is now the responsibility of applications processing the column values to interpret them in a particular time zone.

If the table is empty, then you can increase or decrease the leading field or the fractional second value of a datetime or interval column. If the table is not empty, then you can only increase the leading field or fractional second of a datetime or interval column.

You can use the `TO_LOB` function to change a `LONG` column to a `CLOB` or `NCLOB` column, and a `LONG RAW` column to a `BLOB` column. However, you cannot use the `TO_LOB` function from within a PL/SQL package. Instead use the `TO_CLOB` (character) or `TO_BLOB` (raw) functions.

- The modified LOB column inherits all constraints and triggers that were defined on the original `LONG` column. If you want to change any constraints, then you must do so in a subsequent `ALTER TABLE` statement.
- If any domain indexes are defined on the `LONG` column, then you must drop them before modifying the column to a LOB.
- After the modification, you will have to rebuild all other indexes on all columns of the table.

You can use the `TO_CLOB` (character) function to convert `NCLOB` columns `CLOB` columns.

#### See Also:

- *Oracle Database SecureFiles and Large Objects Developer's Guide* for information on `LONG` to LOB migration
- [ALTER INDEX](#) for information on dropping and rebuilding indexes

For `CHAR` and `VARCHAR2` columns, you can change the length semantics by specifying `CHAR` (to indicate character semantics for a column that was originally specified in bytes) or `BYTE` (to indicate byte semantics for a column that was originally specified in characters). To learn the length semantics of existing columns, query the `CHAR_USED` column of the `ALL_`, `USER_`, or `DBA_TAB_COLUMNS` data dictionary view.

#### See Also:

- *Oracle Database Globalization Support Guide* for information on byte and character semantics
- *Oracle Database Reference* for information on the data dictionary views

You can specify a user-defined datatype as non-persistable when creating or altering the datatype. Instances of non-persistable types cannot persist on disk. See [CREATE TYPE](#) for more on user-defined datatypes declared as non-persistable types.

### DOMAIN

Use this clause to associate *domain\_name* with the column. The domain's data type must be compatible with the column's data type.

### COLLATE

Use this clause to set or change the data-bound collation for a column. For *column\_collation\_name*, specify a valid named collation or pseudo-collation. Refer to the [DEFAULT COLLATION](#) clause of `CREATE TABLE` for more information on data-bound collations.

### Restrictions on Changing Column Collation

The modification of the column collation is subject to the following restrictions:

- If the column belongs to an index key, then its collation can only be changed:

- among collations: `BINARY`, `USING_NLS_COMP`, `USING_NLS_SORT`, and `USING_NLS_SORT_CS`
- between collations `BINARY_CI` and `USING_NLS_SORT_CI`
- between collations `BINARY_AI` and `USING_NLS_SORT_AI`
- If the column belongs to a range- or list-partitioning key, is referenced by a bitmap join index, belongs to the primary key of an index-organized table, or to the key of a domain index, including an Oracle Text index, then its collation can only be changed among the collations `BINARY`, `USING_NLS_COMP`, `USING_NLS_SORT`, and `USING_NLS_SORT_CS`.
- If the column belongs to an attribute clustering key, then its collation can only be changed between the collations `BINARY` and `USING_NLS_COMP`.

**See Also:**

[Modifying the Collation of a Column for Fine-Grained Case-Insensitivity: Example](#)

***identity\_clause***

Use *identity\_clause* to modify the properties of an identity column. You cannot specify this clause on a column that is not an identity column. If you do not specify `ALWAYS` or `BY DEFAULT`, then the current generation type is retained. Refer to `CREATE TABLE` [identity\\_clause](#) for more information on `ALWAYS` and `BY DEFAULT`.

***identity\_options***

Use the *identity\_options* clause to configure the sequence generator. The *identity\_options* clause has the same parameters as the `CREATE SEQUENCE` statement. Refer to [CREATE SEQUENCE](#) for a full description of these parameters and characteristics. The exceptions are:

- `START WITH LIMIT VALUE`, which is specific to *identity\_options*, can only be used with `ALTER TABLE MODIFY`. If you specify `START WITH LIMIT VALUE`, then Oracle Database locks the table and finds the maximum identity column value in the table (for increasing sequences) or the minimum identity column value (for decreasing sequences) and assigns the value as the sequence generator's high water mark. The next value returned by the sequence generator will be the high water mark + `INCREMENT BY integer` for increasing sequences, or the high water mark - `INCREMENT BY integer` for decreasing sequences.
- If you change the value of `START WITH`, then the default values will be used for all other parameters in this clause unless you specify otherwise.

**DROP IDENTITY**

Use this clause to remove the identity property from a column, including the sequence generator and `NOT NULL` and `NOT DEFERRABLE` constraints. Identity column values in existing rows are not affected.

**ENCRYPT *encryption\_spec* | DECRYPT**

Use this clause to decrypt an encrypted column, to encrypt an unencrypted column, or to change the integrity algorithm or the `SALT` option of an encrypted column.

When encrypting an existing column, if you specify *encryption\_spec*, it must match the encryption specification of any other encrypted columns in the same table. Refer to the CREATE TABLE clause [encryption\\_spec](#) for additional information and restrictions on the *encryption\_spec*.

If a materialized view log is defined on the table, then Oracle Database encrypts or decrypts in the materialized view log any columns you encrypt or decrypt in this clause.

### Restrictions on ENCRYPT *encryption\_spec* | DECRYPT

This clause is subject to the following restrictions:

- If the new or existing column is a LOB column, then it must be stored as a SecureFiles LOB, and you cannot specify the `SALT` option.
- You cannot encrypt or decrypt a column on which a fine-grained audit policy for the UPDATE statement is enabled. However, you can disable the fine-grained audit policy, encrypt or decrypt the column, and then enable the fine-grained audit policy.



#### See Also:

["Data Encryption: Examples"](#)

### *inline\_constraint*

This clause lets you add a constraint to a column you are modifying. To change the state of existing constraints on existing columns, use the *constraint\_clauses*.

### *LOB\_storage\_clause*

The *LOB\_storage\_clause* is permitted within *modify\_col\_properties* only if you are converting a LONG column to a LOB column. In this case only, you can specify LOB storage for the column using the *LOB\_storage\_clause*. However, you can specify only the single column as a *LOB\_item*. Default LOB storage attributes are used for any attributes you omit in the *LOB\_storage\_clause*.

### *alter\_XMLSchema\_clause*

This clause is valid within *modify\_col\_properties* only for XMLType tables with BINARY XML storage. Refer to [XMLSchema\\_spec](#) in the documentation on CREATE TABLE for more information on the ALLOW and DISALLOW clauses.

### Restrictions on Modifying Column Properties

The modification of column properties is subject to the following restrictions:

- You cannot change the data type of a LOB column.
- You cannot modify a column of a table if a domain index is defined on the column. You must first drop the domain index and then modify the column.
- You cannot modify the data type or length of a column that is part of the partitioning or subpartitioning key of a table or index.

- You can change a `CHAR` column to `VARCHAR2` (or `VARCHAR`) and a `VARCHAR2` (or `VARCHAR`) column to `CHAR` only if the `BLANK_TRIMMING` initialization parameter is set to `TRUE` and the column size stays the same or increases. If the `BLANK_TRIMMING` initialization parameter is set to `TRUE`, then you can also reduce the column size to any size greater than or equal to the maximum trimmed data value.
- You cannot change a `LONG` or `LONG RAW` column to a `LOB` if the table is part of a cluster. If you do change a `LONG` or `LONG RAW` column to a `LOB`, then the only other clauses you can specify in this `ALTER TABLE` statement are the `DEFAULT` clause and the `LOB_storage_clause`.
- You can specify the `LOB_storage_clause` as part of `modify_col_properties` only when you are changing a `LONG` or `LONG RAW` column to a `LOB`.
- You cannot specify a column of data type `ROWID` for an index-organized table, but you can specify a column of type `UROWID`.
- You cannot change the data type of a column to `REF`.
- You cannot modify the properties of a column in a duplicated table.

**See Also:**

[ALTER MATERIALIZED VIEW](#) for information on revalidating a materialized view

***modify\_virtcol\_properties***

This clause lets you modify a virtual column in the following ways:

- Specify the `COLLATE` clause to set or change the data-bound collation for a virtual column. For `column_collation_name`, specify a valid named collation or pseudo-collation. Refer to the [DEFAULT COLLATION](#) clause of `CREATE TABLE` for more information on data-bound collations.
- If the virtual column refers to an editioned PL/SQL function, then you can modify the evaluation edition or the unusable editions for a virtual column. The `evaluation_edition_clause` and the `unusable_editions_clause` have the same semantics when you modify a virtual column that they have when you create a virtual column. For complete information, refer to [evaluation\\_edition\\_clause](#) and [unusable\\_editions\\_clause](#) in the documentation on `CREATE TABLE`.

**Restrictions on Modifying Virtual Columns**

The following restrictions apply to modifying virtual columns:

- Specifying the `COLLATE` clause to set or change the data-bound collation for a virtual column is subject to the restrictions listed in [Restrictions on Changing Column Collation](#).
- If an index is defined on a virtual column and you modify its evaluation edition or unusable editions, then the database will invalidate all indexes on the virtual column. If you attempt to modify any other properties of the virtual column, then an error occurs.

***modify\_col\_visibility***

Use this clause to change the visibility of `column`. For complete information, refer to "[VISIBLE | INVISIBLE](#)" in the documentation on `CREATE TABLE`.



### Restriction on Modifying Column Visibility

You cannot change a `VISIBLE` column to `INVISIBLE` in a table owned by `SYS`.

#### *modify\_col\_substitutable*

Use this clause to set or change the substitutability of an existing object type column.

The `FORCE` keyword drops any hidden columns containing typeid information or data for subtype attributes. You must specify `FORCE` if the column or any attributes of its type are not `FINAL`.

### Restrictions on Modifying Column Substitutability

The modification of column substitutability is subject to the following restrictions:

- You can specify this clause only once in any `ALTER TABLE` statement.
- You cannot modify the substitutability of a column in an object table if the substitutability of the table itself has been set.
- You cannot specify this clause if the column was created or added using the `IS OF TYPE` syntax, which limits the range of subtypes permitted in an object column or attribute to a particular subtype. Refer to [substitutable\\_column\\_clause](#) in the documentation on `CREATE TABLE` for information on the `IS OF TYPE` syntax.
- You cannot change a varray column to `NOT SUBSTITUTABLE`, even by specifying `FORCE`, if any of its attributes are nested object types that are not `FINAL`.

#### *modify\_domain::=*

Use this clause to add or remove a domain from the table.

### ADD DOMAIN

Use this to add a domain to the listed columns. You must specify as many columns as the domain. The first column is associated with the first domain column, second column is associated with the second domain column, and so on.

#### Example: Create a Domain phone\_number and Add a Column

```
CREATE DOMAIN phone_number as VARCHAR2(12)
  CONSTRAINT CHECK (phone_number not like '%[0-9]%' )
  NOT NULL;
```

To add a new column to a table with domain, the `ALTER TABLE` statement can be used as follows:

```
ALTER TABLE customers ADD (cust_cell_phone_number Varchar2(12) DOMAIN
phone_number);
```

```
ALTER TABLE customers ADD (cust_cell_phone_number Varchar2(12) DOMAIN
phone_number DEFAULT ON NULL '650-000-0000');
```

### DROP DOMAIN

Use this clause to dissociate a domain from the listed columns. The number of columns in this statement must match the number of columns in the domain.

If the domain has a collation, this will be preserved.

## PRESERVE CONSTRAINTS

By default, any constraints from the domain are removed from the column. Use this clause to copy the domain constraints to the column.

### *drop\_column\_clause*

The *drop\_column\_clause* lets you free space in the database by dropping columns you no longer need or by marking them to be dropped at a future time when the demand on system resources is less.

- If you drop a nested table column, then its storage table is removed.
- If you drop a LOB column, then the LOB data and its corresponding LOB index segment are removed.
- If you drop a `BFILE` column, then only the locators stored in that column are removed, not the files referenced by the locators.
- If you drop or mark unused a column defined as an `INCLUDING` column, then the column stored immediately before this column will become the new `INCLUDING` column.

## SET UNUSED Clause

Specify `SET UNUSED` to mark one or more columns as unused. For an internal heap-organized table, specifying this clause does not actually remove the target columns from each row in the table. It does not restore the disk space used by these columns. Therefore, the response time is faster than when you execute the `DROP` clause.

When you specify this clause for a column in an external table, the clause is transparently converted to an `ALTER TABLE ... DROP COLUMN` statement. The reason for this is that any operation on an external table is a metadata-only operation, so there is no difference in the performance of the two commands.

You can view all tables with columns marked `UNUSED` in the data dictionary views `USER_UNUSED_COL_TABS`, `DBA_UNUSED_COL_TABS`, and `ALL_UNUSED_COL_TABS`.



### See Also:

*Oracle Database Reference* for information on the data dictionary views

Unused columns are treated as if they were dropped, even though their column data remains in the table rows. After a column has been marked `UNUSED`, you have no access to that column. A `SELECT *` query will not retrieve data from unused columns. In addition, the names and types of columns marked `UNUSED` will not be displayed during a `DESCRIBE`, and you can add to the table a new column with the same name as an unused column.

 **Note:**

Until you actually drop these columns, they continue to count toward the maximum number of columns in a single table, i.e. 1000 if the `MAX_COLUMNS` initialization parameter is set to `STANDARD`, or 4096 columns if `MAX_COLUMNS` is set to `EXTENDED`. However, as with all DDL statements, you cannot roll back the results of this clause. You cannot issue `SET USED` counterpart to retrieve a column that you have `SET UNUSED`. Refer to [CREATE TABLE](#) for more information on the 1000-column limit.

Also, if you mark a `LONG` column as `UNUSED`, then you cannot add another `LONG` column to the table until you actually drop the unused `LONG` column.

**ONLINE**

Specify `ONLINE` to indicate that DML operations on the table will be allowed while marking the column or columns `UNUSED`.

**Restrictions on Marking Columns Unused**

The following restrictions apply to the `SET UNUSED` clause:

- You cannot specify the `ONLINE` clause when marking a column with a `DEFERRABLE` constraint as `UNUSED`.
- Columns in tables owned by `SYS` cannot be marked as `UNUSED`.

**DROP Clause**

Specify `DROP` to remove the column descriptor and the data associated with the target column from each row in the table. If you explicitly drop a particular column, then all columns currently marked `UNUSED` in the target table are dropped at the same time.

When the column data is dropped:

- All indexes defined on any of the target columns are also dropped.
- All constraints that reference a target column are removed.
- If any statistics types are associated with the target columns, then Oracle Database disassociates the statistics from the column with the `FORCE` option and drops any statistics collected using the statistics type.

 **Note:**

If the target column is a parent key of a nontarget column, or if a check constraint references both the target and nontarget columns, then Oracle Database returns an error and does not drop the column unless you have specified the `CASCADE CONSTRAINTS` clause. If you have specified that clause, then the database removes all constraints that reference any of the target columns.

 **See Also:**

[DISASSOCIATE STATISTICS](#) for more information on disassociating statistics types

### **DROP UNUSED COLUMNS Clause**

Specify `DROP UNUSED COLUMNS` to remove from the table all columns currently marked as unused. Use this statement when you want to reclaim the extra disk space from unused columns in the table. If the table contains no unused columns, then the statement returns with no errors.

#### ***column***

Specify one or more columns to be set as unused or dropped. Use the `COLUMN` keyword only if you are specifying only one column. If you specify a column list, then it cannot contain duplicates.

### **CASCADE CONSTRAINTS**

Specify `CASCADE CONSTRAINTS` if you want to drop all foreign key constraints that refer to the primary and unique keys defined on the dropped columns as well as all multicolumn constraints defined on the dropped columns. If any constraint is referenced by columns from other tables or remaining columns in the target table, then you must specify `CASCADE CONSTRAINTS`. Otherwise, the statement aborts and an error is returned.

### **INVALIDATE**

The `INVALIDATE` keyword is optional. Oracle Database automatically invalidates all dependent objects, such as views, triggers, and stored program units. Object invalidation is a recursive process. Therefore, all directly dependent and indirectly dependent objects are invalidated. However, only local dependencies are invalidated, because the database manages remote dependencies differently from local dependencies.

An object invalidated by this statement is automatically revalidated when next referenced. You must then correct any errors that exist in that object before referencing it.

 **See Also:**

*Oracle Database Concepts* for more information on dependencies

### **CHECKPOINT**

Specify `CHECKPOINT` if you want Oracle Database to apply a checkpoint for the `DROP COLUMN` operation after processing *integer* rows; *integer* is optional and must be greater than zero. If *integer* is greater than the number of rows in the table, then the database applies a checkpoint after all the rows have been processed. If you do not specify *integer*, then the database sets the default of 512. Checkpointing cuts down the amount of undo logs accumulated during the `DROP COLUMN` operation to avoid running out of undo space. However, if this statement is interrupted after a checkpoint has been applied, then the table remains in an unusable state. While the table is unusable, the only operations allowed on it are `DROP`

TABLE, TRUNCATE TABLE, and ALTER TABLE DROP ... COLUMNS CONTINUE (described in sections that follow).

You cannot use this clause with SET UNUSED, because that clause does not remove column data.

### DROP COLUMNS CONTINUE Clause

Specify DROP COLUMNS CONTINUE to continue the drop column operation from the point at which it was interrupted. Submitting this statement while the table is in an invalid state results in an error.

### Restrictions on Dropping Columns

Dropping columns is subject to the following restrictions:

- Each of the parts of this clause can be specified only once in the statement and cannot be mixed with any other ALTER TABLE clauses. For example, the following statements are not allowed:

```
ALTER TABLE t1 DROP COLUMN f1 DROP (f2);
ALTER TABLE t1 DROP COLUMN f1 SET UNUSED (f2);
ALTER TABLE t1 DROP (f1) ADD (f2 NUMBER);
ALTER TABLE t1 SET UNUSED (f3)
    ADD (CONSTRAINT ck1 CHECK (f2 > 0));
```

- You can drop an object type column only as an entity. To drop an attribute from an object type column, use the ALTER TYPE ... DROP ATTRIBUTE statement with the CASCADE INCLUDING TABLE DATA clause. Be aware that dropping an attribute affects all dependent objects. See *Oracle Database PL/SQL Language Reference* for more information.
- You can drop a column from an index-organized table only if it is not a primary key column. The primary key constraint of an index-organized table can never be dropped, so you cannot drop a primary key column even if you have specified CASCADE CONSTRAINTS.
- You can export tables with dropped or unused columns. However, you can import a table only if all the columns specified in the export files are present in the table (none of those columns has been dropped or marked unused). Otherwise, Oracle Database returns an error.
- You can set unused a column from a table that uses COMPRESS BASIC, but you cannot drop the column. However, all clauses of the *drop\_column\_clause* are valid for tables that use ROW STORE COMPRESS ADVANCED. See the semantics for [table\\_compression](#) for more information.
- You cannot drop a column on which a domain index has been built.
- You cannot drop a SCOPE table constraint or a WITH ROWID constraint on a REF column.
- You cannot use this clause to drop:
  - A pseudocolumn, cluster column, or partitioning column. You can drop nonpartitioning columns from a partitioned table if all the tablespaces where the partitions were created are online and in read/write mode.
  - A column from a nested table, an object table, a duplicated table, or a table owned by SYS.

**See Also:**

"Dropping a Column: Example"

***add\_period\_clause***

Use the *add\_period\_clause* to add a valid time dimension to *table*.

The *period\_definition* clause of ALTER TABLE has the same semantics as in CREATE TABLE, with the following exceptions and additions:

- *valid\_time\_column* must not already exist in *table*.
- If you specify *start\_time\_column* and *end\_time\_column*, then these columns must already exist in *table* or you must specify the *add\_column\_clause* for each of these columns.
- If you specify *start\_time\_column* and *end\_time\_column* and these columns already exist in *table* and are populated with data, then for all rows where both columns have non-NULL values, the value of *start\_time\_column* must be earlier than the value of *end\_time\_column*.

**See Also:**

CREATE TABLE *period\_definition* for the full semantics of this clause

***drop\_period\_clause***

Use the *drop\_period\_clause* to drop a valid time dimension from *table*.

For *valid\_time\_column*, specify the name of the valid time dimension you want to drop.

This clause has the following effects:

- The *valid\_time\_column* will be dropped from *table*.
- If the start time column and end time column were automatically created by Oracle Database when the valid time dimension was created, either with CREATE TABLE ... *period\_definition* or ALTER TABLE ... *add\_period\_clause*, then they will be dropped. Otherwise, these columns will remain in *table* and revert to regular table columns.

**See Also:**

CREATE TABLE *period\_definition* for more information on the *valid\_time\_column*, start time column, and end time column

***rename\_column\_clause***

Use the *rename\_column\_clause* to rename a column of *table*. The new column name must not be the same as any other column name in *table*.

When you rename a column, Oracle Database handles dependent objects as follows:

- Function-based indexes and check constraints that depend on the renamed column remain valid.
- Dependent views, triggers, functions, procedures, and packages are invalidated. Oracle Database attempts to revalidate them when they are next accessed, but you may need to alter these objects with the new column name if revalidation fails.
- If a domain index is defined on the column being renamed, then the database invokes the `ODCIIndexAlter` method with the `RENAME` option. This operation establishes correspondence between the `indextype` metadata and the base table

### Restrictions on Renaming Columns

Renaming columns is subject to the following restrictions:

- You cannot combine this clause with any of the other *column\_clauses* in the same statement.
- You cannot rename a column that is used to define a join index. Instead you must drop the index, rename the column, and re-create the index.
- You cannot rename a column in a duplicated table.



#### See Also:

["Renaming a Column: Example"](#)

### *modify\_collection\_retrieval*

Use the *modify\_collection\_retrieval* clause to change what Oracle Database returns when a collection item is retrieved from the database.

### *collection\_item*

Specify the name of a column-qualified attribute whose type is nested table or varray.

### RETURN AS

Specify what Oracle Database should return as the result of a query:

- `LOCATOR` specifies that a unique locator for the nested table is returned.
- `VALUE` specifies that a copy of the nested table itself is returned.



#### See Also:

["Collection Retrieval: Example"](#)

### *modify\_LOB\_storage\_clause*

The *modify\_LOB\_storage\_clause* lets you change the physical attributes of *LOB\_item*. You can specify only one *LOB\_item* for each *modify\_LOB\_storage\_clause*.

The sections that follow describe the semantics of parameters specific to `modify_LOB_parameters`. Unless otherwise documented in this section, the remaining LOB parameters have the same semantics when altering a table that they have when you are creating a table. Refer to the restrictions at the end of this section and to the `CREATE TABLE` clause [LOB\\_storage\\_parameters](#) for more information.

**Note:**

- You can modify LOB storage with an `ALTER TABLE` statement or with online redefinition by using the `DBMS_REDEFINITION` package. If you have not enabled LOB encryption, compression, or deduplication at create time, Oracle recommends that you use online redefinition to enable them after creation, as this process is more disk space efficient for changes to these three parameters. See *Oracle Database PL/SQL Packages and Types Reference* for more information on `DBMS_REDEFINITION`.
- You cannot convert a LOB from one type of storage to the other. Instead you must migrate to SecureFiles or BasicFiles by using online redefinition or partition exchange.

**PCTVERSION integer**

Refer to the `CREATE TABLE` clause [PCTVERSION integer](#) for information on this clause.

**LOB\_retention\_clause**

If the database is in automatic undo mode, then you can specify `RETENTION` instead of `PCTVERSION` to instruct Oracle Database to retain old versions of this LOB. This clause overrides any prior setting of `PCTVERSION`.

**FREEPOOLS integer**

For BasicFiles LOBs, if the database is in automatic undo mode, then you can use this clause to specify the number of freelist groups for this LOB. This clause overrides any prior setting of `FREELIST GROUPS`. Refer to the `CREATE TABLE` clause [FREEPOOLS integer](#) for a full description of this parameter. The database ignores this parameter for SecureFiles LOBs.

**REBUILD FREEPOOLS**

This clause applies only to BasicFiles LOBs, not to SecureFiles LOBs. The `REBUILD FREEPOOLS` clause removes all the old versions of data from the LOB column. This clause is useful for removing all retained old version space in a LOB segment, freeing that space to be used immediately by new LOB data.

**LOB\_deduplicate\_clause**

This clause is valid only for SecureFiles LOBs. `KEEP_DUPLICATES` disables LOB deduplication. `DEDUPLICATE` enables LOB deduplication. All lobs in the segment are read, and any matching LOBs are deduplicated before returning.

**LOB\_compression\_clause**

This clause is valid only for SecureFiles LOBs. `COMPRESS` compresses all LOBs in the segment and then returns. `NOCOMPRESS` uncompresses all LOBs in the segment and then returns.



## ENCRYPT | DECRYPT

LOB encryption has the same semantics as column encryption in general. See "[ENCRYPT encryption\\_spec | DECRYPT](#)" for more information.

## CACHE, NOCACHE, CACHE READS

When you modify a LOB column from `CACHE` or `NOCACHE` to `CACHE READS`, or from `CACHE READS` to `CACHE` or `NOCACHE`, you can change the logging attribute. If you do not specify `LOGGING` or `NOLOGGING`, then this attribute defaults to the current logging attribute of the LOB column. If you do not specify `CACHE`, `NOCACHE`, or `CACHE READS`, then Oracle Database retains the existing values of the LOB attributes.

## Restrictions on Modifying LOB Storage

Modifying LOB storage is subject to the following restrictions:

- You cannot modify the value of the `INITIAL` parameter in the `storage_clause` when modifying the LOB storage attributes.
- You cannot specify both the `allocate_extent_clause` and the `deallocate_unused_clause` in the same statement.
- You cannot specify both the `PCTVERSION` and `RETENTION` parameters.
- You cannot specify the `shrink_clause` for SecureFiles LOBs.



### See Also:

[LOB\\_storage\\_clause](#) (in `CREATE TABLE`) for information on setting LOB parameters and "[LOB Columns: Examples](#)"

## *alter varray\_col\_properties*

The `alter varray_col_properties` clause lets you change the storage characteristics of an existing LOB in which a varray is stored.

### Restriction on Altering Varray Column Properties

You cannot specify the `TABLESPACE` clause of `LOB_parameters` as part of this clause. The LOB tablespace for a varray defaults to the tablespace of the containing table.

## REKEY *encryption\_spec*

The `REKEY` clause causes the database to generate a new encryption key. All encrypted columns in the table are reencrypted using the new key and, if you specify the `USING` clause of the `encryption_spec`, a new encryption algorithm. You cannot combine this clause with any other clauses in this `ALTER TABLE` statement.



### See Also:

*Oracle Database Advanced Security Guide* for more information on transparent column encryption

### *constraint\_clauses*

Use the *constraint\_clauses* to add a new constraint using out-of-line declaration, modify the state of an existing constraint, or drop a constraint. Refer to [constraint](#) for a description of all the keywords and parameters of out-of-line constraints and *constraint\_state*.

#### Adding a Constraint

The `ADD` clause lets you add a new out-of-line constraint or out-of-line `REF` constraint to the table.

#### Restrictions on Adding a Constraint

Adding constraints is subject to the following restrictions:

- You cannot add a constraint to a duplicated table.
- You cannot add a foreign key constraint to a sharded table.



#### See Also:

"Disabling a CHECK Constraint: Example", "Specifying Object Identifiers: Example", and "REF Columns: Examples"

#### Modifying a Constraint

The `MODIFY CONSTRAINT` clause lets you change the state of an existing constraint.

The `CASCADE` keyword is valid only when you are disabling a unique or primary key constraint on which a foreign key constraint is defined. In this case, you must specify `CASCADE` so that the unique or primary key constraint and all of its dependent foreign key constraints are disabled.

Like the other constraint states you can set the precheck state of a constraint to `PRECHECK` and unset it with `NOPRECHECK`.

#### Restrictions on Modifying Constraints

Modifying constraints is subject to the following restrictions:

- You cannot change the state of a `NOT DEFERRABLE` constraint to `INITIALLY DEFERRED`.
- If you specify this clause for an index-organized table, then you cannot specify any other clauses in the same statement.
- You cannot change the `NOT NULL` constraint on a foreign key column of a reference-partitioned table, and you cannot change the state of a partitioning referential constraint of a reference-partitioned table.
- You cannot modify a constraint on a duplicated table.
- You can specify `precheck_state` only with `constraint_name`. Primary key and unique constraints are not supported.

 **See Also:**

- ["Adding and Modifying Precheck State Constraint: Example"](#)
- ["Changing the State of a Constraint: Examples"](#)
- [Explicitly Declaring Column Check Constraints Precheckable or Not](#)

**Renaming a Constraint**

The `RENAME CONSTRAINT` clause lets you rename any existing constraint on *table*. The new constraint name cannot be the same as any existing constraint on any object in the same schema. All objects that are dependent on the constraint remain valid.

 **See Also:**

["Renaming Constraints: Example"](#)

***drop\_constraint\_clause***

The *drop\_constraint\_clause* lets you drop an integrity constraint from the database. Oracle Database stops enforcing the constraint and removes it from the data dictionary. You can specify only one constraint for each *drop\_constraint\_clause*, but you can specify multiple *drop\_constraint\_clause* in one statement.

**PRIMARY KEY**

Specify `PRIMARY KEY` to drop the primary key constraint of *table*.

**UNIQUE**

Specify `UNIQUE` to drop the unique constraint on the specified columns.

If you drop the primary key or unique constraint from a column on which a bitmap join index is defined, then Oracle Database invalidates the index. See [CREATE INDEX](#) for information on bitmap join indexes.

**CONSTRAINT**

Specify `CONSTRAINT constraint_name` to drop an integrity constraint other than a primary key or unique constraint.

**CASCADE**

Specify `CASCADE` if you want all other integrity constraints that depend on the dropped integrity constraint to be dropped as well.

**KEEP INDEX | DROP INDEX**

Specify `KEEP INDEX` or `DROP INDEX` to indicate whether Oracle Database should preserve or drop the index it has been using to enforce the `PRIMARY KEY` or `UNIQUE` constraint.

**ONLINE**

Specify `ONLINE` to indicate that DML operations on the table will be allowed while dropping the constraint.

### Restrictions on Dropping Constraints

Dropping constraints is subject to the following restrictions:

- You cannot drop a primary key or unique key constraint that is part of a referential integrity constraint without also dropping the foreign key. To drop the referenced key and the foreign key together, use the `CASCADE` clause. If you omit `CASCADE`, then Oracle Database does not drop the primary key or unique constraint if any foreign key references it.
- You cannot drop a primary key constraint (even with the `CASCADE` clause) on a table that uses the primary key as its object identifier (OID).
- If you drop a referential integrity constraint on a `REF` column, then the `REF` column remains scoped to the referenced table.
- You cannot drop the scope of a `REF` column.
- You cannot drop the `NOT NULL` constraint on a foreign key column of a reference-partitioned table, and you cannot drop a partitioning referential constraint of a reference-partitioned table.
- You cannot drop the `NOT NULL` constraint on a column that is defined with a default column value using the `ON NULL` clause.
- You cannot specify the `ONLINE` clause when dropping a `DEFERRABLE` constraint.



#### See Also:

["Dropping Constraints: Examples"](#)

### *alter\_external\_table*

Use the *alter\_external\_table* clauses to change the characteristics of an external table. This clause has no effect on the external data itself. The syntax and semantics of the *parallel\_clause*, *enable\_disable\_clause*, *external\_table\_data\_props*, and `REJECT LIMIT` clause are the same as described for `CREATE TABLE`. See the [external\\_table\\_clause](#) (in `CREATE TABLE`).

### PROJECT COLUMN Clause

This clause lets you determine how the access driver validates the rows of an external table in subsequent queries. The default is `PROJECT COLUMN ALL`, which means that the access driver processes all column values, regardless of which columns are selected, and validates only those rows with fully valid column entries. If any column value would raise an error, such as a data type conversion error, then the row is rejected even if that column was not referenced in the select list. If you specify `PROJECT COLUMN REFERENCED`, then the access driver processes only those columns in the select list.

The `ALL` setting guarantees consistent result sets. The `REFERENCED` setting can result in different numbers of rows returned, depending on the columns referenced in subsequent queries, but is faster than the `ALL` setting. If a subsequent query selects all columns of the external table, then the settings behave identically.

## Restrictions on Altering External Tables

Altering external tables is subject to the following restrictions:

- You cannot modify an external table using any clause outside of this clause.
- You cannot add a `LONG`, `varray`, or object type column to an external table, nor can you change the data type of an external table column to any of these data types.
- You cannot modify the storage parameters of an external table.

### *alter\_table\_partitioning*

The clauses in this section apply only to partitioned tables. You cannot combine partition operations with other partition operations or with operations on the base table in the same `ALTER TABLE` statement.

### Notes on Changing Table Partitioning

The following notes apply when changing table partitioning:

- If you drop, exchange, truncate, move, modify, or split a partition on a table that is a master table for one or more materialized views, then existing bulk load information about the table will be deleted. Therefore, be sure to refresh all dependent materialized views before performing any of these operations.
- If a bitmap join index is defined on *table*, then any operation that alters a partition of *table* causes Oracle Database to mark the index `UNUSABLE`.
- The only *alter\_table\_partitioning* clauses you can specify for a reference-partitioned table are *modify\_table\_default\_attrs*, *move\_table\_[sub]partition*, *truncate\_partition\_subpart*, and *exchange\_partition\_subpart*. None of these operations cascade to any child table of the reference-partitioned table. No other partition maintenance operations are valid on a reference-partitioned table, but you can specify the other partition maintenance operations on the parent table of a reference-partitioned table, and the operation will cascade to the child reference-partitioned table.
- When adding partitions and subpartitions, bear in mind that you can specify up to a total of 1024K-1 partitions and subpartitions for each table.
- When you add a table partition or subpartition and you omit the partition name, the database generates a name using the rules described in "[Notes on Partitioning in General](#)".
- When you move, add (hash only), coalesce, drop, split, merge, rename, or truncate a table partition or subpartition, the procedures, functions, packages, package bodies, views, type bodies, and triggers that reference the table remain valid. All other dependent objects are invalidated.
- Deferred segment creation is not supported for partition maintenance operations that create new segments on tables with LOB columns; segments will always be created for the involved (sub)partitions.
- For sharded tables, the only clauses you can specify for modifying table partitions and subpartitions are `UNUSABLE LOCAL INDEXES` and `REBUILD UNUSABLE LOCAL INDEXES`. You cannot perform any other modifications for individual partitions and subpartitions on a system sharded table.
- For user-defined sharded tables the following operations on partitions and subpartitions are supported:

- add partition, add subpartition
  - drop partition, drop subpartition
  - split partition
  - modify partition to add or drop values to a list partition
- For sharded tables, the only supported partition maintenance operations are truncating partitions and subpartitions. You cannot perform any other partition maintenance operations on a sharded table.

For additional information on partition operations on tables with an associated `CONTEXT` domain index, refer to *Oracle Text Reference*.

The storage of partitioned database entities in tablespaces of different block sizes is subject to several restrictions. Refer to *Oracle Database VLDB and Partitioning Guide* for a discussion of these restrictions.

### ***modify\_table\_default\_attrs***

The `modify_table_default_attrs` clause lets you specify new default values for the attributes of `table`. Only attributes named in the statement are affected. Partitions and LOB partitions you create subsequently will inherit these values unless you override them explicitly when creating the partition or LOB partition. Existing partitions and LOB partitions are not affected by this clause.

Only attributes named in the statement are affected, and the default values specified are overridden by any attributes specified at the individual partition or LOB partition level.

- `FOR partition_extended_name` applies only to composite-partitioned tables. This clause specifies new default values for the attributes of the partition identified in `partition_extended_name`. Subpartitions and LOB subpartitions of that partition that you create subsequently will inherit these values unless you override them explicitly when creating the subpartition or LOB subpartition. Existing subpartitions are not affected by this clause.

If you are modifying the default directory, you can save its location using `DEFAULT DIRECTORY directory`.

- `PCTTHRESHOLD`, `prefix_compression`, and the `alter_overflow_clause` are valid only for partitioned index-organized tables.
- You can specify the `prefix_compression` clause only if prefix compression is already specified at the table level. Further, you cannot specify an integer after the `COMPRESS` keyword. Prefix length can be specified only when you create the table.
- You cannot specify the `PCTUSED` parameter in `segment_attributes` for the index segment of an index-organized table.
- The `read_only_clause` lets you modify the default read-only or read/write mode for the table. The new default mode will be assigned to partitions or subpartitions that are subsequently added to the table, unless you override this behavior by specifying the mode for the new partition or subpartition. When you modify the default read-only or read/write mode of a table, you do not change the mode of the existing partitions and subpartitions in the table. Refer to the [read\\_only\\_clause](#) of `CREATE TABLE` for the full semantics of this clause.
- The `indexing_clause` lets you modify the default indexing property for the table. The new default indexing property will be assigned to partitions or subpartitions that are subsequently added to the table, unless you override this behavior by specifying the

indexing property for the new partition or subpartition. When you modify the default indexing property of a table, you do not change the indexing property of the existing partitions and subpartitions in the table. Refer to the [indexing\\_clause](#) of CREATE TABLE for the full semantics of this clause.

### ***alter\_automatic\_partitioning***

This clause allows you to manage automatic list-partitioned tables, as follows:

- Use the SET PARTITIONING AUTOMATIC clause to convert a regular list-partitioned table to an automatic list-partitioned table.
- Use the SET PARTITIONING MANUAL clause to convert an automatic list-partitioned table to a regular list-partitioned table.
- You can specify the SET STORE IN clause only for automatic list-partitioned tables. It lets you specify one or more tablespaces into which the database will store data for any subsequent automatically created list partitions. This clause overrides any tablespaces that might have been set for the table by a previously issued SET STORE IN clause.

To determine whether an existing table is an automatic list-partitioned table, you can query the AUTOLIST column of the USER\_, DBA\_, ALL\_PART\_TABLES data dictionary views.

### **Restriction on *alter\_automatic\_partitioning***

You cannot convert a regular list-partitioned table that contains a DEFAULT partition to an automatic list-partitioned table.



#### **See Also:**

The [AUTOMATIC](#) clause in the documentation on CREATE TABLE for more information on automatic list-partitioned tables

### ***alter\_interval\_partitioning***

Use this clause:

- To convert an existing range-partitioned table to interval partitioning. The database automatically creates partitions of the specified numeric range or datetime interval as needed for data beyond the highest value allowed for the last range partition. If the table has reference-partitioned child tables, then the child tables are converted to interval reference-partitioned child tables.
- To change the interval of an existing interval-partitioned table. The database first converts existing interval partitions to range partitions and determines the high value of the defined range partitions. The database then automatically creates partitions of the specified numeric range or datetime interval as needed for data that is beyond that high value.
- To change the tablespace storage for an existing interval-partitioned table. If the table has interval reference-partitioned child tables, then the new tablespace storage is inherited by any child table that does not have its own table-level default tablespace.

- To change an interval-partitioned table back to a range-partitioned table. Use `SET INTERVAL ()` to disable interval partitioning. The database converts existing interval partitions to range partitions, using the higher boundaries of created interval partitions as upper boundaries for the range partitions to be created. If the table has interval reference-partitioned child tables, then the child tables are converted to ordinary reference-partitioned child tables.

For *expr*, specify a valid number or interval expression.

### See Also:

The `CREATE TABLE "INTERVAL Clause"` and *Oracle Database VLDB and Partitioning Guide* for more information on interval partitioning

### ***set\_subpartition\_template***

Use the *set\_subpartition\_template* clause to create or replace existing default range, list, or hash subpartition definitions for each table partition. This clause is valid only for composite-partitioned tables. It replaces the existing subpartition template or creates a new template if you have not previously created one. Existing subpartitions are not affected, nor are existing local and global indexes. However, subsequent partitioning operations (such as add and merge operations) will use the new template.

You can drop an existing subpartition template by specifying `ALTER TABLE table SET SUBPARTITION TEMPLATE ()`.

The *set\_subpartition\_template* clause has the same semantics as the *subpartition\_template* clause of `CREATE TABLE`. Refer to the *subpartition\_template* clause of `CREATE TABLE` for more information.

### ***modify\_table\_partition***

The *modify\_table\_partition* clause lets you change the real physical attributes of a range, hash, list partition, or system partition. This clause optionally modifies the storage attributes of one or more LOB items for the partition. You can specify new values for physical attributes (with some restrictions, as noted in the sections that follow), logging, and storage parameters.

For all types of partitions, you can also specify how Oracle Database should handle local indexes that become unusable as a result of the modification to the partition. See "[UNUSABLE LOCAL INDEXES Clauses](#)".

For partitioned index-organized tables, you can also update the mapping table in conjunction with partition changes. See the [alter\\_mapping\\_table\\_clauses](#) .

### ***read\_only\_clause***

Use the *read\_only\_clause* to put a table partition in read-only or read/write mode. Refer to the *read\_only\_clause* of `CREATE TABLE` for the full semantics of this clause.

### ***indexing\_clause***

Use the *indexing\_clause* to modify the indexing property of a table partition. The indexing property determines whether the partition is included in partial indexes on the table. You can specify the *indexing\_clause* in the *modify\_range\_partition*, *modify\_hash\_partition*, and *modify\_list\_partition* clauses.



Specify `INDEXING ON` to change the indexing property for a table partition to `ON`. This operation has no effect on full indexes on the table. It has the following effects on partial indexes on the table:

- Local partial indexes: The table partition is included in the index. The corresponding index partition is rebuilt and marked `USABLE`.
- Global partial indexes: The table partition is included in the index. Index entries for the table partition are added to the index as part of routine index maintenance.

Specify `INDEXING OFF` to change the indexing property for a table partition to `OFF`. This operation has no effect on full indexes on the table. It has the following effects on partial indexes on the table:

- Local partial indexes: The table partition is excluded from the index. The corresponding index partition is marked `UNUSABLE`.
- Global partial indexes: The table partition is excluded from the index. Index entries for the table partition are removed from the index. This is a metadata-only operation and the index entries will continue to be physically stored in the index. You can remove these orphaned index entries by specifying `COALESCE CLEANUP` in the `ALTER INDEX` statement or in the `modify_index_partition` clause.

### Restriction on column of type object

You cannot partition a table that has an object type. The alter table modification to a partitioned state is only supported for non-partitioned heap tables with zero columns of type object.

### Restriction on the `indexing_clause`

You can specify this clause only for partitions of a simple partitioned table. For composite-partitioned tables, you can specify the `indexing_clause` at the table subpartition level. Refer to `modify_table_subpartition` for more information.

### Notes on Modifying Table Partitions

The following notes apply to operations on range, list, and hash table partitions:

- For all types of table partition, in the `partition_attributes` clause, the `shrink_clause` lets you compact an individual partition segment. Refer to `shrink_clause` for additional information on this clause.
- The syntax and semantics for modifying a system partition are the same as those for modifying a hash partition. Refer to `modify_hash_partition`.
- If `table` is composite partitioned, then:
  - If you specify the `allocate_extent_clause`, then Oracle Database allocates an extent for each subpartition of `partition`.
  - If you specify the `deallocate_unused_clause`, then Oracle Database deallocates unused storage from each subpartition of `partition`.
  - Any other attributes changed in this clause will be changed in subpartitions of `partition` as well, overriding existing values. To avoid changing the attributes of existing subpartitions, use the `FOR PARTITION` clause of `modify_table_default_attrs`.
- When you modify the `partition_attributes` of a table partition with equipartitioned nested tables, the changes do not apply to the nested table partitions corresponding to the table partition being modified. However, you can

modify the storage table of the nested table partition directly with an `ALTER TABLE` statement.

- Unless otherwise documented, the remaining clauses of *partition\_attributes* have the same behavior they have when you are creating a partitioned table. Refer to the `CREATE TABLE` [table\\_partitioning\\_clauses](#) for more information.



#### See Also:

"Modifying Table Partitions: Examples"

### ***modify\_range\_partition***

Use this clause to modify the characteristics of a range partition.

### ***add\_range\_subpartition***

This clause is valid only for range-range composite partitions. It lets you add one or more range subpartitions to *partition*.

Starting with Oracle Database 12c Release 2 (12.2), you can use this clause to add a subpartition to composite-partitioned external table. In this case, you can specify the optional *external\_part\_subpart\_data\_props* clause of the *range\_subpartition\_desc* clause. Refer to [external\\_part\\_subpart\\_data\\_props](#) for the full semantics of this clause.

### **Restriction on Adding Range Subpartitions**

If *table* is an index-organized table, then you can add only one range subpartition at a time.

### ***add\_hash\_subpartition***

This clause is valid only for range-hash composite partitions. The *add\_hash\_subpartition* clause lets you add a hash subpartition to *partition*. Oracle Database populates the new subpartition with rows rehashed from the other subpartition(s) of *partition* as determined by the hash function. For optimal load balancing, the total number of subpartitions should be a power of 2.

In the *partitioning\_storage\_clause*, the only clause you can specify for subpartitions is the `TABLESPACE` clause. If you do not specify `TABLESPACE`, then the new subpartition will reside in the default tablespace of *partition*.

Oracle Database adds local index partitions corresponding to the selected partition.

Oracle Database marks `UNUSABLE` the local index partitions corresponding to the added partitions. The database invalidates any indexes on heap-organized tables. You can update these indexes during this operation using the [update\\_index\\_clauses](#).

### ***add\_list\_subpartition***

This clause is valid only for range-list and list-list composite partitions. It lets you add one or more list subpartitions to *partition*, and only if you have not already created a `DEFAULT` subpartition.

- The *list\_values\_clause* is required in this operation, and the values you specify in the *list\_values\_clause* cannot exist in any other subpartition of *partition*. However, these values can duplicate values found in subpartitions of other partitions.

- In the *partitioning\_storage\_clause*, the only clauses you can specify for subpartitions are the `TABLESPACE` clause and table compression.
- Starting with Oracle Database 12c Release 2 (12.2), you can use this clause to add a subpartition to composite-partitioned external table. In this case, you can specify the optional *external\_part\_subpart\_data\_props* clause of the *list\_subpartition\_desc* clause. Refer to [external\\_part\\_subpart\\_data\\_props](#) for the full semantics of this clause.

For each added subpartition, Oracle Database also adds a subpartition with the same value list to all local index partitions of the table. The status of existing local and global index partitions of *table* are not affected.

### Restrictions on Adding List Subpartitions

The following restrictions apply to adding list subpartitions:

- You cannot specify this clause if you have already created a `DEFAULT` subpartition for this partition. Instead you must split the `DEFAULT` partition using the *split\_list\_subpartition* clause.
- If *table* is an index-organized table, then you can add only one list subpartition at a time.

### *coalesce\_table\_subpartition*

`COALESCE SUBPARTITION` applies only to hash subpartitions. Use the `COALESCE SUBPARTITION` clause if you want Oracle Database to select the last hash subpartition, distribute its contents into one or more remaining subpartitions (determined by the hash function), and then drop the last subpartition.

- Oracle Database drops local index partitions corresponding to the selected partition.
- Oracle Database marks `UNUSABLE` the local index partitions corresponding to one or more absorbing partitions. The database invalidates any global indexes on heap-organized tables. You can update these indexes during this operation using the [update\\_index\\_clauses](#).

### *modify\_hash\_partition*

When modifying a hash partition, in the *partition\_attributes* clause, you can specify only the *allocate\_extent\_clause* and *deallocate\_unused\_clause*. All other attributes of the partition are inherited from the table-level defaults except `TABLESPACE`, which stays the same as it was at create time.

### *modify\_list\_partition*

Clauses available to you when modifying a list partition have the same semantics as when you are modifying a range partition. When modifying a list partition, the following additional clauses are available:

#### **ADD | DROP VALUES Clauses**

These clauses are valid only when you are modifying composite partitions. Local and global indexes on the table are not affected by either of these clauses.

- Use the `ADD VALUES` clause to extend the `partition_key_value` list of `partition` to include additional values. The added partition values must comply with all rules and restrictions listed in the `CREATE TABLE` clause [list\\_partitions](#) .
- Use the `DROP VALUES` clause to reduce the `partition_key_value` list of `partition` by eliminating one or more `partition_key_value`. When you specify this clause, Oracle Database checks to ensure that no rows with this value exist. If such rows do exist, then Oracle Database returns an error.

 **Note:**

`ADD VALUES` and `DROP VALUES` operations on a table with a `DEFAULT` list partition are enhanced if you have defined a local prefixed index on the table.

### Restrictions on Adding and Dropping List Values

Adding and dropping list values are subject to the following restrictions:

- You cannot add values to or drop values from a `DEFAULT` list partition.
- If `table` contains a `DEFAULT` partition and you attempt to add values to a nondefault partition, then Oracle Database will check that the values being added do not already exist in the `DEFAULT` partition. If the values do exist in the `DEFAULT` partition, then Oracle Database returns an error.

#### *modify\_table\_subpartition*

This clause applies only to composite-partitioned tables. Its subclauses let you modify the characteristics of an individual range, list, or hash subpartition.

The *shrink\_clause* lets you compact an individual subpartition segment. Refer to [shrink\\_clause](#) for additional information on this clause.

You can also specify how Oracle Database should handle local indexes that become unusable as a result of the modification to the partition. See "[UNUSABLE LOCAL INDEXES Clauses](#)".

Use the *read\_only\_clause* to put a table subpartition in read-only or read/write mode. Refer to the [read\\_only\\_clause](#) of `CREATE TABLE` for the full semantics of this clause.

Use the *indexing\_clause* to modify the indexing property of a table subpartition. The indexing property determines whether the subpartition is included in partial indexes on the table. Modifying the indexing property of table subpartitions has the same effect on index subpartitions as modifying the indexing property of table partitions has on index partitions. Refer to the [indexing\\_clause](#) of *modify\_table\_partition* for details.

#### Restriction on Modifying Hash Subpartitions

The only *modify\_LOB\_parameters* you can specify for *subpartition* are the *allocate\_extent\_clause* and *deallocate\_unused\_clause*.

#### ADD | DROP VALUES Clauses

These clauses are valid only when you are modifying list subpartitions. Local and global indexes on the table are not affected by either of these clauses.

- Use the `ADD VALUES` clause to extend the `subpartition_key_value` list of `subpartition` to include additional values. The added partition values must comply with all rules and restrictions listed in the `CREATE TABLE` clause [list\\_partitions](#) .
- Use the `DROP VALUES` clause to reduce the `subpartition_key_value` list of `subpartition` by eliminating one or more `subpartition_key_value`. When you specify this clause, Oracle Database checks to ensure that no rows with this value exist. If such rows do exist, then Oracle Database returns an error.

You can also specify how Oracle Database should handle local indexes that become unusable as a result of the modification to the partition. See "[UNUSABLE LOCAL INDEXES Clauses](#)".

### Restriction on Modifying List Subpartitions

The only `modify_LOB_parameters` you can specify for `subpartition` are the `allocate_extent_clause` and `deallocate_unused_clause`.

#### *move\_table\_partition*

Use the `move_table_partition` clause to move `partition` to another segment. You can move partition data to another tablespace, recluster data to reduce fragmentation, or change create-time physical attributes.

If the table contains LOB columns, then you can use the `LOB_storage_clause` to move the LOB data and LOB index segments associated with this partition. Only the LOBs named are affected. If you do not specify the `LOB_storage_clause` for a particular LOB column, then its LOB data and LOB index segments are not moved.

If the table contains nested table columns, then you can use the `nested_table_col_properties_clause` of the `table_partition_description` to move the nested table segments associated with this partition. Only the nested table items named are affected. If you do not specify the `nested_table_col_properties_clause` of the `table_partition_description` for a particular nested table column, then its segments are not moved.

Oracle Database moves local index partitions corresponding to the specified partition. If the moved partitions are not empty, then the database marks them `UNUSABLE`. The database invalidates global indexes on heap-organized tables. You can update these indexes during this operation using the [update\\_index\\_clauses](#).

When you move a LOB data segment, Oracle Database drops the old data segment and corresponding index segment and creates new segments even if you do not specify a new tablespace.

The move operation obtains its parallel attribute from the `parallel_clause`, if specified. When it is not specified, the default parallel attributes of the table, if any, are used. If neither is specified, then Oracle Database performs the move serially.

Specifying the `parallel_clause` in `MOVE PARTITION` does not change the default parallel attributes of `table`.

 **Note:**

For index-organized tables, Oracle Database uses the address of the primary key, as well as its value, to construct logical rowids. The logical rowids are stored in the secondary index of the table. If you move a partition of an index-organized table, then the address portion of the rowids will change, which can hamper performance. To ensure optimal performance, rebuild the secondary index(es) on the moved partition to update the rowids.

 **See Also:**

["Moving Table Partitions: Example"](#)

## MAPPING TABLE

The `MAPPING TABLE` clause is relevant only for an index-organized table that already has a mapping table defined for it. Oracle Database moves the mapping table along with the moved index-organized table partition. The mapping table partition inherits the physical attributes of the moved index-organized table partition. This is the only way you can change the attributes of the mapping table partition. If you omit this clause, then the mapping table partition retains its original attributes.

Oracle Database marks `UNUSABLE` all corresponding bitmap index partitions.

Refer to the [mapping\\_table\\_clauses](#) (in `CREATE TABLE`) for more information on this clause.

## ONLINE

Specify `ONLINE` to indicate that DML operations on the table partition will be allowed while moving the table partition.

### Restrictions on the ONLINE Clause

The `ONLINE` clause is subject to the following restrictions when moving table partitions:

- You cannot specify the `ONLINE` clause for tables owned by `SYS`.
- You cannot specify the `ONLINE` clause for index-organized tables.
- You cannot specify the `ONLINE` clause for heap-organized tables that contain object types or on which bitmap join indexes or domain indexes are defined.
- Parallel DML and direct path `INSERT` operations require an exclusive lock on the table. Therefore, these operations are not supported concurrently with an ongoing online partition `MOVE`, due to conflicting locks.

### Restrictions on Moving Table Partitions

Moving table partitions is subject to the following restrictions:

- If *partition* is a hash partition, then the only attribute you can specify in this clause is `TABLESPACE`.
- You cannot specify this clause for a partition containing subpartitions. However, you can move subpartitions using the `move_table_subpartition` clause.

### ***move\_table\_subpartition***

Use the *move\_table\_subpartition* clause to move the subpartition identified by *subpartition\_extended\_name* to another segment. If you do not specify `TABLESPACE`, then the subpartition remains in the same tablespace.

If the subpartition is not empty, then Oracle Database marks `UNUSABLE` all local index subpartitions corresponding to the subpartition being moved. You can update all indexes on heap-organized tables during this operation using the [update\\_index\\_clauses](#).

If the table contains LOB columns, then you can use the *LOB\_storage\_clause* to move the LOB data and LOB index segments associated with this subpartition. Only the LOBs specified are affected. If you do not specify the *LOB\_storage\_clause* for a particular LOB column, then its LOB data and LOB index segments are not moved.

When you move a LOB data segment, Oracle Database drops the old data segment and corresponding index segment and creates new segments even if you do not specify a new tablespace.

### **ONLINE**

Specify `ONLINE` to indicate that DML operations on the table subpartition will be allowed while moving the table subpartition.

### **Restrictions on the ONLINE Clause**

The `ONLINE` clause for moving table subpartitions is subject to the same restrictions as the `ONLINE` clause for moving table partitions. Refer to "[Restrictions on the ONLINE Clause](#)."

### **Restriction on Moving Table Subpartitions**

The only clauses of the *partitioning\_storage\_clause* you can specify are the `TABLESPACE` clause and *table\_compression*.

### ***add\_external\_partition\_attrs***

Use this clause to add external parameters to a partitioned table.

### ***add\_table\_partition***

Use the *add\_table\_partition* clause to add one or more range, list, or system partitions to *table*, or to add one hash partition to *table*.

For each partition added, Oracle Database adds to any local index defined on *table* a new partition with the same name as that of the base table partition. If the index already has a partition with such a name, then Oracle Database generates a partition name of the form `SYS_Pn`.

If *table* is index organized, then for each partition added Oracle Database adds a partition to any mapping table and overflow area defined on the table as well.

If *table* is the parent table of a reference-partitioned table, then you can use the *dependent\_tables\_clause* to propagate the partition maintenance operation you are specifying in this statement to all the reference-partitioned child tables.

The default indexing property of *table* is inherited by the new table partition(s). You can override this by setting the indexing property of a list, range, or system partition

using the *indexing\_clause* in the *table\_partition\_description* clause, or a hash partition using the *indexing\_clause* in the *add\_hash\_partition\_clause*.

For each partition added to a composite-partitioned table, Oracle Database adds a new index partition with the same subpartition descriptions to all local indexes defined on *table*. Global indexes defined on *table* are not affected. If you specify the indexing property for the new table partition, then the new subpartitions inherit the indexing property for the partition. Otherwise, the new subpartitions inherit the default indexing property for the table. You can override this by setting the indexing property of a subpartition using the *indexing\_clause* in the *range\_subpartition\_desc*, *individual\_hash\_subparts*, and *list\_subpartition\_desc* clauses.

### BEFORE Clause

You can specify the optional `BEFORE` clause only when adding system partitions to *table*. This clause lets you specify where the new partition(s) should be added in relation to existing partitions. You cannot split a system partition. Therefore, this clause is useful if you want to divide the contents of one existing partition among multiple new partitions. If you omit this clause, then the database adds the new partition(s) after the existing partitions.

### Restriction on Adding Table Partitions

If *table* is an index-organized table, or if a local domain index is defined on *table*, then you can add only one partition at a time.



#### See Also:

"Adding a Table Partition with a LOB and Nested Table Storage: Examples" and "Adding Multiple Partitions to a Table: Example"

### *add\_range\_partition\_clause*

The *add\_range\_partition\_clause* lets you add a new range partition to the high end of a range-partitioned or composite range-partitioned table (after the last existing partition).

If a domain index is defined on *table*, then the index must not be marked `IN_PROGRESS` or `FAILED`.

### Restrictions on Adding Range Partitions

Adding range partitions is subject to the following restrictions:

- If the upper partition bound of each partitioning key in the existing high partition is `MAXVALUE`, then you cannot add a partition to the table. Instead, use the *split\_table\_partition* clause to add a partition at the beginning or the middle of the table.
- The *prefix\_compression* and `OVERFLOW` clauses, are valid only for a partitioned index-organized table. You can specify *prefix\_compression* only if prefix compression is enabled at the table level. You can specify `OVERFLOW` only if the partitioned table already has an overflow segment.
- You cannot specify the `PCTUSED` parameter for the index segment of an index-organized table.

### *range\_values\_clause*



Specify the upper bound for the new partition. The *value\_list* is a comma-delimited, ordered list of literal values corresponding to the partitioning key columns. The *value\_list* must collate greater than the partition bound for the highest existing partition in the table.

#### ***table\_partition\_description***

Use this clause to specify any create-time physical attributes for the new partition. If the table contains LOB columns, then you can also specify partition-level attributes for one or more LOB items.

#### ***external\_part\_subpart\_data\_props***

Starting with Oracle Database 12c Release 2 (12.2), Oracle supports partitioned and composite-partitioned external tables. When adding a partition to such a table, you can optionally use this clause to specify the `DEFAULT DIRECTORY` and `LOCATION` for the partition. Refer to [DEFAULT DIRECTORY](#) and [LOCATION](#) in the documentation on `CREATE TABLE` for the full semantics of these clauses.

### **Subpartition Descriptions**

These clauses are valid only for composite-partitioned tables. Use the *range\_subpartition\_desc*, *list\_subpartition\_desc*, *individual\_hash\_subparts*, or *hash\_subparts\_by\_quantity* clause as appropriate, if you want to specify subpartitions for the new partition. This clause overrides any subpartition descriptions defined in *subpartition\_template* at the table level.

#### ***add\_hash\_partition\_clause***

The *add\_hash\_partition\_clause* lets you add a new hash partition to the high end of a hash-partitioned table. Oracle Database populates the new partition with rows rehashed from other partitions of *table* as determined by the hash function. For optimal load balancing, the total number of partitions should be a power of 2.

You can specify a name for the partition, and optionally a tablespace where it should be stored. If you do not specify a name, then the database assigns a partition name of the form `SYS_Pn`. If you do not specify `TABLESPACE`, then the new partition is stored in the default tablespace of the table. Other attributes are always inherited from table-level defaults.

If this operation causes data to be rehashed among partitions, then the database marks `UNUSABLE` any corresponding local index partitions. You can update all indexes on heap-organized tables during this operation using the [update\\_index\\_clauses](#).

Use the *parallel\_clause* to specify whether to parallelize the creation of the new partition.

Use the *read\_only\_clause* to put a table partition in read-only or read/write mode. Refer to the [read\\_only\\_clause](#) of `CREATE TABLE` for the full semantics of this clause.

Use the *indexing\_clause* to specify the indexing property for the partition. If you do not specify this clause, then the partition inherits the default indexing property of *table*.

 **See Also:**

[CREATE TABLE](#) and *Oracle Database VLDB and Partitioning Guide* for more information on hash partitioning

***add\_list\_partition\_clause***

The *add\_list\_partition\_clause* lets you add a new partition to *table* using a new set of partition values. You can specify any create-time physical attributes for the new partition. If the table contains LOB columns, then you can also specify partition-level attributes for one or more LOB items.

**Restrictions on Adding List Partitions**

You cannot add a list partition if you have already defined a `DEFAULT` partition for the table. Instead, you must use the *split\_table\_partition* clause to split the `DEFAULT` partition.

 **See Also:**

- [list\\_partitions](#) of `CREATE TABLE` for more information and restrictions on list partitions
- ["Working with Default List Partitions: Example"](#)

***add\_system\_partition\_clause***

Use this clause to add a partition to a system-partitioned table. Oracle Database adds a corresponding index partition to all local indexes defined on the table.

The *table\_partition\_description* lets you specify partition-level attributes of the new partition. The values of any unspecified attributes are inherited from the table-level values.

**Restriction on Adding System Partitions**

You cannot specify the `OVERFLOW` clause when adding a system partition.

 **See Also:**

The `CREATE TABLE` clause [system\\_partitioning](#) for more information on system partitions

***coalesce\_table\_partition***

`COALESCE` applies only to hash partitions. Use the *coalesce\_table\_partition* clause to indicate that Oracle Database should select the last hash partition, distribute its contents into one or more remaining partitions as determined by the hash function, and then drop the last partition.

Oracle Database drops local index partitions corresponding to the selected partition. The database marks `UNUSABLE` the local index partitions corresponding to one or more absorbing

partitions. The database invalidates any indexes on heap-organized tables. You can update all indexes during this operation using the [update\\_index\\_clauses](#).

### Restriction on Coalescing Table Partitions

If you update global indexes using the [update\\_all\\_indexes\\_clause](#), then you can specify only the keywords `UPDATE INDEXES`, not the subclause.

#### **drop\_external\_partition\_attrs**

Use this clause to drop external parameters in a partitioned table.

#### **drop\_table\_partition**

The [drop\\_table\\_partition](#) clause removes partitions, and the data in those partitions, from a partitioned table. If you want to drop a partition but keep its data in the table, then you must merge the partition into one of the adjacent partitions.

Starting with Oracle Database 12c Release 2 (12.2), you can use this clause to drop a partition from a partitioned table or composite-partitioned external table.



#### See Also:

[merge\\_table\\_partitions](#)

Use the [partition\\_extended\\_names](#) clause to specify one or more partitions to be dropped. When specifying multiple partitions, you must specify all partitions by name, as shown in the upper branch of the syntax diagram, or all partitions using the `FOR` clause, as shown in the lower branch of the syntax diagram. You cannot use both types of syntax in one drop operation.

- If *table* has LOB columns, then Oracle Database also drops the LOB data and LOB index partitions and any subpartitions corresponding to the table partition(s) being dropped.
- If *table* has equipartitioned nested table columns, then Oracle Database also drops the nested table partitions corresponding to the table partition(s) being dropped.
- If *table* is index organized and has a mapping table defined on it, then the database drops the corresponding mapping table partition(s) as well.
- Oracle Database drops local index partitions and subpartitions corresponding to the dropped partition(s), even if they are marked `UNUSABLE`.

You can update indexes on *table* during this operation using the [update\\_index\\_clauses](#). Updates to global indexes are metadata-only and the index entries for records that are dropped by the drop operation will continue to be physically stored in the index. You can remove these orphaned index entries by specifying `COALESCE CLEANUP` in the [ALTER INDEX](#) statement or in the [modify\\_index\\_partition](#) clause.

If you specify the [parallel\\_clause](#) with the [update\\_index\\_clauses](#), then the database parallelizes the index update, not the drop operation.

If you drop a range partition and later insert a row that would have belonged to the dropped partition, then the database stores the row in the next higher partition.

However, if that partition is the highest partition, then the insert will fail, because the range of values represented by the dropped partition is no longer valid for the table.

### Restrictions on Dropping Table Partitions

Dropping table partitions is subject to the following restrictions:

- You cannot drop a partition of a hash-partitioned table. Instead, use the `coalesce_table_partition` clause.
- You cannot drop all of the partitions in a table. Instead, drop the table.
- If you update global indexes using the [update\\_all\\_indexes\\_clause](#), then you can specify only the `UPDATE INDEXES` keywords but not the subclause.
- If `table` is an index-organized table, or if a local domain index is defined on `table`, then you can drop only one partition at a time.
- You cannot drop a partition of a duplicated table.
- Dropping a partition does not place the partition in the Oracle Database recycle bin, regardless of the setting of the recycle bin. Dropped partitions are immediately removed from the system.



#### See Also:

["Dropping a Table Partition: Example"](#)

### *drop\_table\_subpartition*

Use this clause to drop range or list subpartitions from a range, list, or hash composite-partitioned table. Oracle Database deletes any rows in the dropped subpartition(s).

Starting with Oracle Database 12c Release 2 (12.2), you can use this clause to drop a subpartition from a composite-partitioned external table.

Use the `subpartition_extended_names` clause to specify one or more subpartitions to be dropped. When specifying multiple subpartitions, you must specify all subpartitions by name, as shown in the upper branch of the syntax diagram, or all subpartitions using the `FOR` clause, as shown in the lower branch of the syntax diagram. You cannot use both types of syntax in one drop operation.

Oracle Database drops the corresponding subpartition(s) of any local index. Other index subpartitions are not affected. Any global indexes are marked `UNUSABLE` unless you specify the `update_global_index_clause` or `update_all_indexes_clause`. Updates to global indexes are metadata-only and the index entries for records that are dropped by the drop operation will continue to be physically stored in the index. You can remove these orphaned index entries by specifying `COALESCE CLEANUP` in the [ALTER INDEX](#) statement or in the [modify\\_index\\_partition](#) clause.

### Restrictions on Dropping Table Subpartitions

Dropping table subpartitions is subject to the following restrictions:

- You cannot drop a hash subpartition. Instead use the `MODIFY PARTITION ... COALESCE SUBPARTITION` syntax.

- You cannot drop all of the subpartitions in a partition. Instead, use the `drop_table_partition` clause.
- If you update the global indexes, then you cannot specify the optional subclause of the `update_all_indexes_clause`.
- If `table` is an index-organized table, then you can drop only one subpartition at a time.
- When dropping multiple subpartitions, all of the subpartitions must be in the same partition.
- You cannot drop a subpartition of a duplicated table.

### ***rename\_partition\_subpart***

Use the `rename_partition_subpart` clause to rename a table partition or subpartition to `new_name`. For both partitions and subpartitions, `new_name` must be different from all existing partitions and subpartitions of the same table.

If `table` is index organized, then Oracle Database assigns the same name to the corresponding primary key index partition as well as to any existing overflow partitions and mapping table partitions.

Starting with Oracle Database 12c Release 2 (12.2), you can use this clause to rename a partition or subpartition in a partitioned or composite-partitioned external table.



#### **See Also:**

["Renaming Table Partitions: Examples"](#)

### ***truncate\_partition\_subpart***

Specify `TRUNCATE partition_extended_names` to remove all rows from the partition(s) identified by `partition_extended_names` or, if the table is composite partitioned, all rows from the subpartitions of those partitions. Specify `TRUNCATE subpartition_extended_names` to remove all rows from individual subpartitions. If `table` is index organized, then Oracle Database also truncates any corresponding mapping table partitions and overflow area partitions.

When specifying multiple partitions, you must specify all partitions by name, as shown in the upper branch of the `partition_extended_names` syntax diagram, or all partitions using the `FOR` clause, as shown in the lower branch of the syntax diagram. You cannot use both types of syntax in one truncate operation. The same rule applies when specifying multiple subpartitions with the `subpartition_extended_names` clause.

For each specified partition or subpartition:

- If the partition or subpartition to be truncated contain data, then you must first disable any referential integrity constraints on the table. Alternatively, you can delete the rows and then truncate the partition.
- If `table` contains any LOB columns, then the LOB data and LOB index segments for the partition are also truncated. If `table` is composite partitioned, then the LOB data and LOB index segments for the subpartitions of the partition are truncated.

- If *table* contains any equipartitioned nested tables, then you cannot truncate the parent partition unless its corresponding nested table partition is empty.
- If a domain index is defined on *table*, then the index must not be marked `IN_PROGRESS` or `FAILED`, and the index partition corresponding to the table partition being truncated must not be marked `IN_PROGRESS`.

For each partition or subpartition truncated, Oracle Database also truncates corresponding local index partitions and subpartitions. If those index partitions or subpartitions are marked `UNUSABLE`, then the database truncates them and resets the `UNUSABLE` marker to `VALID`.

You can update indexes on *table* during this operation using the [update\\_index\\_clauses](#). Updates to global indexes are metadata-only and the index entries for records that are dropped by the truncate operation will continue to be physically stored in the index. You can remove these orphaned index entries by specifying `COALESCE CLEANUP` in the [ALTER INDEX](#) statement or in the [modify\\_index\\_partition](#) clause.

If you specify the *parallel\_clause* with the *update\_index\_clauses*, then the database parallelizes the index update, not the truncate operation.

### DROP STORAGE

Specify `DROP STORAGE` to deallocate all space from the deleted rows, except the space allocated by the `MINEXTENTS` parameter. This space can subsequently be used by other objects in the tablespace.

### DROP ALL STORAGE

Specify `DROP ALL STORAGE` to deallocate all space from the deleted rows, including the space allocated by the `MINEXTENTS` parameter. All segments for the partition(s) or subpartition(s), as well as all segments for their dependent objects, will be deallocated.

### Restrictions on DROP ALL STORAGE

This clause is subject to the same restrictions as described in "[Restrictions on Deferred Segment Creation](#)".

### REUSE STORAGE

Specify `REUSE STORAGE` to keep space from the deleted rows allocated to the partition(s) or subpartition(s). The space is subsequently available only for inserts and updates to the same partition(s) or subpartition(s).

### CASCADE

Specify `CASCADE` to truncate the corresponding partition(s) or subpartition(s) in all reference-partitioned child tables of *table*.

### Restrictions on Truncating Table Partitions and Subpartitions

Truncating table partitions and subpartitions is subject to the following restrictions:

- If you update global indexes using the *update\_all\_indexes\_clause*, then you can specify only the `UPDATE INDEXES` keywords, not the subclass.
- If *table* is an index-organized table, or if a local domain index is defined on *table*, then you can truncate only one table partition or one table subpartition at a time.
- You cannot truncate partitions or subpartitions in a duplicated table.

**See Also:**

"Truncating Table Partitions: Example"

***split\_table\_partition***

The *split\_table\_partition* clause lets you create, from the partition identified by *partition\_extended\_name*, multiple new partitions, each with a new segment, new physical attributes, and new initial extents. The segment associated with the current partition is discarded.

The new partitions inherit all unspecified physical attributes from the current partition.

**Note:**

Oracle Database can optimize and speed up `SPLIT PARTITION` and `SPLIT SUBPARTITION` operations if specific conditions are met. Refer to *Oracle Database VLDB and Partitioning Guide* for information on optimizing these operations.

- If you split a `DEFAULT` list partition, then the last resulting partition will have the `DEFAULT` value. All other resulting partitions will have the specified split values.
- If *table* is index organized, then Oracle Database splits any corresponding mapping table partition and places it in the same tablespace as the parent index-organized table partition. The database also splits any corresponding overflow area, and you can use the `OVERFLOW` clause to specify segment attributes for the new overflow areas.
- If *table* contains LOB columns, then you can use the *LOB\_storage\_clause* to specify separate LOB storage attributes for the LOB data segments resulting from the split. The database drops the LOB data and LOB index segments of the current partition and creates new segments for each LOB column, for each partition, even if you do not specify a new tablespace.
- If *table* contains nested table columns, then you can use the *split\_nested\_table\_part* clause to specify the storage table names and segment attributes of the nested table segments resulting from the split. The database drops the nested table segments of the current partition and creates new segments for each nested table column, for each partition. This clause allows for multiple nested table columns in the parent table as well as multilevel nested table columns.

Oracle Database splits the corresponding local index partition, even if it is marked `UNUSABLE`. The database marks `UNUSABLE`, and you must rebuild the local index partitions corresponding to the split partitions. The new index partitions inherit their attributes from the partition being split. The database stores the new index partitions in the default tablespace of the index partition being split. If that index partition has no default tablespace, then the database uses the tablespace of the new underlying table partitions.

**AT Clause**

The `AT` clause applies only to range partitions and lets you split one range partition into two range partitions. Specify the new noninclusive upper bound for the first of the two new partitions. The value list must compare less than the original partition bound for the current partition and greater than the partition bound for the next lowest partition (if there is one).

### VALUES Clause

The `VALUES` clause applies only to list partitions and allows you to split one list partition into two list partitions. If the table is partitioned on one key column, then use the upper branch of the `list_values` syntax to specify a list of values for that column. You can specify `NULL` if you have not already specified `NULL` for another partition in the table. If the table is partitioned on multiple key columns, then use the lower branch of the `list_values` syntax to specify a list of value lists. Each value list is enclosed in parentheses and represents a list of values for the key columns. Oracle Database creates the first new partition using the `list_values` you specify and creates the second new partition using the remaining partition values from the current partition. Therefore, the value list cannot contain all of the partition values of the current partition, nor can it contain any partition values that do not already exist for the current partition.

### INTO Clause

The `INTO` clause lets you describe the new partitions resulting from the split.

- The `AT ... INTO` clause lets you describe the partitions resulting from splitting one range partition into two range partitions. In `range_partition_desc`, the keyword `PARTITION` is required even if you do not specify the optional names and physical attributes of the two partitions resulting from the split. If you do not specify new partition names, then Oracle Database assigns names of the form `SYS_Pn`. Any attributes you do not specify are inherited from the current partition.
- The `VALUES ... INTO` clause lets you describe the partitions resulting from splitting one list partition into two list partitions. In `list_partition_desc`, the keyword `PARTITION` is required even if you do not specify the optional names and physical attributes of the two partitions resulting from the split. If you do not specify new partition names, then Oracle Database assigns names of the form `SYS_Pn`. Any attributes you do not specify are inherited from the current partition.
- The `INTO` clause lets you split one range partition into two or more range partitions, or one list partition into two or more list partitions. If you do not specify new partition names, then Oracle Database assigns names of the form `SYS_Pn`. Any attributes you do not specify are inherited from the current partition.
  - You must specify range partitions in ascending order of their partition bounds. The partition bound of the first specified range partition must be greater than the partition bound for the next lowest partition in the table (if there is one). Do not specify a partition bound for the last range partition; it will inherit the partition bound of the current partition.
  - For list partitions, all specified partition values for the new partitions must exist in the current partition. Do not specify any partition values for the last partition. Oracle Database creates the last partition using the remaining partition values from the current partition.

For range-hash composite-partitioned tables, if you specify subpartitioning for the new partitions, then you can specify only `TABLESPACE` and table compression for the subpartitions. All other attributes are inherited from the current partition. If you do not specify subpartitioning for the new partitions, then their tablespace is also inherited from the current partition.



For range-list and list-list composite-partitioned tables, you cannot specify subpartitions for the new partitions at all. The list subpartitions of the split partition inherit the number of subpartitions and value lists from the current partition.

For all composite-partitioned tables for which you do not specify subpartition names for the newly created subpartitions, the newly created subpartitions inherit their names from the parent partition as follows:

- For those subpartitions in the parent partition with names of the form *partition\_name* underscore ( `_` ) *subpartition\_name* (for example, `P1_SUBP1`), Oracle Database generates corresponding names in the newly created subpartitions using the new partition names (for example `P1A_SUB1` and `P1B_SUB1`).
- For those subpartitions in the parent partition with names of any other form, Oracle Database generates subpartition names of the form `SYS_SUBPn`.

Oracle Database splits the corresponding partition(s) in each local index defined on *table*, even if the index is marked `UNUSABLE`.

If *table* is the parent table of a reference-partitioned table, then you can use the *dependent\_tables\_clause* to propagate the partition maintenance operation you are specifying in this statement to all the reference-partitioned child tables.

Oracle Database invalidates any indexes on heap-organized tables. You can update these indexes during this operation using the [update\\_index\\_clauses](#).

The *parallel\_clause* lets you parallelize the split operation but does not change the default parallel attributes of the table.

## ONLINE

Specify `ONLINE` to indicate that DML operations on the table will be allowed while splitting the table partition.

### Restrictions on the ONLINE Clause

The `ONLINE` clause is subject to the following restrictions when splitting table partitions:

- You cannot specify the `ONLINE` clause for tables owned by `SYS`.
- You cannot specify the `ONLINE` clause for index-organized tables.
- You cannot specify the `ONLINE` clause if a domain index is defined on the table.
- You cannot specify the `ONLINE` clause for heap-organized tables that contain object types or on which bitmap join indexes are defined.
- Parallel DML and direct path `INSERT` operations require an exclusive lock on the table. Therefore, these operations are not supported concurrently with an ongoing online partition split, due to conflicting locks.

### Restrictions on Splitting Table Partitions

Splitting table partitions is subject to the following restrictions:

- You cannot specify this clause for a hash partition.
- You cannot specify the *parallel\_clause* for index-organized tables.
- If *table* is an index-organized table, or if a local domain index is defined on *table*, then you can split the partition into only two new partitions.

**See Also:**

"Splitting Table Partitions: Examples"

***split\_table\_subpartition***

Use this clause to split a subpartition into multiple new subpartitions with nonoverlapping value lists.

**Note:**

Oracle Database can optimize and speed up `SPLIT PARTITION` and `SPLIT SUBPARTITION` operations if specific conditions are met. Refer to *Oracle Database VLDB and Partitioning Guide* for information on optimizing these operations.

**AT Clause**

The `AT` clause is valid only for range subpartitions. Specify the new noninclusive upper bound for the first of the two new subpartitions. The value list must compare less than the original subpartition bound for the subpartition identified by *subpartition\_extended\_name* and greater than the partition bound for the next lowest subpartition (if there is one).

**VALUES Clause**

The `VALUES` clause is valid only for list subpartitions. If the table is subpartitioned on one key column, then use the upper branch of the *list\_values* syntax to specify a list of values for that column. You can specify `NULL` if you have not already specified `NULL` for another subpartition in the same partition. If the table is subpartitioned on multiple key columns, then use the lower branch of the *list\_values* syntax to specify a list of value lists. Each value list is enclosed in parentheses and represents a list of values for the key columns. Oracle Database creates the first new subpartition using the subpartition value list you specify and creates the second new partition using the remaining partition values from the current subpartition. Therefore, the value list cannot contain all of the partition values of the current subpartition, nor can it contain any partition values that do not already exist for the current subpartition.

**INTO Clause**

The `INTO` clause lets you describe the new subpartitions resulting from the split.

- The `AT ... INTO` clause lets you describe the two subpartitions resulting from splitting one range partition into two range partitions. In *range\_subpartition\_desc*, the keyword `SUBPARTITION` is required even if you do not specify the optional names and attributes of the two new subpartitions. If you do not specify new subpartition names, then Oracle Database assigns names of the form `SYS_SUBPn`. Any attributes you do not specify are inherited from the current subpartition.
- The `VALUES ... INTO` clause lets you describe the two subpartitions resulting from splitting one list partition into two list partitions. In *list\_subpartition\_desc*, the keyword `SUBPARTITION` is required even if you do not specify the optional names and attributes of the two new subpartitions. If you do not specify new subpartition names, then Oracle

Database assigns names of the form `SYS_SUBPn`. Any attributes you do not specify are inherited from the current subpartition.

- The `INTO` clause lets you split one range subpartition into two or more range subpartitions, or one list subpartition into two or more list subpartitions. If you do not specify new subpartition names, then Oracle Database assigns names of the form `SYS_SUBPn`. Any attributes you do not specify are inherited from the current subpartition.
  - You must specify range subpartitions in ascending order of their subpartition bounds. The subpartition bound of the first specified range subpartition must be greater than the subpartition bound for the next lowest subpartition (if there is one). Do not specify a subpartition bound for the last range subpartition; it will inherit the partition bound of the current subpartition.
  - For list subpartitions, all specified subpartition values for the new subpartitions must exist in the current subpartition. Do not specify any subpartition values for the last subpartition. Oracle Database creates the last subpartition using the remaining partition values from the current subpartition.

Oracle Database splits any corresponding local subpartition index, even if it is marked `UNUSABLE`. The new index subpartitions inherit the names of the new table subpartitions unless those names are already held by index subpartitions. In that case, the database assigns new index subpartition names of the form `SYS_SUBPn`. The new index subpartitions inherit physical attributes from the parent subpartition. However, if the parent subpartition does not have a default `TABLESPACE` attribute, then the new subpartitions inherit the tablespace of the corresponding new table subpartitions.

Oracle Database invalidates indexes on heap-organized tables. You can update these indexes by using the [update\\_index\\_clauses](#).

## ONLINE

Specify `ONLINE` to indicate that DML operations on the table will be allowed while splitting the table subpartition.

### Restrictions on the ONLINE Clause

The `ONLINE` clause for splitting table subpartitions is subject to the same restrictions as the `ONLINE` clause for splitting table partitions. Refer to [Restrictions on the ONLINE Clause](#).

### Restrictions on Splitting Table Subpartitions

Splitting table subpartitions is subject to the following restrictions:

- You cannot specify this clause for a hash subpartition.
- In subpartition descriptions, the only clauses of *partitioning\_storage\_clause* you can specify are `TABLESPACE` and table compression.
- You cannot specify the *parallel\_clause* for index-organized tables.
- If *table* is an index-organized table, then you can split the subpartition into only two new subpartitions.

### *merge\_table\_partitions*

The *merge\_table\_partitions* clause lets you merge the contents of two or more range, list, or system partitions of *table* into one new partition and then drop the

original partitions. This clause is not valid for hash partitions. Use the `coalesce_table_partition` clause instead.

Specify a comma-separated list of two or more range, list, or system partitions to be merged. You can use the `TO` clause to specify two or more adjacent range partitions to be merged.

For each partition, use `partition` to specify a partition name or the `FOR` clause to specify a partition without using its name. See "[References to Partitioned Tables and Indexes](#)" for more information on the `FOR` clause.

- The partitions to be merged must be adjacent and must be specified in ascending order of their partition bounds if they are range partitions. List partitions and system partitions need not be adjacent in order to be merged.
- When you merge range partitions, the new partition inherits the partition bound of the highest of the original partitions.
- When you merge list partitions, the resulting partition value list is the union of the set of the partition values lists of the partitions being merged. If you merge a `DEFAULT` list partition with other list partitions, then the resulting partition will be the `DEFAULT` partition and will have the `DEFAULT` value.
- When you merge composite range partitions or composite list partitions, range-list or list-list composite partitions, you cannot specify subpartition descriptions. Oracle Database obtains the subpartitioning information from the subpartition template. If you have not specified a subpartition template, then the database creates one `MAXVALUE` subpartition from range subpartitions or one `DEFAULT` subpartition from list subpartitions.

Any attributes you do not specify explicitly for the new partition are inherited from table-level defaults. However, if you reuse one of the partition names for the new partition, then the new partition inherits values from the partition whose name is being reused rather than from table-level default values.

Oracle Database drops local index partitions corresponding to the selected partitions and marks `UNUSABLE` the local index partition corresponding to merged partition. The database also marks `UNUSABLE` any global indexes on heap-organized tables. You can update all these indexes during this operation using the [update\\_index\\_clauses](#).

If `table` is the parent table of a reference-partitioned table, then you can use the `dependent_tables_clause` to propagate the partition maintenance operation you are specifying in this statement to all the reference-partitioned child tables.

### ONLINE

Specify `ONLINE` to allow DML operations on the table partitions during the merge partitions operation.

### Restriction on Merging Table Partitions

If `table` is an index-organized table, or if a local domain index is defined on `table`, then you can merge only two partitions at a time.



#### See Also:

"[Merging Two Table Partitions: Example](#)", "[Merging Four Adjacent Range Partitions: Example](#)", and "[Working with Default List Partitions: Example](#)"

### ***merge\_table\_subpartitions***

The *merge\_table\_subpartitions* clause lets you merge the contents of two or more range or list subpartitions of *table* into one new subpartition and then drop the original subpartitions. This clause is not valid for hash subpartitions. Use the *coalesce\_hash\_subpartition* clause instead.

Specify a comma-separated list of two or more range or list subpartitions to be merged. You can use the `TO` clause to specify two or more adjacent range subpartitions to be merged.

For each subpartition, use *subpartition* to specify a subpartition name or the `FOR` clause to specify a subpartition without using its name. See "[References to Partitioned Tables and Indexes](#)" for more information on the `FOR` clause.

The subpartitions to be merged must belong to the same partition. If they are range subpartitions, then they must be adjacent. If they are list subpartitions, then they need not be adjacent. The data in the resulting subpartition consists of the combined data from the merged subpartitions.

If you specify the `INTO` clause, then in the *range\_subpartition\_desc* or *list\_subpartition\_desc* you cannot specify the *range\_values\_clause* or *list\_values\_clause*, respectively. Further, the only clauses you can specify in the *partitioning\_storage\_clause* are the `TABLESPACE` clause and *table\_compression*.

Any attributes you do not specify explicitly for the new subpartition are inherited from partition-level values. However, if you reuse one of the subpartition names for the new subpartition, then the new subpartition inherits values from the subpartition whose name is being reused rather than from partition-level default values.

Oracle Database merges corresponding local index subpartitions and marks the resulting index subpartition `UNUSABLE`. The database also marks `UNUSABLE` both partitioned and nonpartitioned global indexes on heap-organized tables. You can update all indexes during this operation using the [update\\_index\\_clauses](#).

### **ONLINE**

Specify `ONLINE` to allow DML operations on the table subpartitions during the merge subpartitions operation.

### **Restriction on Merging Table Subpartitions**

If *table* is an index-organized table, then you can merge only two subpartitions at a time.

### ***exchange\_partition\_subpart***

Use the `EXCHANGE PARTITION` or `EXCHANGE SUBPARTITION` clause to exchange the data and index segments of:

- One nonpartitioned table with:
  - one range, list, or hash partition
  - one range, list, or hash subpartition
- One range-partitioned table with the range subpartitions of a range-range or list-range composite-partitioned table partition

- One hash-partitioned table with the hash subpartitions of a range-hash or list-hash composite-partitioned table partition
- One list-partitioned table with the list subpartitions of a range-list or hash-list composite-partitioned table partition

In all cases, the structure of the table and the partition or subpartition being exchanged, including their partitioning keys, must be identical. In the case of list partitions and subpartitions, the corresponding value lists must also match.

This clause facilitates high-speed data loading when used with transportable tablespaces.



### See Also:

*Oracle Database Administrator's Guide* for information on transportable tablespaces

If *table* contains LOB columns, then for each LOB column Oracle Database exchanges LOB data and LOB index partition or subpartition segments with corresponding LOB data and LOB index segments of *table*.

If *table* has nested table columns, then for each such column Oracle Database exchanges nested table partition segments with corresponding nested table segments of the nonpartitioned table.

If *table* contains an identity column, then so must the partition or subpartition being exchanged, and vice versa. The sequence generators must both be increasing or decreasing. The sequence generators are not exchanged, so *table* and the partition or subpartition will continue to use the same sequence generators. The high water mark for both sequence generators will be adjusted so that new identity column values will not conflict with existing values.

All of the segment attributes of the two objects (including tablespace and logging) are also exchanged.

Existing statistics for the table being exchanged into the partitioned table will be exchanged. However, the global statistics for the partitioned table will not be altered. Use the `DBMS_STATS.GATHER_TABLE_STATS` procedure to re-create global statistics. You can set the `GRANULARITY` attribute equal to 'APPROX\_GLOBAL AND PARTITION' to speed up the process and aggregate new global statistics based on the existing partition statistics. See *Oracle Database PL/SQL Packages and Types Reference* for more information on this packaged procedure.

Oracle Database invalidates any global indexes on the objects being exchanged. You can update the global indexes on the table whose partition is being exchanged by using either the [update\\_global\\_index\\_clause](#) or the [update\\_all\\_indexes\\_clause](#). For the [update\\_all\\_indexes\\_clause](#), you can specify only the keywords `UPDATE INDEXES`, not the subclause. Global indexes on the table being exchanged remain invalidated. The [update\\_global\\_index\\_clause](#) and [update\\_all\\_indexes\\_clause](#) do not update local indexes during an exchange operation. You can specify local index maintenance by using the [INCLUDING | EXCLUDING INDEXES](#) clause. If you specify the [parallel\\_clause](#) with either of these clauses, then the database parallelizes the index update, not the exchange operation.

**See Also:**

["Notes on Exchanging Partitions and Subpartitions"](#)

**WITH TABLE**

Specify the *table* with which the partition or subpartition will be exchanged. If you omit *schema*, then Oracle Database assumes that *table* is in your own schema.

**INCLUDING | EXCLUDING INDEXES**

Specify `INCLUDING INDEXES` if you want local index partitions or subpartitions to be exchanged with the corresponding table index (for a nonpartitioned table) or local indexes (for a hash-partitioned table). Specify `EXCLUDING INDEXES` if you want all index partitions or subpartitions corresponding to the partition and all the regular indexes and index partitions on the exchanged table to be marked `UNUSABLE`. If you omit this clause, then the default is `EXCLUDING INDEXES`.

**WITH | WITHOUT VALIDATION**

Specify `WITH VALIDATION` if you want Oracle Database to return an error if any rows in the exchanged table do not map into partitions or subpartitions being exchanged. Specify `WITHOUT VALIDATION` if you do not want Oracle Database to check the proper mapping of rows in the exchanged table. If you omit this clause, then the default is `WITH VALIDATION`.

***exceptions\_clause***

See "[Handling Constraint Exceptions](#)" for information on this clause. In the context of exchanging partitions, this clause is valid only if the partitioned table has been defined with a `UNIQUE` constraint, and that constraint must be in `DISABLE VALIDATE` state. This clause is valid only for exchanging partition, not subpartitions.

**CASCADE**

Specify `CASCADE` to exchange the corresponding partition or subpartition in all reference-partitioned child tables of *table*. The reference-partitioned table hierarchies of the source and target must match.

**Restrictions on CASCADE**

The following restrictions apply to the `CASCADE` clause:

- You cannot specify `CASCADE` if a parent key in the reference-partitioned table hierarchy is referenced by multiple partitioning constraints.
- You cannot specify `CASCADE` if a domain index or an `XMLIndex` index is defined on any of the reference-partitioned child tables of *table*.

 **See Also:**

- The `DBMS_IOT` package in *Oracle Database PL/SQL Packages and Types Reference* for information on the SQL scripts
- *Oracle Database Administrator's Guide* for information on eliminating migrated and chained rows
- [constraint](#) for more information on constraint checking and "[Creating an Exceptions Table for Index-Organized Tables: Example](#)"

**Notes on Exchanging Partitions and Subpartitions**

The following notes apply when exchanging partitions and subpartitions:

- Both tables involved in the exchange must have the same primary key, and no validated foreign keys can be referencing either of the tables unless the referenced table is empty.
- When exchanging partitioned index-organized tables:
  - The source and target table or partition must have their primary key set on the same columns, in the same order.
  - If prefix compression is enabled, then it must be enabled for both the source and the target, and with the same prefix length.
  - Both the source and target must be index organized.
  - Both the source and target must have overflow segments, or neither can have overflow segments. Also, both the source and target must have mapping tables, or neither can have a mapping table.
  - Both the source and target must have identical storage attributes for any LOB columns.

 **See Also:**

["Exchanging Table Partitions: Example"](#)

***dependent\_tables\_clause***

This clause is valid only when you are altering the parent table of a reference-partitioned table. The clause lets you specify attributes of partitions that are created by the operation for reference-partitioned child tables of the parent table.

- If the parent table is not composite partitioned, then specify one or more child tables, and for each child table specify one *partition\_spec* for each partition created in the parent table.
- If the parent table is composite, then specify one or more child tables, and for each child table specify one *partition\_spec* for each subpartition created in the parent table.



 **See Also:**

The CREATE TABLE clause [reference\\_partitioning](#) for information on creating reference-partitioned tables and *Oracle Database VLDB and Partitioning Guide* for information on partitioning by reference in general

### UNUSABLE LOCAL INDEXES Clauses

These two clauses modify the attributes of local index partitions and index subpartitions corresponding to *partition*, depending on whether you are modifying a partition or subpartition.

- UNUSABLE LOCAL INDEXES marks UNUSABLE the local index partition or index subpartition associated with *partition*.
- REBUILD UNUSABLE LOCAL INDEXES rebuilds the unusable local index partition or index subpartition associated with *partition*.

### Restrictions on UNUSABLE LOCAL INDEXES

This clause is subject to the following restrictions:

- You cannot specify this clause with any other clauses of the *modify\_table\_partition* clause.
- You cannot specify this clause in the *modify\_table\_partition* clause for a partition that has subpartitions. However, you can specify this clause in the *modify\_table\_subpartition* clause.

### *update\_index\_clauses*

Use the *update\_index\_clauses* to update the indexes on *table* as part of the table partitioning operation. When you perform DDL on a table partition, if an index is defined on *table*, then Oracle Database invalidates the entire index, not just the partitions undergoing DDL. This clause lets you update the index partition you are changing during the DDL operation, eliminating the need to rebuild the index after the DDL.

The *update\_index\_clauses* are not needed, and are not valid, for partitioned index-organized tables. Index-organized tables are primary key based, so Oracle can keep global indexes USABLE during operations that move data but do not change its value.

### *update\_global\_index\_clause*

Use this clause to update only global indexes on *table*. Oracle Database marks UNUSABLE all local indexes on *table*.

### UPDATE GLOBAL INDEXES

Specify UPDATE GLOBAL INDEXES to update the global indexes defined on *table*.

### Restriction on Updating Global Indexes

If the global index is a global domain index defined on a LOB column, then Oracle Database marks the domain index UNUSABLE instead of updating it.

### INVALIDATE GLOBAL INDEXES

Specify `INVALIDATE GLOBAL INDEXES` to invalidate the global indexes defined on *table*.

If you specify neither, then Oracle Database invalidates the global indexes.

### Restrictions on Invalidating Global Indexes

This clause is supported only for global indexes. It is not supported for index-organized tables. In addition, this clause updates only indexes that are `USABLE` and `VALID`. `UNUSABLE` indexes are left unusable, and `INVALID` global indexes are ignored.

#### *update\_all\_indexes\_clause*

Use this clause to update all indexes on *table*.

#### *update\_index\_partition*

This clause is valid only for operations on table partitions and affects only local indexes.

- The *index\_partition\_description* lets you specify physical attributes, tablespace storage, and logging for each partition of each local index. If you specify only the `PARTITION` keyword, then Oracle Database updates the index partition as follows:
  - For operations on a single table partition (such as `MOVE PARTITION` and `SPLIT PARTITION`), the corresponding index partition inherits the attributes of the affected index table partition, Oracle Database does not generate names for new index partitions, so any new index partitions resulting from this operation inherit their names from the corresponding new table partition.
  - For `MERGE PARTITION` operations, the resulting local index partition inherits its name from the resulting table partition and inherits its attributes from the local index.

For a domain index, you can use the `PARAMETERS` clause to specify the parameter string that is passed uninterpreted to the appropriate ODCI indextype routine. The `PARAMETERS` clause is valid only for domain indexes, and is the only part of the *index\_partition\_description* you can specify for a domain index.

#### See Also:

*Oracle Database Data Cartridge Developer's Guide* for more information on domain indexes

- For a composite-partitioned index, the *index\_subpartition\_clause* lets you specify tablespace storage for each subpartition. Refer to the [index\\_subpartition\\_clause](#) (in `CREATE INDEX`) for more information on this component of the *update\_index\_partition* clause.

For information on the `USABLE` and `UNUSABLE` keywords, refer to `ALTER INDEX ... USABLE | UNUSABLE`.

#### *update\_index\_subpartition*

This clause is valid only for operations on subpartitions of composite-partitioned tables and affects only local indexes on composite-partitioned tables. It lets you specify tablespace storage for one or more subpartitions.

### Restrictions on Updating All Indexes

The following restrictions apply to the *update\_all\_indexes\_clause*:

- You cannot specify this clause for index-organized tables.
- When you exchange a partition or subpartition with the `exchange_partition_subpart` clause, the `update_all_indexes_clause` is applicable only to global indexes. Therefore, you cannot specify the `update_index_partition` or `update_index_subpartition` clauses. You can, however, specify local index maintenance during an exchange operation by using the [INCLUDING | EXCLUDING INDEXES](#) clause.

**See Also:**

"Updating Global Indexes: Example" and "Updating Partitioned Indexes: Example"

***parallel\_clause***

The `parallel_clause` lets you change the default degree of parallelism for queries and DML on the table.

For complete information on this clause, refer to [parallel\\_clause](#) in the documentation on `CREATE TABLE`.

**Restrictions on Changing Table Parallelization**

Changing parallelization is subject to the following restrictions:

- If `table` contains any columns of LOB or user-defined object type, then subsequent `INSERT`, `UPDATE`, and `DELETE` operations on `table` are executed serially without notification. Subsequent queries, however, are executed in parallel.
- If you specify the `parallel_clause` in conjunction with the `move_table_clause`, then the parallelism applies only to the move, not to subsequent DML and query operations on the table.

**See Also:**

"Specifying Parallel Processing: Example"

***alter\_table\_partitionset***

The clauses of `alter_table_partitionset` only apply to sharded tables within a composite sharding setup.

The following notes apply when changing table partitioning of sharded tables:

- Specify `add_partitionset` only to root sharded tables.
- For add and split partitionset operations you must deploy a new primary shardspace per partitionset before specifying `add_partitionset`.
- For add and split partitionset operations partition names do not have a value list after them. This is different from partition by list.

- Specify *modify\_partitionset* only to root sharded tables that are partitioned by list.
- You must provide all the partitionset names as these are not generated by the system.

### ***add\_partitionset***

*add\_partitionset* clause is only valid for a root sharded table in a composite sharding setup. When a new primary shardspace is created, *add\_partitionset* needs to be used to create new partitionsets.

See [Operations on Directory-Based Partitioned Table](#) for examples.

### ***modify\_partitionset***

*modify\_partitionset* clause is only value for a root sharded table that is partitionset by LIST. Use this clause to add a new list value to an existing partitionset.

### ***move\_partitionset***

Use *move\_partitionset* to move all existing partitions of a sharded table in a partitionset to new tablespace sets.

### ***filter\_condition***

This clause lets you specify which rows to preserve during the following ALTER TABLE operations: moving, splitting, or merging table partitions or subpartitions; moving a table; or converting a nonpartitioned table to a partitioned table. The database preserves only the rows that satisfy the condition specified in the *where\_clause*. Refer to the [where\\_clause](#) in the documentation on SELECT for the full semantics of this clause.

### **Restrictions on Filter Conditions**

The following restrictions apply to the *filter\_condition* clause:

- Filter conditions are supported only for heap-organized tables.
- Filter conditions can refer only to columns in the table being altered. Filter conditions cannot contain operations, such as joins or subqueries, that reference other database objects.
- Filter conditions are unsupported for tables with primary or unique keys that are referenced by enabled foreign keys.

### **Restrictions and Notes on Using Filter Conditions with Online Operations**

The following restrictions and notes apply when you specify a filter condition for an online ALTER TABLE operation:

- You cannot specify both the *filter\_condition* and ONLINE clauses if supplemental logging is enabled.
- When you specify both the *filter\_condition* and ONLINE clauses, DML operations on the table are allowed during the ALTER TABLE operation. The filter condition does not have a direct effect on the concurrent DML operations. However, consider this combination carefully, because the filter operation and the DML operations could unintentionally conflict, as follows:
  - Inserts into a nonpartitioned table will succeed. Inserts into a partitioned table will succeed if they do not violate the partitioning key criteria.

- Delete operations will apply only to rows that are preserved by the filter condition throughout the `ALTER TABLE` operation.
- Update operations will apply only to rows that are preserved by the filter condition throughout the `ALTER TABLE` operation. These update operations will succeed, regardless of whether the update operation would have disqualified the rows for preservation by the filter condition.
- Rows that do not qualify for preservation by the filter condition at the onset of the `ALTER TABLE` operation will not be preserved, regardless of whether an update operation would qualify the rows for preservation.

### *allow\_disallow\_clustering*

This clause is valid for tables that use attribute clustering. It lets you allow or disallow attribute clustering for data movement that occurs during the move table operation specified by the *move\_table\_clause*, and the table partition and subpartition maintenance operations specified by the *coalesce\_table\_[sub]partition*, *merge\_table\_[sub]partitions*, *move\_table\_[sub]partition*, and *split\_table\_[sub]partition* clauses.

- Specify `ALLOW CLUSTERING` to allow attribute clustering for data movement. This clause overrides a `NO ON DATA MOVEMENT` setting in the DDL that created or altered the table.
- Specify `DISALLOW CLUSTERING` to disallow attribute clustering for data movement. This clause overrides a `YES ON DATA MOVEMENT` setting in the DDL that created or altered the table.

The *allow\_disallow\_clustering* clause has no effect if you specify it for a table that does not use attribute clustering.



#### See Also:

[clustering\\_when](#) clause of `CREATE TABLE` for more information on the `NO ON DATA MOVEMENT` and `YES ON DATA MOVEMENT` clauses

### { DEFERRED | IMMEDIATE } INVALIDATION

This clause lets you control when the database invalidates dependent cursors while performing table partition maintenance operations.

- If you specify `DEFERRED INVALIDATION`, then the database avoids or defers invalidating dependent cursors, when possible.
- If you specify `IMMEDIATE INVALIDATION`, then the database immediately invalidates dependent cursors, as it did in Oracle Database 12c Release 1 (12.1) and prior releases. This is the default.

If you omit this clause, then the value of the `CURSOR_INVALIDATION` initialization parameter determines when cursors are invalidated.

You can specify this clause only when performing table partition maintenance operations; it is not supported for any other `ALTER TABLE` operations.

 **See Also:**

- *Oracle Database SQL Tuning Guide* for more information on cursor invalidation
- *Oracle Database Reference* for more information in the `CURSOR_INVALIDATION` initialization parameter

***move\_table\_clause***

The *move\_table\_clause* lets you relocate data of a nonpartitioned or partitioned table into new segments. Alternatively you can move a partition or subpartition of a partitioned table into a new segment, optionally in a different tablespace, and optionally modify any of its storage attributes.

You can also move any LOB data segments associated with the table or partition using the *LOB\_storage\_clause* and *varray\_col\_properties* clause. LOB items not specified in this clause are not moved.

**Moving Partitions and Subpartitions of Heap-Organized Tables**

You can move all the partitions and subpartitions of a partitioned heap-organized table with a single `ALTER TABLE MOVE` statement.

Existing partition and subpartition properties that are not modified on table level will be preserved. For example, if you specify `COMPRESS` for the `ALTER TABLE MOVE` command, then all partitions will be compressed, whereas the tablespace location for each partition will be preserved. Conversely, if you specify a target tablespace for the `ALTER TABLE MOVE`, then all partitions will reside in the specified tablespace after the move, but the individual compression attribute for each partition will be preserved.

**Restrictions on Moving All Partitions and Subpartitions of a Partitioned Table with One Command**

- You cannot use this functionality if a domain index is defined on the table.
- You cannot use this functionality if the table has columns of type `VARRAY`.
- You cannot change the attribute clustering properties.
- You can only control table-level segment attributes\_clauses, such as tablespace or compression. Any segment attribute that is managed as default on the table-level is not supported.
- You cannot use this functionality for an index-organized table .

**ONLINE Clause**

Specify `ONLINE` if you want DML operations on the table to be allowed while the table is being moved.

**Restrictions on Moving Tables Online**

Moving tables online is subject to the following restrictions:

- You cannot combine this clause with any other clause in the same statement.
- You cannot specify this clause for a partitioned index-organized table.

- You cannot specify this clause if a domain index is defined on the table, like spatial, XML, or Text indexes.
- Parallel DML and direct path `INSERT` operations require an exclusive lock on the table. Therefore, these operations are not supported concurrently with an ongoing online table `MOVE`, due to conflicting locks.
- You cannot specify this clause for index-organized tables that contain any LOB, `VARRAY`, Oracle-supplied type, or user-defined object type columns.

### ***index\_org\_table\_clause***

For an index-organized table, the *index\_org\_table\_clause* of the *move\_table\_clause* lets you additionally specify overflow segment attributes. The *move\_table\_clause* rebuilds the primary key index of the index-organized table. The overflow data segment is not rebuilt unless the `OVERFLOW` keyword is explicitly stated, with two exceptions:

- If you alter the values of `PCTTHRESHOLD` or the `INCLUDING` column as part of this `ALTER TABLE` statement, then the overflow data segment is rebuilt.
- If you explicitly move any of out-of-line columns (LOBs, varrays, nested table columns) in the index-organized table, then the overflow data segment is also rebuilt.

The index and data segments of LOB columns are not rebuilt unless you specify the LOB columns explicitly as part of this `ALTER TABLE` statement.

### ***mapping\_table\_clause***

Specify `MAPPING TABLE` if you want Oracle Database to create a mapping table if one does not already exist. If it does exist, then the database moves the mapping table along with the index-organized table, and marks any bitmapped indexes `UNUSABLE`. The new mapping table is created in the same tablespace as the parent table.

Specify `NOMAPPING` to instruct the database to drop an existing mapping table.

Refer to [mapping\\_table\\_clauses](#) (in `CREATE TABLE`) for more information on this clause.

### **Restriction on Mapping Tables**

You cannot specify `NOMAPPING` if any bitmapped indexes have been defined on *table*.

### ***prefix\_compression***

Use the *prefix\_compression* clause to enable or disable prefix compression in an index-organized table.

- `COMPRESS` enables prefix compression, which eliminates repeated occurrence 1 of primary key column values in index-organized tables. Use *integer* to specify the prefix length (number of prefix columns to compress).

The valid range of prefix length values is from 1 to the number of primary key columns minus 1. The default prefix length is the number of primary key columns minus 1.

- `NOCOMPRESS` disables prefix compression in index-organized tables. This is the default.

### **TABLESPACE *tablespace***

Specify the tablespace into which the rebuilt index-organized table is to be stored.

### ***LOB\_storage\_clause***

Use this clause to move a LOB segment to a different tablespace. You cannot use this clause to move a LOB segment if the table contains a `LONG` column. Instead, you must either convert the `LONG` column to a LOB, or you must export the table, re-create the table specifying the desired tablespace storage for the LOB column, and re-import the table data.

### **UPDATE INDEXES**

This clause is valid only when performing online or offline moves of heap-organized tables. It allows you to update all global indexes on the table.

You can optionally change the tablespace for an index or index partition, as follows:

- Specify the *segment\_attributes\_clause* to change the tablespace of a nonpartitioned global index. Within this clause, you can specify only the `TABLESPACE` clause.
- Specify the *update\_index\_partition* clause to change the tablespace for a partition of a partitioned global index. Within this clause, you can specify only the `TABLESPACE` clause of the *segment\_attributes\_clause*.

### **Restrictions on Moving Tables**

Moving tables is subject to the following restrictions:

- If you specify `MOVE`, then it must be the first clause in the `ALTER TABLE` statement, and the only clauses outside this clause that are allowed are the *physical\_attributes\_clause*, the *parallel\_clause*, and the *LOB\_storage\_clause*.
- You cannot move a table containing a `LONG` or `LONG RAW` column.
- You cannot `MOVE` an entire partitioned table (either heap- or index-organized). You must move individual partitions or subpartitions.

#### **Note:**

For any LOB columns you specify in a *move\_table\_clause*:

- Oracle Database drops the old LOB data segment and corresponding index segment and creates new segments, even if you do not specify a new tablespace.
- If the LOB index in *table* resided in a different tablespace from the LOB data, then Oracle Database collocates the LOB index in the same tablespace with the LOB data after the move.

#### **See Also:**

[\*move\\_table\\_partition\*](#) and [\*move\\_table\\_subpartition\*](#)

### ***modify\_to\_partitioned***

Use this clause to partition a nonpartitioned or partitioned table, including indexes, online or offline.



You can change a nonpartitioned or partitioned table into any type of partitioned or composite partitioned table with the following characteristics:

- All data in the original table is preserved.
- The data in the newly created partitions or subpartitions of the modified table is stored in the same tablespace as the original table, unless you specify otherwise in the *table\_partitioning\_clauses*.
- Local index partitions or subpartitions and lob partitions or subpartitions of the modified table will be co-located with the table partitions or subpartitions unless you specify otherwise in the *table\_partitioning\_clauses*.
- All triggers, constraints, and VPD policies defined on the original table are preserved.
- If table compression is defined on the original nonpartitioned table, then the partitioned table will use the same type of table compression.
- In case of modifying a partitioned table, the compression setting of the newly created partitions or subpartitions is derived from the default compression setting of the partitioned table prior to the modification unless all partitions or subpartitions shared the same compression method.

Each range, list, or hash partitioning or subpartitioning key column with a character data type, specified in the *modify\_to\_partitioned* clause must have one of the following declared collations: `BINARY`, `USING_NLS_COMP`, `USING_NLS_SORT`, or `USING_NLS_SORT_CS`.

### ***table\_partitioning\_clauses***

Use this clause to specify the partitioning attributes for the table.

Each range, list, or hash partitioning or subpartitioning key column with a character data type, specified in the *modify\_to\_partitioned* clause must have one of the following declared collations: `BINARY`, `USING_NLS_COMP`, `USING_NLS_SORT`, or `USING_NLS_SORT_CS`.

This clause has the same semantics here as it has for the `CREATE TABLE` statement. Refer to the `CREATE TABLE` [table\\_partitioning\\_clauses](#) for the full semantics of this clause.

### **NONPARTITIONED**

Specify `NONPARTITIONED` to convert a partitioned table back to a nonpartitioned state.

### **ONLINE**

Specify `ONLINE` to indicate that DML operations on the table will be allowed while changing to a partitioned table.

### **UPDATE INDEXES**

Use this clause to specify how existing indexes on the table are converted into global partitioned indexes or local partitioned indexes.

- For *index*, specify the name of an existing index on the table.
- Specify the *local\_partitioned\_index* clause to convert *index* into a local partitioned index. This clause has the same semantics here as it has for the

CREATE INDEX statement. Refer to the clause *local\_partitioned\_index* in the documentation on CREATE INDEX for the full semantics of this clause.

- Specify the *global\_partitioned\_index* clause to convert *index* into a global partitioned index. This clause has the same semantics here as it has for the CREATE INDEX statement. Refer to the clause *global\_partitioned\_index* in the documentation on CREATE INDEX for the full semantics of this clause.
- Specify the GLOBAL keyword to allow prefixed partitioned and nonpartitioned global indexes to retain their global shape. This clause prevents such indexes from being converted to local partitioned indexes; it has no effect on nonprefixed global indexes.

If you specify only the UPDATE INDEXES keywords, or omit the UPDATE INDEXES clause altogether, then existing indexes are converted as follows:

- Nonprefixed indexes retain their original shape: normal indexes are converted to nonpartitioned global indexes, nonpartitioned global indexes remain the same, and partitioned global indexes remain the same and retain their partitioning shape.
- Prefixed indexes are converted to local partitioned indexes. Prefixed indexes include partitioning keys in the index definition, but the index definition is not limited to including only the partitioning keys.
- Bitmap indexes are converted to local partitioned indexes, regardless of whether they are prefixed or not.

#### Default Index Rules for Conversion from Partitioned to Partitioned Table

The rule set for default index conversion for partitioned to partitioned table is identical to the one for nonpartitioned to partitioned table, with additional handling of existing local indexes on the partitioned table.

- If the index is already local, then the index stays as a local index if the index column is prefixed on both sides of the partitioning dimensions.
- If the partitioning columns are a subset of the key columns, (that is, they are prefixed), then the global index is converted to local. If the global index is not prefixed, then the shape of the global index is retained.

#### Restrictions on Changing a Nonpartitioned Table to a Partitioned Table

The following restrictions apply to the *modify\_to\_partitioned* clause:

- You cannot specify this clause for an index-organized table.
- You cannot specify this clause if a domain index is defined on the table.
- You cannot specify ONLINE when changing a nonpartitioned table to a reference-partitioned child table. This operation is supported only in offline mode.

#### See Also:

*Oracle Database VLDB and Partitioning Guide* for more information on converting a nonpartitioned table into a partitioned table

#### *modify\_opaque\_type*

Use the *modify\_opaque\_type* clause to instruct the database to store the specified abstract data type or XMLType in an ANYDATA column using unpacked storage.

You can specify any abstract data type with this clause. However, it is primarily useful because it allows you to specify the following data types, which cannot be stored in an `ANYDATA` column using conventional storage:

- `XMLType`
- Abstract data types that contain one or more attributes of type `XMLType`, `CLOB`, `BLOB`, or `NCLOB`.

When you use **unpacked storage**, data types are stored in system-generated hidden columns that are associated with the `ANYDATA` column. You can insert and query these data types as you would data types that are stored in an `ANYDATA` column using conventional storage.

#### ***anydata\_column***

Specify the name of a column of type `ANYDATA`. If *type\_name* is an abstract data type that does not contain an attribute of type `XMLType`, `CLOB`, `BLOB`, or `NCLOB`, then *anydata\_column* must be empty.

#### ***type\_name***

Specify the name of one or more abstract data types or `XMLType`. The abstract data type can contain an attribute of type `XMLType`, `CLOB`, `BLOB`, or `NCLOB`. The type can be `EDITIONABLE`. When you subsequently insert these data types into *anydata\_column*, they will use unpacked storage. If you previously specified this clause for the same *anydata\_column*, then unpacked storage will continue to be used for the previously specified data types as well as the newly specified data types.

#### See Also:

*Oracle Database PL/SQL Packages and Types Reference* for information on the `ANYDATA` type and "[Unpacked Storage in ANYDATA Columns: Example](#)"

#### ***immutable\_table\_clauses***

You can use the `NO DROP` or `NO DELETE` clauses to modify the definition of an immutable table.

Use the `NO DROP` clause to modify the retention period for an immutable table or the retention period for rows within the immutable table. You cannot reduce the retention period.

#### **Example : Modifying the Retention Period for an Immutable Table**

The following statement modifies the definition of the immutable table *imm\_tab* and specifies that it cannot be dropped if the newest row is less than 50 days old.

```
ALTER TABLE imm_tab NO DROP UNTIL 50 DAYS IDLE;
```

#### **Example : Modifying the Retention Period for Immutable Table Rows**

The following statement modifies the definition of the immutable table *imm\_tab* and specifies that rows cannot be deleted until 120 days after they were created.

```
ALTER TABLE imm_tab NO DELETE UNTIL 120 DAYS AFTER  
INSERT;
```

### ***blockchain\_table\_clauses***

You can modify a table created using the keyword `BLOCKCHAIN` in the `ALTER TABLE` statement, and one or more of the *blockchain\_table\_clauses*.

See *blockchain\_table\_clauses* of [CREATE TABLE](#) for the full semantics of the clause.

You can add, drop, and rename a column in a V2 blockchain table.

Use the *blockchain\_system\_chains\_clause* to configure the number of system chains in a blockchain table. The range of permissible values is 1 to 1024. For `ALTER TABLE`, you can increase or decrease the number of system chains per instance, but you cannot configure a number of system chains per instance that is less than the maximum number of a system chain already in the blockchain table.

You cannot use the *blockchain\_hash\_and\_data\_format\_clause* of the *blockchain\_table\_clauses* in the `ALTER TABLE` statement.

### **Restrictions on All Versions of Blockchain Tables V1 and V2**

You can use all the clauses of `ALTER TABLE` on a blockchain table except the following clauses:

- `DROP (SUB) PARTITION`
- `TRUNCATE (SUB) PARTITION`
- `EXCHANGE (SUB) PARTITION`
- `MODIFY TYPE`
- `RENAME TABLE`

### **Additional Restrictions on V1 Blockchain Tables**

The following `ADD`, `DROP`, and `RENAME COLUMN` restrictions apply to V1 blockchain tables but not V2 blockchain tables:

- `RENAME COLUMN`
- `ADD COLUMN`
- `DROP COLUMN`

### ***duplicated\_table\_refresh***

Use this clause to specify fine-grained refresh rate control for a duplicated table when it is created with `CREATE TABLE`. You can also specify the refresh rate later with `ALTER TABLE`.

### ***enable\_disable\_clause***

The *enable\_disable\_clause* lets you specify whether and how Oracle Database should apply an integrity constraint. The `DROP` and `KEEP` clauses are valid only when you are disabling a unique or primary key constraint.

 **See Also:**

The [enable\\_disable\\_clause](#) (in CREATE TABLE) for a complete description of this clause, including notes and restrictions that relate to this statement

## TABLE LOCK

Oracle Database permits DDL operations on a table only if the table can be locked during the operation. Such table locks are not required during DML operations.

 **Note:**

Table locks are not acquired on temporary tables.

- Specify `ENABLE TABLE LOCK` to enable table locks, thereby allowing DDL operations on the table. All currently executing transactions must commit or roll back before Oracle Database enables the table lock.

 **Note:**

Oracle Database waits until active DML transactions in the database have completed before locking the table. Sometimes the resulting delay is considerable.

- Specify `DISABLE TABLE LOCK` to disable table locks, thereby preventing DDL operations on the table.

 **Note:**

Parallel DML operations are not performed when the table lock of the target table is disabled.

## ALL TRIGGERS

Use the `ALL TRIGGERS` clause to enable or disable all triggers associated with the table.

- Specify `ENABLE ALL TRIGGERS` to enable all triggers associated with the table. Oracle Database fires the triggers whenever their triggering condition is satisfied.

To enable a single trigger, use the [enable\\_clause](#) of `ALTER TRIGGER`.

 **See Also:**

[CREATE TRIGGER](#) , [ALTER TRIGGER](#) , and "Enabling Triggers: Example"

- Specify `DISABLE ALL TRIGGERS` to disable all triggers associated with the table. Oracle Database does not fire a disabled trigger even if the triggering condition is satisfied.

### CONTAINER\_MAP

Use the `CONTAINER_MAP` clause to enable or disable the table to be queried using a container map.

- Specify `ENABLE CONTAINER_MAP` to enable the table to be queried using a container map.
- Specify `DISABLE CONTAINER_MAP` to disable the table from being queried using a container map.

### CONTAINERS\_DEFAULT

Use the `CONTAINERS_DEFAULT` clause to enable or disable the table for the `CONTAINERS` clause.

- Specify `ENABLE CONTAINERS_DEFAULT` to enable the table for the `CONTAINERS` clause.
- Specify `DISABLE CONTAINERS_DEFAULT` to disable the table for the `CONTAINERS` clause.

## Examples

### Adding Constraints to Tables: Example

The following statements create a new table to manipulate data and display the information in the newly created table:

```
CREATE TABLE JOBS_Temp AS SELECT * FROM HR.JOBS;
```

```
SELECT * FROM JOBS_Temp WHERE MIN_SALARY < 3000;
```

JOB_ID	JOB_TITLE	MIN_SALARY	MAX_SALARY
PU_CLERK	Purchasing Clerk	2500	5500
ST_CLERK	Stock Clerk	2008	5000
SH_CLERK	Shipping Clerk	2500	5500

The following statement updates the column values to a higher value:

```
UPDATE JOBS_Temp SET MIN_SALARY = 2300 WHERE MIN_SALARY < 2010;
```

The following statement adds a constraint:

```
ALTER TABLE JOBS_Temp ADD CONSTRAINT chk_sal_min CHECK (MIN_SALARY >=2010);
```

The following statement displays the table information:

```
SELECT * FROM JOBS_Temp WHERE MIN_SALARY < 3000;
```

JOB_ID	JOB_TITLE	MIN_SALARY	MAX_SALARY
PU_CLERK	Purchasing Clerk	2500	5500
ST_CLERK	Stock Clerk	2300	5000
SH_CLERK	Shipping Clerk	2500	5500

The following statement displays the constraint:

```
SELECT CONSTRAINT_NAME FROM USER_CONSTRAINTS WHERE TABLE_NAME='JOBS_TEMP';
```

```
CONSTRAINT_NAME
-----
```

```
SYS_C008830  
CHK_SAL_MIN
```

### Adding and Modifying Precheck State Constraint: Example

The following statement create a product table with constraint state `PRECHECK` set on some columns:

```
CREATE TABLE product(  
  id NUMBER NOT NULL PRIMARY KEY,  
  name VARCHAR2(50),  
  price NUMBER CHECK (mod(price,4) = 0 and 10 <> price) PRECHECK,  
  color NUMBER CHECK (color >= 10 and color <=50 and mod(color,2) = 0)  
  PRECHECK,  
  description VARCHAR2(50) CHECK (length(description) <= 40) PRECHECK,  
  constant NUMBER CHECK (constant=10) PRECHECK,  
  CONSTRAINT TC1 CHECK (color > 0 AND price > 10) PRECHECK,  
  CONSTRAINT TC2 CHECK (CATEGORY IN ('home', 'apparel') AND price > 10)  
);
```

#### Add precheck to a new constraint

```
ALTER TABLE product MODIFY (name VARCHAR2(50) CHECK  
  (regexp_like(name, '^Product')) PRECHECK);
```

#### Modify an existing constraint TC2:

```
ALTER TABLE product MODIFY CONSTRAINT TC2 PRECHECK;
```

#### Remove an existing precheck constraint on TC1:

```
ALTER TABLE product MODIFY CONSTRAINT TC1 NOPRECHECK;
```

### Collection Retrieval: Example

The following statement modifies nested table column `ad_textdocs_ntab` in the sample table `sh.print_media` so that when queried it returns actual values instead of locators:

```
ALTER TABLE print_media MODIFY NESTED TABLE ad_textdocs_ntab  
  RETURN AS VALUE;
```

### Specifying Parallel Processing: Example

The following statement specifies parallel processing for queries to the sample table `oe.customers`:

```
ALTER TABLE customers  
  PARALLEL;
```

### Changing the State of a Constraint: Examples

The following statement places in `ENABLE VALIDATE` state an integrity constraint named `emp_manager_fk` in the `employees` table:

```
ALTER TABLE employees  
  ENABLE VALIDATE CONSTRAINT emp_manager_fk  
  EXCEPTIONS INTO exceptions;
```

Each row of the `employees` table must satisfy the constraint for Oracle Database to enable the constraint. If any row violates the constraint, then the constraint remains

disabled. The database lists any exceptions in the table `exceptions`. You can also identify the exceptions in the `employees` table with the following statement:

```
SELECT e.*
   FROM employees e, exceptions ex
  WHERE e.rowid = ex.row_id
        AND ex.table_name = 'EMPLOYEES'
        AND ex.constraint = 'EMP_MANAGER_FK';
```

The following statement tries to place in `ENABLE NOVALIDATE` state two constraints on the `employees` table:

```
ALTER TABLE employees
  ENABLE NOVALIDATE PRIMARY KEY
  ENABLE NOVALIDATE CONSTRAINT emp_last_name_nn;
```

This statement has two `ENABLE` clauses:

- The first places a primary key constraint on the table in `ENABLE NOVALIDATE` state.
- The second places the constraint named `emp_last_name_nn` in `ENABLE NOVALIDATE` state.

In this case, Oracle Database enables the constraints only if both are satisfied by each row in the table. If any row violates either constraint, then the database returns an error and both constraints remain disabled.

Consider the foreign key constraint on the `location_id` column of the `departments` table, which references the primary key of the `locations` table. The following statement disables the primary key of the `locations` table:

```
ALTER TABLE locations
  MODIFY PRIMARY KEY DISABLE CASCADE;
```

The unique key in the `locations` table is referenced by the foreign key in the `departments` table, so you must specify `CASCADE` to disable the primary key. This clause disables the foreign key as well.

### Creating an Exceptions Table for Index-Organized Tables: Example

The following example creates the `except_table` table to hold rows from the index-organized table `hr.countries` that violate the primary key constraint:

```
EXECUTE DBMS_IOT.BUILD_EXCEPTIONS_TABLE ('hr', 'countries', 'except_table');

ALTER TABLE countries
  ENABLE PRIMARY KEY
  EXCEPTIONS INTO except_table;
```

To specify an exception table, you must have the privileges necessary to insert rows into the table. To examine the identified exceptions, you must have the privileges necessary to query the exceptions table.



#### See Also:

[INSERT](#) and [SELECT](#) for information on the privileges necessary to insert rows into tables



### Disabling a CHECK Constraint: Example

The following statement defines and disables a CHECK constraint on the `employees` table:

```
ALTER TABLE employees ADD CONSTRAINT check_comp
  CHECK (salary + (commission_pct*salary) <= 5000)
  DISABLE;
```

The constraint `check_comp` ensures that no employee's total compensation exceeds \$5000. The constraint is disabled, so you can increase an employee's compensation above this limit.

### Enabling Triggers: Example

The following statement enables all triggers associated with the `employees` table:

```
ALTER TABLE employees
  ENABLE ALL TRIGGERS;
```

### Deallocating Unused Space: Example

The following statement frees all unused space for reuse in table `employees`, where the high water mark is above `MINEXTENTS`:

```
ALTER TABLE employees
  DEALLOCATE UNUSED;
```

### Modifying the Collation of a Column for Fine-Grained Case-Insensitivity: Example

This example shows how to modify a column to be case-insensitive. First, create and populate table `students` as follows:

```
CREATE TABLE students (last_name VARCHAR2(20), id NUMBER);

INSERT INTO students VALUES('Dodd', 364);
INSERT INTO students VALUES('de Niro', 132);
INSERT INTO students VALUES('Vogel', 837);
INSERT INTO students VALUES('van der Kamp', 549);
INSERT INTO students VALUES('van Der Meer', 624);
```

The following statement returns column `last_name` in alphabetical order. Notice that the results are case-sensitive; lowercase letters are ordered after uppercase letters.

```
SELECT last_name, id
  FROM students
 ORDER BY last_name;
```

LAST_NAME	ID
-----	-----
Dodd	364
Vogel	837
de Niro	132
van Der Meer	624
van der Kamp	549

The following statement changes the data-bound collation of column `last_name` to case-insensitive collation `BINARY_CI`:

```
ALTER TABLE students
  MODIFY (last_name COLLATE BINARY_CI);
```

The following statement again returns column `last_name` in alphabetical order. Notice that the results are now case-insensitive:

```
SELECT last_name, id
  FROM students
  ORDER BY last_name;
```

LAST_NAME	ID
-----	-----
de Niro	132
Dodd	364
van der Kamp	549
van Der Meer	624
Vogel	837

### Renaming a Column: Example

The following example renames the `credit_limit` column of the sample table `oe.customers` to `credit_amount`:

```
ALTER TABLE customers
  RENAME COLUMN credit_limit TO credit_amount;
```

### Dropping a Column: Example

This statement illustrates the `drop_column_clause` with `CASCADE CONSTRAINTS`. Assume table `t1` is created as follows:

```
CREATE TABLE t1 (
  pk NUMBER PRIMARY KEY,
  fk NUMBER,
  c1 NUMBER,
  c2 NUMBER,
  CONSTRAINT ri FOREIGN KEY (fk) REFERENCES t1,
  CONSTRAINT ck1 CHECK (pk > 0 and c1 > 0),
  CONSTRAINT ck2 CHECK (c2 > 0)
);
```

An error will be returned for the following statements:

```
ALTER TABLE t1 DROP (pk); -- pk is a parent key
ALTER TABLE t1 DROP (c1); -- c1 is referenced by multicolumn
                          -- constraint ck1
```

Submitting the following statement drops column `pk`, the primary key constraint, the foreign key constraint, `ri`, and the check constraint, `ck1`:

```
ALTER TABLE t1 DROP (pk) CASCADE CONSTRAINTS;
```

If all columns referenced by the constraints defined on the dropped columns are also dropped, then `CASCADE CONSTRAINTS` is not required. For example, assuming that no other referential constraints from other tables refer to column `pk`, then it is valid to submit the following statement without the `CASCADE CONSTRAINTS` clause:

```
ALTER TABLE t1 DROP (pk, fk, c1);
```

### Dropping Unused Columns: Example

The following statements create a new table to manipulate data and display the information in the newly created table:

```
CREATE TABLE JOBS_Temp AS SELECT * FROM HR.JOBS;

SELECT * FROM JOBS_Temp WHERE MAX_SALARY > 20000;
```

JOB_ID	JOB_TITLE	MIN_SALARY	MAX_SALARY
AD_PRES	President	20080	40000
AD_VP	Administration Vice President	15000	30000
SA_MAN	Sales Manager	10000	20080

The following statement adds two new columns:

```
ALTER TABLE JOBS_Temp ADD (DUMMY1 NUMBER(2), DUMMY2 NUMBER(2));
```

The following statements inserts values into the newly added columns:

```
INSERT INTO JOBS_Temp(JOB_ID, JOB_TITLE, DUMMY1, DUMMY2) VALUES
('D', 'DUMMY', 10, 20);

INSERT INTO JOBS_Temp(JOB_ID, JOB_TITLE, DUMMY1, DUMMY2) VALUES
('D', 'DUMMY', 10, 20)
```

The following statement sets the newly added columns to unused:

```
ALTER TABLE JOBS_TEMP SET UNUSED (DUMMY1, DUMMY2);
```

The following statement displays the count of unused columns:

```
SELECT * FROM USER_UNUSED_COL_TABS WHERE TABLE_NAME='JOBS_TEMP';
```

TABLE_NAM	COUNT
JOBS_TEMP	2

The following statement drops the unused columns:

```
ALTER TABLE JOBS_TEMP DROP UNUSED COLUMNS;
```

The following statement displays the table information:

```
SELECT * FROM JOBS_TEMP;
```

JOB_ID	JOB_TITLE	MIN_SALARY	MAX_SALARY
AD_PRES	President	20080	40000
AD_VP	Administration Vice President	15000	30000
AD_ASST	Administration Assistant	3000	6000
FI_MGR	Finance Manager	8200	16000
FI_ACCOUNT	Accountant	4200	9000
AC_MGR	Accounting Manager	8200	16000
AC_ACCOUNT	Public Accountant	4200	9000
SA_MAN	Sales Manager	10000	20080
SA_REP	Sales Representative	6000	12008
PU_MAN	Purchasing Manager	8000	15000
PU_CLERK	Purchasing Clerk	2500	5500
ST_MAN	Stock Manager	5500	8500
ST_CLERK	Stock Clerk	2008	5000
SH_CLERK	Shipping Clerk	2500	5500
IT_PROG	Programmer	4000	10000

MK_MAN	Marketing Manager	9000	15000
MK_REP	Marketing Representative	4000	9000
HR_REP	Human Resources Representative	4000	9000
PR_REP	Public Relations Representative	4500	10500
D	DUMMY		
D	DUMMY		

### Modifying Index-Organized Tables: Examples

This statement modifies the `INITRANS` parameter for the index segment of index-organized table `countries_demo`, which is based on `hr.countries`:

```
ALTER TABLE countries_demo INITRANS 4;
```

The following statement adds an overflow data segment to index-organized table `countries`:

```
ALTER TABLE countries_demo ADD OVERFLOW;
```

This statement modifies the `INITRANS` parameter for the overflow data segment of index-organized table `countries`:

```
ALTER TABLE countries_demo OVERFLOW INITRANS 4;
```

### Splitting Table Partitions: Examples

The following statement splits the old partition `sales_q4_2000` in the sample table `sh.sales`, creating two new partitions, naming one `sales_q4_2000b` and reusing the name of the old partition for the other:

```
ALTER TABLE sales SPLIT PARTITION SALES_Q4_2000
  AT (TO_DATE('15-NOV-2000','DD-MON-YYYY'))
  INTO (PARTITION SALES_Q4_2000, PARTITION SALES_Q4_2000b);
```

The following statement splits the old partition `sales_q1_2002` into three new partitions `sales_jan_2002`, `sales_feb_2002`, and `sales_mar_2002`:

```
ALTER TABLE sales SPLIT PARTITION SALES_Q1_2002 INTO (
  PARTITION SALES_JAN_2002 VALUES LESS THAN (TO_DATE('01-FEB-2002','DD-MON-YYYY')),
  PARTITION SALES_FEB_2002 VALUES LESS THAN (TO_DATE('01-MAR-2002','DD-MON-YYYY')),
  PARTITION SALES_MAR_2002);
```

The following statements create a partitioned version of the `pm.print_media` table. The `LONG` column in the `print_media` table has been converted to `LOB`. The table is stored in tablespaces created in "[Creating Oracle Managed Files: Examples](#)". The object types underlying the `ad_textdocs_ntab` and `ad_header` columns are created in the script that creates the `pm` sample schema:

```
CREATE TABLE print_media_part (
  product_id NUMBER(6),
  ad_id       NUMBER(6),
  ad_composite BLOB,
  ad_sourcetext CLOB,
  ad_finaltext CLOB,
  ad_fltextn   NCLOB,
  ad_textdocs_ntab TEXTDOC_TAB,
  ad_photo    BLOB,
  ad_graphic  BFILE,
  ad_header   ADHEADER_TYP)
NESTED TABLE ad_textdocs_ntab STORE AS textdoc_nt
PARTITION BY RANGE (product_id)
```

```
(PARTITION p1 VALUES LESS THAN (100),
PARTITION p2 VALUES LESS THAN (200));
```

The following statement splits partition p2 of that table into partitions p2a and p2b:

```
ALTER TABLE print_media_part
  SPLIT PARTITION p2 AT (150) INTO
  (PARTITION p2a TABLESPACE omf_ts1
   LOB (ad_photo, ad_composite) STORE AS (TABLESPACE omf_ts2),
  PARTITION p2b
   LOB (ad_photo, ad_composite) STORE AS (TABLESPACE omf_ts2))
  NESTED TABLE ad_textdocs_ntab INTO (PARTITION nt_p2a, PARTITION nt_p2b);
```

In both partitions p2a and p2b, Oracle Database creates the LOB segments for columns ad\_photo and ad\_composite in tablespace omf\_ts2. The LOB segments for the remaining columns in partition p2a are stored in tablespace omf\_ts1. The LOB segments for the remaining columns in partition p2b remain in the tablespaces in which they resided prior to this ALTER statement. However, the database creates new segments for all the LOB data and LOB index segments, even if they are not moved to a new tablespace.

The database also creates new segments for nested table column ad\_textdocs\_ntab. The storage tables is those new segments are nt\_p2a and nt\_p2b.

### Merging Two Table Partitions: Example

The following statement merges back into one partition the partitions created in "[Splitting Table Partitions: Examples](#)":

```
ALTER TABLE sales
  MERGE PARTITIONS sales_q4_2000, sales_q4_2000b
  INTO PARTITION sales_q4_2000;
```

The next statement reverses the example in "[Splitting Table Partitions: Examples](#)":

```
ALTER TABLE print_media_part
  MERGE PARTITIONS p2a, p2b INTO PARTITION p2ab TABLESPACE example
  NESTED TABLE ad_textdocs_ntab STORE AS nt_p2ab;
```

### Merging Four Adjacent Range Partitions: Example

The following statement merges four adjacent range partitions, sales\_q1\_2000, sales\_q2\_2000, sales\_q3\_2000, and sales\_q4\_2000 into one partition sales\_all\_2000:

```
ALTER TABLE sales
  MERGE PARTITIONS sales_q1_2000 TO sales_q4_2000
  INTO PARTITION sales_all_2000;
```

### Adding a Table Partition with a LOB and Nested Table Storage: Examples

The following statement adds a partition p3 to the print\_media\_part table (see preceding example) and specifies storage characteristics for the BLOB, CLOB, and nested table columns of that table:

```
ALTER TABLE print_media_part ADD PARTITION p3 VALUES LESS THAN (400)
  LOB(ad_photo, ad_composite) STORE AS (TABLESPACE omf_ts1)
  LOB(ad_sourcetext, ad_finaltext) STORE AS (TABLESPACE omf_ts2)
  NESTED TABLE ad_textdocs_ntab STORE AS nt_p3;
```

The LOB data and LOB index segments for columns `ad_photo` and `ad_composite` in partition `p3` will reside in tablespace `omf_ts1`. The remaining attributes for these LOB columns will be inherited first from the table-level defaults, and then from the tablespace defaults.

The LOB data segments for columns `ad_source_text` and `ad_finaltext` will reside in the `omf_ts2` tablespace, and will inherit all other attributes first from the table-level defaults, and then from the tablespace defaults.

The partition for the storage table for nested table storage column `ad_textdocs_ntab` corresponding to partition `p3` of the base table is named `nt_p3` and inherits all other attributes first from the table-level defaults, and then from the tablespace defaults.

### Adding Multiple Partitions to a Table: Example

The following statement adds three partitions to the table `print_media_part` created in "[Splitting Table Partitions: Examples](#)":

```
ALTER TABLE print_media_part ADD
  PARTITION p3 values less than (300),
  PARTITION p4 values less than (400),
  PARTITION p5 values less than (500);
```

### Working with Default List Partitions: Example

The following statements use the list partitioned table created in "[List Partitioning Example](#)". The first statement splits the existing default partition into a new `south` partition and a default partition:

```
ALTER TABLE list_customers SPLIT PARTITION rest
  VALUES ('MEXICO', 'COLOMBIA')
  INTO (PARTITION south, PARTITION rest);
```

The next statement merges the resulting default partition with the `asia` partition:

```
ALTER TABLE list_customers
  MERGE PARTITIONS asia, rest INTO PARTITION rest;
```

The next statement re-creates the `asia` partition by splitting the default partition:

```
ALTER TABLE list_customers SPLIT PARTITION rest
  VALUES ('CHINA', 'THAILAND')
  INTO (PARTITION asia, PARTITION rest);
```

### Dropping a Table Partition: Example

The following statement drops partition `p3` created in "[Adding a Table Partition with a LOB and Nested Table Storage: Examples](#)":

```
ALTER TABLE print_media_part DROP PARTITION p3;
```

### Exchanging Table Partitions: Example

This example creates the table `exchange_table` with the same structure as the partitions of the `list_customers` table created in "[List Partitioning Example](#)". It then replaces partition `rest` of table `list_customers` with table `exchange_table` without exchanging local index partitions with corresponding indexes on `exchange_table` and without verifying that data in `exchange_table` falls within the bounds of partition `rest`:

```
CREATE TABLE exchange_table (
  customer_id NUMBER(6),
```

```
cust_first_name VARCHAR2(20),
cust_last_name  VARCHAR2(20),
cust_address    CUST_ADDRESS_TYP,
nls_territory   VARCHAR2(30),
cust_email      VARCHAR2(40));
```

```
ALTER TABLE list_customers
  EXCHANGE PARTITION rest WITH TABLE exchange_table
  WITHOUT VALIDATION;
```

### Modifying Table Partitions: Examples

The following statement marks all the local index partitions corresponding to the `asia` partition of the `list_customers` table UNUSABLE:

```
ALTER TABLE list_customers MODIFY PARTITION asia
  UNUSABLE LOCAL INDEXES;
```

The following statement rebuilds all the local index partitions that were marked UNUSABLE:

```
ALTER TABLE list_customers MODIFY PARTITION asia
  REBUILD UNUSABLE LOCAL INDEXES;
```

### Moving Table Partitions: Example

The following statement moves partition `p2b` (from "[Splitting Table Partitions: Examples](#)") to tablespace `omf_ts1`:

```
ALTER TABLE print_media_part
  MOVE PARTITION p2b TABLESPACE omf_ts1;
```

### Renaming Table Partitions: Examples

The following statement renames a partition of the `sh.sales` table:

```
ALTER TABLE sales RENAME PARTITION sales_q4_2003 TO sales_currentq;
```

### Truncating Table Partitions: Example

The following statement uses the `print_media_demo` table created in "[Partitioned Table with LOB Columns Example](#)". It deletes all the data in the `p1` partition and deallocates the freed space:

```
ALTER TABLE print_media_demo
  TRUNCATE PARTITION p1 DROP STORAGE;
```

### Updating Global Indexes: Example

The following statement splits partition `sales_q1_2000` of the sample table `sh.sales` and updates any global indexes defined on it:

```
ALTER TABLE sales SPLIT PARTITION sales_q1_2000
  AT (TO_DATE('16-FEB-2000','DD-MON-YYYY'))
  INTO (PARTITION q1a_2000, PARTITION q1b_2000)
  UPDATE GLOBAL INDEXES;
```

### Updating Partitioned Indexes: Example

The following statement splits partition `costs_Q4_2003` of the sample table `sh.costs` and updates the local index defined on it. It uses the tablespaces created in "[Creating Basic Tablespaces: Examples](#)".

```
CREATE INDEX cost_ix ON costs(channel_id) LOCAL;

ALTER TABLE costs
  SPLIT PARTITION costs_q4_2003 at
    (TO_DATE('01-Nov-2003','dd-mon-yyyy'))
  INTO (PARTITION c_p1, PARTITION c_p2)
  UPDATE INDEXES (cost_ix (PARTITION c_p1 tablespace tbs_02,
    PARTITION c_p2 tablespace tbs_03));
```

### Specifying Object Identifiers: Example

The following statements create an object type, a corresponding object table with a primary-key-based object identifier, and a table having a user-defined `REF` column:

```
CREATE TYPE emp_t AS OBJECT (empno NUMBER, address CHAR(30));

CREATE TABLE emp OF emp_t (
  empno PRIMARY KEY)
  OBJECT IDENTIFIER IS PRIMARY KEY;

CREATE TABLE dept (dno NUMBER, mgr_ref REF emp_t SCOPE is emp);
```

The next statements add a constraint and a user-defined `REF` column, both of which reference table `emp`

```
ALTER TABLE dept ADD CONSTRAINT mgr_cons FOREIGN KEY (mgr_ref)
  REFERENCES emp;
ALTER TABLE dept ADD sr_mgr REF emp_t REFERENCES emp;
```

### Adding a Table Column: Example

The following statement adds to the `countries` table a column named `duty_pct` of data type `NUMBER` and a column named `visa_needed` of data type `VARCHAR2` with a size of 3 and a `CHECK` integrity constraint:

```
ALTER TABLE countries
  ADD (duty_pct NUMBER(2,2) CHECK (duty_pct < 10.5),
    visa_needed VARCHAR2(3));
```

### Adding a Virtual Table Column: Example

The following statement adds to a copy of the `hr.employees` table a column named `income`, which is a combination of salary plus commission. Both salary and commission are `NUMBER` columns, so the database creates the virtual column as a `NUMBER` column even though the data type is not specified in the statement:

```
CREATE TABLE emp2 AS SELECT * FROM employees;

ALTER TABLE emp2 ADD (income AS (salary + (salary*commission_pct)));
```

### Modifying Table Columns: Examples

The following statement increases the size of the `duty_pct` column:

```
ALTER TABLE countries
  MODIFY (duty_pct NUMBER(3,2));
```



Because the `MODIFY` clause contains only one column definition, the parentheses around the definition are optional.

The following statement changes the values of the `PCTFREE` and `PCTUSED` parameters for the `employees` table to 30 and 60, respectively:

```
ALTER TABLE employees
  PCTFREE 30
  PCTUSED 60;
```

### Modifying Storage Attributes for a Table

The following statement creates a table named `JOBS_TEMP` by using the existing `JOBS` table:

```
CREATE TABLE JOBS_TEMP AS SELECT * FROM HR.JOBS;
```

The following statement queries the `USER_TABLES` table for storage parameters:

```
SELECT initial_extent,
       next_extent,
       min_extents,
       max_extents,
       pct_increase,
       blocks,
       sample_size
FROM   user_tables
WHERE  table_name = 'JOBS_TEMP';
```

INITIAL_EXTENT	NEXT_EXTENT	MIN_EXTENTS	MAX_EXTENTS	PCT_INCREASE
65536	1048576	1	1	19

The following statement alters the `JOBS_TEMP` table with new storage parameters:

```
ALTER TABLE JOBS_TEMP MOVE
  STORAGE ( INITIAL 20K
           NEXT 40K
           MINEXTENTS 2
           MAXEXTENTS 20
           PCTINCREASE 0 )
  TABLESPACE USERS;
```

The following statement queries the `USER_TABLES` table for the new storage parameters:

```
SELECT initial_extent,
       next_extent,
       min_extents,
       max_extents,
       pct_increase,
```

```

        blocks,
        sample_size
FROM   user_tables
WHERE  table_name = 'JOBS_TEMP';

INITIAL_EXTENT NEXT_EXTENT MIN_EXTENTS MAX_EXTENTS PCT_INCREASE   BLOCKS
SAMPLE_SIZE
-----
1          65536      40960          1  2147483645
          19

```

### Adding, Altering, Renaming and Dropping Table Columns: Example

The following statements create a new table to manipulate data and display the information in the newly created table:

```

CREATE TABLE JOBS_Temp AS SELECT * FROM HR.JOBS;

SELECT * FROM JOBS_Temp WHERE MAX_SALARY > 30000;

JOB_ID      JOB_TITLE                MIN_SALARY MAX_SALARY
-----
AD_PRES     President                20080      40000

```

The following statement modifies an existing column definition:

```
ALTER TABLE JOBS_Temp MODIFY (JOB_TITLE VARCHAR2(100));
```

The following statement adds two new columns to the table:

```
ALTER TABLE JOBS_Temp ADD (BONUS NUMBER (7,2), COMM NUMBER (5,2), DUMMY NUMBER(2));
```

The following statement displays the newly added columns:

```

SELECT JOB_ID, BONUS, COMM, DUMMY FROM JOBS_Temp WHERE MAX_SALARY > 20000;

JOB_ID      BONUS      COMM      DUMMY
-----
AD_PRES
AD_VP
SA_MAN

```

The following statements rename an existing column and display the modified column:

```

ALTER TABLE JOBS_Temp RENAME COLUMN COMM TO COMMISSION;

SELECT JOB_ID, COMMISSION FROM JOBS_Temp WHERE MAX_SALARY > 20000;

JOB_ID      COMMISSION
-----
AD_PRES
AD_VP
SA_MAN

```

The following statement drops a single column from the table:

```
ALTER TABLE JOBS_Temp DROP COLUMN DUMMY;
```

The following statement drops multiple columns from the table:

```
ALTER TABLE JOBS_Temp DROP (BONUS, COMMISSION);
```

### Data Encryption: Examples

The following statement encrypts the salary column of the `hr.employees` table using the encryption algorithm `AES256`. As described in "Semantics" above, you must first enable Transparent Data Encryption:

```
ALTER TABLE employees
  MODIFY (salary ENCRYPT USING 'AES256' 'NOMAC');
```

The following statement adds a new encrypted column `online_acct_pw` to the `oe.customers` table, using the default encryption algorithm `AES192`. Specifying `NO SALT` will allow a B-tree index to be created on the column, if desired.

```
ALTER TABLE customers
  ADD (online_acct_pw VARCHAR2(8) ENCRYPT 'NOMAC' NO SALT);
```

The following example decrypts the `customer.online_acct_pw` column:

```
ALTER TABLE customers
  MODIFY (online_acct_pw DECRYPT);
```

### Allocating Extents: Example

The following statement allocates an extent of 5 kilobytes for the `employees` table and makes it available to instance 4:

```
ALTER TABLE employees
  ALLOCATE EXTENT (SIZE 5K INSTANCE 4);
```

Because this statement omits the `DATAFILE` parameter, Oracle Database allocates the extent in one of the data files belonging to the tablespace containing the table.

### Specifying a Default Column Value: Examples

This statement modifies the `min_price` column of the `product_information` table so that it has a default value of 10:

```
ALTER TABLE product_information
  MODIFY (min_price DEFAULT 10);
```

If you subsequently add a new row to the `product_information` table and do not specify a value for the `min_price` column, then the value of the `min_price` column is automatically 10:

```
INSERT INTO product_information (product_id, product_name,
  list_price)
  VALUES (300, 'left-handed mouse', 40.50);
```

```
SELECT product_id, product_name, list_price, min_price
  FROM product_information
  WHERE product_id = 300;
```

PRODUCT_ID	PRODUCT_NAME	LIST_PRICE	MIN_PRICE
300	left-handed mouse	40.5	10

To discontinue previously specified default values, so that they are no longer automatically inserted into newly added rows, replace the values with `NULL`, as shown in this statement:

```
ALTER TABLE product_information
  MODIFY (min_price DEFAULT NULL);
```

The `MODIFY` clause need only specify the column name and the modified part of the definition, rather than the entire column definition. This statement has no effect on any existing values in existing rows.

The following example adds a column defined with `DEFAULT ON NULL` to a table. The `DEFAULT` column value includes the sequence pseudocolumn `NEXTVAL`.

Create sequence `s1` and table `t1` as follows:

```
CREATE SEQUENCE s1 START WITH 1;

CREATE TABLE t1 (name VARCHAR2(10));
INSERT INTO t1 VALUES('Kevin');
INSERT INTO t1 VALUES('Julia');
INSERT INTO t1 VALUES('Ryan');
```

Add column `id`, which defaults to `s1.NEXTVAL`. The default column value for `id` is assigned to each existing row in the table. The order in which `s1.NEXTVAL` is assigned to each row is nondeterministic.

```
ALTER TABLE t1 ADD (id NUMBER DEFAULT ON NULL s1.NEXTVAL NOT NULL);
```

```
SELECT id, name FROM t1 ORDER BY id;
```

```
      ID NAME
-----
      1 Kevin
      2 Julia
      3 Ryan
```

If you subsequently add a new row to the table and specify a `NULL` value for the `id` column, then the `DEFAULT ON NULL` expression `s1.NEXTVAL` is inserted.

```
INSERT INTO t1(id, name) VALUES(NULL, 'Sean');
```

```
SELECT id, name FROM t1 ORDER BY id;
```

```
      ID NAME
-----
      1 Kevin
      2 Julia
      3 Ryan
      4 Sean
```

### Adding a Constraint to an XMLType Table: Example

The following example adds a primary key constraint to the `xwarehouses` table, created in "[XMLType Examples](#)":

```
ALTER TABLE xwarehouses
  ADD (PRIMARY KEY(XMLDATA."WarehouseID"));
```

Refer to [XMLDATA Pseudocolumn](#) for information about this pseudocolumn.

### Renaming Constraints: Example

The following statement renames the `cust_fname_nn` constraint on the sample table `oe.customers` to `cust_firstname_nn`:

```
ALTER TABLE customers RENAME CONSTRAINT cust_fname_nn  
TO cust_firstname_nn;
```

### Dropping Constraints: Examples

The following statement drops the primary key of the `departments` table:

```
ALTER TABLE departments  
DROP PRIMARY KEY CASCADE;
```

If you know that the name of the `PRIMARY KEY` constraint is `pk_dept`, then you could also drop it with the following statement:

```
ALTER TABLE departments  
DROP CONSTRAINT pk_dept CASCADE;
```

The `CASCADE` clause causes Oracle Database to drop any foreign keys that reference the primary key.

The following statement drops the unique key on the `email` column of the `employees` table:

```
ALTER TABLE employees  
DROP UNIQUE (email);
```

The `DROP` clause in this statement omits the `CASCADE` clause. Because of this omission, Oracle Database does not drop the unique key if any foreign key references it.

### LOB Columns: Examples

The following statement adds `CLOB` column `resume` to the `employee` table and specifies LOB storage characteristics for the new column:

```
ALTER TABLE employees ADD (resume CLOB)  
LOB (resume) STORE AS resume_seg (TABLESPACE example);
```

To modify the LOB column `resume` to use caching, enter the following statement:

```
ALTER TABLE employees MODIFY LOB (resume) (CACHE);
```

The following statement adds a `SecureFiles CLOB` column `resume` to the `employee` table and specifies LOB storage characteristics for the new column. `SecureFiles LOBs` must be stored in tablespaces with automatic segment-space management. Therefore, the LOB data in this example is stored in the `auto_seg_ts` tablespace, which was created in "[Specifying Segment Space Management for a Tablespace: Example](#)":

```
ALTER TABLE employees ADD (resume CLOB)  
LOB (resume) STORE AS SECUREFILE resume_seg (TABLESPACE auto_seg_ts);
```

To modify the LOB column `resume` so that it does not use caching, enter the following statement:

```
ALTER TABLE employees MODIFY LOB (resume) (NOCACHE);
```

### Nested Tables: Examples

The following statement adds the nested table column `skills` to the `employee` table:

```
ALTER TABLE employees ADD (skills skill_table_type)  
NESTED TABLE skills STORE AS nested_skill_table;
```

You can also modify nested table storage characteristics. Use the name of the storage table specified in the *nested\_table\_col\_properties* to make the modification. You cannot query or perform DML statements on the storage table. Use the storage table only to modify the nested table column storage characteristics.

The following statement creates table `vet_service` with nested table column `client` and storage table `client_tab`. Nested table `client_tab` is modified to specify constraints:

```
CREATE TYPE pet_t AS OBJECT
  (pet_id NUMBER, pet_name VARCHAR2(10), pet_dob DATE);
/

CREATE TYPE pet AS TABLE OF pet_t;
/

CREATE TABLE vet_service (vet_name VARCHAR2(30),
                          client pet)
  NESTED TABLE client STORE AS client_tab;

ALTER TABLE client_tab ADD UNIQUE (pet_id);
```

The following statement alters the storage table for a nested table of REF values to specify that the REF is scoped:

```
CREATE TYPE emp_t AS OBJECT (eno number, ename char(31));
CREATE TYPE emps_t AS TABLE OF REF emp_t;
CREATE TABLE emptab OF emp_t;
CREATE TABLE dept (dno NUMBER, employees emps_t)
  NESTED TABLE employees STORE AS deptemps;
ALTER TABLE deptemps ADD (SCOPE FOR (COLUMN_VALUE) IS emptab);
```

Similarly, to specify storing the REF with rowid:

```
ALTER TABLE deptemps ADD (REF(column_value) WITH ROWID);
```

In order to execute these ALTER TABLE statements successfully, the storage table `deptemps` must be empty. Also, because the nested table is defined as a table of scalar values (REF values), Oracle Database implicitly provides the column name `COLUMN_VALUE` for the storage table.



#### See Also:

- [CREATE TABLE](#) for more information about nested table storage
- *Oracle Database Object-Relational Developer's Guide* for more information about nested tables

### REF Columns: Examples

The following statement creates an object type `dept_t` and then creates table `staff`:

```
CREATE TYPE dept_t AS OBJECT
  (deptno NUMBER, dname VARCHAR2(20));
/

CREATE TABLE staff
  (name VARCHAR2(100),
```

```
salary NUMBER,
dept REF dept_t);
```

An object table `offices` is created as:

```
CREATE TABLE offices OF dept_t;
```

The `dept` column can store references to objects of `dept_t` stored in any table. If you would like to restrict the references to point only to objects stored in the `departments` table, then you could do so by adding a scope constraint on the `dept` column as follows:

```
ALTER TABLE staff
ADD (SCOPE FOR (dept) IS offices);
```

The preceding `ALTER TABLE` statement will succeed only if the `staff` table is empty.

If you want the `REF` values in the `dept` column of `staff` to also store the rowids, then issue the following statement:

```
ALTER TABLE staff
ADD (REF(dept) WITH ROWID);
```

### Unpacked Storage in ANYDATA Columns: Example

This example creates a table with an `ANYDATA` column, stores opaque data types in the `ANYDATA` column using unpacked storage, and then queries the data types. This example assumes that you are connected to the database as user `hr`.

Create table `t1`, which contains a `NUMBER` column `n` and an `ANYDATA` column `x`:

```
CREATE TABLE t1 (n NUMBER, x ANYDATA);
```

Create an object type `clob_typ`, which contains a `CLOB` attribute:

```
CREATE OR REPLACE TYPE clob_typ AS OBJECT (c clob);
/
```

Enable unpacked storage of the opaque data types `XMLType` and `clob_typ` in `ANYDATA` column `x` of table `t1`:

```
ALTER TABLE t1 MODIFY OPAQUE TYPE x STORE (XMLType, clob_typ) UNPACKED;
```

Insert `XMLType` and `clob_typ` objects into table `t1`. These types will use unpacked storage:

```
INSERT INTO t1
VALUES(1, anydata.convertobject(XMLType('<Test>This is test XML</Test>')));

INSERT INTO t1
VALUES(2, anydata.convertobject(clob_typ(TO_CLOB('This is a test CLOB'))));
```

Query table `t1` to view the names of the types stored in `ANYDATA` column `x`:

```
SELECT t1.*, anydata.getTypeName(t1.x) typename FROM t1;
```

N	X ()	TYPENAME
1	ANYDATA ()	SYS.XMLTYPE
2	ANYDATA ()	HR.CLOB_TYP

Create functions that allow you to query the values stored in the `XMLType` and `clob_typ` data types:

```
CREATE FUNCTION get_xmltype (ad IN ANYDATA) RETURN VARCHAR2 AS
    rtn_val PLS_INTEGER;
    my_xmltype XMLType;
    string_val VARCHAR2(30);
BEGIN
    rtn_val := ad.getObject(my_xmltype);
    string_val := my_xmltype.getstringval();
    return (string_val);
END;
/

CREATE FUNCTION get_clob_typ (ad IN ANYDATA) RETURN VARCHAR2 AS
    rtn_val PLS_INTEGER;
    my_clob_typ clob_typ;
    string_val VARCHAR2(30);
BEGIN
    rtn_val := ad.getObject(my_clob_typ);
    string_val := (my_clob_typ.c);
    return (string_val);
END;
/
```

Query table `t1` to view the values stored in each data type in `ANYDATA` column `x`:

```
SELECT t1.*, anydata.getTypeName(t1.x) typename,
       CASE
         WHEN anydata.gettypename(t1.x) = 'SYS.XMLTYPE' THEN get_xmltype(t1.x)
         WHEN anydata.gettypename(t1.x) = 'HR.CLOB_TYP' THEN get_clob_typ(t1.x)
       END string_value
FROM t1;
```

N	X()	TYPENAME	STRING_VALUE
1	ANYDATA()	SYS.XMLTYPE	<Test>This is test XML</Test>
2	ANYDATA()	HR.CLOB_TYP	This is a test CLOB

### Additional Examples

For examples of defining integrity constraints with the `ALTER TABLE` statement, see the [constraint](#).

For examples of changing the storage parameters of a table, see the [storage\\_clause](#).

### Add and Drop Annotations at the Table Level

The following examples use `table1`:

```
CREATE TABLE table1 (T NUMBER) ANNOTATIONS(Operations 'Sort', Hidden);
```

The following example drops all annotations from `table1`:

```
ALTER TABLE table1 ANNOTATIONS(DROP Operations, DROP Hidden);
```

The following example adds a new annotation `Operations` with a JSON value:

```
ALTER TABLE table1 ANNOTATIONS(ADD Operations '{"Sort", "Group"}');
```

### Add and Drop Annotations at the Column Level



The following example adds a new Identity annotation for column T of table1:

```
ALTER TABLE table1 MODIFY T ANNOTATIONS(Identity 'ID');
```

The following example adds Hidden, and drops Identity:

```
ALTER TABLE table1 MODIFY T ANNOTATIONS(ADD Hidden, DROP Identity);
```

## Operations on Directory-Based Partitioned Table

### Example: Create Sharded Table and Partition by Directory

```
CREATE SHARDED TABLE departments
( department_id NUMBER(6)
, department_name VARCHAR2(30) CONSTRAINT dept_name_nn NOT NULL
, manager_id NUMBER(6)
, location_id NUMBER(4)
, CONSTRAINT dept_id_pk PRIMARY KEY(department_id)
)
PARTITION BY DIRECTORY (department_id)
(
PARTITION p_1 TABLESPACE tbs1,
PARTITION p_2 TABLESPACE tbs2
);
```

The following two examples use the table `departments` above for operations add and split.

### Add Partitions to a Table Partitioned by Directory

```
ALTER TABLE departments ADD
PARTITION p_3 TABLESPACE tbs3,
PARTITION p_4 TABLESPACE tbs4;
```

### Split Partitions of a Table Partitioned by Directory

```
ALTER TABLE departments
SPLIT PARTITION p_1 INTO
(PARTITION p_1 TABLESPACE tbs1,
PARTITION p_3 TABLESPACE tbs3)
UPDATE INDEXES;
```

# ALTER TABLESPACE

## Purpose

Use the `ALTER TABLESPACE` statement to alter an existing tablespace or one or more of its data files or temp files.

You cannot use this statement to convert a dictionary-managed tablespace to a locally managed tablespace. For that purpose, use the `DBMS_SPACE_ADMIN` package, which is documented in *Oracle Database PL/SQL Packages and Types Reference*.

 **See Also:**

*Oracle Database Administrator's Guide* and [CREATE TABLESPACE](#) for information on creating a tablespace

**Prerequisites**

To alter the `SYSAUX` tablespace, you must have the `SYSDBA` system privilege.

If you have the `ALTER TABLESPACE` system privilege, then you can perform any `ALTER TABLESPACE` operation. If you have the `MANAGE TABLESPACE` system privilege, then you can only perform the following operations:

- Take a tablespace online or offline
- Begin or end a backup
- Make a tablespace read only or read write
- Change the state of a tablespace to `PERMANENT` or `TEMPORARY`
- Set the default logging mode of a tablespace to `LOGGING` or `NOLOGGING`
- Put a tablespace in force logging mode or take it out of force logging mode
- Rename a tablespace or a tablespace data file
- Specify `RETENTION GUARANTEE` or `RETENTION NOGUARANTEE` for an undo tablespace
- Resize a data file for a tablespace
- Enable or disable autoextension of a data file for a tablespace
- Shrink the amount of space a temporary tablespace or a temp file is taking


Before you can make a tablespace read only, the following conditions must be met:

- The tablespace must be online.
- The tablespace must not contain any active rollback segments. For this reason, the `SYSTEM` tablespace can never be made read only, because it contains the `SYSTEM` rollback segment. Additionally, because the rollback segments of a read-only tablespace are not accessible, Oracle recommends that you drop the rollback segments before you make a tablespace read only.
- The tablespace must not be involved in an open backup, because the end of a backup updates the header file of all data files in the tablespace.

Performing this function in restricted mode may help you meet these restrictions, because only users with `RESTRICTED SESSION` system privilege can be logged on.


**Syntax**

***alter\_tablespace::=***




*(alter\_tablespace\_attrs::=)*

**alter\_tablespace\_attrs::=**



(*default\_tablespace\_params::=*, *size\_clause::=*, *datafile\_tempfile\_clauses::=*,  
*tablespace\_logging\_clauses::=*, *tablespace\_group\_clause::=*,  
*tablespace\_state\_clauses::=*, *autoextend\_clause::=*, *flashback\_mode\_clause::=*,  
*tablespace\_retention\_clause::=*, *alter\_tablespace\_encryption::=*,  
*lost\_write\_protection::=*)

**default\_tablespace\_params::=**




(*default\_table\_compression::=*—part of CREATE TABLESPACE,  
*default\_index\_compression::=*—part of CREATE TABLESPACE, *inmemory\_clause::=*—part  
of CREATE TABLESPACE, *ilm\_clause::=*—part of ALTER TABLE, *storage\_clause::=*)



**Note:**


If you specify the `DEFAULT` clause, then you must specify at least one of the clauses `default_table_compression`, `default_index_compression`, `inmemory_clause`, `ilm_clause`, or `storage_clause`.

**datafile\_tempfile\_clauses::=**




*(file\_specification::=).*

**tablespace\_logging\_clauses::=**




*(logging\_clause::=)*


**tablespace\_group\_clause::=**



**tablespace\_state\_clauses::=**




**autoextend\_clause::=**




*(size\_clause::=)*

**maxsize\_clause::=**




*(size\_clause::=)*


**flashback\_mode\_clause::=**



**tablespace\_retention\_clause::=**




**alter\_tablespace\_encryption::=**




(tablespace\_encryption\_spec::=, ts\_file\_name\_convert::=)


**tablespace\_encryption\_spec::=**



**ts\_file\_name\_convert::=**



**lost\_write\_protection::=**



**Semantics**

**IF NOT EXISTS**

Specify `IF EXISTS` to alter an existing tablespace.

Specifying `IF NOT EXISTS` with `ALTER` results in error: Incorrect `IF EXISTS` clause for `ALTER/DROP` statement.

***tablespace***

Specify the name of the tablespace to be altered.

**Restrictions on Altering Tablespaces**

Altering tablespaces is subject to the following restrictions:

- If *tablespace* is an undo tablespace, then the only other clauses you can specify in this statement are `ADD DATAFILE`, `RENAME DATAFILE`, `RENAME TO` (renaming the tablespace), `DATAFILE ... ONLINE`, `DATAFILE ... OFFLINE`, `BEGIN BACKUP`, and `END BACKUP`.
- You cannot make the `SYSTEM` tablespace read only or temporary and you cannot take it offline.
- For locally managed temporary tablespaces, the only clause you can specify in this statement is the `ADD` clause.

**See Also:**

*Oracle Database Administrator's Guide* for information on automatic undo management and undo tablespaces

***alter\_tablespace\_attrs***

Use the *alter\_tablespace\_attrs* clauses to change the attributes of the tablespace.

***default\_tablespace\_params***

This clause lets you specify new default parameters for the tablespace. The new default parameters apply to objects subsequently created in the tablespace.

The clauses *default\_table\_compression*, *default\_index\_compression*, *inmemory\_clause*, *ilm\_clause*, and *storage\_clause* have the same semantics in `CREATE TABLESPACE` and `ALTER TABLESPACE`. For complete information on these clauses, refer to the [default\\_tablespace\\_params](#) clause in the documentation on `CREATE TABLESPACE`.

**MINIMUM EXTENT**

This clause is valid only for permanent dictionary-managed tablespaces. The `MINIMUM EXTENT` clause lets you control free space fragmentation in the tablespace by ensuring that every used or free extent in a tablespace is at least as large as, and is a multiple of, the value specified in the *size\_clause*.

**Restriction on MINIMUM EXTENT**

You cannot specify this clause for a locally managed tablespace or for a dictionary-managed temporary tablespace.

 **See Also:**

[size\\_clause](#) for information about that clause, *Oracle Database Administrator's Guide* for more information about using `MINIMUM EXTENT` to control space fragmentation

**RESIZE Clause**

This clause is valid only for bigfile tablespaces, including shadow tablespaces which store lost write protection tracking data. It lets you increase or decrease the size of the single data file to an absolute size. Use `K`, `M`, `G`, or `T` to specify the size in kilobytes, megabytes, gigabytes, or terabytes, respectively.

To change the size of a newly added data file or temp file in smallfile tablespaces, use the `ALTER DATABASE ... autoextend_clause` (see [database\\_file\\_clauses](#)).

 **See Also:**

[BIGFILE](#) | [SMALLFILE](#) for information on bigfile tablespaces

**COALESCE**

For each data file in the tablespace, this clause combines all contiguous free extents into larger contiguous extents.

**SHRINK SPACE Clause**

This clause is valid only for temporary tablespaces. It lets you reduce the amount of space the tablespace is taking. In the optional `KEEP` clause, the [size\\_clause](#) defines the lower bound that a tablespace can be shrunk to. It is the opposite of `MAXSIZE` for an autoextensible tablespace. If you omit the `KEEP` clause, then the database will attempt to shrink the tablespace as much as possible as long as other tablespace storage attributes are satisfied.

**RENAME Clause**

Use this clause to rename *tablespace*. This clause is valid only if *tablespace* and all its data files are online and the `COMPATIBLE` parameter is set to 10.0.0 or greater. You can rename both permanent and temporary tablespaces.

If *tablespace* is read only, then Oracle Database does not update the data file headers to reflect the new name. The alert log will indicate that the data file headers have not been updated.

 **Note:**

If you re-create the control file, and if the data files that Oracle Database uses for this purpose are restored backups whose headers reflect the old tablespace name, then the re-created control file will also reflect the old tablespace name. However, after the database is fully recovered, the control file will reflect the new name.



If *tablespace* has been designated as the undo tablespace for any instance in an Oracle Real Application Clusters (Oracle RAC) environment, and if a server parameter file was used to start up the database, then Oracle Database changes the value of the `UNDO_TABLESPACE` parameter for that instance in the server parameter file (`SPFILE`) to reflect the new tablespace name. If a single-instance database is using a parameter file (`pfile`) instead of an `spfile`, then the database puts a message in the alert log advising the database administrator to change the value manually in the `pfile`.

 **Note:**

The `RENAME` clause does not change the value of the `UNDO_TABLESPACE` parameter in the running instance. Although this does not affect the functioning of the undo tablespace, Oracle recommends that you issue the following statement to manually change the value of `UNDO_TABLESPACE` to the new tablespace name for the duration of the instance:

```
ALTER SYSTEM SET UNDO_TABLESPACE = new_tablespace_name SCOPE = MEMORY;
```

You only need to issue this statement once. If the `UNDO_TABLESPACE` parameter is set to the new tablespace name in the `pfile` or `spfile`, then the parameter will be set correctly when the instance is next restarted.

### Restriction on Renaming Tablespaces

You cannot rename the `SYSTEM` or `SYSAUX` tablespaces.

### BACKUP Clauses

Use these clauses to move all data files in a tablespace into or out of online (sometimes called hot) backup mode.

 **See Also:**

- *Oracle Database Administrator's Guide* for information on restarting the database without media recovery
- `ALTER DATABASE "BACKUP Clauses"` for information on moving all data files in the database into and out of online backup mode
- `ALTER DATABASE alter\_datafile\_clause` for information on taking individual data files out of online backup mode

### BEGIN BACKUP

Specify `BEGIN BACKUP` to indicate that an open backup is to be performed on the data files that make up this tablespace. This clause does not prevent users from accessing the tablespace. You must use this clause before beginning an open backup.

### Restrictions on Beginning Tablespace Backup

Beginning tablespace backup is subject to the following restrictions:

- You cannot specify this clause for a read-only tablespace or for a temporary locally managed tablespace.
- While the backup is in progress, you cannot take the tablespace offline normally, shut down the instance, or begin another backup of the tablespace.

**See Also:**

"Backing Up Tablespaces: Examples"

**END BACKUP**

Specify `END BACKUP` to indicate that an online backup of the tablespace is complete. Use this clause as soon as possible after completing an online backup. Otherwise, if an instance failure or `SHUTDOWN ABORT` occurs, then Oracle Database assumes that media recovery (possibly requiring archived redo log) is necessary at the next instance startup.

**Restriction on Ending Tablespace Backup**

You cannot use this clause on a read-only tablespace.

***datafile\_tempfile\_clauses***

The tablespace file clauses let you add or modify a data file or temp file.

**ADD Clause**

Specify `ADD` to add to the tablespace a data file or temp file specified by *file\_specification*. Use the *datafile\_tempfile\_spec* form of *file\_specification* (see [file\\_specification](#)) to list regular data files and temp files in an operating system file system or to list Oracle Automatic Storage Management disk group files.

For locally managed temporary tablespaces, this is the only clause you can specify at any time.

If you omit *file\_specification*, then Oracle Database creates an Oracle Managed File of 100M with `AUTOEXTEND` enabled.

You can add a data file or temp file to a locally managed tablespace that is online or to a dictionary managed tablespace that is online or offline. Ensure the file is not in use by another database.

**Restriction on Adding Data Files and Temp Files**

You cannot specify this clause for a bigfile (single-file) tablespace, as such a tablespace has only one data file or temp file.

 **Note:**

On some operating systems, Oracle does not allocate space for a temp file until the temp file blocks are actually accessed. This delay in space allocation results in faster creation and resizing of temp files, but it requires that sufficient disk space is available when the temp files are later used. To avoid potential problems, before you create or resize a temp file, ensure that the available disk space exceeds the size of the new temp file or the increased size of a resized temp file. The excess space should allow for anticipated increases in disk space use by unrelated operations as well. Then proceed with the creation or resizing operation.

 **See Also:**

[file\\_specification](#), "Adding and Dropping Data Files and Temp Files: Examples", and "Adding an Oracle-managed Data File: Example"

### DROP Clause

Specify `DROP` to drop from the tablespace an empty data file or temp file specified by *filename* or *file\_number*. This clause causes the data file or temp file to be removed from the data dictionary and deleted from the operating system. The database must be open at the time this clause is specified.

The `ALTER TABLESPACE ... DROP TEMPFILE` statement is equivalent to specifying the `ALTER DATABASE TEMPFILE ... DROP INCLUDING DATAFILES`.

### Restrictions on Dropping Files

To drop a data file or temp file, the data file or temp file:

- Must be empty.
- Cannot be the first data file that was created in the tablespace. In such cases, drop the tablespace instead.
- Cannot be in a read-only tablespace that was migrated from dictionary managed to locally managed. Dropping a data file from all other read-only tablespaces is supported.
- Cannot be offline.

 **See Also:**

- `ALTER DATABASE` [alter\\_tempfile\\_clause](#) for additional information on dropping temp files
- *Oracle Database Administrator's Guide* for information on data file numbers and for guidelines on managing data files
- "Adding and Dropping Data Files and Temp Files: Examples"

### SHRINK TEMPFILE Clause

This clause is valid only when altering a temporary tablespace. It lets you reduce the amount of space the specified temp file is taking. In the optional `KEEP` clause, the `size_clause` defines the lower bound that the temp file can be shrunk to. It is the opposite of `MAXSIZE` for an autoextendible tablespace. If you omit the `KEEP` clause, then the database will attempt to shrink the temp file as much as possible as long as other storage attributes are satisfied.

### RENAME DATAFILE Clause

Specify `RENAME DATAFILE` to rename one or more of the tablespace data files. The database must be open, and you must take the tablespace offline before renaming it. Each `filename` must fully specify a data file using the conventions for filenames on your operating system.

This clause merely associates the tablespace with the new file rather than the old one. This clause does not actually change the name of the operating system file. You must change the name of the file through your operating system.



#### See Also:

["Moving and Renaming Tablespaces: Example"](#)

### ONLINE | OFFLINE Clauses

Use these clauses to take all data files or temp files in the tablespace offline or put them online. These clauses have no effect on the `ONLINE` or `OFFLINE` status of the tablespace itself.

The database must be mounted. If `tablespace` is `SYSTEM`, or an undo tablespace, or the default temporary tablespace, then the database must not be open.

#### *tablespace\_logging\_clauses*

Use these clauses to set or change the logging characteristics of the tablespace.

#### *logging\_clause*

Specify `LOGGING` if you want logging of all tables, indexes, and partitions within the tablespace. The tablespace-level logging attribute can be overridden by logging specifications at the table, index, and partition levels.

When an existing tablespace logging attribute is changed by an `ALTER TABLESPACE` statement, all tables, indexes, and partitions created *after* the statement will have the new default logging attribute (which you can still subsequently override). The logging attribute of existing objects is not changed.

If the tablespace is in `FORCE LOGGING` mode, then you can specify `NOLOGGING` in this statement to set the default logging mode of the tablespace to `NOLOGGING`, but this will not take the tablespace out of `FORCE LOGGING` mode.

### [NO] FORCE LOGGING

Use this clause to put the tablespace in force logging mode or take it out of force logging mode. The database must be open and in `READ WRITE` mode. Neither of these settings changes the default `LOGGING` or `NOLOGGING` mode of the tablespace.

### Restriction on Force Logging Mode

You cannot specify `FORCE LOGGING` for an undo or a temporary tablespace.

 **See Also:**

*Oracle Database Administrator's Guide* for information on when to use `FORCE LOGGING` mode and "[Changing Tablespace Logging Attributes: Example](#)"

***tablespace\_group\_clause***

This clause is valid only for locally managed temporary tablespaces. Use this clause to add *tablespace* to or remove it from the *tablespace\_group\_name* tablespace group.

- Specify a group name to indicate that *tablespace* is a member of this tablespace group. If *tablespace\_group\_name* does not already exist, then Oracle Database implicitly creates it when you alter tablespace to be a member of it.
- Specify an empty string ( ' ' ) to remove *tablespace* from the *tablespace\_group\_name* tablespace group.

**Restriction on Tablespace Groups**

You cannot specify a tablespace group for a permanent tablespace or for a dictionary-managed temporary tablespace.

 **See Also:**

*Oracle Database Administrator's Guide* for more information on tablespace groups and "[Assigning a Tablespace Group: Example](#)"

***tablespace\_state\_clauses***

Use these clauses to set or change the state of the tablespace.

**ONLINE | OFFLINE**

Specify `ONLINE` to bring the tablespace online. Specify `OFFLINE` to take the tablespace offline and prevent further access to its segments. When you take a tablespace offline, all of its data files are also offline.

 **Note:**

Before taking a tablespace offline for a long time, consider changing the tablespace allocation of any users who have been assigned the tablespace as either a default or temporary tablespace. While the tablespace is offline, such users cannot allocate space for objects or sort areas in the tablespace. See [ALTER USER](#) for more information on allocating tablespace quota to users.

**Restriction on Taking Tablespaces Offline**

You cannot take a temporary tablespace offline.

### OFFLINE NORMAL

Specify `NORMAL` to flush all blocks in all data files in the tablespace out of the system global area (SGA). You need not perform media recovery on this tablespace before bringing it back online. This is the default.

### OFFLINE TEMPORARY

If you specify `TEMPORARY`, then Oracle Database performs a checkpoint for all online data files in the tablespace but does not ensure that all files can be written. Files that are offline when you issue this statement may require media recovery before you bring the tablespace back online.

### OFFLINE IMMEDIATE

If you specify `IMMEDIATE`, then Oracle Database does not ensure that tablespace files are available and does not perform a checkpoint. You must perform media recovery on the tablespace before bringing it back online.

#### Note:

The `FOR RECOVER` setting for `ALTER TABLESPACE ... OFFLINE` has been deprecated. The syntax is supported for backward compatibility. However, Oracle recommends that you use the transportable tablespaces feature for tablespace recovery.

#### See Also:

*Oracle Database Backup and Recovery User's Guide* for information on using transportable tablespaces to perform media recovery

### READ ONLY | READ WRITE

Specify `READ ONLY` to place the tablespace in **transition read-only mode**. In this state, existing transactions can complete (commit or roll back), but no further DML operations are allowed to the tablespace except for rollback of existing transactions that previously modified blocks in the tablespace. You cannot make the `SYSAUX`, `SYSTEM`, or temporary tablespaces `READ ONLY`.

When a tablespace is read only, you can copy its files to read-only media. You must then rename the data files in the control file to point to the new location by using the SQL statement `ALTER DATABASE ... RENAME`.

#### See Also:

- *Oracle Database Concepts* for more information on read-only tablespaces
- [ALTER DATABASE](#)

Specify `READ WRITE` to indicate that write operations are allowed on a previously read-only tablespace.

### PERMANENT | TEMPORARY

Specify `PERMANENT` to indicate that the tablespace is to be converted from a temporary to a permanent tablespace. A permanent tablespace is one in which permanent database objects can be stored. This is the default when a tablespace is created.

Specify `TEMPORARY` to indicate that the tablespace is to be converted from a permanent to a temporary tablespace. A temporary tablespace is one in which no permanent database objects can be stored. Objects in a temporary tablespace persist only for the duration of the session.

### Restrictions on Temporary Tablespaces

Temporary tablespaces are subject to the following restrictions:

- You cannot specify `TEMPORARY` for the `SYSAUX` tablespace.
- If *tablespace* was not created with a standard block size, then you cannot change it from permanent to temporary.
- You cannot specify `TEMPORARY` for a tablespace in `FORCE LOGGING` mode.

### *autoextend\_clause*

This clause is valid only for bigfile (single-file) tablespaces. Use this clause to enable or disable autoextension of the single data file in the tablespace. To enable or disable autoextension of a newly added data file or temp file in smallfile tablespaces, use the *autoextend\_clause* of the [database\\_file\\_clauses](#) in the `ALTER DATABASE` statement.



#### See Also:

- *Oracle Database Administrator's Guide* for information about bigfile (single-file) tablespaces
- [file\\_specification](#) for more information about the *autoextend\_clause*

### *flashback\_mode\_clause*

Use this clause to specify whether this tablespace should participate in any subsequent `FLASHBACK DATABASE` operation.

- For you to turn `FLASHBACK` mode on, the database must be mounted and closed.
- For you to turn `FLASHBACK` mode off, the database must be mounted, either open `READ WRITE` or closed.

This clause is not valid for temporary tablespaces.

Refer to [CREATE TABLESPACE](#) for more complete information on this clause.

 **See Also:**

*Oracle Database Backup and Recovery User's Guide* for more information about Flashback Database

***tablespace\_retention\_clause***

This clause has the same semantics in `CREATE TABLESPACE` and `ALTER TABLESPACE` statements. Refer to [tablespace\\_retention\\_clause](#) in the documentation on `CREATE TABLESPACE`.

***alter\_tablespace\_encryption***

These clauses let you encrypt, decrypt, or rekey the tablespace.

`ONLINE` is the default for `ALTER TABLESPACE ENCRYPTION`.

**ONLINE**

- Specify `ENCRYPT` to encrypt the tablespace. The tablespace must be unencrypted.
- Specify `REKEY` to rekey an encrypted tablespace using a different encryption algorithm. The tablespace must have been encrypted when it was created or encrypted with online conversion (`ONLINE ENCRYPT`).
- Specify `DECRYPT` to decrypt the tablespace. The tablespace must have been encrypted when it was created or encrypted with online conversion (`ONLINE ENCRYPT`).

**FINISH**

If an online conversion operation is interrupted, use the `FINISH` clause to finish the operation. The `ENCRYPT`, `DECRYPT`, `REKEY`, and `ts_file_name_convert` clauses have the same semantics here as they have for the `ONLINE` clause.

You can use `FINISH` to encrypt, decrypt, or rekey the tablespace with online conversion. The tablespace must be online. The online conversion method creates a new datafile for each datafile in the tablespace. Therefore, before using this clause, ensure that the amount of free disk space is greater than or equal to the amount of disk space currently used by the tablespace.

**OFFLINE**

This clause lets you encrypt or decrypt the tablespace with offline conversion. The tablespace must be offline or the database must be mounted, but not open. The offline conversion method does not use auxiliary disk space or files; it operates directly on the existing datafiles. Therefore, you should perform a full backup of the tablespace before converting it offline.

- Specify `ENCRYPT` to encrypt the tablespace. You can encrypt the tablespace using `AES128`, `AES192`, or `AES256` algorithms. The tablespace must be unencrypted.
- Specify `DECRYPT` to decrypt the tablespace. The tablespace must have been previously encrypted with offline conversion (`OFFLINE ENCRYPT`).

If an offline conversion operation is interrupted, then you can reissue the offline conversion command to finish the operation.

***tablespace\_encryption\_spec***



Use this clause to specify the encryption algorithm to use when encrypting or rekeying the tablespace. If you omit this clause, then the datafiles will be encrypted using the AES128 algorithm. Refer to [tablespace\\_encryption\\_spec](#) in the documentation on CREATE TABLESPACE for the full semantics of this clause.

#### ***ts\_file\_name\_convert***

Use this clause to determine how the database generates the names of the new datafiles that are created during online conversion.

If FILE\_NAME\_CONVERT is omitted, Oracle will internally select a name for the auxiliary file, and later rename it back to the original name.

- For *filename\_pattern*, specify a string found in an existing datafile name.
- For *replacement\_filename\_pattern*, specify a replacement string. Oracle Database will replace *filename\_pattern* with *replacement\_filename\_pattern* when naming the new datafile.
- Specify `KEEP` to retain the original files after the tablespace conversion is finished. If you omit this clause, then the original files are deleted when the conversion is finished.

#### **Restriction on the *alter\_tablespace\_encryption* Clause**

You cannot perform offline or online conversions on temporary tablespaces.

#### ***lost\_write\_protection***

Before you can enable lost write protection on individual tablespaces, you must first enable the database for shadow lost write protection with ALTER DATABASE. Then you must create at least one shadow tablespace in that database using the CREATE TABLESPACE command.

After these steps you can use ALTER TABLESPACE to enable, remove, and suspend lost write protection on the shadow tablespace.

#### **Example: Enable Lost Write Protection for a Tablespace**

The following command enables lost write protection for the `tbsu1` tablespace.

```
ALTER TABLESPACE tbsu1 ENABLE LOST WRITE PROTECTION
```

#### **Example: Remove Lost Write Protection for a Shadow Tablespace**

The following command removes lost write protection for the `tbsu1` tablespace.

```
ALTER TABLESPACE tbsu1 REMOVE LOST WRITE PROTECTION
```

#### **Example: Suspend Lost Write Protection for a Shadow Tablespace**

The following command suspends lost write protection for the `tbsu1` tablespace.

```
ALTER TABLESPACE tbsu1 SUSPEND LOST WRITE PROTECTION
```

#### See Also:

*Managing Lost Write Protection with Shadow Tablespaces*

## Examples

### Backing Up Tablespaces: Examples

The following statement signals to the database that a backup is about to begin:

```
ALTER TABLESPACE tbs_01
  BEGIN BACKUP;
```

The following statement signals to the database that the backup is finished:

```
ALTER TABLESPACE tbs_01
  END BACKUP;
```

### Moving and Renaming Tablespaces: Example

This example moves and renames a data file associated with the `tbs_02` tablespace, created in ["Enabling Autoextend for a Tablespace: Example"](#), from `diskb:tbs_f5.dbf` to `diska:tbs_f5.dbf`:

1. Take the tablespace offline using an `ALTER TABLESPACE` statement with the `OFFLINE` clause:

```
ALTER TABLESPACE tbs_02 OFFLINE NORMAL;
```

2. Copy the file from `diskb:tbs_f5.dbf` to `diska:tbs_f5.dbf` using your operating system commands.

3. Rename the data file using an `ALTER TABLESPACE` statement with the `RENAME DATAFILE` clause:

```
ALTER TABLESPACE tbs_02
  RENAME DATAFILE 'diskb:tbs_f5.dbf'
  TO 'diska:tbs_f5.dbf';
```

4. Bring the tablespace back online using an `ALTER TABLESPACE` statement with the `ONLINE` clause:

```
ALTER TABLESPACE tbs_02 ONLINE;
```

### Adding and Dropping Data Files and Temp Files: Examples

The following statement adds a data file to the tablespace. When more space is needed, new 10-kilobyte extents will be added up to a maximum of 100 kilobytes:

```
ALTER TABLESPACE tbs_03
  ADD DATAFILE 'tbs_f04.dbf'
  SIZE 100K
  AUTOEXTEND ON
  NEXT 10K
  MAXSIZE 100K;
```

The following statement drops the empty data file:

```
ALTER TABLESPACE tbs_03
  DROP DATAFILE 'tbs_f04.dbf';
```

The following statements add a temp file to the temporary tablespace created in ["Creating a Temporary Tablespace: Example"](#) and then drops the temp file:

```
ALTER TABLESPACE temp_demo ADD TEMPFILE 'temp05.dbf' SIZE 5 AUTOEXTEND ON;
```

```
ALTER TABLESPACE temp_demo DROP TEMPFILE 'temp05.dbf';
```

### Managing Space in a Temporary Tablespace: Example

The following statement manages the space in the temporary tablespace created in "Creating a Temporary Tablespace: Example" using the `SHRINK SPACE` clause. The `KEEP` clause is omitted, so the database will attempt to shrink the tablespace as much as possible as long as other tablespace storage attributes are satisfied.

```
ALTER TABLESPACE temp_demo SHRINK SPACE;
```

### Adding an Oracle-managed Data File: Example

The following example adds an Oracle-managed data file to the `omf_ts1` tablespace (see "Creating Oracle Managed Files: Examples" for the creation of this tablespace). The new data file is 100M and is autoextensible with unlimited maximum size:

```
ALTER TABLESPACE omf_ts1 ADD DATAFILE;
```

### Changing Tablespace Logging Attributes: Example

The following example changes the default logging attribute of a tablespace to `NOLOGGING`:

```
ALTER TABLESPACE tbs_03 NOLOGGING;
```

Altering a tablespace logging attribute has no effect on the logging attributes of the existing schema objects within the tablespace. The tablespace-level logging attribute can be overridden by logging specifications at the table, index, and partition levels.

### Changing Undo Data Retention: Examples

The following statement changes the undo data retention for tablespace `undots1` to normal undo data behavior:

```
ALTER TABLESPACE undots1  
  RETENTION NOGUARANTEE;
```

The following statement changes the undo data retention for tablespace `undots1` to behavior that preserves unexpired undo data:

```
ALTER TABLESPACE undots1  
  RETENTION GUARANTEE;
```

## ALTER TABLESPACE SET



#### Note:

This SQL statement is valid only if you are using Oracle Sharding. For more information on Oracle Sharding, refer to *Oracle Database Administrator's Guide*.

### Purpose

Use the `ALTER TABLESPACE SET` statement to change an attribute of an existing tablespace set. The attribute change is applied to all tablespaces in the tablespace set.

**See Also:**[CREATE TABLESPACE SET](#) and [DROP TABLESPACE SET](#)**Prerequisites**

You must be connected to a shard catalog database as an SDB user.

If you have the `ALTER TABLESPACE` system privilege, then you can perform any `ALTER TABLESPACE SET` operation. If you have the `MANAGE TABLESPACE` system privilege, then you can only perform the following operations:

- Take all tablespaces in a tablespace set online or offline
- Begin or end a backup
- Make all tablespaces in a tablespace set read only or read write
- Set the default logging mode of all tablespaces in a tablespace set to `LOGGING` or `NOLOGGING`
- Put all tablespaces in a tablespace set in force logging mode or take them out of force logging mode
- Resize all data files for a tablespace set
- Enable or disable autoextension of all data files for a tablespace set

Before you can make a tablespace set read only, the following conditions must be met:


- The tablespaces in the tablespace set must be online.
- The tablespace set must not contain any active rollback segments. Additionally, because the rollback segments of a read-only tablespace set are not accessible, Oracle recommends that you drop the rollback segments before you make a tablespace set read only.
- The tablespace set must not be involved in an open backup, because the end of a backup updates the header file of all data files in the tablespace set.

**Syntax**

***alter\_tablespace\_set::=***

→ ALTER → TABLESPACE → SET → tablespace\_set → alter\_tablespace\_attrs → ;

***alter\_tablespace\_attrs::=***



(See the following clauses of ALTER TABLESPACE: [default\\_tablespace\\_params::=](#), [size\\_clause::=](#), [datafile\\_tempfile\\_clauses::=](#), [tablespace\\_logging\\_clauses::=](#), [tablespace\\_state\\_clauses::=](#), [autoextend\\_clause::=](#), [alter\\_tablespace\\_encryption::=](#))

**Semantics**

***tablespace\_set***

Specify the name of the tablespace set to be altered.

***alter\_tablespace\_attrs***

Use this clause to change an attribute for all tablespaces in the tablespace set.

The subclauses of *alter\_tablespace\_attrs* have the same semantics here as for the ALTER TABLESPACE statement, with the following exceptions:

- You cannot specify the following subclauses for tablespace sets:
  - MINIMUM EXTENT *size\_clause*
  - SHRINK SPACE [ KEEP *size\_clause* ]
  - *tablespace\_group\_clause*

- *flashback\_mode\_clause*
- *tablespace\_retention\_clause*
- For the *datafile\_tempfile\_clauses*, only the following subclauses are supported for tablespace sets:
  - RENAME DATAFILE
  - DATAFILE { ONLINE | OFFLINE }
- For the *tablespace\_state\_clauses*, the PERMANENT and TEMPORARY subclauses are not supported for tablespace sets.

 **See Also:**

[alter\\_tablespace\\_attrs](#) in the documentation on ALTER TABLESPACE for the full semantics of this clause

## Examples

### Altering a Tablespace Set: Example

The following statement puts all tablespaces in tablespace set `ts1` in force logging mode:

```
ALTER TABLESPACE SET ts1
FORCE LOGGING;
```

# ALTER TRIGGER

## Purpose

Triggers are defined using PL/SQL. Therefore, this section provides some general information but refers to *Oracle Database PL/SQL Language Reference* for details of syntax and semantics.

Use the ALTER TRIGGER statement to enable, disable, or compile a database trigger.

 **Note:**

This statement does not change the declaration or definition of an existing trigger. To redeclare or redefine a trigger, use the CREATE TRIGGER statement with the OR REPLACE keywords.

 **See Also:**

- [CREATE TRIGGER](#) for information on creating a trigger
- [DROP TRIGGER](#) for information on dropping a trigger
- *Oracle Database Concepts* for general information on triggers

## Prerequisites

The trigger must be in your own schema or you must have `ALTER ANY TRIGGER` system privilege.

In addition, to alter a trigger on `DATABASE`, you must have the `ADMINISTER DATABASE TRIGGER` privilege.




### See Also:

[CREATE TRIGGER](#) for more information on triggers based on `DATABASE` triggers

## Syntax

***alter\_trigger::=***



(*trigger\_compile\_clause*: See *Oracle Database PL/SQL Language Reference* for the syntax of this clause.)

## Semantics

### IF EXISTS

Specify `IF EXISTS` to alter an existing table.

Specifying `IF NOT EXISTS` with `ALTER VIEW` results in `ORA-11544: Incorrect IF EXISTS clause for ALTER/DROP statement.`

### schema

Specify the schema containing the trigger. If you omit *schema*, then Oracle Database assumes the trigger is in your own schema.

### trigger\_name

Specify the name of the trigger to be altered.

### trigger\_compile\_clause

See *Oracle Database PL/SQL Language Reference* for the syntax and semantics of this clause and for complete information on creating and compiling triggers.

## ENABLE | DISABLE

Specify `ENABLE` to enable the trigger. You can also use the `ENABLE ALL TRIGGERS` clause of `ALTER TABLE` to enable all triggers associated with a table. See [ALTER TABLE](#).

Specify `DISABLE` to disable the trigger. You can also use the `DISABLE ALL TRIGGERS` clause of `ALTER TABLE` to disable all triggers associated with a table.

## RENAME Clause

Specify `RENAME TO new_name` to rename the trigger. Oracle Database renames the trigger and leaves it in the same state it was in before being renamed.

When you rename a trigger, the database rebuilds the remembered source of the trigger in the `USER_SOURCE`, `ALL_SOURCE`, and `DBA_SOURCE` data dictionary views. As a result, comments and formatting may change in the `TEXT` column of those views even though the trigger source did not change.

## EDITIONABLE | NONEDITIONABLE

Use these clauses to specify whether the trigger becomes an editioned or noneditioned object if editioning is later enabled for the schema object type `TRIGGER` in *schema*. The default is `EDITIONABLE`. For information about altering editioned and noneditioned objects, see *Oracle Database Development Guide*.

## Restriction on NONEDITIONABLE

You cannot specify `NONEDITIONABLE` for a crossedition trigger.

# ALTER TYPE

## Purpose

Object types are defined using PL/SQL. Therefore, this section provides some general information but refers to *Oracle Database PL/SQL Language Reference* for details of syntax and semantics.

Use the `ALTER TYPE` statement to add or drop member attributes or methods. You can change the existing properties (`FINAL` or `INSTANTIABLE`) of an object type, and you can modify the scalar attributes of the type.

You can also use this statement to recompile the specification or body of the type or to change the specification of an object type by adding new object member subprogram specifications.


## Prerequisites

The object type must be in your own schema and you must have `CREATE TYPE` or `CREATE ANY TYPE` system privilege, or you must have `ALTER ANY TYPE` system privileges.



## Syntax

***alter\_type ::=***



(*alter\_type\_clause*: See *Oracle Database PL/SQL Language Reference* for the syntax of this clause.)

## Semantics

### IF EXISTS

Specify `IF EXISTS` to alter an existing table.

Specifying `IF NOT EXISTS` with `ALTER VIEW` results in `ORA-11544: Incorrect IF EXISTS clause for ALTER/DROP statement.`

### *schema*

Specify the schema that contains the type. If you omit *schema*, then Oracle Database assumes the type is in your current schema.

### *type\_name*

Specify the name of an object type, a nested table type, or a varray type.

### Restriction on *type\_name*

You cannot evolve an editioned object type. The `ALTER TYPE` statement fails with `ORA-22348` if either of the following is true:

- The type is an editioned object type and the `ALTER TYPE` statement has no *type\_compile\_clause*. You can use the `ALTER TYPE` statement to recompile an editioned object type, but not for any other purpose.
- The type has a dependent that is an editioned object type and the `ALTER TYPE` statement has a `CASCADE` clause.

Refer to *Oracle Database PL/SQL Language Reference* for more information on the *type\_compile\_clause* and the `CASCADE` clause.

### *alter\_type\_clause*

See *Oracle Database PL/SQL Language Reference* for the syntax and semantics of this clause and for complete information on creating and compiling object types.

### EDITIONABLE | NONEDITIONABLE

Use these clauses to specify whether the type becomes an editioned or noneditioned object if editioning is later enabled for the schema object type `TYPE` in *schema*. The default is `EDITIONABLE`. For information about altering editioned and noneditioned objects, see *Oracle Database Development Guide*.

# ALTER USER

## Purpose

Use the `ALTER USER` statement:

- To change the authentication or database resource characteristics of a database user
- To permit a proxy server to connect as a client without authentication
- In an Oracle Automatic Storage Management (Oracle ASM) cluster, to change the password of a user in the password file that is local to the Oracle ASM instance of the current node



### See Also:

*Oracle Database Security Guide* for detailed information about user authentication methods

## Prerequisites

In general, you must have the `ALTER USER` system privilege. However, the current user can change his or her own password without this privilege.

To change the `SYS` password, password file must exist, and an account granted alter user privilege must have the `SYSDBA` administrative role in order to have the ability to change `SYS` password.


You must be authenticated `AS SYSASM` to change the password of a user other than yourself in an Oracle ASM instance password file.

To specify the `CONTAINER` clause, you must be connected to a multitenant container database (CDB). If the current container is the root, then you can specify `CONTAINER = ALL` or `CONTAINER = CURRENT`. If the current container is a pluggable database (PDB), then you can specify only `CONTAINER = CURRENT`.

To set and modify `CONTAINER_DATA` attributes using the `container_data_clause`, you must be connected to a CDB and the current container must be the root.


Syntax

*alter\_user ::=*




(*size\_clause*::=)


**container\_data\_clause**::=



**proxy\_clause**::=



**db\_user\_proxy\_clauses**::=



### Semantics

The keywords, parameters, and clauses described in this section are unique to ALTER USER or have different semantics than they have in CREATE USER. Keywords, parameters, and clauses that do not appear here have the same meaning as in the CREATE USER statement.

 **Note:**

Oracle recommends that user names and passwords be encoded in ASCII or EBCDIC characters only, depending on your platform.

 **See Also:**

[CREATE USER](#) for information on the keywords and parameters and [CREATE PROFILE](#) for information on assigning limits on database resources to a user

**IF EXISTS**

Specify `IF EXISTS` to alter an existing table.

Specifying `IF NOT EXISTS` with `ALTER VIEW` results in `ORA-11544: Incorrect IF EXISTS clause for ALTER/DROP statement.`

**IDENTIFIED Clause****BY password**

Specify `BY password` to specify a new password for the user. Passwords are case sensitive. Any subsequent `CONNECT` string used to connect this user to the database must specify the password using the same case (upper, lower, or mixed) that is used in this `ALTER USER` statement. Passwords can contain single-byte, or multibyte characters, or both from your database character set.

 **Note:**

Oracle Database expects a different timestamp for each resetting of a particular password. If you reset one password multiple times within one second (for example, by cycling through a set of passwords using a script), then the database may return an error message that the password cannot be reused. For this reason, Oracle recommends that you avoid using scripts to reset passwords.

You can omit the `REPLACE` clause if you are setting your own password or you have the `ALTER USER` system privilege and you are changing another user's password. However, unless you have the `ALTER USER` system privilege, you must always specify the `REPLACE` clause if a password complexity verification function has been enabled, either by running the `UTLPWDMG.SQL` script or by specifying such a function in the `PASSWORD_VERIFY_FUNCTION` parameter of a profile that has been assigned to the user.

In an Oracle ASM cluster, you can use this clause to change the password of a user in the password file that is local to an Oracle ASM instance of the current node. You must be authenticated `AS SYSASM` to specify `IDENTIFIED BY password` without the `REPLACE`

`old_password` clause. If you are not authenticated AS SYSASM, then you can only change your own password by specifying `REPLACE old_password`.

Oracle Database does not check the old password, even if you provide it in the `REPLACE` clause, unless you are changing your own existing password.

## Changing a Password to Begin the Gradual Database Password Rollover Period

### Prerequisite

Enable gradual database password rollover period by setting a non-zero value to the `PASSWORD_ROLLOVER_TIME` user profile parameter using `CREATE PROFILE` or `ALTER PROFILE`.

After you set the `PASSWORD_ROLLOVER_TIME` to specify the duration of the gradual password rollover period in the profile of the user, you can use the `ALTER USER` statement to change the user's password, which will allow clients to login using both the old password and the new password until the password rollover period expires.

During the password rollover period, you must propagate the new password to all clients (before the `PASSWORD_ROLLOVER_TIME` ends). If you successfully propagated the new password to all clients early (before the end of the password rollover period), then you can use the `EXPIRE PASSWORD ROLLOVER PERIOD` clause to end the password rollover (finalizing the password change, so that only the new password can be used).

## Changing a Password During the Gradual Database Password Rollover Period

You can change the password during the password rollover period (before the rollover period expires) using `ALTER USER` with or without the `REPLACE` clause.

For example, say user `u1` has an original password `p1`, and `p2` is the new password that started the rollover process. Now you want to switch to `p3` instead of `p2`. You can use any one of the statements to change the password to `p3`:

```
ALTER USER u1 IDENTIFIED BY p3;
```

```
ALTER USER u1 IDENTIFIED BY p3 REPLACE p1;
```

```
ALTER USER u1 IDENTIFIED BY p3 REPLACE p2;
```

After you change the password to `p3`, the user can log in using either `p1` or `p3`. Logging in with `p2` returns error `Invalid credential or not authorized; logon denied` and is recorded as a failed login attempt.

The rollover start time remains set to the password change timestamp, this is the time the password of the user was changed. The rollover start time and password change time are not affected by any further password change made during the password rollover period. The old password can be used for at most `PASSWORD_ROLLOVER_TIME` days.

### See Also:

- *Oracle Database Security Guide* for guidelines on creating passwords
- [Configuring Authentication](#)

## GLOBALLY

Refer to [CREATE USER](#) for more information on this clause.

You can change a user's access verification method *from* IDENTIFIED GLOBALLY to either IDENTIFIED BY *password* or IDENTIFIED EXTERNALLY. You can change a user's access verification method *to* IDENTIFIED GLOBALLY from one of the other methods only if all external roles granted explicitly to the user are revoked.

### EXTERNALLY

Refer to [CREATE USER](#) for more information on this clause.

#### See Also:

*Oracle Database Enterprise User Security Administrator's Guide* for more information on globally and externally identified users, "[Changing User Identification: Example](#)", and "[Changing User Authentication: Examples](#)"

### NO AUTHENTICATION Clause

Use this clause to change an existing user account with authentication to a schema account without authentication to prevent logins to the account.

### DEFAULT COLLATION Clause

Use this clause to change the default collation for the schema owned by the user. The new default collation is assigned to tables, views, and materialized views that are subsequently created in the schema. It does not influence default collations for existing tables views, and materialized views. Refer to the [DEFAULT COLLATION Clause](#) clause of CREATE USER for the full semantics of this clause.

### DEFAULT TABLESPACE Clause

Use this clause to assign or reassign a tablespace for the user's permanent segments. This clause overrides any default tablespace that has been specified for the database.

### Restriction on Default Tablespaces

You cannot specify a locally managed temporary tablespace, including an undo tablespace, or a dictionary-managed temporary tablespace, as a user's default tablespace.

### [LOCAL] TEMPORARY TABLESPACE Clause

Use this clause to assign or reassign a temporary tablespace or tablespace group for the user's temporary segments.

- Specify *tablespace* to indicate the user's temporary tablespace. Specify TEMPORARY TABLESPACE to indicate a shared temporary tablespace. Specify LOCAL TEMPORARY TABLESPACE to indicate a local temporary tablespace. If you are connected to a CDB, then you can specify CDB\$DEFAULT to use the CDB-wide default temporary tablespace.
- Specify *tablespace\_group\_name* to indicate that the user can save temporary segments in any tablespace in the tablespace group specified by *tablespace\_group\_name*. Local temporary tablespaces cannot be part of a tablespace group.

### Restriction on User Temporary Tablespace

Any individual tablespace you assign or reassign as the user's temporary tablespace must be a temporary tablespace and must have a standard block size.



#### See Also:

["Assigning a Tablespace Group: Example"](#)

### DEFAULT ROLE Clause

Specify the roles enabled by default for the user at logon. This clause can contain only roles that have been granted directly to the user with a `GRANT` statement, or roles created by the user with the `CREATE ROLE` privilege. You cannot use the `DEFAULT ROLE` clause to specify:

- Roles not granted to the user
- Roles granted through other roles
- Roles managed by an external service (such as the operating system), or by the Oracle Internet Directory
- Roles that are enabled by the `SET ROLE` statement, such as password-authenticated roles and secure application roles



#### See Also:

[CREATE ROLE](#)

### Assigning Default Roles to Common Users in a CDB

You can modify the default role assigned to a common user both in the current container and across all containers in a CDB.

While assigning a default role to a common user across all containers, `role` must be a common role that was commonly granted to the common user.

While assigning a default role to a common user in the current container, `role` must be one of the following:

- A local role that was granted to the common user in the current container
- A common role that was granted to the common user, either commonly or locally in the current container

### EXPIRE PASSWORD ROLLOVER PERIOD Clause

You can manually expire the password rollover period with `EXPIRE PASSWORD ROLLOVER PERIOD`.



## ENABLE EDITIONS

This clause is not reversible. Specify `ENABLE EDITIONS` to allow the user to create multiple versions of editionable objects in this schema using editions. Editionable objects in non-editions-enabled schemas cannot be editioned.

Use the `FOR` clause to specify one or more object types for which the user can create editionable objects. For a list of valid values for `object_type`, query the `V$EDITIONABLE_TYPES` dynamic performance view.

If you omit the `FOR` clause, then the types that become editionable in the schema are `VIEW`, `SYNONYM`, `PROCEDURE`, `FUNCTION`, `PACKAGE`, `PACKAGE BODY`, `TRIGGER`, `TYPE`, `TYPE BODY`, and `LIBRARY`.

To enable edition for other object types that are not enabled by default, you must explicitly specify the object type in the `FOR` clause.

### Example: Enable Edition for Object Type not Enabled by Default

```
ALTER USER username ENABLE EDITIONS FOR SQL TRANSLATION PROFILE;
```

#### See Also:

- For more on the semantics of the `ENABLE EDITIONS` clause see the corresponding section in [CREATE USER](#)
- *Enabling Editions for a User*
- *Oracle Database Reference* for more information about the `V$EDITIONABLE_TYPES` dynamic performance view

If the schema to be editions-enabled contains any objects that are not editionable and that depend on editionable type objects in the schema, then you must specify `FORCE` to enable editions for this schema. In this case, all the objects that are not editionable and that depend on the editionable type objects in the schema being editions-enabled become invalid.

### [HTTP] DIGEST Clause

This clause lets you enable or disable HTTP Digest Access Authentication for the user.

- Specify `ENABLE` to enable HTTP Digest Access Authentication. After specifying this clause, you must change the user's password. This causes the database to generate an HTTP Digest verifier for the new password. Only then will HTTP Digest Access Authentication take effect. One way to ensure that the user's password is changed after you issue this clause is to specify the `PASSWORD EXPIRE` clause in the same statement with the `HTTP DIGEST ENABLE` clause, as follows:

```
ALTER USER user PASSWORD EXPIRE HTTP DIGEST ENABLE;
```

This causes the database to prompt the user for a new password on his or her next attempt to log in to the database. After that, HTTP Digest Access Authentication will take effect for the user.

- Specify `DISABLE` to disable HTTP Digest Access Authentication for the user. You do not need to change the user's password in order for this clause to take effect. Specifying the `DISABLE` clause removes the HTTP Digest from dictionary tables.

```
ALTER USER user PASSWORD EXPIRE HTTP DIGEST DISABLE;
```

Refer to [\[HTTP\] DIGEST Clause](#) in the documentation on `CREATE USER` for more information on this clause.

### CONTAINER Clause

If the current container is a PDB, then you can specify `CONTAINER = CURRENT` to change the attributes of a local user, or the container-specific attributes (such as the default tablespace) of a common user, in the current container. If the current container is the root, then you can specify `CONTAINER = ALL` to change the attributes of a common user across the entire CDB. If you omit this clause and the current container is a PDB, then `CONTAINER = CURRENT` is the default. If you omit this clause and the current container is the root, then `CONTAINER = ALL` is the default.

### Restriction on Modifying Common Users in a CDB

Certain attributes of a common user must be modified for all the containers in a CDB and not for only some containers. Therefore, when you use any of the following clauses to modify a common user, ensure that you modify all of the containers by connecting to the root and specifying `CONTAINER=ALL`:

- `IDENTIFIED` clause
- `PASSWORD` clause
- `[HTTP] DIGEST` clause

### ENABLE or DISABLE DICTIONARY PROTECTION

Use this clause to enable or disable dictionary protection on the created user. When a schema is dictionary protected, other users cannot use system privileges (including `ANY` privileges) on the schema, even if they have been granted the system privilege on the schema. Only the `SELECT ANY DICTIONARY` and `ANALYZE ANY DICTIONARY` system privileges can be used on a dictionary-protected schema. Users can still use object privileges on the schema, assuming that the user has been granted the object privilege on the schema. A user without the object privileges on the object but with corresponding system privileges will be denied access to the object with an insufficient privileges error.

By default, Oracle-maintained schemas have dictionary protection, but this protection can be temporarily removed if necessary. You cannot enable dictionary protection on a customer (Non-Oracle maintained) schema. You also cannot create a custom schema with dictionary protection enabled.

You must be logged in as user `SYS` with the `SYSDBA` administrative privilege in order to manage dictionary protection for Oracle-maintained schemas.

 **See Also:**

- *Configuring Privilege and Role Authorization of the Oracle Database Security Guide.*

## READ ONLY | READ WRITE

Specify `READ ONLY` to set read-only access to a local PDB user.

With read-only access, the local PDB user is not permitted to execute any write operations on the PDB they connect to. The session operates as if the database is open in read-only mode.

Specify `READ WRITE` to revoke `READ ONLY` access on a local user.

You must have the `ALTER USER` privilege to execute this statement.

You can view the state of a local user in the `*_USERS` view.

## *container\_data\_clause*

The *container\_data\_clause* allows you to set and modify `CONTAINER_DATA` attributes for a common user. Use the `FOR` clause to indicate whether to set or modify the default `CONTAINER_DATA` attribute or an object-specific `CONTAINER_DATA` attribute. These attributes determine the set of containers (which can never exclude the root) whose data will be visible via `CONTAINER_DATA` objects to the specified common user when the current session is the root.

To specify the *container\_data\_clause*, the current session must be the root and you must specify `CONTAINER = CURRENT`.

## SET CONTAINER\_DATA

Use this clause to set the default `CONTAINER_DATA` attribute or an object-specific `CONTAINER_DATA` attribute for a common user. When you specify this clause, you replace the existing value, if any, of the `CONTAINER_DATA` attribute.

Use *container\_name* to specify one or more containers that will be accessible to the user.

Use `ALL` to specify that all current and future containers in the CDB will be accessible to the user.

Use `DEFAULT` to specify the default behavior, which is as follows:

- For a default `CONTAINER_DATA` attribute, the current container, that is, the root, and the CDB as a whole will be accessible to the user.
- For an object-specific `CONTAINER_DATA` attribute, the database will use the user's default `CONTAINER_DATA` attribute.

 **Note:**

CONTAINER\_DATA attributes that are set to DEFAULT are not visible in the DBA\_CONTAINER\_DATA view.

### ADD CONTAINER\_DATA

Use this clause to add containers to the default CONTAINER\_DATA attribute or an object-specific CONTAINER\_DATA attribute for a common user. Use *container\_name* to specify one or more containers to add.

You cannot use this clause if the default CONTAINER\_DATA attribute is set to ALL. If you use this clause when the default CONTAINER\_DATA attribute is set to DEFAULT, then CDB\$ROOT will automatically be added to the set of containers, unless the set already contains CDB\$ROOT.

You cannot use this clause if the object-specific CONTAINER\_DATA attribute is set to ALL or DEFAULT.

### REMOVE CONTAINER\_DATA

Use this clause to remove containers from the default CONTAINER\_DATA attribute or an object-specific CONTAINER\_DATA attribute for a common user. Use *container\_name* to specify one or more containers to remove.

You cannot use this clause if the default CONTAINER\_DATA attribute or object-specific CONTAINER\_DATA attribute is set to ALL or DEFAULT.

### FOR *container\_data\_object*

If you specify the FOR clause, then you can set and modify the object-specific CONTAINER\_DATA attribute for *container\_data\_object* for a common user. *container\_data\_object* must be a CONTAINER\_DATA table or view. If you omit *schema*, then Oracle Database assumes that *container\_data\_object* is in your own schema.

If you omit the FOR clause, then you can set and modify the default CONTAINER\_DATA attribute for a common user.

 **See Also:**

*Oracle Database Security Guide* for more information about enabling common users to view information about PDB objects

### *proxy\_clause*

The *proxy\_clause* lets you control the ability of an enterprise user (a user outside the database) or a database proxy (another database user) to connect as the database user being altered.

### GRANT CONNECT THROUGH

Specify GRANT CONNECT THROUGH to allow the connection.

### REVOKE CONNECT THROUGH

Specify `REVOKE CONNECT THROUGH` to prohibit the connection.

### ENTERPRISE USER

This clause lets you expose *user* to proxy use by enterprise users. The administrator working in Oracle Internet Directory must then grant privileges for appropriate enterprise users to act on behalf of *user*.

#### *db\_user\_proxy*

This clause lets you expose *user* to proxy use by database user *db\_user\_proxy* (the proxy).

- The proxy will have all privileges that were directly granted to user.
- The proxy will have all roles associated with user, unless you specify the `WITH clauses` of *db\_user\_proxy\_clauses* to limit the proxy to some or none of the roles of user. For each role associated with the proxy, if the role is enabled by default for *user* at login, then that role will also be enabled by default for the proxy at login.

#### *db\_user\_proxy\_clauses*

You can enable password-protected roles in a proxy session. Both secure application role and password-protected roles provide a secure method for enabling a role in a session. Oracle recommends using secure password roles instead of password protected roles in instances where the password has to be maintained and transmitted over insecure channels, or if more than one person needs to know the password. Password-protected roles in a proxy session are suitable for situations where automation is used to set the role.

Proxy users can access password-protected roles. Specify the `WITH clauses` to limit the proxy to some or none of the roles associated with *user*, and the `AUTHENTICATION REQUIRED` clause to specify whether authentication is required.

### WITH ROLE

`WITH ROLE role_name` permits the proxy to connect as the specified user and to activate only the roles that are specified by *role\_name*. This clause can contain only roles that are associated with *user*. Password protected roles and secure application roles also need to be listed in the `WITH ROLE` clause if the Proxy user will need to use these secure roles. These secure roles will be included with the `WITH ROLE ALL` clause (the default if `WITH ROLE` is not specified). If `WITH ROLE` doesn't specify the secure roles, then those cannot be enabled even with right password.

### WITH ROLE ALL EXCEPT

`WITH ROLE ALL EXCEPT role_name` permits the proxy to connect as the specified user and to activate all roles associated with that user except those specified for *role\_name*. This clause can contain only roles that are associated with *user*.

### WITH NO ROLES

`WITH NO ROLES` permits the proxy to connect as the specified user, but prohibits the proxy from activating any of that user's roles after connecting, even the secure roles like password protected roles and secure application roles.

### AUTHENTICATION REQUIRED

Oracle Database does not expect the proxy to authenticate the user unless you specify the `AUTHENTICATION REQUIRED` clause. This clause ensures that authentication credentials for the user must be presented when the user is authenticated through the specified proxy. The credential is a password.

### AUTHENTICATED USING

The `AUTHENTICATED USING` clauses, which appeared in the syntax of earlier releases, have been deprecated and are no longer needed. If you specify the `AUTHENTICATED USING PASSWORD` clause, then Oracle Database converts it to the `AUTHENTICATION REQUIRED` clause. Specifying the `AUTHENTICATED USING CERTIFICATE` clause or the `AUTHENTICATED USING DISTINGUISHED NAME` clause is equivalent to omitting the `AUTHENTICATION REQUIRED` clause.

#### See Also:

- *Oracle Security Overview* for an overview of database security and for information on middle-tier systems and proxy authentication
- *Oracle Database Security Guide* for more information on proxies and their use of the database and "[Proxy Users: Examples](#)"

## Examples

### Changing User Identification: Example

The following statement changes the password of the user `sidney` (created in "[Creating a Database User: Example](#)") `second_2nd_pwd` and default tablespace to the tablespace `example`:

```
ALTER USER sidney
  IDENTIFIED BY second_2nd_pwd
  DEFAULT TABLESPACE example;
```

The following statement assigns the `new_profile` profile (created in "[Creating a Profile: Example](#)") to the sample user `sh`:

```
ALTER USER sh
  PROFILE new_profile;
```

In subsequent sessions, `sh` is restricted by limits in the `new_profile` profile.

The following statement makes all roles granted directly to `sh` default roles, except the `dw_manager` role:

```
ALTER USER sh
  DEFAULT ROLE ALL EXCEPT dw_manager;
```

At the beginning of `sh`'s next session, Oracle Database enables all roles granted directly to `sh` except the `dw_manager` role.

### Changing User Authentication: Examples

The following statement changes the authentication mechanism of user `app_user1` (created in "[Creating a Database User: Example](#)"):

```
ALTER USER app_user1 IDENTIFIED GLOBALLY AS 'CN=tom,O=oracle,C=US';
```

The following statement causes user `sidney`'s password to expire:

```
ALTER USER sidney PASSWORD EXPIRE;
```

If you cause a database user's password to expire with `PASSWORD EXPIRE`, then the user (or the DBA) must change the password before attempting to log in to the database following the expiration. However, tools such as SQL\*Plus allow the user to change the password on the first attempted login following the expiration.

### Assigning a Tablespace Group: Example

The following statement assigns `tbs_grp_01` (created in "[Adding a Temporary Tablespace to a Tablespace Group: Example](#)") as the tablespace group for user `sh`:

```
ALTER USER sh
  TEMPORARY TABLESPACE tbs_grp_01;
```

### Proxy Users: Examples

The following statement alters the user `app_user1`. The example permits the `app_user1` to connect through the proxy user `sh`. The example also allows `app_user1` to enable its `warehouse_user` role (created in "[Creating a Role: Example](#)") when connected through the proxy `sh`:

```
ALTER USER app_user1
  GRANT CONNECT THROUGH sh
  WITH ROLE warehouse_user;
```

To show basic syntax, this example uses the sample database Sales History user (`sh`) as the proxy. Normally a proxy user would be an application server or middle-tier entity. For information on creating the interface between an application user and a database by way of an application server, refer to *Oracle Call Interface Programmer's Guide*.

#### See Also:

- "[Creating External Database Users: Examples](#)" to see how to create the `app_user` user
- "[Creating a Role: Example](#)" to see how to create the `dw_user` role

The following statement takes away the right of user `app_user1` to connect through the proxy user `sh`:

```
ALTER USER app_user1 REVOKE CONNECT THROUGH sh;
```

The following hypothetical examples shows another method of proxy authentication:

```
ALTER USER sully GRANT CONNECT THROUGH OAS1
  AUTHENTICATED USING PASSWORD;
```

The following example exposes the user `app_user1` to proxy use by enterprise users. The enterprise users cannot act on behalf of `app_user1` until the Oracle Internet Directory administrator has granted them appropriate privileges:

```
ALTER USER app_user1  
GRANT CONNECT THROUGH ENTERPRISE USERS;
```

## ALTER VIEW

### Purpose

Use the `ALTER VIEW` statement to explicitly recompile a view that is invalid or to modify view constraints. Explicit recompilation lets you locate recompilation errors before run time. You may want to recompile a view explicitly after altering one of its base tables to ensure that the alteration does not affect the view or other objects that depend on it.

You can also use `ALTER VIEW` to define, modify, or drop view constraints.

You cannot use this statement to change the definition of an existing view. Further, if DDL changes to the view's base tables invalidate the view, then you cannot use this statement to compile the invalid view. In these cases, you must redefine the view using `CREATE VIEW` with the `OR REPLACE` keywords.

When you issue an `ALTER VIEW` statement, Oracle Database recompiles the view regardless of whether it is valid or invalid. The database also invalidates any local objects that depend on the view.

If you alter a view that is referenced by one or more materialized views, then those materialized views are invalidated. Invalid materialized views cannot be used by query rewrite and cannot be refreshed.



### See Also:

- [CREATE VIEW](#) for information on redefining a view and [ALTER MATERIALIZED VIEW](#) for information on revalidating an invalid materialized view
- *Oracle Database Data Warehousing Guide* for general information on data warehouses
- *Oracle Database Concepts* for more about dependencies among schema objects


### Prerequisites

The view must be in your own schema or you must have `ALTER ANY TABLE` system privilege.



## Syntax

*alter\_view::=*



(*out\_of\_line\_constraint::=*—part of *constraint::=* syntax), *annotations\_clause*

*annotations\_clause::=*

For the full syntax and semantics of the *annotations\_clause* see [annotations\\_clause](#).

## Semantics

### IF EXISTS

Specify `IF EXISTS` to alter an existing table.

Specifying `IF NOT EXISTS` with `ALTER VIEW` results in `ORA-11544: Incorrect IF EXISTS clause for ALTER/DROP statement.`

### *schema*

Specify the schema containing the view. If you omit *schema*, then Oracle Database assumes the view is in your own schema.

### *view*

Specify the name of the view to be recompiled.

### MODIFY CONSTRAINT Clause

Use the `MODIFY CONSTRAINT` clause to change the `RELY` or `NORELY` setting of an existing view constraint. Refer to "Notes on View Constraints" for general information on view constraints.

### Restriction on Modifying Constraints

You cannot change the setting of a unique or primary key constraint if it is part of a referential integrity constraint without dropping the foreign key or changing its setting to match that of *view*.

### ADD Clause

Use the `ADD` clause to add a constraint to *view*. Refer to *constraint* for information on view constraints and their restrictions.

### DROP Clause

Use the `DROP` clause to drop an existing view constraint.

### Restriction on Dropping Constraints

You cannot drop a unique or primary key constraint if it is part of a referential integrity constraint on a view.

### COMPILE | RECOMPILE

`RECOMPILE` and `COMPILE` keywords direct Oracle Database to recompile the view.

Use `RECOMPILE` to explicitly recompile a view that is invalid or to modify view constraints. Explicit recompilation allows users to locate recompilation errors, before run time.

### { READ ONLY | READ WRITE }

These clauses are valid only for editioning views.

- Specify `READ ONLY` to indicate that the editioning view cannot be updated.
- Specify `READ WRITE` to return a read-only editioning view to read/write status.

When you specify these clauses, the database does not invalidate dependent objects, but it may invalidate cursors.

### EDITIONABLE | NONEDITIONABLE

Use these clauses to specify whether the view becomes an editioned or noneditioned object if editioning is later enabled for the schema object type `VIEW` in *schema*. The default is `EDITIONABLE`. For information about altering editioned and noneditioned objects, see *Oracle Database Development Guide*.



#### See Also:

[CREATE VIEW](#) for information about editioning views

### ***annotations\_clause***

For the full semantics of the annotations clause see [annotations\\_clause](#).

You can only change annotations at the view level with the `ALTER` statement. To drop column-level annotations, you must drop and recreate the view.

### **Examples**

#### **Altering a View: Example**

To recompile the view `customer_ro` (created in "[Creating a Read-Only View: Example](#)"), issue the following statement:

```
ALTER VIEW customer_ro
  COMPILE;
```

If Oracle Database encounters no compilation errors while recompiling `customer_ro`, then `customer_ro` becomes valid. If recompiling results in compilation errors, then the database returns an error and `customer_ro` remains invalid.

Oracle Database also invalidates all dependent objects. These objects include any procedures, functions, package bodies, and views that reference `customer_ro`. If you subsequently reference one of these objects without first explicitly recompiling it, then the database recompiles it implicitly at run time.

#### **Add and Drop Annotations: Example**

The following example drops annotation `Title` from view `MView1` and adds annotation `Identity`:

```
ALTER VIEW HighWageEmp ANNOTATIONS(DROP Title, ADD Identity);
```

## ANALYZE

### **Purpose**

Use the `ANALYZE` statement to collect statistics, for example, to:

- Collect or delete statistics about an index or index partition, table or table partition, index-organized table, cluster, or scalar object attribute.
- Validate the structure of an index or index partition, table or table partition, index-organized table, cluster, or object reference (`REF`).
- Identify migrated and chained rows of a table or cluster.

**Note:**

The use of `ANALYZE` for the collection of optimizer statistics is obsolete.

If you want to collect optimizer statistics, use the `DBMS_STATS` package, which lets you collect statistics in parallel, global statistics for partitioned objects, and helps you fine tune your statistics collection in other ways. See *Oracle Database PL/SQL Packages and Types Reference* for more information on the `DBMS_STATS` package.

Use the `ANALYZE` statement only for the following cases:

- To use the `VALIDATE` or `LIST CHAINED ROWS` clauses
- To collect information on freelist blocks

**Prerequisites**


The schema object to be analyzed must be local, and it must be in your own schema or you must have the `ANALYZE ANY` system privilege.




If you want to list chained rows of a table or cluster into a list table, then the list table must be in your own schema, or you must have `INSERT` privilege on the list table, or you must have `INSERT ANY TABLE` system privilege.

If you want to validate a partitioned table, then you must have the `INSERT` object privilege on the table into which you list analyzed rowids, or you must have the `INSERT ANY TABLE` system privilege.

**Syntax**

**analyze::=**



***partition\_extension\_clause::=******validation\_clauses::=******into\_clause::=*****Semantics*****schema***

Specify the schema containing the table, index, or cluster. If you omit *schema*, then Oracle Database assumes the table, index, or cluster is in your own schema.

**TABLE *table***

Specify a table to be analyzed. When you analyze a table, the database collects statistics about expressions occurring in any function-based indexes as well. Therefore, be sure to create function-based indexes on the table before analyzing the table. Refer to [CREATE INDEX](#) for more information about function-based indexes.

When analyzing a table, the database skips all domain indexes marked `LOADING` or `FAILED`.

For an index-organized table, the database also analyzes any mapping table and calculates its `PCT_ACCESSS_DIRECT` statistics. These statistics estimate the accuracy of guess data block addresses stored as part of the local rowids in the mapping table.

Oracle Database collects the following statistics for a table. Statistics marked with an asterisk are always computed exactly. Table statistics, including the status of domain indexes, appear in the data dictionary views `USER_TABLES`, `ALL_TABLES`, and `DBA_TABLES` in the columns shown in parentheses.

- Number of rows (`NUM_ROWS`)
- \* Number of data blocks below the high water mark—the number of data blocks that have been formatted to receive data, regardless whether they currently contain data or are empty (`BLOCKS`)
- \* Number of data blocks allocated to the table that have never been used (`EMPTY_BLOCKS`)
- Average available free space in each data block in bytes (`AVG_SPACE`)
- Number of chained rows (`CHAIN_COUNT`)
- Average row length, including the row overhead, in bytes (`AVG_ROW_LEN`)

### Restrictions on Analyzing Tables

Analyzing tables is subject to the following restrictions:

- You cannot use `ANALYZE` to collect statistics on data dictionary tables.
- You cannot use `ANALYZE` to collect statistics on an external table. Instead, you must use the `DBMS_STATS` package.
- You cannot use `ANALYZE` to collect default statistics on a temporary table. However, if you have already created an association between one or more columns of a temporary table and a user-defined statistics type, then you can use `ANALYZE` to collect the user-defined statistics on the temporary table.
- You cannot compute or estimate statistics for the following column types: `REF` column types, varrays, nested tables, LOB column types (LOB column types are not analyzed, they are skipped), `LONG` column types, or object types. However, if a statistics type is associated with such a column, then Oracle Database collects user-defined statistics.

#### See Also:

- [ASSOCIATE STATISTICS](#)
- *Oracle Database Reference* for information on the data dictionary views

### *partition\_extension\_clause*

#### *partition\_extension\_clause*

Specify the partition or subpartition, or the partition or subpartition value, on which you want statistics to be gathered. You cannot use this clause when analyzing clusters.

If you specify `PARTITION` and *table* is composite-partitioned, then Oracle Database analyzes all the subpartitions within the specified partition.

### INDEX *index*

Specify an index to be analyzed.

Oracle Database collects the following statistics for an index. Statistics marked with an asterisk are always computed exactly. For conventional indexes, when you compute or estimate statistics, the statistics appear in the data dictionary views `USER_INDEXES`, `ALL_INDEXES`, and `DBA_INDEXES` in the columns shown in parentheses.

- \* Depth of the index from its root block to its leaf blocks (`BLEVEL`)
- Number of leaf blocks (`LEAF_BLOCKS`)
- Number of distinct index values (`DISTINCT_KEYS`)
- Average number of leaf blocks for each index value (`AVG_LEAF_BLOCKS_PER_KEY`)
- Average number of data blocks for each index value (for an index on a table) (`AVG_DATA_BLOCKS_PER_KEY`)
- Clustering factor (how well ordered the rows are about the indexed values) (`CLUSTERING_FACTOR`)

For domain indexes, this statement invokes the user-defined statistics collection function specified in the statistics type associated with the index (see [ASSOCIATE STATISTICS](#)). If no statistics type is associated with the domain index, then the statistics type associated with its indextype is used. If no statistics type exists for either the index or its indextype, then no user-defined statistics are collected. User-defined index statistics appear in the `STATISTICS` column of the data dictionary views `USER_USTATS`, `ALL_USTATS`, and `DBA_USTATS`.

#### Note:

- When you analyze an index from which a substantial number of rows has been deleted, Oracle Database sometimes executes a `COMPUTE` statistics operation (which can entail a full table scan) even if you request an `ESTIMATE` statistics operation. Such an operation can be quite time consuming.
- In some cases, analyzing an index with the `ANALYZE` statement takes an inordinate amount of time to complete. In these cases, you can use a SQL query to validate the index. If the query determines that there is an inconsistency between a table and the index, then you can use the `ANALYZE` statement for a thorough analysis of the index. Refer to *Oracle Database Administrator's Guide* for more information.

#### Restriction on Analyzing Indexes

You cannot analyze a domain index that is marked `IN_PROGRESS` or `FAILED`.

#### See Also:

- [CREATE INDEX](#) for more information on domain indexes
- *Oracle Database Reference* for information on the data dictionary views
- ["Analyzing an Index: Example"](#)

### CLUSTER *cluster*

Specify a cluster to be analyzed. When you collect statistics for a cluster, Oracle Database also automatically collects the statistics for all the tables in the cluster and all their indexes, including the cluster index.

For both indexed and hash clusters, the database collects the average number of data blocks taken up by a single cluster key (`AVG_BLOCKS_PER_KEY`). These statistics appear in the data dictionary views `ALL_CLUSTERS`, `USER_CLUSTERS`, and `DBA_CLUSTERS`.

#### See Also:

*Oracle Database Reference* for information on the data dictionary views and "[Analyzing a Cluster: Example](#)"

### *validation\_clauses*

The validation clauses let you validate `REF` values and the structure of the analyzed object.

#### See Also:

*Oracle Database Administrator's Guide* for more information about validating tables, indexes, clusters, and materialized views

### VALIDATE REF UPDATE Clause

Specify `VALIDATE REF UPDATE` to validate the `REF` values in the specified table, check the rowid portion in each `REF`, compare it with the true rowid, and correct it, if necessary. You can use this clause only when analyzing a table.

If the owner of the table does not have the `READ` or `SELECT` object privilege on the referenced objects, then Oracle Database will consider them invalid and set them to null. Subsequently these `REF` values will not be available in a query, even if it is issued by a user with appropriate privileges on the objects.

### SET DANGLING TO NULL

`SET DANGLING TO NULL` sets to null any `REF` values (whether or not scoped) in the specified table that are found to point to an invalid or nonexistent object.

### VALIDATE STRUCTURE

Specify `VALIDATE STRUCTURE` to validate the structure of the analyzed object. The statistics collected by this clause are not used by the Oracle Database optimizer.

#### See Also:

"[Validating a Table: Example](#)"



- For a table, Oracle Database verifies the integrity of each of the data blocks and rows. For an index-organized table, the database also generates compression statistics (optimal prefix compression count) for the primary key index on the table.
- For a cluster, Oracle Database automatically validates the structure of the cluster tables.
- For a partitioned table, Oracle Database also verifies that each row belongs to the correct partition. If a row does not collate correctly, then its rowid is inserted into the `INVALID_ROWS` table.
- For a temporary table, Oracle Database validates the structure of the table and its indexes during the current session.
- For an index, Oracle Database verifies the integrity of each data block in the index and checks for block corruption. This clause does not confirm that each row in the table has an index entry or that each index entry points to a row in the table. You can perform these operations by validating the structure of the table with the `CASCADE` clause.

Oracle Database also computes compression statistics (optimal prefix compression count) for all normal indexes.

Oracle Database stores statistics about the index in the data dictionary views `INDEX_STATS` and `INDEX_HISTOGRAM`.



#### See Also:

*Oracle Database Reference* for information on these views

If Oracle Database encounters corruption in the structure of the object, then an error message is returned. In this case, drop and re-create the object.

## CASCADE

Specify `CASCADE` if you want Oracle Database to validate the structure of the indexes associated with the table or cluster. If you use this clause when validating a table, then the database also validates the indexes defined on the table. If you use this clause when validating a cluster, then the database also validates all the cluster tables indexes, including the cluster index.

By default, `CASCADE` performs a `COMPLETE` validation, which can be resource intensive. Specify `FAST` if you want the database to check for the existence of corruptions without reporting details about the corruption. If the `FAST` check finds a corruption, you can then use the `CASCADE` option without the `FAST` clause to locate and learn details about it.

If you use this clause to validate an enabled (but previously disabled) function-based index, then validation errors may result. In this case, you must rebuild the index.

## ONLINE | OFFLINE

Specify `ONLINE` to enable Oracle Database to run the validation while DML operations are ongoing within the object. The database reduces the amount of validation performed to allow for concurrency.

 **Note:**

When you validate the structure of an object `ONLINE`, Oracle Database does not collect any statistics, as it does when you validate the structure of the object `OFFLINE`.

Specify `OFFLINE`, to maximize the amount of validation performed. This setting prevents `INSERT`, `UPDATE`, and `DELETE` statements from concurrently accessing the object during validation but allows queries. This is the default.

### Restriction on `ONLINE`

You cannot specify `ONLINE` when analyzing a cluster.

### INTO

The `INTO` clause of `VALIDATE STRUCTURE` is valid only for partitioned tables. Specify a table into which Oracle Database lists the rowids of the partitions whose rows do not collate correctly. If you omit *schema*, then the database assumes the list is in your own schema. If you omit this clause altogether, then the database assumes that the table is named `INVALID_ROWS`. The SQL script used to create this table is `UTLVALID.SQL`.

### LIST CHAINED ROWS

`LIST CHAINED ROWS` lets you identify migrated and chained rows of the analyzed table or cluster. You cannot use this clause when analyzing an index.

In the `INTO` clause, specify a table into which Oracle Database lists the migrated and chained rows. If you omit *schema*, then the database assumes the chained-rows table is in your own schema. If you omit this clause altogether, then the database assumes that the table is named `CHAINED_ROWS`. The chained-rows table must be on your local database.

You can create the `CHAINED_ROWS` table using one of these scripts:

- `UTLCHAIN.SQL` uses physical rowids. Therefore it can accommodate rows from conventional tables but not from index-organized tables. (See the Note that follows.)
- `UTLCHN1.SQL` uses universal rowids, so it can accommodate rows from both conventional and index-organized tables.

If you create your own chained-rows table, then it must follow the format prescribed by one of these two scripts.

If you are analyzing index-organized tables based on primary keys (rather than universal rowids), then you must create a separate chained-rows table for each index-organized table to accommodate its primary-key storage. Use the SQL scripts `DBMSIOTC.SQL` and `PRVTIOTC.PLB` to define the `BUILD_CHAIN_ROWS_TABLE` procedure, and then execute this procedure to create an `IOT_CHAINED_ROWS` table for each such index-organized table.

 **See Also:**

- The `DBMS_IOT` package in *Oracle Database PL/SQL Packages and Types Reference* for information on the packaged SQL scripts
- "[Listing Chained Rows: Example](#)"

## DELETE STATISTICS

Specify `DELETE STATISTICS` to delete any statistics about the analyzed object that are currently stored in the data dictionary. Use this statement when you no longer want Oracle Database to use the statistics.

When you use this clause on a table, the database also automatically removes statistics for all the indexes defined on the table. When you use this clause on a cluster, the database also automatically removes statistics for all the cluster tables and all their indexes, including the cluster index.

Specify `SYSTEM` if you want Oracle Database to delete only system (not user-defined) statistics. If you omit `SYSTEM`, and if user-defined column or index statistics were collected for an object, then the database also removes the user-defined statistics by invoking the statistics deletion function specified in the statistics type that was used to collect the statistics.

 **See Also:**

"[Deleting Statistics: Example](#)"

## Examples

### Deleting Statistics: Example

The following statement deletes statistics about the sample table `oe.orders` and all its indexes from the data dictionary:

```
ANALYZE TABLE orders DELETE STATISTICS;
```

### Analyzing an Index: Example

The following statement validates the structure of the sample index `oe.inv_product_ix`:

```
ANALYZE INDEX inv_product_ix VALIDATE STRUCTURE;
```

### Validating a Table: Example

The following statement analyzes the sample table `hr.employees` and all of its indexes:

```
ANALYZE TABLE employees VALIDATE STRUCTURE CASCADE;
```

For a table, the `VALIDATE REF UPDATE` clause verifies the `REF` values in the specified table, checks the `rowid` portion of each `REF`, and then compares it with the true `rowid`. If

the result is an incorrect rowid, then the REF is updated so that the rowid portion is correct.

The following statement validates the REF values in the sample table `oe.customers`:

```
ANALYZE TABLE customers VALIDATE REF UPDATE;
```

The following statement validates the structure of the sample table `oe.customers` while allowing simultaneous DML:

```
ANALYZE TABLE customers VALIDATE STRUCTURE ONLINE;
```

### Analyzing a Cluster: Example

The following statement analyzes the `personnel` cluster (created in "[Creating a Cluster: Example](#)"), all of its tables, and all of their indexes, including the cluster index:

```
ANALYZE CLUSTER personnel
  VALIDATE STRUCTURE CASCADE;
```

### Listing Chained Rows: Example

The following statement collects information about all the chained rows in the table `orders`:

```
ANALYZE TABLE orders
  LIST CHAINED ROWS INTO chained_rows;
```

The preceding statement places the information into the table `chained_rows`. You can then examine the rows with this query (no rows will be returned if the table contains no chained rows):

```
SELECT owner_name, table_name, head_rowid, analyze_timestamp
  FROM chained_rows
  ORDER BY owner_name, table_name, head_rowid, analyze_timestamp;
```

OWNER_NAME	TABLE_NAME	HEAD_ROWID	ANALYZE_TIMESTAMP
OE	ORDERS	AAAAZzAABAAABrXAAA	25-SEP-2000

## ASSOCIATE STATISTICS

### Purpose

Use the `ASSOCIATE STATISTICS` statement to associate a statistics type (or default statistics) containing functions relevant to statistics collection, selectivity, or cost with one or more columns, standalone functions, packages, types, domain indexes, or indextypes.

For a listing of all current statistics type associations, query the `USER_ASSOCIATIONS` data dictionary view. If you analyze the object with which you are associating statistics, then you can also query the associations in the `USER_USTATS` view.




#### See Also:

[ANALYZE](#) for information on the order of precedence with which `ANALYZE` uses associations


**Prerequisites**

To issue this statement, you must have the appropriate privileges to alter the base object (table, function, package, type, domain index, or indextype). In addition, unless you are associating only default statistics, you must have execute privilege on the statistics type. The statistics type must already have been defined.


 **See Also:**  
[CREATE TYPE](#) for information on defining types

**Syntax**


***associate\_statistics::=***




***column\_association::=***




***function\_association::=***



***using\_statistics\_type::=***



***default\_cost\_clause::=***



***default\_selectivity\_clause::=***



***storage\_table\_clause::=***



**Semantics**

***column\_association***

Specify one or more table columns. If you do not specify *schema*, then Oracle Database assumes the table is in your own schema.

***function\_association***

Specify one or more standalone functions, packages, user-defined data types, domain indexes, or indextypes. If you do not specify *schema*, then Oracle Database assumes the object is in your own schema.

- `FUNCTIONS` refers only to standalone functions, not to method types or to built-in functions.
- `TYPES` refers only to user-defined types, not to built-in SQL data types.

**Restriction on *function\_association***

You cannot specify an object for which you have already defined an association. You must first disassociate the statistics from this object.

**See Also:**

[DISASSOCIATE STATISTICS "Associating Statistics: Example"](#)

***using\_statistics\_type***

Specify the statistics type (or a synonym for the type) being associated with column, function, package, type, domain index, or indextype. The *statistics\_type* must already have been created.

The `NULL` keyword is valid only when you are associating statistics with a column or an index. When you associate a statistics type with an object type, columns of that object type inherit the statistics type. Likewise, when you associate a statistics type with an indextype, index instances of the indextype inherit the statistics type. You can override this inheritance by associating a different statistics type for the column or index. Alternatively, if you do not want to associate any statistics type for the column or index, then you can specify `NULL` in the *using\_statistics\_type* clause.

**Restriction on Specifying Statistics Type**

You cannot specify `NULL` for functions, packages, types, or indextypes.

**See Also:**

*Oracle Database Data Cartridge Developer's Guide* for information on creating statistics collection functions

***default\_cost\_clause***

Specify default costs for standalone functions, packages, types, domain indexes, or indextypes. If you specify this clause, then you must include one number each for CPU cost, I/O cost, and network cost, in that order. Each cost is for a single execution of the function or method or for a single domain index access. Accepted values are integers of zero or greater.

***default\_selectivity\_clause***

Specify as a percent the default selectivity for predicates with standalone functions, types, packages, or user-defined operators. The *default\_selectivity\_clause* must be a number between 0 and 100. Values outside this range are ignored.

**Restriction on the *default\_selectivity\_clause***

You cannot specify `DEFAULT SELECTIVITY` for domain indexes or indextypes.

**See Also:**

["Specifying Default Cost: Example"](#)

### ***storage\_table\_clause***

This clause is relevant only for statistics on `INDEXTYPE`.

- Specify `WITH SYSTEM MANAGED STORAGE TABLES` to indicate that the storage of statistics data is to be managed by the system. The type you specify in `statistics_type` should be storing the statistics related information in tables that are maintained by the system. Also, the indextype you specify must already have been created or altered to support the `WITH SYSTEM MANAGED STORAGE TABLES` clause.
- Specify `WITH USER MANAGED STORAGE TABLES` to indicate that the tables that store the user-defined statistics will be managed by the user. This is the default behavior.

### **Examples**

#### **Associating Statistics: Example**

This statement creates an association for the standalone package `emp_mgmt`. See *Oracle Database PL/SQL Language Reference* for the example that creates this package.

```
ASSOCIATE STATISTICS WITH PACKAGES emp_mgmt DEFAULT SELECTIVITY 10;
```

#### **Specifying Default Cost: Example**

This statement specifies that using the domain index `salary_index`, created in "[Using Extensible Indexing](#)", to implement a given predicate always has a CPU cost of 100, I/O cost of 5, and network cost of 0.

```
ASSOCIATE STATISTICS WITH INDEXES salary_index DEFAULT COST (100,5,0);
```

The optimizer will use these default costs instead of calling a cost function.

## AUDIT (Traditional Auditing)

### **Note:**

Traditional Auditing is desupported in Oracle Database Release 23. Oracle recommends that you use unified auditing instead.

## AUDIT (Unified Auditing)

This section describes the `AUDIT` statement for **unified auditing**. This type of auditing is new beginning with Oracle Database 12c and provides a full set of enhanced auditing features. Refer to *Oracle Database Security Guide* for more information on unified auditing.

### **Purpose**

Use the `AUDIT` statement to:

- Enable a unified audit policy for all users or for specified users
- Specify whether an audit record is created if the audited event fails, succeeds, or both
- Specify application context attributes, whose values will be recorded in audit records



Changes made to the audit policy become effective immediately in the current session and in all active sessions without re-login.

 **See Also:**

- [NOAUDIT \(Unified Auditing\)](#)
- [CREATE AUDIT POLICY \(Unified Auditing\)](#)
- [ALTER AUDIT POLICY \(Unified Auditing\)](#)
- [DROP AUDIT POLICY \(Unified Auditing\)](#)

**Prerequisites**


You must have the `AUDIT SYSTEM` system privilege or the `AUDIT_ADMIN` role.

If you are connected to a multitenant container database (CDB), then to enable a common unified audit policy, the current container must be the root and you must have the commonly granted `AUDIT SYSTEM` privilege or the `AUDIT_ADMIN` common role. To enable a local unified audit policy, the current container must be the container in which the audit policy was created and you must have the commonly granted `AUDIT SYSTEM` privilege or the `AUDIT_ADMIN` common role, or you must have the locally granted `AUDIT SYSTEM` privilege or the `AUDIT_ADMIN` local role in the container.


To specify the `AUDIT CONTEXT ...` statement when connected to a CDB, you must have the commonly granted `AUDIT SYSTEM` privilege or the `AUDIT_ADMIN` common role, or you must have the locally granted `AUDIT SYSTEM` privilege or the `AUDIT_ADMIN` local role in the current session's container.

**Syntax**

*unified\_audit::=*



*by\_users\_with\_roles::=*



## Semantics

### *policy*

With Oracle Database Release 21c unified audit policies are enforced on the current user who executes the SQL statement.

Specify the name of the unified audit policy to be enabled. (The policy must be created previously by the `CREATE AUDIT POLICY` statement.) The policy becomes active immediately for the current session and active ongoing sessions as soon as the `AUDIT POLICY` statement is executed.

You can find descriptions of all unified audit policies by querying the `AUDIT_UNIFIED_POLICIES` view and descriptions of all *enabled* unified audit policies by querying the `AUDIT_UNIFIED_ENABLED_POLICIES` view.

When you enable a unified audit policy, all SQL statements and operations that satisfy either a system privilege or action or role audit option specified in the enabled policy will be audited—that is, a unified audit record will be created in the `UNIFIED_AUDIT_TRAIL` view. If a single SQL statement or operation satisfies multiple enabled policies, then only one unified audit record will be created and all satisfied audit policy names will appear in a comma-separated list in the `UNIFIED_AUDIT_POLICIES` column of the `UNIFIED_AUDIT_TRAIL` view.



#### See Also:

- [CREATE AUDIT POLICY \(Unified Auditing\)](#)
- *Oracle Database Reference* for more information on the `AUDIT_UNIFIED_POLICIES`, `AUDIT_UNIFIED_ENABLED_POLICIES`, and `UNIFIED_AUDIT_TRAIL` views

## BY | EXCEPT

Specify the `BY` clause to enable *policy* for only the specified users.

Specify the `EXCEPT` clause to enable *policy* for all users except the specified users.

If you omit the `BY` and `EXCEPT` clauses and the `by_users_with_roles` clause, then Oracle Database enables *policy* for all users.

If *policy* is a common unified audit policy, then *user* must be a common user. If *policy* is a local unified audit policy, then *user* must be a common user or a local user in the container to which you are connected.

### Notes on the BY and EXCEPT Clauses

The following notes apply to the `BY` and `EXCEPT` clauses:

- If multiple `AUDIT ... BY ...` statements are specified for the same unified audit policy, then the policy is enabled for the union of the users specified in each statement.
- If multiple `AUDIT ... EXCEPT ...` statements are specified for the same unified audit policy, then only the most recently specified statement takes effect. That is, the policy is enabled for all users except the users specified in the most recent `AUDIT ... EXCEPT ...` statement.

- If a policy is enabled using the `BY` clause and you would like to instead enable it using the `EXCEPT` clause, then you must first use the `NOAUDIT ... BY ...` statement to disable the policy for all users for whom the policy is currently enabled, and then enable the policy with the `AUDIT ... EXCEPT ...` statement.
- If a policy is enabled using the `EXCEPT` clause and you would like to instead enable it using the `BY` clause, then you must first use the `NOAUDIT` statement to disable the audit policy. Note that you cannot specify the `EXCEPT` clause with the `NOAUDIT` statement. You can then enable the policy with the `AUDIT ... BY ...` statement.

### Restriction on the `BY` and `EXCEPT` Clauses

You cannot specify an `AUDIT ... BY ...` statement and an `AUDIT ... EXCEPT ...` statement for the same unified audit policy. If you attempt to do so, then an error occurs.

### *by\_users\_with\_roles*

Specify this clause to enable *policy* for users who have been directly or indirectly granted the specified roles. If you subsequently grant one of the roles to an additional user or to a role which is directly or indirectly granted to a user, then the policy automatically applies to that user. If you subsequently revoke one of the roles from a user or from a role which was directly or indirectly granted to a role or a user, then the policy no longer applies to that user.

When you are connected to a CDB, if *policy* is a common unified audit policy, then *role* must be a common role. If *policy* is a local unified audit policy, then *role* must be a common role or a local role in the container to which you are connected.

### Enabling a Local Audit Policy on Roles

Local audit policy can be enabled on local roles as well as on common roles. When a local audit policy is enabled on a common role, it generates audit records when a common role is granted to user locally or commonly in the container.

### Enabling a Common Audit Policy on Roles

Common audit policy can only be enabled on common roles. When a common audit policy is enabled on a common role, it generates audit records when a common role is granted to an user commonly or locally in the ROOT container.

### WHENEVER [NOT] SUCCESSFUL

Specify `WHENEVER SUCCESSFUL` to audit only SQL statements and operations that succeed.

Specify `WHENEVER NOT SUCCESSFUL` to audit only SQL statements and operations that fail or result in errors.

If you omit this clause, then Oracle Database performs the audit regardless of success or failure.

### CONTEXT Clause

Specify the `CONTEXT` clause to include the values of context attributes in audit records.

- For *namespace*, specify the context namespace.
- For *attribute*, specify one or more context attributes whose values you want to include in audit records.

- Use the optional `BY user` clause to include the values of the context attributes only in audit records for events executed by the specified users. If you omit the `BY` clause, then the values of the context attributes are included in all audit records.

If you specify the `CONTEXT` clause when the current container is the root of a CDB, then the values of context attributes will be included in audit records only for events executed in the root. If you specify the optional `BY` clause, then `user` must be a common user.

If you specify the `CONTEXT` clause when the current container is a pluggable database (PDB), then the values of context attributes will be included in audit records only for events executed in that PDB. If you specify the optional `BY` clause, then `user` must be a common user or a local user in that PDB.

You can find the application context attributes that are configured to be captured in the audit trail by querying the `AUDIT_UNIFIED_CONTEXTS` view.

### See Also:

*Oracle Database Reference* for more information on the `AUDIT_UNIFIED_CONTEXTS` view

## Examples

The following examples enable unified audit policies that were created in the `CREATE AUDIT POLICY "Examples"`.

### Enabling a Unified Audit Policy for All Users: Example

The following statement enables unified audit policy `table_pol` for all users:

```
AUDIT POLICY table_pol;
```

The following statement verifies that `table_pol` is enabled for all users:

```
SELECT policy_name, enabled_option, entity_name
       FROM audit_unified_enabled_policies
       WHERE policy_name = 'TABLE_POL';
```

```
POLICY_NAME  ENABLED_OPTION  ENTITY_NAME
-----
TABLE_POL    BY                ALL USERS
```

### Enabling a Unified Audit Policy for Specific Users: Examples

The following statement enables unified audit policy `dml_pol` for only users `hr` and `sh`:

```
AUDIT POLICY dml_pol BY hr, sh;
```

The following statement verifies that `dml_pol` is enabled for only users `hr` and `sh`:

```
SELECT policy_name, enabled_option, entity_name
       FROM audit_unified_enabled_policies
       WHERE policy_name = 'DML_POL'
       ORDER BY user_name;
```

```
POLICY_NAME  ENABLED_OPTION  ENTITY_NAME
-----
```

```
DML_POL      BY      HR
DML_POL      BY      SH
```

The following statement enables unified audit policy `read_dir_pol` for all users except `hr`:

```
AUDIT POLICY read_dir_pol EXCEPT hr;
```

The following statement verifies that `read_dir_pol` is enabled for all users except `hr`:

```
SELECT policy_name, enabled_option, entity_name
FROM audit_unified_enabled_policies
WHERE policy_name = 'READ_DIR_POL';
```

```
POLICY_NAME  ENABLED_OPTION  ENTITY_NAME
-----
READ_DIR_POL  EXCEPT      HR
```

The following statement enables unified audit policy `security_pol` for user `hr` and audits only the SQL statements and operations that fail:

```
AUDIT POLICY security_pol BY hr WHENEVER NOT SUCCESSFUL;
```

The following statement verifies that `security_pol` is enabled for only user `hr` and that only the SQL statements and operations that fail will be audited:

```
SELECT policy_name, enabled_option, entity_name, success, failure
FROM audit_unified_enabled_policies
WHERE policy_name = 'SECURITY_POL';
```

```
POLICY_NAME  ENABLED_OPTION  ENTITY_NAME  SUCCESS  FAILURE
-----
SECURITY_POL  BY              HR           NO       YES
```

### Including Values of Context Attributes in Audit Records: Example

The following statement instructs the database to include the values of namespace `USERENV` attributes `CURRENT_USER` and `DB_NAME` in all audit records for user `hr`:

```
AUDIT CONTEXT NAMESPACE userenv
ATTRIBUTES current_user, db_name
BY hr;
```

## CALL

### Purpose

Use the `CALL` statement to execute a **routine** (a standalone procedure or function, or a procedure or function defined within a type or package) from within SQL.

#### Note:

The restrictions on user-defined function expressions specified in "[Function Expressions](#)" apply to the `CALL` statement as well.

 **See Also:**


*Oracle Database PL/SQL Language Reference* for information on creating such routine

**Prerequisites**


You must have `EXECUTE` privilege on the standalone routine or on the type or package in which the routine is defined.

**Syntax**


**call::=**



**routine\_clause::=**



**object\_access\_expression::=**



## Semantics

You can execute a routine in two ways. You can issue a call to the routine itself by name, by using the *routine\_clause*, or you can invoke a routine inside the type of an expression, by using an *object\_access\_expression*.

### *routine\_clause*

Specify the name of the function or procedure being called, or a synonym that resolves to a function or procedure.

When you call a member function or procedure of a type, if the first argument (*SELF*) is a null *IN OUT* argument, then Oracle Database returns an error. If *SELF* is a null *IN* argument, then the database returns null. In both cases, the function or procedure is not invoked.

### Restriction on Functions

If the routine is a function, then the *INTO* clause is required.

### *schema*

Specify the schema in which the standalone routine, or the package or type containing the routine, resides. If you do not specify *schema*, then Oracle Database assumes the routine is in your own schema.

### *type or package*

Specify the type or package in which the routine is defined.

### *@dblink*

In a distributed database system, specify the name of the database containing the standalone routine, or the package or function containing the routine. If you omit *dblink*, then Oracle Database looks in your local database.



#### See Also:

"[Calling a Procedure: Example](#)" for an example of calling a routine directly

### *object\_access\_expression*

If you have an expression of an object type, such as a type constructor or a bind variable, then you can use this form of expression to call a routine defined within the type. In this context, the *object\_access\_expression* is limited to method invocations.



#### See Also:

"[Object Access Expressions](#)" for syntax and semantics of this form of expression, and "[Calling a Procedure Using an Expression of an Object Type: Example](#)" for an example of calling a routine using an expression of an object type

### ***argument***

Specify one or more arguments to the routine, if the routine takes arguments. You can use positional, named, or mixed notation for *argument*. For example, all of the following notations are correct:

```
CALL my_procedure(arg1 => 3, arg2 => 4)
```

```
CALL my_procedure(3, 4)
```

```
CALL my_procedure(3, arg2 => 4)
```

### **Restrictions on Applying Arguments to Routines**

The *argument* is subject to the following restrictions:

- The data types of the parameters passed by the `CALL` statement must be SQL data types. They cannot be PL/SQL-only data types such as `BOOLEAN`.
- An *argument* cannot be a pseudocolumn or either of the object reference functions `VALUE` or `REF`.
- Any *argument* that is an `IN OUT` or `OUT` argument of the routine must correspond to a host variable expression.
- The number of arguments, including any return argument, is limited to 1000.
- You cannot bind arguments of character and raw data types (`CHAR`, `VARCHAR2`, `NCHAR`, `NVARCHAR2`, `RAW`, `LONG RAW`) that are larger than 4K.

### ***INTO :host\_variable***

The `INTO` clause applies only to calls to functions. Specify which host variable will store the return value of the function.

### ***:indicator\_variable***

Specify the value or condition of the host variable.



#### **See Also:**

*Pro\*C/C++ Programmer's Guide* for more information on host variables and indicator variables

### **Examples**

#### **Calling a Procedure: Example**

The following statement removes the Entertainment department (created in "[Inserting Sequence Values: Example](#)") using uses the `remove_dept` procedure. See *Oracle Database PL/SQL Language Reference* for the example that creates this procedure.

```
CALL emp_mgmt.remove_dept(162);
```

#### **Calling a Procedure Using an Expression of an Object Type: Example**



The following examples show how call a procedure by using an expression of an object type in the `CALL` statement. The example uses the `warehouse_typ` object type in the order entry sample schema OE:

```
ALTER TYPE warehouse_typ
  ADD MEMBER FUNCTION ret_name
  RETURN VARCHAR2
  CASCADE;

CREATE OR REPLACE TYPE BODY warehouse_typ
  AS MEMBER FUNCTION ret_name
  RETURN VARCHAR2
  IS
    BEGIN
      RETURN self.warehouse_name;
    END;
  END;
/
VARIABLE x VARCHAR2(25);

CALL warehouse_typ(456, 'Warehouse 456', 2236).ret_name()
  INTO :x;

PRINT x;
X
-----
Warehouse 456
```

The next example shows how to use an external function to achieve the same thing:

```
CREATE OR REPLACE FUNCTION ret_warehouse_typ(x warehouse_typ)
  RETURN warehouse_typ
  IS
    BEGIN
      RETURN x;
    END;
/
CALL ret_warehouse_typ(warehouse_typ(234, 'Warehouse 234',
  2235)).ret_name()
  INTO :x;

PRINT x;
X
-----
Warehouse 234
```

## COMMENT

### Purpose

Use the `COMMENT` statement to add to the data dictionary a comment about a table or table column, unified audit policy, edition, indextype, materialized view, mining model, operator, or view.

To drop a comment from the database, set it to the empty string ''.

 **See Also:**

- "Comments " for more information on associating comments with SQL statements and schema objects
- *Oracle Database Reference* for information on the data dictionary views that display comments


**Prerequisites**

The object about which you are adding a comment must be in your own schema or:

- To add a comment to a table, view, or materialized view, you must have `COMMENT ANY TABLE` system privilege.
- To add a comment to a unified audit policy, you must have the `AUDIT SYSTEM` system privilege or the `AUDIT_ADMIN` role.
- To add a comment to an edition, you must have the `CREATE ANY EDITION` system privilege, granted either directly or through a role.
- To add a comment to an indextype, you must have the `CREATE ANY INDEXTYPE` system privilege.
- To add a comment to a mining model, you must have the `COMMENT ANY MINING MODEL` system privilege.
- To add a comment to an operator, you must have the `CREATE ANY OPERATOR` system privilege.

**Syntax**

**comment::=**



## Semantics

### AUDIT POLICY Clause

Specify the name of the unified audit policy to be commented.

You can view the comments on a particular unified audit policy by querying the `AUDIT_UNIFIED_POLICY_COMMENTS` data dictionary view.

### COLUMN Clause

Specify the name of the column of a table, view, or materialized view to be commented. If you omit *schema*, then Oracle Database assumes the table, view, or materialized view is in your own schema.

You can view the comments on a particular table or column by querying the data dictionary views `USER_TAB_COMMENTS`, `DBA_TAB_COMMENTS`, or `ALL_TAB_COMMENTS` or `USER_COL_COMMENTS`, `DBA_COL_COMMENTS`, or `ALL_COL_COMMENTS`.

### EDITION Clause

Specify the name of an existing edition to be commented.

You can query the data dictionary view `ALL_EDITION_COMMENTS` to view comments associated with editions that are accessible to the current user. You can query `DBA_EDITION_COMMENTS` to view comments associated with all editions in the database.

### TABLE Clause

Specify the schema and name of the table or materialized view to be commented. If you omit *schema*, then Oracle Database assumes the table or materialized view is in your own schema.



#### Note:

In earlier releases, you could use this clause to create a comment on a materialized view. You should now use the `COMMENT ON MATERIALIZED VIEW` clause for materialized views.

### INDEXTYPE Clause

Specify the name of the indextype to be commented. If you omit *schema*, then Oracle Database assumes the indextype is in your own schema.

You can view the comments on a particular indextype by querying the data dictionary views `USER_INDEXTYPE_COMMENTS`, `DBA_INDEXTYPE_COMMENTS`, or `ALL_INDEXTYPE_COMMENTS`.

### MATERIALIZED VIEW Clause

Specify the name of the materialized view to be commented. If you omit *schema*, then Oracle Database assumes the materialized view is in your own schema.

You can view the comments on a particular materialized view by querying the data dictionary views `USER_MVIEW_COMMENTS`, `DBA_MVIEW_COMMENTS`, or `ALL_MVIEW_COMMENTS`.

### MINING MODEL

Specify the name of the mining model to be commented.

You can view the comments on a particular mining model by querying the `COMMENTS` column of the data dictionary views `USER_MINING_MODELS`, `DBA_MINING_MODELS`, or `ALL_MINING_MODELS`.

### OPERATOR Clause

Specify the name of the operator to be commented. If you omit *schema*, then Oracle Database assumes the operator is in your own schema.

You can view the comments on a particular operator by querying the data dictionary views `USER_OPERATOR_COMMENTS`, `DBA_OPERATOR_COMMENTS`, or `ALL_OPERATOR_COMMENTS`.

### IS 'string'

Specify the text of the comment. Refer to "[Text Literals](#)" for a syntax description of *'string'*.

### Examples

#### Creating Comments: Example

To insert an explanatory remark on the `job_id` column of the `employees` table, you might issue the following statement:

```
COMMENT ON COLUMN employees.job_id
  IS 'abbreviated job title';
```

To drop this comment from the database, issue the following statement:

```
COMMENT ON COLUMN employees.job_id IS '';
```

# 13

## SQL Statements: COMMIT to CREATE JAVA

This chapter contains the following SQL statements:

- COMMIT
- CREATE ANALYTIC VIEW
- CREATE ATTRIBUTE DIMENSION
- CREATE AUDIT POLICY (Unified Auditing)
- CREATE CLUSTER
- CREATE CONTEXT
- CREATE CONTROLFILE
- CREATE DATABASE
- CREATE DATABASE LINK
- CREATE DIMENSION
- CREATE DIRECTORY
- CREATE DISKGROUP
- CREATE DOMAIN
- CREATE EDITION
- CREATE FLASHBACK ARCHIVE
- CREATE FUNCTION
- CREATE HIERARCHY
- CREATE INDEX
- CREATE INDEXTYPE
- CREATE INMEMORY JOIN GROUP
- CREATE JAVA

### COMMIT

#### Purpose

Use the `COMMIT` statement to end your current transaction and make permanent all changes performed in the transaction. A **transaction** is a sequence of SQL statements that Oracle Database treats as a single unit. This statement also erases all savepoints in the transaction and releases transaction locks.

Until you commit a transaction:

- You can see any changes you have made during the transaction by querying the modified tables, but other users cannot see the changes. After you commit the

transaction, the changes are visible to other users' statements that execute after the commit.

- You can roll back (undo) any changes made during the transaction with the `ROLLBACK` statement (see [ROLLBACK](#)).

Oracle Database issues an implicit `COMMIT` under the following circumstances:

- Before any syntactically valid data definition language (DDL) statement, even if the statement results in an error
- After any data definition language (DDL) statement that completes without an error

You can also use this statement to:

- Commit an in-doubt distributed transaction manually
- Terminate a read-only transaction begun by a `SET TRANSACTION` statement

Oracle recommends that you explicitly end every transaction in your application programs with a `COMMIT` or `ROLLBACK` statement, including the last transaction, before disconnecting from Oracle Database. If you do not explicitly commit the transaction and the program terminates abnormally, then the last uncommitted transaction is automatically rolled back.

A normal exit from most Oracle utilities and tools causes the current transaction to be committed. A normal exit from an Oracle precompiler program does not commit the transaction and relies on Oracle Database to roll back the current transaction.

#### See Also:

- *Oracle Database Concepts* for more information on transactions
- [SET TRANSACTION](#) for more information on specifying characteristics of a transaction


#### Prerequisites

You need no privileges to commit your current transaction.

To manually commit a distributed in-doubt transaction that you originally committed, you must have `FORCE TRANSACTION` system privilege. To manually commit a distributed in-doubt transaction that was originally committed by another user, you must have `FORCE ANY TRANSACTION` system privilege.

## Syntax

***commit::=***



## Semantics

### COMMIT

All clauses after the `COMMIT` keyword are optional. If you specify only `COMMIT`, then the default is `COMMIT WORK WRITE WAIT IMMEDIATE`.

### WORK

The `WORK` keyword is supported for compliance with standard SQL. The statements `COMMIT` and `COMMIT WORK` are equivalent.

### COMMENT Clause

This clause is supported for backward compatibility. Oracle recommends that you use named transactions instead of commit comments.

 **See Also:**

[SET TRANSACTION](#) and *Oracle Database Concepts* for more information on named transactions

Specify a comment to be associated with the current transaction. The *text* is a quoted literal of up to 255 bytes that Oracle Database stores in the data dictionary view `DBA_2PC_PENDING` along with the transaction ID if a distributed transaction becomes in doubt. This comment can help you diagnose the failure of a distributed transaction.

 **See Also:**

[COMMENT](#) for more information on adding comments to SQL statements

## WRITE Clause

Use this clause to specify the priority with which the redo information generated by the commit operation is written to the redo log. This clause can improve performance by reducing latency, thus eliminating the wait for an I/O to the redo log. Use this clause to improve response time in environments with stringent response time requirements where the following conditions apply:

- The volume of update transactions is large, requiring that the redo log be written to disk frequently.
- The application can tolerate the loss of an asynchronously committed transaction.
- The latency contributed by waiting for the redo log write to occur contributes significantly to overall response time.

You can specify the `WAIT` | `NOWAIT` and `IMMEDIATE` | `BATCH` clauses in any order.

### Note:

If you omit this clause, then the behavior of the commit operation is controlled by the `COMMIT_LOGGING` and `COMMIT_WAIT` initialization parameters, if they have been set.

## WAIT | NOWAIT

Use these clauses to specify when control returns to the user.

- The `WAIT` parameter ensures that the commit will return only after the corresponding redo is persistent in the online redo log. Whether in `BATCH` or `IMMEDIATE` mode, when the client receives a successful return from this `COMMIT` statement, the transaction has been committed to durable media. A crash occurring after a successful write to the log can prevent the success message from returning to the client. In this case the client cannot tell whether or not the transaction committed.
- The `NOWAIT` parameter causes the commit to return to the client whether or not the write to the redo log has completed. This behavior can increase transaction throughput. With the `WAIT` parameter, if the commit message is received, then you can be sure that no data has been lost.

### Note:

With `NOWAIT`, a crash occurring after the commit message is received, but before the redo log record(s) are written, can falsely indicate to a transaction that its changes are persistent.

If you omit this clause, then the transaction commits with the `WAIT` behavior.

## IMMEDIATE | BATCH

Use these clauses to specify when the redo is written to the log.



- The `IMMEDIATE` parameter causes the log writer process (LGWR) to write the transaction's redo information to the log. This operation option forces a disk I/O, so it can reduce transaction throughput.
- The `BATCH` parameter causes the redo to be buffered to the redo log, along with other concurrently executing transactions. When sufficient redo information is collected, a disk write of the redo log is initiated. This behavior is called "group commit", as redo for multiple transactions is written to the log in a single I/O operation.

If you omit this clause, then the transaction commits with the `IMMEDIATE` behavior.

 **See Also:**

*Oracle Database Concepts* for more information on asynchronous commit

### FORCE Clause

In a distributed database system, the `FORCE string [, integer]` clause lets you manually commit an in-doubt distributed transaction. The transaction is identified by the '`string`' containing its local or global transaction ID. To find the IDs of such transactions, query the data dictionary view `DBA_2PC_PENDING`. You can use `integer` to specifically assign the transaction a system change number (SCN). If you omit `integer`, then the transaction is committed using the current SCN.

 **Note:**

A `COMMIT` statement with a `FORCE` clause commits only the specified transactions. Such a statement does not affect your current transaction.

 **See Also:**

*Oracle Database Administrator's Guide* for more information on these topics

### Examples

#### Committing an Insert: Example

This statement inserts a row into the `hr.regions` table and commits this change:

```
INSERT INTO regions VALUES (5, 'Antarctica');  
  
COMMIT WORK;
```

To commit the same insert operation and instruct the database to buffer the change to the redo log, without initiating disk I/O, use the following `COMMIT` statement:

```
COMMIT WRITE BATCH;
```

#### Commenting on COMMIT: Example

The following statement commits the current transaction and associates a comment with it:

```
COMMIT
  COMMENT 'In-doubt transaction Code 36, Call (415) 555-2637';
```

If a network or machine failure prevents this distributed transaction from committing properly, then Oracle Database stores the comment in the data dictionary along with the transaction ID. The comment indicates the part of the application in which the failure occurred and provides information for contacting the administrator of the database where the transaction was committed.

### Forcing an In-Doubt Transaction: Example

The following statement manually commits a hypothetical in-doubt distributed transaction. Query the `V$CORRUPT_XID_LIST` data dictionary view to find the transaction IDs of corrupt transactions. You must have DBA privileges to view the `V$CORRUPT_XID_LIST` and to issue this statement.

```
COMMIT FORCE '22.57.53';
```

## CREATE ANALYTIC VIEW

### Purpose


Use the `CREATE ANALYTIC VIEW` statement to create an analytic view. An analytic view specifies the source of its fact data and defines measures that describe calculations or other analytic operations to perform on the data. An analytic view also specifies the attribute dimensions and hierarchies that define the rows of the analytic view.

### Prerequisites


To create an analytic view in your own schema, you must have the `CREATE ANALYTIC VIEW` system privilege. To create an analytic view in another user's schema, you must have the `CREATE ANY ANALYTIC VIEW` system privilege.

### Syntax


*create\_analytic\_view::=*




**classification\_clause::=**




**using\_clause::=**




**source\_clause::=**




**dim\_by\_clause::=**




**dim\_key::=**




***dim\_ref::=***




***hier\_ref::=***




***measures\_clause::=***




***av\_measure::=***




***base\_meas\_clause::=***




***calc\_meas\_clause::=***



***meas\_aggregate\_clause::=***




**default\_measure\_clause::=**




**default\_aggregate\_clause::=**




**cache\_clause::=**




**cache\_specification::=**




**levels\_clause::=**




**level\_specification::=**



**level\_group\_type::=**



**fact\_columns\_clause::=****qry\_transform\_clause::=****Semantics****OR REPLACE**

Specify `OR REPLACE` to replace an existing definition of an analytic view with a different definition.

**FORCE and NOFORCE**

Specify `FORCE` to force the creation of the analytic view even if it does not successfully compile. If you specify `NOFORCE`, then the analytic view must compile successfully, otherwise an error occurs. The default is `NOFORCE`.

**IF NOT EXISTS**

Specifying `IF NOT EXISTS` has the following effects:

- If the analytic view does not exist, a new analytic view is created at the end of the statement.
- If the analytic view exists, this is the analytic view you have at the end of the statement. A new one is not created because the older one is detected.

You can have *one* of `OR REPLACE` or `IF NOT EXISTS` in a statement at a time. Using both `OR REPLACE` with `IF NOT EXISTS` in the very same statement results in the following error: `ORA-11541: REPLACE and IF NOT EXISTS cannot coexist in the same DDL statement.`

Using `IF EXISTS` with `CREATE` results in `ORA-11543: Incorrect IF NOT EXISTS clause for CREATE statement.`

**schema**

Specify the schema in which to create the analytic view. If you do not specify a schema, then Oracle Database creates the analytic view in your own schema.

***analytic\_view\_name***

Specify a name for the analytic view.

**SHARING**

Use the sharing clause if you want to create the object in an application root in the context of an application maintenance. This type of object is called an application common object and it can be shared with the application PDBs that belong to the application root.

You can specify how the object is shared using one of the following sharing attributes:

- `METADATA` - A metadata link shares the metadata, but its data is unique to each container. This type of object is referred to as a metadata-linked application common object.
- `NONE` - The object is not shared and can only be accessed in the application root.

***classification\_clause***

Use the classification clause to specify values for the `CAPTION` or `DESCRIPTION` classifications and to specify user-defined classifications. Classifications provide descriptive metadata that applications may use to provide information about analytic views and their components.

You may specify any number of classifications for the same object. A classification can have a maximum length of 4000 bytes.

For the `CAPTION` and `DESCRIPTION` classifications, you may use the DDL shortcuts `CAPTION 'caption'` and `DESCRIPTION 'description'` or the full classification syntax.

You may vary the classification values by language. To specify a language for the `CAPTION` or `DESCRIPTION` classification, you must use the full syntax. If you do not specify a language, then the language value for the classification is `NULL`. The language value must either be `NULL` or a valid `NLS_LANGUAGE` value.

***using\_clause***

Use this clause to declare the sources that you want to use to build the analytic view.

***source\_clause***

You can specify any of the following sources to build an analytic view:

- A fact table or a view.
- External tables and remote tables.
- A table or a view in another schema. You can specify an alias for the table or the view.

**REMOTE**

Specify `REMOTE` on a given source to indicate to the analytic view that the given source is backed by remote data and should be optimized as remote data.

***dim\_by\_clause***

Specify the attribute dimensions of the analytic view.

***dim\_key***

Specify an attribute dimension, columns of the fact table, columns of the attribute dimension, and hierarchies that are related in the analytic view.

With the `KEY` keyword, specify one or more columns in the fact table.

With the `REFERENCES` keyword, specify attributes of the attribute dimensions that the analytic view is dimensioned by. Each attribute must be a level key. The `DISTINCT` keyword supports the use of denormalized fact tables, in which the attribute dimension and fact data are in the same table. Use `REFERENCES DISTINCT` when an attribute dimension is defined using the fact table.

With the `HIERARCHIES` keyword, specify the hierarchies in the analytic view that use the attribute dimension.

***dim\_ref***

Specify an attribute dimension. You can specify an alias for an attribute dimension, which is required if you use the same dimension more than once or if you use multiple dimensions with the same name from different schemas.

***hier\_ref***

Specify a hierarchy. You can specify an alias for a hierarchy. You can specify one of the hierarchies in the list as the default. If you do not specify a default, the first hierarchy in the list is the default.

***measures\_clause***

Specify the measures for the analytic view.

***av\_measure***

Define a measure using either a single fact column or an expression over measures in this analytic view. A measure can be either a base measure or a calculated measure.

***base\_measure\_clause***

Define a base measure by optionally specifying a fact column or a *meas\_aggregate\_clause*, or both. If you do not specify a fact column, then the analytic view uses the column of the fact table that has the same name as the measure. If a column by the same name does not exist, an error is raised.

***calc\_measure\_clause***

Define a calculated measure by specifying an analytic view expression. The expression may reference other measures in the analytic view, but may not reference fact columns. Calculated measures do not have an aggregate clause because they're computed over the aggregated base measures.

For the syntax and descriptions of analytic view expressions, see [Analytic View Expressions](#).

***default\_measure\_clause***

Specify a measure to use as the default measure for the analytic view. If you do not specify a measure, the first measure defined is the default.



***meas\_aggregate\_clause***

Specify a default aggregation function for a base measure. If you do not specify an aggregation function, then the function specified by the *default\_aggregate\_clause* is used.

***aggr\_function***

The functions that you can aggregate by in the *meas\_aggregate\_clause* and *default\_aggregate\_clause* are the following: APPROX\_COUNT\_DISTINCT, APPROX\_COUNT\_DISTINCT\_AGG, AVG, COUNT, MAX, MIN, STDDEV, STDDEV\_POP, STDDEV\_SAMP, SUM, VAR\_POP, VAR\_SAMP, and VARIANCE.

***default\_aggregate\_clause***

Specify a default aggregation function for all of the base measures in the analytic view. If you do not specify a default aggregation function, then the default value is SUM.

***cache\_clause***

Specify a cache clause to improve query response time when an appropriate materialized view is available. You can specify one or more cache specifications.

***cache\_specification***

Specify one or more measure groups for a cache clause. To include all measure groups, specify ALL. Each measure group can contain one or more measures and one or more level groupings. A level grouping can contain one or more level specifications.

***level\_specification***

Specify one or more levels for a level grouping of a measure group for a cache specification. Specify only one level per hierarchy. A materialized view must exist that contains the aggregated values for the hierarchy level.

***level\_group\_type***

If you specify the USING clause, then the given table will be directly used at query time, if the analytic view determines that this is the best cache to use for the query. The typical shape of the cache is a column for each measure in the MEASURE GROUP plus a column per level key of each level in the cache. There is one row per member combination, across all given levels, that has at least one contributing row from the fact table. The column names of the given table must match a specific format so that the analytic view can identify which columns line up with which measures and level keys. The names of the columns can be retrieved from the DBMS\_HIERARCHY package using the method GET\_MV\_SQL\_FOR\_AV\_CACHE.

This method takes in the cache to generate SQL for and returns the SQL text for the cache. This SQL text can be used to create a materialized view for the cache. It can also be used to create an aggregate table using CREATE TABLE AS.

At compile time of the analytic view, the following checks will be made in regard to the materialized table:

- The table must exist and be accessible by the owner of the analytic view
- The columns of the table must include the expected cache columns

***fact\_columns\_clause***

Specify this clause to explicitly state the fact columns that can be accessed by the derived analytic view. You can aggregate any columns of the fact table that appear in *fact\_columns\_clause* at query time with the aggregation operator specified in the derived analytic view.

If an alias is provided for the fact column, then the alias name must be used in the derived analytic view. The alias defaults to the fact column name if not specified.

It is a semantic analysis error, if two or more fact columns are specified with the same name.

If you do not specify this clause, then no fact columns can be accessed for aggregation by the derived analytic view. This is the default.

***qry\_transform\_clause***

Specify this clause on an analytic view, if you want the view to participate in detecting queries that match its semantic model and transform it into an equivalent analytic view query if appropriate.

**Restrictions**

You cannot use *qry\_transform\_clause* on an analytic view in the following cases:

- When the analytic view contains an attribute dimension with more than one dimension table (either a snowflake or starflake schema)
- When a dimension table joins to the fact table at a level that is above the leaf level of the dimension (i.e. a REFERENCES DISTINCT join)
- When NORELY is specified and one or more base tables are remote tables

The new clause allows for an optional RELY or NORELY keyword. The default is NORELY.

The analytic view metadata can be viewed as a set of constraints on the underlying data. These constraints are not enforced by the database, but can be checked using the DBMS\_HIERARCHY.VALIDATE\_ANALYTIC\_VIEW procedure.

The RELY keyword indicates that the constraints implied on the data by the analytic view metadata can be relied upon without validation when being considered for base table transform. If NORELY is specified, then the data must be in a valid state in relation to the metadata in order for the base table transform to take place.

**Examples**

The following is a description of the SALES\_FACT table:

```
desc SALES_FACT
Name                               Null? Type
-----
MONTH_ID                           VARCHAR2(10)
CATEGORY_ID                         NUMBER(6)
STATE_PROVINCE_ID                  VARCHAR2(120)
UNITS                              NUMBER(6)
SALES                              NUMBER(12,2)
```

The following example creates the SALES\_AV analytic view using the SALES\_FACT table:

```

CREATE OR REPLACE ANALYTIC VIEW sales_av
USING sales_fact
DIMENSION BY
  (time_attr_dim          -- An attribute dimension of time
  data
    KEY month_id REFERENCES month_id
    HIERARCHIES (
      time_hier DEFAULT),
  product_attr_dim       -- An attribute dimension of
product data
    KEY category_id REFERENCES category_id
    HIERARCHIES (
      product_hier DEFAULT),
  geography_attr_dim     -- An attribute dimension of store
data
    KEY state_province_id
    REFERENCES state_province_id HIERARCHIES (
      geography_hier DEFAULT)
  )
MEASURES
  (sales FACT sales,      -- A base measure
  units FACT units,      -- A base measure
  sales_prior_period AS  -- Calculated measures
    (LAG(sales) OVER (HIERARCHY time_hier OFFSET 1)),
  sales_year_ago AS
    (LAG(sales) OVER (HIERARCHY time_hier OFFSET 1
    ACROSS ANCESTOR AT LEVEL year)),
  chg_sales_year_ago AS
    (LAG_DIFF(sales) OVER (HIERARCHY time_hier OFFSET 1
    ACROSS ANCESTOR AT LEVEL year)),
  pct_chg_sales_year_ago AS
    (LAG_DIFF_PERCENT(sales) OVER (HIERARCHY time_hier OFFSET 1
    ACROSS ANCESTOR AT LEVEL year)),
  sales_qtr_ago AS
    (LAG(sales) OVER (HIERARCHY time_hier OFFSET 1
    ACROSS ANCESTOR AT LEVEL quarter)),
  chg_sales_qtr_ago AS
    (LAG_DIFF(sales) OVER (HIERARCHY time_hier OFFSET 1
    ACROSS ANCESTOR AT LEVEL quarter)),
  pct_chg_sales_qtr_ago AS
    (LAG_DIFF_PERCENT(sales) OVER (HIERARCHY time_hier OFFSET 1
    ACROSS ANCESTOR AT LEVEL quarter))
  )
DEFAULT MEASURE SALES;

```

## CREATE ATTRIBUTE DIMENSION

### Purpose

Use the CREATE ATTRIBUTE DIMENSION statement to create an attribute dimension. An attribute dimension specifies dimension members for one or more analytic view hierarchies. It


specifies the data source it is using and the members it includes. It specifies levels for its members and determines attribute relationships between levels.

### Prerequisites


To create an attribute dimension in your own schema, you must have the `CREATE ATTRIBUTE DIMENSION` system privilege. To create an attribute dimension in another user's schema, you must have the `CREATE ANY ATTRIBUTE DIMENSION` system privilege.

### Syntax


***create\_attribute\_dimension::=***




***classification\_clause::=***




***attr\_dim\_using\_clause::=***




**source\_clause ::=**




**join\_path\_clause ::=**



**join\_condition ::=**




**join\_condition\_elem ::=**







**attributes\_clause ::=**




**attr\_dim\_attributes\_clause ::=**




**attr\_dim\_level\_clause::=**




**key\_clause::=**




***alternate\_key\_clause ::=***



***dim\_order\_clause ::=***



***all\_clause ::=***



**Semantics**

**OR REPLACE**

Specify `OR REPLACE` to replace an existing definition of an attribute dimension with a different definition.

**FORCE and NOFORCE**

Specify `FORCE` to force the creation of the attribute dimension even if it does not successfully compile. If you specify `NOFORCE`, then the attribute dimension must compile successfully, otherwise an error occurs. The default is `NOFORCE`.

**IF NOT EXISTS**

Specifying `IF NOT EXISTS` has the following effects:

- If the attribute dimension does not exist, a new attribute dimension is created at the end of the statement.
- If the attribute dimension exists, this is the attribute dimension you have at the end of the statement. A new one is not created because the older one is detected.

You can have *one* of `OR REPLACE` or `IF NOT EXISTS` in a statement at a time. Using both `OR REPLACE` with `IF NOT EXISTS` in the very same statement results in the following error: `ORA-11541: REPLACE and IF NOT EXISTS cannot coexist in the same DDL statement.`

Using `IF EXISTS` with `CREATE` results in `ORA-11543: Incorrect IF NOT EXISTS clause for CREATE statement.`

### ***schema***

Specify the schema in which to create the attribute dimension. If you do not specify a schema, then Oracle Database creates the attribute dimension in your own schema.

### ***attr\_dimension***

Specify a name for the attribute dimension.

## **SHARING**

Use the sharing clause if you want to create the object in an application root in the context of an application maintenance. This type of object is called an application common object and it can be shared with the application PDBs that belong to the application root.

You can specify how the object is shared using one of the following sharing attributes:

- `METADATA` - A metadata link shares the metadata, but its data is unique to each container. This type of object is referred to as a metadata-linked application common object.
- `NONE` - The object is not shared and can only be accessed in the application root.

### ***classification\_clause***

Use the classification clause to specify values for the `CAPTION` or `DESCRIPTION` classifications and to specify user-defined classifications. Classifications provide descriptive metadata that applications may use to provide information about analytic views and their components.

You may specify any number of classifications for the same object. A classification can have a maximum length of 4000 bytes.

For the `CAPTION` and `DESCRIPTION` classifications, you may use the DDL shortcuts `CAPTION 'caption'` and `DESCRIPTION 'description'` or the full classification syntax.

You may vary the classification values by language. To specify a language for the `CAPTION` or `DESCRIPTION` classification, you must use the full syntax. If you do not specify a language, then the language value for the classification is `NULL`. The language value must either be `NULL` or a valid `NLS_LANGUAGE` value.

## **DIMENSION TYPE**

An attribute dimension may be either a `STANDARD` or a `TIME` type. A `STANDARD` type attribute dimension has `STANDARD` type levels. Each level of a `TIME` type attribute dimension is one of the time types. The default `DIMENSION TYPE` is `STANDARD`.



***attr\_dim\_using\_clause***

Use this clause to declare the sources that you want to use to create the attribute dimension.

***source\_clause***

You may specify the following sources:

- A table or a view.
- An alias for the table or the view by using the `AS` keyword.
- A join path. Use join paths to specify joins when the attribute dimension uses tables organized in a snowflake schema.

**REMOTE**

Specify `REMOTE` on a given source to indicate that the source is backed by remote data and should be optimized as remote data.

***join\_path\_clause***

The join path clause specifies a join condition between columns in different tables. The name for the join path specified by the *join\_path\_name* argument must be unique for each join path included in the `USING` clause.

***join\_condition***

A join condition consists of one or more join condition elements; each additional join condition element is included by an `AND` operation.

***join\_condition\_element***

In a join condition element, the column references on the left-hand-side must come from a different table than the column references on the right-hand-side.

***attributes\_clause***

Specify one or more *attr\_dim\_attribute\_clause* clauses.

***attr\_dim\_attribute\_clause***

Specify a column from the *attr\_dim\_using\_clause* source. The attribute has the name of the column unless you specify an alias using the `AS` keyword. You may specify classifications for each attribute.

***attr\_dim\_level\_clause***

Specify a level in the attribute dimension. A level specifies key and optional alternate key attributes that provide the members of the level.

If the key attribute has no `NULL` values, then you may specify `NOT NULL`, which is the default. If it does have one or more `NULL` values, then specify `SKIP WHEN NULL`.

**LEVEL TYPE**

A `STANDARD` type attribute dimension has `STANDARD` type levels. You do not need to specify a `LEVEL TYPE` for a `STANDARD` type attribute dimension.

In a `TIME` type attribute dimension, you must specify a level type. The type of the level may be one of the time types. You must specify a time type even if the values of the level members are not of that type. For example, you may have a `SEASON` level with values that are the names of seasons. In defining the level, you must specify any one of the time level types, such as `QUARTERS`. An application may use the level type designations for whatever purpose it chooses.

### DETERMINES

With the `DETERMINES` keyword, you may specify other attributes of the attribute dimension that this level determines. If an attribute has only one value for each value of another attribute, then the value of the first attribute determines the value of the other attribute. For example, the `QUARTER_ID` attribute has only one value for each value of the `MONTH_ID` attribute, so you can include the `QUARTER_ID` attribute in the `DETERMINES` phrase of the `MONTHS` level.

#### *key\_clause*

Specify one or more attributes as the key for the level.

#### *alternate\_key\_clause*

Specify one or more attributes as the alternate key for the level.

#### *dim\_order\_clause*

Specify the ordering of the members of the level.

#### *all\_clause*

Optionally specify `MEMBER NAME`, `MEMBER CAPTION`, and `MEMBER DESCRIPTION` values for the implicit `ALL` level. By default, the `MEMBER NAME` value is `ALL`.

### Examples

The following example describes the `TIME_DIM` table:

```
desc TIME_DIM
```

Name	Null?	Type
MONTH_ID		VARCHAR2(10)
CATEGORY_ID		NUMBER(6)
STATE_PROVINCE_ID		VARCHAR2(120)
UNITS		NUMBER(6)
SALES		NUMBER(12,2)
YEAR_ID	NOT NULL	VARCHAR2(30)
YEAR_NAME	NOT NULL	VARCHAR2(40)
YEAR_END_DATE		DATE
QUARTER_ID	NOT NULL	VARCHAR2(30)
QUARTER_NAME	NOT NULL	VARCHAR2(40)
QUARTER_END_DATE		DATE
QUARTER_OF_YEAR		NUMBER
MONTH_ID	NOT NULL	VARCHAR2(30)
MONTH_NAME	NOT NULL	VARCHAR2(40)
MONTH_END_DATE		DATE
MONTH_OF_YEAR		NUMBER

MONTH_LONG_NAME	VARCHAR2(30)
SEASON	VARCHAR2(10)
SEASON_ORDER	NUMBER(38)
MONTH_OF_QUARTER	NUMBER(38)

The following example creates a TIME type attribute dimension, using columns from the TIME\_DIM table:

```
CREATE OR REPLACE ATTRIBUTE DIMENSION time_attr_dim
DIMENSION TYPE TIME
USING time_dim
ATTRIBUTES
  (year_id
   CLASSIFICATION caption VALUE 'YEAR_ID'
   CLASSIFICATION description VALUE 'YEAR ID',
   year_name
   CLASSIFICATION caption VALUE 'YEAR_NAME'
   CLASSIFICATION description VALUE 'Year',
   year_end_date
   CLASSIFICATION caption VALUE 'YEAR_END_DATE'
   CLASSIFICATION description VALUE 'Year End Date',
   quarter_id
   CLASSIFICATION caption VALUE 'QUARTER_ID'
   CLASSIFICATION description VALUE 'QUARTER ID',
   quarter_name
   CLASSIFICATION caption VALUE 'QUARTER_NAME'
   CLASSIFICATION description VALUE 'Quarter',
   quarter_end_date
   CLASSIFICATION caption VALUE 'QUARTER_END_DATE'
   CLASSIFICATION description VALUE 'Quarter End Date',
   quarter_of_year
   CLASSIFICATION caption VALUE 'QUARTER_OF_YEAR'
   CLASSIFICATION description VALUE 'Quarter of Year',
   month_id
   CLASSIFICATION caption VALUE 'MONTH_ID'
   CLASSIFICATION description VALUE 'MONTH ID',
   month_name
   CLASSIFICATION caption VALUE 'MONTH_NAME'
   CLASSIFICATION description VALUE 'Month',
   month_long_name
   CLASSIFICATION caption VALUE 'MONTH_LONG_NAME'
   CLASSIFICATION description VALUE 'Month Long Name',
   month_end_date
   CLASSIFICATION caption VALUE 'MONTH_END_DATE'
   CLASSIFICATION description VALUE 'Month End Date',
   month_of_quarter
   CLASSIFICATION caption VALUE 'MONTH_OF_QUARTER'
   CLASSIFICATION description VALUE 'Month of Quarter',
   month_of_year
   CLASSIFICATION caption VALUE 'MONTH_OF_YEAR'
   CLASSIFICATION description VALUE 'Month of Year',
   season
   CLASSIFICATION caption VALUE 'SEASON'
   CLASSIFICATION description VALUE 'Season',
```

```
    season_order
      CLASSIFICATION caption VALUE 'SEASON_ORDER'
      CLASSIFICATION description VALUE 'Season Order')
LEVEL month
  LEVEL TYPE MONTHS
  CLASSIFICATION caption VALUE 'MONTH'
  CLASSIFICATION description VALUE 'Month'
  KEY month_id
  MEMBER NAME month_name
  MEMBER CAPTION month_name
  MEMBER DESCRIPTION month_long_name
  ORDER BY month_end_date
  DETERMINES (month_end_date,
              quarter_id,
              season,
              season_order,
              month_of_year,
              month_of_quarter)
LEVEL quarter
  LEVEL TYPE QUARTERS
  CLASSIFICATION caption VALUE 'QUARTER'
  CLASSIFICATION description VALUE 'Quarter'
  KEY quarter_id
  MEMBER NAME quarter_name
  MEMBER CAPTION quarter_name
  MEMBER DESCRIPTION quarter_name
  ORDER BY quarter_end_date
  DETERMINES (quarter_end_date,
              quarter_of_year,
              year_id)
LEVEL year
  LEVEL TYPE YEARS
  CLASSIFICATION caption VALUE 'YEAR'
  CLASSIFICATION description VALUE 'Year'
  KEY year_id
  MEMBER NAME year_name
  MEMBER CAPTION year_name
  MEMBER DESCRIPTION year_name
  ORDER BY year_end_date
  DETERMINES (year_end_date)
LEVEL season
  LEVEL TYPE QUARTERS
  CLASSIFICATION caption VALUE 'SEASON'
  CLASSIFICATION description VALUE 'Season'
  KEY season
  MEMBER NAME season
  MEMBER CAPTION season
  MEMBER DESCRIPTION season
LEVEL month_of_quarter
  LEVEL TYPE MONTHS
  CLASSIFICATION caption VALUE 'MONTH_OF_QUARTER'
  CLASSIFICATION description VALUE 'Month of Quarter'
  KEY month_of_quarter;
```

The following example describes the PRODUCT\_DIM table:

```
desc PRODUCT_DIM

Name                Null?    Type
-----
DEPARTMENT_ID      NOT NULL NUMBER
DEPARTMENT_NAME    NOT NULL VARCHAR2(100)
CATEGORY_ID        NOT NULL NUMBER
CATEGORY_NAME      NOT NULL VARCHAR2(100)
```

The following example creates a STANDARD type attribute dimension, using columns from the PRODUCT\_DIM table:

```
CREATE OR REPLACE ATTRIBUTE DIMENSION product_attr_dim
USING product_dim
ATTRIBUTES
  (department_id,
   department_name,
   category_id,
   category_name)
LEVEL DEPARTMENT
  KEY department_id
  ALTERNATE KEY department_name
  MEMBER NAME department_name
  MEMBER CAPTION department_name
  ORDER BY department_name
LEVEL CATEGORY
  KEY category_id
  ALTERNATE KEY category_name
  MEMBER NAME category_name
  MEMBER CAPTION category_name
  ORDER BY category_name
  DETERMINES(department_id)
ALL MEMBER NAME 'ALL PRODUCTS';
```

The following example describes the GEOGRAPHY\_DIM table:

```
desc GEOGRAPHY_DIM

Name                Null?    Type
-----
DEPARTMENT_ID      NOT NULL NUMBER
DEPARTMENT_NAME    NOT NULL VARCHAR2(100)
CATEGORY_ID        NOT NULL NUMBER
CATEGORY_NAME      NOT NULL VARCHAR2(100)
REGION_ID          NOT NULL VARCHAR2(120)
REGION_NAME        NOT NULL VARCHAR2(100)
COUNTRY_ID         NOT NULL VARCHAR2(2)
COUNTRY_NAME       NOT NULL VARCHAR2(120)
STATE_PROVINCE_ID  NOT NULL VARCHAR2(120)
STATE_PROVINCE_NAME NOT NULL VARCHAR2(400)
```

The following example creates an `STANDARD` type attribute dimension, using columns from the `GEOGRAPHY_DIM` table:

```
CREATE OR REPLACE ATTRIBUTE DIMENSION geography_attr_dim
USING geography_dim
ATTRIBUTES
  (region_id,
   region_name,
   country_id,
   country_name,
   state_province_id,
   state_province_name)
LEVEL REGION
  KEY region_id
  ALTERNATE KEY region_name
  MEMBER NAME region_name
  MEMBER CAPTION region_name
  ORDER BY region_name
LEVEL COUNTRY
  KEY country_id
  ALTERNATE KEY country_name
  MEMBER NAME country_name
  MEMBER CAPTION country_name
  ORDER BY country_name
  DETERMINES (region_id)
LEVEL STATE_PROVINCE
  KEY state_province_id
  ALTERNATE KEY state_province_name
  MEMBER NAME state_province_name
  MEMBER CAPTION state_province_name
  ORDER BY state_province_name
  DETERMINES (country_id)
ALL MEMBER NAME 'ALL CUSTOMERS';
```

## CREATE AUDIT POLICY (Unified Auditing)

This section describes the `CREATE AUDIT POLICY` statement for **unified auditing**. This type of auditing is new beginning with Oracle Database 12c and provides a full set of enhanced auditing features. Refer to *Oracle Database Security Guide* for more information on unified auditing.

### Purpose

Use the `CREATE AUDIT POLICY` statement to create a unified audit policy.

 **See Also:**

- [ALTER AUDIT POLICY \(Unified Auditing\)](#)
- [DROP AUDIT POLICY \(Unified Auditing\)](#)
- [AUDIT \(Unified Auditing\)](#)
- [NOAUDIT \(Unified Auditing\)](#)


**Prerequisites**

You must have the `AUDIT SYSTEM` system privilege or the `AUDIT_ADMIN` role.

To specify the `CONTAINER` clause, you must be connected to a multitenant container database (CDB). To create a common unified audit policy, you must have the commonly granted `AUDIT SYSTEM` privilege or the `AUDIT_ADMIN` common role. To create a local unified audit policy, you must have the commonly granted `AUDIT SYSTEM` privilege or the `AUDIT_ADMIN` common role, or you must have the locally granted `AUDIT SYSTEM` privilege or the `AUDIT_ADMIN` local role in the container to which you are connected.

**Syntax**

***create\_audit\_policy::=***




 **Note:**


You must specify at least one of the clauses `privilege_audit_clause`, `action_audit_clause`, or `role_audit_clause`.

*(privilege\_audit\_clause::=, action\_audit\_clause::=, role\_audit\_clause::=)*

**privilege\_audit\_clause::=**




**action\_audit\_clause::=**




**Note:**  
You can specify only the *standard\_actions* clause, only the *component\_actions* clause, or both clauses in either order, but you can specify each clause at most once.

**standard\_actions::=**




**component\_actions::=**





***role\_audit\_clause ::=***



### Semantics

#### ***policy***

Specify the name of the unified audit policy to be created. The name of the policy must begin with the value of the `COMMON_USER_PREFIX` initialization parameter. The default value of the `COMMON_USER_PREFIX` parameter is `c##`.

The length of the audit policy name cannot exceed 128 bytes and must contain ASCII characters only.

These rules apply for application common audit policies as well. In this case, the value of the `COMMON_USER_PREFIX` is fetched from the application root. The default value in application root is an empty string.

The name must also satisfy the requirements listed in "[Database Object Naming Rules](#)".

You can find the names of all unified audit policies by querying the `AUDIT_UNIFIED_POLICIES` view.



#### **See Also:**

*Oracle Database Reference* for more information on the `AUDIT_UNIFIED_POLICIES` view

#### ***privilege\_audit\_clause***

Use this clause to audit one or more system privileges. For *system\_privilege*, specify a valid system privilege. To view all valid system privileges, query the `NAME` column of the `SYSTEM_PRIVILEGE_MAP` view.

Only those SQL statements are audited, that successfully use system privileges. If a statement does not make use of a system privilege, it does not get audited with the *privilege\_audit\_clause*.

#### **Restriction on Auditing System Privileges**

You cannot audit the following system privileges: `INHERIT ANY PRIVILEGES`, `SYSASM`, `SYSBACKUP`, `SYSDBA`, `SYSDBG`, `SYSKM`, `SYSRAC`, and `SYSOPER`.

#### ***action\_audit\_clause***

Use this clause to specify one or more actions to be audited. Use the *standard\_actions* clause to audit actions on standard RDBMS objects and to audit standard RDBMS system actions for the database. Use the *component\_actions* clause to audit actions for components.

### ***standard\_actions***

Use this clause to audit actions on standard RDBMS objects and to audit standard RDBMS system actions for the database.

You can also create unified audit policies to audit individual columns in tables and views. For examples on auditing columns see [Examples](#)

Note that column level audit policies generate audit records whenever the column is accessed.

### ***object\_action ON***

Use this clause to audit an action on the specified object. For *object\_action*, specify the action to be audited. [Table 13-1](#) lists the actions that can be audited on each type of object.

### **ALL ON**

Use this clause to audit all actions on the specified object. All of the actions listed in [Table 13-1](#) for the type of object that you specify in the `ON` clause will be audited.

### **ON Clause**

Use the `ON` clause to specify the object to be audited. Directories and data mining models are identified separately because they reside in separate namespaces. To audit actions on a directory, specify `ON DIRECTORY directory_name`. To audit actions on a data mining model, specify `ON MINING MODEL object_name`. To audit actions on the other types of objects listed in [Table 13-1](#), specify `ON object_name`. If you do not qualify *object\_name* with *schema*, then the database assumes the object is in your own schema.

**Table 13-1 Unified Auditing Objects and Actions**

Type of Object	Actions
Directory	AUDIT, GRANT, READ
Function	AUDIT, EXECUTE (Notes 1 and 2), GRANT
Java Schema Objects (Source, Class, Resource)	AUDIT, EXECUTE, GRANT
Library	EXECUTE, GRANT
Materialized Views	ALTER, AUDIT, COMMENT, DELETE, INDEX, INSERT, LOCK, SELECT, UPDATE
Mining Model	AUDIT, COMMENT, GRANT, RENAME, SELECT
Object Type	ALTER, AUDIT, GRANT
Package	AUDIT, EXECUTE, GRANT
Procedure	AUDIT, EXECUTE (Notes 1 and 2), GRANT
Sequence	ALTER, AUDIT, GRANT, SELECT
Table	ALTER, AUDIT, COMMENT, DELETE, FLASHBACK, GRANT, INDEX, INSERT, LOCK, RENAME, SELECT, UPDATE, TRUNCATE
View	AUDIT, DELETE, FLASHBACK, GRANT, INSERT, LOCK, RENAME, SELECT, UPDATE

**Note 1:** When you audit the `EXECUTE` operation on a PL/SQL stored procedure or stored function, the database considers only its ability to find the procedure or function and authorize its execution when determining the success or failure of the operation for the purposes of auditing. Therefore, if you specify the `WHENEVER NOT SUCCESSFUL` clause, then only invalid object errors, non-existent object errors, and authorization failures are audited; errors encountered during the execution of the procedure or function are not audited. If you specify the `WHENEVER SUCCESSFUL` clause, then all executions that are not blocked by invalid object errors, non-existent object errors, or authorization failures are audited, regardless of whether errors are encountered during execution.

**Note 2:** To audit the failure of a recursive SQL operation inside a PL/SQL stored procedure or stored function, configure auditing for the SQL operation.

**Note 3:** The auditing of `EXECUTE` on a PL/SQL stored procedure, function, or package in the database happens during the instantiation phase of the procedure, function, or package.

Note 3: The auditing of the `GRANT` object audit option also audits the `REVOKE` audit option.

### ***system\_action***

Use this clause to audit a system action for the database. To view the valid values for `system_action`, query the `NAME` column of the `AUDITABLE_SYSTEM_ACTIONS` view where `COMPONENT` is 'Standard'.

### **Example: Audit CHANGE PASSWORD in Unified Auditing**

You can audit `CHANGE PASSWORD` system actions by configuring an audit policy to audit password changes. After you configure the audit policy, you must enable the audit policy.

### **Example: Create Audit Policy to Audit System Action Change Password**

The following example creates an audit policy `mypolicy` to audit the action `CHANGE PASSWORD`:

```
CREATE AUDIT POLICY mypolicy ACTIONS CHANGE PASSWORD;
-----
Audit policy created.
```

### **Example: Enable Audit Policy Configured to Audit Password Changes**

The following statement enables the audit policy `mypolicy`:

```
AUDIT POLICY mypolicy;
```

The audit policy `mypolicy` will now audit `CHANGE PASSWORD` actions for both successful and unsuccessful changes of password.

### **Example: Change Password**

A user `hr_usr` with password `hr_pwd` can connect to PDB `hr_pdb` and change the password as follows:

```
CONNECT hr_usr/hr_pwd@hr_pdb;
PASSWORD
Changing password for hr_usr
Old password:
New password:
Retype new password:
Password changed.
```

In the SQL\*Plus example above, the command `PASSWORD` run by user `hr_usr` initiates a `CHANGE PASSWORD` action that generates an audit record.

**Example: Check Audit Trail for Password Changes**

You can view the record by querying the `UNIFIED_AUDIT_TRAIL` as follows:

```
SELECT ACTION_NAME, UNIFIED_AUDIT_POLICIES, OBJECT_NAME FROM UNIFIED_AUDIT_TRAIL;

ACTION_NAME
-----
UNIFIED_AUDIT_POLICIES
-----
OBJECT_NAME
-----
CHANGE PASSWORD
MYPOLICY
HR_USR
```

Note that the audit policy `mypolicy` will not capture password changes via the `ALTER USER` statement.

**ALL**

Use this clause to audit all system actions for the database.

***component\_actions***

Use this clause to audit actions for the following components: Oracle Data Pump, Oracle SQL\*Loader Direct Path Load, Oracle Label Security, Oracle Database Real Application Security, Oracle Database Vault, and the transmission protocol.

**DATAPUMP**

Use this clause to audit actions for Oracle Data Pump. For *component\_action*, specify the action to be audited. To view the valid actions for Oracle Data Pump, query the `NAME` column of the `AUDITABLE_SYSTEM_ACTIONS` view where `COMPONENT` is `Datapump`. For example:

```
SELECT name FROM auditable_system_actions WHERE component = 'Datapump';
```

Refer to *Oracle Database Security Guide* for complete information on auditing Oracle Data Pump.

**DIRECT\_LOAD**

Use this clause to audit actions for Oracle SQL\*Loader Direct Path Load. For *component\_action*, specify the action to be audited. To view the valid actions for Oracle SQL\*Loader Direct Path Load, query the `NAME` column of the `AUDITABLE_SYSTEM_ACTIONS` view where `COMPONENT` is `Direct path API`. For example:

```
SELECT name FROM auditable_system_actions WHERE component = 'Direct path API';
```

Refer to *Oracle Database Security Guide* for complete information on auditing Oracle SQL\*Loader Direct Path Load.

**OLS**

Use this clause to audit actions for Oracle Label Security. For *component\_action*, specify the action to be audited. To view the valid actions for Oracle Label Security,

query the `NAME` column of the `AUDITABLE_SYSTEM_ACTIONS` view where `COMPONENT` is Label Security. For example:

```
SELECT name FROM auditable_system_actions WHERE component = 'Label Security';
```

Refer to *Oracle Database Security Guide* for complete information on auditing Oracle Label Security.

## XS

Use this clause to audit actions for Oracle Database Real Application Security. For `component_action`, specify the action to be audited. To view the valid actions for Oracle Database Real Application Security, query the `NAME` column of the `AUDITABLE_SYSTEM_ACTIONS` view where `COMPONENT` is XS. For example:

```
SELECT name FROM auditable_system_actions WHERE component = 'XS';
```

Refer to *Oracle Database Security Guide* for complete information on auditing Oracle Database Real Application Security.

## DV

Use this clause to audit actions for Oracle Database Vault. For `component_action`, specify the action to be audited. To view the valid actions for Oracle Database Vault, query the `NAME` column of the `AUDITABLE_SYSTEM_ACTIONS` view where `COMPONENT` is Database Vault. For example:

```
SELECT name FROM auditable_system_actions WHERE component = 'Database Vault';
```

For `object_name`, specify the name of the Database Vault object to be audited.

Refer to *Oracle Database Security Guide* for complete information on auditing Oracle Database Vault.

## PROTOCOL

Use the `PROTOCOL` component to audit FTP and HTTP messages.

### Example 1: Audit all HTTP Messages

```
CREATE AUDIT POLICY mypolicy ACTIONS COMPONENT = PROTOCOL HTTP
AUDIT POLICY mypolicy
```

### Example 2: Audit Failed FTP Messages

```
CREATE AUDIT POLICY mypolicy ACTIONS COMPONENT = PROTOCOL FTP
AUDIT POLICY mypolicy WHENEVER NOT SUCCESSFUL
```

### Example 3: Audit HTTP Messages that had 401 AUTH Replies

```
CREATE AUDIT POLICY mypolicy ACTIONS COMPONENT = PROTOCOL AUTHENTICATION
AUDIT POLICY mypolicy
```

## *role\_audit\_clause*

Use this clause to specify one or more roles to be audited. When you audit a role, Oracle Database audits all system privileges that are granted directly to the role. SQL statements that require the system privileges in order to succeed are audited. For `role`, specify either a user-defined (local or external) or predefined role. For a list of predefined roles, refer to *Oracle Database Security Guide*.

## WHEN Clause

Use this clause to control when the unified audit policy is enforced.

### *audit\_condition*

Specify a condition that determines if the unified audit policy is enforced. If *audit\_condition* evaluates to `TRUE`, then the policy is enforced. If `FALSE`, then the policy is not enforced.

The *audit\_condition* can have a maximum length of 4000 characters. It can contain expressions, as well as the following functions and conditions:

- Numeric functions: `BITAND`, `CEIL`, `FLOOR`, `POWER`
- Character functions returning character values: `CONCAT`, `LOWER`, `UPPER`
- Character functions returning number values: `INSTR`, `LENGTH`
- Environment and identifier functions: `SYS_CONTEXT`, `UID`
- Comparison conditions: `=`, `!=`, `<>`, `<`, `>`, `<=`, `>=`
- Logical conditions: `AND`, `OR`
- Null conditions: `IS [NOT] NULL`
- `[NOT] BETWEEN` condition
- `[NOT] IN` condition

The *audit\_condition* must be enclosed in single quotation marks. If the *audit\_condition* contains a single quotation mark, then specify two single quotation marks instead. For example, to specify the following condition:

```
SYS_CONTEXT('USERENV', 'CLIENT_IDENTIFIER') = 'myclient'
```

Specify the following for '*audit\_condition*':

```
'SYS_CONTEXT(''USERENV'', ''CLIENT_IDENTIFIER'') = ''myclient'''
```

The `EVALUATE PER` clauses evaluate the audit condition per instance per container. For example, if a condition is evaluated in one container, it will be evaluated again in any other container even if the instance is same.

## EVALUATE PER STATEMENT

Specify this clause to evaluate the *audit\_condition* for each auditable statement for each instance in the container. If the *audit\_condition* evaluates to `TRUE`, then the unified audit policy is enforced for the statement. If `FALSE`, then the unified audit policy is not enforced for the statement.

## EVALUATE PER SESSION

Specify this clause to evaluate the *audit\_condition* once during the session. The *audit\_condition* is evaluated for the first auditable statement that is executed during the session. If the *audit\_condition* evaluates to `TRUE`, then the unified audit policy is enforced for all applicable statements for the rest of the session. If `FALSE`, then the unified audit policy is not enforced for all applicable statements for the rest of the session.

## EVALUATE PER INSTANCE

Specify this clause to evaluate the `audit_condition` once during the lifetime of the instance. The `audit_condition` is evaluated for the first auditable statement that is executed during the instance lifetime. If the `audit_condition` evaluates to `TRUE`, then the unified audit policy is enforced for all applicable statements for the rest of the lifetime of the instance. If `FALSE`, then the unified audit policy is not enforced for all applicable statements for the rest of the lifetime of the instance.

### ONLY TOPLEVEL

Specify the `ONLY TOPLEVEL` clause when you want to audit the SQL statements issued directly by a user.

SQL statements that are run from within a PL/SQL procedure are not considered top-level statements. You can audit top-level statements from all users, including user `SYS`.

For more see *Database Security Guide*.

### CONTAINER Clause

Use the `CONTAINER` clause to specify the scope of the unified audit policy.

- Specify `CONTAINER = ALL` to create a **common unified audit policy**. This type of policy is available to all pluggable databases (PDBs) in the CDB. The current container must be the root. If you specify the `ACTIONS object_action ON` or `ACTIONS ALL ON` clause, then you must specify a common object or an application common object.
- Specify `CONTAINER = CURRENT` to create a **local unified audit policy** in the current container. The current container can be the root or a PDB.

If you omit this clause, then `CONTAINER = CURRENT` is the default.



#### Note:

You cannot alter the scope of a unified audit policy after it has been created.

## Examples

### Auditing System Privileges: Example

The following statement creates unified audit policy `table_pol`, which audits the system privileges `CREATE ANY TABLE` and `DROP ANY TABLE`:

```
CREATE AUDIT POLICY table_pol
  PRIVILEGES CREATE ANY TABLE, DROP ANY TABLE;
```

The following statement verifies that `table_pol` now appears in the `AUDIT_UNIFIED_POLICIES` view:

```
SELECT *
  FROM audit_unified_policies
  WHERE policy_name = 'TABLE_POL';
```

### Auditing Actions on Objects: Examples

The following statement creates unified audit policy `dml_pol`, which audits `DELETE`, `INSERT`, and `UPDATE` actions on table `hr.employees`, and all auditable actions on table `hr.departments`:

```
CREATE AUDIT POLICY dml_pol
  ACTIONS DELETE on hr.employees,
         INSERT on hr.employees,
         UPDATE on hr.employees,
         ALL on hr.departments;
```

The following statement creates unified audit policy `read_dir_pol`, which audits READ actions on directory `bfile_dir` (created in "[Creating a Directory: Examples](#)"):

```
CREATE AUDIT POLICY read_dir_pol
  ACTIONS READ ON DIRECTORY bfile_dir;
```

### Auditing System Actions: Examples

The following query displays the standard RDBMS system actions that can be audited for the database:

```
SELECT name FROM auditable_system_actions
  WHERE component = 'Standard'
  ORDER BY name;
```

```
NAME
----
ADMINISTER KEY MANAGEMENT
ALL
ALTER ASSEMBLY
ALTER AUDIT POLICY
ALTER CLUSTER
...
```

The following statement creates unified audit policy `security_pol`, which audits the system action ADMINISTER KEY MANAGEMENT:

```
CREATE AUDIT POLICY security_pol
  ACTIONS ADMINISTER KEY MANAGEMENT;
```

The following statement creates unified audit policy `dir_pol`, which audits all read, write, and execute operations on any directory:

```
CREATE AUDIT POLICY dir_pol
  ACTIONS READ DIRECTORY, WRITE DIRECTORY, EXECUTE DIRECTORY;
```

The following statement creates unified audit policy `all_actions_pol`, which audits all standard RDBMS system actions for the database:

```
CREATE AUDIT POLICY all_actions_pol
  ACTIONS ALL;
```

### Auditing Component Actions: Example

The following query displays the actions that can be audited for Oracle Data Pump:

```
SELECT name FROM auditable_system_actions
  WHERE component = 'Datapump';
```

```
NAME
----
EXPORT
IMPORT
ALL
```



The following statement creates unified audit policy `dp_actions_pol`, which audits `IMPORT` actions for Oracle Data Pump:

```
CREATE AUDIT POLICY dp_actions_pol
  ACTIONS COMPONENT = datapump IMPORT;
```

### Auditing Roles: Example

The following statement creates unified audit policy `java_pol`, which audits the predefined roles `java_admin` and `java_deploy`:

```
CREATE AUDIT POLICY java_pol
  ROLES java_admin, java_deploy;
```

### Auditing System Privileges, Actions, and Roles: Example

The following statement creates unified audit policy `hr_admin_pol`, which audits multiple system privileges, actions, and roles:

```
CREATE AUDIT POLICY hr_admin_pol
  PRIVILEGES CREATE ANY TABLE, DROP ANY TABLE
  ACTIONS DELETE on hr.employees,
         INSERT on hr.employees,
         UPDATE on hr.employees,
         ALL on hr.departments,
         LOCK TABLE
  ROLES audit_admin, audit_viewer;
```

### Controlling When a Unified Audit Policy is Enforced: Examples

The following statement creates unified audit policy `order_updates_pol`, which audits `UPDATE` actions on table `oe.orders`. This policy is enforced only when the auditable statement is issued by an external user. The audit condition is checked once per session.

```
CREATE AUDIT POLICY order_updates_pol
  ACTIONS UPDATE ON oe.orders
  WHEN 'SYS_CONTEXT(''USERENV'', 'IDENTIFICATION_TYPE') = 'EXTERNAL''
  EVALUATE PER SESSION;
```

The following statement creates unified audit policy `emp_updates_pol`, which audits `DELETE`, `INSERT`, and `UPDATE` actions on table `hr.employees`. This policy is enforced only when the auditable statement is issued by a user who does not have a UID of 100, 105, or 107. The audit condition is checked for each auditable statement.

```
CREATE AUDIT POLICY emp_updates_pol
  ACTIONS DELETE on hr.employees,
         INSERT on hr.employees,
         UPDATE on hr.employees
  WHEN 'UID NOT IN (100, 105, 107)''
  EVALUATE PER STATEMENT;
```

### Creating a Local Unified Audit Policy: Example

The following statement creates local unified audit policy `local_table_pol`, which audits the system privileges `CREATE ANY TABLE` and `DROP ANY TABLE` in the current container:

```
CREATE AUDIT POLICY local_table_pol
  PRIVILEGES CREATE ANY TABLE, DROP ANY TABLE
  CONTAINER = CURRENT;
```

### Creating a Common Unified Audit Policy: Example

The following statement creates common unified audit policy `common_role1_pol`, which audits the common role `c##role1` (created in `CREATE ROLE "Examples"`) across the entire CDB:

```
CREATE AUDIT POLICY c##common_role1_pol
  ROLES c##role1
  CONTAINER = ALL;
```

### Creating an Audit Policy on Columns: Example

The audit policy `pol` generates an audit record when granting privileges on the column `job` in the `emp` table.

```
CREATE AUDIT POLICY pol ACTIONS GRANT(job) on scott.emp;
```

The audit policy `pol` generates an audit record when a new department number is inserted into the `dept` table.

```
CREATE AUDIT POLICY pol ACTIONS INSERT(deptno) on scott.dept;
```

## CREATE CLUSTER

### Purpose

Use the `CREATE CLUSTER` statement to create a cluster. A **cluster** is a schema object that contains data from one or more tables.

- An **indexed cluster** must contain more than one table, and all of the tables in the cluster have one or more columns in common. Oracle Database stores together all the rows from all the tables that share the same cluster key.
- In a **hash cluster**, which can contain one or more tables, Oracle Database stores together rows that have the same hash key value.

For information on existing clusters, query the `USER_CLUSTERS`, `ALL_CLUSTERS`, and `DBA_CLUSTERS` data dictionary views.



#### See Also:

- *Oracle Database Concepts* for general information on clusters
- *Oracle Database SQL Tuning Guide* for suggestions on when to use clusters
- *Oracle Database Reference* for information on the data dictionary views


### Prerequisites

To create a cluster in your own schema, you must have `CREATE CLUSTER` system privilege. To create a cluster in another user's schema, you must have `CREATE ANY CLUSTER` system privilege. Also, the owner of the schema to contain the cluster must have either space quota on the tablespace containing the cluster or the `UNLIMITED TABLESPACE` system privilege.

Oracle Database does not automatically create an index for a cluster when the cluster is initially created. Data manipulation language (DML) statements cannot be issued against cluster tables in an indexed cluster until you create a cluster index with a `CREATE INDEX` statement.


### Syntax

**`create_cluster::=`**




*(physical\_attributes\_clause::=, size\_clause::=, cluster\_range\_partitions::=)*

**`physical_attributes_clause::=`**




*(storage\_clause::=)*

***parallel\_clause::=***



***cluster\_range\_partitions::=***



*(range\_values\_clause::=, table\_partition\_description::=)*

**Semantics**

**IF NOT EXISTS**

Specifying `IF NOT EXISTS` has the following effects:

- If the cluster does not exist, a new cluster is created at the end of the statement.
- If the cluster exists, this is the cluster you have at the end of the statement. A new one is not created because the older cluster is detected.

Using `IF EXISTS` with `CREATE` results in `ORA-11543: Incorrect IF NOT EXISTS clause for CREATE statement.`

***schema***

Specify the schema to contain the cluster. If you omit `schema`, then Oracle Database creates the cluster in your current schema.

***cluster***

Specify is the name of the cluster to be created. The name must satisfy the requirements listed in "[Database Object Naming Rules](#)".

After you create a cluster, you add tables to it. A cluster can contain a maximum of 32 tables. Object tables and tables containing LOB columns or columns of the `Any*` Oracle-supplied types cannot be part of a cluster. After you create a cluster and add tables to it, the cluster is transparent. You can access clustered tables with SQL statements just as you can access nonclustered tables.

 **See Also:**

[CREATE TABLE](#) for information on adding tables to a cluster, "[Creating a Cluster: Example](#)", and "[Adding Tables to a Cluster: Example](#)"

## SHARING

Use the sharing clause if you want to create the cluster in an application root in the context of an application maintenance. This type of object is called an application common object and it can be shared with the application PDBs that belong to the application root.

You can specify how the object is shared using one of the following sharing attributes:

- `METADATA` - A metadata link shares the metadata, but its data is unique to each container. This type of object is referred to as a metadata-linked application common object.
- `NONE` - The object is not shared and can only be accessed in the application root.

### *column*

Specify one or more names of columns in the cluster key. You can specify up to 16 cluster key columns. These columns must correspond in both data type and size to columns in each of the clustered tables, although they need not correspond in name.

You cannot specify integrity constraints as part of the definition of a cluster key column. Instead, you can associate integrity constraints with the tables that belong to the cluster.

 **See Also:**

["Cluster Keys: Example"](#)

### *datatype*

Specify the data type of each cluster key column.

#### **Restrictions on Cluster Data Types**

Cluster data types are subject to the following restrictions:

- You cannot specify a cluster key column of data type `LONG`, `LONG RAW`, `REF`, nested table, `varray`, `BLOB`, `CLOB`, `BFILE`, the `Any*` Oracle-supplied types, or user-defined object type.
- You can specify a column of type `ROWID`, but Oracle Database does not guarantee that the values in such columns are valid rowids.

 **See Also:**

["Data Types "](#) for information on data types

## COLLATE

Use this clause to specify the data-bound collation for character data type columns in the cluster key.

For *column\_collation\_name*, specify the collation as follows:

- When creating an indexed cluster or a sorted hash cluster, you can specify one of the following collations: `BINARY`, `USING_NLS_COMP`, `USING_NLS_SORT`, or `USING_NLS_SORT_CS`.
- When creating a hash cluster that is not sorted, you can specify any valid named collation or pseudo-collation.

If you omit this clause, then columns in the cluster key inherit the effective schema default collation of the schema containing the cluster. Refer to the [DEFAULT\\_COLLATION](#) clause of `ALTER SESSION` for more information on the effective schema default collation.

The collations of cluster key columns must match the collations of the corresponding columns in the tables created in the cluster.

You can specify the `COLLATE` clause only if the `COMPATIBLE` initialization parameter is set to 12.2 or greater, and the `MAX_STRING_SIZE` initialization parameter is set to `EXTENDED`.

To change the collation of a cluster key column, you must recreate the cluster.

## SORT

The `SORT` keyword is valid only if you are creating a hash cluster. Table rows are hashed into buckets on cluster key columns without `SORT`, and then sorted in each bucket on the columns with this clause. This may improve response time during subsequent queries on the clustered data.

All columns without the `SORT` clause must come before all columns with the `SORT` clause in the `CREATE CLUSTER` statement.

### Restriction on Sorted Hash Clusters

Row dependency is not supported for sorted hash clusters.

#### See Also:

- See "[HASHKEYS Clause](#)" for information on creating a hash cluster.
- *Managing Hash Clusters* for more information.

### *physical\_attributes\_clause*

The *physical\_attributes\_clause* lets you specify the storage characteristics of the cluster. Each table in the cluster uses these storage characteristics as well. If you do not specify values for these parameters, then Oracle Database uses the following defaults:

- `PCTFREE: 10`

- PCTUSED: 40
- INITRANS: 2 or the default value of the tablespace to contain the cluster, whichever is greater

 **See Also:**

[physical\\_attributes\\_clause](#) and [storage\\_clause](#) for a complete description of these clauses

## SIZE

Specify the amount of space in bytes reserved to store all rows with the same cluster key value or the same hash value. This space determines the maximum number of cluster or hash values stored in a data block. If `SIZE` is not a divisor of the data block size, then Oracle Database uses the next largest divisor. If `SIZE` is larger than the data block size, then the database uses the operating system block size, reserving at least one data block for each cluster or hash value.

The database also considers the length of the cluster key when determining how much space to reserve for the rows having a cluster key value. Larger cluster keys require larger sizes. To see the actual size, query the `KEY_SIZE` column of the `USER_CLUSTERS` data dictionary view. (This value does not apply to hash clusters, because hash values are not actually stored in the cluster.)

If you omit this parameter, then the database reserves one data block for each cluster key value or hash value.

## TABLESPACE

Specify the tablespace in which the cluster is to be created.

## INDEX Clause

Specify `INDEX` to create an **indexed cluster**. In an indexed cluster, Oracle Database stores together rows having the same cluster key value. Each distinct cluster key value is stored only once in each data block, regardless of the number of tables and rows in which it occurs. If you specify neither `INDEX` nor `HASHKEYS`, then Oracle Database creates an indexed cluster by default.

After you create an indexed cluster, you must create an index on the cluster key before you can issue any data manipulation language (DML) statements against a table in the cluster. This index is called the **cluster index**.

You cannot create a cluster index for a hash cluster, and you need not create an index on a hash cluster key.

 **See Also:**

[CREATE INDEX](#) for information on creating a cluster index and *Oracle Database Concepts* for general information in indexed clusters

## HASHKEYS Clause

Specify the `HASHKEYS` clause to create a **hash cluster** and specify the number of hash values for the hash cluster. In a hash cluster, Oracle Database stores together rows that have the same hash key value. The hash value for a row is the value returned by the hash function of the cluster.

Oracle Database rounds up the `HASHKEYS` value to the nearest prime number to obtain the actual number of hash values. The minimum value for this parameter is 2. If you omit both the `INDEX` clause and the `HASHKEYS` parameter, then the database creates an indexed cluster by default.

When you create a hash cluster, the database immediately allocates space for the cluster based on the values of the `SIZE` and `HASHKEYS` parameters.

### See Also:

*Oracle Database Concepts* for more information on how Oracle Database allocates space for clusters and "[Hash Clusters: Examples](#)"

## SINGLE TABLE

`SINGLE TABLE` indicates that the cluster is a type of hash cluster containing only one table. This clause can provide faster access to rows in the table.

### Restriction on Single-table Clusters

Only one table can be present in the cluster at a time. However, you can drop the table and create a different table in the same cluster.

### See Also:

"[Single-Table Hash Clusters: Example](#)"

## HASH IS *expr*

Specify an expression to be used as the hash function for the hash cluster. The expression:

- Must evaluate to a positive value
- Must contain at least one column, with referenced columns of any data type as long as the entire expression evaluates to a number of scale 0. For example:  
`number_column * LENGTH(varchar2_column)`
- Cannot reference user-defined PL/SQL functions
- Cannot reference the pseudocolumns `LEVEL` or `ROWNUM`
- Cannot reference the user-related functions `USERENV`, `UID`, or `USER` or the datetime functions `CURRENT_DATE`, `CURRENT_TIMESTAMP`, `DBTIMEZONE`, `EXTRACT (datetime)`, `FROM_TZ`, `LOCALTIMESTAMP`, `NUMTODSINTERVAL`, `NUMTOYMINTERVAL`, `SESSIONTIMEZONE`,



SYSDATE, SYSTIMESTAMP, TO\_DSINTERVAL, TO\_TIMESTAMP, TO\_DATE, TO\_TIMESTAMP\_TZ, TO\_YMINTERVAL, and TZ\_OFFSET.

- Cannot evaluate to a constant
- Cannot be a scalar subquery expression
- Cannot contain columns qualified with a schema or object name (other than the cluster name)

If you omit the `HASH IS` clause, then Oracle Database uses an internal hash function for the hash cluster.

For information on existing hash functions, query the `USER_`, `ALL_`, and `DBA_CLUSTER_HASH_EXPRESSIONS` data dictionary tables.

The cluster key of a hash column can have one or more columns of any data type. Hash clusters with composite cluster keys or cluster keys made up of noninteger columns must use the internal hash function.



#### See Also:

*Oracle Database Reference* for information on the data dictionary views

### *parallel\_clause*

The *parallel\_clause* lets you parallelize the creation of the cluster.

For complete information on this clause, refer to [parallel\\_clause](#) in the documentation on `CREATE TABLE`.

### **NOROWDEPENDENCIES | ROWDEPENDENCIES**

This clause has the same behavior for a cluster that it has for a table. Refer to "[NOROWDEPENDENCIES | ROWDEPENDENCIES](#)" in `CREATE TABLE` for information.

### **CACHE | NOCACHE**

#### **CACHE**

Specify `CACHE` if you want the blocks retrieved for this cluster to be placed at the most recently used end of the least recently used (LRU) list in the buffer cache when a full table scan is performed. This clause is useful for small lookup tables.

#### **NOCACHE**

Specify `NOCACHE` if you want the blocks retrieved for this cluster to be placed at the least recently used end of the LRU list in the buffer cache when a full table scan is performed. This is the default behavior.

`NOCACHE` has no effect on clusters for which you specify `KEEP` in the *storage\_clause*.

### *cluster\_range\_partitions*

Specify the *cluster\_range\_partitions* clause to create a range-partitioned hash cluster. If you specify this clause, then you must also specify the `HASHKEYS` clause.

Use the *cluster\_range\_partitions* clause to partition the cluster on ranges of values from the column list. When you add a table to a range-partitioned hash cluster, it is automatically partitioned on the same columns, with the same number of partitions, and on the same partition bounds as the cluster. Oracle Database assigns system-generated names to the table partitions.

Each partitioning key column with a character data type must have one of the following declared collations: `BINARY`, `USING_NLS_COMP`, `USING_NLS_SORT`, or `USING_NLS_SORT_CS`.

The *cluster\_range\_partitions* clause has the same semantics as the *range\_partitions* clause of `CREATE TABLE`, except that here you cannot specify the `INTERVAL` clause. For complete information, refer to [range\\_partitions](#) in the documentation on `CREATE TABLE`.



### See Also:

["Range-Partitioned Hash Clusters: Example"](#)

## Examples

### Creating a Cluster: Example

The following statement creates a cluster named `personnel` with the cluster key column `department`, a cluster size of 512 bytes, and storage parameter values:

```
CREATE CLUSTER personnel
  (department NUMBER(4))
SIZE 512
STORAGE (initial 100K next 50K);
```

### Cluster Keys: Example

The following statement creates the cluster index on the cluster key of `personnel`:

```
CREATE INDEX idx_personnel ON CLUSTER personnel;
```

After creating the cluster index, you can add tables to the index and perform DML operations on those tables.

### Adding Tables to a Cluster: Example

The following statements create some departmental tables from the sample `hr.employees` table and add them to the `personnel` cluster created in the earlier example:

```
CREATE TABLE dept_10
  CLUSTER personnel (department_id)
  AS SELECT * FROM employees WHERE department_id = 10;

CREATE TABLE dept_20
  CLUSTER personnel (department_id)
  AS SELECT * FROM employees WHERE department_id = 20;
```

### Hash Clusters: Examples

The following statement creates a hash cluster named `language` with the cluster key column `cust_language`, a maximum of 10 hash key values, each of which is allocated 512 bytes, and storage parameter values:

```
CREATE CLUSTER language (cust_language VARCHAR2(3))
  SIZE 512 HASHKEYS 10
  STORAGE (INITIAL 100k next 50k);
```

Because the preceding statement omits the `HASH IS` clause, Oracle Database uses the internal hash function for the cluster.

The following statement creates a hash cluster named `address` with the cluster key made up of the columns `postal_code` and `country_id`, and uses a SQL expression containing these columns for the hash function:

```
CREATE CLUSTER address
  (postal_code NUMBER, country_id CHAR(2))
  HASHKEYS 20
  HASH IS MOD(postal_code + country_id, 101);
```

### Single-Table Hash Clusters: Example

The following statement creates a single-table hash cluster named `cust_orders` with the cluster key `customer_id` and a maximum of 100 hash key values, each of which is allocated 512 bytes:

```
CREATE CLUSTER cust_orders (customer_id NUMBER(6))
  SIZE 512 SINGLE TABLE HASHKEYS 100;
```

### Range-Partitioned Hash Clusters: Example

The following statement creates a range-partitioned hash cluster named `sales` with five range partitions based on the amount sold. The cluster key is made up of the columns `amount_sold` and `prod_id`. The cluster uses the hash function `(amount_sold * 10 + prod_id)` and has a maximum of 100000 hash key values, each of which is allocated 300 bytes.

```
CREATE CLUSTER sales (amount_sold NUMBER, prod_id NUMBER)
  HASHKEYS 100000
  HASH IS (amount_sold * 10 + prod_id)
  SIZE 300
  TABLESPACE example
  PARTITION BY RANGE (amount_sold)
    (PARTITION p1 VALUES LESS THAN (2001),
     PARTITION p2 VALUES LESS THAN (4001),
     PARTITION p3 VALUES LESS THAN (6001),
     PARTITION p4 VALUES LESS THAN (8001),
     PARTITION p5 VALUES LESS THAN (MAXVALUE));
```

### Create Cluster Tables: Example

The following statement creates a cluster named `emp_dept` with the default key size (600):

```
CREATE CLUSTER emp_dept (deptno NUMBER(3))
  SIZE 600
  TABLESPACE USERS
  STORAGE (INITIAL 200K
  NEXT 300K
  MINEXTENTS 2
  PCTINCREASE 33);
```

The following statement creates a cluster table named `dept` under `emp_dept` cluster:

```
CREATE TABLE dept (
  deptno NUMBER(3) PRIMARY KEY)
  CLUSTER emp_dept (deptno);
```

The following statement creates another cluster table named `empl` under `emp_dept` cluster:

```
CREATE TABLE empl (
  emplno NUMBER(5) PRIMARY KEY,
  emplname VARCHAR2(15) NOT NULL,
  deptno NUMBER(3) REFERENCES dept)
  CLUSTER emp_dept (deptno);
```

The following statement creates an index for the `emp_dept` cluster:

```
CREATE INDEX emp_dept_index
  ON CLUSTER emp_dept
  TABLESPACE USERS
  STORAGE (INITIAL 50K
  NEXT 50K
  MINEXTENTS 2
  MAXEXTENTS 10
  PCTINCREASE 33);
```

The following statement queries `USER_CLUSTERS` to display the cluster metadata:

```
SELECT CLUSTER_NAME, TABLESPACE_NAME, CLUSTER_TYPE, PCT_INCREASE,
  MIN_EXTENTS, MAX_EXTENTS FROM USER_CLUSTERS;
```

CLUSTER_NAME	TABLESPACE	CLUST	PCT_INCREASE	MIN_EXTENTS	MAX_EXTENTS
EMP_DEPT	USERS	INDEX	1	2147483645	

The following statement queries `USER_CLU_COLUMNS` to display the cluster metadata:

```
SELECT * FROM USER_CLU_COLUMNS;
```

CLUSTER_NAME	CLU_COLUMN_NAME	TABLE_NAME	TAB_COLUMN_NAME
EMP_DEPT	DEPTNO	DEPT	DEPTNO
EMP_DEPT	DEPTNO	EMPL	DEPTNO

The following statement queries `USER_INDEXES` to display the index attributes of the `emp_dept` cluster:

```
SELECT INDEX_NAME, INDEX_TYPE, PCT_INCREASE, MIN_EXTENTS, MAX_EXTENTS
  FROM USER_INDEXES WHERE TABLE_NAME='EMP_DEPT';
```

INDEX_NAME	INDEX_TYPE	PCT_INCREASE	MIN_EXTENTS	MAX_EXTENTS
EMP_DEPT_INDEX	CLUSTER	33	2	10

```
-----
EMP_DEPT_INDEX CLUSTER 1 2147483645
```

## CREATE CONTEXT

### Purpose

Use the `CREATE CONTEXT` statement to:

- Create a namespace for a **context** (a set of application-defined attributes that validates and secures an application)
- Associate the namespace with the externally created package that sets the context

You can use the `DBMS_SESSION.SET_CONTEXT` procedure in your designated package to set or reset the attributes of the context.

### See Also:

- *Oracle Database Security Guide* for a discussion of contexts
- *Oracle Database PL/SQL Packages and Types Reference* for information on the `DBMS_SESSION.SET_CONTEXT` procedure


### Prerequisites

To create a context namespace, you must have `CREATE ANY CONTEXT` system privilege.

Note that you cannot use a synonym for a package name in the `CREATE CONTEXT` command.

### Syntax

**`create_context ::=`**



### Semantics

#### OR REPLACE

Specify `OR REPLACE` to redefine an existing context namespace using a different package.

### ***namespace***

Specify the name of the context namespace to create or modify. The name must satisfy the requirements listed in "[Database Object Naming Rules](#)". Context namespaces are always stored in the schema `SYS`.



#### **See Also:**

"[Database Object Naming Rules](#)" for guidelines on naming a context namespace

### ***schema***

Specify the schema owning *package*. If you omit *schema*, then Oracle Database uses the current schema.

### ***package***

Specify the PL/SQL package that sets or resets the context attributes under the namespace for a user session.

To provide some design flexibility, Oracle Database does not verify the existence of the schema or the validity of the package at the time you create the context.

## **SHARING**

Use the sharing clause if you want to create the object in an application root in the context of an application maintenance. This type of object is called an application common object and it can be shared with the application PDBs that belong to the application root.

You can specify how the object is shared using one of the following sharing attributes:

- `METADATA` - A metadata link shares the metadata, but its data is unique to each container. This type of object is referred to as a metadata-linked application common object.
- `NONE` - The object is not shared and can only be accessed in the application root.

## **INITIALIZED Clause**

The `INITIALIZED` clause lets you specify an entity other than Oracle Database that can initialize the context namespace.

## **EXTERNALLY**

`EXTERNALLY` indicates that the namespace can be initialized using an OCI interface when establishing a session.

 **See Also:**

*Oracle Call Interface Programmer's Guide* for information on using OCI to establish a session

## GLOBALLY

`GLOBALLY` indicates that the namespace can be initialized by the LDAP directory when a global user connects to the database.

After the session is established, only the designated PL/SQL package can issue commands to write to any attributes inside the namespace.

 **See Also:**

*Oracle Database Security Guide* for information on establishing globally initialized contexts

## ACCESSED GLOBALLY

This clause indicates that any application context set in *namespace* is accessible throughout the entire instance. This setting lets multiple sessions share application attributes.

### Examples

#### Creating an Application Context: Example

This example uses a PL/SQL package `emp_mgmt`, which validates and secures a human resources application. See *Oracle Database PL/SQL Language Reference* for the example that creates that package. The following statement creates the context namespace `hr_context` and associates it with the package `emp_mgmt`:

```
CREATE CONTEXT hr_context USING emp_mgmt;
```

You can control data access based on this context using the `SYS_CONTEXT` function. For example, the `emp_mgmt` package has defined an attribute `department_id` as a particular department identifier. You can secure the base table `employees` by creating a view that restricts access based on the value of `department_id`, as follows:

```
CREATE VIEW hr_org_secure_view AS
  SELECT * FROM employees
  WHERE department_id = SYS_CONTEXT('hr_context', 'department_id');
```

 **See Also:**

[SYS\\_CONTEXT](#) and *Oracle Database Security Guide* for more information on using application contexts to retrieve user information

# CREATE CONTROLFILE

 **Note:**

Oracle recommends that you perform a full backup of all files in the database before using this statement. For more information, see *Oracle Database Backup and Recovery User's Guide*.

## Purpose

The `CREATE CONTROLFILE` statement should be used in only a few cases. Use this statement to re-create a control file if all control files being used by the database are lost **and** no backup control file exists. You can also use this statement to change the maximum number of redo log file groups, redo log file members, archived redo log files, data files, or instances that can concurrently have the database mounted and open.

To change the name of the database, Oracle recommends that you use the `DBNEWID` utility rather than the `CREATE CONTROLFILE` statement. `DBNEWID` is preferable because no `OPEN RESETLOGS` operation is required after changing the database name.

 **See Also:**

- *Oracle Database Utilities* for more information about the `DBNEWID` utility
- `ALTER DATABASE "BACKUP CONTROLFILE Clause"` for information creating a script based on an existing database control file

## Prerequisites


To create a control file, you must have the `SYSDBA` or `SYSBACKUP` system privilege.

The database must not be mounted by any instance. After successfully creating the control file, Oracle mounts the database in the mode specified by the `CLUSTER_DATABASE` parameter. The DBA must then perform media recovery before opening the database. If you are using the database with Oracle Real Application Clusters (Oracle RAC), then you must then shut down and remount the database in `SHARED` mode (by setting the value of the `CLUSTER_DATABASE` initialization parameter to `TRUE`) before other instances can start up.




**Syntax**

***create\_controlfile::=***



*(storage\_clause::=)*

***logfile\_clause::=***



*(file\_specification::=)*

***character\_set\_clause::=***



## Semantics

When you issue a `CREATE CONTROLFILE` statement, Oracle Database creates a new control file based on the information you specify in the statement. The control file resides in the location specified in the `CONTROL_FILES` initialization parameter. If that parameter does not have a value, then the database creates an Oracle-managed control file in the default control file destination, which is one of the following (in order of precedence):

1. One or more control files as specified in the `DB_CREATE_ONLINE_LOG_DEST_n` initialization parameter. The file in the first directory is the primary control file. When `DB_CREATE_ONLINE_LOG_DEST_n` is specified, the database does not create a control file in `DB_CREATE_FILE_DEST` or in `DB_RECOVERY_FILE_DEST` (the fast recovery area).
2. If no value is specified for `DB_CREATE_ONLINE_LOG_DEST_n`, but values are set for both the `DB_CREATE_FILE_DEST` and `DB_RECOVERY_FILE_DEST`, then the database creates one control file in each location. The location specified in `DB_CREATE_FILE_DEST` is the primary control file.
3. If a value is specified only for `DB_CREATE_FILE_DEST`, then the database creates one control file in that location.
4. If a value is specified only for `DB_RECOVERY_FILE_DEST`, then the database creates one control file in that location.

If no values are set for any of these parameters, then the database creates a control file in the default location for the operating system on which the database is running. This control file is not an Oracle Managed File.

If you omit any clauses, then Oracle Database uses the default values rather than the values for the previous control file. After successfully creating the control file, Oracle Database mounts the database in the mode specified by the initialization parameter `CLUSTER_DATABASE`. If that parameter is not set, then the default value is `FALSE`, and the database is mounted in `EXCLUSIVE` mode. Oracle recommends that you then shut down the instance and take a full backup of all files in the database.



### See Also:

*Oracle Database Backup and Recovery User's Guide*

## REUSE

Specify `REUSE` to indicate that existing control files identified by the initialization parameter `CONTROL_FILES` can be reused, overwriting any information they may currently contain. If you omit this clause and any of these control files already exists, then Oracle Database returns an error.

## DATABASE Clause

Specify the name of the database. The value of this parameter must be the existing database name established by the previous `CREATE DATABASE` statement or `CREATE CONTROLFILE` statement.

## SET DATABASE Clause

Use `SET DATABASE` to change the name of the database. The name of a database can be as long as eight bytes.

When you specify this clause, you must also specify `RESETLOGS`. If you want to rename the database and retain your existing log files, then after issuing this `CREATE CONTROLFILE` statement you must complete a full database recovery using an `ALTER DATABASE RECOVER USING BACKUP CONTROLFILE` statement.

### *logfile\_clause*

Use the *logfile\_clause* to specify the redo log files for your database. You must list all members of all redo log file groups.

Use the *redo\_log\_file\_spec* form of *file\_specification* (see [file\\_specification](#)) to list regular redo log files in an operating system file system or to list Oracle ASM disk group redo log files. When using a form of *ASM\_filename*, you cannot specify the *autoextend\_clause* of the *redo\_log\_file\_spec*.

If you specify `RESETLOGS` in this clause, then you must use one of the file creation forms of *ASM\_filename*. If you specify `NORESETLOGS`, then you must specify one of the reference forms of *ASM\_filename*.



#### See Also:

[ASM\\_filename](#) for information on the different forms of syntax and *Oracle Automatic Storage Management Administrator's Guide* for general information about using Oracle ASM

## GROUP *integer*

Specify the logfile group number. If you specify `GROUP` values, then Oracle Database verifies these values with the `GROUP` values when the database was last open.

If you omit this clause, then the database creates logfiles using system default values. In addition, if either the `DB_CREATE_ONLINE_LOG_DEST_n` or `DB_CREATE_FILE_DEST` initialization parameter has been set, and if you have specified `RESETLOGS`, then the database creates two logs in the default logfile destination specified in the `DB_CREATE_ONLINE_LOG_DEST_n` parameter, and if it is not set, then in the `DB_CREATE_FILE_DEST` parameter.



#### See Also:

[file\\_specification](#) for a full description of this clause

## RESETLOGS

Specify `RESETLOGS` if you want Oracle Database to ignore the contents of the files listed in the `LOGFILE` clause. These files do not have to exist. You must specify this clause if you have specified the `SET DATABASE` clause.

Each *redo\_log\_file\_spec* in the LOGFILE clause must specify the SIZE parameter. The database assigns all online redo log file groups to thread 1 and enables this thread for public use by any instance. After using this clause, you must open the database using the RESETLOGS clause of the ALTER DATABASE statement.

### NORESETLOGS

Specify NORESETLOGS if you want Oracle Database to use all files in the LOGFILE clause as they were when the database was last open. These files must exist and must be the current online redo log files rather than restored backups. The database reassigns the redo log file groups to the threads to which they were previously assigned and reenables the threads as they were previously enabled.

You cannot specify NORESETLOGS if you have specified the SET DATABASE clause to change the name of the database. Refer to "[SET DATABASE Clause](#)" for more information.

### DATAFILE Clause

Specify the data files of the database. You must list all data files. These files must all exist, although they may be restored backups that require media recovery.

Do not include in the DATAFILE clause any data files in read-only tablespaces. You can add these types of files to the database later. Also, do not include in this clause any temporary data files (temp files).

Use the *datafile\_tempfile\_spec* form of *file\_specification* (see [file\\_specification](#)) to list regular data files and temp files in an operating system file system or to list Oracle ASM disk group files. When using a form of *ASM\_filename*, you must use one of the reference forms of *ASM\_filename*. Refer to [ASM\\_filename](#) for information on the different forms of syntax.



#### See Also:

*Oracle Automatic Storage Management Administrator's Guide* for general information about using Oracle ASM

### Restriction on DATAFILE

You cannot specify the *autoextend\_clause* of *file\_specification* in this DATAFILE clause.

### MAXLOGFILES Clause

Specify the maximum number of online redo log file groups that can ever be created for the database. Oracle Database uses this value to determine how much space to allocate in the control file for the names of redo log files. The default and maximum values depend on your operating system. The value that you specify should not be less than the greatest GROUP value for any redo log file group.

### MAXLOGMEMBERS Clause

Specify the maximum number of members, or identical copies, for a redo log file group. Oracle Database uses this value to determine how much space to allocate in

the control file for the names of redo log files. The minimum value is 1. The maximum and default values depend on your operating system.

### **MAXLOGHISTORY Clause**

This parameter is useful only if you are using Oracle Database in `ARCHIVELOG` mode. Specify your current estimate of the maximum number of archived redo log file groups needed for automatic media recovery of the database. The database uses this value to determine how much space to allocate in the control file for the names of archived redo log files.

The minimum value is 0. The default value is a multiple of the `MAXINSTANCES` value and depends on your operating system. The maximum value is limited only by the maximum size of the control file. The database will continue to add additional space to the appropriate section of the control file as needed, so that you do not need to re-create the control file if your original configuration is no longer adequate. As a result, the actual value of this parameter can eventually exceed the value you specify.

### **MAXDATAFILES Clause**

Specify the initial sizing of the data files section of the control file at `CREATE DATABASE` or `CREATE CONTROLFILE` time. An attempt to add a file whose number is greater than `MAXDATAFILES`, but less than or equal to `DB_FILES`, causes the control file to expand automatically so that the data files section can accommodate more files.

The number of data files accessible to your instance is also limited by the initialization parameter `DB_FILES`.

### **MAXINSTANCES Clause**

Specify the maximum number of instances that can simultaneously have the database mounted and open. This value takes precedence over the value of the initialization parameter `INSTANCES`. The minimum value is 1. The maximum and default values depend on your operating system.

### **ARCHIVELOG | NOARCHIVELOG**

Specify `ARCHIVELOG` to archive the contents of redo log files before reusing them. This clause prepares for the possibility of media recovery as well as instance or system failure recovery.

If you omit both the `ARCHIVELOG` clause and `NOARCHIVELOG` clause, then Oracle Database chooses `NOARCHIVELOG` mode by default. After creating the control file, you can change between `ARCHIVELOG` mode and `NOARCHIVELOG` mode with the `ALTER DATABASE` statement.

### **FORCE LOGGING**

Use this clause to put the database into `FORCE LOGGING` mode after control file creation. When the database is in this mode, Oracle Database logs all changes in the database except changes to temporary tablespaces and temporary segments. This setting takes precedence over and is independent of any `NOLOGGING` or `FORCE LOGGING` settings you specify for individual tablespaces and any `NOLOGGING` settings you specify for individual database objects. If you omit this clause, then the database will not be in `FORCE LOGGING` mode after the control file is created.

 **Note:**

`FORCE LOGGING` mode can have performance effects. Refer to *Oracle Database Administrator's Guide* for information on when to use this setting.

## SET STANDBY NOLOGGING FOR DATA AVAILABILITY | LOAD PERFORMANCE

### SET STANDBY NOLOGGING

The `SET STANDBY NOLOGGING` disables logging on the standby. You can specify it in two modes:

- **SET STANDBY NOLOGGING FOR DATA AVAILABILITY** guarantees full data replication to the standby database. The primary and standby databases are synchronized during the load. In cases of network congestion the primary database will throttle its load.
- **SET STANDBY NOLOGGING FOR LOAD PERFORMANCE** to maintain speed of primary database load and synchronize with the standby later.

### Restrictions On SET STANDBY NOLOGGING

The `SET STANDBY NOLOGGING` clause cannot be used at the same time as `FORCE LOGGING`.

### *character\_set\_clause*

If you specify a character set, then Oracle Database reconstructs character set information in the control file. If media recovery of the database is subsequently required, then this information will be available before the database is open, so that tablespace names can be correctly interpreted during recovery. This clause is required only if you are using a character set other than the default, which depends on your operating system. Oracle Database prints the current database character set to the alert log in `$ORACLE_HOME/log` during startup.

If you are re-creating your control file and you are using Recovery Manager for tablespace recovery, and if you specify a different character set from the one stored in the data dictionary, then tablespace recovery will not succeed. However, at database open, the control file character set will be updated with the correct character set from the data dictionary.

You cannot modify the character set of the database with this clause.

 **See Also:**

*Oracle Database Backup and Recovery User's Guide* for more information on tablespace recovery

## Examples

### Creating a Controlfile: Example

This statement re-creates a control file. In this statement, database `demo` was created with the WE8DEC character set. The example uses the word `path` where you would normally insert the path on your system to the appropriate Oracle Database directories.

```
STARTUP NOMOUNT

CREATE CONTROLFILE REUSE DATABASE "demo" NORESETLOGS NOARCHIVELOG
  MAXLOGFILES 32
  MAXLOGMEMBERS 2
  MAXDATAFILES 32
  MAXINSTANCES 1
  MAXLOGHISTORY 449
LOGFILE
  GROUP 1 '/path/oracle/dbs/t_log1.f' SIZE 500K,
  GROUP 2 '/path/oracle/dbs/t_log2.f' SIZE 500K
# STANDBY LOGFILE
DATAFILE
  '/path/oracle/dbs/t_db1.f',
  '/path/oracle/dbs/dbu19i.dbf',
  '/path/oracle/dbs/tbs_11.f',
  '/path/oracle/dbs/smundo.dbf',
  '/path/oracle/dbs/demo.dbf'
CHARACTER SET WE8DEC
;
```

## CREATE DATABASE

### Note:

This statement prepares a database for initial use and erases any data currently in the specified files. Use this statement only when you understand its ramifications.

### Note:

In this release of Oracle Database and in subsequent releases, several enhancements are being made to ensure the security of default database user accounts. You can find a security checklist for this release in *Oracle Database Security Guide*. Oracle recommends that you read this checklist and configure your database accordingly.

### Purpose

Use the `CREATE DATABASE` statement to create a database, making it available for general use.

This statement erases all data in any specified data files that already exist in order to prepare them for initial database use. If you use the statement on an existing database, then all data in the data files is lost.

After creating the database, this statement mounts it in either exclusive or parallel mode, depending on the value of the `CLUSTER_DATABASE` initialization parameter and opens it, making it available for normal use. You can then create tablespaces for the database.

 See Also:


- [ALTER DATABASE](#) for information on modifying a database
- *Oracle Database Java Developer's Guide* for information on creating an Oracle Java virtual machine
- [CREATE TABLESPACE](#) for information on creating tablespaces

**Prerequisites**

To create a database, you must have the `SYSDBA` system privilege. An initialization parameter file with the name of the database to be created must be available, and you must be in `STARTUP NOMOUNT` mode.

**Syntax**


**`create_database::=`**



*(database\_logging\_clauses::=, tablespace\_clauses::=, set\_time\_zone\_clause::=, datafile\_tempfile\_spec::=, enable\_pluggable\_database::=)*




**database\_logging\_clauses::=**




*(file\_specification::=)*

**tablespace\_clauses::=**




*(file\_specification::=, default\_tablespace::=, default\_temp\_tablespace::=, undo\_tablespace::=, undo\_tablespace::=)*

**default\_tablespace::=**




**default\_temp\_tablespace::=**




*(file\_specification::=)*

**extent\_management\_clause::=**




*(size\_clause::=)*

**undo\_tablespace::=**




*(file\_specification::=)*

**set\_time\_zone\_clause::=**




**enable\_pluggable\_database::=**




([tablespace\\_datafile\\_clauses::=](#), [undo\\_mode\\_clause::=](#))

**file\_name\_convert::=**




**tablespace\_datafile\_clauses::=**



([size\\_clause::=](#), [autoextend\\_clause::=](#))

**undo\_mode\_clause::=**



**Semantics**

**database**

Specify the name of the database to be created. The name must match the value of the `DB_NAME` initialization parameter. The name can be up to 8 bytes long and can contain only ASCII characters. The following characters are valid in a database name: alphanumeric characters, underscore (`_`), number sign (`#`), and dollar sign (`$`). No other characters are valid. The database name must start with an alphabetic character. Oracle Database writes this name into the control file. If you subsequently issue an `ALTER DATABASE` statement that

explicitly specifies a database name, then Oracle Database verifies that name with the name in the control file.

The database name is case insensitive and is stored in uppercase ASCII characters. If you specify the database name as a quoted identifier, then the quotation marks are silently ignored.

 **Note:**

You cannot use special characters from European or Asian character sets in a database name. For example, characters with umlauts are not allowed.

If you omit the database name from a `CREATE DATABASE` statement, then Oracle Database uses the name specified by the initialization parameter `DB_NAME`. The `DB_NAME` initialization parameter must be set in the database initialization parameter file, and if you specify a different name from the value of that parameter, then the database returns an error. Refer to "[Database Object Naming Rules](#)" for additional rules to which database names should adhere.

#### **USER SYS ..., USER SYSTEM ...**

Use these clauses to establish passwords for the `SYS` and `SYSTEM` users. These clauses are not mandatory in this release. However, if you specify either clause, then you must specify both clauses.

If you do not specify these clauses, then Oracle Database creates the default password `change_on_install` for user `SYS`. You can change this password later with the `ALTER USER` statement.

 **See Also:**

[ALTER USER](#)

#### **CONTROLFILE REUSE Clause**

Specify `CONTROLFILE REUSE` to reuse existing control files identified by the initialization parameter `CONTROL_FILES`, overwriting any information they currently contain. Normally you use this clause only when you are re-creating a database, rather than creating one for the first time. When you create a database for the first time, Oracle Database creates a control file in the default destination, which is dependent on the value or several initialization parameters. See `CREATE CONTROLFILE`, "[Semantics](#)".

You cannot use this clause if you also specify a parameter value that requires that the control file be larger than the existing files. These parameters are `MAXLOGFILES`, `MAXLOGMEMBERS`, `MAXLOGHISTORY`, `MAXDATAFILES`, and `MAXINSTANCES`.

If you omit this clause and any of the files specified by `CONTROL_FILES` already exist, then the database returns an error.

### MAXDATAFILES Clause

Specify the initial sizing of the data files section of the control file at `CREATE DATABASE` or `CREATE CONTROLFILE` time. An attempt to add a file whose number is greater than `MAXDATAFILES`, but less than or equal to `DB_FILES`, causes the Oracle Database control file to expand automatically so that the data files section can accommodate more files.

The number of data files accessible to your instance is also limited by the initialization parameter `DB_FILES`.

### MAXINSTANCES Clause

Specify the maximum number of instances that can simultaneously have this database mounted and open. This value takes precedence over the value of initialization parameter `INSTANCES`. The minimum value is 1. The maximum value is 1055. The default depends on your operating system.

### CHARACTER SET Clause

Specify the character set the database uses to store data. The supported character sets and default value of this parameter depend on your operating system.

### Restriction on CHARACTER SET

You cannot specify the `AL16UTF16` character set as the database character set.

#### See Also:

*Oracle Database Globalization Support Guide* for more information about choosing a character set

### NATIONAL CHARACTER SET Clause

Specify the national character set used to store data in columns specifically defined as `NCHAR`, `NCLOB`, or `NVARCHAR2`. Valid values are `AL16UTF16` and `UTF8`. The default is `AL16UTF16`.

#### See Also:

*Oracle Database Globalization Support Guide* for information on Unicode data type support

### SET DEFAULT TABLESPACE Clause

Use this clause to determine the default type of subsequently created tablespaces and of the `SYSTEM` and `SYSAUX` tablespaces. Specify either `BIGFILE` or `SMALLFILE` to set the default type of subsequently created tablespaces as a bigfile or smallfile tablespace, respectively.

- A **bigfile tablespace** contains only one data file or temp file, which can contain up to approximately 4 billion ( $2^{32}$ ) blocks. The maximum size of the single data file or temp file is 128 terabytes (TB) for a tablespace with 32K blocks and 32TB for a tablespace with 8K blocks.

- A **smallfile tablespace** is a traditional Oracle tablespace, which can contain 1022 data files or temp files, each of which can contain up to approximately 4 million ( $2^{22}$ ) blocks.

If you omit this clause, then Oracle Database creates smallfile tablespaces by default.

#### See Also:

- *Oracle Database Administrator's Guide* for more information about bigfile tablespaces
- "[Setting the Default Type of Tablespaces: Example](#)" for an example using this syntax

### **database\_logging\_clauses**

Use the *database\_logging\_clauses* to determine how Oracle Database will handle redo log files for this database.

#### **LOGFILE Clause**

Specify one or more files to be used as redo log files. Use the *redo\_log\_file\_spec* form of *file\_specification* to create regular redo log files in an operating system file system or to create Oracle ASM disk group redo log files. When using a form of *ASM\_filename*, you cannot specify the *autoextend\_clause* of *redo\_log\_file\_spec*.

The *redo\_log\_file\_spec* clause specifies a redo log file group containing one or more redo log file members (copies). All redo log files specified in a `CREATE DATABASE` statement are added to redo log thread number 1.

#### See Also:

[file\\_specification](#) for a full description of this clause

If you omit the `LOGFILE` clause, then Oracle Database creates an Oracle-managed log file member in the default destination, which is one of the following locations (in order of precedence):

- If `DB_CREATE_ONLINE_LOG_DEST_n` is set, then the database creates a log file member in each directory specified, up to the value of the `MAXLOGMEMBERS` initialization parameter.
- If the `DB_CREATE_ONLINE_LOG_DEST_n` parameter is not set, but both the `DB_CREATE_FILE_DEST` and `DB_RECOVERY_FILE_DEST` initialization parameters are set, then the database creates one Oracle-managed log file member in each of those locations. The log file in the `DB_CREATE_FILE_DEST` destination is the first member.
- If only the `DB_CREATE_FILE_DEST` initialization parameter is specified, then Oracle Database creates a log file member in that location.
- If only the `DB_RECOVERY_FILE_DEST` initialization parameter is specified, then Oracle Database creates a log file member in that location.

In all these cases, the parameter settings must correctly specify operating system filenames or creation form Oracle ASM filenames, as appropriate.

If no values are set for any of these parameters, then the database creates a log file in the default location for the operating system on which the database is running. This log file is not an Oracle Managed File.

### **GROUP *integer***

Specify the number that identifies the redo log file group. The value of *integer* can range from 1 to the value of the `MAXLOGFILES` parameter. A database must have at least two redo log file groups. You cannot specify multiple redo log file groups having the same `GROUP` value. If you omit this parameter, then Oracle Database generates its value automatically. You can examine the `GROUP` value for a redo log file group through the dynamic performance view `V$LOG`.

### **MAXLOGFILES Clause**

Specify the maximum number of redo log file groups that can ever be created for the database. Oracle Database uses this value to determine how much space to allocate in the control file for the names of redo log files. The default, minimum, and maximum values depend on your operating system.

### **MAXLOGMEMBERS Clause**

Specify the maximum number of members, or copies, for a redo log file group. Oracle Database uses this value to determine how much space to allocate in the control file for the names of redo log files. The minimum value is 1. The maximum and default values depend on your operating system.

### **MAXLOGHISTORY Clause**

This parameter is useful only if you are using Oracle Database in `ARCHIVELOG` mode with Oracle Real Application Clusters (Oracle RAC). Specify the maximum number of archived redo log files for automatic media recovery of Oracle RAC. The database uses this value to determine how much space to allocate in the control file for the names of archived redo log files. The minimum value is 0. The default value is a multiple of the `MAXINSTANCES` value and depends on your operating system. The maximum value is limited only by the maximum size of the control file.

### **ARCHIVELOG**

Specify `ARCHIVELOG` if you want the contents of a redo log file group to be archived before the group can be reused. This clause prepares for the possibility of media recovery.

### **NOARCHIVELOG**

Specify `NOARCHIVELOG` if the contents of a redo log file group need not be archived before the group can be reused. This clause does not allow for the possibility of media recovery.

The default is `NOARCHIVELOG` mode. After creating the database, you can change between `ARCHIVELOG` mode and `NOARCHIVELOG` mode with the `ALTER DATABASE` statement.

### **FORCE LOGGING**

Use this clause to put the database into `FORCE LOGGING` mode. Oracle Database will log all changes in the database except for changes in temporary tablespaces and temporary segments. This setting takes precedence over and is independent of any `NOLOGGING` or `FORCE`

LOGGING settings you specify for individual tablespaces and any NOLOGGING settings you specify for individual database objects.

FORCE LOGGING mode is persistent across instances of the database. If you shut down and restart the database, then the database is still in FORCE LOGGING mode. However, if you re-create the control file, then Oracle Database will take the database out of FORCE LOGGING mode unless you specify FORCE LOGGING in the CREATE CONTROLFILE statement.

 **Note:**

FORCE LOGGING mode can have performance effects. Refer to *Oracle Database Administrator's Guide* for information on when to use this setting.

 **See Also:**

[CREATE CONTROLFILE](#)

## SET STANDBY NOLOGGING FOR DATA AVAILABILITY | LOAD PERFORMANCE

The SET STANDBY NOLOGGING disables logging on the standby. You can specify it in two modes:

- **SET STANDBY NOLOGGING FOR DATA AVAILABILITY** guarantees full data replication to the standby database. The primary and standby databases are synchronized during the load. In cases of network congestion the primary database will throttle its load.
- **SET STANDBY NOLOGGING FOR LOAD PERFORMANCE** to maintain speed of primary database load and synchronize with the standby later.

### Restrictions SET STANDBY NOLOGGING

The SET STANDBY NOLOGGING clause cannot be used at the same time as FORCE LOGGING.

#### *tablespace\_clauses*

Use the tablespace clauses to configure the SYSTEM and SYSAUX tablespaces and to specify a default temporary tablespace and an undo tablespace.

#### *extent\_management\_clause*

Use this clause to create a locally managed SYSTEM tablespace. If you omit this clause, then the SYSTEM tablespace will be dictionary managed.



 **Note:**

When you create a locally managed `SYSTEM` tablespace, you cannot change it to be dictionary managed, nor can you create any other dictionary-managed tablespaces in this database.

If you specify this clause, then the database must have a default temporary tablespace, because a locally managed `SYSTEM` tablespace cannot store temporary segments.

- If you specify `EXTENT MANAGEMENT LOCAL` but you do not specify the `DATAFILE` clause, then you can omit the `default_temp_tablespace` clause. Oracle Database will create a default temporary tablespace called `TEMP` with one data file of size 10M with autoextend disabled.
- If you specify both `EXTENT MANAGEMENT LOCAL` and the `DATAFILE` clause, then you must also specify the `default_temp_tablespace` clause and explicitly specify a temp file for that temporary tablespace.

If you have opened the instance in automatic undo mode, similar requirements exist for the database undo tablespace:

- If you specify `EXTENT MANAGEMENT LOCAL` but you do not specify the `DATAFILE` clause, then you can omit the `undo_tablespace` clause. Oracle Database will create an undo tablespace named `SYS_UNDOTBS`.
- If you specify both `EXTENT MANAGEMENT LOCAL` and the `DATAFILE` clause, then you must also specify the `undo_tablespace` clause and explicitly specify a data file for that tablespace.

 **See Also:**

*Oracle Database Administrator's Guide* for more information on locally managed and dictionary-managed tablespaces

### DATAFILE Clause

Specify one or more files to be used as data files. All these files become part of the `SYSTEM` tablespace. Use the data `file_tempfile_spec` form of `file_specification` to create regular data files and temp files in an operating system file system or to create Oracle ASM disk group files.

 **Note:**

This clause is optional, as is the `DATAFILE` clause of the `undo_tablespace` clause. Therefore, to avoid ambiguity, if your intention is to specify a data file for the `SYSTEM` tablespace with this clause, then do *not* specify it immediately after an `undo_tablespace` clause that does not include the optional `DATAFILE` clause. If you do so, then Oracle Database will interpret the `DATAFILE` clause to be part of the `undo_tablespace` clause.

The syntax for specifying data files for the `SYSTEM` tablespace is the same as that for specifying data files during tablespace creation using the `CREATE TABLESPACE` statement, whether you are storing files using Oracle ASM or in a file system.

**See Also:**

[CREATE TABLESPACE](#) for information on specifying data files

If you are running the database in automatic undo mode and you specify a data file name for the `SYSTEM` tablespace, then Oracle Database expects to generate data files for all tablespaces. Oracle Database does this automatically if you are using Oracle Managed Files—you have set a value for the `DB_CREATE_FILE_DEST` initialization parameter. However, if you are not using Oracle Managed Files and you specify this clause, then you must also specify the `undo_tablespace` clause and the `default_temp_tablespace` clause.

If you omit this clause, then:

- If the `DB_CREATE_FILE_DEST` initialization parameter is set, then Oracle Database creates a 100 MB Oracle-managed data file with a system-generated name in the default file destination specified in the parameter.
- If the `DB_CREATE_FILE_DEST` initialization parameter is not set, then Oracle Database creates one data file whose name and size depend on your operating system.

**See Also:**

[file\\_specification](#) for syntax

### **SYSAUX Clause**

Oracle Database creates both the `SYSTEM` and `SYSAUX` tablespaces as part of every database. Use this clause if you are not using Oracle Managed Files and you want to specify one or more data files for the `SYSAUX` tablespace.

You must specify this clause if you have specified one or more data files for the `SYSTEM` tablespace using the `DATAFILE` clause. If you are using Oracle Managed Files and you omit this clause, then the database creates the `SYSAUX` data files in the default location set up for Oracle Managed Files.

If you have enabled Oracle Managed Files and you omit the `SYSAUX` clause, then the database creates the `SYSAUX` tablespace as an online, permanent, locally managed tablespace with one data file of 100 MB, with logging enabled and automatic segment-space management.

The syntax for specifying data files for the `SYSAUX` tablespace is the same as that for specifying data files during tablespace creation using the `CREATE TABLESPACE` statement, whether you are storing files using Oracle ASM or in a file system.

 **See Also:**

- [CREATE TABLESPACE](#) for information on creating the `SYSAUX` tablespace during database upgrade and for information on specifying data files in a tablespace
- *Oracle Database Administrator's Guide* for more information on creating the `SYSAUX` tablespace

***default\_tablespace***

Specify this clause to create a default permanent tablespace for the database. Oracle Database creates a smallfile tablespace and subsequently will assign to this tablespace any non-`SYSTEM` users for whom you do not specify a different permanent tablespace. If you do not specify this clause, then the `SYSTEM` tablespace is the default permanent tablespace for non-`SYSTEM` users.

The `DATAFILE` clause and *extent\_management\_clause* have the same semantics they have in a `CREATE TABLESPACE` statement. Refer to "[DATAFILE | TEMPFILE Clause](#)" and [extent\\_management\\_clause](#) for information on these clauses.

***default\_temp\_tablespace***

Use this clause to create a default shared temporary tablespace or a default local temporary tablespace. Oracle Database will assign to these temporary tablespaces any users for whom you do not specify different temporary tablespaces.

- Specify `DEFAULT TEMPORARY TABLESPACE` to create a default shared temporary tablespace for the database. Shared temporary tablespaces were available in prior releases of Oracle Database and were called "temporary tablespaces." Elsewhere in this guide, the term "temporary tablespace" refers to a shared temporary tablespace unless specified otherwise. If you do not specify this clause, and if the database does not create a default shared temporary tablespace automatically in the process of creating a locally managed `SYSTEM` tablespace, then the `SYSTEM` tablespace is the default shared temporary tablespace.
- Starting with Oracle Database 12c Release 2 (12.2), you can specify `DEFAULT LOCAL TEMPORARY TABLESPACE` to create a default local temporary tablespace. Local temporary tablespaces are useful for Oracle Real Application Clusters and Oracle Flex Clusters. They store a separate, nonshared temp file for each database instance, which can improve I/O performance. A local temporary tablespace must be a `BIGFILE` tablespace.
  - Specify `FOR ALL` to instruct the database to create separate, nonshared temp files for all HUB and LEAF nodes.
  - Specify `FOR LEAF` to instruct the database to create separate nonshared temp files for only LEAF nodes. If you specify this clause, then HUB nodes will use the default shared temporary tablespace. For SQL operations that span both HUB and LEAF nodes, HUB nodes will use the default shared temporary tablespace and LEAF nodes will use the default local temporary tablespace.

If you do not create a local temporary tablespace, then HUB and LEAF nodes will use the default shared temporary tablespace.

Specify `BIGFILE` or `SMALLFILE` to determine whether the default temporary tablespace is a bigfile or smallfile tablespace. These clauses have the same semantics as in the "[SET DEFAULT TABLESPACE Clause](#)".

The `TEMPFILE` clause part of this clause is optional if you have enabled Oracle Managed Files by setting the `DB_CREATE_FILE_DEST` initialization parameter. If you have not specified a value for this parameter, then the `TEMPFILE` clause is required. If you have specified `BIGFILE`, then you can specify only one temp file in this clause.

The syntax for specifying temp files for the default temporary tablespace is the same as that for specifying temp files during temporary tablespace creation using the `CREATE TABLESPACE` statement, whether you are storing files using Oracle ASM or in a file system.

The `extent_management_clause` clause has the same semantics in `CREATE DATABASE` and `CREATE TABLESPACE` statements. For complete information, refer to the `CREATE TABLESPACE ... extent\_management\_clause`.



#### See Also:

[CREATE TABLESPACE](#) for information on specifying temp files



#### Note:

On some operating systems, Oracle does not allocate space for a temp file until the temp file blocks are actually accessed. This delay in space allocation results in faster creation and resizing of temp files, but it requires that sufficient disk space is available when the temp files are later used. To avoid potential problems, before you create or resize a temp file, ensure that the available disk space exceeds the size of the new temp file or the increased size of a resized temp file. The excess space should allow for anticipated increases in disk space use by unrelated operations as well. Then proceed with the creation or resizing operation.

### Restrictions on Default Temporary Tablespaces

Default temporary tablespaces are subject to the following restrictions:

- You cannot specify the `SYSTEM` tablespace in this clause.
- The default temporary tablespace must have a standard block size.

#### *undo\_tablespace*

If you have opened the instance in automatic undo mode (the `UNDO_MANAGEMENT` initialization parameter is set to `AUTO`, which is the default), then you can specify the `undo_tablespace` to create a tablespace to be used for undo data. Oracle strongly recommends that you use automatic undo mode. However, if you want undo space management to be handled by way of rollback segments, then you must omit this clause. You can also omit this clause if you have set a value for the `UNDO_TABLESPACE`

initialization parameter. If that parameter has been set, and if you specify this clause, then *tablespace* must be the same as that parameter value.

- Specify `BIGFILE` if you want the undo tablespace to be a bigfile tablespace. A **bigfile tablespace** contains only one data file, which can be up to 8 exabytes (8 million terabytes) in size.
- Specify `SMALLFILE` if you want the undo tablespace to be a smallfile tablespace. A **smallfile tablespace** is a traditional Oracle Database tablespace, which can contain 1022 data files or temp files, each of which can contain up to approximately 4 million ( $2^{22}$ ) blocks.
- The `DATAFILE` clause part of this clause is optional if you have enabled Oracle Managed Files by setting the `DB_CREATE_FILE_DEST` initialization parameter. If you have not specified a value for this parameter, then the `DATAFILE` clause is required. If you have specified `BIGFILE`, then you can specify only one data file in this clause.

The syntax for specifying data files for the undo tablespace is the same as that for specifying data files during tablespace creation using the `CREATE TABLESPACE` statement, whether you are storing files using Oracle ASM or in a file system.



#### See Also:

[CREATE TABLESPACE](#) for information on specifying data files

If you specify this clause, then Oracle Database creates an undo tablespace named *tablespace*, creates the specified data file(s) as part of the undo tablespace, and assigns this tablespace as the undo tablespace of the instance. Oracle Database will manage undo data using this undo tablespace. The `DATAFILE` clause of this clause has the same behavior as described in "[DATAFILE Clause](#)".

If you have specified a value for the `UNDO_TABLESPACE` initialization parameter in your initialization parameter file before mounting the database, then you must specify the same name in this clause. If these names differ, then Oracle Database will return an error when you open the database.

If you omit this clause, then Oracle Database creates a default database with a default smallfile undo tablespace named `SYS_UNDOTBS` and assigns this default tablespace as the undo tablespace of the instance. This undo tablespace allocates disk space from the default files used by the `CREATE DATABASE` statement, and it has an initial extent of 10M. Oracle Database handles the system-generated data file as described in "[DATAFILE Clause](#)". If Oracle Database is unable to create the undo tablespace, then the entire `CREATE DATABASE` operation fails.



#### See Also:

- *Oracle Database Administrator's Guide* for information on automatic undo management and undo tablespaces
- [CREATE TABLESPACE](#) for information on creating an undo tablespace after database creation

### ***set\_time\_zone\_clause***

Use the `SET TIME_ZONE` clause to set the time zone of the database. You can specify the time zone in two ways:

- By specifying a displacement from UTC (Coordinated Universal Time—formerly Greenwich Mean Time). The valid range of `hh:mi` is -12:00 to +14:00.
- By specifying a time zone region. To see a listing of valid time zone region names, query the `TZNAME` column of the `V$TIMEZONE_NAMES` dynamic performance view.

#### **Note:**

Oracle recommends that you set the database time zone to UTC (0:00). Doing so can improve performance, especially across databases, as no conversion of time zones will be required.

#### **See Also:**

*Oracle Database Reference* for information on the dynamic performance views

Oracle Database normalizes all `TIMESTAMP WITH LOCAL TIME_ZONE` data to the time zone of the database when the data is stored on disk. If you do not specify the `SET TIME_ZONE` clause, then the database uses the operating system time zone of the server. If the operating system time zone is not a valid Oracle Database time zone, then the database time zone defaults to UTC.

### **USER\_DATA TABLESPACE Clause**

This clause lets you create a tablespace that is used for storing user data and database options such as Oracle XML DB.

If you specify this clause when creating a multitenant container database (CDB), then the tablespace is created as part of the seed. Pluggable databases (PDBs) subsequently created using the seed will include this tablespace and its data file. The tablespace and data file specified in this clause are not used by the root.

Specify `BIGFILE` or `SMALLFILE` to determine whether the tablespace is a bigfile or smallfile tablespace. If you omit these clauses, then Oracle Database creates a tablespace of the type that you specify with the `SET DEFAULT TABLESPACE` clause. If you do not specify the `SET DEFAULT TABLESPACE` clause, then Oracle Database creates a smallfile tablespace. These clauses have the same semantics as in the "[SET DEFAULT TABLESPACE Clause](#)".

Use the `datafile_tempfile_spec` clause to specify one or more data files for the tablespace. Refer to [datafile\\_tempfile\\_spec](#) for the full semantics of this clause.

### ***enable\_pluggable\_database***

Starting with Oracle Database 21c, the `ENABLE_PLUGGABLE_DATABASE` initialization parameter is set to `TRUE` by default. If you set the `ENABLE_PLUGGABLE_DATABASE` initialization parameter to `FALSE`, the command will fail.

The `CREATE DATABASE enable_pluggable_database` statement creates a CDB that contains a root and a seed container. You then create PDBs in the CDB by using the `CREATE PLUGGABLE DATABASE` statement.

#### See Also:

- [Creating and configuring a cdb.](#)
- [CREATE PLUGGABLE DATABASE](#)
- ["Creating a CDB: Example"](#)

### ***file\_name\_convert***

Use the `file_name_convert` clause to determine how the database generates the names of files (such as data files and wallet files) associated with the seed by using the names of files associated with the root.

- For `filename_pattern`, specify a string found in file names associated with the root.
- For `replacement_filename_pattern`, specify a replacement string.

Oracle Database will replace `filename_pattern` with `replacement_filename_pattern` when generating the names of files associated with the seed.

File name patterns cannot match files or directories managed by Oracle Managed Files.

You can specify `FILE_NAME_CONVERT = NONE`, which is the same as omitting this clause. If you omit this clause, then the database first attempts to use Oracle Managed Files to generate seed file names. If you are not using Oracle Managed Files, then the database uses the `PDB_FILE_NAME_CONVERT` initialization parameter to generate file names. If this parameter is not set, then an error occurs.

### ***tablespace\_datafile\_clauses***

Use these clauses to specify attributes for all data files comprising the `SYSTEM` and `SYSAUX` tablespaces in the seed PDB. If you do not specify `SIZE size_clause`, then the data file size for a given tablespace will be set to a predetermined fraction of the size of the corresponding root data file. If you do not specify the `autoextend_clause`, then those values are inherited from the root.

Refer to [size\\_clause](#) and [autoextend\\_clause](#) for the full semantics of these clauses.

### ***undo\_mode\_clause***

This clause lets you specify local undo mode or shared undo mode for the CDB.

- Use `LOCAL UNDO ON` to specify local undo mode for the CDB. In this mode, every container in the CDB uses local undo.

- Use `LOCAL UNDO OFF` to specify shared undo mode for the CDB. In this mode, there is one active undo tablespace for a single-instance CDB, or for an Oracle RAC CDB, there is one active undo tablespace for each instance.

If you omit this clause, then the default is `LOCAL UNDO OFF`.

## USING MIRROR COPY

Use this clause to create a database with `new_database_name` using the prepared files of the mirror copy, identified by `mirror_name`.

## Examples

### Creating a Database: Example

The following statement creates a database and fully specifies each argument:

```
CREATE DATABASE sample
  CONTROLFILE REUSE
  LOGFILE
    GROUP 1 ('diskx:log1.log', 'disky:log1.log') SIZE 50K,
    GROUP 2 ('diskx:log2.log', 'disky:log2.log') SIZE 50K
  MAXLOGFILES 5
  MAXLOGHISTORY 100
  MAXDATAFILES 10
  MAXINSTANCES 2
  ARCHIVELOG
  CHARACTER SET AL32UTF8
  NATIONAL CHARACTER SET AL16UTF16
  DATAFILE
    'disk1:df1.dbf' AUTOEXTEND ON,
    'disk2:df2.dbf' AUTOEXTEND ON NEXT 10M MAXSIZE UNLIMITED
  DEFAULT TEMPORARY TABLESPACE temp_ts
  UNDO TABLESPACE undo_ts
  SET TIME_ZONE = '+02:00';
```

This example assumes that you have enabled Oracle Managed Files by specifying a value for the `DB_CREATE_FILE_DEST` parameter in your initialization parameter file. Therefore no file specification is needed for the `DEFAULT TEMPORARY TABLESPACE` and `UNDO TABLESPACE` clauses.

### Creating a CDB: Example

The following statement creates a CDB `newcdb`. The `ENABLE PLUGGABLE DATABASE` clause indicates that a CDB is being created. The CDB will contain a root (`CDB$ROOT`) and a seed (`PDB$SEED`). The `FILE_NAME_CONVERT` clause specifies that names of files for the seed will be generated by replacing `/u01/app/oracle/oradata/newcdb` in the names of files associated with the root with `/u01/app/oracle/oradata/pdbseed`.

```
CREATE DATABASE newcdb
  USER SYS IDENTIFIED BY sys_password
  USER SYSTEM IDENTIFIED BY system_password
  LOGFILE GROUP 1 ('/u01/logs/my/redo01a.log', '/u02/logs/my/redo01b.log')
    SIZE 100M BLOCKSIZE 512,
    GROUP 2 ('/u01/logs/my/redo02a.log', '/u02/logs/my/redo02b.log')
    SIZE 100M BLOCKSIZE 512,
    GROUP 3 ('/u01/logs/my/redo03a.log', '/u02/logs/my/redo03b.log')
    SIZE 100M BLOCKSIZE 512
  MAXLOGHISTORY 1
  MAXLOGFILES 16
```



```
MAXLOGMEMBERS 3
MAXDATAFILES 1024
CHARACTER SET AL32UTF8
NATIONAL CHARACTER SET AL16UTF16
EXTENT MANAGEMENT LOCAL
DATAFILE '/u01/app/oracle/oradata/newcdb/system01.dbf'
  SIZE 700M REUSE AUTOEXTEND ON NEXT 10240K MAXSIZE UNLIMITED
SYSAUX DATAFILE '/u01/app/oracle/oradata/newcdb/sysaux01.dbf'
  SIZE 550M REUSE AUTOEXTEND ON NEXT 10240K MAXSIZE UNLIMITED
DEFAULT TABLESPACE deftbs
  DATAFILE '/u01/app/oracle/oradata/newcdb/deftbs01.dbf'
  SIZE 500M REUSE AUTOEXTEND ON MAXSIZE UNLIMITED
DEFAULT TEMPORARY TABLESPACE tempts1
  TEMPFILE '/u01/app/oracle/oradata/newcdb/temp01.dbf'
  SIZE 20M REUSE AUTOEXTEND ON NEXT 640K MAXSIZE UNLIMITED
UNDO TABLESPACE undotbs1
  DATAFILE '/u01/app/oracle/oradata/newcdb/undotbs01.dbf'
  SIZE 200M REUSE AUTOEXTEND ON NEXT 5120K MAXSIZE UNLIMITED
ENABLE PLUGGABLE DATABASE
SEED
  FILE_NAME_CONVERT = ('/u01/app/oracle/oradata/newcdb/',
                      '/u01/app/oracle/oradata/pdbseed/')
  SYSTEM DATAFILES SIZE 125M AUTOEXTEND ON NEXT 10M MAXSIZE UNLIMITED
  SYSAUX DATAFILES SIZE 100M
USER_DATA TABLESPACE usertbs
  DATAFILE '/u01/app/oracle/oradata/pdbseed/usertbs01.dbf'
  SIZE 200M REUSE AUTOEXTEND ON MAXSIZE UNLIMITED;
```

## CREATE DATABASE LINK

### Purpose

Use the `CREATE DATABASE LINK` statement to create a database link. A **database link** is a schema object in one database that enables you to access objects on another database. The other database need not be an Oracle Database system. However, to access non-Oracle systems you must use Oracle Heterogeneous Services.

After you have created a database link, you can use it in SQL statements to refer to tables, views, and PL/SQL objects in the other database by appending `@dblink` to the table, view, or PL/SQL object name. You can query a table or view in the other database with the `SELECT` statement. You can also access remote tables and views using any `INSERT`, `UPDATE`, `DELETE`, or `LOCK TABLE` statement.

 **See Also:**

- *Oracle Database Development Guide* for information about accessing remote tables or views with PL/SQL functions, procedures, packages, and data types
- *Oracle Database Administrator's Guide* for information on distributed database systems
- *Oracle Database Reference* for descriptions of existing database links in the `ALL_DB_LINKS`, `DBA_DB_LINKS`, and `USER_DB_LINKS` data dictionary views and for information on monitoring the performance of existing links through the `V$DBLINK` dynamic performance view
- [ALTER DATABASE LINK](#) for information on altering a database link when the password of a connection or authentication user changes.
- [DROP DATABASE LINK](#) for information on dropping existing database links
- [INSERT](#) , [UPDATE](#) , [DELETE](#) , and [LOCK TABLE](#) for using links in DML operations


**Prerequisites**

To create a private database link, you must have the `CREATE DATABASE LINK` system privilege. To create a public database link, you must have the `CREATE PUBLIC DATABASE LINK` system privilege. Also, you must have the `CREATE SESSION` system privilege on the remote Oracle Database.


Oracle Net must be installed on both the local and remote Oracle Databases.

**Syntax**

*create\_database\_link::=*



*(dblink::=)*

***dblink\_authentication::=*****Semantics****SHARED**

Specify `SHARED` to create a database link that can be shared by multiple sessions using a single network connection from the source database to the target database. In a shared server configuration, shared database links can keep the number of connections into the remote database from becoming too large. Shared links are typically also public database links. However, a shared private database link can be useful when many clients access the same local schema, and therefore use the same private database link.

In a shared database link, multiple sessions in the source database share the same connection to the target database. Once a session is established on the target database, that session is disassociated from the connection, to make the connection available to another session on the source database. To prevent an unauthorized session from attempting to connect through the database link, when you specify `SHARED` you must also specify the `dblink_authentication` clause for the users authorized to use the database link.

 **See Also:**

*Oracle Database Administrator's Guide* for more information about shared database links

**PUBLIC**

Specify `PUBLIC` to create a public database link visible to all users. If you omit this clause, then the database link is private and is available only to you.

The data accessible on the remote database depends on the identity the database link uses when connecting to the remote database:

- If you specify `CONNECT TO user IDENTIFIED BY password`, then the database link connects with the specified user and password.
- If you specify `CONNECT TO CURRENT_USER`, then the database link connects with the user in effect based on the scope in which the link is used.
- If you omit both of those clauses, then the database link connects to the remote database as the locally connected user.

 **See Also:**

"Defining a Public Database Link: Example"

### *dblink*

Specify the complete or partial name of the database link. If you specify only the database name, then Oracle Database implicitly appends the database domain of the local database.

Use only ASCII characters for *dblink*. Multibyte characters are not supported. The database link name is case insensitive and is stored in uppercase ASCII characters. If you specify the database name as a quoted identifier, then the quotation marks are silently ignored.

If the value of the `GLOBAL_NAMES` initialization parameter is `TRUE`, then the database link must have the same name as the database to which it connects. If the value of `GLOBAL_NAMES` is `FALSE`, and if you have changed the global name of the database, then you can specify the global name.

The maximum number of database links that can be open in one session or one instance of an Oracle RAC configuration depends on the value of the `OPEN_LINKS` and `OPEN_LINKS_PER_INSTANCE` initialization parameters.

### Restriction on Creating Database Links

You cannot create a database link in another user's schema, and you cannot qualify *dblink* with the name of a schema. Periods are permitted in names of database links, so Oracle Database interprets the entire name, such as `ralph.linktosales`, as the name of a database link in your schema rather than as a database link named `linktosales` in the schema `ralph`.

#### See Also:

- "[References to Objects in Remote Databases](#)" for guidelines for naming database links
- *Oracle Database Reference* for information on the `GLOBAL_NAMES`, `OPEN_LINKS`, and `OPEN_LINKS_PER_INSTANCE` initialization parameters
- "[RENAME GLOBAL\\_NAME Clause](#)" (an `ALTER DATABASE` clause) for information on changing the database global name

### IF NOT EXISTS

Specifying `IF NOT EXISTS` has the following effects:

- If the database link does not exist, a new database link is created at the end of the statement.
- If the database link exists, this is the database link you have at the end of the statement. A new one is not created because the older database link is detected.

Using `IF EXISTS` with `CREATE` results in `ORA-11543: Incorrect IF NOT EXISTS clause for CREATE statement.`

### CONNECT TO Clause

The `CONNECT TO` clause lets you specify the user and credentials, if any, to be used to connect to the remote database.

### CURRENT\_USER Clause

Specify `CURRENT_USER` to create a **current user database link**. The current user must be a global user with a valid account on the remote database.

If the database link is used directly rather than from within a stored object, then the current user is the same as the connected user.

When executing a stored object (such as a procedure, view, or trigger) that initiates a database link, `CURRENT_USER` is the name of the user that owns the stored object, and not the name of the user that called the object. For example, if the database link appears inside procedure `scott.p` (created by `scott`), and user `jane` calls procedure `scott.p`, then the current user is `scott`.

However, if the stored object is an invoker-rights function, procedure, or package, then the invoker's authorization ID is used to connect as a remote user. For example, if the privileged database link appears inside procedure `scott.p` (an invoker-rights procedure created by `scott`), and user `Jane` calls procedure `scott.p`, then `CURRENT_USER` is `jane` and the procedure executes with Jane's privileges.

#### See Also:

- [CREATE FUNCTION](#) for more information on invoker-rights functions
- ["Defining a CURRENT\\_USER Database Link: Example"](#)

### *user IDENTIFIED BY password*

Specify the user name and password used to connect to the remote database using a **fixed user database link**. If you omit this clause, then the database link uses the user name and password of each user who is connected to the database. This is called a **connected user database link**.

You can set the password to a maximum length of 1024 bytes.

#### See Also:

- ["Defining a Fixed-User Database Link: Example"](#)

### *dblink\_authentication*

You can specify this clause only if you are creating a shared database link—that is, you have specified the `SHARED` clause. Specify the username and password on the target instance. This clause authenticates the user to the remote server and is required for security. The specified username and password must be a valid username and password on the remote instance.

The username and password are used only for authentication. No other operations are performed on behalf of this user.

### CONNECT WITH Clause

Use `CONNECT WITH` to specify the credential object that stores the username and password to connect to the remote database.

You can create, update, or drop the credential using the `DBMS_CREDENTIAL` package.

You can use a credential object belonging to another user, if that user has granted you execute privileges on the credential object.

### USING 'connect string'

Specify the service name of a remote database. If you specify only the database name, then Oracle Database implicitly appends the database domain to the connect string to create a complete service name. Therefore, if the database domain of the remote database is different from that of the current database, then you must specify the complete service name.



#### See Also:

*Oracle Database Administrator's Guide* for information on specifying remote databases

### Examples

The examples that follow assume two databases, one with the database name `local` and the other with the database name `remote`. The examples use the Oracle Database domain. Your database domain will be different.

#### Defining a Public Database Link: Example

The following statement defines a shared public database link named `remote` that refers to the database specified by the service name `remote`:

```
CREATE PUBLIC DATABASE LINK remote
  USING 'remote';
```

This database link allows user `hr` on the `local` database to update a table on the `remote` database (assuming `hr` has appropriate privileges):

```
UPDATE employees@remote
  SET salary=salary*1.1
  WHERE last_name = 'Baer';
```

#### Defining a Fixed-User Database Link: Example

In the following statement, user `hr` on the `remote` database defines a fixed-user database link named `local` to the `hr` schema on the `local` database:

```
CREATE DATABASE LINK local
  CONNECT TO hr IDENTIFIED BY password
  USING 'local';
```

After this database link is created, `hr` can query tables in the schema `hr` on the `local` database in this manner:

```
SELECT * FROM employees@local;
```

User `hr` can also use DML statements to modify data on the `local` database:

```
INSERT INTO employees@local
(employee_id, last_name, email, hire_date, job_id)
VALUES (999, 'Claus', 'sclaus@example.com', SYSDATE, 'SH_CLERK');

UPDATE jobs@local SET min_salary = 3000
WHERE job_id = 'SH_CLERK';

DELETE FROM employees@local
WHERE employee_id = 999;
```

Using this fixed database link, user `hr` on the `remote` database can also access tables owned by other users on the same database. This statement assumes that user `hr` has the `READ` or `SELECT` privilege on the `oe.customers` table. The statement connects to the user `hr` on the `local` database and then queries the `oe.customers` table:

```
SELECT * FROM oe.customers@local;
```

### Defining a `CURRENT_USER` Database Link: Example

The following statement defines a current-user database link to the `remote` database, using the entire service name as the link name:

```
CREATE DATABASE LINK remote.us.example.com
CONNECT TO CURRENT_USER
USING 'remote';
```

The user who issues this statement must be a global user registered with the LDAP directory service.

You can create a synonym to hide the fact that a particular table is on the `remote` database. The following statement causes all future references to `emp_table` to access the `employees` table owned by `hr` on the `remote` database:

```
CREATE SYNONYM emp_table
FOR oe.employees@remote.us.example.com;
```

## CREATE DIMENSION

### Purpose

Use the `CREATE DIMENSION` statement to create a **dimension**. A dimension defines a parent-child relationship between pairs of column sets, where all the columns of a column set must come from the same table. However, columns in one column set (called a **level**) can come from a different table than columns in another set. The optimizer uses these relationships with materialized views to perform **query rewrite**. The SQL Access Advisor uses these relationships to recommend creation of specific materialized views.

**Note:**

Oracle Database does not automatically validate the relationships you declare when creating a dimension. To validate the relationships specified in the *hierarchy\_clause* and the *dimension\_join\_clause* of CREATE DIMENSION, you must run the DBMS\_OLAP.VALIDATE\_DIMENSION procedure.

**See Also:**


- [CREATE MATERIALIZED VIEW](#) for more information on materialized views
- *Oracle Database SQL Tuning Guide* for more information on query rewrite, the optimizer and the SQL Access Advisor

**Prerequisites**


To create a dimension in your own schema, you must have the CREATE DIMENSION system privilege. To create a dimension in another user's schema, you must have the CREATE ANY DIMENSION system privilege. In either case, you must have the READ or SELECT object privilege on any objects referenced in the dimension.

**Syntax**


**create\_dimension ::=**



**level\_clause ::=**




**hierarchy\_clause ::=**







***dimension\_join\_clause::=***



***attribute\_clause::=***



***extended\_attribute\_clause::=***



**Semantics**

***schema***

Specify the schema in which the dimension will be created. If you do not specify *schema*, then Oracle Database creates the dimension in your own schema.

***dimension***

Specify the name of the dimension. The name must satisfy the requirements listed in "[Database Object Naming Rules](#)".

***level\_clause***

The *level\_clause* defines a level in the dimension. A level defines dimension hierarchies and attributes.

***level***

Specify the name of the level.

***level\_table . level\_column***

Specify the columns in the level. You can specify up to 32 columns. The tables you specify in this clause must already exist.

### **SKIP WHEN NULL**

Specify this clause to indicate that if the specified level is `NULL`, then the level is to be skipped. This clause lets you preserve the hierarchical chain of parent-child relationship by an alternative path that skips over the specified level. See [hierarchy\\_clause](#).

### **Restrictions on Dimension Level Columns**

Dimension level columns are subject to the following restrictions:

- All of the columns in a level must come from the same table.
- If columns in different levels come from different tables, then you must specify the *dimension\_join\_clause*.
- The set of columns you specify must be unique to this level.
- The columns you specify cannot be specified in any other dimension.
- Each *level\_column* must be non-null unless the level is specified with `SKIP WHEN NULL`. The non-null columns need not have `NOT NULL` constraints. The column for which you specify `SKIP WHEN NULL` cannot have a `NOT NULL` constraint).

### ***hierarchy\_clause***

The *hierarchy\_clause* defines a linear hierarchy of levels in the dimension. Each hierarchy forms a chain of parent-child relationships among the levels in the dimension. Hierarchies in a dimension are independent of each other. They may, but need not, have columns in common.

Each level in the dimension should be specified at most once in this clause, and each level must already have been named in the *level\_clause*.

### ***hierarchy***

Specify the name of the hierarchy. This name must be unique in the dimension.

### ***child\_level***

Specify the name of a level that has an n:1 relationship with a parent level. The *level\_columns* of *child\_level* cannot be null, and each *child\_level* value uniquely determines the value of the next named *parent\_level*.

If the child *level\_table* is different from the parent *level\_table*, then you must specify a join relationship between them in the *dimension\_join\_clause*.

### ***parent\_level***

Specify the name of a level.

### ***dimension\_join\_clause***

The *dimension\_join\_clause* lets you specify an inner equijoin relationship for a dimension whose columns are contained in multiple tables. This clause is required and permitted only when the columns specified in the hierarchy are not all in the same table.

***child\_key\_column***

Specify one or more columns that are join-compatible with columns in the parent level.

If you do not specify the schema and table of each *child\_column*, then the schema and table are inferred from the `CHILD OF` relationship in the *hierarchy\_clause*. If you do specify the schema and column of a *child\_key\_column*, then the schema and table must match the schema and table of columns in the child of *parent\_level* in the *hierarchy\_clause*.

***parent\_level***

Specify the name of a level.

**Restrictions on Join Dimensions**

Join dimensions are subject to the following restrictions:

- You can specify only one *dimension\_join\_clause* for a given pair of levels in the same hierarchy.
- The *child\_key\_columns* must be non-null, and the parent key must be unique and non-null. You need not define constraints to enforce these conditions, but queries may return incorrect results if these conditions are not true.
- Each child key must join with a key in the *parent\_level* table.
- Self-joins are not permitted. The *child\_key\_columns* cannot be in the same table as *parent\_level*.
- All of the child key columns must come from the same table.
- The number of child key columns must match the number of columns in *parent\_level*, and the columns must be joinable.
- You cannot specify multiple child key columns unless the parent level consists of multiple columns.

***attribute\_clause***

The *attribute\_clause* lets you specify the columns that are uniquely determined by a hierarchy level. The columns in *level* must all come from the same table as the *dependent\_columns*. The *dependent\_columns* need not have been specified in the *level\_clause*.

For example, if the hierarchy levels are `city`, `state`, and `country`, then `city` might determine `mayor`, `state` might determine `governor`, and `country` might determine `president`.

***extended\_attribute\_clause***

This clause lets you specify an attribute name for one or more level-to-column relations. The type of attribute you create with this clause is not different from the type of attribute created using the *attribute\_clause*. The only difference is that this clause lets you assign a name to the attribute that is different from the level name.

**Examples****Creating a Dimension: Examples**

This statement was used to create the `customers_dim` dimension in the sample schema `sh`:

```

CREATE DIMENSION customers_dim
  LEVEL customer IS (customers.cust_id)
  LEVEL city IS (customers.cust_city)
  LEVEL state IS (customers.cust_state_province)
  LEVEL country IS (countries.country_id)
  LEVEL subregion IS (countries.country_subregion)
  LEVEL region IS (countries.country_region)
  HIERARCHY geog_rollup (
    customer CHILD OF
    city CHILD OF
    state CHILD OF
    country CHILD OF
    subregion CHILD OF
    region
  )
  JOIN KEY (customers.country_id) REFERENCES country
)
ATTRIBUTE customer DETERMINES
(cust_first_name, cust_last_name, cust_gender,
 cust_marital_status, cust_year_of_birth,
 cust_income_level, cust_credit_limit)
ATTRIBUTE country DETERMINES (countries.country_name)
;

```

### Creating a Dimension with Extended Attributes: Example

Alternatively, the *extended\_attribute\_clause* could have been used instead of the *attribute\_clause*, as shown in the following example:

```

CREATE DIMENSION customers_dim
  LEVEL customer IS (customers.cust_id)
  LEVEL city IS (customers.cust_city)
  LEVEL state IS (customers.cust_state_province)
  LEVEL country IS (countries.country_id)
  LEVEL subregion IS (countries.country_subregion)
  LEVEL region IS (countries.country_region)
  HIERARCHY geog_rollup (
    customer CHILD OF
    city CHILD OF
    state CHILD OF
    country CHILD OF
    subregion CHILD OF
    region
  )
  JOIN KEY (customers.country_id) REFERENCES country
)
ATTRIBUTE customer_info LEVEL customer DETERMINES
(cust_first_name, cust_last_name, cust_gender,
 cust_marital_status, cust_year_of_birth,
 cust_income_level, cust_credit_limit)
ATTRIBUTE country DETERMINES (countries.country_name);

```

### Creating a Dimension with NULL Column Values: Example

The following example shows how to create the dimension if one of the level columns is null and you want to preserve the hierarchical chain. The example uses the `cust_marital_status` column for simplicity because it is not a NOT NULL column. If it had such a constraint, then you would have to disable the constraint before using the `SKIP WHEN NULL` clause.

```

CREATE DIMENSION customers_dim
  LEVEL customer IS (customers.cust_id)
  LEVEL status IS (customers.cust_marital_status) SKIP WHEN NULL

```

```

LEVEL city IS (customers.cust_city)
LEVEL state IS (customers.cust_state_province)
LEVEL country IS (countries.country_id)
LEVEL subregion IS (countries.country_subregion) SKIP WHEN NULL
LEVEL region IS (countries.country_region)
HIERARCHY geog_rollup (
  customer CHILD OF
  city CHILD OF
  state CHILD OF
  country CHILD OF
  subregion CHILD OF
  region
)
JOIN KEY (customers.country_id) REFERENCES country
)
ATTRIBUTE customer DETERMINES
(cust_first_name, cust_last_name, cust_gender,
 cust_marital_status, cust_year_of_birth,
 cust_income_level, cust_credit_limit)
ATTRIBUTE country DETERMINES (countries.country_name)
;

```

## CREATE DIRECTORY

### Purpose

Use the `CREATE DIRECTORY` statement to create a directory object. A directory object specifies an alias for a directory on the server file system where external binary file LOBs (`BFILES`) and external table data are located. You can use directory names when referring to `BFILES` in your PL/SQL code and OCI calls, rather than hard coding the operating system path name, for management flexibility.

All directories are created in a single namespace and are not owned by an individual schema. You can secure access to the `BFILES` stored within the directory structure by granting object privileges on the directories to specific users.



### See Also:

- ["Large Object \(LOB\) Data Types"](#) for more information on `BFILE` objects
- [GRANT](#) for more information on granting object privileges
- [external\\_table\\_clause::=](#) of `CREATE TABLE`

### Prerequisites

You must have the `CREATE ANY DIRECTORY` system privilege to create directories.

When you create a directory, you are automatically granted the `READ`, `WRITE`, and `EXECUTE` object privileges on the directory, and you can grant these privileges to other users and roles. The DBA can also grant these privileges to other users and roles.

`WRITE` privileges on a directory are useful in connection with external tables. They let the grantee determine whether the external table agent can write a log file or a bad file to the directory.

For file storage, you must also create a corresponding operating system directory, an Oracle Automatic Storage Management (Oracle ASM) disk group, or a directory within an Oracle ASM disk group. Your system or database administrator must ensure that the operating system directory has the correct read and write permissions for Oracle Database processes.

Privileges granted for the directory are created independently of the permissions defined for the operating system directory, and the two may or may not correspond exactly. For example, an error occurs if sample user `hr` is granted `READ` privilege on the directory object but the corresponding operating system directory does not have `READ` permission defined for Oracle Database processes.

### Restrictions

Symbolic links are not allowed in the directory object paths or filenames when opening `BFILE` objects. The entire directory path and filename is checked and the following error is returned if any symbolic link is found:


```
ORA-22288: file or LOB operation FILEOPEN failed soft link in path
```

### Workaround

If the database directory object or filename you are trying to open contains symbolic links, change it to provide the real path and filename.

### Syntax

***create\_directory ::=***



### Semantics

#### OR REPLACE

Specify `OR REPLACE` to re-create the directory database object if it already exists. You can use this clause to change the definition of an existing directory without dropping, re-creating, and regranted database object privileges previously granted on the directory.

Users who had previously been granted privileges on a redefined directory can still access the directory without being regranted the privileges.

**See Also:**

[DROP DIRECTORY](#) for information on removing a directory from the database

**IF NOT EXISTS**

Specifying `IF NOT EXISTS` has the following effects:

- If the directory does not exist, a new directory is created at the end of the statement.
- If the directory exists, this is the directory you have at the end of the statement. A new one is not created because the older one is detected.

You can have *one* of `OR REPLACE` or `IF NOT EXISTS` in a statement at a time. Using both `OR REPLACE` with `IF NOT EXISTS` in the very same statement results in the following error:

```
ORA-11541: REPLACE and IF NOT EXISTS cannot coexist in the same DDL statement.
```

Using `IF EXISTS` with `CREATE` results in `ORA-11543: Incorrect IF NOT EXISTS clause for CREATE statement.`

**SHARING**

This clause applies only when creating a directory in an application root. This type of directory is called an application common object and it can be shared with the application PDBs that belong to the application root. To determine how the directory is shared, specify one of the following sharing attributes:

- `METADATA` - A metadata link shares the directory's metadata, but its data is unique to each container. This type of directory is referred to as a **metadata-linked application common object**.
- `NONE` - The directory is not shared.

If you omit this clause, then the database uses the value of the `DEFAULT_SHARING` initialization parameter to determine the sharing attribute of the directory. If the `DEFAULT_SHARING` initialization parameter does not have a value, then the default is `METADATA`.

You cannot change the sharing attribute of a directory after it is created.

**See Also:**

- *Oracle Database Reference* for more information on the `DEFAULT_SHARING` initialization parameter
- *Oracle Database Administrator's Guide* for complete information on creating application common objects

**directory**

Specify the name of the directory object to be created. The name must satisfy the requirements listed in "[Database Object Naming Rules](#)".

Oracle Database does not verify that the directory you specify actually exists. Therefore, take care that you specify a valid directory in your operating system. In addition, if your operating

system uses case-sensitive path names, then be sure you specify the directory in the correct format. You need not include a trailing slash at the end of the path name.

Do not refer to a parent directory in the directory name. For example, the following syntax is valid:

```
CREATE DIRECTORY mydir AS '/scratch/data/file_data';
```

However, the following syntax is not valid:

```
CREATE DIRECTORY mydir AS '/scratch/../file_data';
```

### ***path\_name***

Specify the full path name of the operating system directory of the server where the files are located. The single quotation marks are required, with the result that the path name is case sensitive.

## **Examples**

### **Creating a Directory: Examples**

The following statement creates a directory database object that points to a directory on the server:

```
CREATE DIRECTORY admin AS '/disk1/oracle/admin';
```

The following statement redefines directory database object `bfile_dir` to enable access to `BFILES` stored in the operating system directory `/usr/bin/bfile_dir`:

```
CREATE OR REPLACE DIRECTORY bfile_dir AS '/usr/bin/bfile_dir';
```

# CREATE DISKGROUP



### **Note:**

This SQL statement is valid only if you are using Oracle ASM and you have started an Oracle ASM instance. You must issue this statement from within the Oracle ASM instance, not from a normal database instance. For information on starting an Oracle ASM instance, refer to *Oracle Automatic Storage Management Administrator's Guide*.

## **Purpose**

Use the `CREATE DISKGROUP` clause to name a group of disks and specify that Oracle Database should manage the group for you. Oracle Database manages a disk group as a logical unit and evenly spreads each file across the disks to balance I/O. Oracle Database also automatically distributes database files across all available disks in disk groups and rebalances storage automatically whenever the storage configuration changes.

This statement creates a disk group, assigns one or more disks to the disk group, and mounts the disk group for the first time. Note that `CREATE DISKGROUP` only mounts a disk group on the local node. If you want Oracle ASM to mount the disk group automatically in subsequent instances, then you must add the disk group name to the



value of the `ASM_DISKGROUPS` initialization parameter in the initialization parameter file. If you use an `SPFILE`, then the disk group is added to the initialization parameter automatically.

 **See Also:**

- [ALTER DISKGROUP](#) for information on modifying disk groups
- *Oracle Automatic Storage Management Administrator's Guide* for information on Oracle ASM and using disk groups to simplify database administration
- `ASM_DISKGROUPS` for more information about adding disk group names to the initialization parameter file
- `V$ASM_OPERATION` for information on monitoring Oracle ASM operations
- [DROP DISKGROUP](#) for information on dropping a disk group

### Prerequisites

You must have the `SYSASM` system privilege to issue this statement.


Before issuing this statement, you must format the disks using an operating system format utility. Also ensure that the Oracle Database user has read/write permission and the disks can be discovered using the `ASM_DISKSTRING`.

When you store your database files in Oracle ASM disk groups, rather than in a file system, before the database instance can access your files in the disk groups, you must configure and start up an Oracle ASM instance to manage the disk groups.


Each database instance communicates with a single Oracle ASM instance on the same node as the database. Multiple database instances on the same node can communicate with a single Oracle ASM instance.

## Syntax

***create\_diskgroup::=***



***qualified\_disk\_clause::=***



*(size\_clause::=)*

***diskgroup\_name***

Specify the name of the disk group. The name must satisfy the requirements listed in "Database Object Naming Rules ". However, disk groups are not schema objects.

### Note:

Oracle does not recommend using quoted identifiers for disk group names. These quoted identifiers are accepted when issuing the CREATE DISKGROUP statement in SQL\*Plus, but they may not be valid when using other tools that manage disk groups.

## REDUNDANCY Clause

The `REDUNDANCY` clause lets you specify the redundancy level of the disk group.

- `NORMAL REDUNDANCY` requires the existence of at least two failure groups (see the `FAILGROUP` clause that follows). Oracle ASM provides redundancy for all files in the disk group according to the attributes specified in the disk group templates. `NORMAL REDUNDANCY` disk groups can tolerate the loss of one group. Refer to [ALTER DISKGROUP ... `diskgroup\_template\_clauses`](#) for more information on disk group templates.

`NORMAL REDUNDANCY` is the default if you omit the `REDUNDANCY` clause. Therefore, if you omit this clause, you must create at least two failure groups, or the create operation will fail.

- `HIGH REDUNDANCY` requires the existence of at least three failure groups. Oracle ASM fixes mirroring at 3-way mirroring, with each extent getting two mirrored copies. `HIGH REDUNDANCY` disk groups can tolerate the loss of two failure groups.
- `FLEX REDUNDANCY` is a type of disk group that allows a database to specify its own redundancy after the disk group is created. A file's redundancy can also be changed after its creation. This type of disk group supports Oracle ASM file groups and quota groups. A flex disk group requires the existence of at least three failure groups. If a flex disk group has fewer than five failure groups, then it can tolerate the loss of one; otherwise, it can tolerate the loss of two failure groups. To create a flex disk group, the `COMPATIBLE.ASM` and `COMPATIBLE.RDBMS` disk group attributes must be set to 12.2 or greater.
- `EXTENDED REDUNDANCY` is a disk group that has all the features of a flex disk group in addition to being highly available in an extended cluster environment. The cluster contains nodes that span multiple physically separated sites. For more see [About Oracle ASM Extended Disk Groups](#)

You can use the `SITE` keyword to specify the redundancy of files and file groups in an extended disk group for each site, rather than for each disk group.

- `EXTERNAL REDUNDANCY` indicates that Oracle ASM does not provide any redundancy for the disk group. The disks within the disk group must provide redundancy (for example, using a storage array), or you must be willing to tolerate loss of the disk group if a disk fails (for example, in a test environment). You cannot specify the `FAILGROUP` clause if you specify `EXTERNAL REDUNDANCY`.

You cannot change the redundancy level after the disk group has been created, with the following exception: You can convert a normal or high redundancy disk group to a flex disk group. For more information, see the [convert\\_redundancy\\_clause](#) of `ALTER DISKGROUP`.

## QUORUM | REGULAR

Use these keywords to qualify either failure group or disk specifications.

- `REGULAR` disks, or disks in non-quorum failure groups, can contain any files.
- `QUORUM` disks, or disks in quorum failure groups, cannot contain any database files, the Oracle Cluster Registry (OCR), or dynamic volumes. However, `QUORUM` disks can contain the voting file for Cluster Synchronization Services (CSS). Oracle ASM uses quorum disks or disks in quorum failure groups for voting files whenever possible.

A quorum failure group is not considered when determining redundancy requirements with respect to storing user data.

If you specify neither keyword, then `REGULAR` is the default.

Specify either `QUORUM` or `REGULAR` before the keyword `FAILGROUP` if you are explicitly specifying the failure group. If you are creating a disk group with implicitly created failure groups, then specify these keywords before the keyword `DISK`.

 **See Also:**

*Oracle Automatic Storage Management Administrator's Guide* for more information about quorum and regular disks and failure groups

### FAILGROUP Clause

Use this clause to specify a name for one or more failure groups. If you omit this clause, and you have specified `NORMAL` or `HIGH REDUNDANCY`, then Oracle Database automatically adds each disk in the disk group to its own failure group. The implicit name of the failure group is the same as the operating system independent disk name (see "[NAME Clause](#)").

You cannot specify this clause if you are creating an `EXTERNAL REDUNDANCY` disk group.

### *qualified\_disk\_clause*

Specify `DISK qualified_disk_clause` to add a disk to a disk group.

### *search\_string*

For each disk you are adding to the disk group, specify the operating system dependent search string that Oracle ASM will use to find the disk. The *search\_string* must point to a subset of the disks returned by discovery using the strings in the `ASM_DISKSTRING` initialization parameter. If *search\_string* does not point to any disks the Oracle Database user has read/write access to, then Oracle ASM returns an error. If it points to one or more disks that have already been assigned to a different disk group, then Oracle Database returns an error unless you also specify `FORCE`.

For each valid candidate disk, Oracle ASM formats the disk header to indicate that it is a member of the new disk group.

 **See Also:**

The `ASM_DISKSTRING` initialization parameter for more information on specifying the search string

### NAME Clause

The `NAME` clause is valid only if the *search\_string* points to a single disk. This clause lets you specify an operating system independent name for the disk. The name can be up to 30 characters long and can contain only alphanumeric characters. The first character must be alphabetic. If you omit this clause and you assigned a label to a disk through `ASMLIB`, then that label is used as the disk name. If you omit this clause and you did not assign a label through `ASMLIB`, then Oracle ASM creates a default name of the form `diskgroupname_####`, where `####` is the disk number. You use this name to refer to the disk in subsequent Oracle ASM operations.

## SIZE Clause

Use this clause to specify in bytes the size of the disk. If you specify a size greater than the capacity of the disk, then Oracle ASM returns an error. If you specify a size less than the capacity of the disk, then you limit the disk space Oracle ASM will use. The size value must be identical for all disks in a disk group. If you omit this clause, then Oracle ASM attempts programmatically to determine the size of the disk.

## FORCE

Specify `FORCE` if you want Oracle ASM to add the disk to the disk group even if the disk is already a member of a different disk group.



### Note:

Using `FORCE` in this way may destroy existing disk groups.

For this clause to be valid, the disk must already be a member of a disk group and the disk cannot be part of a mounted disk group.

## NOFORCE

Specify `NOFORCE` if you want Oracle ASM to return an error if the disk is already a member of a different disk group. `NOFORCE` is the default.

## ATTRIBUTE Clause

Use this clause to set attribute values for the disk group. You can view the current attribute values by querying the `V$ASM_ATTRIBUTE` view. [Table 13-2](#) lists the attributes you can set with this clause. All attribute values are strings.

**Table 13-2** Disk Group Attributes

Attribute	Valid Values	Description
<code>ACCESS_CONTROL.ENABLED</code>	<code>true</code> or <code>false</code>	<p>Specifies whether Oracle ASM File Access Control is enabled for a disk group. If set to <code>true</code>, accessing Oracle ASM files is subject to access control. If <code>false</code>, any user can access every file in the disk group. All other operations behave independently of this attribute. The default value is <code>false</code>.</p> <p>If both the <code>compatible.rdbms</code> and <code>compatible.asm</code> attributes are set to at least 11.2, you can set this attribute in an <code>ALTER DISKGROUP ... SET ATTRIBUTE</code> statement. You cannot set this attribute when creating a disk group.</p> <p>When you set up file access control on an existing disk group, the files previously created remain accessible by everyone, unless you run the <code>ALTER DISKGROUP SET PERMISSION</code> statement to restrict the permissions.</p> <p><b>Note:</b> This attribute is used in conjunction with <code>ACCESS_CONTROL.UMASK</code> to manage Oracle ASM File Access Control. After setting the <code>ACCESS_CONTROL.ENABLED</code> disk attribute, you must set permissions with the <code>ACCESS_CONTROL.UMASK</code> attribute.</p>

Table 13-2 (Cont.) Disk Group Attributes

Attribute	Valid Values	Description
ACCESS_CONTROL.UMASK	A three-digit number where each digit is 0, 2, or 6.	<p>Determines which permissions are masked out on the creation of an Oracle ASM file for the user that owns the file (first digit), users in the same user group (second digit), and others not in the user group (third digit). This attribute applies to all files on a disk group. Setting to 0 masks out nothing. Setting to 2 masks out write permission. Setting to 6 masks out both read and write permissions. The default value is 066.</p> <p>If both the <code>compatible.rdbms</code> and <code>compatible.asm</code> attributes are set to at least 11.2, you can set this attribute in an <code>ALTER DISKGROUP ... SET ATTRIBUTE</code> statement. You cannot set this attribute when creating a disk group.</p> <p>When you set up file access control on an existing disk group, the files previously created remain accessible by everyone, unless you run the <code>ALTER DISKGROUP SET PERMISSION</code> statement to restrict the permissions.</p> <p><b>Note:</b> This attribute is used in conjunction with <code>ACCESS_CONTROL.ENABLED</code> to manage Oracle ASM File Access Control. Before setting <code>ACCESS_CONTROL.UMASK</code>, you must set <code>ACCESS_CONTROL.ENABLED</code> to <code>true</code>.</p>
AU_SIZE	Size in bytes. Valid values are powers of 2 from 1M to 64M. Examples '4M', '4194304'.	Specifies the allocation unit size. This attribute can be set only during disk group creation; it cannot be modified with an <code>ALTER DISKGROUP</code> statement.
COMPATIBLE.ADVM	Valid Oracle Database version number <sup>1</sup>	<p>Determines whether the disk group can contain Oracle ADVM volumes. The value must be set to 11.2 or higher. Before setting this attribute, the <code>COMPATIBLE.ASM</code> value must be 11.2 or higher. Also, the Oracle ADVM volume drivers must be loaded.</p> <p>By default, the value of the <code>COMPATIBLE.ADVM</code> attribute is empty until set.</p>
COMPATIBLE.ASM	Valid Oracle Database version number <sup>1</sup>	<p>Determines the minimum software version for an Oracle ASM instance that can use the disk group. This setting also affects the format of the data structures for the Oracle ASM metadata on the disk.</p> <p>For Oracle ASM in Oracle Database 11g, 10.1 is the default setting for the <code>COMPATIBLE.ASM</code> attribute when using the SQL <code>CREATE DISKGROUP</code> statement, the <code>ASMCMD mkgd</code> command, and Oracle Enterprise Manager <b>Create Disk Group</b> page. When creating a disk group with ASMCA, the default setting is 11.2.</p>

Table 13-2 (Cont.) Disk Group Attributes

Attribute	Valid Values	Description
COMPATIBLE.RDBMS	Valid Oracle Database version number <sup>1</sup>	<p>Determines the minimum COMPATIBLE database initialization parameter setting for any database instance that is allowed to use the disk group.</p> <p>Before advancing the COMPATIBLE.RDBMS attribute, ensure that the values for the COMPATIBLE initialization parameter for all of the databases that access the disk group are set to at least the value of the new setting for COMPATIBLE.RDBMS. For example, if the COMPATIBLE initialization parameters of the databases are set to either 11.1 or 11.2, then COMPATIBLE.RDBMS can be set to any value between 10.1 and 11.1 inclusively.</p> <p>For Oracle ASM in Oracle Database 11g, 10.1 is the default setting for the COMPATIBLE.RDBMS attribute when using the SQL CREATE DISKGROUP statement, the ASMCMD mkdgm command, ASMCA <b>Create Disk Group</b> page, and Oracle Enterprise Manager <b>Create Disk Group</b> page.</p>
CONTENT.CHECK	true or false	<p>Enables (true) or disables (false) content checking when performing data copy operations for rebalancing a disk group. You cannot set this attribute when creating a disk group.</p> <p>The default value is dependent on the COMPATIBLE.ASM attribute and follows this rule:</p> <ul style="list-style-type: none"> <li>If COMPATIBLE.ASM ≥ 19.0.0.0.0, then CONTENT.CHECK defaults to true.</li> <li>If COMPATIBLE.ASM &lt; 19.0.0.0.0, then CONTENT.CHECK defaults to false.</li> </ul> <p><b>Note:</b> This rule is ONLY true for the creation of new diskgroups. If the COMPATIBLE.ASM attribute of an existing diskgroup is updated to 19.0.0.0.0 or above, the CONTENT.CHECK attribute remains at its current value.</p>
DISK_REPAIR_TIME	0 to 136 years	<p>When disks are taken offline, Oracle ASM drops them after a default period of time. If both the compatible.rdbms and compatible.asm attributes are set to at least 11.1, you can set the disk_repair_time attribute in an ALTER DISKGROUP ... SET ATTRIBUTE statement to change that default period of time so that the disk can be repaired and brought back online. You cannot set this attribute when creating a disk group.</p> <p>The time can be specified in units of minute (M) or hour (H). The specified time elapses only when the disk group is mounted. If you omit the unit, then the default is H. If you omit this attribute, and both compatible.rdbms and compatible.asm are set to at least 11.1, then the default is 12 H. Otherwise the disk is dropped immediately. You can override this attribute with an ALTER DISKGROUP ... OFFLINE DISK statement and the DROP AFTER clause.</p> <p><b>Note:</b> If a disk is taken offline using the current value of disk_repair_time, and the value of this attribute is subsequently changed, then the changed value is used by Oracle ASM in the disk offline logic.</p> <p><b>See Also:</b> The ALTER DISKGROUP ... <a href="#">disk_offline_clause</a> and <i>Oracle Automatic Storage Management Administrator's Guide</i> for more information</p>

Table 13-2 (Cont.) Disk Group Attributes

Attribute	Valid Values	Description
FAILGROUP_REPAIR_TIME	<number>m (number of minutes) or <number>h (number of hours)	<p>Specifies a default repair time for the failure groups in the disk group. The failure group repair time is used if Oracle ASM determines that an entire failure group has failed. The default value is 24 hours (24h).</p> <p>If there is a repair time specified for a disk, such as with the DROP AFTER clause of the ALTER DISKGROUP OFFLINE DISK statement, then that disk repair time overrides the failure group repair time.</p> <p>This attribute can only be set when altering a disk group and is only applicable to normal and high redundancy disk groups.</p>
LOGICAL_SECTOR_SIZE	512, 4096, or 4K	<p>Sets the logical sector size of a disk group. This value specifies the smallest possible I/O that the disk group can accept. The default value is estimated from the disks that join the disk group.</p> <p>To set this disk group attribute during the creation of a disk group or to alter it after a disk group has been created, the COMPATIBLE.ASM disk group attribute must be set to 12.2 or higher.</p>
PHYS_META_REPLICATED	true or false	<p>Tracks the replication status of a disk group. When the Oracle ASM compatibility of a disk group is advanced to 12.0 or higher, the physical metadata of each disk, including its disk header, free space table blocks and allocation table blocks, is replicated. The replication is performed online asynchronously.</p> <p>PHYS_META_REPLICATED is set to true by Oracle ASM if the physical metadata of every disk in the disk group has been replicated.</p> <p>This disk group attribute is only defined in a disk group with the Oracle ASM disk group compatibility (COMPATIBLE.ASM) set to 12.0 and higher. This attribute is read-only and is intended for information only. You cannot set or change its value.</p>
PREFERRED_READ_ENABLED	true or false	<p>In an Oracle extended cluster, which contains nodes that span multiple physically separated sites, the PREFERRED_READ_ENABLED disk group attribute controls whether preferred read functionality is enabled for a disk group. If preferred read functionality is enabled, then this functionality enables an instance to determine and read from disks at the same site as itself, which can improve performance. For extended clusters, the default value is true. For clusters that are not extended (only one physical site), preferred read is disabled (false). Preferred read status applies to extended, normal, high, and flex redundancy disk groups.</p> <p>This disk group attribute is only defined in a disk group with the Oracle ASM disk group compatibility (COMPATIBLE.ASM) set to 12.2 and higher.</p>



Table 13-2 (Cont.) Disk Group Attributes

Attribute	Valid Values	Description
SECTOR_SIZE	512, 4096, or 4K	Sets the physical sector size of a disk group. All disks in the disk group must have this physical sector size. The default value is obtained from the disks that join the disk group.  To set this disk group attribute during the creation of a disk group, the COMPATIBLE.ASM and COMPATIBLE.RDBMS disk group attributes must be set to 11.2 or higher. To alter this disk group attribute after a disk group has been created, the COMPATIBLE.ASM disk group attribute must be set to 12.2 or higher.
THIN_PROVISIONED	true or false	Enables (true) or disables (false) the functionality to discard unused storage space after a disk group rebalance is completed. The default value is false.
CONTENT_HARDCHECK	true or false	CONTENT_HARDCHECK enables or disables Hardware Assisted Resilient Data (HARD) checking when performing data copy operations for rebalancing a disk group. This attribute can only be set when altering a disk group.

<sup>1</sup> Specify at least the first two digits of a valid Oracle Database release number. Refer to *Oracle Database Administrator's Guide* for information on specifying valid version numbers. For example, you can specify `compatibility` as '11.2' or '12.1'.

#### See Also:

*Oracle Automatic Storage Management Administrator's Guide* for more information on managing these attribute settings

### Examples

The following example assumes that the `ASM_DISKSTRING` parameter is a superset of `/devices/disks/c*`, `/devices/disks/c*` points to at least one device to be used as an Oracle ASM disk, and the Oracle Database user has read/write permission to the disks.

#### See Also:

*Oracle Automatic Storage Management Administrator's Guide* for information on Oracle ASM and using disk groups to simplify database administration

### Creating a Diskgroup: Example

The following statement creates an Oracle ASM disk group `dgroup_01` where no redundancy for the disk group is provided by Oracle ASM and includes all disks that match the `search_string`:

```
CREATE DISKGROUP dgroup_01
  EXTERNAL REDUNDANCY
  DISK '/devices/disks/c*';
```

# CREATE DOMAIN

## Purpose

Use `CREATE DOMAIN` to create a data use case domain. A use case domain is high-level dictionary object that belongs to a schema and encapsulates a set of optional properties and constraints.

You can define table columns to be associated with a domain, thereby explicitly applying the domain's optional properties and constraints to the columns.

At minimum, a domain must specify a built-in Oracle datatype. The qualified domain name should not collide with the qualified user-defined datatypes, or with Oracle built-in datatypes.

The domain datatype must be a single Oracle datatype. For Oracle character data type you must specify a maximum length, one of `VARCHAR2(L [CHAR|BYTE])`, `NVARCHAR2(L)`, `CHAR(L [CHAR|BYTE])`, or `NCHAR(L)`.

## Domain-Specific Expressions and Conditions

A domain expression can be one of *simple*, *datetime*, *interval*, *CASE*, *compound*, or *list domain expression* :

- A *simple domain expression* is one of `string`, `number`, `sequence.CURRVAL`, `sequence.NEXTVAL`, `NULL`, or `schema.domain`. It is similar to simple expressions, except that it references domain names instead of column names. It references domain names as qualified names, names of Oracle built-in domains or uses a `PUBLIC` synonym to a domain.
- A *datetime domain expression* is a datetime expression that references domain expressions only.
- An *interval domain expression* is defined just as a regular interval expression, except that it references domain expressions. For example, `(SYSTIMESTAMP - day_of_week) DAY(9) TO SECOND` is an interval domain expression.
- A *compound domain expression* is any of: `(expr)`, `expr op expr` with `op` `+`, `-`, `*`, `/`, `||`, or `expr COLLATE collation_name`, where `expr` is a domain expression.

### Examples of valid compound domain expressions

```
'email: ' || EmailAddress
```

```
day_of_week + INTERVAL '1' DAY
```

```
TO_CHAR>LastFour(SSN)
```

- A *case domain expression* is like a regular case expression except that it references domain expressions only.

### Examples of valid case domain expressions

```
CASE
  WHEN UPPER(DOMAIN_DISPLAY(day_of_week)) IN ('SAT','SUN')
  THEN 'weekend'
```

```

ELSE 'week day'
END

```

- Similar to the definition of use case domain expressions, a domain condition is like a regular SQL condition, except that it references only domain expressions. You can use the keyword `VALUE` in domain expressions instead of the domain name. For example:

```

CREATE DOMAIN day_of_week AS CHAR(3 CHAR)
CONSTRAINT day_of_week_c
CHECK (UPPER(VALUE) IN ('MON', 'TUE', 'WED', 'THU', 'FRI', 'SAT', 'SUN'))
DEFERRABLE INITIALLY DEFERRED
DISPLAY SUBSTR(VALUE, 1, 2);

```

## JSON Schema Using a Use Case Domain

You can register a JSON schema as a use case domain.

The following example creates domain `dj5` as a JSON schema object:

```

CREATE DOMAIN dj5 AS JSON CONSTRAINT dj5chk
CHECK (dj5 IS JSON validate
      '{
        "type": "object",
        "properties": {
          "a": {
            "type": "number"
          }
        }
      }')
);

```

You can then create a table `jtab` and associate column `jcol` with the domain `dj5`:

```

CREATE TABLE jtab(
  id NUMBER PRIMARY KEY,
  jcol JSON DOMAIN dj5
);

```


## Prerequisites

To create a domain in your own schema, you must have the `CREATE DOMAIN` system privilege.


To create a domain in another user's schema, you must have the `CREATE ANY DOMAIN` system privilege.

## Syntax


***create\_domain::=***




***create\_single\_column\_domain::=***




***enum\_list::=***




***enum\_item\_list::=***




***enum\_alias\_list::=***




***column\_properties\_clause::=***



**create\_multi\_column\_domain::=**




**create\_flexible\_domain::=**




**CASE Expressions**


**result\_expr::=**



**default\_clause::=**



***constraint\_clause*::=**



***annotations\_clause*::=**

For the full syntax and semantics of the *annotations\_clause* see [annotations\\_clause](#).

### Semantics

#### IF NOT EXISTS

Specifying `IF NOT EXISTS` has the following effects:

- If the domain does not exist, a new domain is created at the end of the statement.
- If the domain exists, a new one is not created because the older one is detected.

Using `IF EXISTS` with `CREATE` results in the following error: `Incorrect IF NOT EXISTS clause for CREATE statement.`

#### *domain\_name*

*domain\_name* follows the same restrictions as any type name and must not collide with the name of any object in the domain schema, any Oracle supplied data type, and any Oracle supplied domain.

These restrictions apply at a PDB-level in a CDB environment.

Note that domains are schema-level catalog objects, and therefore subject to schema-level object restrictions.

#### *datatype*

*datatype* must be an Oracle built-in data type like:

- `CHAR(L [CHAR|BYTE])`, `NCHAR(L)`, `VARCHAR(L [CHAR|BYTE])`, `VARCHAR2(L [CHAR|BYTE])`, `NVARCHAR2(L)`
- `NUMBER[p, [s]]`, `FLOAT`, `BINARY_FLOAT`, `BINARY_DOUBLE`
- `RAW`, `LONG RAW` (extended included)
- `DATE`, `TIMESTAMP (WITH (LOCAL) TIME ZONE)`, `INTERVAL`
- `BFILE`, `BLOB`, `CLOB`, `NCLOB`
- `JSON native datatype`
- `BOOLEAN`

## ENUM

Specify `ENUM` to create an enumeration domain. An enumeration domain consists of a set of names and, optionally, a value corresponding to name. The name has to be a valid SQL identifier and every specified value must be a literal or a constant expression. The values can be of any datatype that are supported for a SQL Domain, but all of them must agree on that datatype.

An enumeration domain has a default check-constraint, a display-expression, and an order-expression. This check-constraint cannot be dropped using `ALTER DOMAIN`.

The names inside a enumeration domain can be used wherever a literal is allowed in a scalar SQL expression, and the domain itself can be used in the `FROM` clause of a `SELECT` statement as if it were a table.

The collection of names (*name*) in an enumeration domain must be unique. There is no limit on number of names (or their aliases) in a enumeration, besides whatever limits already exist in Oracle SQL.

The datatype of all the values (*value*) must match. If you do not specify a value, the default value of the first name is 1, and the value of every other unspecified name is one more than the previous value.

The expression defining the default must be one of the enumeration names without any expression besides that.

## STRICT

When you specify `STRICT`, table columns linked with the domain must have the same data type limits as the corresponding domain columns. For example, if the data type of a domain column is `NUMBER(10)`, you can only associate it with columns declared as `NUMBER(10)`. Applying the domain to columns of `NUMBER(9)` or `NUMBER(11)` will raise a type error.

If you omit `STRICT`, you can link the domain to columns with type limits greater than or equal to the domain's limit. For example, you can apply a non-strict domain with the data type `NUMBER(10)` to columns with the data type `NUMBER(20)`.

If you associate a column with a domain without specifying the column's data type, then it uses `STRICT` semantics.

### *default\_clause*

If you specify the `ON NULL` clause, an implicit `NOT NULL` constraint is added.

### *default\_expression*

*default\_expression* must be a domain expression and must conform to all the restrictions on default column expressions of the given datatype, when applied to domain expressions:

- *default\_expression* cannot contain a SQL function that returns a domain reference, or a nested function invocation, and it cannot be a subquery expression.
- The datatype of *default\_expression* must match the domain's specified datatype.
- As a domain expression, *default\_expression* cannot refer to any table or column. It cannot refer to any other domain name.
- *default\_expression* may refer to `NEXTVAL` and `CURRVAL` for a sequence. It cannot reference a PL/SQL function.

### ***constraint\_clause***

Note that domain constraints can have optional names. They are `NOT NULL`, `NULL` or `CHECK` constraints. Multiple such constraint clauses can be specified both at the column and domain level.

The `CHECK` conditions as well as expressions in `ALTER DOMAIN` can only refer to domain columns. If the domain has a single column, the column name is either the domain name or the keyword `VALUE`, but the same expression cannot contain both domain name and `VALUE` as column name.

*constraint\_name* is optional. When specified, it must not collide with a name of any other constraint in the domain's schema (in the given PDB if in a CDB environment). When not specified, a system-generated name will be used. Domain constraints follow the same rules as table and column-level constraints: a named table or column-level constraint cannot coincide with the name of any other constraint in the same schema. Domain constraints can share names with tables, even in the same schema. They can share names with columns, and it is possible for a constraint to have the same name as the table or column it is defined on.

The `CHECK` condition must be a domain logical condition and must conform to all the restrictions on `CHECK` constraints translated to domain expressions:

- It can only refer to *domain\_name*, like a `CHECK` constraint on a column can only refer to a column. It cannot refer to any columns in any table or view, even within the domain schema.
- Subquery or scalar query expressions cannot be used.
- Condition cannot refer to non-deterministic functions (like `CURRENT_DATE`), or user-defined PL/SQL functions.
- `CHECK IS JSON (STRICT)` constraints are allowed.

`CHECK IS JSON (VALIDATE USING schema_constant_text)` is allowed. You can specify the JSON schema and use it to validate that the JSON column respects the schema definition that is specified. *schema\_constant\_text* can be a constant literal with the JSON schema text, or a bind variable for the JSON schema text. The bind must be a runtime constant. It cannot be a domain.

If you use the `IS JSON` constraint without specifying `VALIDATE USING schema_constraint`, any JSON value will be accepted. But when you specify a JSON Schema with `VALIDATE USING schema_constraint`, and the entered input data into the table column does not follow the schema, a JSON schema validation error is raised.

You can use shorthand syntax to specify the JSON schema with `VALIDATE USING schema_constant_text`.

Just as for table and column-level constraints, you can specify only one JSON constraint for a given table column

- The `CHECK` constraint condition is applied to one value at a time, and it is satisfied if the `CHECK` condition, with *domain\_name* substituted by the value, evaluates to `TRUE` or `UNKNOWN`.

Domain constraints may be enforced in any order.



NULL constraint means that values of the domain are allowed to be NULL, and this is the default.

When *constraint\_state* is not specified, the constraint is NOT DEFERABLE INITIALLY IMMEDIATE.

### **COLLATE**

When collation is specified, it conforms to all the restrictions of column-level or schema-level collation. The datatype must be a character data type if collation is specified.

An error will be raised when creating a table with a column marked of a domain with a collation different than the column's collation.

An error will be raised when altering a column to have a collation different than the collation of the column's domain.

This should ensure the invariant that all columns of a domain with a collation specified have the same collation as that of their domain. If no collation is specified and datatype is collatable, the column's collation will be used if specified, or otherwise the underlying default datatype collation in the domain's schema is used.

If no collation is specified and datatype is collatable, the column's collation will be used if specified.

You can specify the COLLATE clause only if the COMPATIBLE initialization parameter is set to 12.2 or greater, and the MAX\_STRING\_SIZE initialization parameter is set to EXTENDED.

### ***display\_expression***

Use *display\_expression* to format the data according to domain specifications. It can be of any data type allowed as a domain data type. *display\_expression* must be a domain expression that does not contain table or view columns, subqueries, non-deterministic functions, or PL/SQL functions. It can refer to *domain\_name*. If you do not specify collation for the expression, then *display\_expression* uses the domain's collation, if it is specified.

### ***order\_expression***

Use *order\_expression* to order and compare values for domain specifications.

*order\_expression* must conform to the same restrictions as *display\_expressions*, and additionally must be of a byte or char-comparable data type. It returns *order\_expression* with *domain\_name* replaced by expression, if *order\_expression* is specified for the expression's domain, or expression otherwise

### ***annotations\_clause***

For examples of the *annotations\_clause* see the examples at the end.

For the full semantics of the annotations clause see [annotations\\_clause](#).

### **FROM Clause of Create Flexible Domain**

*expr* and *comparison\_expr* reference domain discriminant columns in the list *domain\_discriminant\_column*.

The FROM clause for flexible domain is either a DECODE or a CASE expression that refers only to discriminant column names (in the list following CHOOSE DOMAIN USING) in the search expressions and has only domain name followed by a list of columns in the result

expressions. The columns in the result expression must be only columns in the domain column list (following CREATE FLEXIBLE DOMAIN).

## Examples

### Create Domain year\_of\_birth

The following example creates the single column domain `year_of_birth`. The check constraint ensures that the column's value is an integer with a value greater than or equal to 1900. The display clause formats the output of calls to `domain_display` to either 19-YY or 20-YY, where YY is the last two digits of the value. The order clause sorts calls to `domain_order` in order by the column value minus 1900.

```
CREATE DOMAIN year_of_birth AS NUMBER(4)
    CONSTRAINT CHECK ( (trunc(year_of_birth) = year_of_birth) and
(year_of_birth >= 1900) )
    DISPLAY (CASE WHEN year_of_birth < 2000 THEN '19-' ELSE '20-' END) ||
MOD(year_of_birth, 100)
    ORDER year_of_birth-1900 ;
```

### Create Domain day\_of\_week

The following statement creates the single column domain `day_of_week`. The check constraint ensures that its values are one of MON, TUE, WED, THU, FRI, SAT, SUN. The initially deferred clause delays validation of these values until commit time. The order clause ensures the values are sorted by day of week instead of alphabetically when calling `domain_order`.

```
CREATE DOMAIN day_of_week AS CHAR(3 CHAR)
    CONSTRAINT day_of_week_c
    CHECK (day_of_week IN ('MON', 'TUE', 'WED', 'THU', 'FRI', 'SAT', 'SUN'))
    INITIALLY DEFERRED
    ORDER CASE day_of_week
        WHEN 'MON' THEN 0
        WHEN 'TUE' THEN 1
        WHEN 'WED' THEN 2
        WHEN 'THU' THEN 3
        WHEN 'FRI' THEN 4
        WHEN 'SAT' THEN 5
        WHEN 'SUN' THEN 6
        ELSE 7
    END;
```

From 23.3 you can associate columns of data type `CHAR(L CHAR)` with the domain with any value for L.

### Create Domain email

The following example creates the sequence `email_seq`. It then creates the single column domain `email`. This uses the sequence to generate email addresses in the form `nnn@domain.com` when you insert null into columns with this domain, where `nnn` are the numbers generated by the sequence. The constraint ensures that email addresses are of the form `sss@sss.sss`, where `sss` is any nonwhitespace character.

The display clause formats the output of calls to `domain_display` to `---sss.sss`, where `sss` is the nonwhitespace characters after the @ sign.

```
CREATE SEQUENCE IF NOT EXISTS email_seq;
```

```
CREATE DOMAIN email AS VARCHAR2(30)
  DEFAULT ON NULL email_seq.NEXTVAL || '@domain.com'
  CONSTRAINT EMAIL_C CHECK (REGEXP_LIKE (email, '^(\\S+)\\@(\\S+)\\.\\(\\S+)$'))
  DISPLAY '---' || SUBSTR(email, INSTR(email, '@') + 1);
```

### Create a Strict Domain dept\_codes

The following statement creates the domain `dept_codes`. The check constraint ensures its values are greater than 99 excluding 200. It adds the annotation `Title` with the value "Domain Annotation". You can only link this domain with columns of type `NUMBER(3)`.

```
CREATE DOMAIN dept_codes AS NUMBER(3) STRICT
  CONSTRAINT dept_chk CHECK (dept_codes > 99 AND dept_codes != 200)
  ANNOTATIONS (Title 'Domain Annotation');
```

### Create Domain hourly\_wages

The following statement creates the single column domain `hourly_wages`. It defaults to 15 when inserting null into columns with this domain. The check constraint ensures the values are between 7 and 1,000.

The display clause returns its value in the format \$999.99 when calling `domain_display`. The order clause multiplies its value by negative one, so sorting by `domain_order` sorts from high to low. It has the annotation `Title` with the value "Domain Annotation".

```
CREATE DOMAIN hourly_wages AS NUMBER(10)
  DEFAULT ON NULL 15
  CONSTRAINT minimal_wage_c
  CHECK (hourly_wages >= 7 and hourly_wages <=1000) ENABLE
  DISPLAY TO_CHAR(hourly_wages, '$999.99')
  ORDER ( -1*hourly_wages )
  ANNOTATIONS (Title 'Domain Annotation');
```

### Add Annotations to a Multi Column Domain US\_City at Column and Domain Levels

The following statement creates the multicolumn domain `US_city`. This has three columns: `name`, `state`, and `zip`. All columns have the `Address` annotation.

The check constraint ensures that the permitted values for `state` are `CA`, `AZ`, and `TX` and `zip` is less than 100000. The display clause returns calls to `domain_display` in the format `name ||', '|| state ||', '||TO_CHAR(zip)`.

The order clause sorts calls to `domain_order` by the concatenation of `state`, then `zip`, then `name`. The domain has an object level annotation `Title` with the value "Domain Annotation" and and three column level annotations `Address` without a value, one for each column.

```
CREATE DOMAIN US_city AS
  (
    name AS VARCHAR2(30) ANNOTATIONS (Address),
    state AS VARCHAR2(2) ANNOTATIONS (Address),
    zip AS NUMBER ANNOTATIONS (Address)
  )
  CONSTRAINT City_CK CHECK(state in ('CA','AZ','TX') and zip < 100000)
  DISPLAY name||', '|| state ||', '||TO_CHAR(zip)
  ORDER state||', '||TO_CHAR(zip)||', '||name
  ANNOTATIONS (Title 'Domain Annotation');
```

### Create a Flexible Domain

The following examples create the flexible domain `expense_details`. To do this, you must first create the domains `flight_details`, `meals_details`, and `lodging_details`. These are multicolumn domains with check constraints to ensure the domain columns store appropriate values for the expense type.

For `flight_details`, this means the `flight_num` are two strings separated by a dash, and the origin and destination are both three character strings.

For `meals_details`, the restaurant is mandatory, the `meal_type` one of Breakfast, Lunch or Dinner, and `diner_count` is non-null.

For `lodging_details`, the hotel must be non-null and the `nights_count` greater than zero.

The flexible domain `expense_details` then chooses between these based on the value in the `typ` column.

In the `FROM DECODE` example:

- if `typ = Flight`, it uses the `flight_details` domain. The flexible domain columns `val1`, `val2`, and `val3` map to `flight_num`, `origin`, and `destination` in the `flight_details` domain.
- if `typ = Meals`, it uses the `meals_details` domain. The flexible domain columns `val1`, `val2`, and `val4` map to `restaurant`, `meal_type`, and `diner_count` respectively in the `meals_details` domain.
- if `typ = Lodging`, it uses the `lodging_details` domain. The flexible domain columns `val1` and `val4` map to `hotel` and `nights_count` respectively in the `lodging_details` domain.

In the `FROM CASE` flexible domain:

- If `typ` starts with letters A-G, it uses the `flight_details` domain.
- If `typ = Meals`, it uses the `meals_details` domain.
- If `typ` starts with Lodg, it uses the `lodging_details` domain.

The column mappings are the same as in the `FROM DECODE` example.

### Create Domain `flight_details`

```
CREATE DOMAIN flight_details AS
(
  flight_num AS VARCHAR2(100) NOT NULL,
  origin AS VARCHAR2(200)
  CONSTRAINT origin_3_char_c CHECK (LENGTH(origin) = 3),
  destination AS VARCHAR2(200)
  CONSTRAINT dest_3_char_c CHECK (LENGTH(destination) = 3)
)
CONSTRAINT flight_c
CHECK
(
  flight_num LIKE '%-%' AND
  origin IS NOT NULL AND
  destination IS NOT NULL
)
CONSTRAINT origin_dest_different_c
CHECK (origin <> destination)
DISPLAY flight_num||', '||origin||', '||destination
ORDER flight_num||destination;
```

**Create Domain meals\_details**

```
CREATE DOMAIN meals_details AS
(
  restaurant AS VARCHAR2(100) NOT NULL,
  meal_type AS VARCHAR2(200),
  diner_count AS NUMBER
)
CONSTRAINT meals_c
CHECK
(
  restaurant IS NOT NULL AND
  meal_type IN ('Breakfast', 'Lunch', 'Dinner') AND
  diner_count IS NOT NULL
)
DISPLAY meal_type||', '||restaurant||', '||diner_count;
```

**Create Domain lodging\_details**

```
CREATE DOMAIN lodging_details AS
(
  hotel AS VARCHAR2(100) NOT NULL,
  nights_count AS NUMBER
)
CONSTRAINT lodging_c
CHECK (hotel IS NOT NULL AND nights_count > 0)
DISPLAY hotel||', '||nights_count;
```

**Create a Flexible Domain expense\_details Using FROM DECODE**

```
CREATE FLEXIBLE DOMAIN expense_details (val1, val2, val3, val4)
CHOOSE DOMAIN USING (typ VARCHAR2(10))
FROM DECODE(typ,
  'Flight', flight_details(val1, val2, val3),
  'Meals', meals_details(val1, val2, val4),
  'Lodging', lodging_details(val1, val4));
```

**Create a Flexible Domain expense\_details Using FROM CASE**

```
CREATE FLEXIBLE DOMAIN expense_details (val1, val2, val3, val4)
CHOOSE DOMAIN USING (typ VARCHAR2(10))
FROM CASE
  WHEN typ BETWEEN 'A' AND 'G' THEN flight_details(val1, val2, val3)
  WHEN typ = 'Meals' THEN meals_details(val1, val2, val4)
  WHEN typ LIKE 'Lodg%' THEN lodging_details(val1, val4)
END;
```

**Create Domain Specifying a JSON Schema for Validation**

The following example creates domain `w2_form` of type `JSON` with a constraint that checks that the value is a JSON object that complies with the provided JSON Schema. The check constraint uses `IS JSON VALIDATE USING schema_constant_text`:

```
CREATE DOMAIN w2_form AS JSON CONSTRAINT CHECK (VALUE IS JSON VALIDATE USING
'{'
  "title": "W2_form",
  "type": "object",
  "properties": {
    "social_security_number": {
      "type": "string",
      "description": "The person social security number."
    }
  }
}
```

```

    },
    "wages": {
      "description": "total wages",
      "type": "number",
      "minimum": 0
    },
    "social_security_wages": {
      "type": "number",
      "description": "wages subject to social security tax"
    },
    "Federal Income Tax Withheld": {
      "type": "number",
      "description": "withheld of tax to federal income tax"
    },
    "Social Security Tax Withheld": {
      "type": "number",
      "description": "withheld of social security tax"
    }
  }
  "required": ["social_security_number", "wages", "Federal Income Tax Withheld"]
}';
);

```

The following statement creates table `tax_report` where column `w2_form` is associated with domain `w2_form` to ensure that its content conforms to the schema defined in the domain `w2_form`:

```
CREATE TABLE tax_report(id NUMBER, income JSON DOMAIN w2_form);
```

Before the data is inserted into the `income` column, it is checked against the JSON Schema. If the data is not valid, an error is raised.

Example of valid data:

```

INSERT INTO tax_report VALUES
  (1, '{"wages": 100, "social_security_number": "111", "Federal Income Tax
  Withheld":10}')
);
1 row created

```

Example of invalid data:

```

INSERT INTO tax_report VALUES
  (2, '{"wages": 100}')
);
ERROR at line 1:
ORA-40875: JSON schema validation error

```

### Create a Domain Specifying a JSON Schema Using Shorthand Syntax

```

CREATE DOMAIN w2_form AS JSON VALIDATE USING
'{
  "title": "W2_form",
  "type": "object",
  "properties": {
    "social_security_number": {
      "type": "string",
      "description": "The person social security number."
    }
  },

```

```

"wages": {
  "description": "total wages",
  "type": "number",
  "minimum": 0
},
"social_security_wages": {
  "type": "number",
  "description": "wages subject to social security tax"
},
"Federal Income Tax Withheld": {
  "type": "number",
  "description": "withheld of tax to federal income tax"
},
"Social Security Tax Withheld": {
  "type": "number",
  "description": "withheld of social security tax"
}
}
"required": ["social_security_number", "wages", "Federal Income Tax Withheld"]
}';

```

### Example: Create a Domain with an Annotation Stored as JSON and Query its Value

The following example creates a domain with an annotation `allowed_operations` specified as a JSON string which contains a nested JSON object:

```

CREATE DOMAIN email AS VARCHAR2(30)
  CONSTRAINT EMAIL_C CHECK (REGEXP_LIKE (email, '^(\\S+)\\@(\\S+)\\.\\(\\S+)$'))
  DISPLAY '---' || SUBSTR(email, INSTR(email, '@') + 1)
  ANNOTATIONS(allowed_operations
' {
  "allowed_operations": {
    "title": "Allowed operations",
    "operations": [
      "Sort",
      "Group By",
      "Picklist"
    ]
  }
}');

```

Now you can run the following query to retrieve values for the annotation `allowed_operations`:

```

SELECT jt.* FROM user_annotations_usage,
  JSON_TABLE(annotation_value, '$.allowed_operations.operations[*]'
  COLUMNS (value VARCHAR2(50 CHAR) PATH '$')) jt
  WHERE annotation_name='ALLOWEDOPERATIONS';

```

The output is:

```

VALUE
-----
Sort
Group By
Picklist

```

### Example: Create a Domain with an Annotation Stored as JSON and Query its Value

The following example creates a domain with the annotation `display_units` specified as a JSON string containing an array to store the possible display units:

```
CREATE DOMAIN temperature AS NUMBER(3)
ANNOTATIONS (display_units '{ "units": ["celsius", "fahrenheit"] }');
```

Now you can query for the values of the annotation:

```
SELECT jt.* FROM user_annotations_usage,
JSON_TABLE(annotation_value, '$[*]'
COLUMNS (value VARCHAR2(30 CHAR) PATH '$')) jt
WHERE annotation_name='DISPLAYUNITS';
```

The output is:

```
VALUE
-----
celsius
fahrenheit
```

### Example: ENUM Domains

#### Example: Create ENUM Domain `order_status`

The following example creates an enumeration domain `order_status` with a collection of names New, Open, Shipped, Closed, Cancelled:

```
CREATE DOMAIN order_status AS
ENUM (
  New ,
  Open ,
  Shipped ,
  Closed ,
  Cancelled
);
```

#### Example: Query Enumeration Domain `order_status`

Unlike a regular domain, the enumeration domain `order_status` can be treated as a table and queried via `SELECT` as follows:

```
SELECT * FROM order_status;
```

The result is:

ENUM_NAME	ENUM_VALUE
NEW	1
OPEN	2
SHIPPED	3
CLOSED	4
CANCELLED	5

#### Example: Enumeration Domain `order_status` as Datatype of Column:



Like a regular single-column domain, an enumeration domain can be used to define the data type of a column in a table. In the example below, the enumeration domain `order_status` is used as the data type of column `status` in table `orders`:

```
CREATE TABLE orders (
    id      NUMBER,
    cust    VARCHAR2(100),
    status  ORDER_STATUS
);
```

Using `DESCRIBE` on the `orders` table shows the `status` column as a numeric column with a single column domain `order_status`:

```
DESCRIBE orders;
```

The result is:

```
Name      Null ?  Type
-----  -
ID         NUMBER
CUST       VARCHAR2 (100)
STATUS     NUMBER SCOTT . ORDER_STATUS
```

You can construct each row to insert into the the `orders` table using the appropriate `order_status`:

```
INSERT INTO orders VALUES
    (1, 'Costco', order_status.open ),
    (2, 'BMW', order_status.closed ),
    (3, 'Nestle', order_status.shipped );
```

```
3 rows created .
```

Use the `domain_display` function to list the rows in the `orders` table:

```
SELECT ID, DOMAIN_DISPLAY(STATUS) FROM orders;
```

The result is:

```
ID      STATUS
---      -
1       OPEN
2       CLOSED
3       SHIPPED
```

The actual values stored in the `status` column are the values you associated with the status when you created the enumerated domain `order_status`, 2 for `OPEN`, 4 for `CLOSED`, and 3 for `SHIPPED`:

```
SELECT ID, STATUS FROM orders;
```

The result is:

```

ID          STATUS
---          -
1           2
2           4
3           3

```

Since the underlying datatype of the status column is a number, you can directly update the column with a numeric value as long as it passes the domain check-constraint:

```

UPDATE orders SET STATUS = 2 WHERE STATUS = 5;

1 ROW UPDATED.

```

Since enumeration names are placeholders for literal values, you can use them anywhere where SQL allows literals:

```

SELECT 2 * ORDER_STATUS.CANCELLED;

```

The result is:

```

2*ORDER_STATUS.CANCELLED
-----
                           10

```

### Example: Create ENUM Domain days\_of\_week

The following example creates an enumeration domain `days_of_week` with a collection of names that comprises the days of the week. The names are followed with values:

```

CREATE DOMAIN days_of_week AS
  ENUM (
    Sunday      = Su = 0,
    Monday      = Mo,
    Tuesday     = Tu,
    Wednesday   = We,
    Thursday    = Th,
    Friday      = Fr,
    Saturday    = Sa
  );

```

## CREATE EDITION

### Purpose

This statement creates a new edition as a child of an existing edition. An edition makes it possible to have two or more versions of the same editionable objects in the database. When you create an edition, it immediately inherits all of the editionable objects of its parent edition. The following object types are editionable:

- Synonym
- View
- Function

- Procedure
- Package (specification and body)
- Type (specification and body)
- Library
- Trigger

An editionable object is an object of one of the above editionable object types in an editions-enabled schema. The ability to have multiple versions of these objects in the database greatly facilitates online application upgrades.

#### Note:

All database object types not listed above are not editionable. Changes to object types that are not editionable are immediately visible across all editions in the database.

Every newly created or upgraded Oracle Database has one default edition named `ORA$BASE`, which serves as the parent of the first edition created with a `CREATE EDITION` statement. You can subsequently designate a user-defined edition as the database default edition using an `ALTER DATABASE DEFAULT EDITION` statement.

#### See Also:


- *Oracle Database Development Guide* for a more complete discussion of editionable object types and editions
- The `ALTER DATABASE "DEFAULT EDITION Clause"` for information on designating an edition as the default edition for the database

### Prerequisites

To create an edition, you must have the `CREATE ANY EDITION` system privilege, granted either directly or through a role. To create an edition as a child of another edition, you must have the `USE` object privilege on the parent edition.

### Syntax

***create\_edition::=***



## Semantics

### *edition*

Specify the name of the edition to be created. The name must satisfy the requirements listed in "[Database Object Naming Rules](#)".

To view the editions that have been created for the database, query the `EDITION_NAME` column of the `DBA_OBJECTS` or `ALL_OBJECTS` data dictionary view.

When you create an edition, the system automatically grants you the `USE` object privilege `WITH GRANT OPTION` on the edition you create.



#### Note:

Oracle strongly recommends that you do not name editions with the prefixes `ORA`, `ORACLE`, `SYS`, `DBA`, and `DBMS`, as these prefixes are reserved for internal use.

## IF NOT EXISTS

Specifying `IF NOT EXISTS` has the following effects:

- If the object does not exist, a new object is created at the end of the statement.
- If the object exists, this is the object you have at the end of the statement. A new one is not created because the older object is detected.

Using `IF EXISTS` with `CREATE` results in `ORA-11543: Incorrect IF NOT EXISTS clause for CREATE statement.`

## AS CHILD OF Clause

If you use this clause, then the new edition is created as a child of *parent\_edition*. If you omit this clause, then the new edition is created as a child of the leaf edition. At the time of its creation, the new edition inherits all editioned objects from its parent edition.

## Restriction on Editions

An edition can have only one child edition. If you specify for *parent\_edition* an edition that already has a child edition, then an error is returned.

## Examples

The following very simple examples are intended to show the syntax for creating and working with an edition. For realistic examples of using editions refer to *Oracle Database Development Guide*.

In the following statements, the user `HR` is given the privileges needed to create and use an edition:

```
GRANT CREATE ANY EDITION, DROP ANY EDITION to HR;
Grant succeeded.
```

```
ALTER USER hr ENABLE EDITIONS;
User altered.
```

HR creates a new edition TEST\_ED for testing purposes:

```
CREATE EDITION test_ed;
```

HR then creates an editioning view ed\_view in the default edition ORA\$BASE for testing purposes, first verifying that the current edition is the default edition:

```
SELECT SYS_CONTEXT('userenv', 'current_edition_name') FROM DUAL;
SYS_CONTEXT('USERENV','CURRENT_EDITION_NAME')
```

```
-----
ORA$BASE
1 row selected.
```

```
CREATE EDITIONING VIEW e_view AS
  SELECT last_name, first_name, email FROM employees;
View created.
```

```
DESCRIBE e_view
Name                                     Null?    Type
-----
LAST_NAME                               NOT NULL VARCHAR2 (25)
FIRST_NAME                               VARCHAR2 (20)
EMAIL                                     NOT NULL VARCHAR2 (25)
```

The view is then actualized in the TEST\_ED edition when HR uses the TEST\_ED edition and re-creates the view in a different form:

```
ALTER SESSION SET EDITION = TEST_ED;
Session altered.
```

```
CREATE OR REPLACE EDITIONING VIEW e_view AS
  SELECT last_name, first_name, email, salary FROM employees;
```

```
View created.
```

The view in the TEST\_ED edition has an additional column:

```
DESCRIBE e_view
Name                                     Null?    Type
-----
LAST_NAME                               NOT NULL VARCHAR2 (25)
FIRST_NAME                               VARCHAR2 (20)
EMAIL                                     NOT NULL VARCHAR2 (25)
SALARY                                    NUMBER (8,2)
```

The view in the ORA\$BASE edition remains isolated from the test environment:

```
ALTER SESSION SET EDITION = ora$base;
Session altered.
```

```
DESCRIBE e_view;

Name                                     Null?    Type
-----
LAST_NAME                               NOT NULL VARCHAR2 (25)
FIRST_NAME                               VARCHAR2 (20)
EMAIL                                     NOT NULL VARCHAR2 (25)
```

Even if the view is dropped in the test environment, it remains in the `ORA$BASE` edition:

```
ALTER SESSION SET EDITION = TEST_ED;
Session altered.
```

```
DROP VIEW e_view;
View dropped.
```

```
ALTER SESSION SET EDITION = ORA$BASE;
Session altered.
```

```
DESCRIBE e_view;
```

Name	Null?	Type
LAST_NAME	NOT NULL	VARCHAR2 (25)
FIRST_NAME		VARCHAR2 (20)
EMAIL	NOT NULL	VARCHAR2 (25)

When the testing of upgrade that necessitated the `TEST_ED` edition is complete, the edition can be dropped:

```
DROP EDITION TEST_ED;
```

## CREATE FLASHBACK ARCHIVE

### Purpose

Use the `CREATE FLASHBACK ARCHIVE` statement to create a flashback archive, which provides the ability to automatically track and archive transactional data changes to specified database objects. A flashback archive consists of multiple tablespaces and stores historic data from all transactions against tracked tables. The data is stored in internal history tables.

Flashback data archives retain historical data for the time duration specified using the `RETENTION` parameter. Historical data can be queried using the Flashback Query `AS OF` clause. Archived historic data that has aged beyond the specified retention period is automatically purged.

Flashback data archives retain historical data across data definition language (DDL) changes to tables enabled for flashback archive. Flashback data archives supports many common DDL statements, including some DDL statements that alter table definitions or incur data movement. DDL statements that are not supported result in error `ORA-55610`.

#### See Also:


- *Oracle Database Development Guide* for general information on using Flashback Time Travel
- The `CREATE TABLE flashback_archive_clause` for information on designating a table as a tracked table
- `ALTER FLASHBACK ARCHIVE` for information on changing the quota and retention attributes of the flashback archive, as well as adding or changing tablespace storage for the flashback archive

## Prerequisites


You must have the `FLASHBACK ARCHIVE ADMINISTER` system privilege to create a flashback archive. In addition, you must have the `CREATE TABLESPACE` system privilege to create a flashback archive, as well as sufficient quota on the tablespace in which the historical information will reside. To designate a flashback archive as the system default flashback archive, you must be logged in as `SYSDBA`.

## Syntax


***create\_flashback\_archive::=***



***flashback\_archive\_quota::=***



***flashback\_archive\_retention::=***



## Semantics

### DEFAULT

You must be logged in as `SYSDBA` to specify `DEFAULT`. Use this clause to designate this flashback archive as the default flashback archive for the database. When a `CREATE TABLE` or `ALTER TABLE` statement specifies the `flashback_archive_clause` without specifying a flashback archive name, the database uses the default flashback archive to store data from that table.

You cannot specify this clause if a default flashback archive already exists. However, you can replace an existing default flashback archive using the `ALTER FLASHBACK ARCHIVE ... SET DEFAULT` clause.



### See Also:

The `CREATE TABLE` [flashback\\_archive\\_clause](#) for more information

### *flashback\_archive*

Specify the name of the flashback archive. The name must satisfy the requirements specified in "[Database Object Naming Rules](#)".

### TABLESPACE Clause

Specify the tablespace where the archived data for this flashback archive is to be stored. You can specify only one tablespace with this clause. However, you can subsequently add tablespaces to the flashback archive with an `ALTER FLASHBACK ARCHIVE` statement.

### *flashback\_archive\_quota*

Specify the amount of space in the initial tablespace to be reserved for the archived data. If the space for archiving in a flashback archive becomes full, then DML operations on tracked tables that use this flashback archive will fail. The database issues an out-of-space alert when the content of the flashback archive is 90% of the specified quota, to allow time to purge old data or add additional quota. If you omit this clause, then the flashback archive has unlimited quota on the specified tablespace.

### [NO] OPTIMIZE DATA

Specify `OPTIMIZE DATA` to enable optimization for flashback archive history tables. This instructs the database to optimize the storage of data in history tables using any of the following features: Advanced Row Compression, Advanced LOB Compression, Advanced LOB Deduplication, segment-level compression tiering, and row-level compression tiering. To specify this clause, you must have a license for the Advanced Compression option.

Specify `NO OPTIMIZE DATA` to instruct the database not to optimize the storage of data in history tables. This is the default.

### *flashback\_archive\_retention*

Specify the length of time in months, days, or years that the archived data should be retained in the flashback archive. If the length of time causes the flashback archive to become full, then the database responds as described in [flashback\\_archive\\_quota](#).

### Examples

The following statement creates two flashback archives for testing purposes. The first is designated as the default for the database. For both of them, the space quota is 1 megabyte, and the archive retention is one day.

```
CREATE FLASHBACK ARCHIVE DEFAULT test_archive1
    TABLESPACE example
```



```
QUOTA 1 M
RETENTION 1 DAY;

CREATE FLASHBACK ARCHIVE test_archive2
TABLESPACE example
QUOTA 1 M
RETENTION 1 DAY;
```

The next statement alters the default flashback archive to extend the retention period to 1 month:

```
ALTER FLASHBACK ARCHIVE test_archive1
MODIFY RETENTION 1 MONTH;
```

The next statement specifies tracking for the `oe.customers` table. The flashback archive is not specified, so data will be archived in the default flashback archive, `test_archive1`:

```
ALTER TABLE oe.customers
FLASHBACK ARCHIVE;
```

The next statement specifies tracking for the `oe.orders` table. In this case, data will be archived in the specified flashback archive, `test_archive2`:

```
ALTER TABLE oe.orders
FLASHBACK ARCHIVE test_archive2;
```

The next statement drops `test_archive2` flashback archive:

```
DROP FLASHBACK ARCHIVE test_archive2;
```

## CREATE FUNCTION

### Purpose

Functions are defined in PL/SQL. Therefore, this section provides some general information but refers to *Oracle Database PL/SQL Language Reference* for details of syntax and semantics.

Use the `CREATE FUNCTION` statement to create a standalone stored function or a call specification.

- A **stored function** (also called a **user function** or **user-defined function**) is a set of PL/SQL statements you can call by name. Stored functions are very similar to procedures, except that a function returns a value to the environment in which it is called. User functions can be used as part of a SQL expression.
- A **call specification** declares a JavaScript method, a Java method or a third-generation language (3GL) routine so that it can be called from PL/SQL. You can also use the `CALL SQL` statement to call such a method or routine. The call specification tells Oracle Database which Java method, JavaScript method, or which named function in which shared library, to invoke when a call is made. It also tells the database what type conversions to make for the arguments and return value.

**Note:**

You can also create a function as part of a package using the `CREATE PACKAGE` statement.

**See Also:**

- [CREATE PROCEDURE](#) for a general discussion of procedures and functions, [CREATE PACKAGE](#) for information on creating packages, [ALTER FUNCTION](#) and [DROP FUNCTION](#) for information on modifying and dropping a function
- [CREATE LIBRARY](#) for information on shared libraries
- *Oracle Database Development Guide* for more information about registering external functions
- *JavaScript Developer's Guide*
- [CREATE MLE MODULE](#)


**Prerequisites**

To create or replace a function in your own schema, you must have the `CREATE PROCEDURE` system privilege. To create or replace a function in another user's schema, you must have the `CREATE ANY PROCEDURE` system privilege.

**Syntax**

Functions are defined using PL/SQL. Alternatively they can refer to non-PL/SQL code such as Java, JavaScript, C, and others by means of call specifications. Therefore, the syntax diagram in this book shows only the SQL keywords. Refer to *Oracle Database PL/SQL Language Reference* for the PL/SQL syntax, semantics, and examples.

***create\_function ::=***



(*psql\_function\_source*: See *Oracle Database PL/SQL Language Reference*.)

**Semantics****OR REPLACE**

Specify `OR REPLACE` to re-create the function if it already exists. Use this clause to change the definition of an existing function without dropping, re-creating, and regrating object privileges previously granted on the function. If you redefine a function, then Oracle Database recompiles it.

Users who had previously been granted privileges on a redefined function can still access the function without being regranted the privileges.

If any function-based indexes depend on the function, then Oracle Database marks the indexes `DISABLED`.



### See Also:

`ALTER FUNCTION` for information on recompiling functions using SQL

## IF NOT EXISTS

Specifying `IF NOT EXISTS` has the following effects:

- If the function does not exist, a new function is created at the end of the statement.
- If the function exists, this is the function you have at the end of the statement. A new one is not created because the older one is detected.

You can have *one* of `OR REPLACE` or `IF NOT EXISTS` in a statement at a time. Using both `OR REPLACE` with `IF NOT EXISTS` in the very same statement results in the following error:

```
ORA-11541: REPLACE and IF NOT EXISTS cannot coexist in the same DDL statement.
```

Using `IF EXISTS` with `CREATE` results in `ORA-11543: Incorrect IF NOT EXISTS clause for CREATE statement.`

### [ EDITIONABLE | NONEDITIONABLE ]

Use these clauses to specify whether the function is an editioned or noneditioned object if editioning is enabled for the schema object type `FUNCTION` in *schema*. The default is `EDITIONABLE`. For information about editioned and noneditioned objects, see *Oracle Database Development Guide*.

### *plsql\_function\_source*

See *Oracle Database PL/SQL Language Reference* for the syntax and semantics of the *plsql\_function\_source*, including examples.

# CREATE HIERARCHY

## Purpose


Use the `CREATE HIERARCHY` statement to create a hierarchy. A hierarchy specifies the hierarchical relationships among the levels of an attribute dimension.

## Prerequisites


To create a hierarchy in your own schema, you must have the `CREATE HIERARCHY` system privilege. To create a hierarchy in another user's schema, you must have the `CREATE ANY HIERARCHY` system privilege.

**Syntax**

***create\_hierarchy::=***




***classification\_clause::=***




***hier\_using\_clause::=***





***level\_hier\_clause::=***



***hier\_attrs\_clause::=***



***hier\_attr\_clause::=******hier\_attr\_name::=***

### Semantics

#### OR REPLACE

Specify `OR REPLACE` to replace an existing definition of a hierarchy with a different definition.

#### FORCE and NOFORCE

Specify `FORCE` to force the creation of the hierarchy even if it does not successfully compile. If you specify `NOFORCE`, then the hierarchy must compile successfully, otherwise an error occurs. The default is `NOFORCE`.

#### IF NOT EXISTS

Specifying `IF NOT EXISTS` has the following effects:

- If the hierarchy does not exist, a new hierarchy is created at the end of the statement.
- If the hierarchy exists, this is the hierarchy you have at the end of the statement. A new one is not created because the older one is detected.

You can have *one* of `OR REPLACE` or `IF NOT EXISTS` in a statement at a time. Using both `OR REPLACE` with `IF NOT EXISTS` in the very same statement results in the following error:  
ORA-11541: REPLACE and IF NOT EXISTS cannot coexist in the same DDL statement.

Using `IF EXISTS` with `CREATE` results in ORA-11543: Incorrect IF NOT EXISTS clause for CREATE statement.

***schema***

Specify the schema in which to create the hierarchy. If you do not specify a schema, then Oracle Database creates the hierarchy in your own schema.

***hierarchy***

Specify a name for the hierarchy.

**SHARING**

Use the sharing clause if you want to create the object in an application root in the context of an application maintenance. This type of object is called an application common object and it can be shared with the application PDBs that belong to the application root.

You can specify how the object is shared using one of the following sharing attributes:

- `METADATA` - A metadata link shares the metadata, but its data is unique to each container. This type of object is referred to as a metadata-linked application common object.
- `NONE` - The object is not shared and can only be accessed in the application root.

***classification\_clause***

Use the classification clause to specify values for the `CAPTION` or `DESCRIPTION` classifications and to specify user-defined classifications. Classifications provide descriptive metadata that applications may use to provide information about analytic views and their components.

You may specify any number of classifications for the same object. A classification can have a maximum length of 4000 bytes.

For the `CAPTION` and `DESCRIPTION` classifications, you may use the DDL shortcuts `CAPTION 'caption'` and `DESCRIPTION 'description'` or the full classification syntax.

You may vary the classification values by language. To specify a language for the `CAPTION` or `DESCRIPTION` classification, you must use the full syntax. If you do not specify a language, then the language value for the classification is `NULL`. The language value must either be `NULL` or a valid `NLS_LANGUAGE` value.

***hier\_using\_clause***

Specify the attribute dimension that has the members of the hierarchy.

***level\_hier\_clause***

Specify the organization of the hierarchy levels.

***hier\_attrs\_clause***

Specify classifications that contain descriptive metadata for the hierarchical attributes. A *hier\_attr\_clause* for a given *hier\_attr\_name* may appear only once in the list.

All hierarchies always contain all of the hierarchical attributes, but a hierarchical attribute does not have descriptive metadata associated with it unless you specify it with this clause.

***hier\_attr\_clause***

Specify a hierarchical attribute and provide one or more classifications for it.

***hier\_attr\_name***

Specify a hierarchical attribute.

**Examples**

The following example creates the `TIME_HIER` hierarchy:

```
CREATE OR REPLACE HIERARCHY time_hier -- Hierarchy name
USING time_attr_dim                -- Refers to TIME_ATTR_DIM attribute
dimension
  (month CHILD OF                  -- Months in the attribute dimension
   quarter CHILD OF
   year);
```

The following example creates the `PRODUCT_HIER` hierarchy:

```
CREATE OR REPLACE HIERARCHY product_hier
USING product_attr_dim
  (category
   CHILD OF department);
```

The following example creates the `GEOGRAPHY_HIER` hierarchy:

```
CREATE OR REPLACE HIERARCHY geography_hier
USING geography_attr_dim
  (state_province
   CHILD OF country
   CHILD OF region);
```

## CREATE INDEX

**Purpose**

Use the `CREATE INDEX` statement to create an index on:

- One or more columns of a table, a partitioned table, an index-organized table, or a cluster
- One or more scalar typed object attributes of a table or a cluster
- A nested table storage table for indexing a nested table column

An **index** is a schema object that contains an entry for each value that appears in the indexed column(s) of the table or cluster and provides direct, fast access to rows. The maximum size of a single index entry is dependent on the block size of the database.

Oracle Database supports several types of index:

- **Normal indexes.** (By default, Oracle Database creates B-tree indexes.)
- **Bitmap indexes**, which store rowids associated with a key value as a bitmap.

- **Partitioned indexes**, which consist of partitions containing an entry for each value that appears in the indexed column(s) of the table.
- **Function-based indexes**, which are based on expressions. They enable you to construct queries that evaluate the value returned by an expression, which in turn may include built-in or user-defined functions.
- **Domain indexes**, which are instances of an application-specific index of type *indextype*.

**Note:**

- *Oracle Database Concepts* for a discussion of indexes
- *Oracle Database Reference* for more information about the limits related to index size
- *Oracle Database Reference* for information on how index creation inherits compression attributes
- [ALTER INDEX](#) and [DROP INDEX](#)

**Prerequisites**

To create an index in your own schema, one of the following conditions must be true:

- The table or cluster to be indexed must be in your own schema.
- You must have the `INDEX` object privilege on the table to be indexed.
- You must have the `CREATE ANY INDEX` system privilege.

To create an index in another schema, you must have the `CREATE ANY INDEX` system privilege. Also, the owner of the schema to contain the index must have either the `UNLIMITED TABLESPACE` system privilege or space quota on the tablespaces to contain the index or index partitions.

To create a function-based index, in addition to the prerequisites for creating a conventional index, if the index is based on user-defined functions, then those functions must be marked `DETERMINISTIC`. A function-based index is executed with the credentials of the index owner, so the index owner must have the `EXECUTE` object privilege on the function.

To create a domain index in your own schema, in addition to the prerequisites for creating a conventional index, you must also have the `EXECUTE` object privilege on the `indextype`. If you are creating a domain index in another user's schema, then the index owner also must have the `EXECUTE` object privilege on the `indextype` and its underlying implementation type. Before creating a domain index, you should first define the `indextype`.


**See Also:**

[CREATE INDEXTYPE](#)




## Syntax

**create\_index ::=**




(*cluster\_index\_clause ::=*, *table\_index\_clause ::=*, *bitmap\_join\_index\_clause ::=*)


**index\_ilm\_clause ::=**




**policy\_clause ::=**




**tiering\_clause ::=**




**condition\_clause ::=**



**tracking\_statistics\_clause ::=**




**cluster\_index\_clause ::=**






*(index\_attributes ::=)*

**table\_index\_clause ::=**




*(index\_properties ::=)*

**bitmap\_join\_index\_clause ::=**




*(local\_partitioned\_index::=, index\_attributes::=)*

**index\_expr::=**




**index\_properties::=**




*(global\_partitioned\_index::=, local\_partitioned\_index::=, index\_attributes::=, domain\_index\_clause::=, XMLIndex\_clause::=)*

**index\_attributes::=**




(*physical\_attributes\_clause*::=, *logging\_clause*::=, *index\_compression*::=, *partial\_index\_clause*::=, *parallel\_clause*::=, *annotations\_clause*)

***physical\_attributes\_clause*::=**




(*storage\_clause*::=)


***logging\_clause*::=**




***index\_compression*::=**




***prefix\_compression*::=**




***advanced\_index\_compression*::=**



***partial\_index\_clause::=***




***domain\_index\_clause::=***




***(parallel\_clause::=)***

***local\_domain\_index\_clause::=***




***XMLIndex\_clause::=***



( The *XMLIndex\_parameters\_clause* is documented in *Oracle XML DB Developer's Guide*.)

***local\_XMLIndex\_clause::=***




(The *XMLIndex\_parameters\_clause* is documented in *Oracle XML DB Developer's Guide*.)

***annotations\_clause::=***


For the full syntax and semantics of the *annotations\_clause* see [annotations\\_clause](#).

**global\_partitioned\_index::=**




(*index\_partitioning\_clause::=*, *individual\_hash\_partitions::=*,  
*hash\_partitions\_by\_quantity::=*)

**individual\_hash\_partitions::=**




(*read\_only\_clause* and *indexing\_clause*: not supported in *table\_index\_clause*,  
*partitioning\_storage\_clause::=*)

**partitioning\_storage\_clause::=**




(TABLESPACE SET, *table\_compression*, *inmemory\_clause*, and *ilm\_clause* not  
supported with CREATE INDEX, *index\_compression::=*, *LOB\_partitioning\_storage::=*)

**LOB\_partitioning\_storage::=**




(TABLESPACE SET: not supported with CREATE INDEX)

**hash\_partitions\_by\_quantity::=**




**index\_partitioning\_clause::=**




(segment\_attributes\_clause::=)

**local\_partitioned\_index::=**




(*on\_range\_partitioned\_table::=*, *on\_list\_partitioned\_table::=*,  
*on\_hash\_partitioned\_table::=*, *on\_comp\_partitioned\_table::=*)

***on\_range\_partitioned\_table::=***




(*segment\_attributes\_clause::=*)

***on\_list\_partitioned\_table::=***



(*segment\_attributes\_clause::=*)


***segment\_attributes\_clause::=***





(*physical\_attributes\_clause::=*, TABLESPACE SET: not supported with CREATE INDEX,  
*logging\_clause::=*)

***on\_hash\_partitioned\_table::=***






***on\_comp\_partitioned\_table::=***




*(segment\_attributes\_clause::=, index\_compression::=, index\_subpartition\_clause::=)*

***index\_subpartition\_clause::=***



***parallel\_clause::=***



## Semantics

### UNIQUE

Specify `UNIQUE` to indicate that the value of the column (or columns) upon which the index is based must be unique.

### Restrictions on Unique Indexes

Unique indexes are subject to the following restrictions:

- You cannot specify both `UNIQUE` and `BITMAP`.
- You cannot specify `UNIQUE` for a domain index.

#### See Also:

"[Unique Constraints](#)" for information on the conditions that satisfy a unique constraint

### BITMAP

Specify `BITMAP` to indicate that *index* is to be created with a bitmap for each distinct key, rather than indexing each row separately. Bitmap indexes store the rowids associated with a key value as a bitmap. Each bit in the bitmap corresponds to a possible rowid. If the bit is set, then it means that the row with the corresponding rowid contains the key value. The internal representation of bitmaps is best suited for applications with low levels of concurrent transactions, such as data warehousing.

#### Note:

Oracle does not index table rows in which all key columns are null except in the case of bitmap indexes. Therefore, if you want an index on all rows of a table, then you must either specify `NOT NULL` constraints for the index key columns or create a bitmap index.

### Restrictions on Bitmap Indexes

Bitmap indexes are subject to the following restrictions:

- You cannot specify `BITMAP` when creating a global partitioned index.
- You cannot create a bitmap secondary index on an index-organized table unless the index-organized table has a mapping table associated with it.
- You cannot specify both `UNIQUE` and `BITMAP`.
- You cannot specify `BITMAP` for a domain index.
- A bitmap index can have a maximum of 30 columns.

 **See Also:**

- *Oracle Database Concepts* and *Oracle Database SQL Tuning Guide* for more information about using bitmap indexes
- [CREATE TABLE](#) for information on mapping tables
- ["Bitmap Index Examples"](#)

## MULTIVALUE

Use the `MULTIVALUE` keyword to create a multivalue index on JSON data using simple dot-notation syntax to specify the path to the indexed data.

### Example

The multivalue index created here indexes the values of top-level field `credit_score`. If the `credit_score` value targeted by a query is an array, then the index can be picked up for any array elements that are numbers. If the value is a scalar, then the index can be picked up if the scalar is a number.

```
CREATE MULTIVALUE INDEX mvi_1 ON mytable t
(t.jcol.credit_score.numberOnly());
```

 **See Also:**

- [Indexes for JSON Data](#)
- [Simple Dot-Notation Access to JSON Data](#)

## IF NOT EXISTS

Specifying `IF NOT EXISTS` has the following effects:

- If the index does not exist, a new index is created at the end of the statement.
- If the index exists, this is the index you have at the end of the statement. A new one is not created because the older index is detected.

Using `IF EXISTS` with `CREATE INDEX` results in `ORA-11543: Incorrect IF NOT EXISTS clause for CREATE statement.`

### *schema*

Specify the schema to contain the index. If you omit *schema*, then Oracle Database creates the index in your own schema.

### *index\_name*

Specify the name of the index to be created. The name must satisfy the requirements listed in [Database Object Naming Rules](#) .

**See Also:**

[Creating an Index: Example](#) and [Creating an Index on an XMLType Table: Example](#)

***index\_ilm\_clause***

With Oracle Database Release 20c you can use the *index\_ilm\_clause* to add or delete an ILM policy to an index.

You can also add an ILM policy to an index after you create it with the `ALTER INDEX` statement.

When you create an index with an ILM policy, you can add only one new policy. To add more policies to an index, or to modify existing policies on the index you must use the `ALTER INDEX` statement.

You cannot modify an ILM policy at the index partition level. The index level modification will be cascaded to all partitions.

**Examples**

```
CREATE INDEX [schema.]empno_idx ILM_POLICY
```

**Restrictions**

You cannot add an ILM policy on cluster indexes and IOTs.

You cannot add an ILM policy on domain indexes and bitmap indexes.

***policy\_clause***

The `OPTIMIZE` index policy chooses the appropriate action if the policy condition is met.

You can create ILM policies on objects in the same schema.

If you want to move the ILM policy to a different tablespace, you must ensure that you have the necessary permissions for all the tablespaces mentioned in the ILM policy.

You must also ensure that you have the necessary storage on the target tablespaces for storage tiering jobs.

***cluster\_index\_clause***

Use the *cluster\_index\_clause* to identify the cluster for which a cluster index is to be created. If you do not qualify cluster with *schema*, then Oracle Database assumes the cluster is in your current schema. You cannot create a cluster index for a hash cluster.

**See Also:**

[CREATE CLUSTER](#) and ["Creating a Cluster Index: Example"](#)

### ***table\_index\_clause***

Specify the table on which you are defining the index. If you do not qualify *table* with *schema*, then Oracle Database assumes the table is contained in your own schema.

You create an index on a nested table column by creating the index on the nested table storage table. Include the `NESTED_TABLE_ID` pseudocolumn of the storage table to create a `UNIQUE` index, which effectively ensures that the rows of a nested table value are distinct.



#### **See Also:**

["Indexes on Nested Tables: Example"](#)

You can perform DDL operations (such as `ALTER TABLE`, `DROP TABLE`, `CREATE INDEX`) on a temporary table only when no session is bound to it. A session becomes bound to a temporary table by performing an `INSERT` operation on the table. A session becomes unbound to the temporary table by issuing a `TRUNCATE` statement or at session termination, or, for a transaction-specific temporary table, by issuing a `COMMIT` or `ROLLBACK` statement.

### **Restrictions on the *table\_index\_clause***

This clause is subject to the following restrictions:

- If *index* is locally partitioned, then *table* must be partitioned.
- If *table* is index-organized, then this statement creates a secondary index. The index contains the index key and the logical rowid of the index-organized table. The logical rowid excludes columns that are also part of the index key. You cannot specify `REVERSE` for this secondary index, and the combined size of the index key and the logical rowid should be less than the block size.
- If *table* is a temporary table, then *index* will also be temporary with the same scope (session or transaction) as *table*. The following restrictions apply to indexes on temporary tables:
  - The only part of *index\_properties* you can specify is *index\_attributes*.
  - Within *index\_attributes*, you cannot specify the *physical\_attributes\_clause*, the *parallel\_clause*, the *logging\_clause*, or `TABLESPACE`.
  - You cannot create a domain index or a partitioned index on a temporary table.
- You cannot create an index on an external table.



#### **See Also:**

[CREATE TABLE](#) and *Oracle Database Concepts* for more information on temporary tables

### ***t\_alias***

Specify a correlation name (alias) for the table upon which you are building the index.

 **Note:**

This alias is required if the *index\_expr* references any object type attributes or object type methods. See "[Creating a Function-based Index on a Type Method: Example](#)" and "[Indexing on Substitutable Columns: Examples](#)".

***index\_expr***

For *index\_expr*, specify the column or column expression upon which the index is based.

You can create multiple indexes on the same set of columns, column expressions, or both if the following conditions are met:

- The indexes are of different types, use different partitioning, or have different uniqueness properties.
- Only one of the indexes is `VISIBLE` at any given time.

 **See Also:**

*Oracle Database Administrator's Guide* for more information on creating multiple indexes

***column***

Specify the name of one or more columns in the table. A bitmap index can have a maximum of 30 columns. Other indexes can have as many as 32 columns. These columns define the **index key**.

If a unique index is local nonprefixed (see [local\\_partitioned\\_index](#)), then the index key must contain the partitioning key.

 **See Also:**

*Oracle Database VLDB and Partitioning Guide* for information on prefixed and nonprefixed indexes

You can create an index on a scalar object attribute column or on the system-defined `NESTED_TABLE_ID` column of the nested table storage table. If you specify an object attribute column, then the column name must be qualified with the table name. If you specify a nested table column attribute, then it must be qualified with the outermost table name, the containing column name, and all intermediate attribute names leading to the nested table column attribute.

When you create an index on a column or expression with a declared or derived named collation other than `BINARY`, or a declared or derived pseudo-collation `USING_NLS_SORT_CI` or `USING_NLS_SORT_AI`, the database creates a functional index on

the function `NLSSORT`. See *Oracle Database Globalization Support Guide* for more information.

### Creating an Index on an Extended Data Type Column

If `column` is an extended data type column, then you may receive a "maximum key length exceeded" error when attempting to create the index. The maximum key length for an index varies depending on the database block size and some additional index metadata stored in a block. For example, for databases that use the Oracle standard 8K block size, the maximum key length is approximately 6400 bytes.

To work around this situation, you must shorten the length of the values you want to index, using one of the following methods:

- Create a function-based index to shorten the values stored in the extended data type column as part of the expression used for the index definition.
- Create a virtual column to shorten the values stored in the extended data type column as part of the expression used for the virtual column definition and build a normal index on the virtual column. Using a virtual column also enables you to leverage functionality for regular columns, such as collecting statistics and using constraint and triggers.

For both methods you can use either the `SUBSTR` or `STANDARD_HASH` function to shorten the values of the extended data type column to build an index. These methods have the following advantages and disadvantages:

- Use the `SUBSTR` function to return a substring, or prefix, of `column` that is an acceptable length for the index key. This type of index can be used for equality, IN-list, and range predicates on the original column without the need to specify the `SUBSTR` column as part of the predicate. Refer to [SUBSTR](#) for more information.
- Using the `STANDARD_HASH` function is likely to create an index that is more compact than the substring-based index and may result in fewer unnecessary index accesses. This type of index can be used for equality and IN-list predicates on the original column without the need to specify the `STANDARD_HASH` column as part of the predicate. Refer to [STANDARD\\_HASH](#) for more information.

The following example shows how to create a function-based index on an extended data type column:

```
CREATE INDEX index ON table (SUBSTR(column, 1, n));
```

For `n`, specify a prefix length that is large enough to differentiate between values in `column`.

The following example shows how to create a virtual column for an extended data type column, and then create an index on the virtual column:

```
ALTER TABLE table ADD (new_hash_column AS (STANDARD_HASH(column)));  
CREATE INDEX index ON table (new_hash_column);
```



#### See Also:

["Extended Data Types"](#) for more information on extended data types

### Restrictions on Index Columns

The following restrictions apply to index columns:

- You cannot create an index on columns or attributes whose type is user-defined, LONG, LONG RAW, LOB, or REF, except that Oracle Database supports an index on REF type columns or attributes that have been defined with a SCOPE clause.
- Only normal (B-tree) indexes can be created on encrypted columns, and they can only be used for equality searches.

### *column\_expression*

Specify an expression built from columns of *table*, constants, SQL functions, and user-defined functions. When you specify *column\_expression*, you create a **function-based index**.

#### See Also:

["Column Expressions"](#), ["Notes on Function-based Indexes"](#), ["Restrictions on Function-based Indexes"](#), and ["Function-Based Index Examples"](#)

Name resolution of the function is based on the schema of the index creator. User-defined functions used in *column\_expression* are fully name resolved during the CREATE INDEX operation.

After creating a function-based index, collect statistics on both the index and its base table using the DBMS\_STATS package. Such statistics will enable Oracle Database to correctly decide when to use the index.

Function-based unique indexes can be useful in defining a conditional unique constraint on a column or combination of columns. Refer to ["Using a Function-based Index to Define Conditional Uniqueness: Example"](#) for an example.

#### See Also:

[Oracle Database PL/SQL Packages and Types Reference](#) for more information on the DBMS\_STATS package

### Notes on Function-based Indexes

The following notes apply to function-based indexes:

- When you subsequently query a table that uses a function-based index, Oracle Database will not use the index unless the query filters out nulls. However, Oracle Database will use a function-based index in a query even if the columns specified in the WHERE clause are in a different order than their order in the *column\_expression* that defined the function-based index.

#### See Also:

["Function-Based Index Examples"](#)



- If the function on which the index is based becomes invalid or is dropped, then Oracle Database marks the index `DISABLED`. Queries on a `DISABLED` index fail if the optimizer chooses to use the index. DML operations on a `DISABLED` index fail unless the index is also marked `UNUSABLE` and the parameter `SKIP_UNUSABLE_INDEXES` is set to `true`. Refer to [ALTER SESSION](#) for more information on this parameter.
- If a public synonym for a function, package, or type is used in `column_expression`, and later an actual object with the same name is created in the table owner's schema, then Oracle Database disables the function-based index. When you subsequently enable the function-based index using `ALTER INDEX ... ENABLE` or `ALTER INDEX ... REBUILD`, the function, package, or type used in the `column_expression` continues to resolve to the function, package, or type to which the public synonym originally pointed. It will not resolve to the new function, package, or type.
- If the definition of a function-based index generates internal conversion to character data, then use caution when changing NLS parameter settings. Function-based indexes use the current database settings for NLS parameters. If you reset these parameters at the session level, then queries using the function-based index may return incorrect results. Two exceptions are the collation parameters (`NLS_SORT` and `NLS_COMP`). Oracle Database handles the conversions correctly even if these have been reset at the session level.
- Oracle Database cannot convert data in all cases, even when conversion is explicitly requested. For example, an attempt to convert the string '105 lbs' from `VARCHAR2` to `NUMBER` using the `TO_NUMBER` function fails with an error. Therefore, if `column_expression` contains a data conversion function such as `TO_NUMBER` or `TO_DATE`, and if a subsequent `INSERT` or `UPDATE` statement includes data that the conversion function cannot convert, then the index will cause the `INSERT` or `UPDATE` statement to fail.
- If `column_expression` contains a datetime format model, then the function-based index expression defining the column may contain format elements that are different from those specified. For example, define a function-based index using the `yyyy` datetime format element:

```
CREATE INDEX cust_eff_ix ON customers
  (NVL(cust_eff_to, TO_DATE('9000-01-01 00:00:00', 'yyyy-mm-dd hh24:mi:ss')));
```

Query the `ALL_IND_EXPRESSIONS` view to see that the function-based index expression defining the column uses the `yyyy` datetime format element:

```
SELECT column_expression
  FROM all_ind_expressions
  WHERE index_name='CUST_EFF_IX';

COLUMN_EXPRESSION
-----
NVL("CUST_EFF_TO",TO_DATE(' 9000-01-01 00:00:00', 'yyyy-mm-dd hh24:mi:ss'))
```

### Restrictions on Function-based Indexes

Function-based indexes are subject to the following restrictions:

- The value returned by the function referenced in `column_expression` is subject to the same restrictions as are the index columns of a B-tree index. Refer to ["Restrictions on Index Columns"](#).
- Any user-defined function referenced in `column_expression` must be declared as `DETERMINISTIC`.
- For a function-based globally partitioned index, the `column_expression` cannot be the partitioning key.

- The *column\_expression* can be any of the forms of expression described in [Column Expressions](#).
- All functions must be specified with parentheses, even if they have no parameters. Otherwise Oracle Database interprets them as column names.
- Any function you specify in *column\_expression* must return a repeatable value. For example, you cannot specify the `SYSDATE` or `USER` function or the `ROWNUM` pseudocolumn.

**See Also:**

[CREATE FUNCTION](#) and *Oracle Database PL/SQL Language Reference*

**ASC | DESC**

Use `ASC` or `DESC` to indicate whether the index should be created in ascending or descending order. Indexes on character data are created in ascending or descending order of the character values in the database character set.

Oracle Database treats descending indexes as if they were function-based indexes. As with other function-based indexes, the database does not use descending indexes until you first analyze the index and the table on which the index is defined. See the [column\\_expression](#) clause of this statement.

Ascending unique indexes allow multiple `NULL` values. However, in descending unique indexes, multiple `NULL` values are treated as duplicate values and therefore are not permitted.

**Restriction on Ascending and Descending Indexes**

You cannot specify either of these clauses for a domain index. You cannot specify `DESC` for a reverse index. Oracle Database ignores `DESC` if *index* is bitmapped or if the `COMPATIBLE` initialization parameter is set to a value less than 8.1.0.

***index\_attributes***

Specify the optional index attributes.

***physical\_attributes\_clause***

Use the *physical\_attributes\_clause* to establish values for physical and storage characteristics for the index.

If you omit this clause, then Oracle Database sets `PCTFREE` to 10 and `INITTRANS` to 2.

**Restriction on Index Physical Attributes**

You cannot specify the `PCTUSED` parameter for an index.

**See Also:**

[physical\\_attributes\\_clause](#) and [storage\\_clause](#) for a complete description of these clauses

## TABLESPACE

For *tablespace*, specify the name of the tablespace to hold the index, index partition, or index subpartition. If you omit this clause, then Oracle Database creates the index in the default tablespace of the owner of the schema containing the index.

For a local index, you can specify the keyword `DEFAULT` in place of *tablespace*. New partitions or subpartitions added to the local index will be created in the same tablespace(s) as the corresponding partitions or subpartitions of the underlying table.

### *index\_compression*

The *index\_compression* clauses let you enable or disable index compression for the index. Specify the `COMPRESS` clause of *prefix\_compression* to enable prefix compression for the index, specify the `COMPRESS ADVANCED` clause of *advanced\_index\_compression* to enable advanced index compression for the index, or specify the `NOCOMPRESS` clause of either *prefix\_compression* or *advanced\_index\_compression* to disable compression for the index. The default is `NOCOMPRESS`.

If you want to use compression for a partitioned index, then you must create the index with compression enabled at the index level. You can subsequently enable and disable the compression setting for individual partitions of such a partitioned index. You can also enable and disable compression when rebuilding individual partitions. You can modify an existing nonpartitioned index to enable or disable compression only when rebuilding the index.

### *prefix\_compression*

Specify `COMPRESS` to enable **prefix compression**, also known as key compression, which eliminates repeated occurrence of key column values. Use *integer* to specify the prefix length (number of prefix columns to compress). You can specify prefix compression for indexes that are nonunique or unique indexes of at least two columns.

- For unique indexes, the range of valid prefix length values is from 1 to the number of key columns minus 1. The default prefix length is the number of key columns minus 1.
- For nonunique indexes, the range of valid prefix length values is from 1 to the number of key columns. The default prefix length is the number of key columns.

### *advanced\_index\_compression*

Specify this clause to enable **advanced index compression**. Advanced index compression improves compression ratios significantly while still providing efficient access to indexes. Therefore, advanced index compression works well on all supported indexes, including those indexes that are not good candidates for prefix compression.

- `COMPRESS ADVANCED LOW` - This level compresses the index less than the `HIGH` level, but provides faster access to the index. You can specify this clause for indexes that are nonunique or unique indexes of at least two columns. Before enabling `COMPRESS ADVANCED LOW`, the database must be at 12.1.0 or higher compatibility level.
- `COMPRESS ADVANCED HIGH` - This level compresses the index more than the `LOW` level, but provides slower access to the index. You can specify this clause for indexes that are nonunique or unique indexes of one or more columns. Before enabling `COMPRESS ADVANCED HIGH`, the database must be at 12.2.0 or higher compatibility level.

If you omit the `LOW` and `HIGH` keywords, then the default is `HIGH`.

## Restrictions on Index Compression

The following restrictions apply to index compression:

- You cannot specify prefix compression or advanced index compression for a bitmap index.
- You cannot specify advanced index compression for index-organized tables.

 **See Also:**

- `DB_INDEX_COMPRESSION_INHERITANCE` for more on how index creation inherits compression attributes
- *Oracle Database Administrator's Guide* for more information on prefix compression and advanced index compression
- "[Compressing an Index: Example](#)"

### *partial\_index\_clause*

You can specify this clause only when creating an index on a partitioned table. Specify `INDEXING FULL` to create a **full index**. Specify `INDEXING PARTIAL` to create a **partial index**. The default is `INDEXING FULL`.

A full index includes all partitions in the underlying table, regardless of their indexing properties. A partial index includes only partitions in the underlying table with an indexing property of `ON`.

If a partial index is a local partitioned index, then index partitions that correspond with table partitions with an indexing property of `ON` are marked `USABLE`. Index partitions that correspond with table partitions with an indexing property of `OFF` are marked `UNUSABLE`.

If the underlying table is a composite-partitioned table, then the preceding conditions for index partitions and table partitions apply instead to index subpartitions and table subpartitions.

### Restrictions on Partial Indexes

Partial indexes are subject to the following restrictions:

- The underlying table of a partial index cannot be a nonpartitioned table.
- Unique indexes cannot be partial indexes. This applies to indexes created with the `CREATE UNIQUE INDEX` statement and indexes that are implicitly created when you specify a unique constraint on one or more columns.

 **See Also:**

`CREATE TABLE` [indexing\\_clause](#) for information on the indexing property

### **SORT | NOSORT**

By default, Oracle Database sorts indexes in ascending order when it creates the index. You can specify `NOSORT` to indicate to the database that the rows are already stored in the database in ascending order, so that Oracle Database does not have to

sort the rows when creating the index. If the rows of the indexed column or columns are not stored in ascending order, then the database returns an error. For greatest savings of sort time and space, use this clause immediately after the initial load of rows into a table. If you specify neither of these keywords, then `SORT` is the default.

### Restrictions on NOSORT

This parameter is subject to the following restrictions:

- You cannot specify `REVERSE` with this clause.
- You cannot use this clause to create a cluster index partitioned or bitmap index.
- You cannot specify this clause for a secondary index on an index-organized table.

### REVERSE

Specify `REVERSE` to store the bytes of the index block in reverse order, excluding the rowid.

### Restrictions on Reverse Indexes

Reverse indexes are subject to the following restrictions:

- You cannot specify `NOSORT` with this clause.
- You cannot reverse a bitmap index or an index on an index-organized table.

### VISIBLE | INVISIBLE

Use this clause to specify whether the index is visible or invisible to the optimizer. An invisible index is maintained by DML operations, but it is not be used by the optimizer during queries unless you explicitly set the parameter `OPTIMIZER_USE_INVISIBLE_INDEXES` to `TRUE` at the session or system level.

To determine whether an existing index is visible or invisible to the optimizer, you can query the `VISIBILITY` column of the `USER_`, `DBA_`, `ALL_INDEXES` data dictionary views.



#### See Also:

*Oracle Database Administrator's Guide* for more information on this feature

### *logging\_clause*

Specify whether the creation of the index will be logged (`LOGGING`) or not logged (`NOLOGGING`) in the redo log file. This setting also determines whether subsequent Direct Loader (SQL\*Loader) and direct-path `INSERT` operations against the index are logged or not logged. `LOGGING` is the default.

If *index* is nonpartitioned, then this clause specifies the logging attribute of the index.

If *index* is partitioned, then this clause determines:

- The default value of all partitions specified in the `CREATE` statement, unless you specify the *logging\_clause* in the `PARTITION` description clause
- The default value for the segments associated with the index partitions

- The default value for local index partitions or subpartitions added implicitly during subsequent `ALTER TABLE ... ADD PARTITION` operations

The logging attribute of the index is independent of that of its base table.

If you omit this clause, then the logging attribute is that of the tablespace in which it resides.

#### See Also:

- [logging\\_clause](#) for a full description of this clause
- *Oracle Database VLDB and Partitioning Guide* for more information about logging and parallel DML
- "Creating an Index in NOLOGGING Mode: Example"

## ONLINE

Specify `ONLINE` to indicate that DML operations on the table will be allowed during creation of the index.

### Restrictions on Online Index Building

Online index building is subject to the following restrictions:

- Parallel DML is not supported during online index building. If you specify `ONLINE` and then issue parallel DML statements, then Oracle Database returns an error.
- You can specify `ONLINE` for a bitmap index or a cluster index as long as you set `COMPATIBLE` to 10 or higher.
- You cannot specify `ONLINE` for a conventional index on a `UROWID` column.
- For a nonunique secondary index on an index-organized table, the number of index key columns plus the number of primary key columns that are included in the logical rowid in the index-organized table cannot exceed 32. The logical rowid excludes columns that are part of the index key.

#### See Also:

*Oracle Database Concepts* for a description of online index building and rebuilding

### *parallel\_clause*

Specify the *parallel\_clause* if you want creation of the index to be parallelized.

For complete information on this clause, refer to [parallel\\_clause](#) in the documentation on `CREATE TABLE`.

## Index Partitioning Clauses

Use the *global\_partitioned\_index* clause and the *local\_partitioned\_index* clauses to partition *index*.

The storage of partitioned database entities in tablespaces of different block sizes is subject to several restrictions. Refer to *Oracle Database VLDB and Partitioning Guide* for a discussion of these restrictions.



### See Also:

["Partitioned Index Examples"](#)

### *annotations\_clause*

For the full semantics of the annotations clause see [annotations\\_clause](#).

### *global\_partitioned\_index*

The *global\_partitioned\_index* clause lets you specify that the partitioning of the index is user defined and is not equipartitioned with the underlying table. By default, nonpartitioned indexes are global indexes.

You can partition a global index by range or by hash. In both cases, you can specify up to 32 columns as partitioning key columns. The partitioning column list must specify a left prefix of the index column list. If the index is defined on columns *a*, *b*, and *c*, then for the columns you can specify (*a*, *b*, *c*), or (*a*, *b*), or (*a*, *c*), but you cannot specify (*b*, *c*) or (*c*) or (*b*, *a*). If you specify a partition name, then it must conform to the rules for naming schema objects and their parts as described in ["Database Object Naming Rules"](#). If you omit the partition names, then Oracle Database assigns names of the form *SYS\_Pn*.

## GLOBAL PARTITION BY RANGE

Use this clause to create a range-partitioned global index. Oracle Database will partition the global index on the ranges of values from the table columns you specify in the column list.



### See Also:

["Creating a Range-Partitioned Global Index: Example"](#)

## GLOBAL PARTITION BY HASH

Use this clause to create a hash-partitioned global index. Oracle Database assigns rows to the partitions using a hash function on values in the partitioning key columns.



### See Also:

The CREATE TABLE clause [hash\\_partitions](#) for information on the two methods of hash partitioning and ["Creating a Hash-Partitioned Global Index: Example"](#)

## Restrictions on Global Partitioned Indexes

Global partitioned indexes are subject to the following restrictions:

- The partitioning key column list cannot contain the `ROWID` pseudocolumn or a column of type `ROWID`.
- The only property you can specify for hash partitions is tablespace storage. Therefore, you cannot specify LOB or varray storage clauses in the *partitioning\_storage\_clause* of *individual\_hash\_partitions*.
- You cannot specify the `OVERFLOW` clause of *hash\_partitions\_by\_quantity*, as that clause is valid only for index-organized table partitions.
- In the *partitioning\_storage\_clause*, you cannot specify *table\_compression* or the *inmemory\_clause*, but you can specify *index\_compression*.

### Note:

If your enterprise has or will have databases using different character sets, then use caution when partitioning on character columns. The sort sequence of characters is not identical in all character sets.

### See Also:

*Oracle Database Globalization Support Guide* for more information on character set support

## *index\_partitioning\_clause*

Use this clause to describe the individual index partitions. The number of repetitions of this clause determines the number of partitions. If you omit *partition*, then Oracle Database generates a name with the form `SYS_Pn`.

For `VALUES LESS THAN (value_list)`, specify the noninclusive upper bound for the current partition in a global index. The value list is a comma-delimited, ordered list of literal values corresponding to the column list in the *global\_partitioned\_index* clause. Always specify `MAXVALUE` as the value of the last partition.

### Note:

If the index is partitioned on a `DATE` column, and if the date format does not specify the first two digits of the year, then you must use the `TO_DATE` function with a 4-character format mask for the year. The date format is determined implicitly by `NLS_TERRITORY` or explicitly by `NLS_DATE_FORMAT`. Refer to *Oracle Database Globalization Support Guide* for more information on these initialization parameters.



**See Also:**

["Range Partitioning Example"](#)

***local\_partitioned\_index***

The *local\_partitioned\_index* clauses let you specify that the index is partitioned on the same columns, with the same number of partitions and the same partition bounds as *table*. For composite-partitioned tables, this clause lets you specify that the index is subpartitioned on the same columns, with the same number of subpartitions and the same subpartition bounds as *table*. Oracle Database automatically maintains local index partitioning as the underlying table is repartitioned.

If you specify only the keyword `LOCAL` and do not specify a subclause, then Oracle Database creates each index partition in the same tablespace as its corresponding table partition and assigns it the same name as its corresponding table partition. If *table* is a composite-partitioned table, then Oracle Database creates each index subpartition in the same tablespace as its corresponding table subpartition and assigns it the same name as its corresponding table subpartition.

If you specify a partition name, then it must conform to the rules for naming schema objects and their parts as described in ["Database Object Naming Rules"](#). If you omit a partition name, then Oracle Database generates a name that is consistent with the corresponding table partition. If the name conflicts with an existing index partition name, then the database uses the form `SYS_Pn`.

***on\_range\_partitioned\_table***

This clause lets you specify the names and attributes of index partitions on a range-partitioned table. If you specify this clause, then the number of `PARTITION` clauses must be equal to the number of table partitions, and in the same order.

You cannot specify prefix compression for an index partition unless you have specified prefix compression for the index.

For more information on the `USABLE` and `UNUSABLE` clauses, refer to [USABLE | UNUSABLE](#).

***on\_list\_partitioned\_table***

The *on\_list\_partitioned\_table* clause is identical to [on\\_range\\_partitioned\\_table](#).

***on\_hash\_partitioned\_table***

This clause lets you specify names and tablespace storage for index partitions on a hash-partitioned table.

If you specify any `PARTITION` clauses, then the number of these clauses must be equal to the number of table partitions. You can optionally specify tablespace storage for one or more individual partitions. If you do not specify tablespace storage either here or in the `STORE IN` clause, then the database stores each index partition in the same tablespace as the corresponding table partition.

The `STORE IN` clause lets you specify one or more tablespaces across which Oracle Database will distribute all the index hash partitions. The number of tablespaces need not equal the number of index partitions. If the number of index partitions is greater than the number of tablespaces, then the database cycles through the names of the tablespaces.

For more information on the `USABLE` and `UNUSABLE` clauses, refer to [USABLE | UNUSABLE](#).

### ***on\_comp\_partitioned\_table***

This clause lets you specify the name and attributes of index partitions on a composite-partitioned table.

The `STORE IN` clause is valid only for range-hash or list-hash composite-partitioned tables. It lets you specify one or more default tablespaces across which Oracle Database will distribute all index hash subpartitions for all partitions. You can override this storage by specifying different default tablespace storage for the subpartitions of an individual partition in the second `STORE IN` clause in the *index\_subpartition\_clause*.

For range-range, range-list, and list-list composite-partitioned tables, you can specify default attributes for the range or list subpartitions in the `PARTITION` clause. You can override this storage by specifying different attributes for the range or list subpartitions of an individual partition in the `SUBPARTITION` clause of the *index\_subpartition\_clause*.

You cannot specify prefix compression for an index partition unless you have specified prefix compression for the index.

For more information on the `USABLE` and `UNUSABLE` clauses, refer to [USABLE | UNUSABLE](#).

### ***index\_subpartition\_clause***

This clause lets you specify names and tablespace storage for index subpartitions in a composite-partitioned table.

The `STORE IN` clause is valid only for hash subpartitions of a range-hash and list-hash composite-partitioned table. It lets you specify one or more tablespaces across which Oracle Database will distribute all the index hash subpartitions. The `SUBPARTITION` clause is valid for all subpartition types.

If you specify any `SUBPARTITION` clauses, then the number of those clauses must be equal to the number of table subpartitions. If you specify a subpartition name, then it must conform to the rules for naming schema objects and their parts as described in "[Database Object Naming Rules](#)". If you omit *subpartition*, then the database generates a name that is consistent with the corresponding table subpartition. If the name conflicts with an existing index subpartition name, then the database uses the form `SYS_SUBPn`.

The number of tablespaces need not equal the number of index subpartitions. If the number of index subpartitions is greater than the number of tablespaces, then the database cycles through the names of the tablespaces.

If you do not specify tablespace storage for subpartitions either in the *on\_comp\_partitioned\_table* clause or in the *index\_subpartition\_clause*, then Oracle Database uses the tablespace specified for *index*. If you also do not specify tablespace storage for *index*, then the database stores the subpartition in the same tablespace as the corresponding table subpartition.

For more information on the `USABLE` and `UNUSABLE` clauses, refer to [CREATE INDEX ... USABLE | UNUSABLE](#).

### ***domain\_index\_clause***

Use the *domain\_index\_clause* to indicate that *index* is a domain index, which is an instance of an application-specific index of type *indextype*.

Creating a domain index requires a number of preceding operations. You must first create an implementation type for an *indextype*. You must also create a functional implementation and then create an operator that uses the function. Next you create an *indextype*, which associates the implementation type with the operator. Finally, you create the domain index using this clause. Refer to [Extended Examples](#), which contains an example of creating a simple domain index, including all of these operations.

### ***index\_expr***

In the *index\_expr* (in *table\_index\_clause*), specify the table columns or object attributes on which the index is defined. You can define multiple domain indexes on a single column only if the underlying *indextypes* are different and the *indextypes* support a disjoint set of user-defined operators.

### **Restrictions on Domain Indexes**

Domain indexes are subject to the following restrictions:

- The *index\_expr* (in *table\_index\_clause*) can specify only a single column, and the column cannot be of data type `REF`, `varray`, nested table, `LONG`, or `LONG RAW`.
- You cannot create a bitmap or unique domain index.
- You cannot create a domain index on a temporary table.
- You can create local domain indexes on only range-, list-, hash-, and interval-partitioned tables, with one exception: You cannot create a local domain index on an automatic list-partitioned table.
- Domain indexes can be created only on table columns declared with collation `BINARY`, `USING_NLS_COMP`, `USING_NLS_SORT`, or `USING_NLS_SORT_CS`. See *Oracle Database Globalization Support Guide* for more information.

### ***indextype***

For *indextype*, specify the name of the *indextype*. This name should be a valid schema object that has already been created.

If you have installed Oracle Text, then you can use various built-in *indextypes* to create Oracle Text domain indexes. For more information on Oracle Text and the indexes it uses, refer to *Oracle Text Reference*.



**See Also:**

[CREATE INDEXTYPE](#)

### ***local\_domain\_index\_clause***

Use this clause to specify that the index is a local index on a partitioned table.

- The `PARTITIONS` clause lets you specify names for the index partitions. The number of partitions you specify must match the number of partitions in the base table. If you omit

this clause, then the database creates the partitions with system-generated names of the form `SYS_Pn`.

- The `PARAMETERS` clause lets you specify the parameter string specific to an individual partition. If you omit this clause, then the parameter string associated with the index is also associated with the partition.

### ***parallel\_clause***

Use the `parallel_clause` to parallelize creation of the domain index. For a nonpartitioned domain index, Oracle Database passes the explicit or default degree of parallelism to the `ODCIIndexCreate` cartridge routine, which in turn establishes parallelism for the index. For local domain indexes, this clause causes the index partitions to be created in parallel.

#### See Also:

*Oracle Database Data Cartridge Developer's Guide* for complete information on the Oracle Data Cartridge Interface (ODCI) routines

## **PARAMETERS**

In the `PARAMETERS` clause, specify the parameter string that is passed uninterpreted to the appropriate ODCI indextype routine. The maximum length of the parameter string is 1000 characters.

When you specify this clause at the top level of the syntax, the parameters become the default parameters for the index partitions. If you specify this clause as part of the `local_domain_index_clause`, then you override any default parameters with parameters for the individual partition.

After the domain index is created, Oracle Database invokes the appropriate ODCI routine. If the routine does not return successfully, then the domain index is marked `FAILED`. The only operations supported on an failed domain index are `DROP INDEX` and (for non-local indexes) `REBUILD INDEX`.

#### See Also:

*Oracle Database Data Cartridge Developer's Guide* for information on the Oracle Data Cartridge Interface (ODCI) routines

### ***XMLIndex\_clause***

The `XMLIndex_clause` lets you define an `XMLIndex` index, typically on a column contain XML data. An `XMLIndex` index is a type of domain index designed specifically for the domain of XML data.

### ***XMLIndex\_parameters\_clause***

This clause lets you specify information about the path table and about the secondary indexes corresponding to the components of `XMLIndex`. This clause also lets you

specify information about the structured component of the index. The maximum length of the parameter string is 1000 characters.

When you specify this clause at the top level of the syntax, the parameters become the parameters of the index and the default parameters for the index partitions. If you specify this clause as part of the *local\_xmlindex\_clause* clause, then you override any default parameters with parameters for the individual partition.

#### See Also:

*Oracle XML DB Developer's Guide* for the syntax and semantics of the *XMLIndex\_parameters\_clause*, as well as detailed information about the use of XMLIndex

### ***bitmap\_join\_index\_clause***

Use the *bitmap\_join\_index\_clause* to define a **bitmap join index**. A bitmap join index is defined on a single table. For an index key made up of dimension table columns, it stores the fact table rowids corresponding to that key. In a data warehousing environment, the table on which the index is defined is commonly referred to as a **fact table**, and the tables with which this table is joined are commonly referred to as **dimension tables**. However, a star schema is not a requirement for creating a join index.

#### **ON**

In the **ON** clause, first specify the fact table, and then inside the parentheses specify the columns of the dimension tables on which the index is defined.

#### **FROM**

In the **FROM** clause, specify the joined tables.

#### **WHERE**

In the **WHERE** clause, specify the join condition.

If the underlying fact table is partitioned, then you must also specify one of the *local\_partitioned\_index* clauses (see *local\_partitioned\_index*).

### **Restrictions on Bitmap Join Indexes**

In addition to the restrictions on bitmap indexes in general (see **BITMAP**), the following restrictions apply to bitmap join indexes:

- You cannot create a bitmap join index on a temporary table.
- No table may appear twice in the **FROM** clause.
- You cannot create a function-based join index.
- The dimension table columns must be either primary key columns or have unique constraints.
- If a dimension table has a composite primary key, then each column in the primary key must be part of the join.
- You cannot specify the *local\_partitioned\_index* clause unless the fact table is partitioned.

- A bitmap join index definition can only reference columns with collation `BINARY`, `USING_NLS_COMP`, `USING_NLS_SORT`, or `USING_NLS_SORT_CS`. For any of these collations, index keys are collated and the join condition is evaluated using the `BINARY` collation. See *Oracle Database Globalization Support Guide* for more information.

 **Note:**

*Oracle Database Data Warehousing Guide* for information on fact and dimension tables and on using bitmap indexes in a data warehousing environment

## USABLE | UNUSABLE

You can specify the `USABLE` and `UNUSABLE` keywords:

- For an index, in the `CREATE INDEX` statement
- For an index partition, in the `on_range_partitioned_table`, `on_list_partitioned_table`, `on_hash_partitioned_table`, and `on_comp_partitioned_table` clauses
- For an index subpartition, in the `index_subpartition_clause`

For nonpartitioned indexes, specify `UNUSABLE` to create an index in an unusable state. An unusable index must be rebuilt, or dropped and re-created, before it can be used. Specify `USABLE` to create an index in a usable state. `USABLE` is the default.

For partitioned indexes, specify `USABLE` or `UNUSABLE` as follows:

- If you specify `UNUSABLE` for the index, then all index partitions are marked `UNUSABLE`.
- If you specify `USABLE` for the index, then all index partitions are marked `USABLE`.
- If you do not specify `USABLE` or `UNUSABLE` for the index, then all index partitions are marked `USABLE`. The exception is a local partial index. If you specify the `LOCAL` and `INDEXING PARTIAL` clauses, and do not specify `USABLE` or `UNUSABLE`, then each index partition is marked `USABLE` if the indexing property of its corresponding table partition is `ON`, or `UNUSABLE` if the indexing property of its corresponding table partition is `OFF`.

You can override the preceding conditions by specifying `USABLE` or `UNUSABLE` for a specific index partition.

If the underlying table is a composite-partitioned table, then the preceding conditions for index partitions and table partitions apply instead to index subpartitions and table subpartitions.

After you create a partitioned index, you can choose to rebuild specific index partitions or subpartitions to make them `USABLE`. Doing so can be useful if you want to maintain indexes only on some index partitions or subpartitions—for example, if you want to enable index access for new partitions but not for old partitions.

When an index, or some partitions or subpartitions of an index, are created `UNUSABLE`, no segment is allocated for the unusable object. The unusable index or index partition consumes no space in the database.

If an index, or some partitions or subpartitions of the index, are marked `UNUSABLE`, then the index will be considered as an access path by the optimizer only under the following circumstances: the optimizer must know at compile time which partitions are to be accessed, and all of those partitions to be accessed must be marked `USABLE`. Therefore, the query cannot contain any bind variables.

### Restrictions on `USABLE` | `UNUSABLE`

The following restrictions apply when marking an index `USABLE` or `UNUSABLE`:

- You cannot specify this clause for an index on a temporary table.
- Unusable indexes or index partitions will still have a segment under the following conditions:
  - The index (or index partition) is owned by `SYS`, `SYSTEM`, `PUBLIC`, `OUTLN`, or `XDB`
  - The index (or index partition) is stored in dictionary-managed tablespaces
  - The global partitioned or nonpartitioned index on a partitioned table becomes unusable due to a partition maintenance operation

### { `DEFERRED` | `IMMEDIATE` } `INVALIDATION`

This clause lets you control when the database invalidates dependent cursors while creating the index. It has the same semantics here as for the `ALTER INDEX` statement. Refer to [{ `DEFERRED` | `IMMEDIATE` } `INVALIDATION`](#) in the documentation on `ALTER INDEX` for the full semantics of this clause.

## Examples

### General Index Examples

#### Creating an Index: Example

The following statement shows how the sample index `ord_customer_ix` on the `customer_id` column of the sample table `oe.orders` was created:

```
CREATE INDEX ord_customer_ix
  ON orders (customer_id);
```

#### Compressing an Index: Example

To create the `ord_customer_ix_demo` index with the `COMPRESS` clause, you might issue the following statement:

```
CREATE INDEX ord_customer_ix_demo
  ON orders (customer_id, sales_rep_id)
  COMPRESS 1;
```

The index will compress repeated occurrences of `customer_id` column values.

#### Creating an Index in `NOLOGGING` Mode: Example

If the sample table `orders` had been created using a fast parallel load (so all rows were already sorted), then you could issue the following statement to quickly create an index.

```
/* Unless you first sort the table oe.orders, this example fails
   because you cannot specify NOSORT unless the base table is
   already sorted.
*/
CREATE INDEX ord_customer_ix_demo
  ON orders (order_mode)
  NOSORT
  NOLOGGING;
```

### Creating a Cluster Index: Example

To create an index for the `personnel` cluster, which was created in "[Creating a Cluster: Example](#)", issue the following statement:

```
CREATE INDEX idx_personnel ON CLUSTER personnel;
```

No index columns are specified, because cluster indexes are automatically built on all the columns of the cluster key. For cluster indexes, all rows are indexed.

### Creating an Index on an XMLType Table: Example

The following example creates an index on the `area` element of the `xwarehouses` table (created in "[XMLType Table Examples](#)"):

```
CREATE INDEX area_index ON xwarehouses e
  (EXTRACTVALUE(VALUE(e), '/Warehouse/Area'));
```

Such an index would greatly improve the performance of queries that select from the table based on, for example, the square footage of a warehouse, as shown in this statement:

```
SELECT e.getClobVal() AS warehouse
  FROM xwarehouses e
 WHERE EXISTSNODE(VALUE(e), '/Warehouse[Area>50000]') = 1;
```



#### See Also:

[EXISTSNODE](#) and [VALUE](#)

### Function-Based Index Examples

The following examples show how to create and use function-based indexes.

#### Creating a Function-Based Index: Example

The following statement creates a function-based index on the `employees` table based on an uppercase evaluation of the `last_name` column:

```
CREATE INDEX upper_ix ON employees (UPPER(last_name));
```

See the "[Prerequisites](#)" for the privileges and parameter settings required when creating function-based indexes.

To increase the likelihood that Oracle Database will use the index rather than performing a full table scan, be sure that the value returned by the function is not null in subsequent queries. For example, this statement will use the index, unless some other condition exists that prevents the optimizer from doing so:



```
SELECT first_name, last_name
   FROM employees WHERE UPPER(last_name) IS NOT NULL
   ORDER BY UPPER(last_name);
```

Without the `WHERE` clause, Oracle Database may perform a full table scan.

In the next statements showing index creation and subsequent query, Oracle Database will use index `income_ix` even though the columns are in reverse order in the query:

```
CREATE INDEX income_ix
   ON employees(salary + (salary*commission_pct));

SELECT first_name||' '||last_name "Name"
   FROM employees
   WHERE (salary*commission_pct) + salary > 15000
   ORDER BY employee_id;
```

### Creating a Function-Based Index on a LOB Column: Example

The following statement uses the `text_length` function to create a function-based index on a LOB column in the sample `pm` schema. See *Oracle Database PL/SQL Language Reference* for the example that creates this function. The example selects rows from the sample table `print_media` where that CLOB column has fewer than 1000 characters.

```
CREATE INDEX src_idx ON print_media(text_length(ad_sourcetext));

SELECT product_id FROM print_media
   WHERE text_length(ad_sourcetext) < 1000
   ORDER BY product_id;

PRODUCT_ID
-----
         2056
         2268
         3060
         3106
```

### Creating a Function-based Index on a Type Method: Example

This example entails an object type `rectangle` containing two number attributes: `length` and `width`. The `area()` method computes the area of the rectangle.

```
CREATE TYPE rectangle AS OBJECT
( length  NUMBER,
  width  NUMBER,
  MEMBER FUNCTION area RETURN NUMBER DETERMINISTIC
);

CREATE OR REPLACE TYPE BODY rectangle AS
  MEMBER FUNCTION area RETURN NUMBER IS
  BEGIN
    RETURN (length*width);
  END;
END;
```

Now, if you create a table `rect_tab` of type `rectangle`, you can create a function-based index on the `area()` method as follows:

```
CREATE TABLE rect_tab OF rectangle;
CREATE INDEX area_idx ON rect_tab x (x.area());
```

You can use this index efficiently to evaluate a query of the form:

```
SELECT * FROM rect_tab x WHERE x.area() > 100;
```

### Using a Function-based Index to Define Conditional Uniqueness: Example

The following statement creates a unique function-based index on the `oe.orders` table that prevents a customer from taking advantage of promotion ID 2 ("blowout sale") more than once:

```
CREATE UNIQUE INDEX promo_ix ON orders
  (CASE WHEN promotion_id =2 THEN customer_id ELSE NULL END,
   CASE WHEN promotion_id = 2 THEN promotion_id ELSE NULL END);

INSERT INTO orders (order_id, order_date, customer_id, order_total, promotion_id)
  VALUES (2459, systimestamp, 106, 251, 2);
1 row created.

INSERT INTO orders (order_id, order_date, customer_id, order_total, promotion_id)
  VALUES (2460, systimestamp+1, 106, 110, 2);
insert into orders (order_id, order_date, customer_id, order_total, promotion_id)
*
ERROR at line 1:
ORA-00001: unique constraint (OE.PROMO_IX) violated
```

The objective is to remove from the index any rows where the `promotion_id` is not equal to 2. Oracle Database does not store in the index any rows where all the keys are NULL. Therefore, in this example, both `customer_id` and `promotion_id` are mapped to NULL unless `promotion_id` is equal to 2. The result is that the index constraint is violated only if `promotion_id` is equal to 2 for two rows with the same `customer_id` value.

## Partitioned Index Examples

### Creating a Range-Partitioned Global Index: Example

The following statement creates a global prefixed index `cost_ix` on the sample table `sh.sales` with three partitions that divide the range of costs into three groups:

```
CREATE INDEX cost_ix ON sales (amount_sold)
  GLOBAL PARTITION BY RANGE (amount_sold)
    (PARTITION p1 VALUES LESS THAN (1000),
     PARTITION p2 VALUES LESS THAN (2500),
     PARTITION p3 VALUES LESS THAN (MAXVALUE));
```

### Creating a Hash-Partitioned Global Index: Example

The following statement creates a hash-partitioned global index `cust_last_name_ix` on the sample table `sh.customers` with four partitions:

```
CREATE INDEX cust_last_name_ix ON customers (cust_last_name)
  GLOBAL PARTITION BY HASH (cust_last_name)
  PARTITIONS 4;
```

### Creating an Index on a Hash-Partitioned Table: Example

The following statement creates a local index on the `category_id` column of the `hash_products` partitioned table (which was created in "[Hash Partitioning Example](#)"). The `STORE IN` clause immediately following `LOCAL` indicates that `hash_products` is hash

partitioned. Oracle Database will distribute the hash partitions between the `tbs1` and `tbs2` tablespaces:

```
CREATE INDEX prod_idx ON hash_products(category_id) LOCAL
  STORE IN (tbs_01, tbs_02);
```

The creator of the index must have quota on the tablespaces specified. See [CREATE TABLESPACE](#) for examples that create tablespaces `tbs_01` and `tbs_02`.

### Creating an Index on a Composite-Partitioned Table: Example

The following statement creates a local index on the `composite_sales` table, which was created in "[Composite-Partitioned Table Examples](#)". The `STORAGE` clause specifies default storage attributes for the index. However, this default is overridden for the five subpartitions of partitions `q3_2000` and `q4_2000`, because separate `TABLESPACE` storage is specified.

The creator of the index must have quota on the tablespaces specified. See [CREATE TABLESPACE](#) for examples that create tablespaces `tbs_02` and `tbs_03`.

```
CREATE INDEX sales_ix ON composite_sales(time_id, prod_id)
  STORAGE (INITIAL 1M)
  LOCAL
  (PARTITION q1_1998,
   PARTITION q2_1998,
   PARTITION q3_1998,
   PARTITION q4_1998,
   PARTITION q1_1999,
   PARTITION q2_1999,
   PARTITION q3_1999,
   PARTITION q4_1999,
   PARTITION q1_2000,
   PARTITION q2_2000
    (SUBPARTITION pq2001, SUBPARTITION pq2002,
     SUBPARTITION pq2003, SUBPARTITION pq2004,
     SUBPARTITION pq2005, SUBPARTITION pq2006,
     SUBPARTITION pq2007, SUBPARTITION pq2008),
   PARTITION q3_2000
    (SUBPARTITION c1 TABLESPACE tbs_02,
     SUBPARTITION c2 TABLESPACE tbs_02,
     SUBPARTITION c3 TABLESPACE tbs_02,
     SUBPARTITION c4 TABLESPACE tbs_02,
     SUBPARTITION c5 TABLESPACE tbs_02),
   PARTITION q4_2000
    (SUBPARTITION pq4001 TABLESPACE tbs_03,
     SUBPARTITION pq4002 TABLESPACE tbs_03,
     SUBPARTITION pq4003 TABLESPACE tbs_03,
     SUBPARTITION pq4004 TABLESPACE tbs_03)
  );
```

### Bitmap Index Examples

The following creates a bitmap index on the table `oe.hash_products`, which was created in "[Hash Partitioning Example](#)":

```
CREATE BITMAP INDEX product_bm_ix
  ON hash_products(list_price)
  LOCAL (PARTITION ix_p1 TABLESPACE tbs_01,
        PARTITION ix_p2,
        PARTITION ix_p3 TABLESPACE tbs_02,
        PARTITION ix_p4 TABLESPACE tbs_03)
  TABLESPACE tbs_04;
```

Because `hash_products` is a partitioned table, the bitmap join index must be locally partitioned. In this example, the user must have quota on tablespaces specified. See [CREATE TABLESPACE](#) for examples that create tablespaces `tbs_01`, `tbs_02`, `tbs_03`, and `tbs_04`.

The next series of statements shows how one might create a bitmap join index on a fact table using a join with a dimension table.

```
CREATE TABLE hash_products
  ( product_id          NUMBER(6)
  , product_name       VARCHAR2(50)
  , product_description VARCHAR2(2000)
  , category_id        NUMBER(2)
  , weight_class       NUMBER(1)
  , warranty_period    INTERVAL YEAR TO MONTH
  , supplier_id        NUMBER(6)
  , product_status     VARCHAR2(20)
  , list_price         NUMBER(8,2)
  , min_price          NUMBER(8,2)
  , catalog_url        VARCHAR2(50)
  , CONSTRAINT        pk_product_id PRIMARY KEY (product_id)
  , CONSTRAINT        product_status_lov_demo
                      CHECK (product_status in ('orderable'
                                                , 'planned'
                                                , 'under development'
                                                , 'obsolete'))
  )
PARTITION BY HASH (product_id)
PARTITIONS 5
STORE IN (example);

CREATE TABLE sales_quota
  ( product_id          NUMBER(6)
  , customer_name       VARCHAR2(50)
  , order_qty          NUMBER(6)
  , CONSTRAINT u_product_id UNIQUE(product_id)
  );

CREATE BITMAP INDEX product_bm_ix
ON hash_products(list_price)
FROM hash_products h, sales_quota s
WHERE h.product_id = s.product_id
LOCAL(PARTITION ix_p1 TABLESPACE example,
      PARTITION ix_p2,
      PARTITION ix_p3 TABLESPACE example,
      PARTITION ix_p4,
      PARTITION ix_p5 TABLESPACE example)
TABLESPACE example;
```

### Indexes on Nested Tables: Example

The sample table `pm.print_media` contains a nested table column `ad_textdocs_ntab`, which is stored in storage table `textdocs_nestedtab`. The following example creates a unique index on storage table `textdocs_nestedtab`:

```
CREATE UNIQUE INDEX nested_tab_ix
ON textdocs_nestedtab(NESTED_TABLE_ID, document_typ);
```

Including pseudocolumn `NESTED_TABLE_ID` ensures distinct rows in nested table column `ad_textdocs_ntab`.

## Indexing on Substitutable Columns: Examples

You can build an index on attributes of the declared type of a substitutable column. In addition, you can reference the subtype attributes by using the appropriate `TREAT` function. The following example uses the table `books`, which is created in "[Substitutable Table and Column Examples](#)". The statement creates an index on the `salary` attribute of all employee authors in the `books` table:

```
CREATE INDEX salary_i
  ON books (TREAT(author AS employee_t).salary);
```

The target type in the argument of the `TREAT` function must be the type that added the attribute being referenced. In the example, the target of `TREAT` is `employee_t`, which is the type that added the `salary` attribute.

If this condition is not satisfied, then Oracle Database interprets the `TREAT` function as any functional expression and creates the index as a function-based index. For example, the following statement creates a function-based index on the `salary` attribute of part-time employees, assigning nulls to instances of all other types in the type hierarchy.

```
CREATE INDEX salary_func_i ON persons p
  (TREAT(VALUE(p) AS part_time_emp_t).salary);
```

You can also build an index on the type-discriminant column underlying a substitutable column by using the `SYS_TYPEID` function.



### Note:

Oracle Database uses the type-discriminant column to evaluate queries that involve the `IS OF type` condition. The cardinality of the `typeid` column is normally low, so Oracle recommends that you build a bitmap index in this situation.

The following statement creates a bitmap index on the `typeid` of the `author` column of the `books` table:

```
CREATE BITMAP INDEX typeid_i ON books (SYS_TYPEID(author));
```



### See Also:

- *Oracle Database PL/SQL Language Reference* to see the creation of the type hierarchy underlying the `books` table
- the functions `TREAT` and `SYS_TYPEID` and the condition "`IS OF type Condition` "

# CREATE INDEXTYPE

## Purpose

Use the `CREATE INDEXTYPE` statement to create an **indextype**, which is an object that specifies the routines that manage a domain (application-specific) index. Indextypes reside in

the same namespace as tables, views, and other schema objects. This statement binds the indextype name to an implementation type, which in turn specifies and refers to user-defined index functions and procedures that implement the indextype.

 **See Also:**

*Oracle Database Data Cartridge Developer's Guide* for more information on implementing indextypes

**Prerequisites**

To create an indextype in your own schema, you must have the `CREATE INDEXTYPE` system privilege. To create an indextype in another schema, you must have the `CREATE ANY INDEXTYPE` system privilege. In either case, you must have the `EXECUTE` object privilege on the implementation type and the supported operators.


An indextype supports one or more operators, so before creating an indextype, you must first design the operator or operators to be supported and provide functional implementation for those operators.



 **See Also:**

[CREATE OPERATOR](#)

**Syntax**

***create\_indextype::=***



**using\_type\_clause::=****array\_DML\_clause::=****storage\_table\_clause::=****Semantics****OR REPLACE**

Specify `OR REPLACE` to re-create the indextype if it already exists. You can use this clause to change the definition of an existing indextype without dropping, re-creating, and regrating object privileges previously granted on it.

**IF NOT EXISTS**

Specifying `IF NOT EXISTS` has the following effects:

- If the indextype does not exist, a new indextype is created at the end of the statement.
- If the indextype exists, this is the indextype you have at the end of the statement. A new one is not created because the older one is detected.

You can have *one* of `OR REPLACE` or `IF NOT EXISTS` in a statement at a time. Using both `OR REPLACE` with `IF NOT EXISTS` in the very same statement results in the following error:  
ORA-11541: REPLACE and IF NOT EXISTS cannot coexist in the same DDL statement.

Using `IF EXISTS` with `CREATE` results in ORA-11543: Incorrect IF NOT EXISTS clause for CREATE statement.

***schema***

Specify the name of the schema in which the indextype resides. If you omit *schema*, then Oracle Database creates the indextype in your own schema.

***indextype***

Specify the name of the indextype to be created. The name must satisfy the requirements listed in "[Database Object Naming Rules](#)".

**SHARING**

Use the sharing clause if you want to create the object in an application root in the context of an application maintenance. This type of object is called an application common object and it can be shared with the application PDBs that belong to the application root.

You can specify how the object is shared using one of the following sharing attributes:

- **METADATA** - A metadata link shares the metadata, but its data is unique to each container. This type of object is referred to as a metadata-linked application common object.
- **NONE** - The object is not shared and can only be accessed in the application root.

**FOR Clause**

Use the **FOR** clause to specify the list of operators supported by the indextype.

- For *schema*, specify the schema containing the operator. If you omit *schema*, then Oracle assumes the operator is in your own schema.
- For *operator*, specify the name of the operator supported by the indextype.  
All the operators listed in this clause must be valid operators.
- For *parameter\_type*, list the types of parameters to the operator.

***using\_type\_clause***

The **USING** clause lets you specify the type that provides the implementation for the new indextype.

For *implementation\_type*, specify the name of the type that implements the appropriate Oracle Data Cartridge Interface (ODCI).

- You must specify a valid type that implements the routines in the ODCI.
- The implementation type must reside in the same schema as the indextype.

**See Also:**

*Oracle Database Data Cartridge Developer's Guide* for additional information on this interface



## WITH LOCAL PARTITION

Use this clause to indicate that the indextype can be used to create local domain indexes on range-, list-, hash-, and interval-partitioned tables. You use this clause in combination with the *storage\_table\_clause* in several ways (see [storage\\_table\\_clause](#)).

- The recommended method is to specify `WITH LOCAL PARTITION WITH SYSTEM MANAGED STORAGE TABLES`. This combination uses *system-managed* storage tables, which are the preferred storage management, and lets you create local domain indexes on range-, list-, hash-, and interval-partitioned tables. In this case the `RANGE` keyword is optional and ignored, because it is no longer needed if you specify `WITH LOCAL PARTITION WITH SYSTEM MANAGED STORAGE TABLES`.
- You can specify `WITH LOCAL RANGE PARTITION` (including the `RANGE` keyword) and omit the *storage\_table* clause. Local domain indexes on range-partitioned tables are supported with *user-managed* storage tables for backward compatibility. Oracle does not recommend this combination because it uses the less efficient user-managed storage tables.

If you omit this clause entirely, then you cannot subsequently use this indextype to create a local domain index on a range, list-, hash-, or interval-partitioned table.

### *storage\_table\_clause*

Use this clause to specify how storage tables and partition maintenance operations for indexes built on this indextype are managed:

- Specify `WITH SYSTEM MANAGED STORAGE TABLES` to indicate that the storage of statistics data is to be managed by the system. The type you specify in *statistics\_type* should be storing the statistics related information in tables that are maintained by the system. Also, the indextype you specify must already have been created or altered to support the `WITH SYSTEM MANAGED STORAGE TABLES` clause.
- Specify `WITH USER MANAGED STORAGE TABLES` to indicate that the tables that store the user-defined statistics will be managed by the user. This is the default behavior.

#### See Also:

*Oracle Database Data Cartridge Developer's Guide* for more information about storage tables for domain indexes

### *array\_DML\_clause*

Use this clause to let the indextype support the array interface for the `ODCIIndexInsert` method.

### *type and varray\_type*

If the data type of the column to be indexed is a user-defined object type, then you must specify this clause to identify the varray *varray\_type* that Oracle should use to hold column values of *type*. If the indextype supports a list of types, then you can specify a corresponding list of varray types. If you omit *schema* for either *type* or *varray\_type*, then Oracle assumes the type is in your own schema.

If the data type of the column to be indexed is a built-in system type, then any varray type specified for the indextype takes precedence over the ODCI types defined by the system.

 **See Also:**

*Oracle Database Data Cartridge Developer's Guide* for more information on the ODCI array interface

## Examples

### Creating an Indextype: Example

The following statement creates an indextype named `position_indextype` and specifies the `position_between` operator that is supported by the indextype and the `position_im` type that implements the index interface. Refer to "[Using Extensible Indexing](#)" for an extensible indexing scenario that uses this indextype:

```
CREATE INDEXTYPE position_indextype
  FOR position_between(NUMBER, NUMBER, NUMBER)
  USING position_im;
```

# CREATE INMEMORY JOIN GROUP

## Purpose

Use the `CREATE INMEMORY JOIN GROUP` statement to create a join group, which is an object that specifies frequently joined columns from the same table or different tables. Such columns typically contain values of compatible data types that fall in similar ranges. When you create a join group, Oracle Database stores special metadata for the columns in the global dictionary, which enables the database to optimize join queries for the columns. In order to achieve this optimization, the table columns must be populated in the In-Memory Column Store (IM column store).

Creating a join group for tables causes the current In-Memory contents of these tables to be invalidated. Subsequent repopulation causes the In-Memory Compression Units (IMCUs) of the tables to be re-encoded with the global dictionary. Thus, Oracle recommends that you first create the join group, and then populate the tables.

 **See Also:**


- [ALTER INMEMORY JOIN GROUP](#) and [DROP INMEMORY JOIN GROUP](#)
- *Oracle Database In-Memory Guide* for more information on join groups

## Prerequisites

To create a join group in another user's schema, or to include in the join group a column in a table in another user's schema, you must have the `CREATE ANY TABLE` system privilege.

## Syntax

***create\_inmemory\_join\_group::=***



## Semantics

### IF NOT EXISTS

Specifying `IF NOT EXISTS` has the following effects:

- If the object does not exist, a new object is created at the end of the statement.
- If the object exists, this is the object you have at the end of the statement. A new one is not created because the older object is detected.

Using `IF EXISTS` with `CREATE` results in `ORA-11543: Incorrect IF NOT EXISTS clause for CREATE statement.`

### *schema*

Specify the schema to contain the join group. If you omit *schema*, then the database creates the join group in your own schema.

### *join\_group*

Specify the name of the join group to be created. The name must satisfy the requirements listed in “[Database Object Naming Rules](#)”.

### *schema*

Specify the schema of the table that contains a column to be included in the join group. If you omit *schema*, then Oracle Database assumes the table is in your own schema.

### *table*

Specify the name of the table that contains a column to be included in the join group.

### *column*

Specify the name of a column to be included in the join group. A join group can contain columns in the same table or different tables.

## Restrictions on Join Groups

The following restrictions apply to join groups:

- A join group must contain at least 1 column.

- A join group can contain at most 255 columns.
- A table column can be a member of at most one join group.
- Oracle Active Data Guard does not support join groups.

### Examples

The following statement creates a join group named `prod_id1` in the `oe` schema. Both tables involved in this join group reside in the `oe` schema.

```
CREATE INMEMORY JOIN GROUP prod_id1
  (inventories(product_id), order_items(product_id));
```

The following statement creates a join group named `prod_id2` in the `oe` schema. The table `inventories` resides in the `oe` schema and the table `online_media` resides in the `pm` schema.

```
CREATE INMEMORY JOIN GROUP prod_id2
  (inventories(product_id), pm.online_media(product_id));
```

## CREATE JAVA

### Purpose

Use the `CREATE JAVA` statement to create a schema object containing a Java source, class, or resource.



#### See Also:


- *Oracle Database Java Developer's Guide* for Java concepts and information about Java stored procedures
- *Oracle Database JDBC Developer's Guide* for information on JDBC

### Prerequisites


To create or replace a schema object containing a Java source, class, or resource in your own schema, you must have `CREATE PROCEDURE` system privilege. To create or replace such a schema object in another user's schema, you must have `CREATE ANY PROCEDURE` system privilege.

## Syntax

**create\_java::=**



**invoker\_rights\_clause::=**



## Semantics

### OR REPLACE

Specify `OR REPLACE` to re-create the schema object containing the Java class, source, or resource if it already exists. Use this clause to change the definition of an existing object without dropping, re-creating, and regrating object privileges previously granted.

If you redefine a Java schema object and specify `RESOLVE` or `COMPILE`, then Oracle Database recompiles or resolves the object. Whether or not the resolution or compilation is successful, the database invalidates classes that reference the Java schema object.

Users who had previously been granted privileges on a redefined function can still access the function without being regranted the privileges.



### See Also:

[ALTER JAVA](#) for additional information

## IF NOT EXISTS

Specifying `IF NOT EXISTS` has the following effects:

- If the object does not exist, a new object is created at the end of the statement.
- If the object exists, this is the object you have at the end of the statement. A new one is not created because the older one is detected.

You can have *one* of `OR REPLACE` or `IF NOT EXISTS` in a statement at a time. Using both `OR REPLACE` with `IF NOT EXISTS` in the very same statement results in the following error: `ORA-11541: REPLACE and IF NOT EXISTS cannot coexist in the same DDL statement.`

Using `IF EXISTS` with `CREATE` results in `ORA-11543: Incorrect IF NOT EXISTS clause for CREATE statement.`

## RESOLVE | COMPILE

`RESOLVE` and `COMPILE` are synonymous keywords. They specify that Oracle Database should attempt to resolve the Java schema object that is created if this statement succeeds.

- When applied to a class, resolution of referenced names to other class schema objects occurs.
- When applied to a source, source compilation occurs.

### Restriction on `RESOLVE` and `COMPILE`

You cannot specify these keywords for a Java resource.

## NOFORCE

Specify `NOFORCE` to roll back the results of this `CREATE` command if you have specified either `RESOLVE` or `COMPILE` and the resolution or compilation fails. If you do not specify this option, then Oracle Database takes no action if the resolution or compilation fails, and the created schema object remains.

### JAVA SOURCE Clause

Specify `JAVA SOURCE` to load a Java source file.

### JAVA CLASS Clause

Specify `JAVA CLASS` to load a Java class file.

### JAVA RESOURCE Clause

Specify `JAVA RESOURCE` to load a Java resource file.

## NAMED Clause

The `NAMED` clause is required for a Java source or resource. The `primary_name` must be enclosed in double quotation marks and its length must not exceed 4000 bytes in the database character set.

- For a Java source, this clause specifies the name of the schema object in which the source code is held. A successful `CREATE JAVA SOURCE` statement will also create additional schema objects to hold each of the Java classes defined by the source.
- For a Java resource, this clause specifies the name of the schema object to hold the Java resource.

Use double quotation marks to preserve a lower- or mixed-case `primary_name`.

If you do not specify `schema`, then Oracle Database creates the object in your own schema.

## Restrictions on NAMED Java Classes

The `NAMED` clause is subject to the following restrictions:

- You cannot specify `NAMED` for a Java class.
- The `primary_name` cannot contain a database link.

## SCHEMA Clause

The `SCHEMA` clause applies only to a Java class. This optional clause specifies the schema in which the object containing the Java file will reside. If you do not specify this clause, then Oracle Database creates the object in your own schema.

## SHARING

This clause applies only when creating a Java schema object in an application root. This type of object is called an application common object and it can be shared with the application PDBs that belong to the application root. To determine how the Java schema object is shared, specify one of the following sharing attributes:

- `METADATA` - A metadata link shares the Java schema object's metadata, but its data is unique to each container. This type of Java schema object is referred to as a **metadata-linked application common object**.
- `NONE` - The Java schema object is not shared.

If you omit this clause, then the database uses the value of the `DEFAULT_SHARING` initialization parameter to determine the sharing attribute of the Java schema object. If the `DEFAULT_SHARING` initialization parameter does not have a value, then the default is `METADATA`.

You cannot change the sharing attribute of a Java schema object after it is created.

### See Also:

- *Oracle Database Reference* for more information on the `DEFAULT_SHARING` initialization parameter
- *Oracle Database Administrator's Guide* for complete information on creating application common objects

### *invoker\_rights\_clause*

Use the *invoker\_rights\_clause* to indicate whether the methods of the class execute with the privileges and in the schema of the user who owns the class or with the privileges and in the schema of `CURRENT_USER`.

This clause also determines how Oracle Database resolves external names in queries, DML operations, and dynamic SQL statements in the member functions and procedures of the type.

### **AUTHID CURRENT\_USER**

`CURRENT_USER` indicates that the methods of the class execute with the privileges of `CURRENT_USER`. This clause is the default and creates an **invoker-rights class**.

This clause also specifies that external names in queries, DML operations, and dynamic SQL statements resolve in the schema of `CURRENT_USER`. External names in all other statements resolve in the schema in which the methods reside.

### **AUTHID DEFINER**

`DEFINER` indicates that the methods of the class execute with the privileges of the owner of the schema in which the class resides, and that external names resolve in the schema where the class resides. This clause creates a **definer-rights class**.



#### **See Also:**

- *Oracle Database Java Developer's Guide*
- *Oracle Database PL/SQL Language Reference* for information on how `CURRENT_USER` is determined

### **RESOLVER Clause**

The `RESOLVER` clause lets you specify a mapping of the fully qualified Java name to a Java schema object, where:

- *match\_string* is either a fully qualified Java name, a wildcard that can match such a Java name, or a wildcard that can match any name.
- *schema\_name* designates a schema to be searched for the corresponding Java schema object.
- A dash (-) as an alternative to *schema\_name* indicates that if *match\_string* matches a valid Java name, Oracle Database can leave the name unresolved. The resolution succeeds, but the name cannot be used at run time by the class.

This mapping is stored with the definition of the schema objects created in this command for use in later resolutions (either implicit or in explicit `ALTER JAVA ... RESOLVE` statements).

### **USING Clause**

The `USING` clause determines a sequence of character data (`CLOB` or `BFILE`) or binary data (`BLOB` or `BFILE`) for the Java class or resource. Oracle Database uses the



sequence of characters to define one file for a Java class or resource, or one source file and one or more derived classes for a Java source.

### **BFILE Clause**

Specify the directory and filename of a previously created file on the operating system (*directory\_object\_name*) and server file (*server\_file\_name*) containing the sequence. BFILE is usually interpreted as a character sequence by CREATE JAVA SOURCE and as a binary sequence by CREATE JAVA CLASS or CREATE JAVA RESOURCE.

### **CLOB | BLOB | BFILE subquery**

Specify a subquery that selects a single row and column of the type specified (CLOB, BLOB, or BFILE). The value of the column makes up the sequence of characters.



#### **Note:**

In earlier releases, the USING clause implicitly supplied the keyword SELECT. This is no longer the case. However, the subquery without the keyword SELECT is still supported for backward compatibility.

### **key\_for\_BLOB**

The *key\_for\_BLOB* clause supplies the following implicit query:

```
SELECT LOB FROM CREATE$JAVA$LOB$TABLE
WHERE NAME = 'key_for_BLOB';
```

### **Restriction on the key\_for\_BLOB Clause**

For you to use this case, the table CREATE\$JAVA\$LOB\$TABLE must exist in the current schema and must have a column LOB of type BLOB and a column NAME of type VARCHAR2.

### **AS source\_char**

Specify a sequence of characters for a Java source.

## **Examples**

### **Creating a Java Class Object: Example**

The following statement creates a schema object containing a Java class using the name found in a Java binary file:

```
CREATE JAVA CLASS USING BFILE (java_dir, 'Agent.class')
/
```

This example assumes the directory object *java\_dir*, which points to the operating system directory containing the Java class *Agent.class*, already exists. In this example, the name of the class determines the name of the Java class schema object.

### **Creating a Java Source Object: Example**

The following statement creates a Java source schema object:

```
CREATE JAVA SOURCE NAMED "Welcome" AS
public class Welcome {
```

```
public static String welcome() {  
    return "Welcome World"; }  
/
```

### Creating a Java Resource Object: Example

The following statement creates a Java resource schema object named `apptext` from a bfile:

```
CREATE JAVA RESOURCE NAMED "appText"  
    USING BFILE (java_dir, 'textBundle.dat')  
/
```

# 14

## SQL Statements: CREATE JSON RELATIONAL DUALITY VIEW to CREATE SCHEMA

This chapter contains the following SQL statements:

- CREATE JSON RELATIONAL DUALITY VIEW
- CREATE LIBRARY
- CREATE LOCKDOWN PROFILE
- CREATE MATERIALIZED VIEW
- CREATE MATERIALIZED VIEW LOG
- CREATE MATERIALIZED ZONEMAP
- CREATE OPERATOR
- CREATE OUTLINE
- CREATE PACKAGE
- CREATE PACKAGE BODY
- CREATE PFILE
- CREATE PLUGGABLE DATABASE
- CREATE PROCEDURE
- CREATE PROFILE
- CREATE RESTORE POINT
- CREATE ROLE
- CREATE ROLLBACK SEGMENT
- CREATE SCHEMA

### CREATE JSON RELATIONAL DUALITY VIEW

#### Purpose

JSON-relational duality views expose data in relational tables as JSON documents. The documents are materialized on demand, not stored as such. Duality views give your data a conceptual and an operational duality as it is organized both relationally and hierarchically. You can base different duality views on data stored in one or more of the same tables, providing different JSON hierarchies over the same, shared data. This means that applications can access (create, query, modify) the same data as a collection of JSON documents or as a set of related tables and columns, and both approaches can be employed at the same time.

A flex column in a table underlying a JSON-relational duality view lets you add and redefine fields of the document object produced by that table. This provides a certain kind of schema flexibility to a duality view, and to the documents it supports. For more information on flex columns in a table underlying a JSON-relational duality view see *JSON Data Stored in JSON-Relational Duality Views* of the *JSON-Relational Duality Developer's Guide*

You define a duality view against a set of tables related by primary key (PK), foreign key (FK) or unique key constraints (UK). The following rules apply:

- The constraints must be declared in the database but need not be enforced (can be `RELY DISABLE` constraints).
- The relationships type can be 1-to-1, 1-to-N and N-to-M (using a mapping table with two FKs). The N-to-M relationship can be thought of as the combination of 1-to-N and 1-to-1 relationship
- Columns of two or more tables with 1-to-1 or N-to-1 relationships can be merged into the same JSON object via `UNNEST`. Otherwise a nested JSON object is created.
- Tables with a 1-to-N relationship create a nested JSON array.
- A duality view has only one column of type `JSON`.
- Each row in the duality view is one JSON object, which is typically a hierarchy of nested objects and arrays.
- Each application object is built from values originating from one or multiple rows from the underlying tables of that view. Typically, each table contributes to one (nested) JSON object.

 **Note:**


The SQL data types allowed for a column in a table underlying a duality view are `BINARY_DOUBLE`, `BINARY_FLOAT`, `BLOB`, `BOOLEAN`, `CHAR`, `CLOB`, `DATE`, `JSON`, `INTERVAL DAY TO SECOND`, `INTERVAL YEAR TO MONTH`, `NCHAR`, `NCLOB`, `NUMBER`, `NVARCHAR2`, `VARCHAR2`, `RAW`, `TIMESTAMP`, `TIMESTAMP WITH TIME ZONE`, and `VECTOR`. An error is raised if you specify any other column data type.

 **See Also:**


*JSON-Relational Duality Developer's Guide*

**Syntax**


***create\_json\_relational\_duality\_view::=***



***object\_gen\_clause::=***




***key\_value\_clause::=***




***flex\_clause::=***




***column\_tags\_clause::=***




**duality\_view\_subquery::=**



**table\_tags\_clause::=**



**graphql\_query\_for\_DV::=**




**root\_query\_field::=**




( directives::=, selection\_set::=)


**root\_query\_field\_name::=**




**directives::=**




**directive::=**




**arguments::=**




**argument::=**




**name::=**




**name\_start::=**




**name\_continue::=**




**letter::=**




**upper\_letter::=**




**lower\_letter::=**




**digit::=**



**selection\_set::=**




**selection\_list::=**






**selection::=**




**field::=**




( *directives::=*, *selection\_set::=* )


**alias::=**




**query\_field\_name::=**




**query\_scalar\_field\_name::=**




**query\_object\_field\_name::=**




**fragment\_spread::=**




**fragment\_name**




**quoted\_name::=**




**lower\_case\_name::=**




**name\_continue\_lower::=**




**field\_name::=**




**scalar\_field\_name::=**




**object\_field\_name::=**




***object\_field\_name\_lower::=***



***schema\_name\_lower::=***



***simple\_object\_type\_name\_lower::=***



### **Semantics**

The JSON relational duality view (DV) has only one column of data type `JSON`. The column contains the JSON object which is a representation of a application object. The column name is always `DATA`.

The duality view is read-only by default. Read-only means that the following annotations are in effect: `NOINSERT`, `NODELETE`, `NOUPDATE`.

### **OR REPLACE**

Specify `OR REPLACE` to re-create the view if it already exists. You can use this clause to change the definition of an existing view without dropping, re-creating, and regranteeing object privileges previously granted on it.

### **IF NOT EXISTS**

Specifying `IF NOT EXISTS` has the following effects:

- If the view does not exist, a new view is created at the end of the statement.
- If the view exists, this is the view you have at the end of the statement. A new one is not created because the older one is detected.

You can have only one of `OR REPLACE` or `IF NOT EXISTS` in a statement at a time. Using both in the same statement results in the following error:

```
ORA-11541: REPLACE and IF NOT EXISTS cannot coexist in the same DDL statement.
```

Using `IF EXISTS` with `CREATE` results in `ORA-11543: Incorrect IF NOT EXISTS clause for CREATE statement`

***table\_tags\_clause***

You can mark the view as updatable using the following keyword inside a `WITH` clause:

- `WITH INSERT`
- `WITH UPDATE`
- `WITH DELETE`

You can combine keywords together by separating them with a comma, for example:

`WITH INSERT, UPDATE`

***column\_tags\_clause***

You can mark individual columns with `WITH UPDATE` or `WITH NOUPDATE`. This supercedes table-level annotation.

**Column Properties for Updatability**

If the `FROM` clause is marked with such keywords, then this sets the default for all columns of the table in the `FROM` clause. You can change the default setting on an individual column. If a the `FROM` clause is specified as `WITH (INSERT, UPDATE, DELETE)` and a column overrides this default with `NOUPDATE`, then updates are not allowed.

**Column Properties for ETAGs**

Individual columns as well as a `FROM` clause can be specified to take part in the `CHECK ETAG` calculation or not. An `ETAG` is a hash value for all the columns' values in one JSON object and is used to detect changes. A column without `ETAG` can be changed without this change impacting other operations. By default all columns participate in `ETAG` calculation. Using `NOCHECK ETAG` a column can be excluded from `ETAG` calculation.

***graphql\_query\_for DV***

*graphql\_query\_for DV* is a special kind of shorthand query operation definition in GraphQL.

- The *root\_query\_field* is the single top-level selection field of this shorthand query.  
For brevity, *graphql\_query\_for DV* omits the pair of curly brackets of the top-level *selection\_set* of a general shorthand query operation.
- *selection\_set* syntax augments the selection set defined in the GraphQL specification with the option of optional square brackets around the selection list.
- *selection* in *selection\_list* can be only *field* or *fragment\_spread*.
- *field directives*: conform to the GraphQL specification. Only supported custom directives are allowed. `@skip` and `@include` are NOT supported.
- *argument* conforms to the GraphQL specification.
- *root\_query\_field\_name* corresponds to the root table.
- *name* has the same syntax as the GraphQL specification.
- *quoted\_name*: The field names in a GraphQL query for DV allow quoted and unquoted names. As a convention, unquoted field names are in lower case only.  
*any\_char* is any character allowed in a quoted identifier in SQL.

- `scalar_field_name` corresponds to a column name of a table.
- `object_field_name` corresponds to a related table name. In addition you can use quoted names, and fully qualified table names with dot-concatenation.

## Examples



### See Also:

*Introduction To Car-Racing Duality Views Example of the JSON-Relational Duality Developer's Guide.*

### Example 1: Create a Duality View of Orders

The following example is a view of an orders view object `ORDERS_OV` with the following information:

- Order information such as order status from the `Orders` table
- A `CustomerInfo` singleton descendant consisting of customer details from the `Customer` table
- An `OrderItems` array descendant consisting of a list of order items from the `OrderItems` table.
- Each order item, in turn, consists of `ItemInfo` and `ShipmentInfo` singletons from the `Products` and `Shipment` tables respectively.

```
CREATE OR REPLACE JSON RELATIONAL DUALITY VIEW ORDERS_OV AS
SELECT JSON { 'OrderId'   : ord.order_id,
              'OrderTime' : ord.order_datetime,
              'OrderStatus' : ord.order_status,
              'CustomerInfo' :
                (SELECT JSON{'CustomerId'   : cust.customer_id,
                             'CustomerName' : cust.full_name,
                             'CustomerEmail' :
cust.email_address }
                FROM CUSTOMERS cust
                 WHERE cust.customer_id = ord.customer_id),
              'OrderItems' : (SELECT JSON_ARRAYAGG(
                JSON { 'OrderItemId' : oi.line_item_id,
                      'Quantity'    :
oi.quantity,
                      'ProductInfo' : <subquery from product>
                      'ShipmentInfo' : <subquery from
shipments>
                })
                FROM ORDER_ITEMS oi
                 WHERE ord.order_id = oi.order_id)
              }
FROM ORDERS ord;
```

### Example 2: Create an Updatable View

To make the view updatable, one has to add `INSERT` or `UPDATE` or `DELETE` or any combination of these to either the `FROM` clause or individual column. The following allows to update the order, only read the customer and insert and update (not delete) order items.

```
CREATE OR REPLACE JSON RELATIONAL DUALITY VIEW ORDERS_OV AS
SELECT JSON { 'OrderId'      : ord.order_id,
             'OrderTime'    : ord.order_datetime,
             'OrderStatus'  : ord.order_status,
             'CustomerInfo' :
             (SELECT JSON{'CustomerId'   : cust.customer_id,
                          'CustomerName' : cust.full_name,
                          'CustomerEmail' : cust.email_address WITH
NOCHECK}

             FROM CUSTOMERS c WITH CHECK
              WHERE cust.customer_id = ord.customer_id),
             'OrderItems'  : (SELECT JSON_ARRAYAGG(
              JSON { 'OrderItemId' : oi.line_item_id,
                    'Quantity'    : oi.quantity,
                    'ProductInfo' : <subquery from
product>
                    'ShipmentInfo' : <subquery from
shipments>)
              ))
             FROM ORDER_ITEMS oi WITH INSERT, UPDATE
             WHERE ord.order_id = oi.order_id)
}
FROM ORDERS ord WITH INSERT, UPDATE, DELETE;
```

## CREATE LIBRARY

### Purpose

Use the `CREATE LIBRARY` statement to create a schema object associated with an operating-system shared library. The name of this schema object can then be used in the *call\_spec* of `CREATE FUNCTION` or `CREATE PROCEDURE` statements, or when declaring a function or procedure in a package or type, so that SQL and PL/SQL can call to third-generation-language (3GL) functions and procedures.



#### See Also:

[CREATE FUNCTION](#) and *Oracle Database PL/SQL Language Reference* for more information on functions and procedures

### Prerequisites

The `CREATE LIBRARY` statement is valid only on platforms that support shared libraries and dynamic linking.

To create a library in your own schema, you must have the `CREATE LIBRARY` system privilege. To create a library in another user's schema, you must have the `CREATE ANY LIBRARY` system privilege.

To use the library in the *call\_spec* of a `CREATE FUNCTION` statement, or when declaring a function in a package or type, you must have the `EXECUTE` object privilege on the library and the `CREATE FUNCTION` system privilege. Refer to *Oracle Database PL/SQL Language Reference* for information on the *call\_spec* of a `CREATE FUNCTION` statement.


To use the library in the *call\_spec* of a `CREATE PROCEDURE` statement, or when declaring a procedure in a package or type, you must have the `EXECUTE` object privilege on the library and the `CREATE PROCEDURE` system privilege. Refer to *Oracle Database PL/SQL Language Reference* for information on the *call\_spec* of a `CREATE PROCEDURE` statement.

To execute a procedure or function defined with the *call\_spec* (including a procedure or function defined within a package or type), you must have the `EXECUTE` object privilege on the procedure or function (but you do not need the `EXECUTE` object privilege on the library).

### Syntax

Libraries are defined using PL/SQL. Therefore, the syntax diagram in this book shows only the SQL keywords. Refer to *Oracle Database PL/SQL Language Reference* for the PL/SQL syntax, semantics, and examples.

***create\_library*::=**



(*plsqli\_library\_source*: See *Oracle Database PL/SQL Language Reference*.)

### Semantics

#### OR REPLACE

Specify `OR REPLACE` to re-create the library if it already exists. Use this clause to change the definition of an existing library without dropping, re-creating, and regranteeing object privileges granted on it.

Users who had previously been granted privileges on a redefined library can still access the library without being regranteed the privileges.

#### IF NOT EXISTS

Specifying `IF NOT EXISTS` has the following effects:

- If the library does not exist, a new library is created at the end of the statement.
- If the library exists, this is the library you have at the end of the statement. A new one is not created because the older one is detected.

You can have *one* of `OR REPLACE` or `IF NOT EXISTS` in a statement at a time. Using both `OR REPLACE` with `IF NOT EXISTS` in the very same statement results in the following error:  
ORA-11541: REPLACE and IF NOT EXISTS cannot coexist in the same DDL statement.

Using `IF EXISTS` with `CREATE` results in ORA-11543: Incorrect IF NOT EXISTS clause for CREATE statement.

**[ EDITIONABLE | NONEDITIONABLE ]**

Use these clauses to specify whether the library is an editioned or noneditioned object if editioning is enabled for the schema object type `LIBRARY` in *schema*. The default is `EDITIONABLE`. For information about editioned and noneditioned objects, see *Oracle Database Development Guide*.

***plsql\_library\_source***

See *Oracle Database PL/SQL Language Reference* for the syntax and semantics of the *plsql\_library\_source*.

## CREATE LOCKDOWN PROFILE

**Purpose**

Use the `CREATE LOCKDOWN PROFILE` statement to create a PDB lockdown profile. You can use PDB lockdown profiles in a multitenant container database (CDB) to restrict user operations in PDBs.

After you create a PDB lockdown profile, you can add restrictions to the profile with the `ALTER LOCKDOWN PROFILE` statement. You can restrict user operations associated with certain database features, options, and SQL statements.

When a lockdown profile is assigned to a PDB, users in that PDB cannot perform the operations that are disabled for the profile. To assign a lockdown profile, set its name for the value of the `PDB_LOCKDOWN` initialization parameter. You can assign a lockdown profile to individual PDBs, or to all PDBs in a CDB or application container, as follows:

- If you set `PDB_LOCKDOWN` while connected to a CDB root, then the lockdown profile applies to all PDBs in the CDB. It does not apply to the CDB root.
- If you set `PDB_LOCKDOWN` while connected to an application root, then the lockdown profile applies to the application root and all PDBs in the application container.
- If you set `PDB_LOCKDOWN` while connected to a particular PDB, then the lockdown profile applies to that PDB and overrides the lockdown profile for the CDB or application container, if one exists.

 **See Also:**

- [ALTER LOCKDOWN PROFILE](#) and [DROP LOCKDOWN PROFILE](#)
- *Oracle Database Security Guide* for more information on PDB lockdown profiles

**Prerequisites**


- The `CREATE LOCKDOWN PROFILE` statement must be issued from the CDB or the Application Root.
- You must have the `CREATE LOCKDOWN PROFILE` system privilege in the container in which the statement is issued.




- The PDB lockdown profile name must be unique in the container in which the statement is issued.

### Syntax


***create\_lockdown\_profile ::=***



***static\_base\_profile ::=***



***dynamic\_base\_profile ::=***



### Semantics

#### ***profile\_name***

You can create a new PDB lockdown profile with a name that you specify. The name must satisfy the requirements listed in “[Database Object Naming Rules](#)”. The lockdown profile can be derived from a static, or dynamic base profile.

#### ***static\_base\_profile***

Use this option to create a new lockdown profile with a base profile. The rules of the base profile in effect at profile creation time will be copied to the new lockdown profile. Changes to the base profile after the lockdown profile is created will not apply to the lockdown profile.

#### ***dynamic\_base\_profile***

Use this option to create a new lockdown profile that will change with changes to the base profile. The new lockdown profile will inherit `DISABLE` rules of the base profile as well and subsequent changes to the base profile. The rules of the base profile have precedence in any conflict with rules that may be explicitly added to the lockdown profile. For example, the `OPTION_VALUE` clause of the base profile takes precedence over the `OPTION_VALUE` clause of the dynamic base profile.

### Example

The following statement creates PDB lockdown profile `hr_prof` with a dynamic base profile `PRIVATE_DBAAS`:

```
CREATE LOCKDOWN PROFILE hr_prof INCLUDING PRIVATE_DBAAS;
```


# CREATE LOGICAL PARTITION TRACKING

## Purpose

Use the `CREATE LOGICAL PARTITION TRACKING` statement to define a logical partitioning scheme on a table for being leveraged by materialized views and logical partition change tracking. You can define the logical partitions of your tables independently of any existing or non-existing partitioning schema of a table.

## Syntax

`create_logical_partition_tracking::=`



## Semantics

Logical partition tracking is supported on a single key column within the table. The datatype of the key column can be of the following data types: NUMBER, DATE, CHAR, VARCHAR, VARCHAR2, TIMESTAMP, TIMSTAMP WITH TIME ZONE.

Only `RANGE` and `INTERVAL` logical partitions are supported on the base table.

### See Also:

- *Refreshing Materialized Views of the Data Warehousing Guide.*

# CREATE MATERIALIZED VIEW

## Purpose

Use the `CREATE MATERIALIZED VIEW` statement to create a **materialized view**. A materialized view is a database object that contains the results of a query. The `FROM` clause of the query can name tables, views, and other materialized views. Collectively these objects are called **master tables** (a replication term) or **detail tables** (a data warehousing term). This reference uses "master tables" for consistency. The databases containing the master tables are called the **master databases**.

 **Note:**

The keyword `SNAPSHOT` is supported in place of `MATERIALIZED VIEW` for backward compatibility.

For replication purposes, materialized views allow you to maintain read-only copies of remote data on your local node. You can select data from a materialized view as you would from a table or view. In replication environments, the materialized views commonly created are **primary key**, **rowid**, **object**, and **subquery** materialized views.

 **See Also:**

*Oracle Database Administrator's Guide* for information on the types of materialized views used to support replication

For data warehousing purposes, the materialized views commonly created are **materialized aggregate views**, **single-table materialized aggregate views**, and **materialized join views**. All three types of materialized views can be used by query rewrite, an optimization technique that transforms a user request written in terms of master tables into a semantically equivalent request that includes one or more materialized views.

 **See Also:**

- [ALTER MATERIALIZED VIEW](#)
- *Oracle Database Data Warehousing Guide* for information on the types of materialized views used to support data warehousing

**Prerequisites**

The privileges required to create a materialized view should be granted directly rather than through a role.

To create a materialized view **in your own schema**:

- You must have been granted the `CREATE MATERIALIZED VIEW` system privilege **and** either the `CREATE TABLE` or `CREATE ANY TABLE` system privilege.
- You must also have access to any master tables of the materialized view that you do not own, either through a `READ` or `SELECT` object privilege on each of the tables or through the `READ ANY TABLE` or `SELECT ANY TABLE` system privilege.

To create a materialized view **in another user's schema**:

- You must have the `CREATE ANY MATERIALIZED VIEW` system privilege.
- The owner of the materialized view must have the `CREATE TABLE` system privilege. The owner must also have access to any master tables of the materialized view that the schema owner does not own (for example, if the master tables are on a remote database) and to any materialized view logs defined on those master tables, either

through a `READ` or `SELECT` object privilege on each of the tables or through the `READ ANY TABLE` or `SELECT ANY TABLE` system privilege.

To create a refresh-on-commit materialized view (`REFRESH ON COMMIT` clause), in addition to the preceding privileges, you must have the `ON COMMIT REFRESH` object privilege on any master tables that you do not own or you must have the `ON COMMIT REFRESH` system privilege.

To create the materialized view **with query rewrite enabled**, in addition to the preceding privileges:

- If the schema owner does not own the master tables, then the schema owner must have the `GLOBAL QUERY REWRITE` privilege or the `QUERY REWRITE` object privilege on each table outside the schema.
- If you are defining the materialized view on a prebuilt container (`ON PREBUILT TABLE` clause), then you must have the `READ` or `SELECT` privilege `WITH GRANT OPTION` on the container table.

The user whose schema contains the materialized view must have sufficient quota in the target tablespace to store the master table and index of the materialized view or must have the `UNLIMITED TABLESPACE` system privilege.

When you create a materialized view, Oracle Database creates one internal table and at least one index, and may create one view, all in the schema of the materialized view. Oracle Database uses these objects to maintain the materialized view data. You must have the privileges necessary to create these objects.

You can create the following types of local materialized views (including both `ON COMMIT` and `ON DEMAND`) on master tables with commit SCN-based materialized view logs:

- Materialized aggregate views, including materialized aggregate views on a single table
- Materialized join views
- Primary-key-based and rowid-based single table materialized views
- `UNION ALL` materialized views, where each `UNION ALL` branch is one of the above materialized view types

You cannot create remote materialized views on master tables with commit SCN-based materialized view logs.

Creating a materialized view on master tables with different types of materialized view logs (that is, a master table with timestamp-based materialized view logs and a master table with commit SCN-based materialized view logs) is not supported and causes `ORA-32414`.

To specify an edition in the `evaluation_edition_clause` or the `unusable_editions_clause`, you must have the `USE` privilege on the edition.


To perform select from a materialized view, you must have the `SELECT ANY TABLE` system privilege.

 **See Also:**

- [CREATE TABLE](#), [CREATE VIEW](#) , and [CREATE INDEX](#) for information on these privileges
- *Oracle Database Administrator's Guide* for information about the prerequisites that apply to creating replication materialized views
- *Oracle Database Data Warehousing Guide* for information about the prerequisites that apply to creating data warehousing materialized views

## Syntax

**create\_materialized\_view::=**




(scoped\_table\_ref\_constraint::=, physical\_properties::=, materialized\_view\_props::=, physical\_attributes\_clause::=, create\_mv\_refresh::=, evaluation\_edition\_clause::=, query\_rewrite\_clause::=, subquery::=, annotations\_clause)


**annotations\_clause::=**

For the full syntax and semantics of the *annotations\_clause* see [annotations\\_clause](#).

**scoped\_table\_ref\_constraint::=**




**physical\_properties::=**




([deferred\\_segment\\_creation::=](#), [segment\\_attributes\\_clause::=](#), [table\\_compression::=](#), [inmemory\\_table\\_clause::=](#), [heap\\_org\\_table\\_clause::=](#), [index\\_org\\_table\\_clause::=](#))

**materialized\_view\_props::=**




([column\\_properties::=](#), [table\\_partitioning\\_clauses::=](#)—part of CREATE TABLE syntax, [parallel\\_clause::=](#), [build\\_clause::=](#))

**heap\_org\_table\_clause::=**




***index\_org\_table\_clause::=***




(*mapping\_table\_clause*: not supported with materialized views,  
*prefix\_compression::=*, *index\_org\_overflow\_clause::=*)

***prefix\_compression::=***




***index\_org\_overflow\_clause::=***




(*segment\_attributes\_clause::=*)

***create\_mv\_refresh::=***






**deferred\_segment\_creation::=**




**segment\_attributes\_clause::=**




(*physical\_attributes\_clause::=*, TABLESPACE SET: not supported with CREATE MATERIALIZED VIEW, *logging\_clause::=*)

***physical\_attributes\_clause::=***




***(logging\_clause::=)***


***logging\_clause::=***



***table\_compression::=***




***inmemory\_table\_clause::=***




***(inmemory\_attributes::=, inmemory\_column\_clause::=)***

***inmemory\_attributes::=***




*(inmemory\_memcompress::=, inmemory\_priority::=, inmemory\_distribute::=, inmemory\_duplicate::=)*


***inmemory\_memcompress::=***




***inmemory\_priority::=***




***inmemory\_distribute::=***



***inmemory\_duplicate::=***




***inmemory\_column\_clause::=***




*(inmemory\_memcompress::=)*

***column\_properties::=***




*(object\_type\_col\_properties::=, nested\_table\_col\_properties::=, varray\_col\_properties::=, LOB\_partition\_storage::=, LOB\_storage\_clause::=, XMLType\_column\_properties: not supported for materialized views)*

***object\_type\_col\_properties::=***




*(substitutable\_column\_clause::=)*

**substitutable\_column\_clause::=**




**nested\_table\_col\_properties::=**




(*substitutable\_column\_clause::=*, *object\_properties::=*, *physical\_properties::=*—part of CREATE TABLE syntax, *column\_properties::=*)

**varray\_col\_properties::=**




(*substitutable\_column\_clause::=*, *varray\_storage\_clause::=*)

**varray\_storage\_clause::=**




*(LOB\_parameters::=)*

**LOB\_storage\_clause::=**




*(LOB\_storage\_parameters::=)*

**LOB\_storage\_parameters::=**




(TABLESPACE SET: not supported with CREATE MATERIALIZED VIEW, *LOB\_parameters::=*, *storage\_clause::=*)

**LOB\_parameters::=**




(*storage\_clause::=, logging\_clause::=*)

**LOB\_partition\_storage::=**




(*LOB\_storage\_clause::=, varray\_col\_properties::=*)


**parallel\_clause::=**



***build\_clause::=***




***evaluation\_edition\_clause::=***



***query\_rewrite\_clause::=***



***unusable\_editions\_clause::=***



**Semantics**

**IF NOT EXISTS**

Specifying `IF NOT EXISTS` has the following effects:

- If the view does not exist, a new view is created at the end of the statement.
- If the view exists, this is the view you have at the end of the statement. A new one is not created because the older one is detected.

Using `IF EXISTS` with `CREATE` results in `ORA-11543: Incorrect IF NOT EXISTS clause for CREATE statement.`



***annotations\_clause***

For the full semantics of the annotations clause see [annotations\\_clause](#).

***schema***

Specify the schema to contain the materialized view. If you omit *schema*, then Oracle Database creates the materialized view in your schema.

***materialized\_view***

Specify the name of the materialized view to be created. The name must satisfy the requirements listed in "[Database Object Naming Rules](#)". Oracle Database generates names for the table and indexes used to maintain the materialized view by adding a prefix or suffix to the materialized view name.

***column\_alias***

You can specify a column alias for each column of the materialized view. The column alias list explicitly resolves any column name conflict, eliminating the need to specify aliases in the `SELECT` clause of the materialized view. If you specify any column alias in this clause, then you must specify an alias for each data source referenced in the `SELECT` clause.

**ENCRYPT clause**

Use this clause to encrypt this column of the materialized view. Refer to the `CREATE TABLE` clause [encryption\\_spec](#) for more information on column encryption.

**OF *object\_type***

The `OF object_type` clause lets you explicitly create an **object materialized view** of type *object\_type*.

**See Also:**

See `CREATE TABLE ... object\_table` for more information on the `OF type_name` clause

***scoped\_table\_ref\_constraint***

Use the `SCOPE FOR` clause to restrict the scope of references to a single object table. You can refer either to the table name with *scope\_table\_name* or to a column alias. The values in the `REF` column or attribute point to objects in *scope\_table\_name* or *c\_alias*, in which object instances of the same type as the `REF` column are stored. If you specify aliases, then they must have a one-to-one correspondence with the columns in the `SELECT` list of the defining query of the materialized view.

**See Also:**

"[SCOPE REF Constraints](#)" for more information

## DEFAULT COLLATION

Use this clause to specify the default collation for the materialized view. The default collation is used as the derived collation for all the character literals included in the defining query of the materialized view. The default collation is not used by the materialized view columns; the collations for the materialized view columns are derived from the materialized view's defining subquery. The `CREATE MATERIALIZED VIEW` statement fails with an error, or the materialized view is created in an invalid state, if any of its character columns is based on an expression in the defining subquery that has no derived collation.

For *collation\_name*, specify a valid named collation or pseudo-collation.

If you omit this clause, then the default collation for the materialized view is set to the effective schema default collation of the schema containing the materialized view. Refer to the [DEFAULT\\_COLLATION](#) clause of `ALTER SESSION` for more information on the effective schema default collation.

You can specify the `DEFAULT COLLATION` clause only if the `COMPATIBLE` initialization parameter is set to 12.2 or greater, and the `MAX_STRING_SIZE` initialization parameter is set to `EXTENDED`.

To change the default collation for a materialized view, you must recreate the materialized view.

### Restrictions on the Default Collation for Materialized Views

The following restrictions apply when specifying the default collation for a materialized view:

- If the defining query of the materialized view contains the `WITH plsql_declarations` clause, then the default collation of the materialized view must be `USING_NLS_COMP`.
- If the materialized view is created on a prebuilt table, then the declared collations of the table columns must be the same as the corresponding collations of the materialized view columns, as derived from the defining query.

### ON PREBUILT TABLE Clause

The `ON PREBUILT TABLE` clause lets you register an existing table as a preinitialized materialized view. This clause is particularly useful for registering large materialized views in a data warehousing environment. The table must have the same name and be in the same schema as the resulting materialized view.

If the materialized view is dropped, then the preexisting table reverts to its identity as a table.

 **Note:**

This clause assumes that the table object reflects the materialization of a subquery. Oracle strongly recommends that you ensure that this assumption is true in order to ensure that the materialized view correctly reflects the data in its master tables.

The `ON PREBUILT TABLE` clause could be useful in the following scenarios:

- You have a table representing the result of a query. Creating the table was an expensive operation that possibly took a long time. You want to create a materialized view on the query. You can use the `ON PREBUILT TABLE` clause to avoid the expense of executing the query and populating the container for the materialized view.
- You temporarily discontinue having a materialized view, but keep its container table, using the `DROP MATERIALIZED VIEW ... PRESERVE TABLE` statement. You then decide to recreate the materialized view and you know that the master tables of the view have not changed. You can create the materialized view using the `ON PREBUILT TABLE` clause. This avoids the expense and time of creating and populating the container table for the materialized view.

If you specify `ON PREBUILT TABLE`, then Oracle database does not create the `I_SNAP$` index. This index improves fast refresh performance. If you want the benefits of this index, then you can create it manually. Refer to *Oracle Database Data Warehousing Guide* for more information.

### WITH REDUCED PRECISION

Specify `WITH REDUCED PRECISION` to authorize the loss of precision that will result if the precision of the table or materialized view columns do not exactly match the precision returned by *subquery*.

### WITHOUT REDUCED PRECISION

Specify `WITHOUT REDUCED PRECISION` to require that the precision of the table or materialized view columns match exactly the precision returned by *subquery*, or the create operation will fail. This is the default.

### Restrictions on Using Prebuilt Tables

Prebuilt tables are subject to the following restrictions:

- Each column alias in *subquery* must correspond to a column in the prebuilt table, and corresponding columns must have matching data types.
- If you specify this clause, then you cannot specify a `NOT NULL` constraint for any column that is not referenced in *subquery* unless you also specify a default value for that column.
- You cannot specify the `ON PREBUILT TABLE` clause when creating a rowid materialized view.



#### See Also:

["Creating Prebuilt Materialized Views: Example"](#)

### *physical\_properties\_clause*

The components of the *physical\_properties\_clause* have the same semantics for materialized views that they have for tables, with exceptions and additions described in the sections that follow.

### Restriction on the *physical\_properties\_clause*

You cannot specify `ORGANIZATION EXTERNAL` for a materialized view.

***deferred\_segment\_creation***

Use this clause to determine when the segment for this materialized view should be created. See the `CREATE TABLE` clause [deferred\\_segment\\_creation](#) for more information.

***segment\_attributes\_clause***

Use the *segment\_attributes\_clause* to establish values for the `PCTFREE`, `PCTUSED`, and `INITRANS` parameters, the storage characteristics for the materialized view, to assign a tablespace, and to specify whether logging is to occur. In the `USING INDEX` clause, you cannot specify `PCTFREE` or `PCTUSED`.

**TABLESPACE Clause**

Specify the tablespace in which the materialized view is to be created. If you omit this clause, then Oracle Database creates the materialized view in the default tablespace of the schema containing the materialized view.

 **See Also:**

[physical\\_attributes\\_clause](#) and [storage\\_clause](#) for a complete description of these clauses, including default values

***logging\_clause***

Specify `LOGGING` or `NOLOGGING` to establish the logging characteristics for the materialized view. The logging characteristic affects the creation of the materialized view and any nonatomic refresh that is initiated by way of the `DBMS_REFRESH` package. The default is the logging characteristic of the tablespace in which the materialized view resides.

 **See Also:**

[logging\\_clause](#) for a full description of this clause and *Oracle Database PL/SQL Packages and Types Reference* for more information on atomic and nonatomic refresh

***table\_compression***

Use the *table\_compression* clause to instruct the database whether to compress data segments to reduce disk and memory use. This clause has the same semantics in `CREATE MATERIALIZED VIEW` and `CREATE TABLE`. Refer to the [table\\_compression](#) clause in the documentation on `CREATE TABLE` for the full semantics of this clause.

***inmemory\_table\_clause***

Use the *inmemory\_table\_clause* to enable or disable the materialized view for the In-Memory Column Store (IM column store). This clause has the same semantics as the [inmemory\\_table\\_clause](#) in the `CREATE TABLE` documentation.

### *inmemory\_column\_clause*

Use the *inmemory\_column\_clause* to disable specific materialized view columns for the IM column store, and to specify the data compression method for specific columns. This clause has the same semantics here as it has for the *inmemory\_column\_clause* in the CREATE TABLE documentation, with the following addition: If you specify the *inmemory\_column\_clause*, then you must also specify a *column\_alias* for each column in the materialized view.

### *index\_org\_table\_clause*

The ORGANIZATION INDEX clause lets you create an index-organized materialized view. In such a materialized view, data rows are stored in an index defined on the primary key of the materialized view. You can specify index organization for the following types of materialized views:

- Read-only and updatable object materialized views. You must ensure that the master table has a primary key.
- Read-only and updatable primary key materialized views.
- Read-only rowid materialized views.

The keywords and parameters of the *index\_org\_table\_clause* have the same semantics as described in CREATE TABLE, with the restrictions that follow.



#### See Also:

The *index\_org\_table\_clause* of CREATE TABLE

## Restrictions on Index-Organized Materialized Views

Index-organized materialized views are subject to the following restrictions:

- You cannot specify the following CREATE MATERIALIZED VIEW clauses: CACHE or NOCACHE, CLUSTER, or ON PREBUILT TABLE.
- In the *index\_org\_table\_clause*:
  - You cannot specify the *mapping\_table\_clause*.
  - You can specify COMPRESS only for a materialized view based on a composite primary key. You can specify NOCOMPRESS for a materialized view based on either a simple or composite primary key.

### CLUSTER Clause

The CLUSTER clause lets you create the materialized view as part of the specified cluster. A cluster materialized view uses the space allocation of the cluster. Therefore, you do not specify physical attributes or the TABLESPACE clause with the CLUSTER clause.

### Restriction on Cluster Materialized Views

If you specify CLUSTER, then you cannot specify the *table\_partitioning\_clauses* in *materialized\_view\_props*.

### *materialized\_view\_props*

Use these property clauses to describe a materialized view that is not based on an existing table. To create a materialized view that is based on an existing table, use the `ON PREBUILT TABLE` clause.

### *column\_properties*

The *column\_properties* clause lets you specify the storage characteristics of a LOB, nested table, varray, or XMLType column. The *object\_type\_col\_properties* are not relevant for a materialized view.

 **See Also:**

[CREATE TABLE](#) for detailed information about specifying the parameters of this clause

### *table\_partitioning\_clauses*

The *table\_partitioning\_clauses* let you specify that the materialized view is partitioned on specified ranges of values or on a hash function. Partitioning of materialized views is the same as partitioning of tables.

 **See Also:**

[table\\_partitioning\\_clauses](#) in the `CREATE TABLE` documentation

## CACHE | NOCACHE

For data that will be accessed frequently, `CACHE` specifies that the blocks retrieved for this table are placed at the most recently used end of the least recently used (LRU) list in the buffer cache when a full table scan is performed. This attribute is useful for small lookup tables. `NOCACHE` specifies that the blocks are placed at the least recently used end of the LRU list.

 **Note:**

`NOCACHE` has no effect on materialized views for which you specify `KEEP` in the *storage\_clause*.

 **See Also:**

[CREATE TABLE](#) for information about specifying `CACHE` or `NOCACHE`

### *parallel\_clause*

The *parallel\_clause* lets you indicate whether parallel operations will be supported for the materialized view and sets the default degree of parallelism for queries and DML on the materialized view after creation.

For complete information on this clause, refer to *parallel\_clause* in the documentation on CREATE TABLE.

### ***build\_clause***

The *build\_clause* lets you specify when to populate the materialized view.

#### **IMMEDIATE**

Specify IMMEDIATE to indicate that the materialized view is to be populated immediately. This is the default.

#### **DEFERRED**

Specify DEFERRED to indicate that the materialized view is to be populated by the next REFRESH operation. The first (deferred) refresh must always be a complete refresh. Until then, the materialized view has a staleness value of UNUSABLE, so it cannot be used for query rewrite.

#### **USING INDEX Clause**

The USING INDEX clause lets you establish the value of the INITTRANS and STORAGE parameters for the default index Oracle Database uses to maintain the materialized view data. If USING INDEX is not specified, then default values are used for the index. Oracle Database uses the default index to speed up incremental (FAST) refresh of the materialized view.

#### **Restriction on USING INDEX clause**

You cannot specify the PCTUSED parameter in this clause.

#### **USING NO INDEX Clause**

Specify USING NO INDEX to suppress the creation of the default index. You can create an alternative index explicitly by using the CREATE INDEX statement. You should create such an index if you specify USING NO INDEX and you are creating the materialized view with the fast refresh method (REFRESH FAST).

### ***create\_mv\_refresh***

Use the *create\_mv\_refresh* clause to specify the default methods, modes, and times for the database to refresh the materialized view. If the master tables of a materialized view are modified, then the data in the materialized view must be updated to make the materialized view accurately reflect the data currently in its master tables. This clause lets you schedule the times and specify the method and mode for the database to refresh the materialized view.

#### **Restriction on Synchronous Refresh**

If you are using the synchronous refresh method, then you must specify ON DEMAND and USING TRUSTED CONSTRAINTS.

 **Note:**

This clause only sets the default refresh options. For instructions on actually implementing the refresh, refer to *Oracle Database Administrator's Guide* and *Oracle Database Data Warehousing Guide*.

 **See Also:**

- ["Periodic Refresh of Materialized Views: Example"](#) and ["Automatic Refresh Times for Materialized Views: Example"](#)
- *Oracle Database PL/SQL Packages and Types Reference* for more information on refresh methods
- *Oracle Database Data Warehousing Guide* to learn how to use refresh statistics to monitor the performance of materialized view refresh operations

### FAST Clause

Specify `FAST` to indicate the fast refresh method, which performs the refresh according to the changes that have occurred to the master tables. The changes for conventional DML changes are stored in the materialized view log associated with the master table. The changes for direct-path `INSERT` operations are stored in the direct loader log.

If you specify `REFRESH FAST`, then the `CREATE` statement will fail unless materialized view logs already exist for the materialized view master tables. Oracle Database creates the direct loader log automatically when a direct-path `INSERT` takes place. No user intervention is needed.

For both conventional DML changes and for direct-path `INSERT` operations, other conditions may restrict the eligibility of a materialized view for fast refresh.

### Restrictions on FAST Refresh

`FAST` refresh is subject to the following restrictions:

- When you specify `FAST` refresh at create time, Oracle Database verifies that the materialized view you are creating is eligible for fast refresh. When you change the refresh method to `FAST` in an `ALTER MATERIALIZED VIEW` statement, Oracle Database does not perform this verification. If the materialized view is not eligible for fast refresh, then Oracle Database returns an error when you attempt to refresh this view.
- Materialized views are not eligible for fast refresh if the defining query contains an analytic function or the `XMLTable` function.
- Materialized views are not eligible for fast refresh if the defining query references a table on which an `XMLIndex` index is defined.
- You cannot fast refresh a materialized view if any of its columns is encrypted.



 **See Also:**

- *Oracle Database Administrator's Guide* for restrictions on fast refresh in replication environments
- *Oracle Database Data Warehousing Guide* for restrictions on fast refresh in data warehousing environments
- The `EXPLAIN_MVIEW` procedure of the `DBMS_MVIEW` package for help diagnosing problems with fast refresh and the `TUNE_MVIEW` procedure of the `DBMS_MVIEW` package for correction of query rewrite problems
- ["Analytic Functions "](#)
- ["Creating a Fast Refreshable Materialized View: Example"](#)

**COMPLETE Clause**

Specify `COMPLETE` to indicate the complete refresh method, which is implemented by executing the defining query of the materialized view. If you request a complete refresh, then Oracle Database performs a complete refresh even if a fast refresh is possible.

**FORCE Clause**

Specify `FORCE` to indicate that when a refresh occurs, Oracle Database will perform a fast refresh if one is possible or a complete refresh if fast refresh is not possible. If you do not specify a refresh method (`FAST`, `COMPLETE`, or `FORCE`), then `FORCE` is the default.

**ON COMMIT Clause**

Specify `ON COMMIT` to indicate that a refresh is to occur whenever the database commits a transaction that operates on a master table of the materialized view. This clause may increase the time taken to complete the commit, because the database performs the refresh operation as part of the commit process.

You can specify only one of the `ON COMMIT`, `ON DEMAND`, and `ON STATEMENT` clauses. If you specify `ON COMMIT`, then you cannot also specify `START WITH` or `NEXT`.

**Restrictions on Refreshing ON COMMIT**

The following restrictions apply to the `ON COMMIT` clause:

- This clause is not supported for materialized views containing object types or Oracle-supplied types.
- This clause is not supported for materialized views with remote tables.
- If you specify this clause, then you cannot subsequently execute a distributed transaction on any master table of this materialized view. For example, you cannot insert into the master by selecting from a remote table. The `ON DEMAND` clause does not impose this restriction on subsequent distributed transactions on master tables.

**ON DEMAND Clause**

Specify `ON DEMAND` to indicate that database will not refresh the materialized view unless the user manually launches a refresh through one of the three `DBMS_MVIEW` refresh procedures.

You can specify only one of the `ON COMMIT`, `ON DEMAND`, and `ON STATEMENT` clauses. If you omit all three of these clauses, then `ON DEMAND` is the default. You can override this default setting by specifying the `START WITH` or `NEXT` clauses, either in the same `CREATE MATERIALIZED VIEW` statement or a subsequent `ALTER MATERIALIZED VIEW` statement.

`START WITH` and `NEXT` take precedence over `ON DEMAND`. Therefore, in most circumstances it is not meaningful to specify `ON DEMAND` when you have specified `START WITH` or `NEXT`.

#### See Also:

- *Oracle Database PL/SQL Packages and Types Reference* for information on these procedures
- *Oracle Database Data Warehousing Guide* on the types of materialized views you can create by specifying `REFRESH ON DEMAND`

### ON STATEMENT Clause

Specify `ON STATEMENT` to indicate that an automatic refresh is to occur every time a DML operation is performed on any of the materialized view's base tables.

You can specify only one of the `ON COMMIT`, `ON DEMAND`, and `ON STATEMENT` clauses. You can specify `ON STATEMENT` only when *creating* a materialized view. You cannot subsequently *alter* the materialized view to use `ON STATEMENT` refresh.

### Restrictions on Refreshing ON STATEMENT

The following restrictions apply to the `ON STATEMENT` clause:

- This clause can be used only with materialized views that are fast refreshable. The `ON STATEMENT` clause must be specified with the `REFRESH FAST` clause.
- The base tables referenced in the materialized view's defining query must be connected in a join graph that uses the star schema or snowflake schema model. The query must contain exactly one centralized fact table and one or more dimension tables, with all pairs of joined tables being related using primary key-foreign key constraints.
  - There is no restriction on the depth of the snowflake model.
  - The constraints can be in `RELY` mode. However, you must include the `USING TRUSTED CONSTRAINT` clause while creating the materialized view to use the `RELY` constraint.
- The materialized view's defining query must include the `ROWID` column of the fact table.
- The materialized view's defining query cannot include any of the following: invisible columns, ANSI join syntax, complex query, inline view as base table, composite primary key, `LONG` columns, and `LOB` columns.
- You cannot alter the definition of an existing materialized view that uses the `ON STATEMENT` refresh mode.
- You cannot alter an existing materialized view and enable `ON STATEMENT` refresh for it.

- The following operations cause a materialized view with `ON STATEMENT` refresh to become unusable:
  - `UPDATE` operations on one or more dimension tables on which the materialized view is based
  - Partition maintenance operations and `TRUNCATE` operations on any base tableHowever, a materialized view with the `ON STATEMENT` refresh mode can be partitioned.
- All the restrictions that apply to the `ON COMMIT` clause apply to `ON STATEMENT`.

### START WITH Clause

Specify a datetime expression for the first automatic refresh time.

### NEXT Clause

Specify a datetime expression for calculating the interval between automatic refreshes.

Both the `START WITH` and `NEXT` values must evaluate to a time in the future. If you omit the `START WITH` value, then the database determines the first automatic refresh time by evaluating the `NEXT` expression with respect to the creation time of the materialized view. If you specify a `START WITH` value but omit the `NEXT` value, then the database refreshes the materialized view only once. If you omit both the `START WITH` and `NEXT` values, or if you omit the `create_mv_refresh` entirely, then the database does not automatically refresh the materialized view.

### WITH PRIMARY KEY Clause

Specify `WITH PRIMARY KEY` to create a primary key materialized view. This is the default and should be used in all cases except those described for `WITH ROWID`. Primary key materialized views allow materialized view master tables to be reorganized without affecting the eligibility of the materialized view for fast refresh. The master table must contain an enabled primary key constraint, and the defining query of the materialized view must specify all of the primary key columns directly. In the defining query, the primary key columns cannot be specified as the argument to a function such as `UPPER`.

### Restriction on Primary Key Materialized Views

You cannot specify this clause for an object materialized view. Oracle Database implicitly refreshes objects materialized `WITH OBJECT ID`.

#### See Also:

*Oracle Database Administrator's Guide* for detailed information about primary key materialized views and "[Creating Primary Key Materialized Views: Example](#)"

### WITH ROWID Clause

Specify `WITH ROWID` to create a rowid materialized view. Rowid materialized views are useful if the materialized view does not include all primary key columns of the master tables. Rowid materialized views must be based on a single table and cannot contain any of the following:

- Distinct or aggregate functions
- `GROUP BY` or `CONNECT BY` clauses

- Subqueries
- Joins
- Set operations

The `WITH ROWID` clause has no effect if there are multiple master tables in the defining query.

Rowid materialized views are not eligible for fast refresh after a master table reorganization until a complete refresh has been performed.

### Restriction on Rowid Materialized Views

You cannot specify this clause for an object materialized view. Oracle Database implicitly refreshes objects materialized `WITH OBJECT ID`.



#### See Also:

["Creating Materialized Aggregate Views: Example"](#) and ["Creating Rowid Materialized Views: Example"](#)

### USING ROLLBACK SEGMENT Clause

This clause is not valid if your database is in automatic undo mode, because in that mode Oracle Database uses undo tablespaces instead of rollback segments. Oracle strongly recommends that you use automatic undo mode. This clause is supported for backward compatibility with replication environments containing older versions of Oracle Database that still use rollback segments.

For `rollback_segment`, specify the remote rollback segment to be used during materialized view refresh.

### DEFAULT

`DEFAULT` specifies that Oracle Database will choose automatically which rollback segment to use. If you specify `DEFAULT`, then you cannot specify `rollback_segment`. `DEFAULT` is most useful when modifying, rather than creating, a materialized view.



#### See Also:

[ALTER MATERIALIZED VIEW](#)

### MASTER

`MASTER` specifies the remote rollback segment to be used at the remote master site for the individual materialized view.

### LOCAL

`LOCAL` specifies the remote rollback segment to be used for the local refresh group that contains the materialized view. This is the default.

 **See Also:**

*Oracle Database PL/SQL Packages and Types Reference* for information on specifying the local materialized view rollback segment using the `DBMS_REFRESH` package

If you omit `rollback_segment`, then the database automatically chooses the rollback segment to be used. One master rollback segment is stored for each materialized view and is validated during materialized view creation and refresh. If the materialized view is complex, then the database ignores any master rollback segment you specify.

**USING ... CONSTRAINTS Clause**

The `USING ... CONSTRAINTS` clause lets Oracle Database choose more rewrite options during the refresh operation, resulting in more efficient refresh execution. The clause lets Oracle Database use unenforced constraints, such as dimension relationships or constraints in the `RELY` state, rather than relying only on enforced constraints during the refresh operation.

The `USING TRUSTED CONSTRAINTS` clause enables you to create a materialized view on top of a table that has a non-NULL Virtual Private Database (VPD) policy on it. In this case, you must ensure that the materialized view behaves correctly. Materialized view results are computed based on the rows and columns filtered by VPD policy. Therefore, you must coordinate the materialized view definition with the VPD policy to ensure the correct results. Without the `USING TRUSTED CONSTRAINTS` clause, any VPD policy on a master table will prevent a materialized view from being created.

 **Note:**

The `USING TRUSTED CONSTRAINTS` clause lets Oracle Database use dimension and constraint information that has been declared trustworthy by the database administrator but that has not been validated by the database. If the dimension and constraint information is valid, then performance may improve. However, if this information is invalid, then the refresh procedure may corrupt the materialized view even though it returns a success status.

If you omit this clause, then the default is `USING ENFORCED CONSTRAINTS`.

**NEVER REFRESH Clause**

Specify `NEVER REFRESH` to prevent the materialized view from being refreshed with any Oracle Database refresh mechanism or packaged procedure. Oracle Database will ignore any `REFRESH` statement on the materialized view issued from such a procedure. If you specify this clause, then you can perform DML operations on the materialized view. To reverse this clause, you must issue an `ALTER MATERIALIZED VIEW ... REFRESH` statement.

***evaluation\_edition\_clause***

You must specify this clause if *subquery* references an editioned object. Use this clause to specify the edition that is searched during name resolution of the editioned object—the evaluation edition.

- Specify `CURRENT EDITION` to search the edition in which this DDL statement is executed.
- Specify `EDITION edition` to search *edition*.
- Specifying `NULL EDITION` is equivalent to omitting the *evaluation\_edition\_clause*.

If you omit the *evaluation\_edition\_clause*, then editioned objects are invisible during name resolution and an error will result. Dropping the evaluation edition invalidates the materialized view.

#### See Also:

*Oracle Database Development Guide* for more information on specifying the evaluation edition for a materialized view

### { ENABLE | DISABLE } ON QUERY COMPUTATION

This clause lets you create a real-time materialized view or a regular view. A real-time materialized view provides fresh data to user queries even when the materialized view is not in sync with its base tables due to data changes. Instead of modifying the materialized view, the optimizer writes a query that combines the existing rows in the materialized view with changes recorded in log files (either materialized view logs or the direct loader logs). This is called on-query computation.

- Specify `ENABLE ON QUERY COMPUTATION` to create a real-time materialized view by enabling on-query computation. This allows you to directly query up-to-date data from the materialized view by specifying the `FRESH_MV` hint in the `SELECT` statement. If the materialized view is also enabled for query rewrite, then on-query computation occurs automatically during query rewrite.
- Specify `DISABLE ON QUERY COMPUTATION` to create a regular materialized view by disabling on-query computation. This is the default.

### Restrictions on Real-Time Materialized Views

Real-time materialized views are subject to the following restrictions:

- Real-time materialized views cannot be used when one or more materialized view logs created on the base tables are either unusable or nonexistent.
- A real-time materialized view must be refreshable using out-of-place refresh, log-based refresh, or partition change tracking (PCT) refresh.
- A refresh-on-commit materialized view cannot be a real-time materialized view.
- If a real-time materialized view is a nested materialized view that is defined on top of one or more base materialized views, then query rewrite occurs only if all the base materialized views are fresh. If one or more base materialized views are stale, then query rewrite is not performed using this real-time materialized view.
- The cursors of queries that directly access real-time materialized views are not shared.

 **See Also:**

- [FRESH\\_MV Hint](#)
- *Oracle Database Data Warehousing Guide* for more information on real-time materialized views

***query\_rewrite\_clause***

The *query\_rewrite\_clause* lets you specify whether the materialized view is eligible to be used for query rewrite.

**ENABLE Clause**

Specify `ENABLE` to enable the materialized view for query rewrite. If you also specify the *unusable\_editions\_clause*, then the materialized view is not enabled for query rewrite in the unusable editions.

**Restrictions on Enabling Query Rewrite**

Enabling of query rewrite is subject to the following restrictions:

- You can enable query rewrite only if all user-defined functions in the materialized view are `DETERMINISTIC`.
- You can enable query rewrite only if expressions in the statement are repeatable. For example, you cannot include `CURRENT_TIME` or `USER`, sequence values (such as the `CURRVAL` or `NEXTVAL` pseudocolumns), or the `SAMPLE` clause (which may sample different rows as the contents of the materialized view change).

 **Note:**

- Query rewrite is disabled by default, so you must specify this clause to make materialized views eligible for query rewrite.
- After you create the materialized view, you must collect statistics on it using the `DBMS_STATS` package. Oracle Database needs the statistics generated by this package to optimize query rewrite.

 **See Also:**

- *Oracle Database Data Warehousing Guide* for more information on query rewrite
- *Oracle Database Data Warehousing Guide* to learn how to use refresh statistics to monitor the performance of materialized view refresh operations
- *Oracle Database PL/SQL Packages and Types Reference* for information about the `DBMS_STATS` package
- The `EXPLAIN_MVIEW` procedure of the `DBMS_MVIEW` package for help diagnosing problems with query rewrite and the `TUNE_MVIEW` procedure of the `DBMS_MVIEW` package for correction of query rewrite problems
- [CREATE FUNCTION](#)

### DISABLE Clause

Specify `DISABLE` to indicate that the materialized view is not eligible for use by query rewrite. A disabled materialized view can be refreshed.

#### *unusable\_editions\_clause*

This clause lets you specify that the materialized view is not eligible for query rewrite in one or more editions. You can specify this clause regardless of whether you specify the `ENABLE` or `DISABLE` clause. If you specify the `DISABLE` clause, then this clause will take effect if the materialized view is subsequently enabled for query rewrite using the `ALTER MATERIALIZED VIEW ... ENABLE QUERY REWRITE` statement.

### UNUSABLE BEFORE Clause

This clause lets you specify that the materialized view is not eligible for query rewrite in the ancestors of an edition.

- If you specify `CURRENT EDITION`, then the materialized view is not eligible for query rewrite in the ancestors of the current edition.
- If you specify `EDITION edition`, then the materialized view is not eligible for query rewrite in the ancestors of the specified *edition*.

### UNUSABLE BEGINNING WITH Clause

This clause lets you specify that the materialized view is not eligible for query rewrite in an edition and its descendants.

- If you specify `CURRENT EDITION`, then the materialized view is not eligible for query rewrite in the current edition and its descendants.
- If you specify `EDITION edition`, then the materialized view is not eligible for query rewrite in the specified edition and its descendants.
- Specifying `NULL EDITION` is equivalent to omitting the `UNUSABLE BEGINNING WITH` clause.



The materialized view has a dependency on each edition in which it is not eligible for query rewrite. If such an edition is subsequently dropped, then the dependency is removed. However, the materialized view is not invalidated.

## ENABLE | DISABLE CONCURRENT REFRESH

Enable concurrent refresh to refresh the same on-commit atomic materialized view across multiple sessions concurrently. The materialized view is refreshed concurrently when multiple concurrent DML transactions on the same base table of the materialized view are committed.

There are no limitations on how many materialized views can be refreshed.

Concurrent refresh is disabled by default. You must explicitly enable it on the materialized view. Note that you can enable it only on on-commit materialized views.



### See Also:

*Refreshing Materialized Views of the Oracle Database Data Warehousing Guide.*

## AS subquery

Specify the defining query of the materialized view. When you create the materialized view, Oracle Database executes this subquery and places the results in the materialized view. This subquery is any valid SQL subquery. However, not all subqueries are fast refreshable, nor are all subqueries eligible for query rewrite.

## Notes on the Defining Query of a Materialized View

The following notes apply to materialized views:

- Oracle Database does not execute the defining query immediately if you specify `BUILD DEFERRED`.
- Oracle recommends that you qualify each table and view in the `FROM` clause of the defining query of the materialized view with the schema containing it.
- In order to create a materialized view whose defining query selects from a master table that has a Virtual Private Database (VPD) policy, you must specify the `REFRESH USING TRUSTED CONSTRAINTS` clause.

## Restrictions on the Defining Query of a Materialized View

The materialized view query is subject to the following restrictions:

- The defining query of a materialized view can select from tables, views, or materialized views owned by the user `SYS`, but you cannot enable `QUERY REWRITE` on such a materialized view.
- The defining query of a materialized view cannot select from a `V$` view or a `GV$` view.
- You cannot define a materialized view with a subquery in the select list of the defining query. You can, however, include subqueries elsewhere in the defining query, such as in the `WHERE` clause.
- You cannot use the `AS OF` clause of the `flashback_query_clause` in the defining query of a materialized view.

- Materialized join views and materialized aggregate views with a `GROUP BY` clause cannot select from an index-organized table.
- Materialized views cannot contain columns of data type `LONG` or `LONG RAW`.
- Materialized views cannot contain virtual columns.
- You cannot create a materialized view log on a temporary table. Therefore, if the defining query references a temporary table, then this materialized view will not be eligible for `FAST` refresh, nor can you specify the `QUERY REWRITE` clause in this statement.
- If the `FROM` clause of the defining query references another materialized view, then you must always refresh the materialized view referenced in the defining query before refreshing the materialized view you are creating in this statement.
- Materialized views with join expressions in the defining query cannot have XML data type columns. The XML data types include `XMLType` and URI data type columns.

If you are creating a materialized view enabled for query rewrite, then:

- The defining query cannot contain, either directly or through a view, references to `ROWNUM`, `USER`, `SYSDATE`, remote tables, sequences, or PL/SQL functions that write or read database or package state.
- Neither the materialized view nor the master tables of the materialized view can be remote.

If you want the materialized view to be eligible for fast refresh using a materialized view log, or synchronous refresh using a staging log, then some additional restrictions apply.



#### See Also:

- *Oracle Database Data Warehousing Guide* for restrictions relating to using fast refresh and synchronous refresh
- *Oracle Database Administrator's Guide* for more information on restrictions relating to replication
- "[Creating Materialized Join Views: Example](#)", "[Creating Subquery Materialized Views: Example](#)", and "[Creating a Nested Materialized View: Example](#)"

## Examples

The following examples require the materialized logs that are created in the "Examples" section of [CREATE MATERIALIZED VIEW LOG](#).

### Creating a Simple Materialized View: Example

The following statement creates a very simple materialized view based on the `employees` table in the `hr` schema:

```
CREATE MATERIALIZED VIEW mv1 AS SELECT * FROM hr.employees;
```

By default, Oracle Database creates a primary key materialized view with refresh on demand only. If a materialized view log exists on `employees`, then `mv1` can be altered to be capable of fast refresh. If no such log exists, then only full refresh of `mv1` is possible. Oracle Database uses default storage properties for `mv1`. The only privileges required for this operation are the `CREATE MATERIALIZED VIEW` system privilege, and the `READ` or `SELECT` object privilege on `hr.employees`.

### Creating Subquery Materialized Views: Example

The following statement creates a subquery materialized view based on the `customers` and `countries` tables in the `sh` schema at the `remote` database:

```
CREATE MATERIALIZED VIEW foreign_customers
  AS SELECT * FROM sh.customers@remote cu
  WHERE EXISTS
    (SELECT * FROM sh.countries@remote co
     WHERE co.country_id = cu.country_id);
```

### Creating Materialized Aggregate Views: Example

The following statement creates and populates a materialized aggregate view on the sample `sh.sales` table and specifies the default refresh method, mode, and time. It uses the materialized view log created in "[Creating a Materialized View Log for Fast Refresh: Examples](#)", as well as the two additional logs shown here:

```
CREATE MATERIALIZED VIEW LOG ON times
  WITH ROWID, SEQUENCE (time_id, calendar_year)
  INCLUDING NEW VALUES;

CREATE MATERIALIZED VIEW LOG ON products
  WITH ROWID, SEQUENCE (prod_id)
  INCLUDING NEW VALUES;

CREATE MATERIALIZED VIEW sales_mv
  BUILD IMMEDIATE
  REFRESH FAST ON COMMIT
  AS SELECT t.calendar_year, p.prod_id,
    SUM(s.amount_sold) AS sum_sales
  FROM times t, products p, sales s
  WHERE t.time_id = s.time_id AND p.prod_id = s.prod_id
  GROUP BY t.calendar_year, p.prod_id;
```

### Creating Materialized Join Views: Example

The following statement creates and populates the materialized aggregate view `sales_by_month_by_state` using tables in the sample `sh` schema. The materialized view will be populated with data as soon as the statement executes successfully. By default, subsequent refreshes will be accomplished by reexecuting the defining query of the materialized view:

```
CREATE MATERIALIZED VIEW sales_by_month_by_state
  TABLESPACE example
  PARALLEL 4
  BUILD IMMEDIATE
  REFRESH COMPLETE
  ENABLE QUERY REWRITE
  AS SELECT t.calendar_month_desc, c.cust_state_province,
    SUM(s.amount_sold) AS sum_sales
  FROM times t, sales s, customers c
```

```
WHERE s.time_id = t.time_id AND s.cust_id = c.cust_id
GROUP BY t.calendar_month_desc, c.cust_state_province;
```

### Creating Prebuilt Materialized Views: Example

The following statement creates a materialized aggregate view for the preexisting summary table, `sales_sum_table`:

```
CREATE TABLE sales_sum_table
(month VARCHAR2(8), state VARCHAR2(40), sales NUMBER(10,2));

CREATE MATERIALIZED VIEW sales_sum_table
ON PREBUILT TABLE WITH REDUCED PRECISION
ENABLE QUERY REWRITE
AS SELECT t.calendar_month_desc AS month,
         c.cust_state_province AS state,
         SUM(s.amount_sold) AS sales
FROM times t, customers c, sales s
WHERE s.time_id = t.time_id AND s.cust_id = c.cust_id
GROUP BY t.calendar_month_desc, c.cust_state_province;
```

In the preceding example, the materialized view has the same name and also has the same number of columns with the same data types as the prebuilt table. The `WITH REDUCED PRECISION` clause allows for differences between the precision of the materialized view columns and the precision of the values returned by the subquery.

### Creating Primary Key Materialized Views: Example

The following statement creates the primary key materialized view `catalog` on the sample table `oe.product_information`:

```
CREATE MATERIALIZED VIEW catalog
REFRESH FAST START WITH SYSDATE NEXT SYSDATE + 1/4096
WITH PRIMARY KEY
AS SELECT * FROM product_information;
```

### Creating Rowid Materialized Views: Example

The following statement creates a rowid materialized view on the sample table `oe.orders`:

```
CREATE MATERIALIZED VIEW order_data REFRESH WITH ROWID
AS SELECT * FROM orders;
```

### Periodic Refresh of Materialized Views: Example

The following statement creates the primary key materialized view `emp_data` and populates it with data from the sample table `hr.employees`:

```
CREATE MATERIALIZED VIEW LOG ON employees
WITH PRIMARY KEY
INCLUDING NEW VALUES;

CREATE MATERIALIZED VIEW emp_data
PCTFREE 5 PCTUSED 60
TABLESPACE example
STORAGE (INITIAL 50K)
REFRESH FAST NEXT sysdate + 7
AS SELECT * FROM employees;
```

The preceding statement does not include a `START WITH` parameter, so Oracle Database determines the first automatic refresh time by evaluating the `NEXT` value using the current `SYSDATE`. A materialized view log was created for the `employee` table, so Oracle Database performs a fast refresh of the materialized view every 7 days, beginning 7 days after the materialized view is created.

Because the materialized view conforms to the conditions for fast refresh, the database will perform a fast refresh. The preceding statement also establishes storage characteristics that the database uses to maintain the materialized view.

### Automatic Refresh Times for Materialized Views: Example

The following statement creates the complex materialized view `all_customers` that queries the `employee` tables on the `remote` and `local` databases:

```
CREATE MATERIALIZED VIEW all_customers
  PCTFREE 5 PCTUSED 60
  TABLESPACE example
  STORAGE (INITIAL 50K)
  USING INDEX STORAGE (INITIAL 25K)
  REFRESH START WITH ROUND(SYSDATE + 1) + 11/24
  NEXT NEXT_DAY(TRUNC(SYSDATE), 'MONDAY') + 15/24
  AS SELECT * FROM sh.customers@remote
     UNION
     SELECT * FROM sh.customers@local;
```

Oracle Database automatically refreshes this materialized view tomorrow at 11:00 a.m. and subsequently every Monday at 3:00 p.m. The default refresh method is `FORCE`. The defining query contains a `UNION` operator, which is not supported for fast refresh, so the database will automatically perform a complete refresh.

The preceding statement also establishes storage characteristics for both the materialized view and the index that the database uses to maintain it:

- The first `STORAGE` clause establishes the sizes of the first and second extents of the materialized view as 50 kilobytes each.
- The second `STORAGE` clause, appearing with the `USING INDEX` clause, establishes the sizes of the first and second extents of the index as 25 kilobytes each.

### Creating a Fast Refreshable Materialized View: Example

The following statement creates a fast-refreshable materialized view that selects columns from the `order_items` table in the `sample oe` schema, using the `UNION` set operator to restrict the rows returned from the `product_information` and `inventories` tables using `WHERE` conditions. The materialized view logs for `order_items` and `product_information` were created in the "Examples" section of `CREATE MATERIALIZED VIEW LOG`. This example also requires a materialized view log on `oe.inventories`.

```
CREATE MATERIALIZED VIEW LOG ON inventories
  WITH (quantity_on_hand);

CREATE MATERIALIZED VIEW warranty_orders REFRESH FAST AS
  SELECT order_id, line_item_id, product_id FROM order_items o
     WHERE EXISTS
       (SELECT * FROM inventories i WHERE o.product_id = i.product_id
        AND i.quantity_on_hand IS NOT NULL)
  UNION
  SELECT order_id, line_item_id, product_id FROM order_items
     WHERE quantity > 5;
```

The materialized view `warranty_orders` requires that materialized view logs be defined on `order_items` (with `product_id` as a join column) and on `inventories` (with `quantity_on_hand` as a filter column). See ["Specifying Filter Columns for Materialized View Logs: Example"](#) and ["Specifying Join Columns for Materialized View Logs: Example"](#).

### Creating a Nested Materialized View: Example

The following example uses the materialized view from the preceding example as a master table to create a materialized view tailored for a particular sales representative in the sample `oe` schema:

```
CREATE MATERIALIZED VIEW my_warranty_orders
  AS SELECT w.order_id, w.line_item_id, o.order_date
  FROM warranty_orders w, orders o
  WHERE o.order_id = w.order_id
  AND o.sales_rep_id = 165;
```

### Specify Annotations at the View Level

The following example adds annotations `Title` value `Tab1 MV1` and `Snapshot` without a value to the materialized view `MView1`:

```
CREATE MATERIALIZED VIEW MView1 ANNOTATIONS (Title 'Tab1 MV1', ADD Snapshot) AS
SELECT * from Table1;
```

### Specify Annotations at the View and Column Level

The following example adds `Hidden` to column `T`, `Title` with value `Tab1 MV1`, and `Snapshot` without a value to the materialized view `MView1`:

```
CREATE MATERIALIZED VIEW MView1(T ANNOTATIONS (Hidden)) ANNOTATIONS (Title 'Tab1
MV1', ADD Snapshot)
  AS SELECT * from Table1;
```

## CREATE MATERIALIZED VIEW LOG

### Purpose

Use the `CREATE MATERIALIZED VIEW LOG` statement to create a **materialized view log**, which is a table associated with the master table of a materialized view.



#### Note:

The keyword `SNAPSHOT` is supported in place of `MATERIALIZED VIEW` for backward compatibility.

Materialized view logs are used for two types of materialized view refreshes: fast refresh and synchronous refresh.

**Fast refresh** uses a conventional materialized view log. During a fast refresh (also called an incremental refresh), when DML changes are made to master table data, Oracle Database stores rows describing those changes in the materialized view log and then uses the materialized view log to refresh materialized views based on the master table.

**Synchronous refresh** uses a special type of materialized view log called a **staging log**. During a synchronous refresh, DML changes are first described in the staging log and then applied to the master tables and the materialized views simultaneously. This guarantees that the master table data and materialized view data are in sync throughout the refresh process. This refresh method is useful in data warehousing environments.

Without a materialized view log, Oracle Database must reexecute the materialized view query to refresh the materialized view. This process is called a **complete refresh**. Usually, a complete refresh takes more time to complete than a fast refresh or a synchronous refresh.

A materialized view log is located in the master database in the same schema as the master table. A master table can have only one materialized view log defined on it.

To fast refresh or synchronous refresh a materialized join view, you must create a materialized view log for each of the tables referenced by the materialized view.

Fast refresh supports two types of materialized view logs: timestamp-based materialized view logs and commit SCN-based materialized view logs. Timestamp-based materialized view logs use timestamps and require some setup operations when preparing to refresh the materialized view. Commit SCN-based materialized view logs use commit SCN data rather than timestamps, which removes the need for the setup operations and thus can improve the speed of the materialized view refresh. If you specify the `COMMIT SCN` clause, then a commit SCN-based materialized view log is created. Otherwise, a time-stamp based materialized view log is created. Note that only new materialized view logs can take advantage of `COMMIT SCN`. Existing materialized view logs cannot be altered to add `COMMIT SCN` unless they are dropped and recreated. Refer to *Oracle Database Data Warehousing Guide* for more information.

Synchronous refresh supports only timestamp-based staging logs.

#### See Also:

- [CREATE MATERIALIZED VIEW](#) , [ALTER MATERIALIZED VIEW](#) , *Oracle Database Concepts*, *Oracle Database Data Warehousing Guide*, and *Oracle Database Administrator's Guide* for information on materialized views in general
- [ALTER MATERIALIZED VIEW LOG](#) for information on modifying a materialized view log
- [DROP MATERIALIZED VIEW LOG](#) for information on dropping a materialized view log
- *Oracle Database Utilities* for information on using direct loader logs

#### Prerequisites

The privileges required to create a materialized view log directly relate to the privileges necessary to create the underlying objects associated with a materialized view log.

- If you own the master table, then you can create an associated materialized view log if you have the `CREATE TABLE` privilege.
- If you are creating a materialized view log for a table in another user's schema, then you must have the `CREATE ANY TABLE` and `COMMENT ANY TABLE` system privileges, as well as either the `READ` or `SELECT` object privilege on the master table or the `READ ANY TABLE` or `SELECT ANY TABLE` system privilege.

In either case, the owner of the materialized view log must have sufficient quota in the tablespace intended to hold the materialized view log or must have the `UNLIMITED TABLESPACE` system privilege.



**See Also:**

*Oracle Database Data Warehousing Guide* for more information about the prerequisites for creating a materialized view log

**Restrictions**


The statement `CREATE MATERIALIZED VIEW LOG` does not support the following columns in the Master Table:

- Hidden columns
- Identity columns
- `BFILE` columns
- Temporal validity columns




### Syntax

***create\_materialized\_vw\_log::=***




*(physical\_attributes\_clause::=, logging\_clause::=, parallel\_clause::=, table\_partitioning\_clauses::= (in CREATE TABLE), new\_values\_clause::=, mv\_log\_purge\_clause::=, for\_refresh\_clause::=.)*

***physical\_attributes\_clause::=***




*(storage\_clause::=)*


**logging\_clause::=**




**parallel\_clause::=**




**new\_values\_clause::=**



**mv\_log\_purge\_clause::=**



**for\_refresh\_clause::=**



## Semantics

### IF NOT EXISTS

Specifying `IF NOT EXISTS` has the following effects:

- If the materialized view log does not exist, a new materialized view log is created at the end of the statement.
- If the materialized view log exists, this is the materialized view log you have at the end of the statement. A new one is not created because the older materialized view log is detected.

Using `IF EXISTS` with `CREATE` results in `ORA-11543: Incorrect IF NOT EXISTS clause for CREATE statement.`

### *schema*

Specify the schema containing the materialized view log master table. If you omit *schema*, then Oracle Database assumes the master table is contained in your own schema. Oracle Database creates the materialized view log in the schema of its master table. You cannot create a materialized view log for a table in the schema of the user `SYS`.

### *table*

Specify the name of the master table for which the materialized view log is to be created. Oracle Database encrypts any columns in the materialized view log that are encrypted in the master table, using the same encryption algorithm.

### Restrictions on Master Tables of Materialized View Logs

The following restrictions apply to master tables of materialized view logs:

- You cannot create a materialized view log for a temporary table or for a view.
- You cannot create a materialized view log for a master table with a virtual column.



#### See Also:

["Creating a Materialized View Log for Fast Refresh: Examples"](#)

## SHARING

Use the sharing clause if you want to create the object in an application root in the context of an application maintenance. This type of object is called an application common object and it can be shared with the application PDBs that belong to the application root.

You can specify how the object is shared using one of the following sharing attributes:

- `METADATA` - A metadata link shares the metadata, but its data is unique to each container. This type of object is referred to as a metadata-linked application common object.
- `NONE` - The object is not shared and can only be accessed in the application root.

### *physical\_attributes\_clause*

Use the *physical\_attributes\_clause* to define physical and storage characteristics for the materialized view log.

#### See Also:

[physical\\_attributes\\_clause](#) and [storage\\_clause](#) for a complete description these clauses, including default values

### TABLESPACE Clause

Specify the tablespace in which the materialized view log is to be created. If you omit this clause, then the database creates the materialized view log in the default tablespace of the schema of the materialized view log.

### *logging\_clause*

Specify either `LOGGING` or `NOLOGGING` to establish the logging characteristics for the materialized view log. The default is the logging characteristic of the tablespace in which the materialized view log resides.

#### See Also:

[logging\\_clause](#) for a full description of this clause

### CACHE | NOCACHE

For data that will be accessed frequently, `CACHE` specifies that the blocks retrieved for this log are placed at the most recently used end of the least recently used (LRU) list in the buffer cache when a full table scan is performed. This attribute is useful for small lookup tables.

`NOCACHE` specifies that the blocks are placed at the least recently used end of the LRU list. The default is `NOCACHE`.

#### Note:

`NOCACHE` has no effect on materialized view logs for which you specify `KEEP` in the *storage\_clause*.

#### See Also:

[CREATE TABLE](#) for information about specifying `CACHE` or `NOCACHE`

### *parallel\_clause*

The *parallel\_clause* lets you indicate whether parallel operations will be supported for the materialized view log.

For complete information on this clause, refer to [parallel\\_clause](#) in the documentation on CREATE TABLE.

### *table\_partitioning\_clauses*

Use the *table\_partitioning\_clauses* to indicate that the materialized view log is partitioned on specified ranges of values or on a hash function. Partitioning of materialized view logs is the same as partitioning of tables.



#### See Also:

[table\\_partitioning\\_clauses](#) in the CREATE TABLE documentation

### WITH Clause

Use the WITH clause to indicate whether the materialized view log should record the primary key, rowid, object ID, or a combination of these row identifiers when rows in the master are changed. You can also use this clause to add a sequence to the materialized view log to provide additional ordering information for its records.

This clause also specifies whether the materialized view log records additional columns that might be referenced as **filter columns**, which are non-primary-key columns referenced by subquery materialized views, or **join columns**, which are non-primary-key columns that define a join in the subquery WHERE clause.

If you omit this clause, or if you specify the clause without PRIMARY KEY, ROWID, or OBJECT ID, then the database stores primary key values by default. However, the database does not store primary key values implicitly if you specify only OBJECT ID or ROWID at create time. A primary key log, created either explicitly or by default, performs additional checking on the primary key constraint.

### OBJECT ID

Specify OBJECT ID to indicate that the system-generated or user-defined object identifier of every modified row should be recorded in the materialized view log.

### Restriction on OBJECT ID

You can specify OBJECT ID only when creating a log on an object table, and you cannot specify it for storage tables.

### PRIMARY KEY

Specify PRIMARY KEY to indicate that the primary key of all rows changed should be recorded in the materialized view log.

### ROWID

Specify ROWID to indicate that the rowid of all rows changed should be recorded in the materialized view log.

## SEQUENCE

Specify `SEQUENCE` to indicate that a sequence value providing additional ordering information should be recorded in the materialized view log. Sequence numbers are necessary to support fast refresh after some update scenarios.

### See Also:

*Oracle Database Data Warehousing Guide* for more information on the use of sequence numbers in materialized view logs and for examples that use this clause

## COMMIT SCN

Without the `COMMIT SCN` clause, the materialized view log is based on timestamps and requires some setup operations when preparing to refresh the materialized view. Specify `COMMIT SCN` to instruct the database to use commit SCN data rather than timestamps. This setting removes the need for the setup operations and thus can improve the speed of the materialized view refresh.

You can create the following types of local materialized views (including both `ON COMMIT` and `ON DEMAND`) on master tables with commit SCN-based materialized view logs:

- Materialized aggregate views, including materialized aggregate views on a single table
- Materialized join views
- Primary-key-based and rowid-based single table materialized views
- `UNION ALL` materialized views, where each `UNION ALL` branch is one of the above materialized view types

You cannot create remote materialized views on master tables with commit SCN-based materialized view logs.

### Restrictions on COMMIT SCN

The following restrictions apply to `COMMIT SCN`:

- Use of `COMMIT SCN` on a table with one or more LOB columns is not supported and causes `ORA-32421`.
- Creating a materialized view on master tables with different types of materialized view logs (that is, a master table with timestamp-based materialized view logs and a master table with commit SCN-based materialized view logs) is not supported and causes `ORA-32414`.
- If you specify `COMMIT SCN`, then you cannot specify `FOR SYNCHRONOUS REFRESH`.

### **column**

Specify the columns whose values you want to be recorded in the materialized view log for all rows that are changed. Typically these columns are filter columns and join columns.

### Restrictions on the WITH Clause

This clause is subject to the following restrictions:

- You can specify only one `PRIMARY KEY`, one `ROWID`, one `OBJECT ID`, one `SEQUENCE`, and one column list for each materialized view log.
- Primary key columns are implicitly recorded in the materialized view log. Therefore, you cannot specify any of the following combinations if `column` contains one of the primary key columns:

```
WITH ... PRIMARY KEY ... (column)
WITH ... (column) ... PRIMARY KEY
WITH (column)
```

#### See Also:

- [CREATE MATERIALIZED VIEW](#) for information on explicit and implicit inclusion of materialized view log values
- *Oracle Database Administrator's Guide* for more information about filter columns and join columns
- ["Specifying Filter Columns for Materialized View Logs: Example"](#) and ["Specifying Join Columns for Materialized View Logs: Example"](#)

### NEW VALUES Clause

The `NEW VALUES` clause lets you determine whether Oracle Database saves both old and new values for update DML operations in the materialized view log.

#### See Also:

- ["Including New Values in Materialized View Logs: Example"](#)

### INCLUDING

Specify `INCLUDING` to save both new and old values in the log. If this log is for a table on which you have a single-table materialized aggregate view, and if you want the materialized view to be eligible for fast refresh, then you must specify `INCLUDING`.

### EXCLUDING

Specify `EXCLUDING` to disable the recording of new values in the log. This is the default. You can use this clause to avoid the overhead of recording new values. Do not use this clause if you have a fast-refreshable single-table materialized aggregate view defined on the master table.

### *mv\_log\_purge\_clause*

Use this clause to specify the purge time for the materialized view log.

- `IMMEDIATE SYNCHRONOUS`: the materialized view log is purged immediately after refresh. This is the default.

- **IMMEDIATE ASYNCHRONOUS:** the materialized view log is purged in a separate Oracle Scheduler job after the refresh operation.
- **START WITH, NEXT, and REPEAT INTERVAL** set up a scheduled purge that is independent of the materialized view refresh and is initiated during **CREATE** or **ALTER MATERIALIZED VIEW LOG** statement. This is very similar to scheduled refresh syntax in a **CREATE** or **ALTER MATERIALIZED VIEW** statement:
  - The **START WITH** datetime expression specifies when the purge starts.
  - The **NEXT** datetime expression computes the next run time for the purge.

If you specify **REPEAT INTERVAL**, then the next run time will be: `SYSDATE + interval_expr`.

A **CREATE MATERIALIZED VIEW LOG** statement with a scheduled purge creates an Oracle Scheduler job to perform log purge. The job calls the `DBMS_SNAPSHOT.PURGE_LOG` procedure to purge the materialized view logs. This process allows you to amortize the purging costs over several materialized view refreshes.

### Restriction on *mv\_log\_purge\_clause*

This clause is not valid for materialized view logs on temporary tables.

#### See Also:

*Oracle Database Data Warehousing Guide* for more information on purging materialized view logs

### *for\_refresh\_clause*

Use this clause to specify the refresh method for which the materialized view log will be used. You can specify only one refresh method for any given master table.

### FOR SYNCHRONOUS REFRESH

Specify this clause to create a staging log that can be used for synchronous refresh. Use *staging\_log\_name* to specify the name of the staging log to be created. The staging log will be created in the schema in which the master table resides.

After you create the staging log, you cannot perform DML operations directly on the master table. You must use the procedures in the `DBMS_SYNC_REFRESH` package to prepare and execute change data operations.

### Restrictions on Synchronous Refresh

The following restrictions apply to synchronous refresh:

- If you specify **FOR SYNCHRONOUS REFRESH**, then you cannot specify **COMMIT SCN**.
- To be eligible for synchronous refresh, the master table must satisfy the following criteria:
  - If the master table is a fact table, then it must be partitioned.
  - The master table must have a key. If the master table is a dimension table, then it must have a primary key defined on it. If the master table is a fact table,



then the set of columns that are the foreign keys of the dimension tables joined to the fact table are deemed to be the key.

- The master table cannot have a non-NULL Virtual Private Database (VPD) policy or a trigger defined on it.

Oracle Database may allow you to create a staging log on a master table even if all of the preceding criteria are not met. However, the master table will not be eligible for synchronous refresh.

- Any existing materialized views on the master table must be refresh-on-demand materialized views. If an existing materialized view is a refresh-on-commit materialized view, then you must change it to a refresh-on-demand materialized view with the [alter\\_mv\\_refresh](#) clause of `ALTER MATERIALIZED VIEW` before you create the staging log.

#### See Also:

- *Oracle Database Data Warehousing Guide* for the complete steps for using synchronous refresh
- *Oracle Database PL/SQL Packages and Types Reference* for information on the `DBMS_SYNC_REFRESH` package

## FOR FAST REFRESH

Specify this clause to create a materialized view log that can be used for fast refresh. The materialized view log will be created in the same schema in which the master table resides. This is the default.

### Examples

#### Creating a Materialized View Log for Fast Refresh: Examples

The following statement creates a materialized view log on the `oe.customers` table that specifies physical and storage characteristics:

```
CREATE MATERIALIZED VIEW LOG ON customers
  PCTFREE 5
  TABLESPACE example
  STORAGE (INITIAL 10K);
```

The materialized view log on `customers` supports fast refresh for primary key materialized views only.

The following statement creates another version of the materialized view log with the `ROWID` clause, which enables fast refresh for more types of materialized views:

```
CREATE MATERIALIZED VIEW LOG ON customers WITH PRIMARY KEY, ROWID;
```

This materialized view log on `customers` makes fast refresh possible for rowid materialized views and for materialized join views. To provide for fast refresh of materialized aggregate views, you must also specify the `SEQUENCE` and `INCLUDING NEW VALUES` clauses, as shown in the example that follows.

#### Specify a Purge Repeat Interval for a Materialized View Log: Example

The following statement creates a materialized view log on the `oe.orders` table. The contents of the log will be purged once every five days, beginning five days after the creation date of the materialized view log:

```
CREATE MATERIALIZED VIEW LOG ON orders
  PCTFREE 5
  TABLESPACE example
  STORAGE (INITIAL 10K)
  PURGE REPEAT INTERVAL '5' DAY;
```

### Specifying Filter Columns for Materialized View Logs: Example

The following statement creates a materialized view log on the `sh.sales` table and is used in "[Creating Materialized Aggregate Views: Example](#)". It specifies as filter columns all of the columns of the table referenced in that materialized view.

```
CREATE MATERIALIZED VIEW LOG ON sales
  WITH ROWID, SEQUENCE(amount_sold, time_id, prod_id)
  INCLUDING NEW VALUES;
```

### Specifying Join Columns for Materialized View Logs: Example

The following statement creates a materialized view log on the `order_items` table of the sample `oe` schema. The log records primary keys and `product_id`, which is used as a join column in "[Creating a Fast Refreshable Materialized View: Example](#)".

```
CREATE MATERIALIZED VIEW LOG ON order_items WITH (product_id);
```

### Including New Values in Materialized View Logs: Example

The following example creates a materialized view log on the `oe.product_information` table that specifies `INCLUDING NEW VALUES`:

```
CREATE MATERIALIZED VIEW LOG ON product_information
  WITH ROWID, SEQUENCE (list_price, min_price, category_id), PRIMARY KEY
  INCLUDING NEW VALUES;
```

You could create the following materialized aggregate view to use the `product_information` log:

```
CREATE MATERIALIZED VIEW products_mv
  REFRESH FAST ON COMMIT
  AS SELECT SUM(list_price - min_price), category_id
  FROM product_information
  GROUP BY category_id;
```

This materialized view is eligible for fast refresh because the log defined on its master table includes both old and new values.

### Creating a Staging Log for Synchronous Refresh: Example

The following statement creates a staging log on the `sh.sales` fact table. The staging log is named `mystage_log` and is stored in the `sh` schema. It can be used for synchronous refresh.

```
CREATE MATERIALIZED VIEW LOG ON sales
  PCTFREE 5
  TABLESPACE example
  STORAGE (INITIAL 10K)
  FOR SYNCHRONOUS REFRESH USING mystage_log;
```

# CREATE MATERIALIZED ZONEMAP

## Purpose

Use the `CREATE MATERIALIZED ZONEMAP` statement to create a zone map.

A **zone map** is a special type of materialized view that stores information about zones. A **zone** is a set of contiguous data blocks on disk that stores the values of one or more table columns. Multiple zones are usually required to store all of the values of the table columns. A zone map tracks the minimum and maximum table column values stored in each zone.

Zone maps enable you to reduce the I/O and CPU costs of table scans. When a SQL statement contains predicates on columns in a zone map, the database compares the predicate values to the minimum and maximum table column values stored in each zone to determine which zones to read during SQL execution.

Oracle Database supports the following types of zone maps:

- A **basic zone map** is defined on a single table and maintains zone information for specified columns in that table.  
You can create a basic zone map either by specifying the `create_zonemap_on_table` clause, or by specifying the `create_zonemap_as_subquery` clause where the `FROM` clause of the defining subquery specifies a single table.
- A **join zone map** is defined on two or more joined tables and maintains zone information for specified columns in any of the joined tables.  
You can create a join zone map by specifying the `create_zonemap_as_subquery` clause. The `FROM` clause of the defining subquery must specify a table that is left outer joined with one or more other tables.

Zone maps are commonly used with star schemas in data warehousing environments. However, a star schema is not a requirement for creating a zone map. In either case, this reference uses star schema terminology to refer to the tables in a zone map. In a join zone map, the outer table of the join(s) is referred to as the **fact table**, and the tables with which this table is joined are referred to as **dimension tables**. Collectively these tables are called the **base tables** of the zone map. In a basic zone map, the single table on which the zone map is defined is referred to as both the fact table and the base table of the zone map.

A base table of a zone map can be a partitioned or composite-partitioned table. In this case, the zone map maintains minimum and maximum column values for each partition (and subpartition) as well as for each zone.

You can create zone maps for use with or without attribute clustering:

- To create a zone map for use with attribute clustering, use either of the following methods:
  - Use the `CREATE MATERIALIZED ZONEMAP` statement and include attribute clustered columns in the zone map. Refer to the [attribute\\_clustering\\_clause](#) of `CREATE TABLE` and the [attribute\\_clustering\\_clause](#) clause of `ALTER TABLE` for more information.
  - Specify the `WITH MATERIALIZED ZONEMAP` clause while creating or modifying an attribute clustered table. Refer to the [zonemap\\_clause](#) of `CREATE TABLE` and the [MODIFY CLUSTERING](#) clause of `ALTER TABLE` for more information.

- To create a zone map for use without attribute clustering, use the `CREATE MATERIALIZED ZONEMAP` statement and include columns that are not attribute clustered in the zone map.

### See Also:

*Oracle Database Data Warehousing Guide* for more information on zone maps

## Prerequisites

To create a zone map **in your own schema**:

- You must have the `CREATE MATERIALIZED VIEW` system privilege and either the `CREATE TABLE` or `CREATE ANY TABLE` system privilege.
- You must have access to any base tables of the zone map that you do not own, either through a `READ` or `SELECT` object privilege on each of the tables or through the `READ ANY TABLE` or `SELECT ANY TABLE` system privilege.

To create a zone map **in another user's schema**:


- You must have the `CREATE ANY MATERIALIZED VIEW` system privilege.
- The owner of the zone map must have the `CREATE TABLE` system privilege. The owner must also have access to any base tables of the zone map that the schema owner does not own, either through a `READ` or `SELECT` object privilege on each of the tables or through the `READ ANY TABLE` or `SELECT ANY TABLE` system privilege.

To create a refresh-on-commit zone map (`REFRESH ON COMMIT` clause), in addition to the preceding privileges, you must have the `ON COMMIT REFRESH` object privilege on any base tables that you do not own or you must have the `ON COMMIT REFRESH` system privilege. Unlike materialized views, you can create a refresh-on-commit zone map even if there are no materialized view logs on the base tables.


When you create a zone map, Oracle Database creates one internal table and at least one index, all in the schema of the zone map. Oracle Database uses these objects to maintain the zone map data. You must have the privileges necessary to create these objects, and you must have sufficient quota in the target tablespace to store these objects or you must have the `UNLIMITED TABLESPACE` system privilege.

## Syntax


**`create_materialized_zonemap::=`**




**create\_zonemap\_on\_table::=**




**create\_zonemap\_as\_subquery::=**



**zonemap\_attributes::=**



**zonemap\_refresh\_clause::=**



 **Note:**

When specifying the *zonemap\_refresh\_clause*, you must specify at least one clause after the `REFRESH` keyword.

## Semantics

### IF NOT EXISTS

Specifying `IF NOT EXISTS` has the following effects:

- If the materialized zonemap does not exist, a new materialized zonemap is created at the end of the statement.
- If the materialized zonemap exists, this is the materialized zonemap you have at the end of the statement. A new one is not created because the older materialized zonemap is detected.

Using `IF EXISTS` with `CREATE` results in `ORA-11543: Incorrect IF NOT EXISTS clause for CREATE statement.`

### *create\_zonemap\_on\_table*

Use this clause to create a basic zone map.

### ON Clause

In the `ON` clause, first specify the fact table for the zone map, and then inside the parentheses specify one or more columns of the fact table to be included in the zone map.

For each specified fact table *column*, Oracle creates two columns in the zone map. These two columns contain the minimum and maximum values of the fact table column in each zone. Oracle generates names for the zone map columns of the form `MIN_1_column` and `MAX_1_column` for the first specified fact table *column*, `MIN_2_column` and `MAX_2_column` for the second specified fact table *column*, and so on.

If you omit *schema*, then Oracle assumes the fact table is in your own schema. The fact table can be a table or a materialized view

### *create\_zonemap\_as\_subquery*

Use this clause to create a basic zone map or a join zone map. To create a basic zone map, specify a single base table in the `FROM` clause of the defining subquery. To create a join zone map, specify a table that is left outer joined to one or more other tables in the `FROM` clause of the defining subquery.

### *column\_alias*

You can specify a column alias for each table column to be included in the zone map. The column alias list explicitly resolves any column name conflict, eliminating the need to specify aliases in the `SELECT` list of the defining subquery. If you specify any column alias in this clause, then you must specify an alias for each column in the `SELECT` list of the defining subquery. The first column alias you specify must be `ZONE_ID$`, which corresponds to the first column in the `SELECT` list, the `SYS_OP_ZONE_ID` function expression.

### ***AS query\_block***

Specify the defining subquery of the zone map. The subquery must consist of a single *query\_block*. You can specify only the `SELECT`, `FROM`, `WHERE`, and `GROUP BY` clauses of *query\_block*, and those clauses must satisfy the following requirements:

- The first column in the `SELECT` list must be the `SYS_OP_ZONE_ID` function expression. Refer to [SYS\\_OP\\_ZONE\\_ID](#) for more information.
- The remaining columns in the `SELECT` list must be function expressions that return minimum and maximum values for the columns you want to include in the zone map. For each column, specify a pair of function expressions of the following form:

```
MIN([table.]column), MAX([table.]column)
```

For *table*, specify the name or table alias for the table that contains the column. The table can be a fact table or dimension table. For *column*, specify the name or column alias for the column.

- The `FROM` clause can specify a fact table alone, or a fact table and one or more dimension tables with each dimension table left outer joined to the fact table. You can specify `LEFT [OUTER] JOIN` syntax in the `FROM` clause, or apply the outer join operator (+) to dimension table columns in the join condition in the `WHERE` clause. You can optionally specify a table alias for any of the tables in the `FROM` clause. Fact tables and dimension tables can be tables or materialized views.
- In the `WHERE` clause, you can specify only left outer join conditions using the outer join operator(+).
- You must specify a `GROUP BY` clause with the same `SYS_OP_ZONE_ID` function expression that you specified for the first column of the `SELECT` list.

### ***schema***

Specify the schema to contain the zone map. If you omit *schema*, then Oracle Database creates the zone map in your schema.

### ***zonemap\_name***

Specify the name of the zone map to be created. The name must satisfy the requirements listed in "[Database Object Naming Rules](#)".

### ***zonemap\_attributes***

Use this clause to specify the following attributes for the zone map: `TABLESPACE`, `SCALE`, `PCTFREE`, `PCTUSED`, and `CACHE` or `NOCACHE`.

#### **TABLESPACE**

Specify the *tablespace* in which the zone map is to be created. If you omit this clause, then Oracle Database creates the zone map in the default tablespace of the schema containing the zone map.

#### **SCALE**

This clause lets you specify the zone map scale, which determines the number of contiguous disk blocks that form a zone. The scale is an integer value that represents a power of 2. For example, a scale of 10 means up to 2 raised to the 10th power, or 1024, contiguous disk

blocks will form a zone. For *integer*, specify a value between 4 and 16, inclusive. The recommended value is 10; this is the default.

### **PCTFREE**

Specify an *integer* representing the percentage of space in each data block of the zone map reserved for future updates to rows of the zone map. The integer value must be between 0 and 99, inclusive. The default value is 10. Refer to [physical\\_attributes\\_clause](#) for more information on the `PCTFREE` parameter.

### **PCTUSED**

Specify an *integer* representing the minimum percentage of used space that Oracle maintains for each data block of the zone map. The integer value must be between 0 and 99, inclusive. The default value is 40. Refer to [physical\\_attributes\\_clause](#) for more information on the `PCTUSED` parameter.

### **CACHE | NOCACHE**

For data that will be accessed frequently, `CACHE` specifies that the blocks retrieved for this zone map are placed at the most recently used end of the least recently used (LRU) list in the buffer cache when a full table scan is performed.

`NOCACHE` specifies that the blocks are placed at the least recently used end of the LRU list. The default is `NOCACHE`.

### ***zonemap\_refresh\_clause***

Use this clause to specify the default refresh method and mode for the zone map. If you do not specify a refresh method (`FAST`, `COMPLETE`, or `FORCE`), then `FORCE` is the default method. If you do not specify a refresh mode (`ON` clauses), then `ON LOAD DATA MOVEMENT` is the default mode.

### **FAST**

Specify `FAST` to indicate the fast refresh method, which performs the refresh according to the changes that have occurred to the base tables. While zone maps are internally implemented as a type of materialized view, materialized view logs on base tables are not needed to perform a fast refresh of a zone map.

### **COMPLETE**

Specify `COMPLETE` to indicate the complete refresh method, which is implemented by executing the defining query of the zone map. If you request a complete refresh, then Oracle Database performs a complete refresh even if a fast refresh is possible.

### **FORCE**

Specify `FORCE` to indicate that when a refresh occurs, Oracle Database will perform a fast refresh if one is possible or a complete refresh if fast refresh is not possible. This is the default.

### **ON DEMAND**

Specify `ON DEMAND` to indicate that database will not refresh the zone map unless you manually issue an `ALTER MATERIALIZED ZONEMAP ... REBUILD` statement. If you specify this clause, then the zone map is referred to as a refresh-on-demand zone map. Refer to [REBUILD](#) in the documentation on `ALTER MATERIALIZED ZONEMAP` for more information on rebuilding a zone map.



## ON COMMIT

Specify `ON COMMIT` to indicate that a refresh is to occur whenever the database commits a transaction that operates on a base table of the zone map. If you specify this clause, then the zone map is referred to as a refresh-on-commit zone map. This clause may increase the time taken to complete the commit, because the database performs the refresh operation as part of the commit process.

## ON LOAD

Specify `ON LOAD` to indicate that a refresh is to occur at the end of a direct-path insert (serial or parallel) resulting either from an `INSERT` or a `MERGE` operation.

## ON DATA MOVEMENT

Specify `ON DATA MOVEMENT` to indicate that a refresh is to occur at the end of the following data movement operations:

- Data redefinition using the `DBMS_REDEFINITION` package
- Table partition maintenance operations that are specified by the following clauses of `ALTER TABLE`: `coalesce_table`, `merge_table_partitions`, `move_table_partition`, and `split_table_partition`

## ON LOAD DATA MOVEMENT

Specify `ON LOAD DATA MOVEMENT` to indicate that a refresh is to occur at the end of a direct-path insert or a data movement operation. This is the default.

## ENABLE | DISABLE PRUNING

This clause lets you control the use of the zone map for pruning.

- Specify `ENABLE PRUNING` to enable use of the zone map for pruning. This is the default.
- Specify `DISABLE PRUNING` to disable use of the zone map for pruning. The optimizer will not use the zone map for pruning, but the database will continue to maintain the zone map.

If the setting is `ENABLE PRUNING`, then the optimizer will consider using the zone map for pruning during SQL operations that include any of the following conditions:

- Comparison conditions: `=`, `<=`, `<`, `>=`, `>`

The condition must be a simple comparison condition that has a column name on one side and a literal or bind variable on the other side. For example:

```
WHERE country_name = 'United States of America'  
WHERE country_name = :country1  
WHERE 10000 >= salary
```

- `IN` condition

The `IN` condition must have a column name on the left side and an expression list of literals or bind variables on the right side. For example:

```
WHERE country_name IN ('Germany', 'India', 'United Kingdom')  
WHERE country_name IN (:country1, :country2, :country3)  
WHERE prod_id IN (20, 48, 132, 143)
```

- `LIKE` condition

The `LIKE` condition must have a column name on the left side and a text literal on the right side. The text literal is the pattern for the `LIKE` condition and it must contain at least one pattern matching character. Valid pattern matching characters are the underscore (`_`), which matches exactly one character, and the percent sign (`%`), which matches zero or more characters. The first character of the pattern cannot be a pattern matching character. For example:

```
WHERE prod_name LIKE 'DVD%'
WHERE prod_name LIKE 'Model%Cordless%Battery'
WHERE prod_name LIKE 'CD%Pack of _'
```



### See Also:

[Conditions](#) for more information on conditions

## Restrictions on Zone Maps

Zone maps are subject to the following restrictions:

- A table can be a fact table for at most one zone map. A table can be a dimension table for multiple zone maps. A table can be a fact table for one zone map and a dimension table for other zone maps.
- A base table of a zone map cannot be an external table, an index-organized table, a remote table, a temporary table, or a view.
- A base table of a zone map cannot be in the schema of the user `SYS`.
- A zone map cannot be partitioned.
- You can define a zone map on a column of any scalar data type other than `BFILE`, `BLOB`, `CLOB`, `LONG`, `LONG RAW`, or `NCLOB`.
- All joins specified in the defining subquery of a zone map must be left outer equijoins with the fact table on the left side.
- If the `FROM` clause of the defining subquery for a zone map references a materialized view, then you must refresh that materialized view before refreshing the zone map.
- You cannot perform DML operations directly on a zone map.
- Each column of the zone map must have one of the following declared collations: `BINARY` or `USING_NLS_COMP`.

## Examples

The following statement creates a basic zone map called `sales_zmap`. The zone map tracks columns `cust_id` and `prod_id` in the table `sales`.

```
CREATE MATERIALIZED ZONEMAP sales_zmap
  ON sales(cust_id, prod_id);
```

The following statement creates a basic zone map called `sales_zmap` that is similar to the zone map created in the previous example. However, this statement uses a defining subquery to create the zone map.

```
CREATE MATERIALIZED ZONEMAP sales_zmap
AS SELECT SYS_OP_ZONE_ID(rowid),
          MIN(cust_id), MAX(cust_id),
          MIN(prod_id), MAX(prod_id)
FROM sales
GROUP BY SYS_OP_ZONE_ID(rowid);
```

The following statement creates a join zone map called `sales_zmap`. The fact table for the zone map is `sales` and the zone map has one dimension table: `customers`. The zone map tracks two columns in the dimension table: `cust_state_province` and `cust_city`.

```
CREATE MATERIALIZED ZONEMAP sales_zmap
AS SELECT SYS_OP_ZONE_ID(s.rowid),
          MIN(cust_state_province), MAX(cust_state_province),
          MIN(cust_city), MAX(cust_city)
FROM sales s
     LEFT OUTER JOIN customers c ON s.cust_id = c.cust_id
GROUP BY SYS_OP_ZONE_ID(s.rowid);
```

The following statement creates a join zone map called `sales_zmap`. The fact table for the zone map is `sales` and the zone map has two dimension tables: `products` and `customers`. The zone map tracks five columns in the dimension tables: `prod_category` and `prod_subcategory` in the `products` table, and `country_id`, `cust_state_province`, and `cust_city` in the `customers` table.

```
CREATE MATERIALIZED ZONEMAP sales_zmap
AS SELECT SYS_OP_ZONE_ID(s.rowid),
          MIN(prod_category), MAX(prod_category),
          MIN(prod_subcategory), MAX(prod_subcategory),
          MIN(country_id), MAX(country_id),
          MIN(cust_state_province), MAX(cust_state_province),
          MIN(cust_city), MAX(cust_city)
FROM sales s
     LEFT OUTER JOIN products p ON s.prod_id = p.prod_id
     LEFT OUTER JOIN customers c ON s.cust_id = c.cust_id
GROUP BY sys_op_zone_id(s.rowid);
```

The following statement creates a join zone map that is identical to the zone map created in the previous example. The only difference is that the previous example uses the `LEFT OUTER JOIN` syntax in the `FROM` clause and the following example uses the outer join operator (+) in the `WHERE` clause.

```
CREATE MATERIALIZED ZONEMAP sales_zmap
AS SELECT SYS_OP_ZONE_ID(s.rowid),
          MIN(prod_category), MAX(prod_category),
          MIN(prod_subcategory), MAX(prod_subcategory),
          MIN(country_id), MAX(country_id),
          MIN(cust_state_province), MAX(cust_state_province),
          MIN(cust_city), MAX(cust_city)
FROM sales s, products p, customers c
WHERE s.prod_id = p.prod_id(+) AND
      s.cust_id = c.cust_id(+)
GROUP BY sys_op_zone_id(s.rowid);
```

# CREATE MLE ENV

## Purpose

MLE Environments are first-class schema objects that can be managed on their own and reused across multiple execution contexts.

MLE uses execution contexts to execute MLE language code and MLE environments allow you configure properties for these execution contexts. You can set language options to customize the runtime of the MLE language and you can enable specific MLE modules to be imported to an execution context and manage dependencies.

Use `CREATE MLE ENV` to create a new MLE environment in the database in one of three ways:

You can create an MLE environment in one of three ways :


- As a fresh empty environment.
- As an environment with a list of imports and a language option string.
- By cloning an existing environment. Cloning an environment creates an independent copy that is not affected by subsequent changes to the original environment.

MLE environments use the same namespace as tables and procedures.

## Prerequisites

Users must have the `CREATE MLE` privilege to create an environment in their own schema, and the `CREATE ANY MLE` privilege to create an environment in other schemas. The user creating the environment must either own the environment being cloned or should have the `EXECUTE` privilege on it.

## Syntax



## Semantics

### OR REPLACE

Specify `OR REPLACE` to re-create the environment, if it already exists. You can use this clause to change the definition of an existing environment without dropping, re-creating, and regrating object privileges previously granted on it.

## IF NOT EXISTS

Specifying `IF NOT EXISTS` has the following effects:

- If the MLE environment does not exist, a new MLE environment is created at the end of the statement.
- If the MLE environment, this is the MLE environment you have at the end of the statement. A new one is not created because the older one is detected.

You can have one of `OR REPLACE` or `IF NOT EXISTS` in a statement at a time. Using both `OR REPLACE` with `IF NOT EXISTS` in the very same statement results in the following error:  
ORA-11541: REPLACE and IF NOT EXISTS cannot coexist in the same DDL statement.

## Examples

The following example creates an empty MLE environment `myenv`.

```
CREATE MLE ENV scott."myenv";
```

The following example clones an existing MLE environment:

```
CREATE MLE ENV scott."myenv" CLONE "other_env";
```

### See Also:

- [MLE JavaScript Modules and Environments](#)
- [ALTER MLE ENV](#)
- [DROP MLE ENV](#)

# CREATE MLE MODULE

## Purpose

Multilingual Engine (MLE) allows developers to write, store, and execute JavaScript code in Oracle Database Release 23 on Linux `x86-64` by using MLE Modules to encapsulate JavaScript.

Use `CREATE MLE MODULE` to create a new MLE module in the database.


### See Also:

*JavaScript Developer's Guide*

## Prerequisites

You must have the `CREATE MLE` privilege to create or replace an MLE module in your own schema, and the `CREATE ANY MLE` privilege to create or replace an MLE module in another user's schema.

## Syntax



## Semantics

### OR REPLACE

Specify `OR REPLACE` to re-create the module if it already exists. You can use this clause to change the definition of an existing module without dropping, re-creating, and regrating object privileges previously granted on it.

### IF NOT EXISTS

Specifying `IF NOT EXISTS` has the following effects:

- If the MLE module does not exist, a new MLE module is created at the end of the statement.
- If the MLE module exists, this is the MLE module you have at the end of the statement. A new one is not created because the older one is detected.

You can have one of `OR REPLACE` or `IF NOT EXISTS` in a statement at a time. Using both `OR REPLACE` with `IF NOT EXISTS` in the very same statement results in the following error: `ORA-11541: REPLACE and IF NOT EXISTS cannot coexist in the same DDL statement.`

### *schema*

Use *schema* to fully qualify the module name. If you do not specify *schema*, then the current schema is used.

The length of the module name must not exceed 128 bytes. MLE modules use the same namespace as tables and procedures.

### LANGUAGE, VERSION

Use `LANGUAGE` to specify the MLE language of the created module. You must use the value `JAVASCRIPT` when you create JavaScript modules. An `ORA-04101` error is thrown if an unsupported MLE language is used.

The optional `VERSION` clause specifies a version string for the MLE module. Version strings are purely informational and do not influence any behavior of MLE or the RDBMS. The version string must fit into a `VARCHAR2 (256)`.

### CLOB, BLOB, BFILE

Use `USING` to create MLE modules from code contained in `CLOBs`, `BLOBs`, or `BFILES`.

You can specify the `BFILE` clause with a subquery or with a directory using `directory_object_name` and `server_file_name` to specify the directory and filename of the MLE module you want to use. Note that you must create the directory object before this step using `CREATE DIRECTORY`.

The `CLOB | BLOB | BFILE` clause specifies a subquery whose result must be a single row and column of the specified type (`CLOB`, `BLOB`, or `BFILE`) that holds the contents of the MLE module to be deployed. The `CLOB` option is available only if the MLE module contains textual data. The textual data in MLE modules contained in `BLOBs` and `BFILES` is encoded in `UTF-8`.

### AS

Use `AS` to specify the contents of the MLE module as a sequence of characters inlined in the DDL statement. As with `CLOBs`, the `AS` clause is only available when the source of the MLE module contains textual data. Do not encapsulate the character sequence within quotes. The character sequence is delimited by the end of the DDL statement.

#### See Also:

- *JavaScript Developer's Guide*
- [DROP MLE MODULE](#)
- [ALTER MLE MODULE](#)
- [CREATE MLE ENV](#)

## CREATE OPERATOR

### Purpose

Use the `CREATE OPERATOR` statement to create a new operator and define its bindings.

Operators can be referenced by indextypes and by SQL queries and DML statements. The operators, in turn, reference functions, packages, types, and other user-defined objects.

#### See Also:


*Oracle Database Data Cartridge Developer's Guide* and *Oracle Database Concepts* for a discussion of these dependencies and of operators in general

### Prerequisites


To create an operator in your own schema, you must have the `CREATE OPERATOR` system privilege. To create an operator in another schema, you must have the `CREATE ANY OPERATOR` system privilege. In either case, you must also have the `EXECUTE` object privilege on the functions and operators referenced.

### Syntax


***create\_operator::=***




***binding\_clause::=***




***implementation\_clause::=***



***context\_clause::=***





***using\_function\_clause::=*****Semantics****OR REPLACE**

Specify **OR REPLACE** to replace the definition of the operator schema object.

**Restriction on Replacing an Operator**

You can replace the definition only if the operator has no dependent objects, such as indextypes supporting the operator.

**IF NOT EXISTS**

Specifying **IF NOT EXISTS** has the following effects:

- If the operator does not exist, a new operator is created at the end of the statement.
- If the operator exists, this is the operator you have at the end of the statement. A new one is not created because the older one is detected.

You can have *one* of **OR REPLACE** or **IF NOT EXISTS** in a statement at a time. Using both **OR REPLACE** with **IF NOT EXISTS** in the very same statement results in the following error:  
ORA-11541: REPLACE and IF NOT EXISTS cannot coexist in the same DDL statement.

Using **IF EXISTS** with **CREATE** results in ORA-11543: Incorrect IF NOT EXISTS clause for CREATE statement.

***schema***

Specify the schema containing the operator. If you omit *schema*, then the database creates the operator in your own schema.

***operator***

Specify the name of the operator to be created. The name must satisfy the requirements listed in "[Database Object Naming Rules](#)".

***binding\_clause***

Use the *binding\_clause* to specify one or more parameter data types (*parameter\_type*) for binding the operator to a function. The signature of each binding—the sequence of the data types of the arguments to the corresponding function—must be unique according to the rules of overloading.

The *parameter\_type* can itself be an object type. If it is, then you can optionally qualify it with its schema.

**Restriction on Binding Operators**

You cannot specify a *parameter\_type* of REF, LONG, or LONG RAW.

**See Also:**

*Oracle Database PL/SQL Language Reference* for more information about overloading

**RETURN Clause**

Specify the return data type for the binding.

The *return\_type* can itself be an object type. If so, then you can optionally qualify it with its schema.

**Restriction on Binding Return Data Type**

You cannot specify a *return\_type* of REF, LONG, or LONG RAW.

**SHARING**

Use the sharing clause if you want to create the object in an application root in the context of an application maintenance. This type of object is called an application common object and it can be shared with the application PDBs that belong to the application root.

You can specify how the object is shared using one of the following sharing attributes:

- **METADATA** - A metadata link shares the metadata, but its data is unique to each container. This type of object is referred to as a metadata-linked application common object.
- **NONE** - The object is not shared and can only be accessed in the application root.

***implementation\_clause***

Use this clause to describe the implementation of the binding.

**ANCILLARY TO Clause**

Use the **ANCILLARY TO** clause to indicate that the operator binding is ancillary to the specified primary operator binding (*primary\_operator*). If you specify this clause, then do not specify a previous binding with just one number parameter.

***context\_clause***

Use the *context\_clause* to describe the functional implementation of a binding that is not ancillary to a primary operator binding.

**WITH INDEX CONTEXT, SCAN CONTEXT**

Use this clause to indicate that the functional evaluation of the operator uses the index and a scan context that is specified by the implementation type.

**COMPUTE ANCILLARY DATA**

Specify **COMPUTE ANCILLARY DATA** to indicate that the operator binding computes ancillary data.

**WITH COLUMN CONTEXT**

Specify `WITH COLUMN CONTEXT` to indicate that Oracle Database should pass the column information to the functional implementation for the operator.

If you specify this clause, then the signature of the function implemented must include one extra `ODCIFuncCallInfo` structure.



#### See Also:

*Oracle Database Data Cartridge Developer's Guide* for instructions on using the `ODCIFuncCallInfo` routine

### *using\_function\_clause*

The *using\_function\_clause* lets you specify the function that provides the implementation for the binding. The *function\_name* can be a standalone function, packaged function, type method, or a synonym for any of these.

If the function is subsequently dropped, then the database marks all dependent objects `INVALID`, including the operator. However, if you then subsequently issue an `ALTER OPERATOR ... DROP BINDING` statement to drop the binding, then subsequent queries and DML will revalidate the dependent objects.

### Examples

#### Creating User-Defined Operators: Example

This example creates a very simple functional implementation of equality and then creates an operator that uses the function. For a more complete set of examples, see *Oracle Database Data Cartridge Developer's Guide*.

```
CREATE FUNCTION eq_f(a VARCHAR2, b VARCHAR2) RETURN NUMBER AS
BEGIN
    IF a = b THEN RETURN 1;
    ELSE RETURN 0;
    END IF;
END;
/

CREATE OPERATOR eq_op
    BINDING (VARCHAR2, VARCHAR2)
    RETURN NUMBER
    USING eq_f;
```

# CREATE OUTLINE

## Purpose

### Note:

Stored outlines are deprecated. They are still supported for backward compatibility. However, Oracle recommends that you use SQL plan management instead. SQL plan management creates SQL plan baselines, which offer superior SQL performance stability compared with stored outlines.

You can migrate existing stored outlines to SQL plan baselines by using the `MIGRATE_STORED_OUTLINE` function of the `DBMS_SPM` package or Enterprise Manager Cloud Control. When the migration is complete, the stored outlines are marked as migrated and can be removed. You can drop all migrated stored outlines on your system by using the `DROP_MIGRATED_STORED_OUTLINE` function of the `DBMS_SPM` package.

See Also: *Oracle Database SQL Tuning Guide* for more information about SQL plan management and *Oracle Database PL/SQL Packages and Types Reference* for information about the `DBMS_SPM` package

Use the `CREATE OUTLINE` statement to create a **stored outline**, which is a set of attributes used by the optimizer to generate an execution plan. You can then instruct the optimizer to use a set of outlines to influence the generation of execution plans whenever a particular SQL statement is issued, regardless of changes in factors that can affect optimization. You can also modify an outline so that it takes into account changes in these factors.

### Note:

The SQL statement you want to affect must be an exact string match of the statement specified when creating the outline.

### See Also:

- *Oracle Database SQL Tuning Guide* for information on execution plans
- [ALTER OUTLINE](#) for information on modifying an outline
- [ALTER SESSION](#) and [ALTER SYSTEM](#) for information on the `USE_STORED_OUTLINES` and `USE_PRIVATE_OUTLINES` parameters

## Prerequisites

To create a public or private outline, you must have the `CREATE ANY OUTLINE` system privilege.


If you are creating a clone outline from a source outline, then you must also have the `SELECT_CATALOG_ROLE` role.

You can enable or disable the use of stored outlines dynamically for an individual session or for the system:

- Enable the `USE_STORED_OUTLINES` parameter to use public outlines.
- Enable the `USE_PRIVATE_OUTLINES` parameter to use private stored outlines.

## Syntax

***create\_outline ::=***



### Note:

None of the clauses after *outline* are required. However, you must specify at least one clause after *outline*, and it must be either the `FROM` clause or the `ON` clause.

## Semantics

### OR REPLACE

Specify `OR REPLACE` to replace an existing outline with a new outline of the same name.

### PUBLIC | PRIVATE

Specify `PUBLIC` if you are creating an outline for use by `PUBLIC`. This is the default.

Specify `PRIVATE` to create an outline for private use by the current session only. The data of this outline is stored in the current schema.

### ***outline***

Specify the unique name to be assigned to the stored outline. The name must satisfy the requirements listed in "[Database Object Naming Rules](#)". If you do not specify *outline*, then the database generates an outline name.



#### **See Also:**

["Creating an Outline: Example"](#)

### **FROM *source\_outline* Clause**

Use the `FROM` clause to create a new outline by copying an existing one. By default, Oracle Database looks for *source\_category* in the public area. If you specify `PRIVATE`, then the database looks for the outline in the current schema.

### **Restriction on Copying an Outline**

If you specify the `FROM` clause, then you cannot specify the `ON` clause.



#### **See Also:**

["Creating a Private Clone Outline: Example"](#) and ["Publicizing a Private Outline to the Public Area: Example"](#)

### **FOR CATEGORY Clause**

Specify an optional name used to group stored outlines. For example, you could specify a category of outlines for end-of-week use and another for end-of-quarter use. If you do not specify *category*, then the outline is stored in the `DEFAULT` category.

### **ON Clause**

Specify the SQL statement for which the database will create an outline when the statement is compiled. This clause is optional only if you are creating a copy of an existing outline using the `FROM` clause.

You can specify any one of the following statements: `SELECT`, `DELETE`, `UPDATE`, `INSERT ... SELECT`, `CREATE TABLE ... AS SELECT`.

### **Restrictions on the ON Clause**

This clause is subject to the following restrictions:

- If you specify the `ON` clause, then you cannot specify the `FROM` clause.
- You cannot create an outline on a multitable `INSERT` statement.
- The SQL statement in the `ON` clause cannot include any DML operation on a remote object.

 **Note:**

In subsequent statements, you can specify additional outlines for the same SQL statement, but each outline for the same statement must specify a different category in the `CATEGORY` clause.

## Examples

### Creating an Outline: Example

The following statement creates a stored outline by compiling the `ON` statement. The outline is called `salaries` and is stored in the category `special`.

```
CREATE OUTLINE salaries FOR CATEGORY special
  ON SELECT last_name, salary FROM employees;
```

When this same `SELECT` statement is subsequently compiled, if the `USE_STORED_OUTLINES` parameter is set to `special`, the database generates the same execution plan as was generated when the outline `salaries` was created.

### Creating a Private Clone Outline: Example

The following statement creates a stored private outline `my_salaries` based on the public category `salaries` created in the preceding example.

```
CREATE OR REPLACE PRIVATE OUTLINE my_salaries
  FROM salaries;
```

### Publicizing a Private Outline to the Public Area: Example

The following statement copies back (publicizes) a private outline to the public area after private editing:

```
CREATE OR REPLACE OUTLINE public_salaries
  FROM PRIVATE my_salaries;
```

# CREATE PACKAGE

## Purpose

Packages are defined using PL/SQL. Therefore, this section provides some general information but refers to *Oracle Database PL/SQL Language Reference* for details of syntax and semantics.

Use the `CREATE PACKAGE` statement to create the specification for a stored **package**, which is an encapsulated collection of related procedures, functions, and other program objects stored together in the database. The **package specification** declares these objects. The **package body**, specified subsequently, defines these objects.

 **See Also:**

- [CREATE PACKAGE BODY](#) for information on specifying the implementation of the package
- [CREATE FUNCTION](#) and [CREATE PROCEDURE](#) for information on creating standalone functions and procedures
- [ALTER PACKAGE](#) and [DROP PACKAGE](#) for information on modifying and dropping a package
- *Oracle Database Development Guide* and *Oracle Database PL/SQL Packages and Types Reference* for detailed discussions of packages and how to use them

**Prerequisites**

To create or replace a package in your own schema, you must have the `CREATE PROCEDURE` system privilege. To create or replace a package in another user's schema, you must have the `CREATE ANY PROCEDURE` system privilege.

To embed a `CREATE PACKAGE` statement inside an Oracle Database precompiler program, you must terminate the statement with the keyword `END-EXEC` followed by the embedded SQL statement terminator for the specific language.


 **See Also:**

*Oracle Database PL/SQL Language Reference* for more information

**Syntax**

Packages are defined using PL/SQL. Therefore, the syntax diagram in this book shows only the SQL keywords. Refer to *Oracle Database PL/SQL Language Reference* for the PL/SQL syntax, semantics, and examples.

**`create_package::=`**



(*plsql\_package\_source*: See *Oracle Database PL/SQL Language Reference*.)

**Semantics****OR REPLACE**

Specify `OR REPLACE` to re-create the package specification if it already exists. Use this clause to change the specification of an existing package without dropping, re-



creating, and regranting object privileges previously granted on the package. If you change a package specification, then Oracle Database recompiles it.

Users who had previously been granted privileges on a redefined package can still access the package without being regranted the privileges.

If any function-based indexes depend on the package, then the database marks the indexes `DISABLED`.



### See Also:

`ALTER PACKAGE` for information on recompiling package specifications

## IF NOT EXISTS

Specifying `IF NOT EXISTS` has the following effects:

- If the package does not exist, a new package is created at the end of the statement.
- If the package exists, this is the package you have at the end of the statement. A new one is not created because the older one is detected.

You can have *one* of `OR REPLACE` or `IF NOT EXISTS` in a statement at a time. Using both `OR REPLACE` with `IF NOT EXISTS` in the very same statement results in the following error:  
ORA-11541: REPLACE and IF NOT EXISTS cannot coexist in the same DDL statement.

Using `IF EXISTS` with `CREATE` results in ORA-11543: Incorrect IF NOT EXISTS clause for CREATE statement.

## [ EDITIONABLE | NONEDITIONABLE ]

Use these clauses to specify whether the package is an editioned or noneditioned object if editioning is enabled for the schema object type `PACKAGE` in *schema*. The default is `EDITIONABLE`. For information about editioned and noneditioned objects, see *Oracle Database Development Guide*.

### *plsql\_package\_source*

See *Oracle Database PL/SQL Language Reference* for the syntax and semantics of the *plsql\_package\_source*, including examples.

# CREATE PACKAGE BODY

## Purpose

Package bodies are defined using PL/SQL. Therefore, this section provides some general information but refers to *Oracle Database PL/SQL Language Reference* for details of syntax and semantics.

Use the `CREATE PACKAGE BODY` statement to create the body of a stored **package**, which is an encapsulated collection of related procedures, stored functions, and other program objects stored together in the database. The **package body** defines these objects. The **package specification**, defined in an earlier `CREATE PACKAGE` statement, declares these objects.

Packages are an alternative to creating procedures and functions as standalone schema objects.

 **See Also:**

- [CREATE FUNCTION](#) and [CREATE PROCEDURE](#) for information on creating standalone functions and procedures
- [CREATE PACKAGE](#) for a discussion of packages, including how to create packages
- [ALTER PACKAGE](#) for information on modifying a package
- [DROP PACKAGE](#) for information on removing a package from the database

**Prerequisites**

To create or replace a package in your own schema, you must have the `CREATE PROCEDURE` system privilege. To create or replace a package in another user's schema, you must have the `CREATE ANY PROCEDURE` system privilege. In both cases, the package body must be created in the same schema as the package.

To embed a `CREATE PACKAGE BODY` statement inside an Oracle Database precompiler program, you must terminate the statement with the keyword `END-EXEC` followed by the embedded SQL statement terminator for the specific language.


 **See Also:**

*Oracle Database PL/SQL Language Reference*

**Syntax**

Package bodies are defined using PL/SQL. Therefore, the syntax diagram in this book shows only the SQL keywords. Refer to *Oracle Database PL/SQL Language Reference* for the PL/SQL syntax, semantics, and examples.

***create\_package\_body::=***



(*plsql\_package\_body\_source*: See *Oracle Database PL/SQL Language Reference*.)

## Semantics

### OR REPLACE

Specify `OR REPLACE` to re-create the package body if it already exists. Use this clause to change the body of an existing package without dropping, re-creating, and regranted object privileges previously granted on it. If you change a package body, then Oracle Database recompiles it.

Users who had previously been granted privileges on a redefined package can still access the package without being regranted the privileges.



#### See Also:

[ALTER PACKAGE](#) for information on recompiling package bodies

### IF NOT EXISTS

Specifying `IF NOT EXISTS` has the following effects:

- If the package body does not exist, a new package body is created at the end of the statement.
- If the package body exists, this is the package body you have at the end of the statement. A new one is not created because the older one is detected.

You can have *one* of `OR REPLACE` or `IF NOT EXISTS` in a statement at a time. Using both `OR REPLACE` with `IF NOT EXISTS` in the very same statement results in the following error:  
ORA-11541: REPLACE and IF NOT EXISTS cannot coexist in the same DDL statement.

Using `IF EXISTS` with `CREATE` results in ORA-11543: Incorrect IF NOT EXISTS clause for CREATE statement.

### [ EDITIONABLE | NONEDITIONABLE ]

If you do not specify this clause, then the package body inherits `EDITIONABLE` or `NONEDITIONABLE` from the package specification. If you do specify this clause, then it must match that of the package specification.

### *plsql\_package\_body\_source*

See *Oracle Database PL/SQL Language Reference* for the syntax and semantics of the *plsql\_package\_body\_source*.

## CREATE PFILE

### Purpose

Use the `CREATE PFILE` statement to export either a binary server parameter file or the current In-Memory parameter settings into a text initialization parameter file. Creating a text parameter file is a convenient way to get a listing of the current parameter settings being used by the database, and it lets you edit the file easily in a text editor and then convert it back into a server parameter file using the `CREATE SPFILE` statement.

Upon successful execution of this statement, Oracle Database creates a text parameter file on the server. In an Oracle Real Application Clusters environment, it will contain all parameter settings of all instances. It will also contain any comments that appeared on the same line with a parameter setting in the server parameter file.

#### Note on Creating Text Parameter Files in a CDB

When you create a text parameter file in a multitenant container database (CDB), the current container can be the root or a PDB.

- If the current container is the root, then the database creates a text file that contains the parameter settings for the root.
- If the current container is a PDB, then the database creates a text file that contains the parameter settings for the PDB. In this case you must specify a *pfile\_name*.

#### See Also:

- [CREATE SPFILE](#) for information on server parameter files
- *Oracle Database Administrator's Guide* for additional information on text initialization parameter files and binary server parameter files
- *Oracle Real Application Clusters Administration and Deployment Guide* for information on using server parameter files in an Oracle Real Application Clusters environment

#### Prerequisites

You must have one of the following system privileges to execute this statement:

- SYSDBA
- SYSDBG
- SYSOPER
- SYSBACKUP
- SYSASM
- SYSRAC


You can execute this statement either before or after instance startup.

#### Restrictions

You cannot overwrite OS files as a SYSDBG, SYSOPER, or SYSRAC user.

#### Syntax

**create\_pfile::=**



## Semantics

### *pfile\_name*

Specify the name of the text parameter file you want to create. If you do not specify *pfile\_name*, then Oracle Database uses the platform-specific default initialization parameter file name. *pfile\_name* can include a path prefix. If you do not specify such a path prefix, then the database adds the path prefix for the default storage location, which is platform dependent.

### *sfile\_name*

Specify the name of the binary server parameter from which you want to create a text file.

- If you specify *sfile\_name*, then the file must exist on the server. If the file does not reside in the default directory for server parameter files on your operating system, then you must specify the full path.
- If you do not specify *sfile\_name*, then the database uses the spfile that is currently associated with the instance, usually the one that was used a startup. If no spfile is associated with the instance, then the database looks for the platform-specific default server parameter file name. If that file does not exist, then the database returns an error.



#### See Also:

Creating and Configuring an Oracle Database

## MEMORY

Specify `MEMORY` to create a pfile using the current system-wide parameter settings. In an Oracle RAC environment, the created file will contain the parameter settings from each instance.

## Examples

### Creating a Parameter File: Example

The following example creates a text parameter file `my_init.ora` from a binary server parameter file `s_params.ora`:

```
CREATE PFILE = 'my_init.ora' FROM SPFILE = 's_params.ora';
```



#### Note:

Typically you will need to specify the full path and filename for parameter files on your operating system. Refer to your Oracle operating system documentation for path information and default parameter file names.

# CREATE PLUGGABLE DATABASE

## Purpose

Use the `CREATE PLUGGABLE DATABASE` statement to create a pluggable database (PDB).

This statement enables you to perform the following tasks:

- Create a PDB by using the seed as a template  
Use the `create_pdb_from_seed` clause to create a PDB by using the seed in the multitenant container database (CDB) as a template. The files associated with the seed are copied to a new location and the copied files are then associated with the new PDB.
- Create a PDB by cloning an existing PDB  
Use the `create_pdb_clone` clause to create a PDB by copying an existing PDB and then plugging the copy into the CDB. The files associated with the existing PDB are copied to a new location and the copied files are associated with the new PDB.
- Create a PDB by plugging an unplugged PDB into a CDB  
Use the `create_pdb_from_xml` clause to plug an unplugged PDB into a CDB, using an XML metadata file.
- Create a proxy PDB by referencing another PDB. A proxy PDB provides fully functional access to the referenced PDB.  
Use the `create_pdb_clone` clause and specify `AS PROXY FROM` to create a proxy PDB.
- Create an application container, application seed, or application PDB  
Use the `create_pdb_from_seed`, `create_pdb_clone`, or `create_pdb_from_xml` clause. To create an application container, you must specify the `AS APPLICATION CONTAINER` clause. To create an application seed, you must specify the `AS SEED` clause.

 **Note:**

A multitenant container database is the only supported architecture in Oracle Database 21c and later releases. While the documentation is being revised, legacy terminology may persist. In most cases, "database" and "non-CDB" refer to a CDB or PDB, depending on context. In some contexts, such as upgrades, "non-CDB" refers to a non-CDB from a previous release.

 **Note:**

When a new PDB is established in a CDB, it is possible that the name of a service offered by the new PDB will collide with an existing service name. The namespace in which a collision can occur is that of the listener that gives access to the CDB. Within that namespace, collisions are possible among the names of CDB's default services, PDB's default services, and user-defined services. For example, if two or more CDBs on the same computer system use the same listener, and the newly established PDB has the same service name as another PDB in these CDBs, then a collision occurs.

When you create a PDB, you can specify new names for any potential colliding service names. See the clause [service\\_name\\_convert](#). If you discover a service name collision after a PDB is created, you must not attempt to operate the PDB that causes a collision with an existing service name. If the colliding name is that of the PDB's default service, then you must rename the PDB. If the colliding name is that of a user-created service within the PDB, then you must drop that service and create one in its place, with a non-colliding name, that has the same purpose and properties.

 **See Also:**

- *Oracle Multitenant Administrator's Guide* for more information on multi-tenant architecture and concepts.
- [ALTER PLUGGABLE DATABASE](#) and [DROP PLUGGABLE DATABASE](#) for information on modifying and dropping PDBs

### Prerequisites

You must be connected to a CDB. The CDB must be open and in `READ WRITE` mode.

To create a PDB or an application container, the current container must be the root and you must have the `CREATE PLUGGABLE DATABASE` system privilege, granted commonly.

To create an application seed or an application PDB, the current container must be an application root, the application container must be open and in `READ WRITE` mode, and you must have the `CREATE PLUGGABLE DATABASE` system privilege, either granted commonly or granted locally in that application container.


To specify the `create_pdb_clone` clause:

- If `src_pdb_name` refers to a PDB in the same CDB, then you must have the `CREATE PLUGGABLE DATABASE` system privilege in the root of the CDB in which the new PDB will be created and in the PDB being cloned.
- If `src_pdb_name` refers to a PDB in a remote database, then you must have the `CREATE PLUGGABLE DATABASE` system privilege in the root of the CDB in which the new PDB will be created. In addition, the remote user must have the `CREATE PLUGGABLE DATABASE` system privilege in the PDB to which `src_pdb_name` refers.

See *Oracle Multitenant Administrator's Guide* for more information on the prerequisites to PDB creation.


## Syntax

***create\_pluggable\_database::=***




*(create\_pdb\_from\_seed::=, create\_pdb\_clone::=, create\_pdb\_from\_xml::=)*

***create\_pdb\_from\_seed::=***




*(pd\_b\_dba\_roles::=, parallel\_pdb\_creation\_clause::=, default\_tablespace::=, file\_name\_convert::=, service\_name\_convert::=, pd\_b\_storage\_clause::=, path\_prefix\_clause::=, tempfile\_reuse\_clause::=, user\_tablespaces\_clause::=, standbys\_clause::=, logging\_clause::=, create\_file\_dest\_clause::=)*

***pd\_b\_dba\_roles::=***






***parallel\_pdb\_creation\_clause::=***




***default\_tablespace::=***




*(datafile\_tempfile\_spec::=, extent\_management\_clause::=)*

***pdb\_storage\_clause::=***




*(size\_clause::=)*


***file\_name\_convert::=***



***service\_name\_convert::=***




***path\_prefix\_clause::=***




**tempfile\_reuse\_clause::=**




**user\_tablespaces\_clause::=**




**standbys\_clause::=**




**logging\_clause::=**



**create\_file\_dest\_clause::=**




**create\_pdb\_clone::=**




(parallel\_pdb\_creation\_clause::=, default\_tablespace::=, pdb\_storage\_clause::=, file\_name\_convert::=, service\_name\_convert::=, path\_prefix\_clause::=, tempfile\_reuse\_clause::=, user\_tablespaces\_clause::=, standbys\_clause::=, logging\_clause::=, create\_file\_dest\_clause::=, keystore\_clause::=, pdb\_refresh\_mode\_clause::=)


**keystore\_clause::=**



**pdb\_refresh\_mode\_clause::=**




**create\_pdb\_from\_xml::=**




(*source\_file\_name\_convert::=, source\_file\_directory::=, file\_name\_convert::=, service\_name\_convert::=, default\_tablespace::=, pdb\_storage\_clause::=, path\_prefix\_clause::=, tempfile\_reuse\_clause::=, user\_tablespaces\_clause::=, standbys\_clause::=, logging\_clause::=, create\_file\_dest\_clause::=*)

**create\_pdb\_from\_mirror\_copy::=**




**using\_snapshot\_clause ::=**




**container\_map\_clause ::=**




***pdb\_snapshot\_clause ::=***




***source\_file\_name\_convert ::=***



***source\_file\_directory ::=***



***create\_pdb\_decrypt\_from\_xml ::=***



**Semantics**

***pdb\_name***

Specify the name of the PDB to be created. The name must satisfy the requirements listed in "[Database Object Naming Rules](#)". The first character of a PDB name must be an alphabet character. The remaining characters can be alphanumeric or the underscore character (\_).

The PDB name must be unique in the CDB, and it must be unique within the scope of all the CDBs whose instances are reached through a specific listener.

**AS APPLICATION CONTAINER**

Specify this clause to create an application container.



**See Also:**

Creating and Removing Application Containers and Seeds

### ***using\_snapshot\_clause***

Specify this clause to create a PDB from an existing PDB snapshot that can be identified by its name, SCN, or timestamp.

If you additionally specify `SNAPSHOT COPY`, then the new PDB will depend on the existence of the specified PDB snapshot. This will affect your ability to drop or purge the new PDB.

### **AS SEED**

Specify this clause to create an application seed. The database assigns the seed a name of the form `application_container_name$SEED`.

An application container can have at most one application seed. The application seed is optional, but, if it exists, you can use it to create application PDBs quickly that match the requirements of the application container. An application seed enables instant provisioning of application PDBs that are created from it.



#### **See Also:**

Creating and Removing Application Containers and Seeds

### ***create\_pdb\_from\_seed***

This clause enables you to create a PDB by using the seed in the CDB as a template.



#### **See Also:**

Creating a PDB from Scratch

### **ADMIN USER**

Use this clause to create an administrative user who can be granted the privileges required to perform administrative tasks on the PDB. For `admin_user_name`, specify name of the user to be created. Use the `IDENTIFIED BY` clause to specify the password for `admin_user_name`. Oracle Database creates a local user in the PDB and grants the `PDB_DBA` local role to that user.

### ***pdb\_dba\_roles***

This clause lets you grant one or more roles to the `PDB_DBA` role. Use this clause to grant roles that have the privileges required by the administrative user of the PDB. For `role`, specify a predefined role. For a list of predefined roles, refer to *Oracle Database Security Guide*.

You can also use the `GRANT` statement to grant roles to the `PDB_DBA` role after the PDB has been created. Until you have granted the appropriate privileges to the `PDB_DBA` role, the `SYS` and `SYSTEM` users can perform administrative tasks on a PDB.

### *parallel\_pdb\_creation\_clause*

This clause instructs the CDB to use parallel execution servers to copy the new PDB's data files to a new location. This may result in faster creation of the PDB.

#### **PARALLEL**

If you specify `PARALLEL`, then the CDB automatically chooses the number of parallel execution servers to use. This is the default if the `COMPATIBLE` initialization parameter is set to 12.2 or higher.

#### **PARALLEL integer**

Use integer to specify the number of parallel execution servers to use. The CDB can ignore this setting, depending on the current database load and the number of available parallel execution servers. If you specify a value of 0 or 1, then the CDB does not parallelize the creation of the PDB. This can result in a longer PDB creation time.

### *default\_tablespace*

If you specify this clause, then Oracle Database creates a smallfile tablespace and sets it as the default permanent tablespace for the PDB. Oracle Database will assign the default tablespace to any non-`SYSTEM` user for whom a different permanent tablespace is not specified. The *default\_tablespace* clause has the same semantics that it has for the `CREATE DATABASE` statement. For full information, refer to [default\\_tablespace](#) in the documentation on `CREATE DATABASE`.

### *pdb\_storage\_clause*

Use this clause to specify storage limits for the PDB.

- Use `MAXSIZE` to limit the amount of storage that can be used by all tablespaces in the PDB to the value specified with *size\_clause*. This limit includes the size of data files and temporary files for tablespaces belonging to the PDB. Specify `MAXSIZE UNLIMITED` to enforce no limit.
- Use `MAX_AUDIT_SIZE` to limit the amount of storage that can be used by unified audit OS spillover (`.bin` format) files in the PDB to the value specified with *size\_clause*. Specify `MAX_AUDIT_SIZE UNLIMITED` to enforce no limit.
- Use `MAX_DIAG_SIZE` to limit the amount of storage for diagnostics (trace files and incident dumps) in the Automatic Diagnostic Repository (ADR) that can be used by the PDB to the value specified with *size\_clause*. Specify `MAX_DIAG_SIZE UNLIMITED` to enforce no limit.

If you omit this clause, or specify `STORAGE UNLIMITED`, then there are no storage limits for the PDB. This is equivalent to specifying `STORAGE (MAXSIZE UNLIMITED MAX_AUDIT_SIZE UNLIMITED MAX_DIAG_SIZE UNLIMITED)`.

### *file\_name\_convert*

Use this clause to determine how the database generates the names of files (such as data files and wallet files) for the PDB.

- For *filename\_pattern*, specify a string found in names of files associated with the seed (when creating a PDB by using the seed), associated with the source PDB (when cloning a PDB), or listed in the XML file (when plugging a PDB into a CDB).

- For *replacement\_filename\_pattern*, specify a replacement string.

Oracle Database will replace *filename\_pattern* with *replacement\_filename\_pattern* when generating the names of files associated with the new PDB.

File name patterns cannot match files or directories managed by Oracle Managed Files.

You can specify `FILE_NAME_CONVERT = NONE`, which is the same as omitting this clause. If you omit this clause, then the database first attempts to use Oracle Managed Files to generate file names. If you are not using Oracle Managed Files, then the database uses the `PDB_FILE_NAME_CONVERT` initialization parameter to generate file names. If this parameter is not set, then an error occurs.

### ***service\_name\_convert***

Use this clause to rename the user-defined services of the new PDB based on the service names of the source PDB. When the service name of a new PDB conflicts with an existing service name in the CDB, plug-in violations can result. This clause enables you to avoid these violations.

- For *service\_name*, specify the name of a service found in the PDB seed (when creating a PDB in an application container by using the application seed) or in the source PDB (when cloning a PDB or plugging a PDB into a CDB).
- For *replacement\_service\_name*, specify the replacement name for the service.

Oracle Database will use the replacement service name for the service in the PDB being created.

You can specify `SERVICE_NAME_CONVERT = NONE`, which is the same as omitting this clause.

### **Restrictions on *service\_name\_convert***

The *service\_name\_convert* clause is subject to the following restrictions:

- You cannot change the name of the default service for a PDB. The default service has the same name as the PDB.
- You cannot specify this clause when you use the *create\_pdb\_from\_seed* clause to create a PDB from the CDB seed, because the CDB seed does not have user-defined services. You can, however, specify this clause when you use the *create\_pdb\_from\_seed* clause to create an application PDB from the application seed.

### ***path\_prefix\_clause***

Use this clause to ensure that file paths for directory objects associated with the PDB are restricted to the specified directory or its subdirectories. This clause also ensures that the following files associated with the PDB are restricted to the specified directory: the Oracle XML repository for the PDB, files created with a `CREATE PFILE` statement, and the export directory for Oracle wallets. You cannot modify the setting of this clause after you create the PDB. This clause does not affect files created by Oracle Managed Files.

- For *path\_name*, specify the absolute path name of an operating system directory. The single quotation marks are required, with the result that the path name is case sensitive. Oracle Database uses *path\_name* as a prefix for all file paths associated with the PDB.



Be sure to specify *path\_name* so that the resulting path name will be properly formed when relative paths are appended to it. For example, on UNIX systems, be sure to end *path\_name* with a forward slash (/), such as:

```
PATH_PREFIX = '/disk1/oracle/dba/salespdb/'
```

- For *directory\_object\_name*, specify the name of a directory object that exists in the CDB root (CDB\$ROOT). The directory object points to the absolute path to be used for PATH\_PREFIX.
- If you specify PATH\_PREFIX = NONE, then the relative paths for directory objects associated with the PDB are treated as absolute paths and are not restricted to a particular directory.

Omitting the *path\_prefix\_clause* is equivalent to specifying PATH\_PREFIX = NONE.

After the *path\_prefix\_clause* is specified for a PDB, existing directory objects might not work as expected, since the PATH\_PREFIX string is always added as a prefix to all local directory objects in the PDB. The *path\_prefix\_clause* only applies to user-created directory objects. It does not apply to Oracle-supplied directory objects.

### ***tempfile\_reuse\_clause***

When you create a PDB, Oracle Database associates temp files with the new PDB. Depending on how you create the PDB, the temp files may already exist and may have been previously used.

Specify TEMPFILE REUSE to instruct the database to format and reuse a temp file associated with the new PDB if it already exists. If you specify this clause and a temp file does not exist, then the database creates the temp file.

If you do not specify TEMPFILE REUSE and a temp file to be associated with the new PDB already exists, then the database returns an error and does not create the PDB.

### ***user\_tablespaces\_clause***

This clause lets you specify the tablespaces to be made available in the new PDB. The SYSTEM, SYSAUX, and TEMP tablespaces are available in all PDBs and cannot be specified in this clause.

You can use this clause to separate the data for multiple schemas into different PDBs.

- Specify *tablespace* to make the tablespace available in the new PDB. You can specify more than one tablespace in a comma-separated list.
- Specify ALL to make all tablespaces available in the new PDB. This is the default.
- Specify ALL EXCEPT to make all tablespaces available in the new PDB, except the specified tablespaces.
- Specify NONE to make only the SYSTEM, SYSAUX, and TEMP tablespaces available in the new PDB.

When the compatibility level of the CDB is 12.2 or higher, the tablespaces that are excluded by this clause are created offline in the new PDB, and they have no data files associated with them. When the compatibility level of the CDB is lower than 12.2, the tablespaces that are excluded by this clause are offline in the new PDB, and all data files that belong to these tablespaces are unnamed and offline.

**{ SNAPSHOT COPY | NO DATA }**

These clauses apply only when cloning a PDB with the `create_pdb_clone` clause. By default, the database creates each tablespace to be made available in the new PDB according to the settings specified for cloning the PDB. These clauses allow you to override those settings as follows:

- `SNAPSHOT COPY` - Clone the tablespace using storage snapshots.
- `NO DATA` - Clone the data model definition of the tablespace, but not the tablespace's data.

### **{ COPY | MOVE | NOCOPY }**

These clauses apply when you plug in a PDB with the `create_pdb_from_xml` clause. By default, the database creates each tablespace to be made available in the new PDB according to the settings specified for plugging in the PDB. These clauses allow you to override those settings as follows:

- `COPY` - Copy the tablespace files to the new location.
- `MOVE` - Move the tablespace files to the new location.
- `NOCOPY` - Do not copy or move the tablespace files to the new location.

### ***standbys\_clause***

Use this clause to specify whether the new PDB is included in one or more standby CDBs. If you include a PDB in a standby CDB, then during standby recovery the standby CDB will search for the data files for the PDB. If the data files are not found, then standby recovery will stop and you must copy the data files to the correct location before you can restart recovery.

- Specify `cdb_name` to include the new PDB in the specified standby CDB. You can specify more than one standby CDB name in a comma-separated list.
- Specify `ALL` to include the new PDB in all standby CDBs. This is the default.
- Specify `ALL EXCEPT` to include the new PDB in all standby CDBs, except the specified standby CDBs.
- Specify `NONE` to exclude the new PDB from all standby CDBs. When a PDB is excluded from all standby CDBs, the PDB's data files are unnamed and marked offline on all of the standby CDBs. Standby recovery will not stop if the data files for the PDB are not found on the standby. If you instantiate a new standby CDB after the PDB is created, then you must explicitly disable the PDB for recovery on the new standby CDB.

You can enable a PDB on a standby CDB after it was excluded on that standby CDB by copying the data files to the correct location, bringing the PDB online, and marking it as enabled for recovery.

### ***logging\_clause***

Use this clause to specify the default logging attribute for tablespaces created within the PDB. The logging attribute controls whether certain DML operations are logged in the redo log file (`LOGGING`) or not (`NOLOGGING`). The default is `LOGGING`.

When creating a tablespace, you can override the default logging attribute by specifying the [logging\\_clause](#) of the `CREATE TABLESPACE` statement.

Refer to [logging\\_clause](#) for a full description of this clause.

### *create\_file\_dest\_clause*

By default, a newly created PDB inherits its Oracle Managed Files settings from the root. If the root uses Oracle Managed Files, then the PDB also uses Oracle Managed Files. The PDB shares the same base file system directory for Oracle Managed Files with the root and has its own subdirectory named with the GUID of the PDB. If the root does not use Oracle Managed Files, then the PDB also does not use Oracle Managed Files.

This clause lets you override the default behavior. You can enable or disable Oracle Managed Files for the PDB and you specify a different base file system directory or Oracle ASM disk group for the PDB's files.

- Specify `NONE` to disable Oracle Managed Files for the PDB.
- Specify either `directory_path_name` or `diskgroup_name` to enable Oracle Managed Files for the PDB.

Specify `directory_path_name` to designate the base file system directory for the PDB's files. Specify the full path name of the operating system directory. The directory must exist and Oracle processes must have appropriate permissions on the directory. The single quotation marks are required, with the result that the path name is case sensitive.

Specify `diskgroup_name` to designate the default Oracle ASM disk group for the PDB's files.

If you specify a value other than `NONE`, then the database implicitly sets the `DB_CREATE_FILE_DEST` initialization parameter with `SCOPE=SPFILE` in the PDB.

### HOST and PORT

These clauses are useful only if you are creating a PDB that you plan to reference from a proxy PDB. This type of PDB is called a referenced PDB.

When creating a referenced PDB:

- If the name of the listener is different from the host name of the PDB, then you must specify the `HOST` clause. For `hostname`, specify the fully qualified domain name of the listener. Enclose `hostname` in single quotation marks. For example:  
`'myhost.example.com'`.  
  
In an Oracle Real Application Clusters (Oracle RAC) environment, you can specify for `hostname` any of the hosts for the PDB.
- If the port number of the listener is not 1521, then you must specify the `PORT` clause. For `number`, specify the port number for the listener.

A proxy PDB uses a database link to establish communication with its referenced PDB. After communication is established, the proxy PDB communicates directly with the referenced PDB without using a database link. The host name and port number of the listener for the referenced PDB must be correct for the proxy PDB to function properly.

#### See Also:

The clause `AS PROXY FROM` of `create_pdb_clone` for information on creating a proxy PDB

### ***create\_pdb\_clone***

This clause enables you to create a new PDB by cloning a source to a target PDB. The source can be a PDB in the local CDB, or a PDB in a remote CDB. The target PDB is the clone of the source.

If the source is a PDB in the local CDB, then the source PDB can be plugged in or unplugged. If the source is a PDB in a remote CDB, then the source PDB must be plugged in.

If the source is a PDB in a remote CDB, then the source and the CDB that contains the target PDB must meet the following requirements:

- They must have the same endian format.
- They must have compatible character sets and national character sets, which means:
  - Every character in the source character set is available in the local CDB character set.
  - Every character in the source character set has the same code point value in the local CDB character set.
- They must have the same set of database options installed.

Users in the PDB who used the default temporary tablespace of the source PDB use the default temporary tablespace of the new PDB. Users who used non-default temporary tablespaces in the PDB continue to use the same local temporary tablespaces in the new PDB.

You can clone a united PDB or an isolated PDB with the same command. The only difference is that the keystore password you must provide are for different keystores.

#### **Hot Clone a PDB: Example**

```
CREATE PLUGGABLE DATABASE CDB1_PDB2_CLONE FROM CDB1_PDB2
KEYSTORE IDENTIFIED BY keystore_password
```

For a **united** PDB:

- `keystore_password` is the `ROOT` keystore password.
- The wallet must be open in `ROOT`.

For an **isolated** PDB:

- `keystore_password` is the **new** keystore password for the PDB `CDB1_PDB2_CLONE`.
- The wallet must be open in `CDB1_PDB2_CLONE`.

#### **Clone a PDB: Example**

##### **United PDB**

```
CREATE PLUGGABLE DATABASE CDB1_PDB1_C AS CLONE USING '/tmp/cdb1_pdb3.pdb'
KEYSTORE IDENTIFIED BY keystore_password DECRYPT USING transport_secret
```

- The wallet must be open in `ROOT`, if TDE is in use.
- If there are TDE keys in the `.pdb` file, you must specify `KEYSTORE IDENTIFIED BY` and provide `transport_secret`.

- `keystore_password` is the `ROOT` keystore password.

### Isolated PDB

```
CREATE PLUGGABLE DATABASE CDB1_PDB2_C AS CLONE USING '/tmp/cdb1_pdb2.pdb'
```

- You need not specify `KEYSTORE IDENTIFIED BY` or `transport_secret`. If specified, they are ignored.
- The wallet need *not* be open in `ROOT`.



#### See Also:

Cloning a PDB

### FROM

Use this clause to specify the source PDB. The files associated with the source are copied to a new location and these copied files are then associated with the new PDB.

The source PDB cannot be closed. It can be open as follows:

- If the CDB that contains the source PDB (the source CDB) is in `ARCHIVELOG` mode and local undo mode, then the source PDB can be open in `READ WRITE` mode and fully functional during the cloning operation. This is called hot PDB cloning.
- If the source CDB is not in `ARCHIVELOG` mode, then the source PDB must be open `READ ONLY`.

Specify the source PDB as follows:

- If the source is a PDB in the local CDB, then use `src_pdb_name` to specify the name of the source PDB. You cannot specify `PDB$SEED` for `src_pdb_name`. Instead, use the [create\\_pdb\\_from\\_seed](#) clause to create a PDB by using the seed as a template.
- If the source is a PDB in a remote CDB, then use `src_pdb_name` to specify the name of the source PDB and `dblink` to specify the name of the database link to use to connect to the remote CDB.

### AS PROXY FROM

Use this clause to create a proxy PDB by referencing a different PDB, which is referred to as the referenced PDB. The referenced PDB can be in the same CDB as the proxy PDB or in a different CDB. A local proxy PDB is in the same CDB as its referenced PDB, and a remote proxy PDB is in a different CDB than its referenced PDB.

For `src_pdb_name@dblink`, specify the referenced PDB.



#### See Also:

Creating a PDB as a Proxy PDB

***default\_tablespace***

Use this clause to specify a permanent default tablespace for the PDB. Oracle Database will assign the default tablespace to any non-`SYSTEM` user for whom a different permanent tablespace is not specified. The tablespace must already exist in the source PDB. Because the tablespace already exists, you cannot specify the `DATAFILE` clause or the `extent_management_clause` when creating a PDB with the `create_pdb_clone` clause.

***pdb\_storage\_clause***

Use this clause to specify storage limits for the new PDB. Refer to [pdb\\_storage\\_clause](#) for the full semantics of this clause.

***file\_name\_convert***

Use this clause to determine how the database generates the names of files for the new PDB. Refer to [file\\_name\\_convert](#) for the full semantics of this clause.

***service\_name\_convert***

Use this clause to determine how the database renames services for the new PDB. Refer to [service\\_name\\_convert::=](#) for the full semantics of this clause.

***path\_prefix\_clause***

Use this clause to ensure that all directory object paths associated with the PDB are restricted to the specified directory or its subdirectories. Refer to [path\\_prefix\\_clause](#) for the full semantics of this clause.

***tempfile\_reuse\_clause***

Specify `TEMPFILE REUSE` to instruct the database to format and reuse a temp file associated with the new PDB if it already exists. Refer to [tempfile\\_reuse\\_clause](#) for the full semantics of this clause.

**SNAPSHOT COPY**

You can specify `SNAPSHOT COPY` only when cloning a PDB. The source PDB can be in the local CDB or a remote CDB. The `SNAPSHOT COPY` clause instructs the database to clone the source PDB using storage snapshots. This reduces the time required to create the clone because the database does not need to make a complete copy of the source data files.

When you use the `SNAPSHOT COPY` clause to create a clone of a source PDB and the `CLONEDB` initialization parameter is set to `FALSE`, the underlying file system for the source PDB's files must support storage snapshots. Such file systems include Oracle Advanced Cluster File System (Oracle ACFS) and Direct NFS Client storage.

When you use the `SNAPSHOT COPY` clause to create a clone of a source PDB and the `CLONEDB` initialization parameter is set to `TRUE`, the underlying file system for the source PDB's files can be any local file system, network file system (NFS), or clustered file system that has Direct NFS enabled. However, the source PDB must remain in open read-only mode as long as any clones exist.

Direct NFS Client enables an Oracle database to access network attached storage (NAS) devices directly, rather than using the operating system kernel NFS client. If the

PDB files are stored on Direct NFS Client storage, then the following additional requirements must be met:

- The source PDB files must be located on an NFS volume.
- Storage credentials must be stored in a Transparent Data Encryption keystore.
- The storage user must have the privileges required to create and destroy snapshots on the volume that hosts the source PDB files.
- Credentials must be stored in the keystore using an `ADMINISTER KEY MANAGEMENT ADD SECRET SQL` statement.

When you use the `SNAPSHOT COPY` clause to create a clone of a source PDB, the following restrictions apply to the source PDB as long as any clones exist:

- It cannot be unplugged.
- It cannot be dropped.

PDB clones created using the `SNAPSHOT COPY` clause cannot be unplugged. They can only be dropped. Attempting to unplug a clone created using the `SNAPSHOT COPY` clause results in an error.

For a PDB created using the `SNAPSHOT COPY` clause in an Oracle Real Application Clusters (Oracle RAC) environment, each node that must access the PDB's files must be mounted. For Oracle RAC databases running on Linux or UNIX platforms, the underlying NFS volumes must be mounted. If the Oracle RAC database is running on a Windows platform and using Direct NFS for shared storage, then you must update the `oranfstab` file on all nodes with the created volume `export` and `mount` entries.

Storage clones are named and tagged using the new PDB GUID. You can query the `CLONETAG` column of `DBA_PDB_HISTORY` view to view clone tags for storage clones.

### ***keystore\_clause***

Specify this clause if the source database has encrypted data or a keystore set.

If you want to create the PDB by cloning another PDB, and if the source database has encrypted data or a TDE master encryption key that has been set, then you must provide the keystore password of the target keystore in `keystore_password`.

You can find if the source database has encrypted data by querying the `DBA_ENCRYPTED_COLUMNS` data dictionary view or the `V$ENCRYPTED_TABLESPACES` dynamic performance view.

You can use the `EXTERNAL STORE` clause instead of `keystore_password` to clone a PDB that is using a united keystore. Note that you must configure the TDE SEPS wallet first before you use this option.

You cannot use the `EXTERNAL STORE` clause for a PDB that is using an isolated keystore.

You can set the password to a maximum length of 1024 bytes.

### ***pdb\_refresh\_mode\_clause***

The `REFRESH MODE` clause applies only when cloning a PDB. The source PDB must be in a remote CDB, that is, you must specify the source PDB using the `FROM src_pdb_name@dblink` clause.

This clause lets you specify the refresh mode of the PDB. You can use this clause to create a **refreshable PDB**. Changes in the source PDB can be propagated to the refreshable PDB, either manually or automatically. This operation is called a refresh. You can specify the following refresh modes:

- **MANUAL** - This mode allows you to refresh the refreshable PDB manually at any time by issuing an `ALTER PLUGGABLE DATABASE REFRESH` statement.
- **EVERY *refresh\_interval* MINUTES or HOURS** – This mode instructs the database to refresh the refreshable PDB every *refresh\_interval* of selected time units, minutes or hours. If you select `MINUTES`, the *refresh\_interval* must be less than 3000. If you select `HOURS`, the *refresh\_interval* must be less than 2000. This mode also allows you to refresh the PDB manually at any time by issuing an `ALTER PLUGGABLE DATABASE REFRESH` statement.
- **NONE** - If you specify this mode, then the clone PDB is not a refreshable PDB. The database cannot refresh the PDB automatically and you cannot refresh the PDB manually. If you specify this mode, then you cannot later change the PDB into a refreshable PDB. This is the default.

A refreshable PDB can be opened only in `READ ONLY` mode. A refreshable PDB must be closed in order for a refresh to occur. If it is not closed when you attempt to perform a manual refresh, then an error will occur. If it is not closed when the database attempts an automatic refresh, then the refresh will be deferred until the next scheduled refresh.

#### See Also:

- `ALTER PLUGGABLE DATABASE REFRESH` for information on refreshing a PDB manually
- `ALTER PLUGGABLE DATABASE pdb_refresh_mode_clause` for information on changing the refresh mode of a PDB
- *Oracle Database Administrator's Guide* for more information on refreshable PDBs

## RELOCATE

Use this clause to relocate a PDB from one CDB to another. The database first clones the source PDB to the target PDB, and then removes the source PDB. The database also moves the files associated with the PDB to a new location. This operation is the fastest way to relocate a PDB with minimal down time. The down time for the PDB is approximately the time required to copy the PDB's files from their old location to their new location. The source PDB can be open in `READ WRITE` mode and fully functional during the relocation operation.

You can specify the availability level with the `AVAILABILITY` keyword. The default availability is `NORMAL`. If you specify `AVAILABILITY MAX`, then additional operations are performed to ensure a smooth migration of the workload in a persistent connection between source and target.

In the `create_pdb_clone` clause, you must use the `FROM src_pdb_name@dblink` syntax to identify the location of the source PDB. For *src\_pdb\_name*, specify the name of the source PDB. For *dblink*, specify a database link that indicates the location of the



source PDB. The database link must have been created in the CDB to which the PDB will be relocated. It can connect either to the root of the remote CDB or to the remote PDB.

### KEEP SOURCE

Specify `KEEP SOURCE` if you want to keep the source PDB and preserve it in an unplugged state.



#### See Also:

Relocating a PDB

### NO DATA

The `NO DATA` clause applies only when cloning a PDB. This clause specifies that the source PDB's data model definition is cloned, but not the PDB's data. The dictionary data in the source PDB is cloned, but all user-created table and index data from the source PDB is discarded.

#### Restrictions on the NO DATA Clause

The following restrictions apply to the `NO DATA` clause:

- The source PDB should be open in read only mode when you use the `NO DATA` clause to clone a PDB.
- You cannot specify `NO DATA` if the source PDB contains clustered tables, Advanced Queuing (AQ) tables, index-organized tables, or tables that contain abstract data type columns.

### HOST and PORT

These clauses are useful only if you are creating a PDB that you plan to reference from a proxy PDB. This type of PDB is called a referenced PDB. Refer to [HOST and PORT](#) for the full semantics of these clauses.

#### *create\_pdb\_from\_xml*

This clause enables you to create a PDB by plugging an unplugged PDB (the source database) into a CDB (the target CDB). If the source database is an unplugged PDB, then it may have been unplugged from the target CDB or a different CDB.

The source database and the target CDB must meet the following requirements:

- They must have the same endian format.
- They must have compatible character sets and national character sets, which means:
  - Every character in the source database character set is available in the target CDB character set.
  - Every character in the source database character set has the same code point value in the target CDB character set.
- They must have the same set of database options installed.

 See Also:

- Plugging In an Unplugged PDB
- *Oracle Database PL/SQL Packages and Types Reference* for more information on the `DBMS_PDB` package

**AS CLONE**

Specify this clause only if the target CDB already contains a PDB that was created using the same set of data files. The source files remain as an unplugged PDB and can be used again. Specifying `AS CLONE` also ensures that Oracle Database generates new identifiers, such as `DBID` and `GUID`, for the new PDB.

**USING**

This clause lets you specify a file that contains information about the source database that you are plugging in. For *filename*, specify the full path name of the file. You can obtain this file in one of the following ways:

- If the source database is an unplugged PDB, then the file was created by the *pdb\_unplug\_clause* of `ALTER PLUGGABLE DATABASE` as follows:
  - If the filename ends with the extension `.xml`, then it is an XML file containing metadata about the PDB. In this case, you must ensure that the XML metadata file, as well as the PDB's data files, are in a location that is accessible to the CDB.
  - If the filename ends with the extension `.pdb`, then it is a PDB archive file. This is a compressed file that includes an XML file containing metadata about the PDB, as well as the PDB's data files. The PDB archive file must exist in a location that is accessible to the CDB. When you use a `.pdb` archive file, this file is extracted when you plug in the PDB, and the PDB's files are placed in the same directory as the `.pdb` archive file. Therefore, the *source\_file\_directory* clause is not required.
- If the source database is a non-CDB, then you must create the XML metadata file using the `DBMS_PDB` package, and ensure that the XML metadata file, as well as the source non-CDB's data files, are in a location that is accessible to the CDB.

 See Also:

- *pdb\_unplug\_clause* of `ALTER PLUGGABLE DATABASE`
- *Oracle Database PL/SQL Packages and Types Reference* for more information on the `DBMS_PDB` package

***source\_file\_name\_convert***

Specify this clause only if the contents of the XML file do not accurately describe the locations of the source files. If the files that must be used to plug in the source database are no longer in the location specified in the XML file, then use this clause to map the specified file names to the actual file names.

- For *filename\_pattern*, specify the string for the location of the files as specified in the XML file.
- For *replacement\_filename\_pattern*, specify the string for the actual location that contains the files that must be used to create the PDB.

Oracle Database will replace *filename\_pattern* with *replacement\_filename\_pattern* when searching for the source database files.

File name patterns cannot match files or directories managed by Oracle Managed Files.

If the files that must be used to create the PDB exist in the location specified in the XML file, you can either omit this clause or specify `SOURCE_FILE_NAME_CONVERT=NONE`.

### ***source\_file\_directory***

Specify this clause only if the contents of the XML file do not accurately describe the locations of the source files *and* the source files are all present in a single directory. This clause is convenient when you have a large number of data files and specifying a replacement file name pattern for each file using the *source\_file\_name\_convert* clause is not feasible.

- For *directory\_path\_name*, specify the absolute path of the directory that contains the source files. The directory is scanned to find the appropriate files based on the unplugged PDB's XML file.

You can specify this clause for configurations that use Oracle Managed Files and for configurations that do not use Oracle Managed Files.

If the files that must be used to create the PDB exist in the location specified in the XML file, you can either omit this clause or specify `SOURCE_FILE_DIRECTORY=NONE`.

### **COPY**

Specify `COPY` if you want the files listed in the XML file to be copied to the new location and used for the new PDB. This is the default. You can use the optional *file\_name\_convert* clause to use pattern replacement in the new file names. Refer to [file\\_name\\_convert](#) for the full semantics of this clause.

### **MOVE**

Specify `MOVE` if you want the files listed in the XML file to be moved, rather than copied, to the new location and used for the new PDB. You can use the optional *file\_name\_convert* clause to use pattern replacement in the new file names. Refer to [file\\_name\\_convert](#) for the full semantics of this clause.

If the storage locations are different mounts, or if the storage locations do not support move at the OS or storage level, then the `MOVE` clause first copies the files then deletes the originals.

### **NOCOPY**

Specify `NOCOPY` if you want the files for the PDB to remain in their current locations. Use this clause if there is no need to copy or move the files required to plug in the PDB.

### ***service\_name\_convert***

Use this clause to determine how the database renames services for the new PDB. Refer to [service\\_name\\_convert::=](#) for the full semantics of this clause.

***default\_tablespace***

Use this clause to specify a permanent default tablespace for the PDB. Oracle Database will assign the default tablespace to any non-SYSTEM user for whom a different permanent tablespace is not specified. The *tablespace* must already exist in the source database. Because the tablespace already exists, you cannot specify the *DATAFILE* clause or the *extent\_management\_clause* when creating a PDB with the *create\_pdb\_from\_xml* clause.

***pdb\_storage\_clause***

Use this clause to specify storage limits for the new PDB. Refer to [pdb\\_storage\\_clause](#) for the full semantics of this clause.

***path\_prefix\_clause***

Use this clause to ensure that all directory object paths associated with the PDB are restricted to the specified directory or its subdirectories. Refer to [path\\_prefix\\_clause](#) for the full semantics of this clause.

***tempfile\_reuse\_clause***

Specify *TEMPFILE REUSE* to instruct the database to format and reuse a temp file associated with the new PDB if it already exists. Refer to [tempfile\\_reuse\\_clause](#) for the full semantics of this clause.

**HOST and PORT**

These clauses are useful only if you are creating a PDB that you plan to reference from a proxy PDB. This type of PDB is called a referenced PDB. Refer to [HOST and PORT](#) for the full semantics of these clauses.

***create\_pdb\_from\_mirror\_copy***

Specify this clause to create a pluggable database *new\_pdb\_name* using the prepared files of the mirror copy *mirror\_name*. The new PDB will be split from the source database using the prepared files created by the *prepare\_clause*.

- You must execute this clause from the root container.
- The meaning of the other optional parameters remains unchanged by this clause.
- You can only split one database from a prepared mirror copy. If you want to create additional splits, you must prepare a new mirror copy.
- You can specify the database link name after you have specified the mirror copy name in the *prepare\_clause* of the *ALTER PLUGGABLE DATABASE* statement. In addition, the current CDB name should match the target CDB name specified in the *prepare\_clause*. You must be a valid user in the CDB being referenced by the database link with the system privileges *CREATE SESSION* and *CREATE PLUGGABLE DATABASE*.
- If the database link name is omitted, then the base PDB name is looked up in the current CDB.

***using\_snapshot\_clause***

Specify this clause to create a PDB using an existing PDB snapshot that can be identified by its name, SCN, or timestamp.

If you create a PDB specifying `SNAPSHOT COPY`, then the new PDB will depend on the existence of the PDB snapshot. This will affect your ability to drop or purge the PDB.

***container\_map\_clause***

Specify this clause in CDB Root, Application Root or both to dynamically update changes as they happen to the new PDB.

You must note the following points with container maps:

- The `container_map_clause` is optional.
- The `add_partition_clause` will add a new partition to the container map defined in the Root (CDB Root and/or Application Root) of the new PDB.
- The `split_partition_clause` will split an existing partition of the container map defined in the Root (CDB Root and/or Application Root) of the new PDB.
- In the absence of `add_partition_clause` and `split_partition_clause`, container map defined in the Root of the new PDB is not updated.
- For PDB relocate, container map defined in the Root (CDB Root and/or Application Root) of the source PDB are automatically updated to reflect the “drop” of the source PDB.
- Dynamic maintenance of container map defined using hash partitioning is not supported

**Add a New Partition to a Range-Partitioned Container Map: Example**

```
CREATE PLUGGABLE DATABASE cdb1_pdb3
  ADMIN USER IDENTIFIED BY manager
  FILE_NAME_CONVERT=('cdb1_pdb0, cdb1_pdb3')
  CONTAINER_MAP UPDATE (ADD PARTITION cdb1_pdb3 VALUES LESS THAN (100));
ALTER PLUGGABLE DATABASE cdb1_pdb3 OPEN
```

**Split an Existing Partition of a Range-Partitioned Container Map to Create a New Partition: Example**

```
CREATE PLUGGABLE DATABASE cdb1_pdb4
  ADMIN USER IDENTIFIED BY manager
  FILE_NAME_CONVERT=('cdb1_pdb0, cdb1_pdb4')
  CONTAINER_MAP UPDATE (SPLIT PARTITION cdb1_pdb3
    AT (50)
    INTO
    (PARTITION cdb1_pdb3, PARTITION cdb1_pdb3))
ALTER PLUGGABLE DATABASE cdb1_pdb4 OPEN
```

**Verify Updated in Range-Partitioned Container Map : Example**

```
SELECT partition_name, high_value
  FROM dba_tab_partitions
 WHERE table_name='MAP' AND table_owner='SYS'
```

***pdb\_snapshot\_clause***

Specify this clause if you want to be able to create PDB snapshots.

- `NONE` is the default. It means that no snapshots of the PDB can be created.

- `MANUAL` means that the PDB snapshot can *only* be created manually.
- If snapshot interval is specified, PDB snapshots will be created automatically at specified interval. In addition, a user will also be able to create PDB snapshots manually
- If expressed in minutes, `snapshot_interval` must be less than 3000.
- If expressed in hours, `snapshot_interval` must be less than 2000.

### **`create_pdb_decrypt_from_xml`**

You must have the `SYSKM` privilege to execute this command.

For PDBs in **united** mode, the following restrictions apply:

- You must specify the clause if you are using a TDE protected database. Otherwise it is optional.
- You need not specify the clause for an isolated PDB.
- The wallet must be open in `ROOT`.
- The wallet file is copied in all cases: `NOCOPY`, `COPY`, and `MOVE`.

### **Plugging a PDB from an XML Metadata File: Example**

```
CREATE PLUGGABLE DATABASE CDB1_PDB2 USING '/tmp/cdb1_pdb2.xml' NOCOPY
KEYSTORE IDENTIFIED BY keystore_password DECRYPT USING transport_secret
```

### **Plugging a PDB from an Archive File: Example**

```
CREATE PLUGGABLE DATABASE CDB1_PDB1_1_C USING '/tmp/cdb1_pdb3.pdb' DECRYPT USING
transport_secret
```

For PDBs in **isolated** mode, you need not specify `DECRYPT USING transport_secret`. This is not required because the wallet file is copied during the creation of an unplugged PDB from an XML file. If you are creating a PDB from an archive file with the `.pdb` extension, the wallet file of the PDB is available in the zipped archive.

If the `ewallet.p12` file already exists at the destination, a backup is automatically initiated. The backup file has the following format:  
`ewallet_PLGDB_2017090517455564.p12`.

## **Examples**

### **Creating a PDB by Using the Seed: Example**

The following statement creates a PDB `salespdb` by using the seed in the CDB as a template. The administrative user `salesadm` is created and granted the `dba` role. The default tablespace assigned to any non-`SYSTEM` users for whom no permanent tablespace is assigned is `sales`. File names for the new PDB will be constructed by replacing `/disk1/oracle/dbs/pdbseed/` in the file names in the seed with `/disk1/oracle/dbs/salespdb/`. All tablespaces that belong to `sales` must not exceed 2G. The location of all directory object paths associated with `salespdb` are restricted to the directory `/disk1/oracle/dbs/salespdb/`.

```
CREATE PLUGGABLE DATABASE salespdb
  ADMIN USER salesadm IDENTIFIED BY password
  ROLES = (dba)
  DEFAULT TABLESPACE sales
  DATAFILE '/disk1/oracle/dbs/salespdb/sales01.dbf' SIZE 250M AUTOEXTEND ON
```

```

FILE_NAME_CONVERT = ('/disk1/oracle/dbs/pdbseed/',
                    '/disk1/oracle/dbs/salespdb/')
STORAGE (MAXSIZE 2G)
PATH_PREFIX = '/disk1/oracle/dbs/salespdb/';

```

### Cloning a PDB From an Existing PDB: Example

The following statement creates a PDB `newpdb` by cloning PDB `salespdb`. PDBs `newpdb` and `salespdb` are in the same CDB. Because no storage limits are explicitly specified, there is no limit on the amount of storage for `newpdb`. The files are copied from `/disk1/oracle/dbs/salespdb/` to `/disk1/oracle/dbs/newpdb/`. The location of all directory object paths associated with `newpdb` are restricted to the directory `/disk1/oracle/dbs/newpdb/`.

```

CREATE PLUGGABLE DATABASE newpdb FROM salespdb
  FILE_NAME_CONVERT = ('/disk1/oracle/dbs/salespdb/', '/disk1/oracle/dbs/newpdb/')
  PATH_PREFIX = '/disk1/oracle/dbs/newpdb';

```

### Plugging a PDB into a CDB: Example

The following statement plugs the PDB `salespdb`, which was previously unplugged, into the CDB. The details about the metadata describing `salespdb` are stored in the XML file `/disk1/usr/salespdb.xml`. The XML file does not accurately describe the current locations of the files. Therefore, the `SOURCE_FILE_NAME_CONVERT` clause is used to indicate that the files are in `/disk2/oracle/dbs/salespdb/`, not `/disk1/oracle/dbs/salespdb/`. The `NOCOPY` clause indicates that the files are already in the correct location. All tablespaces that belong to `sales` must not exceed 2G. A file with the same name as the temp file specified in the XML file exists in the target location. Therefore, the `TEMPFILE REUSE` clause is required.

```

CREATE PLUGGABLE DATABASE salespdb
  USING '/disk1/usr/salespdb.xml'
  SOURCE_FILE_NAME_CONVERT =
    ('/disk1/oracle/dbs/salespdb/', '/disk2/oracle/dbs/salespdb/')
  NOCOPY
  STORAGE (MAXSIZE 2G)
  TEMPFILE REUSE;

```

## CREATE PMEM FILESTORE

### Purpose

You can create a persistent memory file store with this statement.


### Prerequisites

You must have `SYSDBA` privileges to execute `CREATE PMEM FILESTORE`.

You must execute this statement from `CDB$ROOT`.

### Syntax

```
create_pmem_filestore::=
```



## Semantics

### MOUNTPOINT

*file\_path* contains the final directory name and must match the PMEM file store name. If there is no match, the statement will fail.

You must start database instance with at least `NOMOUNT` mode.

It is recommended to use a `spfile` for the database `init.ora` file.

When you use a `spfile`, the `CREATE PMEM FILESTORE` command automatically writes the necessary `init.ora` parameters into the `spfile` to remember the configuration. If you do not use a `spfile`, you must explicitly add the required parameters to `init.ora` so that the next database instance startup will automatically mount the PMEM file store.

### Example

```
CREATE PMEM FILESTORE cloud_db_1 MOUNTPOINT '/corp/db/cloud_db_1'
  BACKINGFILE '/var/pmem/foo_1.' SIZE 2T BLOCKSIZE 8K
  AUTOEXTEND ON NEXT 10G MAXSIZE 3T
```

## CREATE PROCEDURE

### Purpose

Procedures are defined using PL/SQL. Therefore, this section provides some general information but refers to *Oracle Database PL/SQL Language Reference* for details of syntax and semantics.

Use the `CREATE PROCEDURE` statement to create a standalone stored procedure or a call specification.

A **procedure** is a group of PL/SQL statements that you can call by name. A **call specification** (sometimes called call spec) declares a Java method, a JavaScript method, or a third-generation language (3GL) routine so that it can be called from SQL and PL/SQL. The call spec tells Oracle Database which Java method, JavaScript function, or third-generation language (3GL) routine to invoke when a call is made. It also tells the database what type conversions to make for the arguments and return value.

Stored procedures offer advantages in the areas of development, integrity, security, performance, and memory allocation.



 **See Also:**

- *JavaScript Developer's Guide*
- [CREATE MLE MODULE](#)
- [CREATE MLE ENV](#)
- *Oracle Database Development Guide* for more information on stored procedures, including how to call stored procedures and for information about registering external procedures.
- [CREATE FUNCTION](#) for information specific to functions, which are similar to procedures in many ways.
- [CREATE PACKAGE](#) for information on creating packages. The `CREATE PROCEDURE` statement creates a procedure as a standalone schema object. You can also create a procedure as part of a package.
- [ALTER PROCEDURE](#) and [DROP PROCEDURE](#) for information on modifying and dropping a standalone procedure.
- [CREATE LIBRARY](#) for more information about shared libraries.

**Prerequisites**

To create or replace a procedure in your own schema, you must have the `CREATE PROCEDURE` system privilege. To create or replace a procedure in another user's schema, you must have the `CREATE ANY PROCEDURE` system privilege.

To invoke a call spec, you may need additional privileges, for example, the `EXECUTE` object privilege on the C library for a C call spec.


To embed a `CREATE PROCEDURE` statement inside an Oracle precompiler program, you must terminate the statement with the keyword `END-EXEC` followed by the embedded SQL statement terminator for the specific language.

 **See Also:**

*Oracle Database PL/SQL Language Reference* or *Oracle Database Java Developer's Guide* for more information

**Syntax**

Procedures are defined using PL/SQL. Alternatively they can refer to non-PL/SQL code such as Java, JavaScript, C, and others by means of call specifications. Therefore, the syntax diagram in this book shows only the SQL keywords. Refer to *Oracle Database PL/SQL Language Reference* for the PL/SQL syntax, semantics, and examples.

**create\_procedure::=**

(*plsql\_procedure\_source*: See *Oracle Database PL/SQL Language Reference*.)

**Semantics****OR REPLACE**

Specify `OR REPLACE` to re-create the procedure if it already exists. Use this clause to change the definition of an existing procedure without dropping, re-creating, and regranting object privileges previously granted on it. If you redefine a procedure, then Oracle Database recompiles it.

Users who had previously been granted privileges on a redefined procedure can still access the procedure without being regranted the privileges.

If any function-based indexes depend on the procedure, then Oracle Database marks the indexes `DISABLED`.

**See Also:**

[ALTER PROCEDURE](#) for information on recompiling procedures

**IF NOT EXISTS**

Specifying `IF NOT EXISTS` has the following effects:

- If the procedure does not exist, a new procedure is created at the end of the statement.
- If the procedure exists, this is the procedure you have at the end of the statement. A new one is not created because the older one is detected.

You can have *one* of `OR REPLACE` or `IF NOT EXISTS` in a statement at a time. Using both `OR REPLACE` with `IF NOT EXISTS` in the very same statement results in the following error: `ORA-11541: REPLACE and IF NOT EXISTS cannot coexist in the same DDL statement`.

Using `IF EXISTS` with `CREATE` results in `ORA-11543: Incorrect IF NOT EXISTS clause for CREATE statement`.

**[ EDITIONABLE | NONEDITIONABLE ]**

Use these clauses to specify whether the procedure is an editioned or noneditioned object if editioning is enabled for the schema object type `PROCEDURE` in *schema*. The default is `EDITIONABLE`. For information about editioned and noneditioned objects, see *Oracle Database Development Guide*.

### *plsql\_procedure\_source*

See *Oracle Database PL/SQL Language Reference* for the syntax and semantics of the *plsql\_procedure\_source*.

## CREATE PROFILE

### Note:

Oracle recommends that you use the Database Resource Manager rather than this SQL statement to establish resource limits. The Database Resource Manager offers a more flexible means of managing and tracking resource use. For more information on the Database Resource Manager, refer to *Oracle Database Administrator's Guide*.

### Purpose

Use the `CREATE PROFILE` statement to create a **profile**, which is a set of limits on database resources. If you assign the profile to a user, then that user cannot exceed these limits.

To specify resource limits for a user, you must:

- Enable resource limits dynamically with the `ALTER SYSTEM` statement or with the initialization parameter `RESOURCE_LIMIT`. This parameter does not apply to password resources. Password resources are always enabled.
- Create a profile that defines the limits using the `CREATE PROFILE` statement
- Assign the profile to the user using the `CREATE USER` or `ALTER USER` statement

In a multitenant environment, different profiles can be assigned to a common user in the root and in a PDB. When the common user logs in to the PDB, a profile whose setting applies to the session depends on whether the settings are password-related or resource-related.

- Password-related profile settings are fetched from the profile that is assigned to the common user in the root. For example, suppose you assign a common profile `c##prof` (in which `FAILED_LOGIN_ATTEMPTS` is set to 1) to common user `c##admin` in the root. In a PDB that user is assigned a local profile `local_prof` (in which `FAILED_LOGIN_ATTEMPTS` is set to 6.) Common user `c##admin` is allowed only one failed login attempt when he or she tries to log in to the PDB where `loc_prof` is assigned to him.
- Resource-related profile settings specified in the profile assigned to a user in a PDB get used without consulting resource-related settings in a profile assigned to the common user in the root. For example, if the profile `local_prof` that is assigned to user `c##admin` in a PDB has `SESSIONS_PER_USER` set to 2, then `c##admin` is only allowed only 2 concurrent sessions when he or she logs in to the PDB `loc_prof` is assigned to him, regardless of value of this setting in a profile assigned to him in the root.

**See Also:**

*Oracle Database Security Guide* for a detailed description and explanation of how to use password management and protection

**Prerequisites**

To create a profile, you must have the `CREATE PROFILE` system privilege.


To specify the `CONTAINER` clause, you must be connected to a multitenant container database (CDB). To specify `CONTAINER = ALL`, the current container must be the root. To specify `CONTAINER = CURRENT`, the current container must be a pluggable database (PDB).

**See Also:**


- [ALTER SYSTEM](#) for information on enabling resource limits dynamically
- *Oracle Database Reference* for information on the `RESOURCE_LIMIT` parameter
- [CREATE USER](#) and [ALTER USER](#) for information on profiles

**Syntax**


***create\_profile::=***



***resource\_parameters::=***



*(size\_clause::=*  
***password\_parameters::=***



### Semantics

#### ***profile***

Specify the name of the profile to be created. The name must satisfy the requirements listed in "[Database Object Naming Rules](#)". Use profiles to limit the database resources available to a user for a single call or a single session.

In a non-CDB, a profile name cannot begin with C## or c##.

 **Note:**

A multitenant container database is the only supported architecture in Oracle Database 21c and later releases. While the documentation is being revised, legacy terminology may persist. In most cases, "database" and "non-CDB" refer to a CDB or PDB, depending on context. In some contexts, such as upgrades, "non-CDB" refers to a non-CDB from a previous release.

In a CDB, the requirements for a profile name are as follows:

- The name of a **common profile** must begin with characters that are a case-insensitive match to the prefix specified by the `COMMON_USER_PREFIX` initialization parameter. By default, the prefix is `C##`.
- The name of a **local profile** must not begin with characters that are a case-insensitive match to the prefix specified by the `COMMON_USER_PREFIX` initialization parameter. Regardless of the value of `COMMON_USER_PREFIX`, the name of a local profile can never begin with `C##` or `c##`.

 **Note:**

If the value of `COMMON_USER_PREFIX` is an empty string, then there are no requirements for common or local profile names with one exception: the name of a local profile can never begin with `C##` or `c##`. Oracle recommends against using an empty string value because it might result in conflicts between the names of local and common profiles when a PDB is plugged into a different CDB, or when opening a PDB that was closed when a common user was created.

Oracle Database enforces resource limits in the following ways:

- If a user exceeds the `CONNECT_TIME` or `IDLE_TIME` session resource limit, then the database rolls back the current transaction and ends the session. When the user process next issues a call, the database returns an error.
- If a user attempts to perform an operation that exceeds the limit for other session resources, then the database aborts the operation, rolls back the current statement, and immediately returns an error. The user can then commit or roll back the current transaction, and must then end the session.
- If a user attempts to perform an operation that exceeds the limit for a single call, then the database aborts the operation, rolls back the current statement, and returns an error, leaving the current transaction intact.

### MANDATORY

Specify the keyword `MANDATORY` to create a generic mandatory profile in `CDB$ROOT`. You can use the mandatory profile to enforce password complexity requirements for database user accounts across the entire CDB or individual PDBs using the profile parameter `password_verify_function`.

The mandatory profile adds the password complexity requirement in addition to existing profile limits for common and local users. A PDB administrator cannot remove

the password complexity requirement and allow users to set insecure shorter passwords, because mandatory profiles, just like common profiles, can only be altered in CDB\$ROOT.

You can only use *password\_verify\_function* and *password\_grace\_time* profile parameters to define the limits for the mandatory profile.

Use the profile parameter *password\_grace\_time* to specify a grace period for user accounts in violation of mandatory password complexity requirements and whose passwords have to be changed.

The default value for *password\_verify\_function* is null. The default value for *password\_grace\_time* is 0.

### User-Created Password Complexity Function: Example

The example creates a password complexity function *my\_mandatory\_function* as the argument to `PASSWORD_VERIFY_FUNCTION`.

```
SQL> create or replace function my_mandatory_verify_function
  ( username      varchar2,
    password      varchar2,
    old_password  varchar2)
  return boolean IS
begin
  -- mandatory verify function will always be evaluated regardless of the
  -- password verify function that is associated to a particular profile/user
  -- requires the minimum password length to be 8 characters
  if not ora_complexity_check(password, chars => 8) then
    return(false);
  end if;
  return(true);
end;
/
 2   3   4   5   6   7   8   9  10  11  12  13  14  15  16  17  18
Function created.
```

### Create a Mandatory Profile: Example

The example creates mandatory profile `c##cdb_profile`. `LIMIT` restricts the profile to use the only profile parameter allowed, the `PASSWORD_VERIFY_FUNCTION`. The `PASSWORD_VERIFY_FUNCTION` specifies the user-created password complexity function *my\_mandatory\_function*.

```
CREATE MANDATORY PROFILE c##cdb_profile LIMIT PASSWORD_VERIFY_FUNCTION
my_mandatory_function
  CONTAINER = ALL ;
```

If you want to apply the mandatory user profile for all PDBs in the CDB, then you must do so in the CDB root using the `ALTER SYSTEM` statement.

### Apply the Mandatory Profile to the Entire CDB: Example

You must be in CDB\$ROOT to execute this statement.

```
ALTER SYSTEM SET MANDATORY_USER_PROFILE=c##cdb_profile;
```

If you want to apply the mandatory user profile for individual PDBs, then you must configure the `MANDATORY_USER_PROFILE` parameter in the `init.ora` file that is associated with the PDB.

### Apply the Mandatory Profile to an Individual PDB: Example

Open the `init.ora` file associated with the PDB and set the `MANDATORY_USER_PROFILE`.

```
MANDATORY_USER_PROFILE=c##cdb_profile;
```

You can use `SHOW PARAMETER` to find the current `MANDATORY_USER_PROFILE` setting.

The mandatory profile that you set in `init.ora` takes precedence over the mandatory profile that you set with the `ALTER SYSTEM` statement in the CDB root.

### Restrictions

- Only common users who have been commonly granted the `ALTER PROFILE` system privilege can alter or drop the mandatory profile, and only from the CDB root.
- Only a common user who has been commonly granted the `ALTER SYSTEM` privilege or has the `SYSDBA` administrative privilege can modify the `MANDATORY_USER_PROFILE` in the `init.ora` file.

#### Note:

- You can use fractions of days for all parameters that limit time, with days as units. For example, 1 hour is  $1/24$  and 1 minute is  $1/1440$ .
- You can specify resource limits for users regardless of whether the resource limits are enabled. However, Oracle Database does not enforce the limits until you enable them.

#### See Also:

- [Managing Security for Database Users](#)
- ["Creating a Profile: Example"](#)

### UNLIMITED

When specified with a resource parameter, `UNLIMITED` indicates that a user assigned this profile can use an unlimited amount of this resource. When specified with a password parameter, `UNLIMITED` indicates that no limit has been set for the parameter.

### DEFAULT

Specify `DEFAULT` if you want to omit a limit for this resource in this profile. A user assigned this profile is subject to the limit for this resource specified in the `DEFAULT` profile. The `DEFAULT` profile initially defines unlimited resources. You can change those limits with the `ALTER PROFILE` statement.

Any user who is not explicitly assigned a profile is subject to the limits defined in the `DEFAULT` profile. Also, if the profile that is explicitly assigned to a user omits limits for some resources or specifies `DEFAULT` for some limits, then the user is subject to the limits on those resources defined by the `DEFAULT` profile.



*resource\_parameters***SESSIONS\_PER\_USER**

Specify the number of concurrent sessions to which you want to limit the user.

**CPU\_PER\_SESSION**

Specify the CPU time limit for a session, expressed in hundredth of seconds.

**CPU\_PER\_CALL**

Specify the CPU time limit for a call (a parse, execute, or fetch), expressed in hundredths of seconds.

**CONNECT\_TIME**

Specify the total elapsed time limit for a session, expressed in minutes.

**IDLE\_TIME**

Specify the permitted periods of continuous inactive time during a session, expressed in minutes. Long-running queries and other operations are not subject to this limit.

When you set an idle timeout of X minutes, note that the session will take X minutes, plus a couple of additional minutes to be terminated.

On the client application side, the error message shows up the next time, when the idle client attempts to issue a new command.

**LOGICAL\_READS\_PER\_SESSION**

Specify the permitted number of data blocks read in a session, including blocks read from memory and disk.

**LOGICAL\_READS\_PER\_CALL**

Specify the permitted number of data blocks read for a call to process a SQL statement (a parse, execute, or fetch).

**PRIVATE\_SGA**

Specify the amount of private space a session can allocate in the shared pool of the system global area (SGA). Refer to [size\\_clause](#) for information on that clause.

**Note:**

This limit applies only if you are using shared server architecture. The private space for a session in the SGA includes private SQL and PL/SQL areas, but not shared SQL and PL/SQL areas.

**COMPOSITE\_LIMIT**

Specify the total resource cost for a session, expressed in **service units**. Oracle Database calculates the total service units as a weighted sum of `CPU_PER_SESSION`, `CONNECT_TIME`, `LOGICAL_READS_PER_SESSION`, and `PRIVATE_SGA`.

 **See Also:**

- [ALTER RESOURCE COST](#) for information on how to specify the weight for each session resource
- ["Setting Profile Resource Limits: Example"](#)

***password\_parameters***

Use the following clauses to set password parameters. Parameters that set lengths of time—that is, all the password parameters except `FAILED_LOGIN_ATTEMPTS` and `PASSWORD_REUSE_MAX`—are interpreted in number of days. For testing purposes you can specify minutes ( $n/1440$ ) or even seconds ( $n/86400$ ) for these parameters. You can also use a decimal value for this purpose (for example `.0833` for approximately one hour). The minimum value is 1 second. The maximum value is 24855 days. For `FAILED_LOGIN_ATTEMPTS` and `PASSWORD_REUSE_MAX`, you must specify an integer.

**FAILED\_LOGIN\_ATTEMPTS**

Specify the number of consecutive failed attempts to log in to the user account before the account is locked. If you omit this clause, then the default is 10 times.

**PASSWORD\_LIFE\_TIME**

Specify the number of days the same password can be used for authentication. If you also set a value for `PASSWORD_GRACE_TIME`, then the password expires if it is not changed within the grace period, and further connections are rejected. If you omit this clause, then the default is 180 days.

 **See Also:**

*Oracle Database Security Guide* for information on setting `PASSWORD_LIFE_TIME` to a low value

**PASSWORD\_REUSE\_TIME and PASSWORD\_REUSE\_MAX**

These two parameters must be set in conjunction with each other. `PASSWORD_REUSE_TIME` specifies the number of days which need to pass before a user having this profile can reuse one of their earlier passwords. `PASSWORD_REUSE_MAX` specifies the number of password changes required before the current password can be reused. For these parameters to have any effect, you must specify a value for both of them.

- If you specify a value for both of these parameters, then the user cannot reuse a password until the password has been changed the number of times specified for `PASSWORD_REUSE_MAX` during the number of days specified for `PASSWORD_REUSE_TIME`.

For example, if you specify `PASSWORD_REUSE_TIME` to 30 and `PASSWORD_REUSE_MAX` to 10, then the user can reuse the password after 30 days if the password has already been changed 10 times.

- If you specify a value for either of these parameters and specify `UNLIMITED` for the other, then the user can never reuse a password.
- If you specify `DEFAULT` for either parameter, then Oracle Database uses the value defined in the `DEFAULT` profile. By default, the `PASSWORD_REUSE_TIME` and `PASSWORD_REUSE_MAX` parameters are set to `UNLIMITED` in the `DEFAULT` profile. If you have not changed the default setting of `UNLIMITED` in the `DEFAULT` profile, then the database treats the value for that parameter as `UNLIMITED`.
- If you set both of these parameters to `UNLIMITED`, then the database ignores both of them. This is the default if you omit both parameters.

### **PASSWORD\_LOCK\_TIME**

Specify the number of days an account will be locked after the specified number of consecutive failed login attempts. If you omit this clause, then the default is 1 day.

### **PASSWORD\_GRACE\_TIME**

Specify the number of days after the grace period begins during which a warning is issued and login is allowed. If you omit this clause, then the default is 7 days.

### **INACTIVE\_ACCOUNT\_TIME**

Specify the permitted number of consecutive days of no logins to the user account, after which the account will be locked. The minimum value is 15 days. The maximum value is 24855. If you omit this clause, then the default is `UNLIMITED`.

### **PASSWORD\_VERIFY\_FUNCTION**

You can pass a PL/SQL password complexity verification script as an argument to `CREATE PROFILE` by specifying `PASSWORD_VERIFY_FUNCTION`. Oracle Database provides a default script, but you can write your own function or use third-party software instead.

- For *function*, specify the name of the password complexity verification function. The function must exist in the `SYS` schema, and you must have `EXECUTE` privilege on the function.
- Specify `NULL` to indicate that no password verification is performed.

If you specify *expr* for any of the password parameters, then the expression can be of any form except scalar subquery expression.

### **Restriction on Password Parameters**

When you assign a profile to an external user or a global user, the password parameters do not take effect for that user.



#### **See Also:**

["Setting Profile Password Limits: Example"](#)

### **PASSWORD\_ROLLOVER\_TIME**

You must configure a non-zero limit for the `PASSWORD_ROLLOVER_TIME` user profile parameter in order to enable the gradual database password rollover. You can configure this parameter using `CREATE PROFILE` or `ALTER PROFILE`.

Use *expr* to specify a value for `PASSWORD_ROLLOVER_TIME` in days. You must specify hours as a fraction of one day. For example, if you want to set the limit to four hours, *expr* would be `4/24`.

The granularity of the `PASSWORD_ROLLOVER_TIME` limit value is one second. For example, you can have a limit of one hour plus three minutes and five seconds by providing an *expr* like this: `( 1/24) + ( 3/1440) + (5/86400) )`.

The default setting for `PASSWORD_ROLLOVER_TIME` is 0, which means that gradual password rollover is disabled.

### Example

The example sets the gradual password rollover time period to 1 day:

```
CREATE PROFILE usr_prof LIMIT PASSWORD_ROLLOVER_TIME 1
```

Limits on `PASSWORD_ROLLOVER_TIME`:

- Specify a value of 0 for `PASSWORD_ROLLOVER_TIME` if you want to disable the password rollover period.
- Specify a positive value for `PASSWORD_ROLLOVER_TIME` to enable the password rollover feature for all users who are members of the profile.
- The minimum value you can specify for `PASSWORD_ROLLOVER_TIME` is one hour. You do this by entering `1/24`. If you want to set the password rollover time to six hours, you enter `6/24` as the value for `PASSWORD_ROLLOVER_TIME`.
- The value for `PASSWORD_ROLLOVER_TIME` cannot exceed either 60 days, or the current value of the `PASSWORD_GRACE_TIME` limit of the profile, or the current value of the `PASSWORD_LIFE_TIME` limit of the profile; whichever is lowest.

To find user accounts that are currently in the password rollover period, query the `ACCOUNT_STATUS` column of the `DBA_USERS` data dictionary view. The status will be `IN ROLLOVER`.

The password rollover period begins the moment the user changes their password.



#### See Also:

Configuring Authentication

### CONTAINER Clause

The `CONTAINER` clause applies when you are connected to a CDB. However, it is not necessary to specify the `CONTAINER` clause because its default values are the only allowed values.

- To create a common profile, you must be connected to the root. You can optionally specify `CONTAINER = ALL`, which is the default when you are connected to the root.
- To create a local profile, you must be connected to a PDB. You can optionally specify `CONTAINER = CURRENT`, which is the default when you are connected to a PDB.

## Examples

### Creating a Profile: Example

The following statement creates the profile `new_profile`:

```
CREATE PROFILE new_profile
  LIMIT PASSWORD_REUSE_MAX 10
        PASSWORD_REUSE_TIME 30;
```

### Setting Profile Resource Limits: Example

The following statement creates the profile `app_user`:

```
CREATE PROFILE app_user LIMIT
  SESSIONS_PER_USER          UNLIMITED
  CPU_PER_SESSION            UNLIMITED
  CPU_PER_CALL                3000
  CONNECT_TIME                45
  LOGICAL_READS_PER_SESSION  DEFAULT
  LOGICAL_READS_PER_CALL     1000
  PRIVATE_SGA                 15K
  COMPOSITE_LIMIT             5000000;
```

If you assign the `app_user` profile to a user, then the user is subject to the following limits in subsequent sessions:

- The user can have any number of concurrent sessions.
- In a single session, the user can consume an unlimited amount of CPU time.
- A single call made by the user cannot consume more than 30 seconds of CPU time.
- A single session cannot last for more than 45 minutes.
- In a single session, the number of data blocks read from memory and disk is subject to the limit specified in the `DEFAULT` profile.
- A single call made by the user cannot read more than 1000 data blocks from memory and disk.
- A single session cannot allocate more than 15 kilobytes of memory in the SGA.
- In a single session, the total resource cost cannot exceed 5 million service units. The formula for calculating the total resource cost is specified by the `ALTER RESOURCE COST` statement.
- Since the `app_user` profile omits a limit for `IDLE_TIME` and for password limits, the user is subject to the limits on these resources specified in the `DEFAULT` profile.

### Setting Profile Password Limits: Example

The following statement creates the `app_user2` profile with password limits values set:

```
CREATE PROFILE app_user2 LIMIT
  FAILED_LOGIN_ATTEMPTS 5
  PASSWORD_LIFE_TIME 60
  PASSWORD_REUSE_TIME 60
  PASSWORD_REUSE_MAX 5
  PASSWORD_VERIFY_FUNCTION ora12c_verify_function
  PASSWORD_LOCK_TIME 1/24
  PASSWORD_GRACE_TIME 10
  INACTIVE_ACCOUNT_TIME 30;
```

This example uses the default Oracle Database password verification function, `ora12c_verify_function`. Refer to *Oracle Database Security Guide* for information on using this verification function provided or designing your own verification function.

## CREATE PROPERTY GRAPH


### Purpose

Use `CREATE PROPERTY GRAPH` to create a property graph from existing schema objects. The schema object can be a table, an external table, a materialized view or a synonym of the table, external table, or materialized view.

### Prerequisites


You need the `CREATE PROPERTY GRAPH` privilege to create a property graph in your own schema. To create a property graph in any schema except `SYS` and `AUDSYS`, you must have the `CREATE ANY PROPERTY GRAPH` privilege.

### Syntax



([edge\\_tables\\_clause::=](#) , [graph\\_options](#))

**`vertex_tables_clause::=`**




**`vertex_table_definition::=`**




[graph\\_table\\_level\\_and\\_properties](#)


**`graph_element_name_and_key::=`**




***graph\_element\_object\_name::=***




***graph\_element\_key::=***




***graph\_table\_label\_and\_properties::=***




***graph\_table\_label\_properties\_clause::=***




***graph\_table\_properties\_alternatives::=***




***column\_name\_list::=***




**column\_or\_expression::=**




**graph\_table\_label\_clause::=**



**edge\_tables\_clause::=**




**edge\_tables\_definition::=**




**graph\_table\_level\_and\_properties**

**vertex\_table\_reference::=**



**graph\_options::=**





## Semantics

### IF NOT EXISTS

Specifying `IF NOT EXISTS` has the following effects:

- If the property graph does not exist, a new property graph is created at the end of the statement.
- If the property graph exists, the existing property graph is what you have at the end of the statement. A new one is not created because the older one is detected.

Using `IF EXISTS` with `CREATE` results in the following error: Incorrect `IF NOT EXISTS` clause for `CREATE` statement .

You must create a property graph with the *vertex\_tables\_clause* .

Specify the schema to contain the property graph. If you omit schema, then Oracle Database creates the graph in your own schema.

The name of the property graph must not be used by any other object in the same schema, because property graphs share the name space used for tables and views. `ORA-00955` is raised in the case of name conflicts.

Specify `OR REPLACE` to re-create the property graph, if it already exists. You can use this clause to change the definition of an existing property graph without dropping, re-creating, and regrating object privileges previously granted on it.

If any materialized views are dependent on the property graph, then those materialized views will be marked `UNUSABLE` and will require a full refresh to restore them to a usable state. Invalid materialized views cannot be used by query rewrite and cannot be refreshed until they are recompiled.

### *vertex\_tables\_clause*

The *vertex\_tables\_clause* lets you define one or more vertex tables for the property graph. A *vertex\_table\_definition* needs to specify the underlying object name. It can optionally specify more items (like labels and properties) as explained below.

You can define a property graph by specifying just the name of the underlying object used to define the graph element table. In this case a default label with the same name as the underlying table is created and all the columns are exposed as graph properties.

The object name can be the name of a table, an external table, a materialized view, or a synonym of a table or materialized view.

The object name can be qualified by specifying the schema it resides in. This means that you can use objects from other schemas to define a graph element table. If no option is specified, the name of the specified object is used as the name of the graph element table.

### Example: Create a Property Graph with Vertex Table

In the following example, the vertex table name `my_table_1` is the name of underlying object `my_table_1`.

```
CREATE PROPERTY GRAPH "myGraph" VERTEX TABLES (my_table_1);
```

### Example: Create a Property Graph with a Schema-Qualified Vertex Table

In the following example, the name `my_table_1` is qualified by the schema `other_schema` and the vertex table name is the name of underlying object `my_table_1`.

```
CREATE PROPERTY GRAPH "myGraph" VERTEX TABLES (other_schema.my_table_1);
```

### ***graph\_element\_name\_and\_key***

The *graph-element-name-and-key* clause lets you specify:

- The name of the schema object to be used for defining a graph element table. The name of the graph element table defaults to the *graph\_element\_object\_name* without the schema qualification, if an `AS` clause is not used to provide an alternative name.
- One or more column names used to explicitly specify what columns of the underlying object are used to identify a row in that underlying object.

Graph element table names are defined in a name space specific to the property graph: they do not conflict with the names of schema objects, nor with the names of graph element tables defined in other property graphs. This implies also that an edge table cannot use the name of a vertex table. Graph element table names follow the same rules as other identifiers: they may be quoted to indicate case-sensitivity, and are limited by default to 128 characters. Any subsequent symbolic references to a graph element table in the DDL statement must use the graph element table name, not the name of its underlying object. In particular, you must use the graph element table name when you define the source and destination vertex table of an edge table.

*graph\_element\_object\_name* identifies the table or the materialized view directly or indirectly using a synonym for the table or the materialized view.

You can omit the clause *graph-element-key* in the following cases:

- The clause *graph\_element\_object\_name* identifies a base table with a single primary key constraint. The primary key constraint takes precedence over any unique key that might also be defined.
- The clause *graph\_element\_object\_name* identifies a base table without primary keys and a single unique key constraint where all columns are not nullable.

You must specify *graph-element-key* when *object\_name* identifies a materialized view.

### **Example**

The example shows the ways *graph-element-key* is used. In vertex table `VT3` it is used to specify a composite key made of multiple columns of the underlying table. Vertex table `ALTVT2` is defined from the same underlying object used to define vertex table `VT2`, but a different column of that object (`PK4`) is specified as identifier for its vertices. It is assumed that vertex table `VT1` has a primary key constraint or unique key with not null columns.

```
CREATE PROPERTY GRAPH "myGraph"
  VERTEX TABLES (
    VT1,
    VT2 KEY(PK2),
    VT3 KEY(PK31, PK32),
    VT2 AS ALTVT2 KEY(PK4)
  );
```

Note that a same underlying object `VT2` can be used to define another graph element table using the same primary key used to define other graph element tables from `VT2`. So in the example above, specifying `PK2` instead of `PK4` for `ALTVT2` is allowed.

When the *graph-element-key* clause is present, all the declared column names must match column names of the underlying object of the graph element table.

When the *graph-element-key* clause is omitted, the database will infer the columns from the constraints of the underlying object. If multiple primary or unique key constraints are defined for that object, inferring a key fails and an error is raised. Note that the primary constraint is only used to infer the key for the graph element table, no dependency to the constraint is created as a result of this inference. This means that the constraint may be dropped later without invalidating the graph or impact to its definition.

You can change this behavior and create a dependency to the constraint with the `ENFORCED MODE` option.

You can define multiple graph element tables from the same object. For example, a table may act as a different edge table in the same graph. You can also define a graph from tables from different schemas but with the same name. In both cases you must take care to avoid name collisions by specifying an alternative graph element table name with the optional `AS` clause.

### Example: Create a Property Graph with the AS Clause

```
CREATE PROPERTY GRAPH "myGraph" VERTEX TABLES (my_table_1, other_schema.my_table_1 AS my_table2);
```

### Restrictions

Restrictions that apply on primary key constraints also apply on vertex and edge table keys:

- Columns of the following built-in data types can be used to define keys of vertex or edge tables: `VARCHAR2`, `NVARCHAR2`, `NUMBER`, `BINARY_FLOAT`, `BINARY_DOUBLE`, `CHAR`, `NCHAR`, `DATE`, `INTERVAL` (both `YEAR TO MONTH` and `DAY TO SECOND`), and `TIMESTAMP` (but not `TIMESTAMP WITH TIME ZONE`).
- A composite key cannot exceed 32 columns.

### *edge\_tables\_clause*

Use *edge\_tables\_clause* to specify one or more *edge\_table\_definition* clauses. Each *edge\_table\_definition* clause specifies the underlying object used to define the edge table of the graph.

### *edge\_table\_definition*

Use *edge\_table\_definition* to explicitly define the vertex table that acts as the source of the edge, and the vertex table that acts as the destination of the edge using the keywords `SOURCE` and `DESTINATION`.

### *vertex\_table\_reference*

The source and destination of the edge specify a *vertex\_table\_reference*. The *vertex\_table\_reference* specifies three components:

- The graph element name of a vertex table, *graph\_element\_name*
- A list of columns of the edge table to be treated as foreign key *graph\_element\_key*.

- A list of columns of the referenced vertex table to be treated as referenced keys  
*column\_name\_list*

The *graph\_element\_name* of a *vertex\_table\_reference* clause must be defined by a preceding *vertex\_tables\_definition* clause. A vertex table name defined in the *vertex\_tables\_definition* may be used to define multiple edge table definitions, either as a source for the edge, a destination, or both.

### Example

Given the following vertex tables defined as follows:

```
CREATE PROPERTY GRAPH "myGraph"
  VERTEX TABLES (
    VT1,
    VT2 KEY(PK2),
    VT3 KEY(PK31, PK32),
    VT2 AS ALTVT2 KEY(PK4)
  )
  EDGE TABLES (
    E1 SOURCE VT1
      DESTINATION VT2,
    E2 SOURCE      KEY(FK1) REFERENCES VT1 (PK1)
      DESTINATION KEY(FK2) REFERENCES VT2 (PK2),
    E3 SOURCE      KEY(FK1) REFERENCES VT1 (PK1)
      DESTINATION VT2,
    E4 SOURCE VT1
      DESTINATION KEY(FK5) REFERENCES VT2(RK5))
;
```

Both vertex-table-reference from edge table `E1` to, respectively, source table `VT1` and destination table `VT2` are declared implicitly. When using this syntax, the user relies on the database to infer source and destination keys from existing foreign-key constraints between `E1` and, respectively, `VT1` and `VT2`. In this case, there must be exactly only foreign-key constraints between `E1` and `VT1` (respectively, `VT2`).

If that is not the case an error is raised. Note that the foreign key constraint is only used to infer the foreign key relationships between an edge table and its source and destination vertex tables. No dependency to the foreign key constraint is created as a result of this inference. This means that the constraint may be dropped later without invalidating the graph or impact to its definition.

In contrast, both vertex-table-references from edge table `E2`, respectively, source vertex table `VT1` and destination vertex table `VT2` are declared explicitly. This syntax is mandatory when there are no or multiple foreign constraints defined between `E2` and its referenced vertex tables.

Implicit and explicit syntax can be mixed, as shown for edge table `E3` and `E4`, wherein the former uses an explicit syntax only of the source table, while the latter uses it only for the destination table.

Note that the *column\_name\_list* clause that specifies the columns of the underlying object for the referenced vertex table to be treated as referenced key don't necessarily match the columns specified in the graph-element-key sub-clause of the vertex-definition clause that defined the referenced vertex table. This is illustrated with edge table `E4` from the example above: the referenced key specified for `VT2` is `RK5`, whereas the key that was specified in the vertex table definition clause for `VT2` was `PK2`.

### ***graph\_table\_label\_and\_properties***

Use *graph\_table\_label\_and\_properties* to specify the labels and properties of a graph. Then you can formulate graph queries using the labels of a graph and the properties defined by these labels.

#### **Graph Labels and Properties**

You can associate graph element tables with labels that expose the columns of the underlying object as properties. A label has a name and declares a mapping of property names to columns of the underlying object for a given graph element table. Labels give you a way to refer to one or more graph element tables in a graph query using a same label name. Properties give you a way to refer to columns of one or more graph element tables using a same, possibly label qualified, property name.

You can associate one label to multiple graph element tables, provided that all the graph element tables that share this label declare the same property name. The columns or value expressions exposed by the same property name must have union compatible types.

A graph element table may be associated with multiple labels.

Graph element tables are always associated with at least one label. If none is defined explicitly, a label is assigned automatically with the same name as the graph element table.

Declaring labels and properties is optional. All the following ways to explicitly declare properties and labels are valid:

- Only properties using *graph\_table\_label\_properties\_clause*
- Only labels using *graph\_table\_label\_clause*
- Both properties and labels using *graph\_table\_label\_properties\_clause*
- No properties or labels

### ***graph\_table\_label\_properties\_clause***

The properties are derived from columns or SQL value expressions of columns of the underlying object used to define the graph element table. By default, all visible columns are mapped to properties and the names of the properties default to the names of these columns. Pseudo-columns cannot be exposed as a property.

The *graph\_table\_label\_properties\_clause* provides the following options:

- PROPERTIES [ ARE ] ALL COLUMNS

All visible columns of the graph element table are exposed as properties of the label with the same names as the column names. (This is the default when no properties are specified.) Note that all visible columns that are used as keys will also be exposed as properties.

- PROPERTIES [ ARE ] ALL COLUMNS EXCEPT(*column\_name\_list*)

All visible columns are exposed as properties of the label except for the ones explicitly listed. This option is useful, if the number of columns not supposed to be exposed as properties is small compared to the number of columns exposed as properties.

- PROPERTIES (*column\_name\_list*)

Only the columns explicitly listed become properties of the label with the same names as the column names. This option is useful, if the number of columns exposed as properties

is small compared to the number of columns not supposed to be exposed as properties, or if the user wants to expose invisible columns. It is also useful when renaming some or all of the properties is necessary, as shown in the following:

- `PROPERTIES(column_name_list AS property_name)`

Only the columns explicitly listed become properties of the label. If `AS property_name` is appended to the `column_name`, then the `property_name` is used as the property name, otherwise the property name defaults to the column name. A property name can only be defined once per label. The `AS` clause is useful to enable association of one label to multiple graph element tables.

- `PROPERTIES (value_expression AS property_name, ...)`

It is possible to define a property as an expression over columns of the underlying object used to define a graph element table. The `AS` clause is mandatory in this case. A value expression can be a scalar expression, or a function expression, or expression list. It can contain only the following forms of expression:

- Columns of the underlying object
- Constants: strings or numbers
- Deterministic functions — either SQL built-in functions or PL/SQL functions

No other expression forms are valid (in particular, sub-query expressions and aggregate functions are invalid). The expression can only return a scalar data type. SQL operator used in the expression must be deterministic

- `NO PROPERTIES`

The label does not expose any column of the underlying object associated with the graph element table.

Note that for a given vertex or edge table, the properties exposed in the various labels applied to this vertex or edge table must have the same definition.

### ***graph\_table\_properties\_alternatives***

You can control explicitly what columns are exposed as properties using the options of `graph_table_properties_alternatives` clause.

Note that for implicit clauses, for example `ALL COLUMNS`, the list of exposed columns is determined when the graph is created. If you add additional columns to a table after you create the graph, for example you add a virtual column, the graph will not reflect the virtual column.

### **Examples**

The following example illustrates various uses of `graph_table_label_and_properties` for declaring labels associated to graph element tables (here only vertex tables) and their properties:

```
CREATE PROPERTY GRAPH "myGraph"
  VERTEX TABLES (
    HR.VT1,
    VT1 AS ALTVT1,
    VT2 LABEL "foo" ,
    VT3 NO PROPERTIES,
    VT4 PROPERTIES(C1),
    VT5 PROPERTIES(C1, C2 as P2),
    VT6 LABEL "bar" LABEL "weighted" NO PROPERTIES,
    VT7 LABEL "bar2" ALL COLUMNS ARE PROPERTIES EXCEPT (C3),
```

```

VT8 LABEL "weighted" NO PROPERTIES DEFAULT LABEL,
VT9 PROPERTIES(Cx + Cy * 0.15 AS PX, Cz AS PZ),
VT10 PROPERTIES(JSON_VALUE(JCOL,
    '$.person.creditScore[0]' returning number) AS CREDITSCORE,
VT11 PROPERTIES(XMLCAST(XMLQUERY('/purchaseOrder/poDate'
    PASSING XCOL RETURNING CONTENT) AS DATE) AS PURCHASEDATE
);

```

The meaning of each vertex table definition of the example:

- Vertex table `VT1` defines (implicitly) a single label `VT1` that exposes all the visible columns of the underlying object `HR.VT1`. This is the default when no options to specify label or property are used.
- Vertex table `ALTVT1` defines (implicitly) a single label `ALTVT1` that exposes all the visible columns of the underlying object `VT1`. If object name `VT1` resolves to `HR.VT1`, both vertex tables `ALTVT1` and `VT1` exposes the same columns from the same underlying object `HR.VT1`.
- Vertex table `VT2` defines a single label `foo` that exposes all the visible columns of the underlying object `VT2`.
- Vertex table `VT3` defines (implicitly) a single label `VT3` without any properties. No columns from the underlying object `VT3` are exposed.
- Vertex table `VT4` defines (implicitly) a single label `VT4` with a single property `C1` that exposes the column `C1` of the underlying object `VT4`.
- Vertex table `VT5` defines (implicitly) a single label `VT5` with a two properties `C1` and `P2`, that exposes, respectively, column `C1` and `C2` of the underlying object `VT5`.
- Vertex table `VT6` defines two labels, `bar` and `weighted`, such that label `bar` exposes all visible columns of underlying object `VT6` as properties, while label `"weighted"` has no properties.
- Vertex table `VT7` defines a single label `bar` that exposes all columns of the underlying object `VT3` but its column `C3`.
- Vertex table `VT8` defines two labels, `bar2` and `VT8` (via the `DEFAULT LABEL`). The former has no properties while the later exposes all columns as properties.
- Vertex table `VT9` defines (implicitly) a single label `VT9` with two properties `PX` and `PZ`, with `PX` exposing an expression over columns `Cx` and `Cy` of the underlying object `VT9`, while `PZ` exposes its column `Cz`.
- Vertex table `VT10` defines one property `CREDITSCORE` that extracts `creditScore` value as number datatype from the `JSON` type column `JCOL`.
- Vertex table `VT11` defines one property `PURCHASEDATE` that extracts purchase order date value as date datatype from the `XMLtype` column `XCOL`.

### *graph\_options*

Use the `OPTIONS` clause to specify a comma separated list of options. Each option can appear only once. You can specify the mode of the graph, one of `ENFORCED` or `TRUSTED`. You can either allow or disallow mixed types in properties with the same name.

#### **ENFORCED or TRUSTED Mode**

Option `ENFORCED` on the property graph means that guarantees are enforced over the entire graph via constraints in the `ENABLE VALIDATE` state.

If you do not specify `ENFORCED`, the mode is `TRUSTED`. This is the default mode.

A property graph is in `ENFORCED` mode if :

- All of its graph element tables are defined with a primary key that matches an existing `ENABLE VALIDATE` primary key constraint, or a unique key constraint in the `ENABLE VALIDATE` state where all columns are not nullable.
- All vertex table references from edge tables are defined with a foreign key that matches an existing `ENABLE VALIDATE` foreign key constraint between the underlying objects for the edge and the vertex table respectively, that (foreign key constraint) defines the source or destination vertex table reference. Further, the foreign key columns must have a `NOT NULL` constraint, and a `ENABLE VALIDATE` primary key constraint, or both a unique and not null constraints, must be defined on the referenced keys for each of the source and destination table.

If neither one of these conditions is true, then the property graph is in `TRUSTED` mode. This is the default mode.

### Example: Creation of a Property Graph in Enforced Mode

```
CREATE PROPERTY GRAPH "mygraph"  
  VERTEX TABLES (VT1, VT2 KEY(PK2)),  
  EDGE TABLES (  
    ET1 SOURCE VT1 DESTINATION VT2,  
    ET2 SOURCE KEY(FK2) REFERENCES VT2 (PK2) DESTINATION VT1)  
  OPTIONS(ENFORCED MODE);
```

The DDL in the example fails if any of the following is true:

- If neither a primary key constraint, or exactly one unique key constraints on non nullable columns can be found for vertex table `VT1`, edge table `ET1` or edge table `ET2`, regardless of the `ENFORCED MODE` option.
- If there is not exactly one foreign key between `ET1` and its referenced tables `VT1` and `VT2`, or between `ET2` and its referenced table `VT1`, regardless of the `ENFORCED MODE` option.
- If neither a single primary key constraint on `VT2.PK2`, or a unique key constraint and `NOT NULL` constraint on `VT2.PK2` can be found, as a result of the `ENFORCED MODE` option.
- If no foreign key constraint can be found between `ET2.FK2` and its referenced table `VT2.PK2`, and there is neither a primary key constraint, or both a unique key and a `NOT NULL` constraint on `VT2.PK2`, as a result of the `ENFORCED MODE` option.

DDL operations on constraints on tables that form the underlying objects of a property graph can invalidate the graph if this one was successfully created with the `ENFORCED MODE` option and have no effect on the graph if this one was successfully created with the `TRUSTED MODE` option.



**Table 14-1 DDL Operations on Constraints that Causes Graph Created with the ENFORCED MODE Option to become Invalid**

Operations	Description
<p><code>pkc</code> is a PRIMARY KEY constraint in the statements below.</p> <pre>ALTER TABLE t DROP CONSTRAINT pkc;</pre> <pre>ALTER TABLE t DISABLE CONSTRAINT pkc;</pre> <pre>ALTER TABLE t ENABLE NOVALIDATE CONSTRAINT pkc;</pre>	<p>If <code>t</code> is a graph element table <code>e</code> of <code>G</code>, and <code>pkc</code> is a primary or unique key constraint on columns used as keys for <code>e</code>, and <code>G</code> was in ENFORCED mode, <code>G</code> is changed to be in TRUSTED mode.</p> <p>If <code>t</code> is a vertex table <code>e</code> of <code>G</code> and <code>pkc</code> is a primary or unique key constraint on columns used to define a referenced key of a foreign key constraint with one or more edge tables, and <code>G</code> was in ENFORCED mode, <code>G</code> is changed to be in TRUSTED mode.</p>
<p><code>fkC</code> is a FOREIGN KEY constraint in the statements below.</p> <pre>ALTER TABLE t DROP CONSTRAINT fkC;</pre> <pre>ALTER TABLE t DISABLE CONSTRAINT fkC;</pre> <pre>ALTER TABLE t ENABLE NOVALIDATE CONSTRAINT fkC;</pre>	<p>If <code>t</code> is an edge table <code>e</code> of <code>G</code>, and <code>fkC</code> is a foreign key constraint on columns used as source or destination keys for <code>e</code> referencing columns of vertex table <code>v</code>, and <code>G</code> was in ENFORCED mode, <code>G</code> is changed to be in TRUSTED mode</p>

**ALLOW or DISALLOW MIXED PROPERTY TYPES**

DISALLOW means that the types of properties with same name should be exactly the same, regardless of the labels where they come. Use DISALLOW when you want to ensure that a given property has the same type across all labels.

ALLOW means that the types of properties with same name exposed in different labels can be distinct and of properties with same name coming from same label should be UNION compatible.

If you specify DISALLOW MIXED PROPERTY TYPES, the properties of a given name must have exactly the same type in every label. Note that this option also requires that you define a label associated with multiple graph element tables with the same data type.

The table summarizes the compatibility rules.

**Table 14-2 Compatibility Rules for Mixed Property Types**

Options	ALLOW	DISALLOW
Properties with same name in different definition of the same labels	Types must be UNION Compatible	Types must match
Properties with same name from different labels	Any	Types must match

DISALLOW MIXED PROPERTY TYPES is the default.

## Dependencies Between Property Graph and its Underlying Objects

A property graph depends on the underlying objects it is based upon, tables, materialized views, or synonyms of tables or materialized views. Changes in these underlying objects can render the property graph invalid. Cursors that depend on the underlying objects are also invalidated. Queries against an invalid property graph in invalid state will error.

The following summarizes operations on dependent objects that cause a property graph to become invalid:

**Table 14-3 Operations on Dependent Objects that Invalidate a Property Graph**

Operations	Result
DROP TABLE <i>t</i> ; DROP [PUBLIC] SYNONYM <i>t</i> ; DROP MATERIALIZED VIEW <i>t</i> ; CREATE OR REPLACE [PUBLIC] SYNONYM <i>t</i> ;	If <i>t</i> is used to define a graph element table <i>e</i> of graph <i>G</i> , then <i>G</i> becomes invalid.
RENAME <i>t</i> TO <i>t2</i> ;	If <i>t</i> is used to defined a graph element table <i>e</i> of graph <i>G</i> , then <i>G</i> becomes invalid
ALTER TABLE for dropping an unused column <i>C</i> of table <i>t</i>  ALTER TABLE	If <i>t</i> is used to defined a graph element table <i>e</i> of graph <i>G</i> , then <i>G</i> becomes invalid
ALTER TABLE <i>t</i> RENAME <i>C</i> TO <i>C2</i> ;	If <i>t</i> is used to defined a graph element table <i>e</i> of graph <i>G</i> and at least one label applied to <i>e</i> define a property as an SQL operator expression, then <i>G</i> becomes invalid
ALTER TABLE for modifying the type of a column <i>C</i> of table <i>t</i>	If <i>t</i> is used to defined a graph element table <i>e</i> of graph <i>G</i> , then <i>G</i> becomes invalid

Other DDL operations to alter dependent tables, views, or synonyms do not invalidate the property graph.

Note also that using a materialized view to define vertex or edge tables in a property graph creates a dependency to the container table for the view, not directly to the materialized view schema object. This has the following implications:

- When dropping a materialized view but preserving its table (i.e., using `PRESERVE TABLE`), the property graph remains valid.
- When dropping one of the tables, views, or synonyms used in the definition of the materialized view, the materialized view becomes invalid, but the property graph remains valid as it only depends on the container table.

This behavior is similar to the behavior of views defined over a materialized view.

## Revalidating a Property Graph

Changes to the underlying objects of a property graph may invalidate the graph. An invalid state indicates that the metadata of the property graph describes an incorrect definition with respect to the property graph data model.

You can revalidate the property graph by redefining it with `CREATE OR REPLACE PROPERTY GRAPH` .

Sometimes however a graph may report an invalid state when it is actually valid. This can happen when the dependencies of the graph to its underlying objects are too coarse. When this happens you can revalidate the graph using `ALTER PROPERTY GRAPH COMPILE` instead of redefining it.



**See Also:**

[ALTER PROPERTY GRAPH](#)

## Examples

### Example: Property Graph Without Explicit Labels or Properties

In the example a property graph `myGraph` is created without labels or properties. A label with name `mytable` is automatically associated with the vertex table `mytable` defined over the object `myschema`. A label with name `T2` is automatically associated with the vertex table `T2` defined over the object `mytable2`.

All the columns of the underlying tables `mytable` and `T2` are exposed as properties. The property name is the column name.

```
CREATE PROPERTY GRAPH "myGraph"
  VERTEX TABLES ("myschema". "mytable", "mytable2" AS T2);
```

### Example: Property Graph With An Explicit Label

In the example the vertex table `mytable` is associated with the label `person`.

All the columns of `mytable` are exposed as properties.

```
CREATE PROPERTY GRAPH "myGraph"
  VERTEX TABLES ("myschema". "mytable" LABEL "person");
```

If a label with the name of the graph element table is also needed, you have to explicitly declare it in addition to the `person` label. You can do this by declaring another explicit label that has the name of the graph element table, or by adding a `DEFAULT LABEL`.

The following vertex table declarations are semantically equivalent and all associate the graph element table `mytable` with the label `mytable`:

```
CREATE PROPERTY GRAPH "myGraph"
  VERTEX TABLES ("myschema". "mytable" LABEL "mytable");
```

```
CREATE PROPERTY GRAPH
  VERTEX TABLES ("myschema". "mytable" DEFAULT LABEL);
```

```
CREATE PROPERTY GRAPH
  VERTEX TABLES ("myschema". "mytable" AS "mytable");
```

```
CREATE PROPERTY GRAPH
  VERTEX TABLES ("myschema". "mytable");
```

### Example: Property Graph With Multiple Labels

You can associate multiple labels to the same graph element. The example vertex table `mytable` is associated with two labels `foo` and `bar`.

All the columns of `mytable` are exposed as properties.

```
CREATE PROPERTY GRAPH "myGraph"
  VERTEX TABLES ("myschema"."mytable" LABEL "foo" LABEL "bar");
```

### Example: Property Graph With One Label Associating Multiple Graph Elements

The example shows a property graph `mygraph` where the shared `weighted` label associates two vertex tables `mytable1` and `mytable2` and two edge tables `E1` and `E2`.

All the columns of `mytable1` and `mytable2` are exposed as properties.

```
CREATE PROPERTY GRAPH "myGraph"
  VERTEX TABLES (
    "mytable1" LABEL "foo" LABEL "weighted",
    "mytable2" LABEL "weighted"),
  EDGE TABLES (
    "E1" SOURCE "mytable1" DESTINATION "mytable2" LABEL "weighted"
    "E2" SOURCE "mytable2" DESTINATION "mytable1" LABEL "weighted"
  );
```

## CREATE RESTORE POINT

### Purpose

Use the `CREATE RESTORE POINT` statement to create a **restore point**, which is a name associated with a timestamp or an SCN of the database. A restore point can be used to flash back a table or the database to the time specified by the restore point without the need to determine the SCN or timestamp. Restore points are also useful in various RMAN operations, including backups and database duplication. You can use RMAN to create restore points in the process of implementing an archival backup.

#### See Also:

- *Oracle Database Backup and Recovery User's Guide* for more information on creating and using restore points and guaranteed restore points, for information on database duplication, and for information on archival backups
- [FLASHBACK DATABASE](#), [FLASHBACK TABLE](#), and [DROP RESTORE POINT](#) for information on using and dropping restore points

### Prerequisites

To create a normal restore point, you must have the `SELECT ANY DICTIONARY`, `FLASHBACK ANY TABLE`, `SYSDBA`, `SYSBACKUP`, or `SYSDBG` system privilege.

To create a guaranteed restore point, you must fulfill *one* of the following conditions:

- You must connect `AS SYSDBA`, or `AS SYSBACKUP`, or `AS SYSDBG`.

- You must have been granted the `SYSDBA` privilege and be using a multitenant database.
- You must be running as user `SYS`, and be using a multitenant database.

To view or use a restore point, you must have the `SELECT ANY DICTIONARY`, `FLASHBACK ANY TABLE`, `SYSDBA`, `SYSBACKUP`, or `SYSDG` system privilege or the `SELECT_CATALOG_ROLE` role.

You can create a restore point on a primary or standby database. The database can be open, or mounted but not open. If the database is mounted, then it must have been shut down consistently before being mounted unless it is a physical standby database.

You must have created a fast recovery area before creating a guaranteed restore point. You need not enable flashback database before you create the guaranteed restore point. The database must be in `ARCHIVELOG` mode if you are creating a guaranteed restore point.

You need not enable flashback database before you create a normal restore point, because normal restore points have other applications besides `FLASHBACK DATABASE`. However, you would need to have enabled flashback database before you create a normal restore point, if you intend to perform a `FLASHBACK DATABASE` to that normal restore point.


You can create, use, or view a restore point when connected to a multitenant container database (CDB) as follows:

- To create a normal CDB restore point, the current container must be the root and you must have the `SELECT ANY DICTIONARY` or `FLASHBACK ANY TABLE` system privilege, either granted commonly or granted locally in the root, or the `SYSDBA`, `SYSBACKUP`, or `SYSDG` system privilege granted commonly.
- To create a guaranteed CDB restore point, the current container must be the root and you must have the `SYSDBA`, `SYSBACKUP`, or `SYSDG` system privilege granted commonly.
- To view a CDB restore point, the current container must be the root and you must have the `SELECT ANY DICTIONARY` or `FLASHBACK ANY TABLE` system privilege or the `SELECT_CATALOG_ROLE` role, either granted commonly or granted locally in the root, or the `SYSDBA`, `SYSBACKUP`, or `SYSDG` system privilege granted commonly, or the current container must be a PDB and you must have the `SELECT ANY DICTIONARY`, `FLASHBACK ANY TABLE`, `SYSDBA`, `SYSBACKUP`, or `SYSDG` system privilege, granted commonly or granted locally in that PDB.
- To use a CDB restore point, you must have the `SELECT ANY DICTIONARY` or `FLASHBACK ANY TABLE` system privilege or the `SELECT_CATALOG_ROLE` role, either granted commonly or granted locally in the root, or the `SYSDBA`, `SYSBACKUP`, or `SYSDG` system privilege granted commonly.
- To create a normal PDB restore point, the current container must be the root and you must have the `SELECT ANY DICTIONARY` or `FLASHBACK ANY TABLE` system privilege, either granted commonly or granted locally in the root, or the `SYSDBA`, `SYSBACKUP`, or `SYSDG` system privilege granted commonly, or the current container must be the PDB for which you want to create the restore point and you must have the `SELECT ANY DICTIONARY`, `FLASHBACK ANY TABLE`, `SYSDBA`, `SYSBACKUP`, or `SYSDG` system privilege, granted commonly or granted locally in that PDB.
- To create a guaranteed PDB restore point, the current container must be the root and you must have the `SYSDBA`, `SYSBACKUP`, or `SYSDG` system privilege, granted commonly, or the current container must be the PDB for which you want to create the restore point and you must have the `SYSDBA`, `SYSBACKUP`, or `SYSDG` system privilege, granted commonly or granted locally in that PDB.

- To view a PDB restore point, the current container must be the root and you must have the `SELECT ANY DICTIONARY` or `FLASHBACK ANY TABLE` system privilege or the `SELECT_CATALOG_ROLE` role, either granted commonly or granted locally in the root, or the `SYSDBA`, `SYSBACKUP`, or `SYSDBG` system privilege granted commonly, or the current container must be the PDB for the restore point and you must have the `SELECT ANY DICTIONARY`, `FLASHBACK ANY TABLE`, `SYSDBA`, `SYSBACKUP`, or `SYSDBG` system privilege, granted commonly or granted locally in that PDB.
- To use a PDB restore point, the current container must be the PDB for the restore point and you must have the `SELECT ANY DICTIONARY`, `FLASHBACK ANY TABLE`, `SYSDBA`, `SYSBACKUP`, or `SYSDBG` system privilege, granted commonly or granted locally in that PDB.

### Syntax

***create\_restore\_point::=***



### Semantics

#### CLEAN

You can specify `CLEAN` only when creating a PDB restore point. The PDB must use shared undo and must be closed with no outstanding transactions. Flashing back a PDB using shared undo to a clean PDB restore point does not require restoring backups or creating a clone instance. Therefore, it is faster than flashing back a PDB using shared undo to an SCN or other type of restore point.

#### *restore\_point*

Specify the name of the restore point. The name must satisfy the requirements listed in "[Database Object Naming Rules](#)".

In a multitenant environment, the CDB and PDBs have their own namespaces for restore points. Therefore, the CDB and each PDB can have a restore point with the same name. When you specify a restore point name in a PDB or for a PDB operation, the name is first interpreted as a PDB restore point for the concerned PDB. If a PDB restore point with the specified name is not found, then it is interpreted as a CDB restore point.

The database can retain at least 2048 normal restore points. In a Multitenant environment, a CDB can retain at least 2048 normal restore points across the entire CDB, including PDB restore points. Normal restore points are retained in the database for at least the number of days specified for the `CONTROL_FILE_RECORD_KEEP_TIME` initialization parameter. The default value of that parameter is 7 days. Guaranteed restore points are retained in the database until explicitly dropped by the user.

If you specify neither `PRESERVE` nor `GUARANTEE FLASHBACK DATABASE`, then the resulting restore point enables you to flash the database back to a restore point within the time period determined by the `DB_FLASHBACK_RETENTION_TARGET` initialization parameter. The database automatically manages such restore points. When the maximum number of restore points is reached, according to the rules described in *restore\_point* above, the database automatically drops the oldest restore point. Under some circumstances the restore points will be retained in the RMAN recovery catalog for use in restoring long-term backups. You can explicitly drop a restore point using the `DROP RESTORE POINT` statement.

### FOR PLUGGABLE DATABASE

This clause enables you to create a PDB restore point when you are connected to the root. For *pdb\_name*, specify the name of the PDB.

If you are connected to the PDB for which you want to create the restore point, then it is not necessary to specify this clause. However, if you specify this clause, then you must specify the name of the PDB to which you are connected.

### AS OF Clause

Use this clause to create a restore point at a specified datetime or SCN in the past. If you specify `TIMESTAMP`, then *expr* must be a valid datetime expression resolving to a time in the past. If you specify `SCN`, then *expr* must be a valid SCN in the database in the past. In either case, *expr* must refer to a datetime or SCN in the current incarnation of the database.

### PRESERVE

Specify `PRESERVE` to indicate that the restore point must be explicitly deleted. Such restore points are useful for preserving a flashback database.

### GUARANTEE FLASHBACK DATABASE

A guaranteed restore point enables you to flash the database back deterministically to the restore point regardless of the `DB_FLASHBACK_RETENTION_TARGET` initialization parameter setting. The guaranteed ability to flash back depends on sufficient space being available in the fast recovery area.

Guaranteed restore points guarantee only that the database will maintain enough flashback logs to flashback the database to the guaranteed restore point. It does not guarantee that the database will have enough undo to flashback any table to the same restore point.

Guaranteed restore points are always preserved. They must be dropped explicitly by the user using the `DROP RESTORE POINT` statement. They do not age out. Guaranteed restore points can use considerable space in the fast recovery area. Therefore, Oracle recommends that you create guaranteed restore points only after careful consideration.

### Examples

#### Creating and Using a Restore Point: Example

The following example creates a normal restore point, updates a table, and then flashes back the altered table to the restore point. The example assumes the user `hr` has the appropriate system privileges to use each of the statements.

```
CREATE RESTORE POINT good_data;

SELECT salary FROM employees WHERE employee_id = 108;
```

```
SALARY
-----
12000

UPDATE employees SET salary = salary*10
  WHERE employee_id = 108;

SELECT salary FROM employees
  WHERE employee_id = 108;

SALARY
-----
120000

COMMIT;

FLASHBACK TABLE employees TO RESTORE POINT good_data;

SELECT salary FROM employees
  WHERE employee_id = 108;

SALARY
-----
12000
```

## CREATE ROLE

### Purpose

Use the `CREATE ROLE` statement to create a **role**, which is a set of privileges that can be granted to users or to other roles. You can use roles to administer database privileges. You can add privileges to a role and then grant the role to a user. The user can then enable the role and exercise the privileges granted by the role.

A role contains all privileges granted to the role and all privileges of other roles granted to it. A new role is initially empty. You add privileges to a role with the `GRANT` statement.

If you create a role that is `NOT IDENTIFIED` or is `IDENTIFIED EXTERNALLY` or `BY password`, then Oracle Database grants you the role with `ADMIN OPTION`. However, if you create a role `IDENTIFIED GLOBALLY`, then the database does not grant you the role. A global role cannot be granted to a user or role directly. Global roles can be granted through EUS enterprise roles, mapped group memberships, and mapped app roles.



 See Also:

- [GRANT](#) for information on granting roles
- [ALTER USER](#) for information on enabling roles
- [ALTER ROLE](#) and [DROP ROLE](#) for information on modifying or removing a role from the database
- [SET ROLE](#) for information on enabling and disabling roles for the current session
- *Oracle Database Security Guide* for general information about roles
- *Oracle Database Enterprise User Security Administrator's Guide* for details on enterprise roles


### Prerequisites

You must have the `CREATE ROLE` system privilege.

To specify the `CONTAINER` clause, you must be connected to a multitenant container database (CDB). To specify `CONTAINER = ALL`, the current container must be the root. To specify `CONTAINER = CURRENT`, the current container must be a pluggable database (PDB).

### Syntax

*create\_role::=*



### Semantics

#### *role*

Specify the name of the role to be created. The name must satisfy the requirements listed in "[Database Object Naming Rules](#)". Oracle recommends that the role contain at least one

single-byte character regardless of whether the database character set also contains multibyte characters. The maximum length of the role name is 128 bytes. The maximum number of user-defined roles that can be enabled for a single user at one time is 148.

In a non-CDB, a role name cannot begin with `C##` or `c##`.

 **Note:**

A multitenant container database is the only supported architecture in Oracle Database 21c and later releases. While the documentation is being revised, legacy terminology may persist. In most cases, "database" and "non-CDB" refer to a CDB or PDB, depending on context. In some contexts, such as upgrades, "non-CDB" refers to a non-CDB from a previous release.

In a CDB, the requirements for a role name are as follows:

- The name of a **common role** must begin with characters that are a case-insensitive match to the prefix specified by the `COMMON_USER_PREFIX` initialization parameter. By default, the prefix is `C##`.
- The name of a **local role** must not begin with characters that are a case-insensitive match to the prefix specified by the `COMMON_USER_PREFIX` initialization parameter. Regardless of the value of `COMMON_USER_PREFIX`, the name of a local role can never begin with `C##` or `c##`.

 **Note:**

If the value of `COMMON_USER_PREFIX` is an empty string, then there are no requirements for common or local role names with one exception: the name of a local role can never begin with `C##` or `c##`. Oracle recommends against using an empty string value because it might result in conflicts between the names of local and common roles when a PDB is plugged into a different CDB, or when opening a PDB that was closed when a common user was created.

Some roles are defined by SQL scripts provided on your distribution media.

 **See Also:**

[GRANT](#) for a list of these predefined roles and [SET ROLE](#) for information on enabling and disabling roles for a user

### NOT IDENTIFIED Clause

Specify `NOT IDENTIFIED` to indicate that this role is authorized by the database and that no password is required to enable the role.

## IDENTIFIED Clause

Use the `IDENTIFIED` clause to indicate that a user must be authorized by the specified method before the role is enabled with the `SET ROLE` statement.

### **BY password**

You can create a **local role** with a password with the `BY password` clause. This means that you must specify the password to the database at the time you enable the role.

The password can contain any characters from the database character set except the `NULL` character (`CHR(0)`) and the double-quote. The maximum length of the password is 1024 bytes. The password is syntactically an identifier, and may need to be enclosed in double-quotes as required by the "[Database Object Naming Rules](#)". You must ensure that your database, and the clients that need to enable the role are configured to support all the characters comprising the password.

You can enable password-protected roles in a proxy session. Both secure application role and password-protected roles provide a secure method for enabling a role in a session. Oracle recommends using secure password roles instead of password protected roles in instances where the password has to be maintained and transmitted over insecure channels, or if more than one person needs to know the password. Password-protected roles in a proxy session are suitable for situations where automation is used to set the role.

### **USING package**

The `USING package` clause lets you create a **secure application role**, which is a role that can be enabled only by applications using an authorized package. If you do not specify `schema`, then the database assumes the package is in your own schema.



#### **See Also:**

*Oracle Database Security Guide* for information on creating a secure application role

## EXTERNALLY

Specify `EXTERNALLY` to create an **external role**. An external user must be authorized by an external service, such as an operating system or third-party service, before enabling the role.

Depending on the operating system, the user may have to specify a password to the operating system before the role is enabled.

## GLOBALLY

Specify `GLOBALLY` to create a **global role**. A global user must be authorized to use the role by the enterprise directory service before the role is enabled at login.

Specify `GLOBALLY` with `AS` to map a directory group to a global role when using centrally managed users. The directory group is identified by its domain name.

### **Example: Map a Directory User to a Global User**

```
CREATE USER scott_global IDENTIFIED GLOBALLY AS 'cn=scott
taylor,ou=sales,dc=abccorp,dc=com';
```

This effectively maps a directory user named 'scott taylor' in the 'sales' organization unit of the abccorp.com domain to a database global user 'scott\_global'.

You can map an Oracle Database global role to an Azure app role in order to give Azure users and applications additional privileges and roles beyond those that they have through their login schemas.

### Example: Map an Oracle Database Global Role to an App Role

The example creates a new database global role `widget_sales_role` and maps it to an existing Azure AD application role `WidgetManagerGroup`:

```
CREATE ROLE widget_sales_role IDENTIFIED GLOBALLY AS
'AZURE_ROLE=WidgetManagerGroup';
```

#### See Also:

*Authenticating and Authorizing Microsoft Azure Active Directory Users for Oracle Autonomous Databases*

### CONTAINER Clause

The `CONTAINER` clause applies when you are connected to a CDB. However, it is not necessary to specify the `CONTAINER` clause because its default values are the only allowed values.

- To create a common role, you must be connected to the root. You can optionally specify `CONTAINER = ALL`, which is the default when you are connected to the root.
- To create a local role, you must be connected to a PDB. You can optionally specify `CONTAINER = CURRENT`, which is the default when you are connected to a PDB.

### Examples

#### Creating a Role: Example

The following statement creates the role `dw_manager`:

```
CREATE ROLE dw_manager;
```

Users who are subsequently granted the `dw_manager` role will inherit all of the privileges that have been granted to this role.

You can add a layer of security to roles by specifying a password, as in the following example:

```
CREATE ROLE dw_manager
  IDENTIFIED BY warehouse;
```

Users who are subsequently granted the `dw_manager` role must specify the password `warehouse` to enable the role with the `SET ROLE` statement.

The following statement creates global role `warehouse_user`:

```
CREATE ROLE warehouse_user IDENTIFIED GLOBALLY;
```

The following statement creates the same role as an external role:

```
CREATE ROLE warehouse_user IDENTIFIED EXTERNALLY;
```

The following statement creates local role `role1` in the current PDB. The current container must be a PDB when you issue this statement:

```
CREATE ROLE role1 CONTAINER = CURRENT;
```

The following statement creates common role `c##role1`. The current container must be the root when you issue this statement:

```
CREATE ROLE c##role1 CONTAINER = ALL;
```

## CREATE ROLLBACK SEGMENT

### Note:

Oracle strongly recommends that you run your database in automatic undo management mode instead of using rollback segments. Do not use rollback segments unless you must do so for compatibility with earlier versions of Oracle Database. Refer to *Oracle Database Administrator's Guide* for information on automatic undo management.

### Purpose

Use the `CREATE ROLLBACK SEGMENT` statement to create a **rollback segment**, which is an object that Oracle Database uses to store data necessary to reverse, or undo, changes made by transactions.

The information in this section assumes that your database is not running in automatic undo mode (the `UNDO_MANAGEMENT` initialization parameter is set to `MANUAL` or not set at all). If your database is running in automatic undo mode (the `UNDO_MANAGEMENT` initialization parameter is set to `AUTO`, which is the default), then rollback segments are not permitted. However, errors generated in rollback segment operations are suppressed.

Further, if your database has a locally managed `SYSTEM` tablespace, then you cannot create rollback segments in any dictionary-managed tablespace. Instead, you must either use the automatic undo management feature or create locally managed tablespaces to hold the rollback segments.

### Note:

A tablespace can have multiple rollback segments. Generally, multiple rollback segments improve performance.

- The tablespace must be online for you to add a rollback segment to it.
- When you create a rollback segment, it is initially offline. To make it available for transactions by your Oracle Database instance, bring it online using the `ALTER ROLLBACK SEGMENT` statement. To bring it online automatically whenever you start up the database, add the segment name to the value of the `ROLLBACK_SEGMENT` initialization parameter.

To use objects in a tablespace other than the `SYSTEM` tablespace:

- If you are using rollback segments for undo, then at least one rollback segment (other than the `SYSTEM` rollback segment) must be online.
- If you are running the database in automatic undo mode, then at least one `UNDO` tablespace must be online.

 **See Also:**


- [ALTER ROLLBACK SEGMENT](#) for information on altering a rollback segment
- [DROP ROLLBACK SEGMENT](#) for information on removing a rollback segment
- *Oracle Database Reference* for information on the `UNDO_MANAGEMENT` parameter
- *Oracle Database Administrator's Guide* for information on automatic undo mode

**Prerequisites**

To create a rollback segment, you must have the `CREATE ROLLBACK SEGMENT` system privilege.

**Syntax**

***create\_rollback\_segment::=***



*(storage\_clause )*

**Semantics**

**PUBLIC**

Specify `PUBLIC` to indicate that the rollback segment is public and is available to any instance. If you omit this clause, then the rollback segment is private and is available only to the instance naming it in its initialization parameter `ROLLBACK_SEGMENTS`.

***rollback\_segment***

Specify the name of the rollback segment to be created. The name must satisfy the requirements listed in "[Database Object Naming Rules](#)".

## TABLESPACE

Use the `TABLESPACE` clause to identify the tablespace in which the rollback segment is created. If you omit this clause, then the database creates the rollback segment in the `SYSTEM` tablespace.

### Note:

Oracle Database must access rollback segments frequently. Therefore, Oracle strongly recommends that you do not create rollback segments in the `SYSTEM` tablespace, either explicitly or implicitly by omitting this clause. In addition, to avoid high contention for the tablespace containing the rollback segment, it should not contain other objects such as tables and indexes, and it should require minimal extent allocation and deallocation.

To achieve these goals, create rollback segments in locally managed tablespaces with autoallocation disabled—in tablespaces created with the `EXTENT MANAGEMENT LOCAL` clause with the `UNIFORM` setting. The `AUTOALLOCATE` setting is not supported.

### See Also:

[CREATE TABLESPACE](#)

## *storage\_clause*

The *storage\_clause* lets you specify storage characteristics for the rollback segment.

- The `OPTIMAL` parameter of the *storage\_clause* is of particular interest, because it applies only to rollback segments.
- You cannot specify the `PCTINCREASE` parameter of the *storage\_clause* with `CREATE ROLLBACK SEGMENT`.

### See Also:

[storage\\_clause](#)

## Examples

### Creating a Rollback Segment: Example

The following statement creates a rollback segment with default storage values in an appropriately configured tablespace:

```
CREATE TABLESPACE rbs_ts
  DATAFILE 'rbs01.dbf' SIZE 10M
  EXTENT MANAGEMENT LOCAL UNIFORM SIZE 100K;
```

/\* This example and the next will fail if your database is in

```

        automatic undo mode.
*/
CREATE ROLLBACK SEGMENT rbs_one
    TABLESPACE rbs_ts;

```

The preceding statement is equivalent to the following:

```

CREATE ROLLBACK SEGMENT rbs_one
    TABLESPACE rbs_ts
    STORAGE
    ( INITIAL 10K );

```

## CREATE SCHEMA

### Purpose

Use the `CREATE SCHEMA` statement to create multiple tables and views and perform multiple grants in your own schema in a single transaction.

To execute a `CREATE SCHEMA` statement, Oracle Database executes each included statement. If all statements execute successfully, then the database commits the transaction. If any statement results in an error, then the database rolls back all the statements.

### Note:


This statement does not actually create a schema. Oracle Database automatically creates a schema when you create a user (see [CREATE USER](#)). This statement lets you populate your schema with tables and views and grant privileges on those objects without having to issue multiple SQL statements in multiple transactions.

### Prerequisites

The `CREATE SCHEMA` statement can include `CREATE TABLE`, `CREATE VIEW`, and `GRANT` statements. To issue a `CREATE SCHEMA` statement, you must have the privileges necessary to issue the included statements.

### Syntax

**`create_schema ::=`**





## Semantics

### *schema*

Specify the name of the schema. The schema name must be the same as your Oracle Database username.

### Restrictions

While `CREATE SCHEMA` supports `CREATE TABLE`, `CREATE BLOCKCHAIN TABLE` is unsupported.

### *create\_table\_statement*

Specify a `CREATE TABLE` statement to be issued as part of this `CREATE SCHEMA` statement. Do not end this statement with a semicolon (or other terminator character).



See Also:

[CREATE TABLE](#)

### *create\_view\_statement*

Specify a `CREATE VIEW` statement to be issued as part of this `CREATE SCHEMA` statement. Do not end this statement with a semicolon (or other terminator character).



See Also:

[CREATE VIEW](#)

### *grant\_statement*

Specify a `GRANT` statement to be issued as part of this `CREATE SCHEMA` statement. Do not end this statement with a semicolon (or other terminator character). You can use this clause to grant object privileges on objects you own to other users. You can also grant system privileges to other users if you were granted those privileges `WITH ADMIN OPTION`.



See Also:

[GRANT](#)

The `CREATE SCHEMA` statement supports the syntax of these statements only as defined by standard SQL, rather than the complete syntax supported by Oracle Database.

The order in which you list the `CREATE TABLE`, `CREATE VIEW`, and `GRANT` statements is unimportant. The statements within a `CREATE SCHEMA` statement can reference existing objects or objects you create in other statements within the same `CREATE SCHEMA` statement.

### Restriction on Granting Privileges to a Schema

The syntax of the *parallel\_clause* is allowed for a CREATE TABLE statement in CREATE SCHEMA, but parallelism is not used when creating the objects.



#### See Also:

The *parallel\_clause* in the CREATE TABLE documentation

## Examples

### Creating a Schema: Example

The following statement creates a schema named `oe` for the sample order entry user `oe`, creates the table `new_product`, creates the view `new_product_view`, and grants the SELECT object privilege on `new_product_view` to the sample human resources user `hr`.

```
CREATE SCHEMA AUTHORIZATION oe
  CREATE TABLE new_product
    (color VARCHAR2(10) PRIMARY KEY, quantity NUMBER)
  CREATE VIEW new_product_view
    AS SELECT color, quantity FROM new_product WHERE color = 'RED'
  GRANT select ON new_product_view TO hr;
```

# 15

## SQL Statements: CREATE SEQUENCE to DROP CLUSTER

This chapter contains the following SQL statements:

- CREATE SEQUENCE
- CREATE SPFILE
- CREATE SYNONYM
- CREATE TABLE
- CREATE TABLESPACE
- CREATE TABLESPACE SET
- CREATE TRIGGER
- CREATE TYPE
- CREATE TYPE BODY
- CREATE USER
- CREATE VIEW
- DELETE
- DISASSOCIATE STATISTICS
- DROP ANALYTIC VIEW
- DROP ATTRIBUTE DIMENSION
- DROP AUDIT POLICY (Unified Auditing)
- DROP CLUSTER

### CREATE SEQUENCE

#### Purpose

A sequence is a database object used to produce unique integers, which are commonly used to populate a synthetic primary key column in a table. The sequence number always increases, typically by 1, and each new entry is placed on the right-most leaf block of the index.

Use the `CREATE SEQUENCE` statement to create a sequence to automatically generate primary key values.

When a sequence number is generated, the sequence is incremented, independent of the transaction committing or rolling back. If two users concurrently increment the same sequence, then the sequence numbers each user acquires may have gaps, because sequence numbers are being generated by the other user. One user can never acquire the

sequence number generated by another user. After a sequence value is generated by one user, that user can continue to access that value regardless of whether the sequence is incremented by another user.

Sequence numbers are generated independently of tables, so the same sequence can be used for one or for multiple tables. It is possible that individual sequence numbers will appear to be skipped, because they were generated and used in a transaction that ultimately rolled back. Additionally, a single user may not realize that other users are drawing from the same sequence.

After a sequence is created, you can access its values in SQL statements with the `CURRVAL` pseudocolumn, which returns the current value of the sequence, or the `NEXTVAL` pseudocolumn, which increments the sequence and returns the new value.

 **See Also:**

- [Pseudocolumns](#) for more information on using the `CURRVAL` and `NEXTVAL`
- ["How to Use Sequence Values "](#) for information on using sequences
- [ALTER SEQUENCE](#) or [DROP SEQUENCE](#) for information on modifying or dropping a sequence


### Prerequisites

To create a sequence in your own schema, you must have the `CREATE SEQUENCE` system privilege.

To create a sequence in another user's schema, you must have the `CREATE ANY SEQUENCE` system privilege.

## Syntax

*create\_sequence ::=*



## Semantics

### IF NOT EXISTS

Specifying `IF NOT EXISTS` has the following effects:

- If the sequence does not exist, a new sequence is created at the end of the statement.
- If the sequence exists, this is the sequence you have at the end of the statement. A new one is not created because the older one is detected.

Using `IF EXISTS` with `CREATE` results in `ORA-11543: Incorrect IF NOT EXISTS clause for CREATE statement.`

### **schema**

Specify the schema to contain the sequence. If you omit *schema*, then Oracle Database creates the sequence in your own schema.

### **sequence**

Specify the name of the sequence to be created. The name must satisfy the requirements listed in "[Database Object Naming Rules](#)".

If you specify none of the clauses `INCREMENT BY` through `GLOBAL`, then you create an ascending sequence that starts with 1 and increases by 1 with no upper limit. Specifying only `INCREMENT BY -1` creates a descending sequence that starts with -1 and decreases with no lower limit.

- To create a sequence that increments without bound, for ascending sequences, omit the `MAXVALUE` parameter or specify `NOMAXVALUE`. For descending sequences, omit the `MINVALUE` parameter or specify the `NOMINVALUE`.
- To create a sequence that stops at a predefined limit, for an ascending sequence, specify a value for the `MAXVALUE` parameter. For a descending sequence, specify a value for the `MINVALUE` parameter. Also specify `NOCYCLE`. Any attempt to generate a sequence number once the sequence has reached its limit results in an error.
- To create a sequence that restarts after reaching a predefined limit, specify values for both the `MAXVALUE` and `MINVALUE` parameters. Also specify `CYCLE`.

### **SHARING**

This clause applies only when creating a sequence in an application root. This type of sequence is called an application common object and it can be shared with the application PDBs that belong to the application root. To determine how the sequence is shared, specify one of the following sharing attributes:

- `METADATA` - A metadata link shares the sequence's metadata, but its data is unique to each container. This type of sequence is referred to as a **metadata-linked application common object**.
- `DATA` - A data link shares the sequence, and its data is the same for all containers in the application container. Its data is stored only in the application root. This type of sequence is referred to as a **data-linked application common object**.
- `NONE` - The sequence is not shared.

If you omit this clause, then the database uses the value of the `DEFAULT_SHARING` initialization parameter to determine the sharing attribute of the sequence. If the `DEFAULT_SHARING` initialization parameter does not have a value, then the default is `METADATA`.

You cannot change the sharing attribute of a sequence after it is created.

 **See Also:**

- *Oracle Database Reference* for more information on the `DEFAULT_SHARING` initialization parameter
- *Oracle Database Administrator's Guide* for complete information on creating application common objects

**INCREMENT BY**

Specify the interval between sequence numbers. This integer value can be any positive or negative integer, but it cannot be 0. This value can have 28 or fewer digits for an ascending sequence and 27 or fewer digits for a descending sequence. The absolute of this value must be less than the difference of `MAXVALUE` and `MINVALUE`. If this value is negative, then the sequence descends. If the value is positive, then the sequence ascends. If you omit this clause, then the interval defaults to 1.

**START WITH**

Specify the first sequence number to be generated. Use this clause to start an ascending sequence at a value greater than its minimum or to start a descending sequence at a value less than its maximum. For ascending sequences, the default value is the minimum value of the sequence. For descending sequences, the default value is the maximum value of the sequence. This integer value can have 28 or fewer digits for positive values and 27 or fewer digits for negative values.

 **Note:**

This value is not necessarily the value to which an ascending or descending cycling sequence cycles after reaching its maximum or minimum value, respectively.

**MAXVALUE**

Specify the maximum value the sequence can generate. This integer value can have 28 or fewer digits for positive values and 27 or fewer digits for negative values. `MAXVALUE` must be equal to or greater than `START WITH` and must be greater than `MINVALUE`.

**NOMAXVALUE**

Specify `NOMAXVALUE` to indicate a maximum value of  $10^{28}-1$  for an ascending sequence or  $-1$  for a descending sequence. This is the default.

**MINVALUE**

Specify the minimum value of the sequence. This integer value can have 28 or fewer digits for positive values and 27 or fewer digits for negative values. `MINVALUE` must be less than or equal to `START WITH` and must be less than `MAXVALUE`.

**NOMINVALUE**

Specify `NOMINVALUE` to indicate a minimum value of 1 for an ascending sequence or  $-(10^{27}-1)$  for a descending sequence. This is the default.

## CYCLE

Specify `CYCLE` to indicate that the sequence continues to generate values after reaching either its maximum or minimum value. After an ascending sequence reaches its maximum value, it generates its minimum value. After a descending sequence reaches its minimum, it generates its maximum value.

## NOCYCLE

Specify `NOCYCLE` to indicate that the sequence cannot generate more values after reaching its maximum or minimum value. This is the default.

## CACHE

Specify how many values of the sequence the database preallocates and keeps in memory for faster access. This integer value can have 28 or fewer digits. The minimum value for this parameter is 2. For sequences that cycle, this value must be less than the number of values in the cycle. You cannot cache more values than will fit in a given cycle of sequence numbers. Therefore, the maximum value allowed for `CACHE` must be less than the value determined by the following formula:

$$\text{CEIL} ( (\text{MAXVALUE} - \text{MINVALUE}) / \text{ABS} (\text{INCREMENT}) )$$

If a system failure occurs, then all cached sequence values that have not been used in committed DML statements are lost. The potential number of lost values is equal to the value of the `CACHE` parameter.



### Note:

Oracle recommends using the `CACHE` setting to enhance performance if you are using sequences in an Oracle Real Application Clusters environment.

## NOCACHE

Specify `NOCACHE` to indicate that values of the sequence are not preallocated. If you omit both `CACHE` and `NOCACHE`, then the database caches 20 sequence numbers by default.

## ORDER

Specify `ORDER` to guarantee that sequence numbers are generated in order of request. This clause is useful if you are using the sequence numbers as timestamps. Guaranteeing order is usually not important for sequences used to generate primary keys.

## NOORDER

Specify `NOORDER` if you do not want to guarantee sequence numbers are generated in order of request. This is the default.

## KEEP

Specify `KEEP` if you want `NEXTVAL` to retain its original value during replay for Application Continuity. This behavior will occur only if the user running the application



is the owner of the schema containing the sequence. This clause is useful for providing bind variable consistency at replay after recoverable errors. Refer to *Oracle Database Development Guide* for more information on Application Continuity.

## NOKEEP

Specify `NOKEEP` if you do not want `NEXTVAL` to retain its original value during replay for Application Continuity. This is the default.

### Note:

The `KEEP` and `NOKEEP` clauses apply only to the owner of the schema containing the sequence. You can control whether `NEXTVAL` retains its original value for other users during replay for Application Continuity by granting or revoking the `KEEP SEQUENCE` object privilege on the sequence. Refer to [Table 18-4](#) for more information on the `KEEP SEQUENCE` object privilege.

## SCALE

Use `SCALE` to create a scalable sequence. A scalable sequence adds a 5 digit prefix to the sequence. The prefix is made up of a 2 digit instance offset concatenated to a 3 digit session offset as follows:

```
[(instance id % 100) ] || [session id % 1000]
```

The final sequence number is in the format `prefix || zero-padding || sequence`, where the amount of padding depends on the maximum width of the sequence.

Prior to Release 23, a scalable sequence would have a leading "1" as part of the instance offset:

```
SELECT mysequence.nextval FROM DUAL;
```

```
NEXTVAL  
-----  
101213001
```

In Release 23, this same scalable sequence will have the leading "1" of the instance offset removed:

```
SELECT mysequence.nextval FROM DUAL;
```

```
NEXTVAL  
-----  
1213001
```

### Note:

Starting with Oracle Database Release 23 any newly created scalable sequences will have the leading "1" of the instance offset removed. Scalable sequences created prior to Release 23 will retain the leading '1' of the instance offset.

When you use `SCALE` it is highly recommended that you not use `ORDER` simultaneously on the sequence.

### EXTEND

Specifying `EXTEND` with `SCALE` causes the sequence number to be left padded with zeros to its maximum length, then the prefix concatenated, so the final sequence number has 6 more digits than the `MAXVALUE` setting.

### NOEXTEND

The default setting for the `SCALE` clause is `NOEXTEND`. With the `NOEXTEND` setting, the generated sequence values are at most as wide as the maximum number of digits in the sequence `MAXVALUE` setting.

`NOEXTEND` is the default setting for the `SCALE` clause. With the `NOEXTEND` setting, the generated sequence values are at most as wide as the maximum number of digits in the sequence (`maxvalue/minvalue`). This setting is useful for integration with existing applications where sequences are used to populate fixed width columns.

### NOSCALE

The default attribute for a sequence is `NOSCALE`, but you can also specify it explicitly to disable sequence scalability.

### SHARD

For complete semantics on the `SHARD` clause please refer to the `SHARD` clause of the [ALTER SEQUENCE](#) statement.

### SESSION

Specify `SESSION` to create a session sequence, which is a special type of sequence that is specifically designed to be used with global temporary tables that have session visibility. Unlike the existing regular sequences (referred to as "global" sequences for the sake of comparison), a session sequence returns a unique range of sequence numbers only within a session, but not across sessions. Another difference is that session sequences are not persistent. If a session goes away, so does the state of the session sequences that were accessed during the session.

Session sequences must be created by a read-write database but can be accessed on any read-write or read-only databases (either a regular database temporarily open read-only or a standby database).

The `CACHE`, `NOCACHE`, `ORDER`, or `NOORDER` clauses are ignored when specified with the `SESSION` clause.



#### See Also:

*Oracle Data Guard Concepts and Administration* for more information on session sequences

### GLOBAL

Specify `GLOBAL` to create a global, or regular, sequence. This is the default.

## Examples

### Creating a Sequence: Example

The following statement creates the sequence `customers_seq` in the sample schema `oe`. This sequence could be used to provide customer ID numbers when rows are added to the `customers` table.

```
CREATE SEQUENCE customers_seq
  START WITH      1000
  INCREMENT BY   1
  NOCACHE
  NOCYCLE;
```

The first reference to `customers_seq.nextval` returns 1000. The second returns 1001. Each subsequent reference will return a value 1 greater than the previous reference.

## CREATE SPFILE

### Purpose

Use the `CREATE SPFILE` statement to create a server parameter file either from a traditional plain-text initialization parameter file or from the current system-wide settings. Server parameter files are binary files that exist only on the server and are called from client locations to start up the database.

Server parameter files let you make persistent changes to individual parameters. When you use a server parameter file, you can specify in an `ALTER SYSTEM SET parameter` statement that the new parameter value should be persistent. This means that the new value applies not only in the current instance, but also to any instances that are started up subsequently. Traditional plain-text parameter files do not let you make persistent changes to parameter values.

Server parameter files are located on the server, so they allow for automatic database tuning by Oracle Database and for backup by Recovery Manager (RMAN).

To use a server parameter file when starting up the database, you must create it using the `CREATE SPFILE` statement.

All instances in an Oracle Real Application Clusters environment must use the same server parameter file. However, when otherwise permitted, individual instances can have different settings of the same parameter within this one file. Instance-specific parameter definitions are specified as `SID.parameter = value`, where `SID` is the instance identifier.

The method of starting up the database with a server parameter file depends on whether you create a default or nondefault server parameter file. Refer to "[Creating a Server Parameter File: Examples](#)" for examples of how to use server parameter files.

### Note on Creating Server Parameter Files in a CDB

When you create a server parameter file in a multitenant container database (CDB), the current container can be the root or a PDB.

- If the current container is the root, then the values that you set for initialization parameters in the root are used as default values for all other containers.
- If the current container is a PDB, then the database stores the PDB's initialization parameter values internally, rather than in a file. Therefore, you cannot specify an

*spfile\_name*. The values that you set for initialization parameters in the PDB are persistent and override any values set for those parameters in the root.

You can subsequently use the `ALTER SYSTEM` statement to modify initialization parameter values for the root or a PDB.

### See Also:

- [CREATE PFILE](#) for information on creating a regular text parameter file from a binary server parameter file
- *Oracle Database Administrator's Guide* for information on traditional plain-text initialization parameter files and server parameter files
- *Oracle Real Application Clusters Administration and Deployment Guide* for information on using server parameter files in an Oracle Real Application Clusters environment


### Prerequisites

You must have the `SYSBACKUP`, `SYSDBA`, `SYSDG`, or `SYSOPER` system privilege to execute this statement. You can execute this statement before or after instance startup. However, if you have already started an instance using *spfile\_name*, you cannot specify the same *spfile\_name* in this statement.

To create a server parameter file in a CDB, the current container must be the root and you must have the commonly granted `SYSBACKUP`, `SYSDBA`, `SYSDG`, or `SYSOPER` system privilege.

### Syntax

***create\_spfile::=***



### Semantics

#### *spfile\_name*

This clause lets you specify a name for the server parameter file you are creating.

If you specify *spfile\_name*, then Oracle Database creates a nondefault server parameter file.

- For *spfile\_name*, you can specify a traditional filename, a file in an Oracle ACFS (Oracle Advanced Cluster File System) file system, or an Oracle Storage Management (Oracle ASM) filename.

- If you specify a traditional filename or a file in an Oracle ACFS file system, then *spfile\_name* can include a path prefix. If you do not specify such a path prefix, then the database adds the path prefix for the default storage location, which is platform dependent.
- If you specify the Oracle ASM filename syntax, then the database creates the spfile in an Oracle ASM disk group.
- When using a nondefault server parameter file, you must specify the server parameter filename in the `STARTUP` command when you start up the database. The exception to this rule is as follows:
  - If the database is defined as a resource in Oracle Clusterware, the instance from which the command is issued is running, and you specify the *spfile\_name*, specify the `FROM PFILE` clause, and omit the `AS COPY` clause, then this statement automatically updates the SPFILE in the database resource. In this case, you can start up the database without referring to the server parameter file by name. If the instance from which the command is issued is *not* running, then the SPFILE in the database resource must be updated manually using `srvctl modify database -d dbname -spfile spfile_path`.

If you omit *spfile\_name*, then Oracle Database uses the platform-specific default server parameter filename. If such a file already exists on the server, then this statement overwrites it. When using a default server parameter file, you can start up the database without referring to the file by name.

### Restriction on *spfile\_name*

You cannot specify *spfile\_name* when creating a server parameter file while connected to a PDB.

#### See Also:

- ["Creating a Server Parameter File: Examples"](#) for information on starting up the database with default and nondefault server parameter files
- [file\\_specification](#) for the syntax of traditional and Oracle ASM filenames and [ALTER DISKGROUP](#) for information on modifying the characteristics of an Oracle ASM file
- The appropriate operating-system-specific documentation for default parameter file names

### *pfile\_name*

Specify the traditional plain-text initialization parameter file from which you want to create a server parameter file. The traditional parameter file must reside on the server.

- If you specify *pfile\_name* and the traditional parameter file does not reside in the default directory for parameter files on your operating system, then you must specify the full path.
- If you do not specify *pfile\_name*, then Oracle Database looks in the default directory for parameter files on your operating system for the default parameter filename and uses that file. If that file does not exist in the expected directory, then the database returns an error.

 **Note:**

In an Oracle Real Application Clusters environment, you must first combine all instance parameter files into one file before specifying that filename in this statement to create a server parameter file. For information on accomplishing this step, see *Oracle Real Application Clusters Administration and Deployment Guide*.

**AS COPY**

This clause applies only if the database is defined as a resource in Oracle Clusterware. By default, if you specify both the `spfile_name` and the `FROM PFILE` clause, then the `CREATE SPFILE` statement automatically updates the SPFILE in the database resource. You can specify `AS COPY` to prevent the database from updating the SPFILE in the database resource.

**MEMORY**

Specify `MEMORY` to create an spfile using the current system-wide parameter settings. In an Oracle RAC environment, the created file will contain the parameter settings from each instance.

**Examples****Creating a Server Parameter File: Examples**

The following example creates a default server parameter file from a traditional plain-text parameter file named `t_init1.ora`:

```
CREATE SPFILE
  FROM PFILE = '$ORACLE_HOME/work/t_init1.ora';
```

 **Note:**

Typically you will need to specify the full path and filename for parameter files on your operating system.

When you create a default server parameter file, you subsequently start up the database using that server parameter file by using the SQL\*Plus command `STARTUP` without the `PFILE` parameter, as follows:

```
STARTUP
```

The following example creates a nondefault server parameter file `s_params.ora` from a traditional plain-text parameter file named `t_init1.ora`:

```
CREATE SPFILE = 's_params.ora'
  FROM PFILE = '$ORACLE_HOME/work/t_init1.ora';
```

When you create a nondefault server parameter file, you subsequently start up the database by first creating a traditional parameter file containing the following single line:

```
spfile = 's_params.ora'
```

The name of this parameter file must comply with the naming conventions of your operating system. You then use the single-line parameter file in the `STARTUP` command. The following example shows how to start up the database, assuming that the single-line parameter file is named `new_param.ora`:

```
STARTUP PFILE=new_param.ora
```

## CREATE SYNONYM

### Purpose

Use the `CREATE SYNONYM` statement to create a **synonym**, which is an alternative name for a table, view, sequence, operator, procedure, stored function, package, materialized view, Java class schema object, user-defined object type, or another synonym. A synonym places a dependency on its target object and becomes invalid if the target object is changed or dropped.

Synonyms provide both data independence and location transparency. Synonyms permit applications to function without modification regardless of which user owns the table or view and regardless of which database holds the table or view. However, synonyms are not a substitute for privileges on database objects. Appropriate privileges must be granted to a user before the user can use the synonym.

You can refer to synonyms in the following DML statements: `SELECT`, `INSERT`, `UPDATE`, `DELETE`, `FLASHBACK TABLE`, `EXPLAIN PLAN`, `LOCK TABLE`, `MERGE`, and `CALL`.

You can refer to synonyms in the following DDL statements: `AUDIT`, `NOAUDIT`, `GRANT`, `REVOKE`, and `COMMENT`.



### See Also:

*Oracle Database Concepts* for general information on synonyms

### Prerequisites


To create a private synonym in your own schema, you must have the `CREATE SYNONYM` system privilege.

To create a private synonym in another user's schema, you must have the `CREATE ANY SYNONYM` system privilege.

To create a `PUBLIC` synonym, you must have the `CREATE PUBLIC SYNONYM` system privilege.

## Syntax

**create\_synonym::=**



## Semantics

### OR REPLACE

Specify `OR REPLACE` to re-create the synonym if it already exists. Use this clause to change the definition of an existing synonym without first dropping it.

### Restriction on Replacing a Synonym

You cannot use the `OR REPLACE` clause for a type synonym that has any dependent tables or dependent valid user-defined object types.

### IF NOT EXISTS

Specifying `IF NOT EXISTS` has the following effects:

- If the synonym does not exist, a new synonym is created at the end of the statement.
- If the synonym exists, this is the synonym you have at the end of the statement. A new one is not created because the older one is detected.

You can have *one* of `OR REPLACE` or `IF NOT EXISTS` in a statement at a time. Using both `OR REPLACE` with `IF NOT EXISTS` in the very same statement results in the following error: `ORA-11541: REPLACE and IF NOT EXISTS cannot coexist in the same DDL statement.`

Using `IF EXISTS` with `CREATE` results in `ORA-11543: Incorrect IF NOT EXISTS clause for CREATE statement.`

### [ EDITIONABLE | NONEDITIONABLE ]

Use these clauses to specify whether the synonym is an editioned or noneditioned object if editioning is enabled for the schema object type `SYNONYM` in *schema*. For private synonyms, the default is `EDITIONABLE`. For public synonyms, the default is `NONEDITIONABLE`. For information about editioned and noneditioned objects, see *Oracle Database Development Guide*.



## PUBLIC

Specify `PUBLIC` to create a public synonym. Public synonyms are accessible to all users. However each user must have appropriate privileges on the underlying object in order to use the synonym.

When resolving references to an object, Oracle Database uses a public synonym only if the object is not prefaced by a schema and is not followed by a database link.

If you omit this clause, then the synonym is private. A private synonym name must be unique in its schema. A private synonym is accessible to users other than the owner only if those users have appropriate privileges on the underlying database object and specify the schema along with the synonym name.

### Notes on Public Synonyms

The following notes apply to public synonyms:

- If you create a public synonym and it subsequently has dependent tables or dependent valid user-defined object types, then you cannot create another database object of the same name as the synonym in the same schema as the dependent objects.
- Take care not to create a public synonym with the same name as an existing schema. If you do so, then all PL/SQL units that use that name will be invalidated.

### *schema*

Specify the schema to contain the synonym. If you omit *schema*, then Oracle Database creates the synonym in your own schema. You cannot specify a schema for the synonym if you have specified `PUBLIC`.

### *synonym*

Specify the name of the synonym to be created. The name must satisfy the requirements listed in "[Database Object Naming Rules](#)".

#### Note:

The maximum length of a synonym name is subject to the following rules:

- If the `COMPATIBLE` initialization parameter is set to a value of 12.2 or higher, then the maximum length of a synonym name is 128 bytes. The database will allow you to create and drop synonyms of length 129 to 4000 bytes. However, unless these longer synonym names represent a Java name they will not work in any other SQL command.
- If the `COMPATIBLE` initialization parameter is set to a value lower than 12.2, then the maximum length of a synonym name is 30 bytes. The database will allow you to create and drop synonyms of length 31 to 128 bytes. However, unless these longer synonym names represent a Java name they will not work in any other SQL command.

The longer synonym names are transformed into obscure shorter strings for storage in the data dictionary.

**See Also:**

"CREATE SYNONYM: Examples" and "Oracle Database Resolution of Synonyms: Example"

**SHARING**

This clause applies only when creating a synonym in an application root. This type of synonym is called an application common object and it can be shared with the application PDBs that belong to the application root. To determine how the synonym is shared, specify one of the following sharing attributes:

- `METADATA` - A metadata link shares the synonym's metadata, but its data is unique to each container. This type of synonym is referred to as a **metadata-linked application common object**.
- `NONE` - The synonym is not shared.

If you omit this clause, then the database uses the value of the `DEFAULT_SHARING` initialization parameter to determine the sharing attribute of the synonym. If the `DEFAULT_SHARING` initialization parameter does not have a value, then the default is `METADATA`.

You cannot change the sharing attribute of a synonym after it is created.

**See Also:**

- *Oracle Database Reference* for more information on the `DEFAULT_SHARING` initialization parameter
- *Oracle Database Administrator's Guide* for complete information on creating application common objects

**FOR Clause**

Specify the object for which the synonym is created. The schema object for which you are creating the synonym can be of the following types:

- Table or object table
- View or object view
- Sequence
- Stored procedure, function, or package
- Materialized view
- Java class schema object
- User-defined object type
- Synonym

The schema object need not currently exist and you need not have privileges to access the object.

## Restriction on the FOR Clause

The schema object cannot be contained in a package.

### **schema**

Specify the schema in which the object resides. If you do not qualify object with *schema*, then the database assumes that the schema object is in your own schema.

If you are creating a synonym for a procedure or function on a remote database, then you must specify *schema* in this `CREATE` statement. Alternatively, you can create a local public synonym on the database where the object resides. However, the database link must then be included in all subsequent calls to the procedure or function.

### **dblink**

You can specify a complete or partial database link to create a synonym for a schema object on a remote database where the object is located. If you specify *dblink* and omit *schema*, then the synonym refers to an object in the schema specified by the database link. Oracle recommends that you specify the schema containing the object in the remote database.

If you omit *dblink*, then Oracle Database assumes the object is located on the local database.

## Restriction on Database Links

You cannot specify *dblink* for a Java class synonym.

### See Also:

- ["References to Objects in Remote Databases"](#) for more information on referring to database links
- [CREATE DATABASE LINK](#) for more information on creating database links

## Examples

### **CREATE SYNONYM: Examples**

To define the synonym `offices` for the table `locations` in the schema `hr`, issue the following statement:

```
CREATE SYNONYM offices
  FOR hr.locations;
```

To create a `PUBLIC` synonym for the `employees` table in the schema `hr` on the remote database, you could issue the following statement:

```
CREATE PUBLIC SYNONYM emp_table
  FOR hr.employees@remote.us.example.com;
```

A synonym may have the same name as the underlying object, provided the underlying object is contained in another schema.

### **Oracle Database Resolution of Synonyms: Example**

Oracle Database attempts to resolve references to objects at the schema level before resolving them at the `PUBLIC` synonym level. For example, the schemas `oe` and `sh` both

contain tables named `customers`. In the next example, user `SYSTEM` creates a `PUBLIC` synonym named `customers` for `oe.customers`:

```
CREATE PUBLIC SYNONYM customers FOR oe.customers;
```

If the user `sh` then issues the following statement, then the database returns the count of rows from `sh.customers`:

```
SELECT COUNT(*) FROM customers;
```

To retrieve the count of rows from `oe.customers`, the user `sh` must preface `customers` with the schema name. (The user `sh` must have `select` permission on `oe.customers` as well.)

```
SELECT COUNT(*) FROM oe.customers;
```

If the user `hr`'s schema does not contain an object named `customers`, and if `hr` has `select` permission on `oe.customers`, then `hr` can access the `customers` table in `oe`'s schema by using the public synonym `customers`:

```
SELECT COUNT(*) FROM customers;
```

## CREATE TABLE

### Purpose

Use the `CREATE TABLE` statement to create one of the following types of tables:

- A **relational table**, which is the basic structure to hold user data.
- An **object table**, which is a table that uses an object type for a column definition. An object table is explicitly defined to hold object instances of a particular type.

You can also create an object type and then use it in a column when creating a relational table.

Tables are created with no data unless a subquery is specified. You can add rows to a table with the `INSERT` statement. After creating a table, you can define additional columns, partitions, and integrity constraints with the `ADD` clause of the `ALTER TABLE` statement. You can change the definition of an existing column or partition with the `MODIFY` clause of the `ALTER TABLE` statement.

### See Also:

- *Oracle Database Administrator's Guide* and [CREATE TYPE](#) for more information about creating objects
- [ALTER TABLE](#) and [DROP TABLE](#) for information on modifying and dropping tables

### Prerequisites

To create a **relational table** in your own schema, you must have the `CREATE TABLE` system privilege. To create a table in another user's schema, you must have the `CREATE ANY TABLE` system privilege. Also, the owner of the schema to contain the table

must have either space quota on the tablespace to contain the table or the `UNLIMITED TABLESPACE` system privilege.

In addition to these table privileges, to create an object table or a relational table with an object type column, the owner of the table must have the `EXECUTE` object privilege in order to access all types referenced by the table, or you must have the `EXECUTE ANY TYPE` system privilege. These privileges must be granted explicitly and not acquired through a role.

Additionally, if the table owner intends to grant access to the table to other users, then the owner must have been granted the `EXECUTE` object privilege on the referenced types `WITH GRANT OPTION`, or have the `EXECUTE ANY TYPE` system privilege `WITH ADMIN OPTION`. Without these privileges, the table owner has insufficient privileges to grant access to the table to other users.

To enable a unique or primary key constraint, you must have the privileges necessary to create an index on the table. You need these privileges because Oracle Database creates an index on the columns of the unique or primary key in the schema containing the table.

To specify an edition in the `evaluation_edition_clause` or the `unusable_editions_clause`, you must have the `USE` privilege on the edition.

To specify the `zonemap_clause`, you must have the permissions necessary to create a zone map. Refer to the "[Prerequisites](#)" section in the documentation on `CREATE MATERIALIZED ZONEMAP`.

To create an **external table**, you must have the required read and write operating system privileges on the appropriate operating system directories. You must have the `READ` object privilege on the database directory object corresponding to the operating system directory in which the external data resides. You must also have the `WRITE` object privilege on the database directory in which the files will reside if you specify a log file or bad file in the `opaque_format_spec` or if you unload data into an external table from a database table by specifying the `AS subquery` clause.


To create an **XMLType table** in a different database schema from your own, you must have not only privilege `CREATE ANY TABLE` but also privilege `CREATE ANY INDEX`. This is because a unique index is created on column `OBJECT_ID` when you create the table. Column `OBJECT_ID` stores a system-generated object identifier.

#### See Also:

- [CREATE INDEX](#)
- *Oracle Database Administrator's Guide* for more information about the privileges required to create tables using types


### Syntax

**create\_table ::=**



*(relational\_table ::=, object\_table ::=, XMLType\_table ::=)*

**relational\_table ::=**




**Note:**

Each of the clauses following the table name is optional for any given relational table. However, for every table you must at least specify either column names and data types using the *relational\_properties* clause or an *AS subquery* clause using the *table\_properties* clause.


(*relational\_properties*::=,  
*immutable\_table\_clauses* ,*blockchain\_table\_clauses*::= ,*physical\_properties*::=,  
*table\_properties*::=)

***object\_table*::=**




(*object\_table\_substitution*::=, *object\_properties*::=, *oid\_clause*::=, *oid\_index\_clause*::=,  
*physical\_properties*::=, *table\_properties*::=)

***XMLType\_table*::=**



(*XMLType\_storage*::=, *XMLSchema\_spec*::=, *XMLType\_virtual\_columns*::=, *oid\_clause*::=,  
*oid\_index\_clause*::=, *physical\_properties*::=, *table\_properties*::=)

**relational\_properties::=**




**Note:**

You can specify these clauses in any order with the following exception: You must specify at least one *column\_definition* or *virtual\_column\_definition* before you specify *period\_definition*. You can specify *period\_definition* only once.

(*column\_definition::=*, *virtual\_column\_definition::=*, *period\_definition::=*, *out\_of\_line\_constraint::=*, *out\_of\_line\_ref\_constraint::=*, *supplemental\_logging\_props::=*, *domain\_clause::=*)


**column\_definition::=**






( *datatype\_domain*::=, *identity\_clause*::=, *inline\_constraint*::=, *inline\_ref\_constraint*::=, *annotations\_clause*::=)

***datatype\_domain*::=**




***encryption\_spec*::=**




***annotations\_clause*::=**

For the full syntax and semantics of the *annotations\_clause* see [annotations\\_clause](#).


***identity\_clause*::=**



**identity\_options::=**




**virtual\_column\_definition::=**




([evaluation\\_edition\\_clause::=](#), [unusable\\_editions\\_clause::=](#), [constraint::=](#))


**evaluation\_edition\_clause::=**




***unusable\_editions\_clause::=***




***period\_definition::=***



***object\_table\_substitution::=***




***object\_properties::=***




*(constraint::=, supplemental\_logging\_props::=)*

***oid\_clause::=***




**oid\_index\_clause::=**




([physical\\_attributes\\_clause::=](#))

**physical\_properties::=**




([deferred\\_segment\\_creation::=](#), [segment\\_attributes\\_clause::=](#), [table\\_compression::=](#),  
[inmemory\\_table\\_clause::=](#), [ilm\\_clause::=](#), [heap\\_org\\_table\\_clause::=](#),  
[index\\_org\\_table\\_clause::=](#), [external\\_table\\_clause::=](#))

**deferred\_segment\_creation::=**




**segment\_attributes\_clause::=**




([physical\\_attributes\\_clause::=](#), [logging\\_clause::=](#))

**physical\_attributes\_clause::=**




*(storage\_clause::=)*

**table\_compression::=**




**inmemory\_table\_clause::=**




*(inmemory\_attributes::=, inmemory\_column\_clause::=)*

**inmemory\_attributes::=**




*(inmemory\_memcompress::=, inmemory\_priority::=, inmemory\_distribute::=,  
inmemory\_duplicate::=)*


***inmemory\_memcompress::=***




***inmemory\_priority::=***




***inmemory\_distribute::=***




***inmemory\_duplicate::=***



***inmemory\_spatial::=***




***inmemory\_column\_clause::=***




*(inmemory\_memcompress::=)*

***ilm\_clause::=***




***ilm\_policy\_clause::=***




*(ilm\_compression\_policy::=, ilm\_tiering\_policy::=, ilm\_inmemory\_policy::=)*

***ilm\_compression\_policy::=***




(*table\_compression::=*, *ilm\_time\_period::=*)

***ilm\_tiering\_policy::=***




(*ilm\_time\_period::=*)

***ilm\_inmemory\_policy::=***




***ilm\_time\_period::=***






**table\_properties::=**




(*column\_properties::=, read\_only\_clause::=, indexing\_clause::=, table\_partitioning\_clauses::=, attribute\_clustering\_clause::=, parallel\_clause::=, enable\_disable\_clause::=, row\_movement\_clause::=, logical\_replication\_clause::=, flashback\_archive\_clause::=, subquery::=*)

**column\_properties::=**




(*object\_type\_col\_properties::=, nested\_table\_col\_properties::=, varray\_col\_properties::=, LOB\_storage\_clause::=, LOB\_partition\_storage::=, XMLType\_column\_properties::=, json\_storage\_clause::=*)


**object\_type\_col\_properties::=**



**substitutable\_column\_clause::=**




**nested\_table\_col\_properties::=**




([substitutable\\_column\\_clause::=](#), [object\\_properties::=](#), [physical\\_properties::=](#), [column\\_properties::=](#))

**varray\_col\_properties::=**




([substitutable\\_column\\_clause::=](#), [varray\\_storage\\_clause::=](#))

**varray\_storage\_clause::=**




*(LOB\_parameters::=)*

**LOB\_storage\_clause::=**




*(LOB\_storage\_parameters::=)*

**LOB\_storage\_parameters::=**



*(LOB\_parameters::=, storage\_clause::=)*

**LOB\_parameters::=**




([LOB\\_deduplicate\\_clause::=](#), [LOB\\_compression\\_clause::=](#), [logging\\_clause::=](#))




**Note:**

Several of the LOB parameters are no longer needed if you are using SecureFiles for LOB storage. Refer to [LOB\\_storage\\_parameters](#) for more information.


**LOB\_retention\_clause::=**




**LOB\_deduplicate\_clause::=**




**LOB\_compression\_clause::=**



**logging\_clause::=**




**LOB\_partition\_storage::=**




(LOB\_storage\_clause::=, varray\_col\_properties::=, LOB\_partitioning\_storage::=)

**LOB\_partitioning\_storage::=**




**XMLType\_column\_properties::=**




(XMLType\_storage::=, XMLSchema\_spec::=)

**XMLType\_storage::=**



(LOB\_parameters::=)


**XMLSchema\_spec::=**




**XMLType\_virtual\_columns::=**




**JSON\_storage\_clause ::=**




**JSON\_parameters ::=**




**row\_movement\_clause ::=**




**logical\_replication\_clause ::=**



**flashback\_archive\_clause ::=**




**heap\_org\_table\_clause::=**




(table\_compression::=, inmemory\_table\_clause::=, ilm\_clause::=)

**index\_org\_table\_clause::=**




(mapping\_table\_clauses::=, prefix\_compression::=, index\_org\_overflow\_clause::=)


**mapping\_table\_clauses::=**




**index\_compression::=**



**prefix\_compression::=**




**iot\_advanced\_compression::=**





**advanced\_index\_compression::=**




**index\_org\_overflow\_clause::=**




*(segment\_attributes\_clause::=)*


**supplemental\_logging\_props::=**




**supplemental\_log\_grp\_clause::=**




**supplemental\_id\_key\_clause::=**




**domain\_clause::=**




***immutable\_table\_clauses::=***




***immutable\_table\_no\_drop\_clause::=***




***immutable\_table\_no\_delete\_clause::=***




***immutable\_row\_version\_clause::=***




***immutable\_data\_format\_clause::=***




***blockchain\_table\_clauses::=***




**blockchain\_drop\_table\_clause::=**




**blockchain\_row\_retention\_clause::=**




**blockchain\_hash\_clause::=**




**blockchain\_row\_version\_user\_chain\_clause::=**




**blockchain\_system\_chains\_clause::=**



**blockchain\_data\_format\_clause::=**




**external\_table\_clause::=**




*(external\_table\_data\_props::=)*

**external\_table\_data\_props::=**




*(opaque\_format\_spec: This clause specifies the access parameters for the ORACLE\_LOADER, ORACLE\_DATAPUMP, ORACLE\_HDFS, and ORACLE\_HIVE access drivers. See Oracle Database Utilities for descriptions of these parameters.)*


**read\_only\_clause::=**



**indexing\_clause::=**




**table\_partitioning\_clauses::=**




(*range\_partitions::=, list\_partitions::=, hash\_partitions::=, composite\_range\_partitions::=, composite\_list\_partitions::=, composite\_hash\_partitions::=, reference\_partitioning::=, system\_partitioning::=, consistent\_hash\_partitions::=, directory\_based\_partitions::=, composite\_directory\_based\_partitions::=, consistent\_hash\_with\_subpartitions::=, partitionset\_clauses::=*)

**range\_partitions::=**




(*range\_values\_clause::=, table\_partition\_description::=, external\_part\_subpart\_data\_props::=*)

**external\_part\_subpart\_data\_props::=**




**hash\_partitions::=**




*(individual\_hash\_partitions::=, hash\_partitions\_by\_quantity::=)*

**individual\_hash\_partitions::=**




*(read\_only\_clause::=, indexing\_clause::=, partitioning\_storage\_clause::=)*

**hash\_partitions\_by\_quantity::=**




*(table\_compression::=, index\_compression::=)*

**list\_partitions::=**




*(list\_values\_clause::=, table\_partition\_description::=, external\_part\_subpart\_data\_props::=)*

**composite\_range\_partitions::=**




*(subpartition\_by\_range::=. subpartition\_by\_list::=, subpartition\_by\_hash::=, range\_partition\_desc::=)*

**composite\_hash\_partitions::=**




*(subpartition\_by\_range::=, subpartition\_by\_list::=, subpartition\_by\_hash::=, individual\_hash\_partitions::=, hash\_partitions\_by\_quantity::=)*

**composite\_list\_partitions::=**




(*subpartition\_by\_range::=*, *subpartition\_by\_list::=*, *subpartition\_by\_hash::=*,  
*list\_partition\_desc::=*)

**reference\_partitioning::=**




(*constraint::=*, *reference\_partition\_desc::=*)

**reference\_partition\_desc::=**



(*table\_partition\_description::=*)


**system\_partitioning::=**




(*reference\_partition\_desc::=*)




***consistent\_hash\_partitions::=***




***directory\_based\_partitions::=***




***composite\_directory\_based\_partitions::=***




**directory\_partition\_desc::=**



**consistent\_hash\_with\_subpartitions::=**




**partitionset\_clauses::=**




**(range\_partitionset\_clause::=, list\_partitionset\_clause::=**


**range\_partitionset\_clause::=**




**range\_partitionset\_desc::=**




**list\_partitionset\_clause::=**



**list\_partitionset\_desc::=**




**range\_partition\_desc::=**




*(range\_values\_clause::=, table\_partition\_description::=, range\_subpartition\_desc::=, list\_subpartition\_desc::=, individual\_hash\_subparts::=, hash\_subparts\_by\_quantity::=)*

**list\_partition\_desc::=**




*(list\_values\_clause::=, table\_partition\_description::=, range\_subpartition\_desc::=, list\_subpartition\_desc::=, individual\_hash\_subparts::=, hash\_subparts\_by\_quantity::=)*

**subpartition\_template::=**




*(range\_subpartition\_desc::=, list\_subpartition\_desc::=, individual\_hash\_subparts::=)*

**subpartition\_by\_range::=**




*(subpartition\_template::=)*

**subpartition\_by\_list::=**




*(subpartition\_template::=)*

**subpartition\_by\_hash::=**




*(subpartition\_template::=)*

**range\_subpartition\_desc::=**




*(range\_values\_clause::=, read\_only\_clause::=, indexing\_clause::=,  
partitioning\_storage\_clause::=, external\_part\_subpart\_data\_props::=)*

**list\_subpartition\_desc::=**




*(list\_values\_clause::=, read\_only\_clause::=, indexing\_clause::=,  
partitioning\_storage\_clause::=, external\_part\_subpart\_data\_props::=)*

**individual\_hash\_subparts::=**




*(read\_only\_clause::=, indexing\_clause::=, partitioning\_storage\_clause::=)*


**hash\_subparts\_by\_quantity::=**



**range\_values\_clause::=**




**list\_values\_clause::=**




*(list\_values::=)*

**list\_values::=**




**table\_partition\_description::=**




(deferred\_segment\_creation::=, read\_only\_clause::=, indexing\_clause::=,  
segment\_attributes\_clause::=, table\_compression::=, prefix\_compression::=,  
inmemory\_clause::=, segment\_attributes\_clause::=, LOB\_storage\_clause::=,  
varray\_col\_properties::=, nested\_table\_col\_properties::=)

**partitioning\_storage\_clause::=**




(table\_compression::=, index\_compression::=, inmemory\_clause::=,  
LOB\_partitioning\_storage::=)

**inmemory\_clause ::=**




(*inmemory\_memcompress ::=*, *inmemory\_attributes ::=*)

**attribute\_clustering\_clause ::=**




(*clustering\_join ::=*, *cluster\_clause ::=*, *clustering\_when ::=*, *zonemap\_clause ::=*)


**result\_cache\_clause**



**clustering\_join ::=**




**cluster\_clause ::=**







**clustering\_columns::=**




**clustering\_column\_group::=**




**clustering\_when::=**




**zonemap\_clause::=**



**parallel\_clause::=**




**enable\_disable\_clause::=**




(*using\_index\_clause::=*, *exceptions\_clause* not supported in CREATE TABLE statements)

***using\_index\_clause::=***




(*create\_index::=*, *index\_properties::=*)


***index\_properties::=***



(*global\_partitioned\_index::=*, *local\_partitioned\_index::=*—part of CREATE INDEX, *index\_attributes::=*, *domain\_index\_clause* and *XMLIndex\_clause*: not supported in *using\_index\_clause*)

***index\_attributes::=***

*(physical\_attributes\_clause::=, logging\_clause::=, index\_compression::=, partial\_index\_clause and parallel\_clause: not supported in using\_index\_clause)*

***memoptimize\_write\_clause*****Semantics****GLOBAL TEMPORARY**

Specify `GLOBAL TEMPORARY` to create a temporary table, whose **definition** is visible to all sessions with appropriate privileges. The **data** in a temporary table is visible only to the session that inserts the data into the table.

When you first create a temporary table, its metadata is stored in the data dictionary, but no space is allocated for table data. Space is allocated for the table segment at the time of the first DML operation on the table. The temporary table definition persists in the same way as the definitions of regular tables, but the table segment and any data the table contains are either **session-specific** or **transaction-specific** data. You specify whether the table segment and data are session- or transaction-specific with the `ON COMMIT` clause.

You can perform DDL operations (such as `ALTER TABLE`, `DROP TABLE`, `CREATE INDEX`) on a temporary table only when no session is bound to it. A session becomes bound to a

temporary table with an `INSERT` operation on the table. A session becomes unbound to a temporary table with a `TRUNCATE` statement or at session termination, or, for a transaction-specific temporary table, by issuing a `COMMIT` or `ROLLBACK` statement.

## PRIVATE TEMPORARY

Specify `PRIVATE TEMPORARY` to create a private temporary table.

A private temporary table differs from a temporary table in that its **definition** and **data** are visible **only** within the session that created it. Use the `ON COMMIT` clause to define the scope of a private temporary table: either **transaction** or **session**. The `ON COMMIT` clause used with the keywords `DROP DEFINITION` creates a transaction-specific table whose data **and** definition are dropped when the transaction commits. This is the default behavior. The `ON COMMIT` clause used with keywords `PRESERVE DEFINITION` creates a session-specific table whose definition is preserved when the transaction commits. See here for usage details of the [ON COMMIT](#) clause.

Three DDL statements are supported for private temporary tables: `CREATE`, `DROP`, and `TRUNCATE`.

## Restrictions on Temporary Tables

Temporary tables are subject to the following restrictions:

- Temporary tables cannot be partitioned, clustered, or index organized.
- You cannot specify any foreign key constraints on temporary tables.
- Temporary tables cannot contain columns of nested table.
- You cannot specify the following clauses of the *LOB\_storage\_clause*: `TABLESPACE`, *storage\_clause*, or *logging\_clause*.
- Parallel `UPDATE`, `DELETE` and `MERGE` are not supported for temporary tables.
- The only part of the *segment\_attributes\_clause* you can specify for a temporary table is `TABLESPACE`, which allows you to specify a single temporary tablespace.
- Distributed transactions are not supported for temporary tables.
- A temporary table cannot contain `INVISIBLE` columns.

## Restrictions on Private Temporary Tables

In addition to the general limitations of temporary tables, private temporary tables are subject to the following restrictions:

You must be a user other than `SYS` to create private temporary tables.

You cannot specify the following constraints on private temporary tables that are permitted on global temporary tables:

- `PRIMARY KEY` constraint
- `UNIQUE` constraint
- `CHECK` constraint
- `NOT NULL` constraint
- The name of private temporary tables must *always* be prefixed with whatever is defined with the `init.ora` parameter `PRIVATE_TEMP_TABLE_PREFIX`. The default is `ORA$PTT_`.

- You cannot create indexes, materialized views, or zone maps on private temporary tables.
- You cannot define column with default values.
- You cannot reference private temporary tables in any permanent object, e.g. views or triggers.
- Private temporary tables are not visible through database links.
- You cannot associate table columns of private temporary tables with a domain using `CREATE TABLE`. Doing so results in the following error: Cannot associate a private temporary table with a domain.



#### See Also:

*Oracle Database Concepts* for information on temporary tables and "[Creating a Table: Temporary Table Example](#)"

## SHARDED

Specify `SHARDED` to create a sharded table.

This clause is valid only if you are using Oracle Sharding, which is a data tier architecture in which data is horizontally partitioned across independent databases. Each database in such configuration is called a shard. All of the shards together make up a single logical database, which is referred to as a sharded database (SDB). Horizontal partitioning involves splitting a table across shards so that each shard contains the table with the same columns but a different subset of rows. A table split up in this manner is called a sharded table.

When you create a sharded table, you must specify a tablespace set in which to create the table. There is no default tablespace set for sharded tables. See [CREATE TABLESPACE SET](#) for more information.

Oracle Sharding is based on the Oracle Partitioning feature. Therefore, a sharded table must be a partitioned or composite-partitioned table. When creating a sharded table, you must specify one of the *table\_partitioning\_clauses*. See [table\\_partitioning\\_clauses](#) for the full semantics of these clauses.

### Restrictions on Sharded Tables

The following restrictions apply to sharded tables:

- In system-managed sharding you can create multiple root tables (and therefore table families) without throwing `ORA-02530`, when the `CREATE SHARDED TABLE` statement does not contain a `PARTITION BY REFERENCE` or `PARENT` clause and there is already a root table in existence.
- A sharded table cannot be a temporary table or an index-organized table.
- A sharded table cannot contain a nested table column or an identity column.
- You cannot specify a tablespace for a sharded system or a composite sharded table with the `TABLESPACE` clause, because system or composite sharded tables require tablespace sets.
- You cannot create tablespace sets in a user-defined sharding environment.

- A sharded tablespace is required for sharded tables. Normal tablespaces are not supported.
- You cannot specify the same tablespace for multiple partitions of the sharded table. This rule applies to subpartitions also. The same tablespace cannot be specified for subpartitions belonging to different partitions of a sharded table.
- You must specify a tablespace per partition of non-reference partitioned sharded tables.
- For user defined sharding the partition method must be range or list. Autolist and Interval partitioning is not supported.
- The list partition method can only have one partitioning column.
- Default partitions are not supported in list partitioned tables.
- NULL partitions are not supported in list partitioned tables.
- A primary key constraint defined on a sharded table must contain the sharding columns. A foreign key constraint on a column of a sharded table referencing a duplicated table column is not supported.
- System partitioning and interval-range partitioning are not supported for sharded tables.
- You cannot specify a virtual column in a sharded table in the `PARTITION BY` or `PARTITIONSET BY` clauses.
- `XMLType` columns for sharded tables are defaulted to `TRANSPORTABLE BINARY XML`, which is the only storage type allowed. Any other storage clause for `XMLType` will throw an error.

 **See Also:**

- *Using Oracle Sharding*
- *Oracle Database Administrator's Guide*

## DUPLICATED

This clause is valid only if you are using Oracle Sharding. Specify `DUPLICATED` to create a duplicated table, which is duplicated on all shards. It can be a nonpartitioned table or partitioned table.

Duplicated tables are not tied to any table family.

### Restrictions on Duplicated Tables

The following restrictions apply to duplicated tables:

- A duplicated table cannot contain a `LONG` column.
- The maximum number of non-primary key columns in a duplicated table is 999.
- `XMLType` columns for duplicated tables are defaulted to `TRANSPORTABLE BINARY XML`, which is the only storage type allowed. Any other storage clause for `XMLType` will throw an error.
- A duplicated table cannot be a temporary table.

- A duplicated table cannot be a reference-partitioned table or a system-partitioned table.
- You cannot specify `NOLOGGING` or `PARALLEL` for a duplicated table.
- You cannot enable a duplicated table for the In-Memory Column Store.

## IMMUTABLE

Specify the `IMMUTABLE` keyword to create an append-only table that protects data from unauthorized modification by insiders.

You can create a blockchain table that emphasizes its immutability by using the keywords `IMMUTABLE BLOCKCHAIN` in `CREATE TABLE`.

You must specify the mandatory *immutable\_table\_clauses* when you create an immutable table using the `CREATE IMMUTABLE TABLE` statement.

### Prerequisites

- The `COMPATIBLE` initialization parameter must be set to 19.11.0.0 or higher.
- The `CREATE TABLE` system privilege is required to create immutable tables in your own schema. The `CREATE ANY TABLE` system privilege is required to create immutable tables in another user's schema.
- The `NO DROP` and `NO DELETE` clauses are mandatory.

## BLOCKCHAIN

Specify the `BLOCKCHAIN` keyword to create a blockchain table.

You must specify the mandatory *blockchain\_table\_clauses* when you create a blockchain table using the `CREATE BLOCKCHAIN TABLE` statement.

When you create a blockchain table, an entry is created in the dictionary table `blockchain_table$` owned by `SYS`.

### Restrictions

The following `CREATE TABLE` clauses are disallowed with the creation of blockchain tables:

- `ORGANIZATION INDEX`
- `ORGANIZATION EXTERNAL`
- `NESTED TABLE`

#### See Also:

- *Managing Immutable Tables*
- *Managing Blockchain Tables*

## IF NOT EXISTS

Specifying `IF NOT EXISTS` has the following effects:

- If the table does not exist, a new table is created at the end of the statement.

- If the table exists, this is the table you have at the end of the statement. A new one is not created because the older table is detected.

Using `IF EXISTS` with `CREATE TABLE` results in `ORA-11543: Incorrect IF NOT EXISTS clause for CREATE statement.`

### *schema*

Specify the schema to contain the table. If you omit *schema*, then the database creates the table in your own schema.

### *table*

Specify the name of the table or object table to be created. The name must satisfy the requirements listed in "[Database Object Naming Rules](#)".



#### See Also:

*Oracle Database Administrator's Guide* for more on sharded tables.

## SHARING

This clause applies only when creating a table in an application root. This type of table is called an application common object and its data can be shared with the application PDBs that belong to the application root. To determine how the table data is shared, specify one of the following sharing attributes:

- `METADATA` - A metadata link shares the table's metadata, but its data is unique to each container. This type of table is referred to as a **metadata-linked application common object**.
- `DATA` - A data link shares the table, and its data is the same for all containers in the application container. Its data is stored only in the application root. This type of table is referred to as a **data-linked application common object**.
- `EXTENDED DATA` - An extended data link shares the table, and its data in the application root is the same for all containers in the application container. However, each application PDB in the application container can store data that is unique to the application PDB. For this type of table, data is stored in the application root and, optionally, in each application PDB. This type of table is referred to as an **extended data-linked application common object**.
- `NONE` - The table is not shared.

If you omit this clause, then the database uses the value of the `DEFAULT_SHARING` initialization parameter to determine the sharing attribute of the table. If the `DEFAULT_SHARING` initialization parameter does not have a value, then the default is `METADATA`.

When creating a relational table, you can specify `METADATA`, `DATA`, `EXTENDED DATA`, or `NONE`.

When creating an object table or an `XMLTYPE` table, you can specify only `METADATA` or `NONE`.



You cannot change the sharing attribute of a table after it is created.

 **See Also:**

- *Oracle Database Reference* for more information on the `DEFAULT_SHARING` initialization parameter
- *Oracle Database Administrator's Guide* for complete information on creating application common objects

### ***relational\_table***

This clause lets you create a relational table.

### ***relational\_properties***

The relational properties describe the components of a relational table.

### ***column\_definition***

The *column\_definition* lets you define the characteristics of the column.

### **Specifying *column\_definition* with AS subquery**

If you specify the *AS subquery* clause, and each column returned by *subquery* has a column name or is an expression with a specified column alias, then you can omit the *column\_definition* clause. In this case, the names of the columns of table are the same as the names of the columns returned by *subquery*. The exception is creating an index-organized table, for which you must specify the *column\_definition* clause, because you must designate a primary key column. Regardless of the table type, if you specify the *column\_definition* clause and the *AS subquery* clause, then you must omit *datatype* from the *column\_definition* clause.

### ***column***

Specify the name of a column of the table. The name must satisfy the requirements listed in "[Database Object Naming Rules](#)".

If you also specify *AS subquery*, then you can omit *column* and *datatype* unless you are creating an index-organized table. If you specify *AS subquery* when creating an index-organized table, then you must specify *column*, and you must omit *datatype*.

The absolute maximum number of columns in a table is 1000, if the `MAX_COLUMNS` initialization parameter = `STANDARD`, or 4096 columns if `MAX_COLUMNS` = `EXTENDED`. See *Oracle Database Reference* for more on the `MAX_COLUMNS` initialization parameter.

When you create an object table or a relational table with columns of object, nested table, varray, or REF type, Oracle Database maps the columns of the user-defined types to relational columns, in effect creating hidden columns that count toward the 1000-column limit. A relational column that stores a user-defined type attribute inherits the collation property of the attribute. In Oracle Database 12c Release 2 (12.2), user-defined types are created using the pseudo-collation property `USING_NLS_COMP` and their corresponding relational columns inherit this property.

### *datatype\_domain*

#### **datatype**

Specify the data type of a column in *datatype*.

In general, you must specify *datatype*. However, the following exceptions apply:

- You must omit *datatype* if you specify the `AS subquery` clause.
- You can also omit *datatype* if the statement designates the column as part of a foreign key in a referential integrity constraint. Oracle Database automatically assigns to the column the data type of the corresponding column of the referenced key of the referential integrity constraint.

#### **Restrictions on Table Column Data Types**

- Do not create a table with `LONG` columns. Use LOB columns (`CLOB`, `NCLOB`, `BLOB`) instead. `LONG` columns are supported only for backward compatibility.
- You can specify a column of type `ROWID`, but Oracle Database does not guarantee that the values in such columns are valid rowids.



#### **See Also:**

"[Data Types](#)" for information on `LONG` columns and on Oracle-supplied data types

You can specify a user-defined datatype as non-persistable when creating or altering the datatype. Instances of non-persistable types cannot persist on disk. See [CREATE TYPE](#) for more on user-defined datatypes declared as non-persistable types.

#### **domain\_clause**

Use this clause to associate columns with a domain. You can associate non-strict domains with a table column with a compatible type with any limit. For example, a `number(10)` domain can be assigned to columns with `number(9)` or `number(11)`. For strict domains you can only associate their columns with table columns with a compatible type and identical type limits. For example, a `number(10)` domain column can only be assigned to numeric columns with precision 10, like `decimal(10)` or `numeric(10)`.

The position of columns in this clause is the same as those in the domain. The number of columns listed must be the same as in *domain\_name*.

Each column can belong to at most one domain. If a column is in two or more domains, the statement will error.

If you specify the datatype, you must use the `DOMAIN` keyword. You can omit the `DOMAIN` keyword, if you omit the datatype and just use the domain owner or domain name.

#### **USING**

The `USING` clause defines the discriminant columns in flexible domains. This clause is mandatory when associating columns with a flexible domain.

The columns in the `DOMAIN` and `USING` clauses must be different.

## RESERVABLE

Reservable columns provide for lock-free reservations. Lock-free reservations allow other concurrent transactions updating the reservable columns to proceed without being blocked. Lock-free reservations hold locks on hot data for short intervals of time and only when the value is modified during the commit of the transaction.

Specify `RESERVABLE` on a column to make it reservable on columns with numeric data type.

### Guidelines and Restrictions for Reservable Columns

- The schema definition of user tables declares the reservable columns with the `RESERVABLE` keyword.
- A reservable column can be specified only on columns of the following numeric data types: `NUMBER`, `INTEGER`, and `FLOAT`.
- A reservable column cannot be a Primary Key or an identity column (or virtual column) because the reservable column is an aggregate type.
- A user table can have at most ten reservable columns.
- User tables that have reservable columns must have a Primary Key.
- Indexes are not supported on reservable columns.
- Composite reservable columns are not allowed. Reservable columns can be included only in `CHECK` constraints expression.
- The `CHECK` constraint can be at the column-level or table-level. User-defined operational constraints are used for reservable columns to ensure application correctness.
- Partitioning cannot be made on reservable columns. Transactions with pending reservations must finalize before you can drop the reservable column or mark the column as `UNUSED`.

### See Also:

- *Using Lock-Free Reservation of the Database Development Guide.*
- Columns section in *Tables and Table Clusters of Database Concepts.*

## COLLATE

The `COLLATE` clause lets you specify a data-bound collation for the column.

For `column_collation_name`, specify a valid named collation or pseudo-collation. For columns of data type `CLOB` or `NCLOB`, the only allowed value for `column_collation_name` is the pseudo-collation `USING_NLS_COMP`.

If you omit this clause, then the column is assigned:

- the pseudo-collation `USING_NLS_COMP`, if the column has the data type `CLOB` or `NCLOB`, or
- the collation of the corresponding parent key column, if the column belongs to a foreign key, or

- the default collation for the table as it stands at the time the column is created.

Refer to the [DEFAULT COLLATION](#) clause for more information on the default collation for a table.

You can specify the `COLLATE` clause only if the `COMPATIBLE` initialization parameter is set to 12.2 or greater, and the `MAX_STRING_SIZE` initialization parameter is set to `EXTENDED`.

## SORT

The `SORT` keyword is valid only if you are creating this table as part of a hash cluster and only for columns that are also cluster columns.

Table rows are hashed into buckets on cluster key columns without `SORT`, and then sorted in each bucket on the columns with this clause. This may improve response time during subsequent operations on the clustered data.

### See Also:

- ["CLUSTER Clause"](#) for information on creating a cluster table
- [Managing Hash Clusters](#)

## VISIBLE | INVISIBLE

Use this clause to specify whether `column` is `VISIBLE` or `INVISIBLE`. The default is `VISIBLE`.

`INVISIBLE` columns are user-specified hidden columns. To display or assign a value to an `INVISIBLE` column, you must specify its name explicitly. For example:

- The `SELECT *` syntax will not display an `INVISIBLE` column. However, if you include an `INVISIBLE` column in the select list of a `SELECT` statement, then the column will be displayed.
- You cannot implicitly specify a value for an `INVISIBLE` column in the `VALUES` clause of an `INSERT` statement. You must specify the `INVISIBLE` column in the column list.
- You must explicitly specify an `INVISIBLE` column in Oracle Call Interface (OCI) describes.
- You can configure SQL\*Plus to allow `INVISIBLE` column information to be viewed with the `DESCRIBE` command. Refer to *SQL\*Plus User's Guide and Reference* for more information.

### Notes on VISIBLE and INVISIBLE Columns

The following notes apply to `VISIBLE` and `INVISIBLE` columns:

- An `INVISIBLE` column can be used as a partitioning key when specified as part of `CREATE TABLE`.
- You can specify `INVISIBLE` columns in a `column_expression`.
- A virtual column can be an `INVISIBLE` column.
- PL/SQL `%ROWTYPE` attributes do not show `INVISIBLE` columns.

- The `COLUMN_ID` column of the `ALL_`, `DBA_`, and `USER_TAB_COLUMNS` data dictionary views determines the order in which a `SELECT *` query returns columns for a table, view, or materialized view. The value of `COLUMN_ID` is `NULL` for `INVISIBLE` columns. When you make an invisible column visible, it will be assigned the next highest available `COLUMN_ID` value. When you make a visible column invisible, its `COLUMN_ID` value is set to `NULL` and `COLUMN_ID` is decremented by 1 for any columns with a higher `COLUMN_ID`.

### Restrictions on VISIBLE and INVISIBLE Columns

The following restrictions apply to `VISIBLE` and `INVISIBLE` columns:

- `INVISIBLE` columns are not supported in external tables, cluster tables, or temporary tables.
- You cannot make a system-generated hidden column visible.

 **Note:**

To determine whether a column is a system-generated hidden column, query the `HIDDEN_COLUMN` and `USER_GENERATED` columns of the `ALL_`, `DBA_`, and `USER_TAB_COLS` data dictionary views. Refer to *Oracle Database Reference* for more information.

### DEFAULT

The `DEFAULT` clause lets you specify a value to be assigned to the column if a subsequent `INSERT` statement omits a value for the column. The data type of the expression must match the data type specified for the column. The column must also be large enough to hold this expression.

The `DEFAULT` expression can include any SQL function as long as the function does not return a literal argument, a column reference, or a nested function invocation.

The `DEFAULT` expression can include the sequence pseudocolumns `CURRVAL` and `NEXTVAL`, as long as the sequence exists and you have the privileges necessary to access it. Users who perform subsequent inserts that use the `DEFAULT` expression must have the `INSERT` privilege on the table and the `SELECT` privilege on the sequence. If the sequence is later dropped, then subsequent `INSERT` statements where the `DEFAULT` expression is used will result in an error. If you do not fully qualify the sequence by specifying the sequence owner, for example, `SCOTT.SEQ1`, then Oracle Database will default the sequence owner to be the user who issues the `CREATE TABLE` statement. For example, if user `MARY` creates `SCOTT.TABLE` and refers to a sequence that is not fully qualified, such as `SEQ2`, then the column will use sequence `MARY.SEQ2`. Synonyms on sequences undergo a full name resolution and are stored as the fully qualified sequence in the data dictionary; this is true for public and private synonyms. For example, if user `BETH` adds a column referring to public or private synonym `SYN1` and the synonym refers to `PETER.SEQ7`, then the column will store `PETER.SEQ7` as the default.

### Restrictions on Default Column Values

Default column values are subject to the following restrictions:

- A `DEFAULT` expression cannot contain references to PL/SQL functions or to other columns, the pseudocolumns `LEVEL`, `PRIOR`, and `ROWNUM`, or date constants that are not fully specified.

- The expression can be of any form except a scalar subquery expression.

**See Also:**

"[About SQL Expressions](#)" for the syntax of *expr*

**ON NULL**

If you specify the `ON NULL` clause, then Oracle Database assigns the `DEFAULT` column value when a subsequent `INSERT` statement attempts to assign a value that evaluates to `NULL`.

When you specify `ON NULL`, the `NOT NULL` constraint and `NOT DEFERRABLE` constraint state are implicitly specified. If you specify an inline constraint that conflicts with `NOT NULL` and `NOT DEFERRABLE`, then an error is raised.

If you specify `DEFAULT ON NULL FOR INSERT AND UPDATE`, the `DEFAULT ON NULL` semantics applies for `INSERT`, including the insert branch of merge and multi-table insert and `UPDATE`, including the update branch of merge.

If you specify `DEFAULT ON NULL FOR INSERT ONLY`, it is equivalent to `DEFAULT ON NULL`. It means that `DEFAULT ON NULL` semantics will apply for `INSERT` including the insert branch of merge and multi-table insert only.

In before-row DML triggers, `:new.column-name` shows the defaulted value, and you can override the default value in the trigger. If a column is defined as `DEFAULT ON NULL FOR INSERT AND UPDATE` and the trigger updates the value to `NULL`, then `DEFAULT ON NULL` semantics will not apply – i.e. `NULL` will not be converted to the column default value.

In the following trigger, column `c2` has `DEFAULT ON NULL` semantics. When the trigger is executed, an error is raised since it sets `c2` to `NULL`:

```
create or replace trigger t1_t
before insert or update on t1 for each row
begin
    :new.c2 := NULL;
end;
```

**Restriction on the ON NULL Clause**

You cannot specify this clause for an object type column or a `REF` column.

**See Also:**

"[Creating a Table with a DEFAULT ON NULL Column Value: Example](#)"

***annotations\_clause***

The *annotation\_name* is an identifier that can have up to 4000 characters. If the annotation name is a reserved word it must be provided in double quotes. When a

double quoted identifier is used, the identifier can also contain whitespace characters. However, identifiers that contain only whitespace characters are not accepted.

For examples see [Add Annotations at Table Creation: Example](#)

For the full semantics of the annotations clause see [annotations\\_clause](#).

### ***identity\_clause***

Use this clause to specify an identity column. The identity column will be assigned an increasing or decreasing integer value from a sequence generator for each subsequent `INSERT` statement. You can use the `identity_options` clause to configure the sequence generator.

To create an identity column in a schema other than your own, you must have the `CREATE ANY TABLE`, `CREATE ANY SEQUENCE`, and `SELECT ANY SEQUENCE` system privileges.

### **ALWAYS**

If you specify `ALWAYS`, then Oracle Database always uses the sequence generator to assign a value to the column. If you attempt to explicitly assign a value to the column using `INSERT` or `UPDATE`, then an error will be returned. This is the default.

### **BY DEFAULT**

If you specify `BY DEFAULT`, then Oracle Database uses the sequence generator to assign a value to the column by default, but you can also explicitly assign a specified value to the column. If you specify `ON NULL`, then Oracle Database uses the sequence generator to assign a value to the column when a subsequent `INSERT` statement attempts to assign a value that evaluates to `NULL`. See [column\\_definition ON NULL](#) for full semantics.

### ***identity\_options***

Use the `identity_options` clause to configure the sequence generator. The `identity_options` clause has the same parameters as the `CREATE SEQUENCE` statement. Refer to [CREATE SEQUENCE](#) for a full description of these parameters and characteristics. The exception is `START WITH LIMIT VALUE`, which is specific to `identity_options` and can only be used with `ALTER TABLE MODIFY`. Refer to [identity\\_options](#) for more information.



#### **Note:**

When you create an identity column, Oracle recommends that you specify the `CACHE` clause with a value higher than the default of 20 to enhance performance.

### **Restrictions on Identity Columns**

Identity columns are subject to the following restrictions:

- You can specify only one identity column per table.
- If you specify `identity_clause`, then you must specify a numeric data type for `datatype` in the `column_definition` clause. You cannot specify a user-defined data type.
- If you specify `identity_clause`, then you cannot specify the `DEFAULT` clause in the `column_definition` clause.

- When you specify *identity\_clause*, the NOT NULL constraint and NOT DEFERRABLE constraint state are implicitly specified. If you specify an inline constraint that conflicts with NOT NULL and NOT DEFERRABLE, then an error is raised.
- If an identity column is encrypted, then the encryption algorithm may be inferred. Oracle recommends that you use a strong encryption algorithm on identity columns.
- CREATE TABLE AS SELECT will not inherit the identity property on a column.

**See Also:**

["Creating a Table with an Identity Column: Examples"](#)

***encryption\_spec***

Starting with Oracle Database 23ai, the Transparent Data Encryption (TDE) decryption libraries for the GOST and SEED algorithms are deprecated, and encryption to GOST and SEED are desupported.

GOST 28147-89 has been deprecated by the Russian government, and SEED has been deprecated by the South Korean government. If you need South Korean government-approved TDE cryptography, then use ARIA instead. If you are using GOST 28147-89, then you must decrypt and encrypt with another supported TDE algorithm. The decryption algorithms for GOST 28147-89 and SEED are included in Oracle Database 23ai, but are deprecated, and the GOST encryption algorithm is desupported with Oracle Database 23ai. If you are using GOST or SEED for TDE encryption, then Oracle recommends that you decrypt and encrypt with another algorithm before upgrading to Oracle Database 23ai. However, with the exception of the HP Itanium platform, the GOST and SEED decryption libraries are available with Oracle Database 23ai, so you can also decrypt after upgrading.

The ENCRYPT clause lets you use the Transparent Data Encryption (TDE) feature to encrypt the column you are defining. You can encrypt columns of type CHAR, NCHAR, VARCHAR2, NVARCHAR2, NUMBER, DATE, LOB, and RAW. The data does not appear in its encrypted form to authorized users, such as the user who encrypts the column.

**Note:**

- Column encryption requires that a system administrator with appropriate privileges has initialized the security module, opened a keystore, and set an encryption key. Refer to *Oracle Database Advanced Security Guide* for general information about column encryption and to [security\\_clauses](#) for related ALTER SYSTEM statements.

**USING 'encrypt\_algorithm'**

Use this clause to specify the name of the algorithm to be used. Valid algorithms are AES256, AES192, AES128 and 3DES168. If the COMPATIBLE initialization parameter is set to 12.2 or higher, then the following algorithms are also valid: ARIA128, ARIA192, ARIA256, GOST256, and SEED128. If you omit this clause, then the database uses



AES192. If you encrypt more than one column in the same table, and if you specify the `USING` clause for one of the columns, then you must specify the same encryption algorithm for all the encrypted columns.

#### **IDENTIFIED BY *password***

If you specify this clause, then the database derives the column key from the specified password.

#### **'*integrity\_algorithm*'**

Use this clause to specify the integrity algorithm to be used. Valid integrity algorithms are `SHA-1` and `NOMAC`.

- If you specify `SHA-1`, then TDE uses the Secure Hash Algorithm (SHA-1) and adds a 20-byte Message Authentication Code (MAC) to each encrypted value for integrity checking. This is the default.
- If you specify `NOMAC`, then TDE does not add a MAC and does not perform the integrity check. This saves 20 bytes of disk space per encrypted value. Refer to *Oracle Database Advanced Security Guide* for more information on using `NOMAC` to save disk space and improve performance.

All encrypted columns in a table must use the same integrity algorithm. If you already have a table column using the `SHA-1` algorithm, then you cannot use the `NOMAC` parameter to encrypt another column in the same table. Refer to the `REKEY encryption_spec` clause of `ALTER TABLE` to learn how to change the integrity algorithm used by all encrypted columns in a table.

#### **SALT | NO SALT**

Specify `SALT` to instruct the database to append a random string, called "salt," to the clear text of the column before encrypting it. This is the default.

Specify `NO SALT` to prevent the database from appending salt to the clear text of the column before encrypting it.

The following considerations apply when specifying `SALT` or `NO SALT` for encrypted columns:

- If you want to use the column as an index key, then you must specify `NO SALT`. Refer to *Oracle Database Advanced Security Guide* for a description of "salt" in this context.
- If you specify table compression for the table, then the database does not compress the data in encrypted columns with `SALT`.

You cannot specify `SALT` or `NO SALT` for LOB encryption.

#### **Restrictions on *encryption\_spec***

The following restrictions apply to column encryption:

- Transparent Data Encryption is not supported by the traditional import and export utilities or by transportable-tablespace-based export. Use the Data Pump import and export utilities with encrypted columns instead.
- To encrypt a column in an external table, the table must use `ORACLE_DATAPUMP` as its access type.
- You cannot encrypt a column in tables owned by `SYS`.
- You cannot encrypt a foreign key column.

 **See Also:**

*Oracle Database Advanced Security Guide* for more information about Transparent Data Encryption

***virtual\_column\_definition***

The *virtual\_column\_definition* clause lets you create a virtual column. A virtual column is not stored on disk. Rather, the database derives the values in a virtual column on demand by computing a set of expressions or functions. Virtual columns can be used in queries, DML, and DDL statements. They can be indexed, and you can collect statistics on them. Thus, they can be treated much as other columns. Exceptions and restrictions are listed below in "[Notes on Virtual Columns](#)" and "[Restrictions on Virtual Columns](#)".

***column***

For *column*, specify the name of the virtual column.

***datatype***

You can optionally specify the data type of the virtual column. If you omit *datatype*, then the database determines the data type of the column based on the data type of the underlying expressions. All Oracle scalar data types and `XMLType` are supported.

**COLLATE**

The `COLLATE` clause lets you specify a data-bound collation for the virtual column. For *column\_collation\_name*, specify a valid named collation or pseudo-collation. If you omit this clause, then the column is assigned the default collation for the table as it stands at the time the column is created, unless the column belongs to a foreign key, in which case it inherits the collation from the corresponding column of the parent key. Refer to the [DEFAULT COLLATION](#) clause for more information on the default collation for a table.

You can specify the `COLLATE` clause only if the `COMPATIBLE` initialization parameter is set to 12.2 or greater, and the `MAX_STRING_SIZE` initialization parameter is set to `EXTENDED`.

**VISIBLE | INVISIBLE**

Use this clause to specify whether virtual column is `VISIBLE` or `INVISIBLE`. The default is `VISIBLE`. For complete information, refer to "[VISIBLE | INVISIBLE](#)".

**GENERATED ALWAYS**

The optional keywords `GENERATED ALWAYS` are provided for semantic clarity. They indicate that the column is not stored on disk, but is evaluated on demand.

***column\_expression***

The `AS column_expression` clause determines the content of the column. Refer to "[Column Expressions](#)" for more information on *column\_expression*.

**VIRTUAL**

The optional keyword `VIRTUAL` is provided for semantic clarity.

### ***evaluation\_edition\_clause***

You must specify this clause if *column\_expression* refers to an editioned PL/SQL function. Use this clause to specify the edition that is searched during name resolution of the editioned PL/SQL function—the evaluation edition.

- Specify `CURRENT EDITION` to search the edition in which this DDL statement is executed.
- Specify `EDITION edition` to search *edition*.
- Specifying `NULL EDITION` is equivalent to omitting the *evaluation\_edition\_clause*.

If you omit the *evaluation\_edition\_clause*, then editioned objects are invisible during name resolution and an error will result. If the evaluation edition is dropped, then a subsequent query on the virtual column will result in an error.

The database does not maintain dependencies on the functions referenced by a virtual column. Therefore, if a virtual column refers to a noneditioned function, and the function becomes editioned, then the following operations may raise an error:

- Querying the virtual column
- Updating a row that includes the virtual column
- Firing a trigger that accesses the virtual column

#### See Also:

*Oracle Database Development Guide* for more information on specifying the evaluation edition for a virtual column

### ***unusable\_editions\_clause***

This clause lets you specify that the virtual column expression is unusable for evaluating queries in one or more editions. The remaining editions form a range of editions in which it is safe for the optimizer to use the virtual column expression to evaluate queries.

For example, suppose you define a function-based index on the virtual column. The optimizer can use the function-based index to evaluate queries that contain the virtual column expression in their `WHERE` clause. If a query is compiled in an edition that is in the usable range of editions for the virtual column, then the optimizer will consider using the index to evaluate the query. If a query is compiled in an edition outside the usable range of editions for the virtual column, then the optimizer will not consider using the index.

#### See Also:

*Oracle Database Concepts* for more information on optimization with function-based indexes

### **UNUSABLE BEFORE Clause**

This clause lets you specify that the virtual column expression is unusable for evaluating queries in the ancestors of an edition.

- If you specify `CURRENT EDITION`, then the virtual column expression is unusable in the ancestors of the edition in which this DDL statement is executed.
- If you specify `EDITION edition`, then the virtual column expression is unusable in the ancestors of the specified *edition*.

### UNUSABLE BEGINNING WITH Clause

This clause lets you specify that the virtual column expression is unusable for evaluating queries in an edition and its descendants.

- If you specify `CURRENT EDITION`, then the virtual column expression is unusable in the edition in which this DDL statement is executed and its descendants.
- If you specify `EDITION edition`, then the virtual column expression is unusable in the specified *edition* and its descendants.
- Specifying `NULL EDITION` is equivalent to omitting the `UNUSABLE BEGINNING WITH` clause.

If an edition specified in this clause is subsequently dropped, there is no effect on the virtual column.

### Notes on Virtual Columns

- If *column\_expression* refers to a column on which column-level security is implemented, then the virtual column does not inherit the security rules of the base column. In such a case, you must ensure that data in the virtual column is protected, either by duplicating a column-level security policy on the virtual column or by applying a function that implicitly masks the data. For example, it is common for credit card numbers to be protected by a column-level security policy, while still allowing call center employees to view the last four digits of the credit card number for validation purposes. In such a case, you could define the virtual column to take a substring of the last four digits of the credit card number.
- A table index defined on a virtual column is equivalent to a function-based index on the table.
- You cannot directly update a virtual column. Thus, you cannot specify a virtual column in the `SET` clause of an `UPDATE` statement. However, you can specify a virtual column in the `WHERE` clause of an `UPDATE` statement. Likewise, you can specify a virtual column in the `WHERE` clause of a `DELETE` statement to delete rows from a table based on the derived value of the virtual column.
- A query that specifies in its `FROM` clause a table containing a virtual column is eligible for result caching. Refer to "[RESULT\\_CACHE Hint](#)" for more information on result caching.
- The *column\_expression* can refer to a PL/SQL function if the function is explicitly designated `DETERMINISTIC` during its creation. However, if the function is subsequently replaced, definitions dependent on the virtual column are not invalidated. In such a case, if the table contains data, queries that reference the virtual column may return incorrect results if the virtual column is used in the definition of constraints, indexes, or materialized views or for result caching. Therefore, in order to replace the deterministic PL/SQL function for a virtual column.
  - Disable and re-enable any constraints on the virtual column.
  - Rebuild any indexes on the virtual column.

- Fully refresh materialized views accessing the virtual column.
- Flush the result cache if cached queries have accessed the virtual column.
- Regather statistics on the table.
- A virtual column can be an `INVISIBLE` column. The `column_expression` can contain `INVISIBLE` columns.

### Restrictions on Virtual Columns

- You can create virtual columns only in relational heap tables. Virtual columns are not supported for index-organized, external, object, cluster, or temporary tables.
- The `column_expression` in the `AS` clause has the following restrictions:
  - It cannot refer to another virtual column by name.
  - Any columns referenced in `column_expression` must be defined on the same table.
  - It can refer to a deterministic user-defined function, but if it does, then you cannot use the virtual column as a partitioning key column.
  - The output of `column_expression` must be a scalar value.

#### See Also:

"[Column Expressions](#)" for additional information and restrictions on `column_expression`

- The virtual column cannot be an Oracle supplied data type, a user-defined type, or LOB or `LONG RAW`.
- You cannot specify a call to a PL/SQL function in the defining expression for a virtual column that you want to use as a partitioning column.

#### See Also:

"[Adding a Virtual Table Column: Example](#)" and *Oracle Database Administrator's Guide* for examples of creating tables with virtual columns

### ***period\_definition***

Use the `period_definition` clause to create a valid time dimension for `table`.

This clause implements Temporal Validity support for `table`. If you specify this clause, then one column in `table`, the start time column, contains a start date or timestamp, and another column in `table`, the end time column, contains an end date or timestamp. These two columns define a valid time dimension for `table`—that is, a period of time for which each row is considered valid. You can use Oracle Flashback Query to retrieve rows from `table` based on whether they are considered valid as of a specified time, before a specified time, or during a specified time period.

You can specify at most one valid time dimension when you create a table. You can subsequently add additional valid time dimensions to a table with the `add_period_clause` of `ALTER TABLE`.

***valid\_time\_column***

Specify the name of the valid time dimension. The name must satisfy the requirements listed in "Database Object Naming Rules ". Oracle Database creates an `INVISIBLE` virtual column with this name of data type `NUMBER` in *table*.

***start\_time\_column* and *end\_time\_column***

You can optionally specify these clauses as follows:

- Use *start\_time\_column* to specify the name of the start time column, which contains the start date or timestamp.
- Use *end\_time\_column* to specify the name of the end time column, which contains the end date or timestamp.

The names you specify for *start\_time\_column* and *end\_time\_column* must satisfy the requirements listed in "Database Object Naming Rules ".

If you specify these clauses, then you must define *start\_time\_column* and *end\_time\_column* in the *column\_definition* clause of `CREATE TABLE`. Each column must be of a datetime data type (`DATE`, `TIMESTAMP`, `TIMESTAMP WITH TIME ZONE`, or `TIMESTAMP WITH LOCAL TIME ZONE`) and can be `VISIBLE` or `INVISIBLE`.

If you do not specify these clauses, then Oracle Database creates a start time column named *valid\_time\_column\_START*, and an end time column named *valid\_time\_column\_END*. These columns are of data type `TIMESTAMP WITH TIME ZONE` and are `INVISIBLE`.

You can insert and update values in the start time column and end time column as you would any column, with the following considerations:

- If the value of the start time column is `NULL`, then the row is considered valid for all time values that occur before, but not including, the value of the end time column.
- If the value of the end time column is `NULL`, then the row is considered valid for all time values that occur on or after the value of the start time column.
- If the value of neither column is `NULL`, then the value of the start time column must be earlier than the value of the end time column. The row is considered valid for all time values that occur on or after the value of the start time column, and up to, but not including, the value of the end time column.
- If the value of both columns is `NULL`, then the row is considered valid for all time values.

**Restrictions on Valid Time Dimension Columns**

The following restrictions apply to valid time dimension columns:

- The *valid\_time\_column* is for internal use only. You cannot perform DDL or DML operations on it with one exception: You can drop the column by using the *drop\_period\_clause* of `ALTER TABLE`.
- You can drop the start time column and end time column only by using the *drop\_period\_clause* of `ALTER TABLE`.
- If the start time column and end time column are automatically created by Oracle Database, then they are `INVISIBLE` and you cannot subsequently make them `VISIBLE`.

 **See Also:**

- *Oracle Database Development Guide* for more information on Temporal Validity
- SELECT *flashback\_query\_clause* for more information on Oracle Flashback Query
- ALTER TABLE *add\_period\_clause* and *drop\_period\_clause* for information how to add and drop a valid time dimension

### Constraint Clauses

Use these clauses to create constraints on the table columns. You must specify a `PRIMARY KEY` constraint for an index-organized table, and it cannot be `DEFERRABLE`. Refer to [constraint](#) for syntax and description of these constraints as well as examples.

#### *inline\_ref\_constraint* and *out\_of\_line\_ref\_constraint*

These clauses let you describe a column of type `REF`. The only difference between these clauses is that you specify *out\_of\_line\_ref\_constraint* from the table level, so you must identify the `REF` column or attribute you are defining. Specify *inline\_ref\_constraint* as part of the definition of the `REF` column or attribute.

 **See Also:**

"REF Constraint Examples"

#### *inline\_constraint*

Use the *inline\_constraint* to define an integrity constraint as part of the column definition.

You can create `UNIQUE`, `PRIMARY KEY`, and `REFERENCES` constraints on scalar attributes of object type columns. You can also create `NOT NULL` constraints on object type columns and `CHECK` constraints that reference object type columns or any attribute of an object type column.

#### *out\_of\_line\_constraint*

Use the *out\_of\_line\_constraint* syntax to define an integrity constraint as part of the table definition.

#### *supplemental\_logging\_props*

The *supplemental\_logging\_props* clause lets you instruct the database to put additional data into the log stream to support log-based tools.

#### *supplemental\_log\_grp\_clause*

Use this clause to create a named log group.

- The `NO LOG` clause lets you omit from the redo log one or more columns that would otherwise be included in the redo for the named log group. You must specify at least one fixed-length column without `NO LOG` in the named log group.

- If you specify `ALWAYS`, then during an update, the database includes in the redo all columns in the log group. This is called an **unconditional log group** (sometimes called an "always log group"), because Oracle Database supplementally logs all the columns in the log group when the associated row is modified. If you omit `ALWAYS`, then the database supplementally logs all the columns in the log group only if any column in the log group is modified. This is called a **conditional log group**.

You can query the appropriate `USER_`, `ALL_`, or `DBA_LOG_GROUP_COLUMNS` data dictionary view to determine whether any supplemental logging has already been specified.

### ***supplemental\_id\_key\_clause***

Use this clause to specify that all or a combination of the primary key, unique key, and foreign key columns should be supplementally logged. Oracle Database will generate either an **unconditional log group** or a **conditional log group**. With an unconditional log group, the database supplementally logs all the columns in the log group when the associated row is modified. With a conditional log group, the database supplementally logs all the columns in the log group only if any column in the log group is modified.

- If you specify `ALL COLUMNS`, then the database includes in the redo log all the fixed-length maximum size columns of that row. Such a redo log is a system-generated unconditional log group.
- If you specify `PRIMARY KEY COLUMNS`, then for all tables with a primary key, the database places into the redo log all columns of the primary key whenever an update is performed. Oracle Database evaluates which columns to supplementally log as follows:
  - First the database chooses columns of the primary key constraint, if the constraint is validated or marked `RELY` and is not marked as `DISABLED` or `INITIALLY DEFERRED`.
  - If no primary key columns exist, then the database looks for the smallest `UNIQUE` index with at least one `NOT NULL` column and uses the columns in that index.
  - If no such index exists, then the database supplementally logs all scalar columns of the table.
- If you specify `UNIQUE COLUMNS`, then for all tables with a unique key or a bitmap index, if any of the unique key or bitmap index columns are modified, the database places into the redo log all other columns belonging to the unique key or bitmap index. Such a log group is a system-generated conditional log group.
- If you specify `FOREIGN KEY COLUMNS`, then for all tables with a foreign key, if any foreign key columns are modified, the database places into the redo log all other columns belonging to the foreign key. Such a redo log is a system-generated conditional log group.

If you specify this clause multiple times, then the database creates a separate log group for each specification. You can query the appropriate `USER_`, `ALL_`, or `DBA_LOG_GROUPS` data dictionary view to determine whether any supplemental logging data has already been specified.

### ***immutable\_table\_clauses***

You must specify this clause when you create an immutable table.

### **Example: Create an Immutable Table**



The following example creates an immutable table named *trade\_ledger* in your user schema. The immutable table can be dropped only after 40 days of inactivity. Rows cannot be deleted until 100 days after they have been inserted.

```
CREATE IMMUTABLE TABLE trade_ledger (tr_id NUMBER, user_name VARCHAR2(40),
tr_value NUMBER)

        NO DROP UNTIL 40 DAYS IDLE

        NO DELETE UNTIL 100 DAYS AFTER INSERT;
```

### ***blockchain\_table\_clauses***

When you create a blockchain table, you must specify the *blockchain\_table\_clauses*:

- *blockchain\_drop\_table\_clause*
- *blockchain\_row\_retention\_clause*
- *blockchain\_hash\_clause*
- *blockchain\_data\_format\_clause*

### ***blockchain\_drop\_table\_clause***

```
NO DROP [ UNTIL integer DAYS IDLE ]
```

Use *integer* to specify the number of days that the blockchain table must be idle (i.e. have no rows inserted). The minimum idle retention period is 0 days, but the recommended idle retention period is 16 days.

You can specify this clause in two ways:

- `NO DROP` means that the blockchain table cannot be dropped.
- `NO DROP UNTIL integer DAYS IDLE` means that the blockchain table cannot be dropped, if the newest row is less than *integer* of days old.

### ***blockchain\_row\_retention\_clause***

```
NO DELETE [ LOCKED ]
| NO DELETE UNTIL integer DAYS AFTER INSERT [LOCKED]
```

- *integer* specifies the idle retention period for inserted rows before they can be deleted. The minimum idle retention period for inserted rows is 16 days.
- If you specify `LOCKED`, then you cannot change the retention period using `ALTER TABLE`.
- If you do not specify `LOCKED` in the clause `UNTIL number DAYS AFTER INSERT`, then you can change the retention period using `ALTER TABLE`, but only to a value higher than the previous retention period.
- If you specify `NO DELETE LOCKED`, then you cannot delete any rows from this table. But you can drop the entire table if the table is inactive for more than the number of days specified in the *blockchain\_drop\_table\_clause*.

### ***blockchain\_hash\_clause***

```
HASHING USING sha2_512
```

You must specify this clause last after *blockchain\_drop\_table\_clause* and *blockchain\_row\_retention\_clause* when you create a blockchain table.

You cannot specify this clause to modify a blockchain table using the ALTER TABLE statement.

### ***blockchain\_row\_version\_user\_chain\_clause***

#### **WITH ROW VERSION**

This clause is optional and can only be specified on VERSION V2 blockchain tables. You can specify at most three user-defined columns with the clause. The name of the row version sequence identified by *row\_version\_name* is used to verify the user chain. The types of the columns are restricted to NUMBER, CHAR, VARCHAR2, and RAW. When the clause is specified, rows with identical values in the specified user-defined columns are sequenced using the Oracle managed hidden column ORABCTAB\_ROW\_VERSION\$.

#### **Example: Row Versions**

```
CREATE BLOCKCHAIN TABLE bank_ledger (bank VARCHAR2(128), account_no NUMBER,
deposit_date DATE, deposit_amount NUMBER)
    NO DROP UNTIL 31 DAYS IDLE
    NO DELETE LOCKED
    HASHING USING SHA2_512 WITH ROW VERSION ACCOUNT_NO (bank, account_no)
VERSION V2;
```

#### **AND USER CHAIN**

The optional AND USER CHAIN clause can only be specified on VERSION V2 blockchain tables as part of the WITH ROW VERSION clause. It extends the functionality offered by the row versions and links these rows in a separate (user) blockchain. At most three user-defined columns can be specified to define a user chain. The name of the user chain is that specified in the WITH ROW VERSION clause. The sequencing of the rows in the user chain is accomplished using column ORABCTAB\_ROW\_VERSION\$. The crypto hash is maintained in column ORABCTAB\_USER\_CHAIN\_HASH\$. Note, that ORABCTAB\_USER\_CHAIN\_HASH\$ is not signed in V2 blockchain tables. Only the system crypto hash can be signed (with signature stored in ORABCTAB\_SIGNATURE\$ or ORABCTAB\_DELEGATE\_SIGNATURE\$ column).

#### **Example: AND USER CHAIN**

```
CREATE BLOCKCHAIN TABLE bank_ledger (bank VARCHAR2(128), account_no NUMBER,
deposit_date DATE, deposit_amount NUMBER)
    NO DROP UNTIL 31 DAYS IDLE
    NO DELETE LOCKED
    HASHING USING SHA2_512 WITH ROW VERSION AND USER CHAIN bank_accounts
(bank, account_no) VERSION V2;
```

### ***blockchain\_system\_chains\_clause***

Specify this clause to override the default of 32 system chains per instance. The number of system chains configured by this clause must be between 1 and 1024.

### ***blockchain\_data\_format\_clause***

You must specify the version when you create a blockchain table, either V1 or V2. Version V2 creates additional Oracle managed hidden columns than V1.

You cannot use ALTER TABLE to convert version from V1 to V2 and vice versa.

### Example: HASHING and VERSION

```
CREATE BLOCKCHAIN TABLE bank_ledger (bank VARCHAR2(128), deposit_date DATE,  
deposit_amount NUMBER)  
    NO DROP UNTIL 31 DAYS IDLE  
    NO DELETE LOCKED  
    HASHING USING SHA2_512 VERSION V2;
```

### DEFAULT COLLATION

This clause lets you specify the default collation for the table. The default collation is assigned to columns of the table that are of a character data type and are created with this statement or subsequently added to the table with an `ALTER TABLE` statement. For *collation\_name*, specify a valid named collation or pseudo-collation.

If you omit this clause, then the default collation for the table is set to the effective schema default collation of the schema containing the table. Refer to the [DEFAULT\\_COLLATION](#) clause of `ALTER SESSION` for more information on the effective schema default collation.

You can override the table's default collation and assign a data-bound collation to a particular column by specifying the `COLLATE` clause in the *column\_definition* or *virtual\_column\_definition* clause of `CREATE TABLE` or `ALTER TABLE`, or the *modify\_col\_properties* or *modify\_virtcol\_properties* clause of `ALTER TABLE`.

You can specify the `DEFAULT COLLATION` clause only if the `COMPATIBLE` initialization parameter is set to 12.2 or greater, and the `MAX_STRING_SIZE` initialization parameter is set to `EXTENDED`.

### Restriction on Collation for CLOB and NCLOB Columns

If a column has the data type of `CLOB` or `NCLOB`, then its specified collation must be `USING_NLS_COMP`. The collation of `CLOB` and `NCLOB` columns is always `USING_NLS_COMP` and is not affected by the default collation for the table.

#### See Also:

*Oracle Database Globalization Support Guide* for full information on default collations and data-bound collations

### ON COMMIT

The `ON COMMIT` clause is relevant only if you are creating a global temporary table. This clause specifies whether the data in the temporary table persists for the duration of a transaction or a session.

### DELETE ROWS

Specify `DELETE ROWS` for a transaction-specific temporary table. This is the default. Oracle Database will truncate the table (delete all its rows) after each commit.

### PRESERVE ROWS

Specify `PRESERVE ROWS` for a session-specific temporary table. Oracle Database will truncate the table (delete all its rows) when you terminate the session.

You can define the scope of a private temporary table using `ON COMMIT`. Use `DROP DEFINITION` to define a transaction-specific table and `PRESERVE DEFINITION` to define a session-specific table .

### DROP DEFINITION

Specify `DROP DEFINITION` to create a private temporary table whose content and definition are dropped when the transaction commits. The scope of this private temporary table is limited to the transaction. This is the default.

### PRESERVE DEFINITION

Specify `PRESERVE DEFINITION` to create a private temporary table whose definition is preserved when the transaction commits. The scope of this private temporary table is extended to the session.

### *physical\_properties*

The physical properties relate to the treatment of extents and segments and to the storage characteristics of the table.

### INTERNAL | EXTERNAL

Use the keyword `INTERNAL` to indicate an internal partition. This is the default. Use the keyword `EXTERNAL` to indicate an external partition.

### *deferred\_segment\_creation*

Use this clause to determine when the database should create the segment(s) for this table:

- `SEGMENT CREATION DEFERRED`: This clause defers creation of the table segment — as well as segments for any LOB columns of the table, any indexes created implicitly as part of table creation, and any indexes subsequently explicitly created on the table — until the first row of data is inserted into the table. At that time, the segments for the table, LOB columns and indexes, and explicitly created indexes are all materialized and inherit any storage properties specified in this `CREATE TABLE` statement or, in the case of explicitly created indexes, the `CREATE INDEX` statement. These segments are created regardless whether the initial insert operation is uncommitted or rolled back. This is the default value.

#### **Caution:**

When creating many tables with deferred segment creation, ensure that you allocate enough space for your database so that when the first rows are inserted, there is enough space for all the new segments.

- `SEGMENT CREATION IMMEDIATE`: The table segment is created as part of this `CREATE TABLE` statement.

Immediate segment creation is useful, for example, if your application depends upon the object appearing in the `DBA_`, `USER_`, and `ALL_SEGMENTS` data dictionary views, because the object will not appear in those views until the segment is created. This clause overrides the setting of the `DEFERRED_SEGMENT_CREATION` initialization parameter.

To determine whether a segment has been created for an existing table or its LOB columns or indexes, query the `SEGMENT_CREATED` column of `USER_TABLES`, `USER_INDEXES`, or `USER_LOBS`.

### Notes on Tables Without Segments

The following rules apply to a table whose segment has not yet been materialized:

- If you create this table with `CREATE TABLE ... AS subquery`, then if the source table has no rows, segment creation of the new table is deferred. If the source table has rows, then segment creation of the new table is not deferred.
- If you specify `ALTER TABLE ... ALLOCATE EXTENT` before the segment is materialized, then the segment is materialized and then an extent is allocated. However the `ALLOCATE EXTENT` clause in a DDL statement on any indexes of the table will return an error.
- In a DDL statement on the table or its LOB columns or indexes, any specification of `DEALLOCATE UNUSED` is silently ignored.
- `ONLINE` operations on indexes of a table or table partition without a segment will silently be disabled; that is, they will proceed `OFFLINE`.
- If any of the following DDL statements are executed on a table with one or more LOB columns, then the resulting partition(s) or subpartition(s) will be materialized:
  - `ALTER TABLE SPLIT [SUB]PARTITION`
  - `ALTER TABLE MERGE [SUB]PARTITIONS`
  - `ALTER TABLE ADD [SUB]PARTITION` (hash partitions only)
  - `ALTER TABLE COALESCE [SUB]PARTITION` (hash partitions only)

### Restrictions on Deferred Segment Creation

This clause is subject to the following restrictions:

- You cannot defer segment creation for the following types of tables: clustered tables, global temporary tables, session-specific temporary tables, internal tables, external tables, and tables owned by `SYS`, `SYSTEM`, `PUBLIC`, `OUTLN`, or `XDB`.
- Deferred segment creation is not supported in dictionary-managed tablespaces.
- Deferred segment creation is not supported in the `SYSTEM` tablespace.
- Serializable transactions do not work with deferred segment creation. Trying to insert data into an empty table with no segment created causes an error.

#### See Also:

*Oracle Database Concepts* for general information on segment allocation and  
*Oracle Database Reference* for more information about the  
`DEFERRED_SEGMENT_CREATION` initialization parameter

### *segment\_attributes\_clause*

The *segment\_attributes\_clause* lets you specify physical attributes and tablespace storage for the table.

### *physical\_attributes\_clause*

The *physical\_attributes\_clause* lets you specify the value of the `PCTFREE`, `PCTUSED`, and `INITRANS` parameters and the storage characteristics of the table.

- For a nonpartitioned table, each parameter and storage characteristic you specify determines the actual physical attribute of the segment associated with the table.
- For partitioned tables, the value you specify for the parameter or storage characteristic is the default physical attribute of the segments associated with all partitions specified in this `CREATE` statement (and in subsequent `ALTER TABLE ... ADD PARTITION` statements), unless you explicitly override that value in the `PARTITION` clause of the statement that creates the partition.

If you omit this clause, then Oracle Database sets `PCTFREE` to 10, `PCTUSED` to 40, and `INITRANS` to 1.



#### See Also:

- [physical\\_attributes\\_clause](#) and [storage\\_clause](#) for a description of these clauses
- ["Creating a Table: Storage Example"](#)

## TABLESPACE

Specify the tablespace in which Oracle Database creates the table, object table `OIDINDEX`, partition, LOB data segment, LOB index segment, or index-organized table overflow data segment. If you omit `TABLESPACE`, then the database creates that item in the default tablespace of the owner of the schema containing the table.

For a heap-organized table with one or more LOB columns, if you omit the `TABLESPACE` clause for LOB storage, then the database creates the LOB data and index segments in the tablespace where the table is created.

For an index-organized table with one or more LOB columns, if you omit `TABLESPACE`, then the LOB data and index segments are created in the tablespace in which the primary key index segment of the index-organized table is created.

For nonpartitioned tables, the value specified for `TABLESPACE` is the actual physical attribute of the segment associated with the table. For partitioned tables, the value specified for `TABLESPACE` is the default physical attribute of the segments associated with all partitions specified in the `CREATE` statement and on subsequent `ALTER TABLE ... ADD PARTITION` statements, unless you specify `TABLESPACE` in the `PARTITION` description.



#### See Also:

- [CREATE TABLESPACE](#) for more information on tablespaces

## TABLESPACE SET

This clause is valid only when creating a sharded table by specifying the `SHARDED` keyword of `CREATE TABLE`. Use this clause to specify the tablespace set in which Oracle Database creates the table.

You can only associate a tablespace set with one table family when you use the `CREATE SHARDED TABLE` statement. If you try to use a tablespace set with more than one table family, an error will be thrown .

### ***logging\_clause***

Specify whether the creation of the table and of any indexes required because of constraints, partition, or LOB storage characteristics will be logged in the redo log file (`LOGGING`) or not (`NOLOGGING`). The logging attribute of the table is independent of that of its indexes.

This attribute also specifies whether subsequent direct loader (SQL\*Loader) and direct-path `INSERT` operations against the table, partition, or LOB storage are logged (`LOGGING`) or not logged (`NOLOGGING`).

Refer to [logging\\_clause](#) for a full description of this clause.

### ***table\_compression***

The *table\_compression* clause is valid only for heap-organized tables. Use this clause to instruct the database whether to compress data segments to reduce disk use. The `COMPRESS` clauses enable table compression. The `NOCOMPRESS` clause disables table compression. The default is `NOCOMPRESS`.

## **COMPRESS**

Specifying only the keyword `COMPRESS` is equivalent to specifying `ROW STORE COMPRESS BASIC` and enables basic table compression.

## **ROW STORE COMPRESS BASIC**

When you enable table compression by specifying either `ROW STORE COMPRESS` or `ROW STORE COMPRESS BASIC`, you enable **basic table compression**. Oracle Database attempts to compress data during direct-path `INSERT` operations when it is productive to do so. The original import utility (`imp`) does not support direct-path `INSERT`, and therefore cannot import data in a compressed format.

Tables with basic table compression use a `PCTFREE` value of 0 to maximize compression, unless you explicitly set a value for `PCTFREE` in the *physical\_attributes\_clause*.

In earlier releases, basic table compression was enabled using `COMPRESS BASIC`. This syntax is still supported for backward compatibility.

### See Also:

"[Conventional and Direct-Path INSERT](#)" for information on direct-path `INSERT` operations, including restrictions

## **ROW STORE COMPRESS ADVANCED**

When you enable table compression by specifying `ROW STORE COMPRESS ADVANCED`, you enable **Advanced Row Compression**. Oracle Database compresses data during all DML operations on the table. This form of compression is recommended for OLTP environments.

Tables with `ROW STORE COMPRESS ADVANCED` or `NOCOMPRESS` use the `PCTFREE` default value of 10, to maximize compress while still allowing for some future DML changes to the data, unless you override this default explicitly.

In earlier releases, Advanced Row Compression was called OLTP table compression and was enabled using `COMPRESS FOR OLTP`. This syntax is still supported for backward compatibility.

### **COLUMN STORE COMPRESS FOR { QUERY | ARCHIVE }**

When you specify `COLUMN STORE COMPRESS FOR QUERY` or `COLUMN STORE COMPRESS FOR ARCHIVE`, you enable **Hybrid Columnar Compression**. With Hybrid Columnar Compression, data can be compressed during direct-path inserts, conventional inserts, and array inserts. During the load process, data is transformed into a column-oriented format and then compressed. Oracle Database uses a compression algorithm appropriate for the level you specify. In general, the higher the level, the greater the compression ratio. Hybrid Columnar Compression can result in higher compression ratios, at a greater CPU cost. Therefore, this form of compression is recommended for data that is not frequently updated.

`COLUMN STORE COMPRESS FOR QUERY` is useful in data warehousing environments. Valid values are `LOW` and `HIGH`, with `HIGH` providing a higher compression ratio. The default is `HIGH`.

`COLUMN STORE COMPRESS FOR ARCHIVE` uses higher compression ratios than `COLUMN STORE COMPRESS FOR QUERY`, and is useful for compressing data that will be stored for long periods of time. Valid values are `LOW` and `HIGH`, with `HIGH` providing the highest possible compression ratio. The default is `LOW`.

Specifying `COLUMN STORE COMPRESS` is equivalent to specifying `COLUMN STORE COMPRESS FOR QUERY HIGH`.

Tables with `COLUMN STORE COMPRESS FOR QUERY` or `COLUMN STORE COMPRESS FOR ARCHIVE` use a `PCTFREE` value of 0 to maximize compression, unless you explicitly set a value for `PCTFREE` in the *physical\_attributes\_clause*. For these tables, `PCTFREE` has no effect for blocks loaded using direct-path `INSERT`. `PCTFREE` is honored for blocks loaded using conventional `INSERT`, and for blocks created as a result of DML operations on blocks originally loaded using direct-path `INSERT`.

### **[NO] ROW LEVEL LOCKING**

If you specify `ROW LEVEL LOCKING`, then Oracle Database uses row-level locking during DML operations. This improves the performance of these operations when accessing Hybrid Columnar Compressed data. If you specify `NO ROW LEVEL LOCKING`, then row-level locking is not used. The default is `NO ROW LEVEL LOCKING`.

In earlier releases, Hybrid Columnar Compression was enabled using `COMPRESS FOR QUERY` and `COMPRESS FOR ARCHIVE`. This syntax is still supported for backward compatibility.



 **See Also:**

*Oracle Database Concepts* for more information on Hybrid Columnar Compression, which is a feature of certain Oracle storage systems

### Notes on Table Compression

You can specify table compression for the following portions of a heap-organized table:

- For an entire table, in the *physical\_properties* clause of *relational\_table* or *object\_table*
- For a range partition, in the *table\_partition\_description* of the *range\_partitions* clause
- For a composite range partition, in the *table\_partition\_description* of the *range\_partition\_desc* clause
- For a composite list partition, in the *table\_partition\_description* of the *list\_partition\_desc* clause
- For a list partition, in the *table\_partition\_description* of the *list\_partitions* clause
- For a system or reference partition, in the *table\_partition\_description* of the *reference\_partition\_desc* clause
- For the storage table of a nested table, in the *nested\_table\_col\_properties* clause

 **See Also:**

*Oracle Database PL/SQL Packages and Types Reference* for information about the `DBMS_COMPRESSION` package, which helps you choose the correct compression level for an application, and *Oracle Database Administrator's Guide* for more information about table compression, including examples

### Restrictions on Table Compression

Table compression is subject to the following restrictions:

- Data segments of BasicFiles LOBs are not compressed. For information on compression of SecureFiles LOBs, see [LOB\\_compression\\_clause](#).
- You cannot drop a column from a table that uses `COMPRESS BASIC`, although you can set such a column as unused. All of the operations of the `ALTER TABLE ... drop_column_clause` are valid for tables that use `ROW STORE COMPRESS ADVANCED`, `COLUMN STORE COMPRESS FOR QUERY`, and `COLUMN STORE COMPRESS FOR ARCHIVE`.
- You cannot specify any type of table compression for an index-organized table, any overflow segment or partition of an overflow segment, or any mapping table segment of an index-organized table.
- You cannot specify any type of table compression for external tables or for tables that are part of a cluster.

- You cannot specify any type of table compression for tables with `LONG` or `LONG RAW` columns, tables that are owned by the `SYS` schema and reside in the `SYSTEM` tablespace, or tables with `ROWDEPENDENCIES` enabled.
- You cannot specify Hybrid Columnar Compression on tables that are enabled for flashback archiving.
- You cannot specify Hybrid Columnar Compression on the following object-relational features: object tables, `XMLType` tables, columns with abstract data types, collections stored as tables, or `OPAQUE` types, including `XMLType` columns stored as objects.
- When you update a row in a table compressed with Hybrid Columnar Compression, the `ROWID` of the row may change.
- In tables compressed with Hybrid Columnar Compression, updates to a single row may result in locks on multiple rows. Concurrency for write transactions may therefore be affected.
- If a table compressed with Hybrid Columnar Compression has a foreign key constraint, and you insert data using `INSERT` with the `APPEND` hint, then the data will be compressed to a lesser level than is typical with Hybrid Columnar Compression. To compress the data with Hybrid Columnar Compression, disable the foreign key constraint, insert the data using `INSERT` with the `APPEND` hint, and then reenable the foreign key constraint.

### *inmemory\_table\_clause*

Use this clause to enable or disable the table for the In-Memory Column Store (IM column store). The IM column store is an optional, static SGA pool that stores copies of tables and partitions in a special columnar format optimized for rapid scans. The IM column store does not replace the buffer cache, but acts as a supplement so that both memory areas can store the same data in different formats.

- Specify `INMEMORY` to enable the table for the IM column store.  
  
You can optionally use the *inmemory\_attributes* clause to specify how table data is stored in the IM column store. This clause enables you to specify the data compression method and the data population priority. In an Oracle RAC environment, it also enables you to specify how the data is distributed and duplicated across Oracle RAC instances. Refer to the *inmemory\_attributes* clause for more information.
- Specify `NO INMEMORY` to disable the table for the IM column store.
- Specify the *inmemory\_column\_clause* to enable or disable specific table columns for the IM column store, and to specify the data compression method for specific columns. Refer to the *inmemory\_clause* for more information.
- Specify `INMEMORY ALL` to mark all columns as in-memory. Specify `NO INMEMORY ALL` to mark all columns as not in-memory. These options are applied first to table columns before other inmemory column clauses.

You cannot specify `INMEMORY ALL` and `NO INMEMORY ALL` in the same DDL.

If you omit this clause, then the table is assigned the default IM column store settings for the tablespace in which it is created. Refer to the *inmemory\_clause* of `CREATE TABLESPACE` for more information on specifying the default IM column store settings for a tablespace.

In an Oracle Active Data Guard environment, if you specify this clause for a table on the primary database, then the table is enabled or disabled for the IM column store in the Oracle Active Data Guard instance.

 **Note:**

The `INMEMORY_CLAUSE_DEFAULT` initialization parameter enables you to specify a default IM column store clause for new tables and materialized views. Refer to *Oracle Database Reference* for more information on the `INMEMORY_CLAUSE_DEFAULT` initialization parameter.

### Restrictions on the In-Memory Column Store

The following restrictions apply to the In-Memory Column Store:

- You cannot specify the `INMEMORY` clause for index-organized tables.
- You cannot specify the `INMEMORY` clause for tables that are owned by the `SYS` schema and reside in the `SYSTEM` or `SYSAUX` tablespace.
- Starting with Oracle Database 18c, you can specify the `INMEMORY` clause for external tables. You must set the `QUERY_REWRITE_INTEGRITY` initialization parameter to `stale_tolerated` for the DDL to parse correctly. The policy may not be changed via `ALTER` to anything other than `stale_tolerated` if `INMEMORY` is specified.
- The IM column store does not support `LONG` or `LONG RAW` columns, out-of-line columns (LOBs, varrays, nested table columns), or extended data type columns. If you enable a table for the IM column store and it contains any of these types of columns, then the columns will not be populated in the IM column store.
- If you enable a table for the IM column store and it contains a virtual column, then the column will be populated in the IM column store only if the value of the `INMEMORY_VIRTUAL_COLUMNS` initialization parameter is `ENABLED` and the SQL expression for the virtual column refers only to columns that are enabled for the IM column store.

 **See Also:**

*Oracle Database In-Memory Guide* for an overview of the IM column store

#### *inmemory\_attributes*

Use the `inmemory_memcompress`, `inmemory_priority`, `inmemory_distribute`, and `inmemory_duplicate` clauses to specify how table data is stored in the IM column store.

Specify the `inmemory_spatial` clause to apply inmemory attributes to spatial columns of type `SDO_GEOMETRY`.

#### *inmemory\_memcompress*

Use this clause to specify the compression method for table data stored in the IM column store. This data is called In-Memory data.

To instruct the database to not compress In-Memory data, specify `NO MEMCOMPRESS`.

Specify `MEMCOMPRESS AUTO` to instruct the database to manage the segment including actions like evict, recompress, and populate.

To instruct the database to compress In-Memory data, specify `MEMCOMPRESS FOR` followed by one of the following methods:

- `DML` - This method is optimized for DML operations and performs little or no data compression.
- `QUERY` - Specifying `QUERY` is equivalent to specifying `QUERY LOW`.
- `QUERY LOW` - This method compresses In-Memory data the least (except for `DML`) and results in the best query performance. This is the default.
- `QUERY HIGH` - This method compresses In-Memory data more than `QUERY LOW`, but less than `CAPACITY LOW`.
- `CAPACITY` - Specifying `CAPACITY` is equivalent to specifying `CAPACITY LOW`.
- `CAPACITY LOW` - This method compresses In-Memory data more than `QUERY HIGH`, but less than `CAPACITY HIGH`, and results in excellent query performance.
- `CAPACITY HIGH` - This method compresses In-Memory data the most and results in good query performance.

Any `memcompress` level can be specified via DDL, but will be ignored during population. All In-Memory Compression Units (IMCUs) will be populated as `QUERY LOW` transparently.

### *inmemory\_priority*

Use the `PRIORITY` clause to specify the data population priority for table data in the IM column store. This clause controls the priority of population, but not the speed of population.

- Specify `NONE` for **on-demand population**. In this case, the database populates table data in the IM column store when the table it is accessed through a full table scan. If the table is never accessed, or if it is accessed only through an index scan or fetch by rowid, then population never occurs. This is the default.
- Specify one of the following priority levels for **priority-based population**: `LOW`, `MEDIUM`, `HIGH`, or `CRITICAL`. In this case, the database automatically populates table data in the IM column store using an internally managed priority queue; a full scan is not a necessary condition for population. The database queues population of the table data based on the specified priority level. For example, a table with the setting `INMEMORY PRIORITY CRITICAL` takes precedence over a table with the setting `INMEMORY PRIORITY HIGH`, which in turn takes precedence over a table with the setting `INMEMORY PRIORITY LOW`, and so on. If the IM column store has insufficient space, then the database does not populate additional table data until space is available.

### *inmemory\_distribute*

The `DISTRIBUTE` clause is applicable only if you are using Oracle Real Application Clusters (Oracle RAC) or Oracle Active Data Guard. It lets you specify how table data in the IM column store is distributed across Oracle RAC instances, and lets you specify the database instances in which the data is eligible to be populated.

### **AUTO and BY**

Use the `AUTO` and `BY` clauses to specify how table data in the IM column store is distributed across Oracle RAC instances. You can specify the following options:

- `AUTO` - Oracle Database controls how data is distributed across Oracle RAC instances. Large tables are distributed across Oracle RAC instances depending on their access patterns. Smaller tables may be distributed between instances. This is the default.
- `BY ROWID RANGE` - Data in certain ranges of rowids is distributed to different Oracle RAC instances.
- `BY PARTITION` - Data in partitions is distributed to different Oracle RAC instances.
- `BY SUBPARTITION` - Data in subpartitions is distributed to different Oracle RAC instances.

You can only use `AUTO` and `BY` to distribute the In-Memory Compression Units (IMCUs) for an object between instances in a single Oracle RAC database, not between a primary instance and standby instance in Active Data Guard.

### FOR SERVICE

Use the `FOR SERVICE` clause to specify the Oracle RAC or Oracle Active Data Guard instances in which the object is eligible to be populated. You can specify the following options:

- `DEFAULT` - The object is eligible for population on all instances specified with the `PARALLEL_INSTANCE_GROUP` initialization parameter. If this parameter is not set, then the object is populated on all instances. This is the default.
- `ALL` - The object is eligible for population on all instances, regardless of the value of the `PARALLEL_INSTANCE_GROUP` initialization parameter.
- `service_name` - The object is eligible for population only on instances belonging to the specified service and only when the service is active and not blocked on an instance.
- `NONE` - The object is not eligible for population on any instances. This option lets you disable IM column store population while preserving the other In-Memory attributes for the table. These attributes take effect if you subsequently enable IM column store population for the table by specifying `FOR SERVICE DEFAULT`, `FOR SERVICE ALL`, or `FOR SERVICE service_name` in the `inmemory_distribute` clause of an `ALTER TABLE` statement.

In Oracle RAC, the `FOR SERVICE` clause specifies the instances within the Oracle RAC database. In Active Data Guard, the primary and standby databases may use a single-instance or Oracle RAC configuration. In Active Data Guard, the `FOR SERVICE` clause specifies instances in the primary database, instances in the standby database, or a mixture of primary and standby instances.

### *inmemory\_duplicate*

The `DUPLICATE` clause is applicable only if you are using Oracle Real Application Clusters (Oracle RAC) on an engineered system. It controls how table data in the IM column store is duplicated across Oracle RAC instances. You can specify the following options:

- `DUPLICATE` - Data is duplicated on one Oracle RAC instance, resulting in the data existing on a total of two Oracle RAC instances.
- `DUPLICATE ALL` - Data is duplicated across all Oracle RAC instances. If you specify `DUPLICATE ALL`, then the database uses the `DISTRIBUTE AUTO` setting, regardless of whether or how you specify the `inmemory_distribute` clause.
- `NO DUPLICATE` - Data is not duplicated across Oracle RAC instances. This is the default.

***inmemory\_column\_clause***

Use this clause to enable or disable specific table columns for the IM column store, and to specify the data compression method for specific columns. If you specify this clause when creating a `NO INMEMORY` table, then the column settings will take effect when the table or partition is subsequently enabled for the IM column store.

- Specify `INMEMORY` to enable the specified table columns for the IM column store.

You can optionally use the *inmemory\_memcompress* clause to specify the data compression method for specific columns. See [inmemory\\_memcompress](#). If you omit the *inmemory\_memcompress* clause, then the table column uses the data compression method for the table. You cannot specify the `PRIORITY`, `DISTRIBUTE`, or `DUPLICATE` settings for a specific table column. These settings are the same for all table columns as they are for the table.

- Specify `NO INMEMORY` to disable the specified table columns for the IM column store.

If you omit the *inmemory\_column\_clause*, then all table columns use the IM column store settings for the table.

**Restrictions on *inmemory\_column\_clause***

- You cannot specify this clause for a `LONG` or `LONG RAW` column, an out-of-line column (`LOB`, `varray`, nested table column), or an extended data type column.
- To selectively enable a virtual column for the IM column store, the value of the `INMEMORY_VIRTUAL_COLUMNS` initialization parameter must be `ENABLED` or `MANUAL`, and the SQL expression for the virtual column must refer only to columns that are enabled for the IM column store.

***inmemory\_clause***

Use this clause to enable or disable a table partition for the IM column store. In order to specify this clause, the table must be enabled for the IM column store. If you omit this clause, then the table partition uses the IM column store settings for the table.

The *inmemory\_attributes* clause has the same semantics for table partitions as for tables. Refer to the [inmemory\\_attributes](#) clause for full information.

**INMEMORY TEXT**

Specify `INMEMORY TEXT` clause to enable IM full text columns. The `PRIORITY` clause has the same effect on population of IM full text columns as standard In-Memory columns. The default priority is `NONE`.

The `MEMCOMPRESS` clause is not valid with `INMEMORY TEXT`.

**Examples**

```
CREATE TABLE mydoc(id NUMBER, docCreationTime DATE, doc CLOB, json_doc JSON)
INMEMORY TEXT(DOC, JSON_DOC)
```

```
CREATE TABLE mydoc(id NUMBER, docCreationTime DATE, doc CLOB, json_doc JSON)
INMEMORY PRIORITY CRITICAL
      INMEMORY TEXT(DOC, JSON_DOC)
```

You can apply the `INMEMORY TEXT` clause to search non-scalar columns in an In-Memory table. This clause enables fast In-Memory searching of text, XML, or JSON documents using the `CONTAINS ()` or `JSON_TEXTCONTAINS ()` operators.

`INMEMORY TEXT ( column_name1, column_name2 )` specifies the list of columns to be enabled as IM full text. The columns must be of type `CHAR`, `VARCHAR2`, `CLOB`, `BLOB`, or `JSON`. `JSON` columns have `JSON_TEXTCONTAINS ()` automatically enabled.

`INMEMORY TEXT ( column_name1 USING policy1, column_name2 USING policy2 )` specifies the list of columns to be enabled as IM full text along with custom indexing policies. The columns must be of type `CHAR`, `VARCHAR2`, `CLOB`, or `BLOB`. You cannot use this clause with columns of type `JSON`.

You can use the `INMEMORY PRIORITY` clause to set the order in which objects are populated.



#### See Also:

IM Full Text Columns.

You can specify `INMEMORY` on non-partitioned tables using the `ORACLE_HIVE`, `ORACLE_HDFS`, and `ORACLE_BIGDATA` driver types.

#### *ilm\_clause*

Use this clause to add an Automatic Data Optimization policy to *table*.

This clause has the same semantics in `CREATE TABLE` and `ALTER TABLE`, with the following additional restriction: You can specify only the `ADD POLICY` clause for `CREATE TABLE`. Refer to the *ilm\_clause* for the full semantics of this clause.



#### See Also:

*Oracle Database VLDB and Partitioning Guide* for more information on managing policies for Automatic Data Optimization

#### Restrictions on Automatic Data Optimization

Automatic Data Optimization is subject to the following restrictions:

- Automatic Data Optimization is not supported for tables that contain object types, index-organized tables, clustered tables, or materialized views.
- Row-level policies are not supported for tables that support Temporal Validity or tables that are enabled for row archiving for In-Database Archiving.

#### *ilm\_policy\_clause*

Use this clause to describe the Automatic Data Optimization policy.

This clause has the same semantics in `CREATE TABLE` and `ALTER TABLE`. Refer to *ilm\_policy\_clause* for the full semantics of this clause.

## RECOVERABLE | UNRECOVERABLE

These keywords are deprecated and have been replaced with `LOGGING` and `NOLOGGING`, respectively. Although `RECOVERABLE` and `UNRECOVERABLE` are supported for backward compatibility, Oracle strongly recommends that you use the `LOGGING` and `NOLOGGING` keywords.

## Restrictions on [UN]RECOVERABLE

This clause is subject to the following restrictions:

- You cannot specify `RECOVERABLE` for partitioned tables or LOB storage characteristics.
- You cannot specify `UNRECOVERABLE` for partitioned or index-organized tables.
- You can specify `UNRECOVERABLE` only with `AS subquery`.

## ORGANIZATION

The `ORGANIZATION` clause lets you specify the order in which the data rows of the table are stored.

## HEAP

`HEAP` indicates that the data rows of *table* are stored in no particular order. This is the default.

## INDEX

`INDEX` indicates that *table* is created as an index-organized table. In an index-organized table, the data rows are held in an index defined on the primary key for the table.

## EXTERNAL

`EXTERNAL` indicates that table is a read-only table located outside the database.



### See Also:

["External Table Example"](#)

## *index\_org\_table\_clause*

Use the *index\_org\_table\_clause* to create an index-organized table. Oracle Database maintains the table rows, both primary key column values and nonkey column values, in an index built on the primary key. Index-organized tables are therefore best suited for primary key-based access and manipulation. An index-organized table is an alternative to:

- A noncluster table indexed on the primary key by using the `CREATE INDEX` statement
- A cluster table stored in an indexed cluster that has been created using the `CREATE CLUSTER` statement that maps the primary key for the table to the cluster key



You must specify a primary key for an index-organized table, because the primary key uniquely identifies a row. The primary key cannot be `DEFERRABLE`. Use the primary key instead of the rowid for directly accessing index-organized rows.

If an index-organized table is partitioned and contains LOB columns, then you should specify the *index\_org\_table\_clause* first, then the *LOB\_storage\_clause*, and then the appropriate *table\_partitioning\_clauses*.

You cannot use the `TO_LOB` function to convert a `LONG` column to a LOB column in the subquery of a `CREATE TABLE ... AS SELECT` statement if you are creating an index-organized table. Instead, create the index-organized table without the `LONG` column, and then use the `TO_LOB` function in an `INSERT ... AS SELECT` statement.

The `ROWID` pseudocolumn of an index-organized table returns logical rowids instead of physical rowids. A column that you create with the data type `ROWID` cannot store the logical rowids of the IOT. The only data you can store in a column of type `ROWID` is rowids from heap-organized tables. If you want to store the logical rowids of an IOT, then create a column of type `UROWID` instead. A column of type `UROWID` can store both physical and logical rowids.



#### See Also:

["Index-Organized Table Example"](#)

## Restrictions on Index-Organized Tables

Index-organized tables are subject to the following restrictions:

- You cannot define a virtual column for an index-organized table.
- You cannot specify the *composite\_range\_partitions*, *composite\_list\_partitions*, or *composite\_hash\_partitions* clauses for an index-organized table.
- If the index-organized table is a nested table or varray, then you cannot specify *table\_partitioning\_clauses*.
- The collations of character data type columns belonging to the primary key of an index-organized table must be `BINARY`, `USING_NLS_COMP`, `USING_NLS_SORT`, or `USING_NLS_SORT_CS`.

### **PCTTHRESHOLD** *integer*

Specify the percentage of space reserved in the index block for an index-organized table row. `PCTTHRESHOLD` must be large enough to hold the primary key. All trailing columns of a row, starting with the column that causes the specified threshold to be exceeded, are stored in the overflow segment. `PCTTHRESHOLD` must be a value from 1 to 50. If you do not specify `PCTTHRESHOLD`, then the default is 50.

### Restriction on **PCTTHRESHOLD**

You cannot specify `PCTTHRESHOLD` for individual partitions of an index-organized table.

### *mapping\_table\_clauses*

Specify `MAPPING TABLE` to instruct the database to create a mapping of local to physical `ROWIDS` and store them in a heap-organized table. This mapping is needed in order to create a bitmap index on the index-organized table. If the index-organized table is partitioned, then

the mapping table is also partitioned and its partitions have the same name and physical attributes as the base table partitions.

Oracle Database creates the mapping table or mapping table partition in the same tablespace as its parent index-organized table or partition. You cannot query, perform DML operations on, or modify the storage characteristics of the mapping table or its partitions.

### ***prefix\_compression***

The *prefix\_compression* clauses let you enable or disable prefix compression for index-organized tables.

- Specify `COMPRESS` to enable **prefix compression**, also known as key compression, for an index-organized table, which eliminates repeated occurrence of primary key column values in index-organized tables. Use *integer* to specify the prefix length, which is the number of prefix columns to compress.

The valid range of prefix length values is from 1 to the number of primary key columns minus 1. The default prefix length is the number of primary key columns minus 1.

- Specify `NOCOMPRESS` to disable prefix compression in index-organized tables. This is the default.

### **Restriction on Prefix Compression of Index-organized Tables**

At the partition level, you can specify `COMPRESS`, but you cannot specify the prefix length with *integer*.

### ***iot\_advanced\_compression***

Specify *iot\_advanced\_compression* to compress the indexes of index organized tables (IOTs) and table partitions in order to reduce the storage footprint of IOTs.

You can enable advanced low index compression for all IOTs on specific partitions of a table, and leave other partitions uncompressed.

### ***index\_org\_overflow\_clause***

The *index\_org\_overflow\_clause* lets you instruct the database that index-organized table data rows exceeding the specified threshold are placed in the data segment specified in this clause.

- When you create an index-organized table, Oracle Database evaluates the maximum size of each column to estimate the largest possible row. If an overflow segment is needed but you have not specified `OVERFLOW`, then the database raises an error and does not execute the `CREATE TABLE` statement. This checking function guarantees that subsequent DML operations on the index-organized table will not fail because an overflow segment is lacking.
- All physical attributes and storage characteristics you specify in this clause after the `OVERFLOW` keyword apply only to the overflow segment of the table. Physical attributes and storage characteristics for the index-organized table itself, default values for all its partitions, and values for individual partitions must be specified before this keyword.

- If the index-organized table contains one or more LOB columns, then the LOBs will be stored out-of-line unless you specify `OVERFLOW`, even if they would otherwise be small enough to be stored inline.
- If `table` is partitioned, then the database equipartitions the overflow data segments with the primary key index segments.

### **INCLUDING *column\_name***

Specify a column at which to divide an index-organized table row into index and overflow portions. The primary key columns are always stored in the index. `column_name` can be either the last primary key column or any non primary key column. All non primary key columns that follow `column_name` are stored in the overflow data segment.

If an attempt to divide a row at `column_name` causes the size of the index portion of the row to exceed the specified or default `PCTTHRESHOLD` value, then the database breaks up the row based on the `PCTTHRESHOLD` value.

### **Restriction on the INCLUDING Clause**

You cannot specify this clause for individual partitions of an index-organized table.

### **EXTERNAL PARTITION ATTRIBUTES**

Use the **EXTERNAL PARTITION ATTRIBUTES** clause to specify table level external parameters in a hybrid partitioned table.

#### ***external\_table\_clause***

Use the `external_table_clause` to create an external table, which allows you to process data that is stored outside the database from within the database without loading any of the data into the database.

Defining an external table only creates metadata in the data dictionary, pointing to data outside the database and providing seamless read only access to such data.

Because external tables have no data in the database, you define them with a small subset of the clauses normally available when creating tables.

In addition to supporting external data residing in operating file systems and Big Data sources and formats such as HDFS and Hive, Oracle supports external data residing in objects via the `DBMS_CLOUD` package.

You can work with data in object stores using the `DBMS_CLOUD` package or by manually defining external tables. Oracle strongly recommends using `DBMS_CLOUD` for the additional functionality that is fully compatible with Oracle autonomous database.

#### **See Also:**

- `DBMS_CLOUD`
- *Managing External Tables*

- Within the `relational_properties` clause, you can specify only `column`, `datatype`, `ENCRYPT`, `inline_constraint`, and `out_of_line_constraint`. You can specify the `ENCRYPT` clause only when you specify the `ORACLE_DATAPUMP` access driver and the `AS`

*subquery* clause to load data into the external table. Within the *inline\_constraint* and *out\_of\_line\_constraint* clauses, you can specify all subclauses except CHECK.

- Within the *physical\_properties\_clause*, you can specify only the organization of the table (ORGANIZATION EXTERNAL *external\_table\_clause*).
- Within the *table\_properties* clause, you can specify the *parallel\_clause*. The *parallel\_clause* lets you parallelize subsequent queries on the external data and subsequent operations that populate the external table.

Starting with Oracle Database 12c Release 2 (12.2), you can create a **partitioned external table**. To do this, within the *table\_properties* clause, you can specify the following subclauses of the *table\_partitioning\_clauses*:

- *range\_partitions* - specify this clause to create a range-partitioned or interval-partitioned external table
  - *list\_partitions* - specify this clause to create a list-partitioned external table. Within this clause, you cannot specify the AUTOMATIC clause; an automatic list-partitioned table cannot be an external table.
  - *composite\_range\_partitions* - specify this clause to create a range-range, range-list, interval-range, or interval-list composite-partitioned external table
  - *composite\_list\_partitions* - specify this clause to create a list-range or list-list composite-partitioned external table. Within this clause, you cannot specify the AUTOMATIC clause; an automatic composite-partitioned table cannot be an external table.
- You can populate the external table at create time by using the AS *subquery* clause.

No other clauses are permitted in the same CREATE TABLE statement.

#### See Also:

- ["External Table Example"](#)
- ALTER TABLE ... ["PROJECT COLUMN Clause"](#) for information on the effect of changing the default property of the column projection
- *Oracle Database Data Warehousing Guide*, *Oracle Database Administrator's Guide*, and *Oracle Database Utilities* for information on the uses for external tables

### Restrictions on External Tables

External tables are subject to the following restrictions:

- An external table cannot be a temporary table.
- You can specify only the following types of constraints on an external table: NOT NULL constraints, unique constraints, primary key constraints, and foreign key constraints. When you specify unique constraints, primary key constraints, or foreign key constraints, you must also specify RELY DISABLE. These constraints are declarative and are not enforced. They can increase query performance and

reduce resource consumption because more optimizer transformations can be taken into account. In order for the optimizer to utilize these `RELY DISABLE` constraints, the `QUERY_REWRITE_INTEGRITY` initialization parameter must be set to either `trusted` or `stale_tolerated`.

- You cannot create an index on an external table.
- An external table cannot contain `INVISIBLE` columns.
- An external table cannot have object type, varray, or `LONG` columns. However, you can populate LOB columns of an external table with varray or `LONG` data from an internal database table.
- Only `ORACLE_LOADER` and `ORACLE_DATAPUMP` access types are permitted for external tables that can be populated into the inmemory column store.

## TYPE

`TYPE access_driver_type` indicates the **access driver** of the external table. The access driver is the API that interprets the external data for the database. Oracle Database provides the following access drivers: `ORACLE_LOADER`, `ORACLE_DATAPUMP`, `ORACLE_HDFS`, and `ORACLE_HIVE`. If you do not specify `TYPE`, then the database uses `ORACLE_LOADER` as the default access driver. You must specify the `ORACLE_DATAPUMP` access driver if you specify the `AS subquery` clause to unload data from one Oracle Database and reload it into the same or a different Oracle Database.

## Restrictions

`ORACLE_HIVE` column names should be limited to `[A-ZA-Z0-9_]+` on partitioning external tables.

### See Also:

*Oracle Database Utilities* for information about the `ORACLE_LOADER`, `ORACLE_DATAPUMP`, `ORACLE_HDFS`, and `ORACLE_HIVE` access drivers

## DEFAULT DIRECTORY

`DEFAULT DIRECTORY` lets you specify a default directory object corresponding to a directory on the file system where the external data sources may reside. The default directory can also be used by the access driver to store auxiliary files such as error logs.

## ACCESS PARAMETERS

The optional `ACCESS PARAMETERS` clause lets you assign values to the parameters of the specific access driver for this external table.

- The `opaque_format_spec` specifies all access parameters for the `ORACLE_LOADER`, `ORACLE_DATAPUMP`, `ORACLE_HDFS`, and `ORACLE_HIVE` access drivers. See *Oracle Database Utilities* for descriptions of the `ORACLE_LOADER`, `ORACLE_DATAPUMP`, `ORACLE_HDFS`, and `ORACLE_HIVE` access parameters.

Field names specified in the `opaque_format_spec` must match columns in the table definition. Oracle Database ignores any field in the `opaque_format_spec` that is not matched by a column in the table definition.

- USING CLOB *subquery* lets you derive the parameters and their values through a subquery. The subquery cannot contain any set operators or an ORDER BY clause. It must return one row containing a single item of data type CLOB.

Whether you specify the parameters in an *opaque\_format\_spec* or derive them using a subquery, the database does not interpret anything in this clause. It is up to the access driver to interpret this information in the context of the external data.

For inline external tables and external modify query statements you must use *opaque\_format\_spec* within single quotes. For DDL statements you must use *opaque\_format\_spec* without single quotes.

## LOCATION

The LOCATION clause lets you specify one or more external data sources. Usually the *location\_specifier* is a file, but it need not be. Oracle Database does not interpret this clause. It is up to the access driver to interpret this information in the context of the external data.

You must specify the LOCATION clause as follows:

- When creating a nonpartitioned external table, you must specify the LOCATION clause at the table level in the *external\_table\_data\_props* clause.
- When creating a partitioned external table, you must specify the LOCATION clause at the partition level in the *external\_part\_subpart\_data\_props* clause.
- When creating a composite-partitioned external table, you must specify the LOCATION clause at the subpartition level in the *external\_part\_subpart\_data\_props* clause.

## REJECT LIMIT

The REJECT LIMIT clause lets you specify how many conversion errors can occur during a query of the external data before an Oracle Database error is returned and the query is aborted. The default value is 0.

## CLUSTER Clause

The CLUSTER clause indicates that the table is to be part of *cluster*. The columns listed in this clause are the table columns that correspond to the cluster columns. Generally, the cluster columns of a table are the column or columns that make up its primary key or a portion of its primary key. Refer to [CREATE CLUSTER](#) for more information.

Specify one column from the table for each column in the cluster key. The columns are matched by position, not by name.

A cluster table uses the space allocation of the cluster. Therefore, do not use the PCTFREE, PCTUSED, or INITRANS parameters, the TABLESPACE clause, or the *storage\_clause* with the CLUSTER clause.

## Restrictions on Cluster Tables

Cluster tables are subject to the following restrictions:

- Object tables and tables containing LOB columns or columns of the Any\* Oracle-supplied types cannot be part of a cluster.

- You cannot specify the *parallel\_clause* or `CACHE` or `NOCACHE` for a table that is part of a cluster.
- You cannot specify `CLUSTER` with either `ROWDEPENDENCIES` or `NOROWDEPENDENCIES` unless the cluster has been created with the same `ROWDEPENDENCIES` or `NOROWDEPENDENCIES` setting.
- A cluster table cannot contain `INVISIBLE` columns.

### ***table\_properties***

The *table\_properties* further define the characteristics of the table.

### ***column\_properties***

Use the *column\_properties* clauses to specify the storage attributes of a column.

### ***object\_type\_col\_properties***

The *object\_type\_col\_properties* determine storage characteristics of an object column or attribute or of an element of a collection column or attribute.

### ***column***

For *column*, specify an object column or attribute.

### ***substitutable\_column\_clause***

The *substitutable\_column\_clause* indicates whether object columns or attributes in the same hierarchy are substitutable for each other. You can specify that a column is of a particular type, or whether it can contain instances of its subtypes, or both.

- If you specify `ELEMENT`, then you constrain the element type of a collection column or attribute to a subtype of its declared type.
- The `IS OF [TYPE] (ONLY type)` clause constrains the type of the object column to a subtype of its declared type.
- `NOT SUBSTITUTABLE AT ALL LEVELS` indicates that the object column cannot hold instances corresponding to any of its subtypes. Also, substitution is disabled for any embedded object attributes and elements of embedded nested tables and varrays. The default is `SUBSTITUTABLE AT ALL LEVELS`.

### **Restrictions on the *substitutable\_column\_clause***

This clause is subject to the following restrictions:

- You cannot specify this clause for an attribute of an object column. However, you can specify this clause for a object type column of a relational table and for an object column of an object table if the substitutability of the object table itself has not been set.
- For a collection type column, the only part of this clause you can specify is `[NOT] SUBSTITUTABLE AT ALL LEVELS`.

### ***LOB\_storage\_clause***

The *LOB\_storage\_clause* lets you specify the storage attributes of LOB data segments. You must specify at least one clause after the `STORE AS` keywords. If you specify more than one clause, then you must specify them in the order shown in the syntax diagram, from top to bottom.

For a nonpartitioned table, this clause specifies the storage attributes of LOB data segments of the table.

For a partitioned table, Oracle Database implements this clause depending on where it is specified:

- For a partitioned table specified at the table level—when specified in the *physical\_properties* clause along with one of the partitioning clauses—this clause specifies the default storage attributes for LOB data segments associated with each partition or subpartition. These storage attributes apply to all partitions or subpartitions unless overridden by a *LOB\_storage\_clause* at the partition or subpartition level.
- For an individual partition of a partitioned table—when specified as part of a *table\_partition\_description*—this clause specifies the storage attributes of the data segments of the partition or the default storage attributes of any subpartitions of the partition. A partition-level *LOB\_storage\_clause* overrides a table-level *LOB\_storage\_clause*.
- For an individual subpartition of a partitioned table—when specified as part of *subpartition\_by\_hash* or *subpartition\_by\_list*—this clause specifies the storage attributes of the data segments of the subpartition. A subpartition-level *LOB\_storage\_clause* overrides both partition-level and table-level *LOB\_storage\_clauses*.

#### Restriction on the *LOB\_storage\_clause*:

Only the `TABLESPACE` clause is allowed when specifying the *LOB\_storage\_clause* in a subpartition.



#### See Also:

- *Oracle Database SecureFiles and Large Objects Developer's Guide* for detailed information about LOBs, including guidelines for creating gigabyte LOBs
- ["Creating a Table: LOB Column Example"](#)

#### *LOB\_item*

Specify the LOB column name or LOB object attribute for which you are explicitly defining tablespace and storage characteristics that are different from those of the table. Oracle Database automatically creates a system-managed index for each *LOB\_item* you create.

#### SECUREFILE | BASICFILE

Use this clause to specify the type of LOB storage, either high-performance LOB (SecureFiles), or the traditional LOB (BasicFiles).



 **See Also:**

*Oracle Database SecureFiles and Large Objects Developer's Guide* for more information about SecureFiles LOBs

 **Note:**

You cannot convert a LOB from one type of storage to the other. Instead you must migrate to SecureFiles or BasicFiles by using online redefinition or partition exchange.

**LOB\_segname**

Specify the name of the LOB data segment. You cannot use *LOB\_segname* if you specify more than one *LOB\_item*.

**LOB\_storage\_parameters**

The *LOB\_storage\_parameters* clause lets you specify various elements of LOB storage.

**TABLESPACE Clause**

Use this clause to specify the tablespace in which LOB data is to be stored.

**TABLESPACE SET Clause**

This clause is valid only when creating a sharded table by specifying the `SHARDED` keyword of `CREATE TABLE`. Use this clause to specify the tablespace set in which LOB data is to be stored.

**storage\_clause**

Use the *storage\_clause* to specify various aspects of LOB segment storage. Of particular interest in the context of LOB storage is the `MAXSIZE` clause of the *storage\_clause*, which can be used in combination with the *LOB\_retention\_clause* of *LOB\_parameters*. Refer to [storage\\_clause](#) for more information.

**LOB\_parameters**

Several of the *LOB\_parameters* are no longer needed if you are using SecureFiles for LOB storage. The `PCTVERSION` and `FREEPOOLS` parameters are valid and useful only if you are using BasicFiles LOB storage.

**ENABLE STORAGE IN ROW**

If you enable storage in row, then the LOB value is stored in the row (inline) if its length is less than approximately 4000 bytes minus system control information. This is the default.

**Restriction on Enabling Storage in Row**

For an index-organized table, you cannot specify this parameter unless you have specified an `OVERFLOW` segment in the *index\_org\_table\_clause*.

**DISABLE STORAGE IN ROW**

If you disable storage in row, then the LOB value is stored outside of the row out of line regardless of the length of the LOB value.

The LOB locator is always stored inline regardless of where the LOB value is stored. You cannot change the value of `STORAGE IN ROW` once it is set except by moving the table. See the [move\\_table\\_clause](#) in the `ALTER TABLE` documentation for more information.

### **CHUNK *integer***

Specify the number of bytes to be allocated for LOB manipulation. If *integer* is not a multiple of the database block size, then the database rounds up in bytes to the next multiple. For example, if the database block size is 2048 and *integer* is 2050, then the database allocates 4096 bytes (2 blocks). The maximum value is 32768 (32K), which is the largest Oracle Database block size allowed. The default `CHUNK` size is one Oracle Database block.

The value of `CHUNK` must be less than or equal to the value of `NEXT`, either the default value or that specified in the *storage\_clause*. If `CHUNK` exceeds the value of `NEXT`, then the database returns an error. You cannot change the value of `CHUNK` once it is set.

### **PCTVERSION *integer***

Specify the maximum percentage of overall LOB storage space used for maintaining old versions of the LOB. If the database is running in manual undo mode, then the default value is 10, meaning that older versions of the LOB data are not overwritten until they consume 10% of the overall LOB storage space.

You can specify the `PCTVERSION` parameter whether the database is running in manual or automatic undo mode. `PCTVERSION` is the default in manual undo mode. `RETENTION` is the default in automatic undo mode. You cannot specify both `PCTVERSION` and `RETENTION`.

This clause is not valid if you have specified `SECUREFILE`. If you specify both `SECUREFILE` and `PCTVERSION`, then the database silently ignores the `PCTVERSION` parameter.

### **LOB\_retention\_clause**

Use this clause to specify whether you want the LOB segment retained for flashback purposes, consistent-read purposes, both, or neither.

You can specify the `RETENTION` parameter only if the database is running in automatic undo mode. Oracle Database uses the value of the `UNDO_RETENTION` initialization parameter to determine the amount of committed undo data to retain in the database. In automatic undo mode, `RETENTION` is the default value unless you specify `PCTVERSION`. You cannot specify both `PCTVERSION` and `RETENTION`.

You can specify the optional settings after `RETENTION` only if you are using SecureFiles. The `SECUREFILE` parameter of the *LOB\_storage\_clause* indicates that the database will use SecureFiles to manage storage dynamically, taking into account factors such as the undo mode of the database.

- Specify `MAX` to signify that the undo should be retained until the LOB segment has reached `MAXSIZE`. If you specify `MAX`, then you must also specify the `MAXSIZE` clause in the *storage\_clause*.

- Specify `MIN` if the database is in flashback mode to limit the undo retention **duration** for the specific LOB segment to *n* seconds.
- Specify `AUTO` if you want to retain undo sufficient for consistent read purposes only.
- Specify `NONE` if no undo is required for either consistent read or flashback purposes.

If you do not specify the `RETENTION` parameter, or you specify `RETENTION` with no optional settings, then `RETENTION` is set to `DEFAULT`, which is functionally equivalent to `AUTO`.

#### See Also:

- To set the `UNDO_RETENTION` initialization parameter, see [Setting the Minimum Undo Retention Period](#)
- `CREATE TABLE` clause [LOB storage parameters](#) for more information on simplified LOB storage using SecureFiles
- *Oracle Database SecureFiles and Large Objects Developer's Guide* for more information on using SecureFiles
- [flashback\\_mode\\_clause](#) of `ALTER DATABASE` for information on putting a database in flashback mode
- "[Creating an Undo Tablespace: Example](#)"

### **FREEPOOLS** *integer*

Specify the number of groups of free lists for the LOB segment. Normally *integer* will be the number of instances in an Oracle Real Application Clusters environment or 1 for a single-instance database.

You can specify this parameter only if the database is running in automatic undo mode. In this mode, `FREEPOOLS` is the default unless you specify the `FREELIST GROUPS` parameter of the *storage\_clause*. If you specify neither `FREEPOOLS` nor `FREELIST GROUPS`, then the database uses a default of `FREEPOOLS 1` if the database is in automatic undo management mode and a default of `FREELIST GROUPS 1` if the database is in manual undo management mode.

This clause is not valid if you have specified `SECUREFILE`. If you specify both `SECUREFILE` and `FREEPOOLS`, then the database silently ignores the `FREEPOOLS` parameter.

### **Restriction on FREEPOOLS**

You cannot specify both `FREEPOOLS` and the `FREELIST GROUPS` parameter of the *storage\_clause*.

### **LOB\_deduplicate\_clause**

This clause is valid only for SecureFiles LOBs. Use the *LOB\_deduplicate\_clause* to enable or disable LOB deduplication, which is the elimination of duplicate LOB data.

The `DEDUPLICATE` keyword instructs the database to eliminate duplicate copies of LOBs. Using a secure hash index to detect duplication, the database coalesces LOBs with identical content into a single copy, reducing storage consumption and simplifying storage management.

If you omit this clause, then LOB deduplication is disabled by default.

This clause implements LOB deduplication for the entire LOB segment. To enable or disable deduplication for an individual LOB, use the `DBMS_LOB.SETOPTIONS` procedure.

 **See Also:**

*Oracle Database SecureFiles and Large Objects Developer's Guide* for more information about LOB deduplication and *Oracle Database PL/SQL Packages and Types Reference* for information about the `DBMS_LOB` package

### ***LOB\_compression\_clause***

This clause is valid only for SecureFiles LOBs, not for BasicFiles LOBs. Use the *LOB\_compression\_clause* to instruct the database to enable or disable server-side LOB compression. Random read/write access is possible on server-side compressed LOB segments. LOB compression is independent from table compression or index compression. If you omit this clause, then the default is `NOCOMPRESS`.

You can specify `HIGH`, `MEDIUM`, or `LOW` to vary the degree of compression. The `HIGH` degree of compression incurs higher latency than `MEDIUM` but provides better compression. The `LOW` degree results in significantly higher decompression and compression speeds, at the cost of slightly lower compression ratio than either `HIGH` or `MEDIUM`. If you omit this optional parameter, then the default is `MEDIUM`.

This clause implements server-side LOB compression for the entire LOB segment. To enable or disable compression on an individual LOB, use the `DBMS_LOB.SETOPTIONS` procedure.

 **See Also:**

*Oracle Database SecureFiles and Large Objects Developer's Guide* for more information on server-side LOB storage and *Oracle Database PL/SQL Packages and Types Reference* for information about client-side LOB compression using the `UTL_COMPRESS` supplied package and for information about the `DBMS_LOB` package

### **ENCRYPT | DECRYPT**

These clauses are valid only for LOBs that are using SecureFiles for LOB storage. Specify `ENCRYPT` to encrypt all LOBs in the column. Specify `DECRYPT` to keep the LOB in cleartext. If you omit this clause, then `DECRYPT` is the default.

Refer to [encryption\\_spec](#) for general information on that clause. When applied to a LOB column, *encryption\_spec* is specific to the individual LOB column, so the encryption algorithm can differ from that of other LOB columns and other non-LOB columns. Use the *encryption\_spec* as part of the *column\_definition* to encrypt the entire LOB column. Use the *encryption\_spec* as part of the *LOB\_storage\_clause* in the *table\_partition\_description* to encrypt a LOB partition.

#### **Restriction on *encryption\_spec* for LOBs**

You cannot specify the `SALT` or `NO SALT` clauses of `encryption_spec` for LOB encryption.

 **See Also:**

*Oracle Database SecureFiles and Large Objects Developer's Guide* for more information on LOB encryption and *Oracle Database PL/SQL Packages and Types Reference* for information the `DBMS_LOB` package

## CACHE | NOCACHE | CACHE READS

Refer to [CACHE | NOCACHE | CACHE READS](#) for information on these clauses.

### *LOB\_partition\_storage*

The `LOB_partition_storage` clause lets you specify a separate `LOB_storage_clause` or `varray_col_properties` clause for each partition. You must specify the partitions in the order of partition position. You can find the order of the partitions by querying the `PARTITION_NAME` and `PARTITION_POSITION` columns of the `USER_IND_PARTITIONS` view.

If you do not specify a `LOB_storage_clause` or `varray_col_properties` clause for a particular partition, then the storage characteristics are those specified for the LOB item at the table level. If you also did not specify any storage characteristics for the LOB item at the table level, then Oracle Database stores the LOB data partition in the same tablespace as the table partition to which it corresponds.

### Restrictions on *LOB\_partition\_storage*

`LOB_partition_storage` is subject to the following restrictions:

- In the `LOB_parameters` of the `LOB_storage_clause`, you cannot specify `encryption_spec`, because it is invalid to specify an encryption algorithm for partitions and subpartitions.
- You can only specify the `TABLESPACE` clause for hash partitions and all types of subpartitions.

### *varray\_col\_properties*

The `varray_col_properties` let you specify separate storage characteristics for the LOB in which a varray will be stored. If `varray_item` is a multilevel collection, then the database stores all collection items nested within `varray_item` in the same LOB in which `varray_item` is stored.

- For a nonpartitioned table—when specified in the `physical_properties` clause without any of the partitioning clauses—this clause specifies the storage attributes of the LOB data segments of the varray.
- For a partitioned table specified at the table level—when specified in the `physical_properties` clause along with one of the partitioning clauses—this clause specifies the default storage attributes for the varray LOB data segments associated with each partition (or its subpartitions, if any).
- For an individual partition of a partitioned table—when specified as part of a `table_partition_description`—this clause specifies the storage attributes of the varray LOB data segments of that partition or the default storage attributes of the varray LOB data segments of any subpartitions of this partition. A partition-level `varray_col_properties` overrides a table-level `varray_col_properties`.

- For an individual subpartition of a partitioned table—when specified as part of *subpartition\_by\_hash* or *subpartition\_by\_list*—this clause specifies the storage attributes of the varray data segments of this subpartition. A subpartition-level *varray\_col\_properties* overrides both partition-level and table-level *varray\_col\_properties*.

### STORE AS [SECUREFILE | BASICFILE] LOB Clause

If you specify `STORE AS LOB`, then:

- If the maximum varray size is less than approximately 4000 bytes, then the database stores the varray as an inline LOB unless you have disabled storage in row.
- If the maximum varray size is greater than approximately 4000 bytes or if you have disabled storage in row, then the database stores in the varray as an out-of-line LOB.

If you do not specify `STORE AS LOB`, then storage is based on the maximum possible size of the varray rather than on the actual size of a varray column. The maximum size of the varray is the number of elements times the element size, plus a small amount for system control information. If you omit this clause, then:

- If the maximum size of the varray is less than approximately 4000 bytes, then the database does not store the varray as a LOB, but as inline data.
- If the maximum size is greater than approximately 4000 bytes, then the database always stores the varray as a LOB.
  - If the actual size is less than approximately 4000 bytes, then it is stored as an inline LOB
  - If the actual size is greater than approximately 4000 bytes, then it is stored as an out-of-line LOB, as is true for other LOB columns.

### *substitutable\_column\_clause*

The *substitutable\_column\_clause* has the same behavior as described for [object\\_type\\_col\\_properties](#).



#### See Also:

["Substitutable Table and Column Examples"](#)

### Restriction on Varray Column Properties

You cannot specify this clause on an interval partitioned table.

### *nested\_table\_col\_properties*

The *nested\_table\_col\_properties* let you specify separate storage characteristics for a nested table, which in turn enables you to define the nested table as an index-organized table. Unless you explicitly specify otherwise in this clause:

- For a nonpartitioned table, the storage table is created in the same schema and the same tablespace as the parent table.

- For a partitioned table, the storage table is created in the default tablespace of the schema. By default, nested tables are equipartitioned with the partitioned base table.
- In either case, the storage table uses default storage characteristics, and stores the nested table values of the column for which it was created.

You must include this clause when creating a table with columns or column attributes whose type is a nested table. Clauses within *nested\_table\_col\_properties* that function the same way they function for the parent table are not repeated here.

### ***nested\_item***

Specify the name of a column, or of a top-level attribute of the object type of the tables, whose type is a nested table.

### **COLUMN\_VALUE**

If the nested table is a multilevel collection, then the inner nested table or varray may not have a name. In this case, specify `COLUMN_VALUE` in place of the *nested\_item* name.



#### **See Also:**

"[Creating a Table: Multilevel Collection Example](#)" for examples using *nested\_item* and `COLUMN_VALUE`

### **LOCAL | GLOBAL**

Specify `LOCAL` to equipartition the nested table with the base table. This is the default. Oracle Database automatically creates a local partitioned index for the partitioned nested table.

Specify `GLOBAL` to indicate that the nested table is a nonpartitioned nested table of a partitioned base table.

### ***storage\_table***

Specify the name of the table where the rows of *nested\_item* reside.

You cannot query or perform DML statements on *storage\_table* directly, but you can modify its storage characteristics by specifying its name in an `ALTER TABLE` statement.



#### **See Also:**

`ALTER TABLE` for information about modifying nested table column storage characteristics

### **RETURN [AS]**

Specify what Oracle Database returns as the result of a query.

- `VALUE` returns a copy of the nested table itself.
- `LOCATOR` returns a collection locator to the copy of the nested table.

The locator is scoped to the session and cannot be used across sessions. Unlike a LOB locator, the collection locator cannot be used to modify the collection instance.

If you do not specify the *segment\_attributes\_clause* or the *LOB\_storage\_clause*, then the nested table is heap organized and is created with default storage characteristics.

### Restrictions on Nested Table Column Properties

Nested table column properties are subject to the following restrictions:

- You cannot specify this clause for a temporary table.
- You cannot specify this clause on an interval partitioned table.
- You cannot specify the *oid\_clause*.
- At create time, you cannot use *object\_properties* to specify an *out\_of\_line\_ref\_constraint*, *inline\_ref\_constraint*, or foreign key constraint for the attributes of a nested table.

#### See Also:

- [ALTER TABLE](#) for information about modifying nested table column storage characteristics
- ["Nested Table Example"](#) and ["Creating a Table: Multilevel Collection Example"](#)

### *XMLType\_column\_properties*

The *XMLType\_column\_properties* let you specify storage attributes for an XMLTYPE column.

### *XMLType\_storage*

XMLType tables and columns data can be stored as transportable binary XML, binary XML, or a set of objects in object-relational storage.

- Specify `TRANSPORTABLE BINARY XML` to store XML data in a transportable format that is scalable and distributed. See [Create Tables and Columns as Transportable Binary XML](#) for examples.
  - `TRANSPORTABLE BINARY XML` can only be stored in `SECUREFILE`.
  - Any LOB parameters you specify are applied to the underlying BLOB column created for storing the transportable binary XML encoded value. .
  - You can not specify the *XMLSchema\_spec* clause for `TRANSPORTABLE BINARY XML`.
- Specify `BINARY XML` to store the XML data in compact binary XML format.

Any LOB parameters you specify are applied to the underlying BLOB column created for storing the binary XML encoded value.

In earlier releases, binary XML data is stored by default in a BasicFiles LOB. Beginning with Oracle Database 11g Release 2 (11.2.0.2), if the `COMPATIBLE` initialization parameter is 11.2 or higher and you do not specify `BASICFILE` or `SECUREFILE`, then binary XML data is stored in a SecureFiles LOB whenever



possible. If SecureFiles LOB storage is not possible then the binary XML data is stored in a BasicFiles LOB. This can occur if either of the following is true:

- The tablespace for the `XMLType` table does not use automatic segment space management.
  - A setting in file `init.ora` prevents SecureFiles LOB storage. For example, see parameter `DB_SECUREFILE` in *Oracle Database Reference*.
- Specify `CLOB` if you want the database to store the `XMLType` data in a `CLOB` column. Storing data in a `CLOB` column preserves the original content and enhances retrieval time.

If you specify LOB storage, then you can specify either LOB parameters or the `XMLSchema_spec` clause, but not both. Specify the `XMLSchema_spec` clause if you want to restrict the table or column to particular schema-based XML instances.

If you do not specify `BASICFILE` or `SECUREFILE` with this clause, then the `CLOB` column is stored in a BasicFiles LOB.

 **Note:**

Oracle recommends against storing `XMLType` data in a `CLOB` column. `CLOB` storage of `XMLType` is deprecated. Use binary XML storage of `XMLType` instead.

- Specify `OBJECT RELATIONAL` if you want the database to store the `XMLType` data in object-relational columns. Storing data objects relationally lets you define indexes on the relational columns and enhances query performance.

If you specify object-relational storage, then you must also specify the `XMLSchema_spec` clause.

Use the `ALL VARRAYS AS` clause if you want the database to store all varrays in an `XMLType` column.

In earlier releases, `XMLType` data is stored in a `CLOB` column in a BasicFiles LOB by default. Beginning with Oracle Database 11g Release 2 (11.2.0.2), if the `COMPATIBLE` initialization parameter is 11.2 or higher and you do not specify the `XMLType_storage` clause, then `XMLType` data is stored in a binary XML column in a SecureFiles LOB. If SecureFiles LOB storage is not possible, then it is stored in a binary XML column in a BasicFiles LOB.

 **See Also:**

*Oracle Database SecureFiles and Large Objects Developer's Guide* for more information on SecureFiles LOBs

### `XMLSchema_spec`

Refer to the [XMLSchema\\_spec](#) for the full semantics of this clause.

 **See Also:**

- [LOB\\_storage\\_clause](#) for information on the *LOB\_segname* and *LOB\_parameters* clauses
- "[XMLType Column Examples](#)" for examples of XMLType columns in object-relational tables and "[Using XML in SQL Statements](#)" for an example of creating an XMLSchema
- *Oracle XML DB Developer's Guide* for more information on XMLType columns and tables and on creating XMLSchemas
- *Oracle Database PL/SQL Packages and Types Reference* for information on the DBMS\_XMLSCHEMA package

***XMLType\_virtual\_columns***

This clause is valid only for XMLType tables with binary XML storage, which you designate in the *XMLType\_storage* clause. Specify the `VIRTUAL COLUMNS` clause to define virtual columns, which can be used as in a function-based index or in the definition of a constraint. You cannot define a constraint on such a virtual column during creation of the table, but you can use a subsequent `ALTER TABLE` statement to add a constraint to the column.

 **See Also:**

*Oracle XML DB Developer's Guide* for examples of how to use this clause in an XML environment

***json\_storage\_clause***

With support for JSON data type you can define a column of JSON data type using the *JSON\_storage\_clause*.

You can specify the JSON type modifier when you specify a JSON type column definition as follows:

**Create a Table with a JSON Type Column: Example**

This example creates table `j_purchaseorder` with JSON data type column `po_document`. Oracle recommends that you store JSON data as JSON type.

```
CREATE TABLE j_purchaseorder
  (id VARCHAR2 (32) NOT NULL PRIMARY KEY,
   date_loaded TIMESTAMP (6) WITH TIME ZONE,
   po_document JSON );
```

 **See Also:**

For more information on creating a JSON column see *Creating a Table with a JSON Column of the JSON developer's Guide*.

### ***read\_only\_clause***

This clause lets you specify whether to create a table, partition, or subpartition in read-only or read/write mode.

- Use `READ ONLY` to specify read-only mode. When an object is in read-only mode, you cannot issue any DML statements that affect the object or any `SELECT ... FOR UPDATE ...` statements on the object. You can issue DDL statements as long as they do not modify any table data. See *Oracle Database Administrator's Guide* for the complete list of operations that are allowed and disallowed on read-only objects.
- Use `READ WRITE` to specify read/write mode. This is the default.

When you specify this clause for a partitioned table, you specify the default read-only or read/write mode for the table. This mode is assigned to all partitions in the table at creation time, as well as any partitions that are subsequently added to the table, unless you override this behavior by specifying the mode at the partition level.

When you specify this clause for a composite-partitioned table, you specify the default read-only or read/write mode for all partitions in the table. You can override this behavior by specifying this clause for a particular partition. The default mode of a partition is assigned to all subpartitions in the partition at creation time, as well as any subpartitions that are subsequently added to the partition, unless you override this behavior by specifying the mode at the subpartition level.

### ***indexing\_clause***

The *indexing\_clause* is valid only for partitioned tables. Use this clause to set the **indexing property** for a table, table partition, or table subpartition.

- Specify `INDEXING ON` to set the indexing property to `ON`. This is the default.
- Specify `INDEXING OFF` to set the indexing property to `OFF`.

The indexing property determines whether table partitions and subpartitions are included in partial indexes on the table.

- For simple partitioned tables, partitions with an indexing property of `ON` are included in partial indexes on the table. Partitions with an indexing property of `OFF` are excluded.
- For composite-partitioned tables, subpartitions with an indexing property of `ON` are included in partial indexes on the table. Subpartitions with an indexing property of `OFF` are excluded.

You can specify the *indexing\_clause* at the table, partition, or subpartition level. When you specify the *indexing\_clause* at the table level, in the *table\_properties* clause, you set the default indexing property for the table. Interval partitions, which are automatically created by the database, always inherit the default indexing property for the table. Other types of partitions and subpartitions inherit the default indexing property as follows:

- For simple partitioned tables, partitions inherit the default indexing property for the table. You can override this behavior by specifying the *indexing\_clause* for an individual partition:
  - For a range partition, in the *table\_partition\_description* of the *range\_partitions* clause
  - For a hash partition, in the *individual\_hash\_partitions* clause of the *hash\_partitions* clause
  - For a list partition, in the *table\_partition\_description* of the *list\_partitions* clause
  - For a reference partition, in the *table\_partition\_description* of the *reference\_partition\_desc* clause of the *reference\_partitioning* clause
  - For a system partition, in the *table\_partition\_description* of the *reference\_partition\_desc* clause of the *system\_partitioning* clause
- For composite-partitioned tables, subpartitions inherit the default indexing property for the table. You can override this behavior by specifying the *indexing\_clause* for an individual partition or subpartition.

If you specify the *indexing\_clause* for a partition, then its subpartitions inherit the indexing property of the partition:

- For composite range partitions, in the *table\_partition\_description* of the *composite\_range\_partitions* clause
- For composite list partitions, in the *table\_partition\_description* of the *composite\_list\_partitions* clause
- For composite hash partitions, in the *individual\_hash\_partitions* clause of the *composite\_hash\_partitions* clause

You can set the indexing property of a subpartition by specifying the *indexing\_clause* for the subpartition:

- For range subpartitions, in the *range\_subpartition\_desc* clause of the *composite\_range\_partitions* clause
- For list subpartitions, in the *list\_subpartition\_desc* clause of the *composite\_list\_partitions* clause
- For hash subpartitions, in the *individual\_hash\_subparts* clause of the *composite\_hash\_partitions* clause

 **See Also:**

*Oracle Database Reference* for information on viewing the indexing property of a table, table partition, or table subpartition.

- To view the default indexing property of a table, query the `DEF_INDEXING` column of the `*_PART_TABLES` views.
- To view the indexing property of a table partition, query the `INDEXING` column of the `*_TAB_PARTITIONS` views.
- To view the indexing property of a table subpartition, query the `INDEXING` column of the `*_TAB_SUBPARTITIONS` views.

### Restrictions on the *indexing\_clause*

The *indexing\_clause* is subject to the following restrictions:

- You cannot specify the *indexing\_clause* for nonpartitioned tables.
- You cannot specify the *indexing\_clause* for index-organized tables.

 **See Also:**

The [partial\\_index\\_clause](#) of `CREATE INDEX` for more information on partial indexes

### *table\_partitioning\_clauses*

Use the *table\_partitioning\_clauses* to create a partitioned table.

### Notes on Partitioning in General

The following notes pertain to all types of partitioning:

- You can specify up to a total of 1024K-1 partitions and subpartitions.
- You can create a partitioned table with just one partition. A table with one partition is different from a nonpartitioned table. For example, you cannot add a partition to a nonpartitioned table.
- You can specify a name for every table and LOB partition and for every table and LOB subpartition, but you need not do so. If you specify a name, then it must conform to the rules for naming schema objects and their parts as described in [Database Object Naming Rules](#). If you omit the name, then the database generates names as follows:
  - If you omit a partition name, then the database generates a name of the form `SYS_Pn`. System-generated names for LOB data and LOB index partitions take the form `SYS_LOB_Pn` and `SYS_IL_Pn`, respectively.
  - If you specify a subpartition name in *subpartition\_template*, then for each subpartition created with that template, the database generates a name by concatenating the partition name with the template subpartition name. For LOB subpartitions, the generated LOB subpartition name is a concatenation of the partition name and the template LOB segment name. If the `COMPATIBLE` initialization parameter is set to 12.2 or higher, then the maximum length of the concatenation is

128 bytes; otherwise, the maximum length is 30 bytes. If the concatenation exceeds the maximum length, then the database returns an error and the statement fails.

- If you omit a subpartition name when specifying an individual subpartition, and you have not specified *subpartition\_template*, then the database generates a name of the form `SYS_SUBPn`. The corresponding system-generated names for LOB data and index subpartitions are `SYS_LOB_SUBPn` and `SYS_IL_SUBPn`, respectively.
- Tablespace storage can be specified at various levels in the `CREATE TABLE` statement for both table segments and LOB segments. The number of tablespaces does not have to equal the number of partitions or subpartitions. If the number of partitions or subpartitions is greater than the number of tablespaces, then the database cycles through the names of the tablespaces.

The database evaluates tablespace storage in the following order of descending priority:

- Tablespace storage specified at the individual table subpartition or LOB subpartition level has the highest priority, followed by storage specified for the partition or LOB in the *subpartition\_template*.
- Tablespace storage specified at the individual table partition or LOB partition level. Storage parameters specified here take precedence over the *subpartition\_template*.
- Tablespace storage specified for the table
- Default tablespace storage specified for the user
- By default, nested tables are equipartitioned with the partitioned base table.

### Restrictions on Partitioning in General

All partitioning is subject to the following restrictions:

- You cannot partition a table that is part of a cluster.
- You cannot partition a nested table or varray that is defined as an index-organized table.
- You cannot partition a table containing any `LONG` or `LONG RAW` columns.

### Restrictions on Hybrid Partitioned Tables

- Restrictions that apply to external tables also apply to hybrid partitioned tables unless explicitly noted. Only DML operations are supported on internal partitions of a hybrid partitioned table (external partitions are treated as read-only partitions).
- Only single level `LIST`, `RANGE`, interval and autolist partitioning are supported.
- The following DDLs are supported: `ADD PARTITION`, `ADD SUBPARTITION`, `DROP PARTITION`, `DROP SUBPARTITION`, `EXCHANGE PARTITION`, `EXCHANGE SUBPARTITION` on internal and external partitions and subpartitions. Partitions and subpartitions can also be renamed.
- The DDLs `MOVE`, `SPLIT` and `MERGE` are supported on internal partition and subpartitions only.
- Existing DMLs are supported on internal partitions only. External partitions are treated as read-only. All triggers are supported.

- Table level non-enforced constraints in mandatory `RELY DISABLE` mode are supported. The only supported enforced constraint is `NOT NULL` constraint.
- Unique indexes and global unique indexes are not supported. Only non-unique partial indexes are supported on internal partitions. External partitions are not indexable.
- Only single level list partitioning is supported for HIVE.
- Attribute clustering (`CLUSTERING` clause) is not allowed.
- In-memory defined on the table level only has an effect on internal partitions of the hybrid partitioned table.
- No column default value is allowed.
- Invisible columns are not allowed.
- The `CELLMEMORY` clause is not allowed.
- `SPLIT`, `MERGE`, and `MOVE` maintenance operations are not allowed on external partitions.

The storage of partitioned database entities in tablespaces of different block sizes is subject to several restrictions. Refer to *Oracle Database VLDB and Partitioning Guide* for a discussion of these restrictions.



#### See Also:

["Partitioning Examples"](#)

### *range\_partitions*

Use the *range\_partitions* clause to partition the table on ranges of values from the column list. For an index-organized table, the column list must be a subset of the primary key columns of the table.

#### Restrictions on Range Partitioning

Range partitioning is subject to the restrictions listed in ["Restrictions on Partitioning in General"](#). The following additional restrictions apply:

- You cannot specify more than 16 partitioning key columns.
- Partitioning key columns must be of type `CHAR`, `NCHAR`, `VARCHAR2`, `NVARCHAR2`, `VARCHAR`, `NUMBER`, `FLOAT`, `DATE`, `TIMESTAMP`, `TIMESTAMP WITH LOCAL TIMEZONE`, or `RAW`.
- Each range partitioning key column with a character data type that belongs to an `XMLType` table or a table with an `XMLType` column, or that is used as a sharding key column must have one of the following declared collations: `BINARY`, `USING_NLS_COMP`, `USING_NLS_SORT`, or `USING_NLS_SORT_CS`. For all these collations, partition bounds are checked using the collation `BINARY`.
- You cannot specify `NULL` in the `VALUES` clause.

### *column*

Specify an ordered list of columns used to determine into which partition a row belongs. These columns are the **partitioning key**. You can specify virtual columns and `INVISIBLE` columns as partitioning key columns.

### **INTERVAL Clause**

Use this clause to establish **interval partitioning** for the table. Interval partitions are partitions based on a numeric range or datetime interval. They extend range partitioning by instructing the database to create partitions of the specified range or interval automatically when data inserted into the table exceeds all of the range partitions. For each automatically created partition, the database generates a name of the form `SYS_Pn`. The database guarantees that automatically generated partition names are unique and do not violate namespace rules.

- For `expr`, specify a valid number or interval expression.
- The optional `STORE IN` clause lets you specify one or more tablespaces into which the database will store interval partition data.
- You must also specify at least one range partition using the `PARTITION` clause of `range_partitions`. The range partition key value determines the high value of the range partitions, which is called the **transition point**, and the database creates interval partitions for data beyond that transition point.

### Restrictions on Interval Partitioning

The `INTERVAL` clause is subject to the restrictions listed in "[Restrictions on Partitioning in General](#)" and "[Restrictions on Range Partitioning](#)". The following additional restrictions apply:

- You can specify only one partitioning key column, and it must be of type `NUMBER`, `DATE`, `FLOAT`, or `TIMESTAMP`.
- This clause is not supported for index-organized tables.
- This clause is not supported for tables containing varray columns.
- You cannot create an interval-partitioned table with equipartitioned nested tables. If you create an interval-partitioned table using nested tables or XML object-relational data types, then the nested tables will be created as nonpartitioned tables.
- This clause is supported for tables containing `XMLType` columns only if the XML data is stored as binary XML.
- Interval partitioning is not supported at the subpartition level.
- Serializable transactions do not work with interval partitioning. Trying to insert data into a partition of an interval partitioned table that does not yet have a segment causes an error.
- In the `VALUES` clause:
  - You cannot specify `MAXVALUE` (an infinite upper bound), because doing so would defeat the purpose of the automatic addition of partitions as needed.
  - You cannot specify `NULL` values for the partitioning key column.

#### See Also:

*Oracle Database VLDB and Partitioning Guide* for more information on interval partitioning



**PARTITION *partition***

If you specify a partition name, then the name *partition* must conform to the rules for naming schema objects and their part as described in "[Database Object Naming Rules](#)". If you omit *partition*, then the database generates a name as described in "[Notes on Partitioning in General](#)".

***range\_values\_clause***

Specify the noninclusive upper bound for the current partition. The value list is an ordered list of literal values corresponding to the column list in the *range\_partitions* clause. You can substitute the keyword `MAXVALUE` for any literal in the value list. `MAXVALUE` specifies a maximum value that will always sort higher than any other value, including null.

Specifying a value other than `MAXVALUE` for the highest partition bound imposes an implicit integrity constraint on the table.

 **Note:**

If *table* is partitioned on a `DATE` column, and if the date format does not specify the first two digits of the year, then you must use the `TO_DATE` function with the `YYYY` 4-character format mask for the year. The `RRRR` format mask is not supported in this clause. The date format is determined implicitly by `NLS_TERRITORY` or explicitly by `NLS_DATE_FORMAT`. Refer to *Oracle Database Globalization Support Guide* for more information on these initialization parameters.

 **See Also:**

*Oracle Database Concepts* for more information about partition bounds and "[Range Partitioning Example](#)"

***table\_partition\_description***

Use the *table\_partition\_description* to define the physical and storage characteristics of the table.

The clauses *deferred\_segment\_creation*, *segment\_attributes\_clause*, *table\_compression*, *inmemory\_clause*, and *ilm\_clause* have the same function as described for the *physical\_properties* of the table as a whole.

Use the *indexing\_clause* to set the indexing property for a range, list, system, or reference table partition. Refer to the *indexing\_clause* for more information.

The *prefix\_compression* clause and `OVERFLOW` clause, have the same function as described for the *index\_org\_table\_clause*.

***LOB\_storage\_clause***

The *LOB\_storage\_clause* lets you specify LOB storage characteristics for one or more LOB items in this partition or in any range or list subpartitions of this partition. If you do not specify

the *LOB\_storage\_clause* for a LOB item, then the database generates a name for each LOB data partition as described in ["Notes on Partitioning in General"](#).

### ***varray\_col\_properties***

The *varray\_col\_properties* let you specify storage characteristics for one or more varray items in this partition or in any range or list subpartitions of this partition.

### ***nested\_table\_col\_properties***

The *nested\_table\_col\_properties* let you specify storage characteristics for one or more nested table storage table items in this partition or in any range or list subpartitions of this partition. Storage characteristics specified in this clause override any storage attributes specified at the table level.

### ***partitioning\_storage\_clause***

Use the *partitioning\_storage\_clause* to specify storage characteristics for hash partitions and for range, hash, and list subpartitions.

### **Restrictions on *partitioning\_storage\_clause***

This clause is subject to the following restrictions:

- The `TABLESPACE SET` clause is valid only when creating a sharded table by specifying the `SHARDED` keyword of `CREATE TABLE`. Use this clause to specify the tablespace set in which table partition data is to be stored.
- The `OVERFLOW` clause is relevant only for index-organized partitioned tables and is valid only within the *individual\_hash\_partitions* clause. It is not valid for range or hash partitions or for subpartitions of any type.
- You cannot specify the *advanced\_index\_compression* clause of the *index\_compression* clause.
- You can specify the *prefix\_compression* clause of the *indexing\_clause* only for partitions of index-organized tables and you can specify `COMPRESS` or `NOCOMPRESS`, but you cannot specify the prefix length with *integer*.

### ***list\_partitions***

Use the *list\_partitions* clause to partition the table on a list of literal values for each column in the *column* list. List partitioning is useful for controlling how individual rows map to specific partitions.

### **Restrictions on List Partitioning**

List partitioning is subject to the restrictions listed in ["Restrictions on Partitioning in General"](#). The following additional restrictions apply:

- You cannot specify more than 16 partitioning key columns.
- You cannot specify more than one partitioning key column when partitioning an index-organized table.
- The partitioning key columns must be of type `CHAR`, `NCHAR`, `VARCHAR2`, `NVARCHAR2`, `VARCHAR`, `NUMBER`, `FLOAT`, `DATE`, `TIMESTAMP`, `TIMESTAMP WITH LOCAL TIMEZONE`, or `RAW`.
- Each list partitioning key column with a character data type that belongs to an `XMLType` table or a table with an `XMLType` column, or that is used as a sharding key column must have one of the `BINARY` following declared collations: `BINARY` ,

`USING_NLS_COMP`, `USING_NLS_SORT`, or `USING_NLS_SORT_CS` . For all these collations, partitions are matched using the collation `BINARY`.

## AUTOMATIC

Specify `AUTOMATIC` to create an automatic list-partitioned table. This type of table enables the database to create additional partitions on demand.

When you create an automatic list-partitioned table, you specify partitions and partitioning key values just as you would when creating a regular list-partitioned table. However, you do not specify a `DEFAULT` partition. As data is loaded into the table, the database automatically creates a new partition when the loaded partitioning key values do not correspond to any of the existing partitions. If list partitioning is defined with a single partitioning key value, then the database creates a new partition for each new partitioning key value. If list partitioning is defined with multiple partitioning key columns, then the database creates a new partition for each new and unique set of partitioning key values. For each automatically created partition, the database generates a name of the form `SYS_Pn`. The database guarantees that automatically generated partition names are unique and do not violate namespace rules.

You can specify the `AUTOMATIC` keyword for list-partitioned tables, and list-range, list-list, list-hash, and list-interval composite-partitioned tables. For composite-partitioned tables, each automatically created list partition will have one subpartition, unless a subpartition template is defined for the table.

If a local partitioned index is defined on an automatic list-partitioned table, then local index partitions will be created when the corresponding table partitions are created.

## Restrictions on Automatic List Partitioning

Automatic list partitioning is subject to the restrictions listed in "[Restrictions on List Partitioning](#)". The following additional restrictions apply:

- An automatic list-partitioned table must have at least one partition when created. Because new partitions are automatically created for new, and unknown, partitioning key values, an automatic list-partitioned table cannot have a `DEFAULT` partition.
- Automatic list partitioning is not supported for index-organized tables or external tables.
- Automatic list partitioning is not supported for tables containing varray columns.
- You cannot create a local domain index on an automatic list-partitioned table. You can create a global domain index on an automatic list-partitioned table.
- An automatic list-partitioned table cannot be a child table or a parent table for reference partitioning.
- Automatic list partitioning is not supported at the subpartition level.

## STORE IN

The optional `STORE IN` clause lets you specify one or more tablespaces into which the database will store data for the automatically created list partitions.

 **Note:**

You can change an automatic list-partitioned table to a regular list-partitioned table, and vice versa. You can also change the tablespaces into which the database will store data for automatically created list partitions. See the clause [alter\\_automatic\\_partitioning](#) of ALTER TABLE for more information.

***list\_values\_clause***

The *list\_values\_clause* of each partition must have at least one value. If the table is partitioned on one key column, then use the upper branch of the *list\_values* syntax to specify a list of values for that column. In this case, no value, including NULL, can appear in more than one partition. If the table is partitioned on multiple key columns, then use the lower branch of the *list\_values* syntax to specify a list of value lists. Each value list is enclosed in parentheses and represents a list of values for the key columns. In this case, individual key column values can appear in more than one partition; however, no complete value list can appear in more than one partition. List partitions are not ordered.

If you specify the literal NULL for a partition value in the VALUES clause, then to access data in that partition in subsequent queries, you must use an IS NULL condition in the WHERE clause, rather than a comparison condition.

The DEFAULT keyword creates a partition into which the database will insert any row that does not map to another partition. Therefore, you can specify DEFAULT for only one partition, and you cannot specify any other values for that partition. Further, the default partition must be the last partition you define. The use of DEFAULT is similar to the use of MAXVALUE for range partitions.

The string comprising the list of values for each partition can be up to 4K bytes. The total number of values for all partitions cannot exceed 64K-1.

The partitioning key column for a list partition can be an extended data type column, which has a maximum size of 32767 bytes. In this case, the list of values that you want to specify for a partition may exceed the 4K byte limit. You can work around this limitation by using one of the following methods:

- Use the DEFAULT partition for values that exceed the 4K byte limit.
- Use a hash function, such as STANDARD\_HASH, in the partition key column to create unique identifiers of lengths less than 4K bytes. See [STANDARD\\_HASH](#) for more information.

**Restriction on the *list\_values\_clause***

You cannot specify a DEFAULT partition for an automatic list-partitioned table.

 **See Also:**

["Extended Data Types"](#) for more information on extended data types

### *table\_partition\_description*

The subclauses of the *table\_partition\_description* have the same behavior as described for range partitions in [table\\_partition\\_description](#).

### *hash\_partitions*

Use the *hash\_partitions* clause to specify that the table is to be partitioned using the hash method. Oracle Database assigns rows to partitions using a hash function on values found in columns designated as the partitioning key. You can specify individual hash partitions, or you can specify how many hash partitions the database should create.

### Restrictions on Hash Partitioning

Hash partitioning is subject to the restrictions listed in "[Restrictions on Partitioning in General](#)". The following additional restrictions apply:

- You cannot specify more than 16 partitioning key columns.
- Partitioning key columns must be of type CHAR, NCHAR, VARCHAR2, NVARCHAR2, VARCHAR, NUMBER, FLOAT, DATE, TIMESTAMP, TIMESTAMP WITH LOCAL TIMEZONE, or RAW.
- Each hash partitioning key column with a character data type that belongs to an XMLType table or a table with an XMLType column, or that is used as a sharding key column must have one of the following declared collations: BINARY, USING\_NLS\_COMP, USING\_NLS\_SORT, or USING\_NLS\_SORT\_CS.

### *column*

Specify an ordered list of columns used to determine into which partition a row belongs (the partitioning key).

### *individual\_hash\_partitions*

Use this clause to specify individual partitions by name.

Use the *indexing\_clause* to set the indexing property for a hash partition. Refer to the [indexing\\_clause](#) for more information.

### Restriction on Specifying Individual Hash Partitions

The only clauses you can specify in the *partitioning\_storage\_clause* are the TABLESPACE clause and table compression.

#### Note:

If your enterprise has or will have databases using different character sets, then use caution when partitioning on character columns. The sort sequence of characters is not identical in all character sets. Refer to *Oracle Database Globalization Support Guide* for more information on character set support.

### *hash\_partitions\_by\_quantity*

An alternative to defining individual partitions is to specify the number of hash partitions. In this case, the database assigns partition names of the form SYS\_Pn. The STORE IN clause lets you specify one or more tablespaces where the hash partition data is to be stored. The

number of tablespaces need not equal the number of partitions. If the number of partitions is greater than the number of tablespaces, then the database cycles through the names of the tablespaces.

For both methods of hash partitioning, for optimal load balancing you should specify a number of partitions that is a power of 2. When you specify individual hash partitions, you can specify both `TABLESPACE` and table compression in the *partitioning\_storage\_clause*. When you specify hash partitions by quantity, you can specify only `TABLESPACE`. Hash partitions inherit all other attributes from table-level defaults.

The *table\_compression* clause has the same function as described for the *table\_properties* of the table as a whole.

The *prefix\_compression* clause and the `OVERFLOW` clause have the same function as described for the *index\_org\_table\_clause*.

Tablespace storage specified at the table level is overridden by tablespace storage specified at the partition level, which in turn is overridden by tablespace storage specified at the subpartition level.

In the *individual\_hash\_partitions* clause, the `TABLESPACE` clause of the *partitioning\_storage\_clause* determines tablespace storage only for the individual partition being created. In the *hash\_partitions\_by\_quantity* clause, the `STORE IN` clause determines placement of partitions as the table is being created and the default storage location for subsequently added partitions.

### Restriction on Specifying Hash Partitions by Quantity

You cannot specify the *advanced\_index\_compression* clause of the *index\_compression* clause.

#### See Also:

*Oracle Database VLDB and Partitioning Guide* for more information on hash partitioning

### *composite\_range\_partitions*

Use the *composite\_range\_partitions* clause to first partition *table* by range, and then partition the partitions further into range, hash, or list subpartitions.

The `INTERVAL` clause has the same semantics for composite range partitioning that it has for range partitioning. Refer to "[INTERVAL Clause](#)" for more information.

Specify *subpartition\_by\_range*, *subpartition\_by\_hash* or *subpartition\_by\_list* to indicate the type of subpartitioning you want for each composite range partition. Within these clauses you can specify a subpartition template, which establishes default subpartition characteristics for subpartitions created as part of this statement or subsequently created subpartitions.

After establishing the type of subpartitioning you want for the table, and optionally a subpartition template, you must define at least one range partition.

- You must specify the *range\_values\_clause*, which has the same requirements as for noncomposite range partitions.

- Use the [table\\_partition\\_description](#) to define the physical and storage characteristics of the each partition.
- In the *range\_partition\_desc*, use *range\_subpartition\_desc*, *list\_subpartition\_desc*, *individual\_hash\_subparts*, or *hash\_subparts\_by\_quantity* to specify characteristics for the individual subpartitions of the partition. The values you specify in these clauses supersede for these subpartitions any values you have specified in the *subpartition\_template*.
- The only characteristics you can specify for a hash or list subpartition or any LOB subpartition are `TABLESPACE` and *table\_compression*.

### Restrictions on Composite Range Partitioning

Regardless of the type of subpartitioning, composite range partitioning is subject to the following restrictions:

- The only physical attributes you can specify at the subpartition level are `TABLESPACE` and table compression.
- You cannot specify composite partitioning for an index-organized table. Therefore, the `OVERFLOW` clause of the *table\_partition\_description* is not valid for composite-partitioned tables.
- You cannot specify composite partitioning for tables containing `XMLType` columns.
- Each range, list, or hash subpartitioning key column with a character data type that belongs to an `XMLType` table or a table with an `XMLType` column must have one of the following declared collations: `BINARY`, `USING_NLS_COMP`, `USING_NLS_SORT`, or `USING_NLS_SORT_CS`.



#### See Also:

"[Composite-Partitioned Table Examples](#)" for examples of composite range partitioning and *Oracle Database VLDB and Partitioning Guide* for examples of composite list partitioning

### *composite\_list\_partitions*

Use the *composite\_list\_partitions* clause to first partition *table* by list, and then partition the partitions further into range, hash, or list subpartitions.

Specify [subpartition\\_by\\_range](#), [subpartition\\_by\\_hash](#) or [subpartition\\_by\\_list](#) to indicate the type of subpartitioning you want for each composite list partition. Within these clauses you can specify a subpartition template, which establishes default subpartition characteristics for subpartitions created as part of this statement and for subsequently created subpartitions.

After establishing the type of subpartitioning you want for each composite partition, and optionally defining a subpartition template, you must define at least one list partition.

- In the *list\_partition\_desc*, you must specify the [list\\_values\\_clause](#), which has the same requirements as for noncomposite list partitions.
- Use the [table\\_partition\\_description](#) to define the physical and storage characteristics of the each partition.

- In the *list\_partition\_desc*, use *range\_subpartition\_desc*, *list\_subpartition\_desc*, *individual\_hash\_subparts*, or *hash\_subparts\_by\_quantity* to specify characteristics for the individual subpartitions of the partition. The values you specify in these clauses supersede the for these subpartitions any values you have specified in the *subpartition\_template*.

Specify `AUTOMATIC` to create an automatic list-range, list-list, list-hash, or list-interval composite-partitioned table. This type of table enables the database to create additional partitions on demand. The optional `STORE IN` clause lets you specify one or more tablespaces into which the database will store data for the automatically created partitions. The `AUTOMATIC` and `STORE IN` clauses have the same semantics here as they have for noncomposite list partitions. Refer to [AUTOMATIC](#) and [STORE IN](#) in the documentation on *list\_partitions* for the full semantics of these clauses. Automatic composite-partitioned tables are subject to the restrictions listed in [Restrictions on Composite List Partitioning](#) and [Restrictions on Automatic List Partitioning](#).

### Restrictions on Composite List Partitioning

Composite list partitioning is subject to the same restrictions as described in "[Restrictions on Composite Range Partitioning](#)".

#### *composite\_hash\_partitions*

Use the *composite\_hash\_partitions* clause to first partition *table* using the hash method, and then partition the partitions further into range, hash, or list subpartitions.

Specify *subpartition\_by\_range*, *subpartition\_by\_hash* or *subpartition\_by\_list* to indicate the type of subpartitioning you want for each composite range partition. Within these clauses you can specify a subpartition template, which establishes default subpartition characteristics for subpartitions created as part of this statement or subsequently created subpartitions.

After establishing the type of subpartitioning you want for the table, you must specify *individual\_hash\_partitions* or *hash\_partitions\_by\_quantity*.

### Restrictions on Composite Hash Partitioning

Composite hash partitioning is subject to the same restrictions as described in "[Restrictions on Composite Range Partitioning](#)".

#### *subpartition\_template*

The *subpartition\_template* is an optional element of range, list, and hash subpartitioning. The template lets you define default subpartitions for each table partition. Oracle Database will create these default subpartition characteristics in any partition for which you do not explicitly define subpartitions. This clause is useful for creating symmetric partitions. You can override this clause by explicitly defining subpartitions at the partition level, in the *range\_subpartition\_desc*, *list\_subpartition\_desc*, *individual\_hash\_subparts*, or *hash\_subparts\_by\_quantity* clause.

When defining subpartitions with a template, you can explicitly define range, list, or hash subpartitions, or you can define a quantity of hash subpartitions.

- To explicitly define subpartitions, use *range\_subpartition\_desc*, *list\_subpartition\_desc*, or *individual\_hash\_subparts*. You must specify a



name for each subpartition. If you specify the *LOB\_partitioning\_clause* of the *partitioning\_storage\_clause*, then you must specify *LOB\_segname*.

- To define a quantity of hash subpartitions, specify a positive integer for *hash\_subpartition\_quantity*. The database creates that number of subpartitions in each partition and assigns subpartition names of the form *SYS\_SUBPn*.

 **Note:**

When you specify tablespace storage for the subpartition template, it does not override any tablespace storage you have specified explicitly for the partitions of *table*. To specify tablespace storage for subpartitions, do one of these things:

- Omit tablespace storage at the partition level and specify tablespace storage in the subpartition template.
- Define individual subpartitions with specific tablespace storage.

### Restrictions on Subpartition Templates

Subpartition templates are subject to the following restrictions:

- If you specify *TABLESPACE* for one LOB subpartition, then you must specify *TABLESPACE* for all of the LOB subpartitions of that LOB column. You can specify the same tablespace for more than one LOB subpartition.
- If you specify separate LOB storage for list subpartitions using the *partitioning\_storage\_clause*, either in the *subpartition\_template* or when defining individual subpartitions, then you must specify *LOB\_segname* for both LOB and varray columns.

#### *subpartition\_by\_range*

Use the *subpartition\_by\_range* clause to indicate that the database should subpartition by range each partition in *table*. The subpartitioning column list is unrelated to the partitioning key but is subject to the same restrictions (see [column](#)).

You can use the *subpartition\_template* to specify default subpartition characteristic values. See [subpartition\\_template](#). The database uses these values for any subpartition in this partition for which you do not explicitly specify the characteristic.

You can also define range subpartitions individually for each partition using the *range\_subpartition\_desc* of *range\_partition\_desc* or *list\_partition\_desc*. If you omit both *subpartition\_template* and the *range\_subpartition\_desc*, then the database creates a single *MAXVALUE* subpartition.

#### *subpartition\_by\_list*

Use the *subpartition\_by\_list* clause to indicate that the database should subpartition each partition in the table on lists of literal values from the *column* list. You can specify a maximum of 16 list subpartitioning key columns.

You can use the *subpartition\_template* to specify default subpartition characteristic values. See [subpartition\\_template](#). The database uses these values for any subpartition in this partition for which you do not explicitly specify the characteristic.

You can also define list subpartitions individually for each partition using the *list\_subpartition\_desc* of *range\_partition\_desc* or *list\_partition\_desc*. If you omit both *subpartition\_template* and the *list\_subpartition\_desc*, then the database creates a single `DEFAULT` subpartition.

### Restrictions on List Subpartitioning

List subpartitioning is subject to the same restrictions as described in [Restrictions on Composite Range Partitioning](#).

#### *subpartition\_by\_hash*

Use the *subpartition\_by\_hash* clause to indicate that the database should subpartition by hash each partition in *table*. The subpartitioning column list is unrelated to the partitioning key but is subject to the same restrictions (see [column](#)).

You can define the subpartitions using the *subpartition\_template* or the `SUBPARTITIONS integer` clause. See [subpartition\\_template](#). In either case, for optimal load balancing you should specify a number of partitions that is a power of 2.

If you specify `SUBPARTITIONS integer`, then you determine the default number of subpartitions in each partition of *table*, and optionally one or more tablespaces in which they are to be stored. The default value is 1. If you omit both this clause and *subpartition\_template*, then the database will create each partition with one hash subpartition.

### Notes on Composite Partitions

The following notes apply to composite partitions:

- For all subpartitions, you can use the *range\_subpartition\_desc*, *list\_subpartition\_desc*, *individual\_hash\_subparts*, or *hash\_subparts\_by\_quantity* to specify individual subpartitions by name, and optionally some other characteristics.
- Alternatively, for hash and list subpartitions:
  - You can specify the number of subpartitions and optionally one or more tablespaces where they are to be stored. In this case, Oracle Database assigns subpartition names of the form `SYS_SUBPn`.
  - If you omit the subpartition description and if you have created a subpartition template, then the database uses the template to create subpartitions. If you have not created a subpartition template, then the database creates one hash subpartition or one `DEFAULT` list subpartition.
- For all types of subpartitions, if you omit the subpartitions description entirely, then the database assigns subpartition names as follows:
  - If you have specified a subpartition template *and* you have specified partition names, then the database generates subpartition names of the form *partition\_name* underscore ( `_` ) *subpartition\_name* (for example, `P1_SUB1`).
  - If you have not specified a subpartition template *or* if you have specified a subpartition template but did not specify partition names, then the database generates subpartition names of the form `SYS_SUBPn`.

### *reference\_partitioning*

Use this clause to partition the table by reference. Partitioning by reference is a method of equipartitioning the table being created (the **child table**) by a referential constraint to an existing partitioned table (the **parent table**). When you partition a table by reference, partition maintenance operations subsequently performed on the parent table automatically cascade to the child table. Therefore, you cannot perform partition maintenance operations on a reference-partitioned table directly.

If the parent table is an interval-partitioned table, then partitions in the reference-partitioned child table that correspond to interval partitions in the parent table will be created during inserts into the child table. When an interval partition in a child table is created, the partition name is inherited from the associated parent table partition. If the child table has a table-level default tablespace, then it will be used as the tablespace for the new interval partition. Otherwise, the tablespace will be inherited from the parent table partition. Refer to *Oracle Database VLDB and Partitioning Guide* for more information on referencing an interval-partitioned table.

### *constraint*

The partitioning referential constraint must meet the following conditions:

- You must specify a referential integrity constraint defined on the table being created, which must refer to a primary key or unique constraint on the parent table. The constraint must be in `ENABLE VALIDATE NOT DEFERRABLE` state, which is the default when you specify a referential integrity constraint during table creation.
- All foreign key columns referenced in the constraint must be `NOT NULL`.
- When you specify the constraint, you cannot specify the `ON DELETE SET NULL` clause of the *references\_clause*.
- The parent table referenced in the constraint must be an existing partitioned table. It can be partitioned by any method.
- The foreign and parent keys cannot contain any virtual columns that reference PL/SQL functions or LOB columns.

### *reference\_partition\_desc*

Use this optional clause to specify partition names and to define the physical and storage characteristics of the partition. The subclauses of the *table\_partition\_description* have the same behavior as described for range partitions in *table\_partition\_description*.

If you specify this clause when creating a reference-partitioned child table whose parent is an interval-partitioned table, then the partition descriptors are used for the child table's non-interval partitions. Partition descriptors cannot be specified for interval partitions.

### **Restrictions on Reference Partitioning**

Reference partitioning is subject to the restrictions listed in [Restrictions on Partitioning in General](#). The following additional restrictions apply:

- Restrictions for reference partitioning are derived from the partitioning strategy of the parent table.
- Neither the parent table nor the child table can be an automatic list-partitioned table.
- You cannot specify this clause for an index-organized table, an external table, or a domain index storage table.

- The parent table can be partitioned by reference, but *constraint* cannot be self-referential. The table being created cannot be partitioned based on a reference to itself.
- If `ROW MOVEMENT` is enabled for the parent table, it must also be enabled for the child table.

 **See Also:**

Oracle Database VLDB and Partitioning Guide for more information on partitioning by reference and "[Reference Partitioning Example](#)"

### ***system\_partitioning***

Use this clause to create system partitions. System partitioning does not entail any partitioning key columns, nor do system partitions have any range or list bounds or hash algorithms. Rather, they provide a way to equipartition dependent tables such as nested table or domain index storage tables with partitioned base tables.

- If you specify only `PARTITION BY SYSTEM`, then the database creates one partition with a system-generated name of the form `SYS_Pn`.
- If you specify `PARTITION BY SYSTEM PARTITIONS integer`, then the database creates as many partitions as you specify in *integer*, which can range from 1 to 1024K-1.
- The description of the partition takes the same syntax as reference partitions, so they share the *reference\_partition\_desc*. You can specify additional partition attributes with the *reference\_partition\_desc* syntax. However, within the *table\_partition\_description*, you cannot specify the `OVERFLOW` clause.

### **Restrictions on System Partitioning**

System partitioning is subject to the following restrictions:

- You cannot system partition an index-organized table or a table that is part of a cluster.
- Composite partitioning is not supported with system partitioning.
- You cannot split a system partition.
- You cannot specify system partitioning in a `CREATE TABLE ... AS SELECT` statement.
- To insert data into a system-partitioned table using an `INSERT INTO ... AS subquery` statement, you must use partition-extended syntax to specify the partition into which the values returned by the subquery will be inserted.

 **See Also:**

Refer to *Oracle Database Data Cartridge Developer's Guide* for information on the uses for system partitioning and "[References to Partitioned Tables and Indexes](#) "

### ***consistent\_hash\_partitions***

This clause is valid only for sharded tables. Use this clause to create consistent hash partitions.

Each sharding key column with a character data type must have one of the following declared collations: `BINARY`, `USING_NLS_COMP`, `USING_NLS_SORT`, or `USING_NLS_SORT_CS`.

### ***directory\_based\_partitions***

Use this clause to create a sharded table with directory-based sharding.

The restrictions that apply to sharded tables apply to tables sharded by directory.

### **Example: Create Sharded Table and Partition by Directory**

```
CREATE SHARDED TABLE departments
  ( department_id NUMBER(6)
  , department_name VARCHAR2(30) CONSTRAINT dept_name_nn NOT NULL
  , manager_id NUMBER(6)
  , location_id NUMBER(4)
  , CONSTRAINT dept_id_pk PRIMARY KEY(department_id)
  )
PARTITION BY DIRECTORY (department_id)
  (
    PARTITION p_1 TABLESPACE tbs1,
    PARTITION p_2 TABLESPACE tbs2
  );
```

In the example above, when you partition by directory the partition names `p_1` and `p_2` do not have value list after them. This is different from partition by list.

### ***consistent\_hash\_with\_subpartitions***

This clause is valid only for sharded tables. Use this clause to create consistent hash with subpartitions.

Each sharding key column with a character data type must have one of the following declared collations: `BINARY`, `USING_NLS_COMP`, `USING_NLS_SORT`, or `USING_NLS_SORT_CS`.

### ***range\_partitionset\_clause***

Use this clause to create a range partition set.

In the `SUBPARTITION BY` clause, within the `subpartition_template` clause, you cannot specify a tablespace for a subpartition. That is, for range, list, and individual hash subpartitions, you cannot specify the `TABLESPACE` clause of the `partitioning_storage_clause`, and in the `hash_subpartitions_by_quantity` clause, you cannot specify the `STORE IN (tablespace)` clause.

In the `PARTITIONS AUTO` clause, within the `subpartition_template` clause of the `range_partitionset_desc` clause, you *can* specify a tablespace for a subpartition.

Each super sharding or sharding key column with a character data type must have one of the following declared collations: `BINARY`, `USING_NLS_COMP`, `USING_NLS_SORT`, or `USING_NLS_SORT_CS`.

### ***list\_partitionset\_clause***

Use this clause to create a list partition set.

In the `SUBPARTITION BY` clause, within the `subpartition_template` clause, you cannot specify a tablespace for a subpartition. That is, for range, list, and individual hash subpartitions, you cannot specify the `TABLESPACE` clause of the `partitioning_storage_clause`, and in the `hash_subpartitions_by_quantity` clause, you cannot specify the `STORE IN (tablespace)` clause.

In the `PARTITIONS AUTO` clause, within the `subpartition_template` clause of the `list_partitionset_desc` clause, you *can* specify a tablespace for a subpartition.

Each super sharding or sharding key column with a character data type must have one of the following declared collations: `BINARY`, `USING_NLS_COMP`, `USING_NLS_SORT`, or `USING_NLS_SORT_CS`.

### ***attribute\_clustering\_clause***

Use this clause to enable the table for attribute clustering. Attribute clustering lets you cluster data in close physical proximity based on the content of specified columns.

Attribute clustering can be based only on columns in `table` or on joined values from other tables. The latter is called join attribute clustering.



#### **See Also:**

*Oracle Database Data Warehousing Guide* for more information on attribute clustering

### ***clustering\_join***

Use this clause to specify join attribute clustering. Use the `JOIN` clause to specify the joined values from other tables on which to base the attribute clustering. You can specify a maximum of four `JOIN` clauses.

### ***cluster\_clause***

Use this clause to specify the type of ordering to use for the table: linear ordering or interleaved ordering. If you do not specify the `LINEAR` or `INTERLEAVED` keyword, then the default is `LINEAR`.

#### **BY LINEAR ORDER**

Use this clause to specify linear ordering. This type of ordering stores data according to the order of the specified columns. If you specify this clause, then you can specify only one clustering column group, which can contain at most 10 columns.

#### **BY INTERLEAVED ORDER**

Use this clause to specify interleaved ordering. This type of ordering uses a special multidimensional clustering technique, similar to z-ordering, that permits multicolumn clustering. If you specify this clause, then you can specify at most four clustering column groups, with a maximum of 40 columns across all groups.

### ***clustering\_columns***

Use this clause to specify one or more clustering column groups.

### ***clustering\_column\_group***

Use this clause to specify one or more columns to be included in the clustering column group.

### **Restriction on Attribute Clustering Columns**

Each character column in the clustering column group must have one of the following declared collations: `BINARY` or `USING_NLS_COMP`.

### ***clustering\_when***

Use these clauses to allow or disallow attribute clustering during direct-path insert operations and data movement operations.

#### **ON LOAD**

Specify `YES ON LOAD` to allow, or `NO ON LOAD` to disallow, attribute clustering during direct-path inserts (serial or parallel) resulting either from an `INSERT` or a `MERGE` operation.

The default is `YES ON LOAD`.

#### **ON DATA MOVEMENT**

Specify `YES ON DATA MOVEMENT` to allow, or `NO ON DATA MOVEMENT` to disallow, attribute clustering for data movement that occurs during the following operations:

- Data redefinition using the `DBMS_REDEFINITION` package
- Table partition maintenance operations that are specified by the following clauses of `ALTER TABLE`: `coalesce_table`, `merge_table_partitions`, `move_table_partition`, and `split_table_partition`

The default is `YES ON DATA MOVEMENT`.

### ***zonemap\_clause***

Use this clause to create a zone map on the table. The zone map tracks the columns specified in the `clustering_columns` clause.

- Specify `WITH MATERIALIZED ZONEMAP` to create a zone map. For `zonemap_name`, specify the name of the zone map to be created. If you omit `zonemap_name`, then the name of the zone map is `ZMAP$_table`.
- Specify `WITHOUT MATERIALIZED ZONEMAP` to not create a zone map. This is the default.

If you subsequently drop the table or use the `ALTER TABLE` statement to `DROP CLUSTERING` or `MODIFY CLUSTERING ... WITHOUT MATERIALIZED ZONEMAP`, then the zone map will be dropped.



#### **See Also:**

[CREATE MATERIALIZED ZONEMAP](#) for more information on zone maps

### **Restrictions on Attribute Clustering**

The following restrictions apply to attribute clustering:

- Attribute clustering is not supported for temporary tables or external tables.
- The table being created must be a heap-organized table. However, tables specified in the *clustering\_join* clause can be heap-organized or index-organized tables.
- Clustering columns must be of a scalar data type and cannot be encrypted.
- If you specify `BY LINEAR ORDER`, then you can specify only one clustering column group, which can contain at most 10 columns.
- If you specify `BY INTERLEAVED ORDER`, then you can specify at most four clustering column groups, with a maximum of 40 columns across all groups.
- For join attribute clustering:
  - The number of dimension tables cannot exceed four.
  - The join to the table or tables providing the attribute clustering columns must be on a unique key or primary key column to avoid row duplication.
- Attribute clustering will not order rows that are inserted using `MERGE` statements or multitable insert operations.

### CACHE | NOCACHE | CACHE READS

Use these clauses to indicate how Oracle Database should store blocks in the buffer cache. For LOB storage, you can specify `CACHE`, `NOCACHE`, or `CACHE READS`. For other types of storage, you can specify only `CACHE` or `NOCACHE`.

If you omit these clauses, then:

- In a `CREATE TABLE` statement, `NOCACHE` is the default.
- In an `ALTER TABLE` statement, the existing value is not changed.

The behavior of `CACHE` and `NOCACHE` described in this section does not apply when Oracle Database chooses to use direct reads or to perform table scans using parallel query.

### CACHE

For data that is accessed frequently, this clause indicates that the blocks retrieved for this table are placed at the most recently used end of the least recently used (LRU) list in the buffer cache when a full table scan is performed. This attribute is useful for small lookup tables.



#### See Also:

*Oracle Database Concepts* for more information on how the database maintains the least recently used (LRU) list

As a parameter in the *LOB\_storage\_clause*, `CACHE` specifies that the database places LOB data values in the buffer cache for faster access. The database evaluates this parameter in conjunction with the *logging\_clause*. If you omit this clause, then the default value for both BasicFiles and SecureFiles LOBs is `NOCACHE LOGGING`.

### Restriction on CACHE



You cannot specify `CACHE` for an index-organized table. However, index-organized tables implicitly provide `CACHE` behavior.

### **NOCACHE**

For data that is not accessed frequently, this clause indicates that the blocks retrieved for this table are placed at the least recently used end of the LRU list in the buffer cache when a full table scan is performed. `NOCACHE` is the default for LOB storage.

As a parameter in the *LOB\_storage\_clause*, `NOCACHE` specifies that the LOB values are not brought into the buffer cache. `NOCACHE` is the default for LOB storage.

### **Restriction on NOCACHE**

You cannot specify `NOCACHE` for an index-organized table.

### **CACHE READS**

`CACHE READS` applies only to LOB storage. It specifies that LOB values are brought into the buffer cache only during read operations but not during write operations.

### ***logging\_clause***

Use this clause to indicate whether the storage of data blocks should be logged or not.



#### **See Also:**

[logging\\_clause](#) for a description of the *logging\_clause* when specified as part of *LOB\_parameters*

### ***result\_cache\_clause***

Use this clause to determine whether the results of statements or query blocks that name this table are considered for storage in the result cache.

You can use mode `DEFAULT` or mode `FORCE` for result caching, with `STANDBY` enabled or disabled.

- `DEFAULT`: Result caching is not determined at the table level. The query is considered for result caching if the `RESULT_CACHE_MODE` initialization parameter is set to `FORCE`, or if that parameter is set to `MANUAL` and the `RESULT_CACHE` hint is specified in the query. This is the default if you omit this clause.
- `FORCE`: If all tables names in the query have this setting, then the query is always considered for caching unless the `NO_RESULT_CACHE` hint is specified for the query. If one or more tables named in the query are set to `DEFAULT`, then the effective table annotation for that query is considered to be `DEFAULT`, with the semantics described above.
- The default value of `STANDBY` is `DISABLE`.
- You must enable `STANDBY` on all the dependent objects of a query to save the result of the query into the result cache.
- A transaction must enable `STANDBY` on an object in order to generate a redo marker at transaction commit time on the primary.

You can query the `RESULT_CACHE` column of the `DBA_`, `ALL_`, and `USER_TABLES` data dictionary views to learn the result cache mode of the table.

## Precedence

The `RESULT_CACHE` and `NO_RESULT_CACHE` SQL hints take precedence over these result cache table annotations and the `RESULT_CACHE_MODE` initialization parameter.

The `RESULT_CACHE_MODE` setting of `FORCE` in turn takes precedence over this table annotation clause.

If you set the initialization parameter `RESULT_CACHE_INTEGRITY` to `ENFORCED`, then only deterministic constructs will be eligible for result caching. The `ENFORCED` setting overrides the setting of `RESULT_CACHE_MODE` or specified hints.

If you set `RESULT_CACHE_INTEGRITY` to `TRUSTED`, then the database honors the setting of `RESULT_CACHE_MODE` and specified hints and considers queries using non-deterministic constructs as candidates for result caching.

### Note:

The `RESULT_CACHE_MODE` setting of `FORCE` is not recommended, as it can cause significant performance and latching overhead, as database and clients will try to cache all queries.

### See Also:

- *Oracle Call Interface Programmer's Guide* and *Oracle Database Concepts* for general information about result caching
- *Oracle Database Performance Tuning Guide* for information about using this clause
- *Oracle Database Reference* for information about the `RESULT_CACHE_MODE` initialization parameter and the `*_TABLES` data dictionary views
- "[RESULT\\_CACHE Hint](#)" and "[NO\\_RESULT\\_CACHE Hint](#)" for information about the hints

## *parallel\_clause*

The *parallel\_clause* lets you parallelize creation of the table and set the default degree of parallelism for queries and the DML `INSERT`, `UPDATE`, `DELETE`, and `MERGE` after table creation.

### Note:

The syntax of the *parallel\_clause* supersedes syntax appearing in earlier releases of Oracle. The superseded syntax is still supported for backward compatibility, but may result in slightly different behavior from that documented.

## NOPARALLEL

Specify `NOPARALLEL` for serial execution. This is the default.

## PARALLEL

Specify `PARALLEL` if you want Oracle to select a degree of parallelism equal to the number of CPUs available on all participating instances times the value of the `PARALLEL_THREADS_PER_CPU` initialization parameter.

### PARALLEL *integer*

Specification of *integer* indicates the **degree of parallelism**, which is the number of parallel threads used in the parallel operation. Each parallel thread may use one or two parallel execution servers. Normally Oracle calculates the optimum degree of parallelism, so it is not necessary for you to specify *integer*.



### See Also:

[parallel\\_clause](#) for more information on this clause

## NOROWDEPENDENCIES | ROWDEPENDENCIES

This clause lets you specify whether *table* will use **row-level dependency tracking**. With this feature, each row in the table has a system change number (SCN) that represents a time greater than or equal to the commit time of the last transaction that modified the row. You cannot change this setting after *table* is created.

### ROWDEPENDENCIES

Specify `ROWDEPENDENCIES` if you want to enable row-level dependency tracking. This setting is useful primarily to allow for parallel propagation in replication environments. It increases the size of each row by 6 bytes.

### Restriction on the ROWDEPENDENCIES Clause

Oracle does not support table compression for tables that use row-level dependency tracking. If you specify both the `ROWDEPENDENCIES` clause and the `table_compression` clause, then the `table_compression` clause is ignored. To remove the `ROWDEPENDENCIES` attribute, you must redefine the table using the `DBMS_REDEFINITION` package or recreate the table.

### NOROWDEPENDENCIES

Specify `NOROWDEPENDENCIES` if you do not want *table* to use the row-level dependency tracking feature. This is the default.

### *enable\_disable\_clause*

The *enable\_disable\_clause* lets you specify whether Oracle Database should apply a constraint. By default, constraints are created in `ENABLE VALIDATE` state.

### Restrictions on Enabling and Disabling Constraints

Enabling and disabling constraints are subject to the following restrictions:

- To enable or disable any integrity constraint, you must have defined the constraint in this or a previous statement.

- You cannot enable a foreign key constraint unless the referenced unique or primary key constraint is already enabled.
- In the *index\_properties* clause of the *using\_index\_clause*, the `INDEXTYPE IS ...` clause is not valid in the definition of a constraint.

**See Also:**

*constraint* for more information on constraints and "[Creating a Table: ENABLE/DISABLE Examples](#)"

**ENABLE Clause**

Use this clause if you want the constraint to be applied to the data in the table. This clause is described fully in "[ENABLE Clause](#)" in the documentation on constraints.

**DISABLE Clause**

Use this clause if you want to disable the integrity constraint. This clause is described fully in "[DISABLE Clause](#)" in the documentation on constraints.

**UNIQUE**

The `UNIQUE` clause lets you enable or disable the unique constraint defined on the specified column or combination of columns.

**PRIMARY KEY**

The `PRIMARY KEY` clause lets you enable or disable the primary key constraint defined on the table.

**CONSTRAINT**

The `CONSTRAINT` clause lets you enable or disable the integrity constraint named *constraint\_name*.

**KEEP | DROP INDEX**

This clause lets you either preserve or drop the index Oracle Database has been using to enforce a unique or primary key constraint.

**Restriction on Preserving and Dropping Indexes**

You can specify this clause only when disabling a unique or primary key constraint.

***using\_index\_clause***

The *using\_index\_clause* lets you specify an index for Oracle Database to use to enforce a unique or primary key constraint, or lets you instruct the database to create the index used to enforce the constraint.

 **See Also:**

- [CREATE INDEX](#) for a description of *index\_attributes*, the *global\_partitioned\_index* and *local\_partitioned\_index* clauses, `NOSORT`, and the *logging\_clause* in relation to indexes
- [constraint](#) for information on the *using\_index\_clause* and on `PRIMARY KEY` and `UNIQUE` constraints
- ["Explicit Index Control Example"](#) for an example of using an index to enforce a constraint

**CASCADE**

Specify `CASCADE` to disable any integrity constraints that depend on the specified integrity constraint. To disable a primary or unique key that is part of a referential integrity constraint, you must specify this clause.

**Restriction on CASCADE**

You can specify `CASCADE` only if you have specified `DISABLE`.

***row\_movement\_clause***

The *row\_movement\_clause* lets you specify whether the database can move a table row. It is possible for a row to move, for example, during table compression or an update operation on partitioned data.

 **Note:**

If you need static rowids for data access, then do not enable row movement. For a normal (heap-organized) table, moving a row changes the rowid of the row. For a moved row in an index-organized table, the logical rowid remains valid, although the physical guess component of the logical rowid becomes inaccurate.

- Specify `ENABLE` to allow the database to move a row, thus changing the rowid.
- Specify `DISABLE` if you want to prevent the database from moving a row, thus preventing a change of rowid.

If you omit this clause, then the database disables row movement.

**Restriction on Row Movement**

You cannot specify this clause for a nonpartitioned index-organized table.

***logical\_replication\_clause***

Use this clause to perform partial database replication for users such as Oracle GoldenGate, and reduce the supplemental logging overhead of uninteresting tables in interesting schema where supplemental logging is enabled.

**ENABLE LOGICAL REPLICATION**

You can specify `ENABLE LOGICAL REPLICATION` with `ALLKEYS`, `ALLOW NOVALIDATE KEYS`, and `[NO] PARTIAL JSON` in any order. The supplemental log settings of all levels (database, the container, schema, table) are honored. No additional ID or scheduling-key supplemental logging is added for this table.

### DISABLE LOGICAL REPLICATION

When logical replication is disabled for a table, it means that only database level supplemental logging is honored. This provides a way for partial database replication users (who will not enable database level column data supplemental logging) to disable supplemental logging for uninteresting tables, so that even when supplemental logging is enabled at the schema level, there is no column data supplemental logging for uninteresting tables.

If you create a table with `DISABLE LOGICAL REPLICATION`, logical replication is disabled for the table. Database and container level supplemental log settings are honored but table-level and schema-level supplemental log settings are ignored.

### ENABLE LOGICAL REPLICATION ALL KEYS

Use this option to enable the table for Golden Gate `AUTO_CAPTURE`.

ID and scheduling keys, primary key (`PK`), foreign key (`FK`), unique index (`UI`), and all key supplemental logging (`ALLKEYS`) are implicitly enabled for the table.

### ENABLE LOGICAL REPLICATION ALLOW NOVALIDATE KEYS

Use this option to enable the table for Golden Gate `AUTO_CAPTURE`.

ID and scheduling keys, primary key (`PK`), foreign key (`FK`), unique index (`UI`), and all key supplemental logging (`ALLKEYS`) are implicitly enabled for the table. The primary key constraint in `NOVALIDATE` mode can be supplementally logged as a unique identifier for the table. `NOVALIDATE KEYS` are allowed as a row identification key.

If you create a table with `ENABLE LOGICAL REPLICATION ALLOW NOVALIDATE KEYS`, ID and scheduling-key is implicitly enabled for the table. The primary key constraint in `NOVALIDATE` mode can be supplementally logged as a unique identifier for the table.

### NO PARTIAL JSON

Use this clause if your replication target database does not support native `JSON`, `partial JSON` or `JSON DIFF`. This includes non-Oracle target databases and Oracle target databases with DB compatible lower than 23.

You can specify `NO PARTIAL JSON` whether a column of type `JSON` exists or not.

When you enable column-level data supplemental logging on the table or schema, `partial JSON` update is disabled. This means that the `JSON` update will always generate a new `JSON` instance with full `JSON` document. This is the default when `[NO] PARTIAL JSON` is not specified.

In order to use `NO PARTIAL JSON` without errors, you must set the database compatible initialization parameter must be set to 23 or higher.

### PARTIAL JSON

Use this option if your replication target database is Oracle Database with the database compatible initialization parameter set to 23 or higher and where `partial JSON` and `JSON DIFF` can be supported at the target database.

You can specify `PARTIAL JSON` whether a column of type `JSON` exists or not.

With `PARTIAL JSON` you can enable a partial `JSON` update for the table. A `JSON` column updated using `JSON_TRANSFORM` may internally partially update the existing `JSON` instance, even when column-level data supplemental logging has been added for the table or schema.

In order to use `PARTIAL JSON` without errors, you must set the database compatible initialization parameter must be set to 23 or higher.

### ***flashback\_archive\_clause***

You must have the `FLASHBACK ARCHIVE` object privilege on the specified flashback archive to specify this clause. Use this clause to enable or disable historical tracking for the table.

- Specify `FLASHBACK ARCHIVE` to enable tracking for the table. You can specify *flashback\_archive* to designate a particular flashback archive for this table. The flashback archive you specify must already exist.

If you omit *flashback\_archive*, then the database uses the default flashback archive designated for the system. If no default flashback archive has been designated for the system, then you must specify *flashback\_archive*.

- Specify `NO FLASHBACK ARCHIVE` to disable tracking for the table. This is the default.

### **Restrictions on *flashback\_archive\_clause***

Flashback data archives are subject to the following restrictions:

- You cannot specify this clause for a nested table, clustered table, temporary table, remote table, or external table.
- You cannot specify this clause for a table compressed with Hybrid Columnar Compression.
- The table for which you are specifying this clause cannot contain any `LONG` or nested table columns.
- If you specify this clause and subsequently copy the table to a different database—using the export and import utilities or the transportable tablespace feature—then the copied table will not be enabled for tracking and the archived data for the original table will not be available for the copied table.

#### See Also:

- *Oracle Database Development Guide* for general information on using Flashback Time Travel
- [ALTER FLASHBACK ARCHIVE](#) for information on changing the quota and retention attributes of the flashback archive, as well as adding or changing tablespace storage for the flashback archive

## **ROW ARCHIVAL**

Specify this clause to enable *table* for row archival. This clause lets you implement In-Database Archiving, which allows you to designate table rows as active or archived. You can then perform queries on only the active rows within the table.

When you specify this clause, a hidden column `ORA_ARCHIVE_STATE` is created in the table. The column is of data type `VARCHAR2`. You can specify a value of 0 or 1 for this column to indicate whether a row is active (0) or archived (1). If you do not specify a value for `ORA_ARCHIVE_STATE` when inserting data into the table, then the value is set to 0.

- If `ROW ARCHIVE VISIBILITY = ACTIVE` for the session, then the database will consider only active rows when performing queries on the table.
- If `ROW ARCHIVE VISIBILITY = ALL` for the session, then the database will consider all rows when performing queries on the table.

#### See Also:

- The `ALTER SESSION` [Semantics](#) clause to learn how to configure row archival visibility for a session
- The `ALTER TABLE [NO] ROW ARCHIVAL` clause to learn how to enable or disable an existing table for row archival
- *Oracle Database VLDB and Partitioning Guide* for more information on In-Database Archiving

## FOR EXCHANGE WITH TABLE

This clause lets you create a table that matches the structure of an existing partitioned table. The two tables are then eligible for exchanging partitions and subpartitions. For *table*, specify an existing partitioned table. For *schema*, specify the schema that contains the existing partitioned table. If you omit *schema*, then the database assumes the table is in your own schema.

This operation creates a metadata clone, without data, of the partitioned table. The clone has the same column ordering and column properties of the original table. Column properties copied to the clone during this operation include unusable columns, invisible columns, virtual expression columns, functional index expression columns, and other internal settings and attributes. Indexes on the existing partitioned table are not created on the clone table.

You can subsequently use the `exchange_partition_subpart` clause of `ALTER TABLE` to exchange partitions or subpartitions between the two tables. Refer to [exchange\\_partition\\_subpart](#) in the documentation on `ALTER TABLE` for more information.

Each super sharding or sharding key column with a character data type must have one of the following declared collations: `BINARY`, `USING_NLS_COMP`, `USING_NLS_SORT`, or `USING_NLS_SORT_CS`.

## Restrictions on FOR EXCHANGE WITH TABLE

The following restrictions apply to the `FOR EXCHANGE WITH TABLE` clause:

- If you specify this clause, then you cannot specify the `relational_properties` clause.



- If you specify this clause, then within the *table\_properties* clause, you can specify only the *table\_partitioning\_clause*.
- Within the *table\_partitioning\_clause* each key column with a character data type must have one of the following declared collations: `BINARY`, `USING_NLS_COMP`, `USING_NLS_SORT`, or `USING_NLS_SORT_CS`.
- When you create a clone for a partition of a composite-partitioned table, you must explicitly specifying the appropriate *table\_partitioning\_clause* that matches exactly the subpartitioning of the partition you want to exchange.
- Oracle does not clone the statistics setup of the partitioned table. For example, if you plan to perform an exchange with a partitioned table for which incremental statistics are enabled, you must manually enable the creation of a table synopsis on the clone table. See *Oracle Database SQL Tuning Guide* for more information on maintaining incremental statistics on partitioned tables.
- You cannot create a clone of an external table.
- If the table specified in the `FOR EXCHANGE WITH TABLE` clause is protected by a fine-grained audit (FGA) policy, then the `CREATE TABLE` statement will fail, if the user who is creating it is not the `SYS` user.
- You cannot use this clause if you have VPD policies enabled on the target table.

### AS subquery

Specify a subquery to determine the contents of the table. The rows returned by the subquery are inserted into the table upon its creation.

For object tables, *subquery* can contain either one expression corresponding to the table type, or the number of top-level attributes of the table type. Refer to [SELECT](#) for more information.

If *subquery* returns the equivalent of part or all of an existing materialized view, then the database may rewrite the query to use the materialized view in place of one or more tables specified in *subquery*.



#### See Also:

*Oracle Database Data Warehousing Guide* for more information on materialized views and query rewrite

Oracle Database derives data types and lengths from the subquery. Oracle Database follows the following rules for integrity constraints and other column and table attributes:

- Oracle Database automatically defines on columns in the new table any `NOT NULL` constraints that have a state of `NOT DEFERRABLE` and `VALIDATE`, and were explicitly created on the corresponding columns of the selected table if the subquery selects the column rather than an expression containing the column. If any rows violate the constraint, then the database does not create the table and returns an error.
- `NOT NULL` constraints that were implicitly created by Oracle Database on columns of the selected table (for example, for primary keys) are not carried over to the new table.
- In addition, primary keys, unique keys, foreign keys, check constraints, partitioning criteria, indexes, and column default values are not carried over to the new table.

- If the selected table is partitioned, then you can choose whether the new table will be partitioned the same way, partitioned differently, or not partitioned. Partitioning is not carried over to the new table. Specify any desired partitioning as part of the `CREATE TABLE` statement before the `AS subquery` clause.
- A column that is encrypted using Transparent Data Encryption in the selected table will not be encrypted in the new table unless you define the column in the new table as encrypted at create time.

 **Note:**

Oracle recommends that you encrypt sensitive columns before populating them with data. This will avoid creating clear text copies of sensitive data.

If each column returned by `subquery` has a column name or is an expression with a specified column alias, then you can omit the columns from the table definition entirely. In this case, the names of the columns of `table` are the same as the columns in `subquery`. The exception is creating an index-organized table, for which you must specify the columns in the table definition because you must specify a primary key column.

You can use `subquery` in combination with the `TO_LOB` function to convert the values in a `LONG` column in another table to LOB values in a column of the table you are creating.

 **See Also:**

- *Oracle Database SecureFiles and Large Objects Developer's Guide* for a discussion of why and when to copy `LONG` data to a LOB
- "[Conversion Functions](#)" for a description of how to use the `TO_LOB` function
- [SELECT](#) for more information on the `order_by_clause`
- *Oracle Database SQL Tuning Guide* for information on statistics gathering when using the `AS subquery` clause

**`parallel_clause`**

If you specify the `parallel_clause` in this statement, then the database will ignore any value you specify for the `INITIAL` storage parameter and will instead use the value of the `NEXT` parameter.

 **See Also:**

[storage\\_clause](#) for information on these parameters

## ORDER BY

The `ORDER BY` clause lets you order rows returned by the subquery.

When specified with `CREATE TABLE`, this clause does not necessarily order data across the entire table. For example, it does not order across partitions. Specify this clause if you intend to create an index on the same key as the `ORDER BY` key column. Oracle Database will cluster data on the `ORDER BY` key so that it corresponds to the index key.

## Restrictions on the Defining Query of a Table

The table query is subject to the following restrictions:

- The number of columns in the table must equal the number of expressions in the subquery.
- The column definitions can specify only column names, default values, and integrity constraints, not data types.
- You cannot define a foreign key constraint in a `CREATE TABLE` statement that contains `AS subquery` unless the table is reference partitioned and the constraint is the table's partitioning referential constraint. In all other cases, you must create the table without the constraint and then add it later with an `ALTER TABLE` statement.

## FOR STAGING

Specify `FOR STAGING` to create a staging table optimized for staging data in Oracle Database. Staging tables are typically shortlived and volatile with constantly changing data.

You can create a staging table with or without partitions with `CREATE TABLE t FOR STAGING` or you can convert an existing table into a staging table with `ALTER TABLE t FOR STAGING`.

## Examples: Create a Staging Table

```
CREATE TABLE staging_table (col1 number, col2 varchar2(100)) FOR STAGING;
```

## Examples: Create a Staging Table With Partitions

```
CREATE TABLE part_staging_table (col1 number, col2 varchar2(100))  
PARTITION BY RANGE (col1) (PARTITION p1 VALUES LESS THAN (100), PARTITION pmax VALUES  
LESS THAN (MAXVALUE))  
FOR STAGING;
```

A staging table with or without partitions has the following characteristics:

- Compression is explicitly turned off and disallowed for any future data load on the table and its partitions and subpartitions. Changing existing tables into staging tables will not impact the storage of existing data but only impact future data loads.
- You cannot change the default attributes of a staging table, its partitions or subpartitions, or future data loads using `ALTER TABLE`.
- You cannot perform any partition maintenance operations that will move the data and compress it using `ALTER TABLE`.
- You cannot partition a staging table and specify compression on any of its partitions.
- Dynamic sampling is used for queries on a staging table. This means that you cannot gather statistics on a staging table or any of its partitions.
- If you drop a staging table it will be dropped immediately, bypassing the recyclebin irrespective of your setting.

The dictionary views `USER_TABLES`, `ALL_TABLES`, and `DBA_TABLES` have a staging table property in a new column `STAGING`. The value of `STAGING` is `YES` for a staged table, and `NO` otherwise.

### ***object\_table***

The `OF` clause lets you explicitly create an **object table** of type *object\_type*. The columns of an object table correspond to the top-level attributes of type *object\_type*. Each row will contain an object instance, and each instance will be assigned a unique, system-generated object identifier when a row is inserted. If you omit *schema*, then the database creates the object table in your own schema.

Object tables, as well as `XMLType` tables, object views, and `XMLType` views, do not have any column names specified for them. Therefore, Oracle defines a system-generated pseudocolumn `OBJECT_ID`. You can use this column name in queries and to create object views with the `WITH OBJECT IDENTIFIER` clause.



#### **See Also:**

["Object Column and Table Examples"](#)

### ***object\_table\_substitution***

Use the *object\_table\_substitution* clause to specify whether row objects corresponding to subtypes can be inserted into this object table.

#### **NOT SUBSTITUTABLE AT ALL LEVELS**

`NOT SUBSTITUTABLE AT ALL LEVELS` indicates that the object table being created is not substitutable. In addition, substitution is disabled for all embedded object attributes and elements of embedded nested tables and arrays. The default is `SUBSTITUTABLE AT ALL LEVELS`.



#### **See Also:**

- [CREATE TYPE](#) for more information about creating object types
- ["User-Defined Types"](#), ["About User-Defined Functions"](#), ["About SQL Expressions"](#), [CREATE TYPE](#), and *Oracle Database Object-Relational Developer's Guide* for more information about using `REF` types

### ***object\_properties***

The properties of object tables are essentially the same as those of relational tables. However, instead of specifying columns, you specify attributes of the object.

For *attribute*, specify the qualified column name of an item in an object.

### ***oid\_clause***

The *oid\_clause* lets you specify whether the object identifier of the object table should be system generated or should be based on the primary key of the table. The default is `SYSTEM GENERATED`.

### Restrictions on the *oid\_clause*

This clause is subject to the following restrictions:

- You cannot specify `OBJECT IDENTIFIER IS PRIMARY KEY` unless you have already specified a `PRIMARY KEY` constraint for the table.
- You cannot specify this clause for a nested table.

#### Note:

A primary key object identifier is locally unique but not necessarily globally unique. If you require a globally unique identifier, then you must ensure that the primary key is globally unique.

### *oid\_index\_clause*

This clause is relevant only if you have specified the *oid\_clause* as `SYSTEM GENERATED`. It specifies an index, and optionally its storage characteristics, on the hidden object identifier column.

For *index*, specify the name of the index on the hidden system-generated object identifier column. If you omit *index*, then the database generates a name.

### *physical\_properties* and *table\_properties*

The semantics of these clauses are documented in the corresponding sections under relational tables. See [physical\\_properties](#) and [table\\_properties](#).

### *XMLType\_table*

Use the *XMLType\_table* syntax to create a table of data type `XMLType`. Most of the clauses used to create an `XMLType` table have the same semantics that exist for object tables. The clauses specific to `XMLType` tables are described in this section.

Object tables, as well as `XMLType` tables, object views, and `XMLType` views, do not have any column names specified for them. Therefore, Oracle defines a system-generated pseudocolumn `OBJECT_ID`. You can use this column name in queries and to create object views with the `WITH OBJECT IDENTIFIER` clause.

### *XMLSchema\_spec*

This clause lets you specify the URL of a registered `XMLSchema`, either in the `XMLSCHEMA` clause or as part of the `ELEMENT` clause, and an XML element name.

You must specify an element, although the `XMLSchema` URL is optional. If you do specify an `XMLSchema` URL, then you must already have registered the `XMLSchema` using the `DBMS_XMLSCHEMA` package.

The optional `STORE ALL VARRAYS AS` clause lets you specify how all varrays in the `XMLType` table or column are to be stored.

- `STORE ALL VARRAYS AS LOBS` indicates that all varrays are to be stored as LOBs.
- `STORE ALL VARRAYS AS TABLES` indicates that all varrays are to be stored as tables.

The optional `ALLOW | DISALLOW` clauses are valid only if you have specified `BINARY XML` storage.

- `ALLOW NONSCHEMA` indicates that non-schema-based documents can be stored in the `XMLType` column.
- `DISALLOW NONSCHEMA` indicates that non-schema-based documents cannot be stored in the `XMLType` column. This is the default.
- `ALLOW ANYSCHEMA` indicates that any schema-based document can be stored in the `XMLType` column.
- `DISALLOW ANYSCHEMA` indicates that any schema-based document cannot be stored in the `XMLType` column. This is the default.

#### See Also:

- *Oracle Database PL/SQL Packages and Types Reference* for information on the `DBMS_XMLSCHEMA` package
- *Oracle XML DB Developer's Guide* for information on creating and working with XML data
- "[XMLType Table Examples](#)"

### MEMOPTIMIZE FOR READ

Use this clause to enable fast lookup. Fast lookup improves the performance high frequency data query operations. The `MEMOPTIMIZE_POOL_SIZE` initialization parameter controls the size of the memoptimize pool. Note that the feature uses additional memory from the SGA.

- You must specify this clause as a top-level attribute of the table, it cannot be specified at the partition or subpartition level.
- You must explicitly enable the table for `MEMOPTIMIZE FOR READ` before you can read data from the table.

### MEMOPTIMIZE FOR WRITE

Use this clause to enable fast ingest. Fast ingest optimizes memory processing of high frequency single row data inserts from Internet of Things (IoT) applications.

- `MEMOPTIMIZE FOR WRITE` is a top-level attribute and cannot be used at the partition or subpartition level.
- A table must be enabled for `MEMOPTIMIZE FOR WRITE` before data for that table can be written to the IGA.

### Restrictions

Blockchain and immutable tables do not support `MEMOPTIMIZE FOR WRITE`.

Columns of `BFILE` datatype do not support `MEMOPTIMIZE FOR WRITE`.

## PARENT

You can use this clause to create a child table in a sharded table family.

A sharded table family is a set of tables that are sharded in the same way. Corresponding partitions of all tables in a table family are stored in the same shard. This enables you to minimize the number of multishard joins when querying data in the table family.

There are two methods for creating a sharded table family. The recommended method involves using reference partitioning. However, if it is impossible or undesirable to create the primary and foreign key constraints that are required for reference partitioning, then you can use the `PARENT` clause to create a sharded table family.

The rules for creating a sharded table family differ depending on which method you use. When you create a sharded table family by using the `PARENT` clause, the following rules apply:

- The sharded table family can contain only two levels of tables: a parent table, and one or more child tables.
- All tables in the family must be explicitly partitioned using the same partitioning scheme. Each table can use a different subpartitioning scheme, or none at all.
- You must first create the parent table, and it must be a sharded table.
- You can then use the `CREATE SHARDED TABLE ... PARENT ...` statement to create each child table. For *table*, specify the name of the parent table. For *schema*, specify the schema that contains the parent table. If you omit *schema*, then the database assumes the parent table is in your own schema.

You can create multiple sharded table families with system sharding but at most one with composite or user-defined sharding.



### See Also:

- *Using Oracle Sharding*

## Examples

### Creating Tables: General Examples

This statement shows how the `employees` table owned by the sample human resources (`hr`) schema was created. A hypothetical name is given to the table and constraints so that you can duplicate this example in your test database:

```
CREATE TABLE employees_demo
  ( employee_id    NUMBER(6)
  , first_name     VARCHAR2(20)
  , last_name      VARCHAR2(25)
    CONSTRAINT emp_last_name_nn_demo NOT NULL
  , email          VARCHAR2(25)
    CONSTRAINT emp_email_nn_demo     NOT NULL
  , phone_number   VARCHAR2(20)
  , hire_date      DATE DEFAULT SYSDATE
    CONSTRAINT emp_hire_date_nn_demo NOT NULL
  , job_id         VARCHAR2(10)
    CONSTRAINT     emp_job_nn_demo   NOT NULL
  , salary         NUMBER(8,2)
```

```

        CONSTRAINT emp_salary_nn_demo NOT NULL
, commission_pct NUMBER(2,2)
, manager_id NUMBER(6)
, department_id NUMBER(4)
, dn VARCHAR2(300)
, CONSTRAINT emp_salary_min_demo
CHECK (salary > 0)
, CONSTRAINT emp_email_uk_demo
UNIQUE (email)
) ;

```

This table contains twelve columns. The `employee_id` column is of data type `NUMBER`. The `hire_date` column is of data type `DATE` and has a default value of `SYSDATE`. The `last_name` column is of type `VARCHAR2` and has a `NOT NULL` constraint, and so on.

### Creating a Table: Storage Example

To define the same `employees_demo` table in the `example` tablespace with a small storage capacity, issue the following statement:

```

CREATE TABLE employees_demo
( employee_id NUMBER(6)
, first_name VARCHAR2(20)
, last_name VARCHAR2(25)
, CONSTRAINT emp_last_name_nn_demo NOT NULL
, email VARCHAR2(25)
, CONSTRAINT emp_email_nn_demo NOT NULL
, phone_number VARCHAR2(20)
, hire_date DATE DEFAULT SYSDATE
, CONSTRAINT emp_hire_date_nn_demo NOT NULL
, job_id VARCHAR2(10)
, CONSTRAINT emp_job_nn_demo NOT NULL
, salary NUMBER(8,2)
, CONSTRAINT emp_salary_nn_demo NOT NULL
, commission_pct NUMBER(2,2)
, manager_id NUMBER(6)
, department_id NUMBER(4)
, dn VARCHAR2(300)
, CONSTRAINT emp_salary_min_demo
CHECK (salary > 0)
, CONSTRAINT emp_email_uk_demo
UNIQUE (email)
)
TABLESPACE example
STORAGE (INITIAL 8M);

```

### Creating a Table with a DEFAULT ON NULL Column Value: Example

The following statement creates a table `myemp`, which can be used to store employee data. The `department_id` column is defined with a `DEFAULT ON NULL` column value of 50. Therefore, if a subsequent `INSERT` statement attempts to assign a `NULL` value to `department_id`, then the value of 50 will be assigned instead.

```

CREATE TABLE myemp (employee_id number, last_name varchar2(25),
                    department_id NUMBER DEFAULT ON NULL 50 NOT NULL);

```

In the `employees` table, `employee_id 178` has a `NULL` value for `department_id`:

```

SELECT employee_id, last_name, department_id
FROM employees
WHERE department_id IS NULL;

```



```

EMPLOYEE_ID LAST_NAME                DEPARTMENT_ID
-----
178 Grant

```

Populate the `myemp` table with the `employee_id`, `last_name`, and `department_id` column data from the `employees` table:

```

INSERT INTO myemp (employee_id, last_name, department_id)
  (SELECT employee_id, last_name, department_id from employees);

```

In the `myemp` table, `employee_id` 178 has a value of 50 for `department_id`:

```

SELECT employee_id, last_name, department_id
  FROM myemp
 WHERE employee_id = 178;

```

```

EMPLOYEE_ID LAST_NAME                DEPARTMENT_ID
-----
178 Grant                                50

```

### Creating a Table with an Identity Column: Examples

The following statement creates a table `t1` with an identity column `id`. The sequence generator will always assign increasing integer values to `id`, starting with 1.

```

CREATE TABLE t1 (id NUMBER GENERATED AS IDENTITY);

```

The following statement creates a table `t2` with an identity column `id`. The sequence generator will, by default, assign increasing integer values to `id` in increments of 10 starting with 100.

```

CREATE TABLE t2 (id NUMBER GENERATED BY DEFAULT AS IDENTITY (START WITH 100 INCREMENT
BY 10));

```

### Creating a Table: Temporary Table Example

The following statement creates a temporary table `today_sales` for use by sales representatives in the sample database. Each sales representative session can store its own sales data for the day in the table. The temporary data is deleted at the end of the session.

```

CREATE GLOBAL TEMPORARY TABLE today_sales
  ON COMMIT PRESERVE ROWS
  AS SELECT * FROM orders WHERE order_date = SYSDATE;

```

### Creating a Table with Deferred Segment Creation: Example

The following statement creates a table with deferred segment creation. Oracle Database will not create a segment for the data of this table until data is inserted into the table:

```

CREATE TABLE later (col1 NUMBER, col2 VARCHAR2(20)) SEGMENT CREATION DEFERRED;

```

### Substitutable Table and Column Examples

The following statements create a type hierarchy, which can be used to create a substitutable table. Type `employee_t` inherits the `name` and `ssn` attributes from type `person_t` and in addition has `department_id` and `salary` attributes. Type `part_time_emp_t` inherits all of the attributes from `employee_t` and, through `employee_t`, those of `person_t` and in addition has a `num_hrs` attribute. Type `part_time_emp_t` is final by default, so no further subtypes can be created under it.

```
CREATE TYPE person_t AS OBJECT (name VARCHAR2(100), ssn NUMBER)
    NOT FINAL;
/

CREATE TYPE employee_t UNDER person_t
    (department_id NUMBER, salary NUMBER) NOT FINAL;
/

CREATE TYPE part_time_emp_t UNDER employee_t (num_hrs NUMBER);
/
```

The following statement creates a substitutable table from the `person_t` type:

```
CREATE TABLE persons OF person_t;
```

The following statement creates a table with a substitutable column of type `person_t`:

```
CREATE TABLE books (title VARCHAR2(100), author person_t);
```

When you insert into `persons` or `books`, you can specify values for the attributes of `person_t` or any of its subtypes. Examples of insert statements appear in ["Inserting into a Substitutable Tables and Columns: Examples"](#).

You can extract data from such tables using built-in functions and conditions. For examples, see the functions [TREAT](#) and [SYS\\_TYPEID](#), and the ["IS OF type Condition"](#) condition.

### Creating a Table: Parallelism Examples

The following statement creates a table using an optimum number of parallel execution servers to scan `employees` and to populate `dept_80`:

```
CREATE TABLE dept_80
    PARALLEL
    AS SELECT * FROM employees
    WHERE department_id = 80;
```

Using parallelism speeds up the creation of the table, because the database uses parallel execution servers to create the table. After the table is created, querying the table is also faster, because the same degree of parallelism is used to access the table.

The following statement creates the same table serially. Subsequent DML and queries on the table will also be serially executed.

```
CREATE TABLE dept_80
    AS SELECT * FROM employees
    WHERE department_id = 80;
```

### Creating a Table: ENABLE/DISABLE Examples

The following statement shows how the sample table `departments` was created. The example defines a `NOT NULL` constraint, and places it in `ENABLE VALIDATE` state:

```
CREATE TABLE departments_demo
    ( department_id    NUMBER(4)
    , department_name  VARCHAR2(30)
    , CONSTRAINT dept_name_nn NOT NULL
    , manager_id       NUMBER(6)
    , location_id       NUMBER(4)
```

```
, dn          VARCHAR2(300)
) ;
```

The following statement creates the same `departments_demo` table but also defines a disabled primary key constraint:

```
CREATE TABLE departments_demo
  ( department_id  NUMBER(4)  PRIMARY KEY DISABLE
  , department_name VARCHAR2(30)
    CONSTRAINT dept_name_nn NOT NULL
  , manager_id    NUMBER(6)
  , location_id   NUMBER(4)
  , dn            VARCHAR2(300)
  ) ;
```

### Nested Table Example

The following statement shows how the sample table `pm.print_media` was created with a nested table column `ad_textdocs_ntab`:

```
CREATE TABLE print_media
  ( product_id  NUMBER(6)
  , ad_id       NUMBER(6)
  , ad_composite BLOB
  , ad_sourcetext CLOB
  , ad_finaltext CLOB
  , ad_fltextn  NCLOB
  , ad_textdocs_ntab textdoc_tab
  , ad_photo    BLOB
  , ad_graphic  BFILE
  , ad_header   adheader_typ
  ) NESTED TABLE ad_textdocs_ntab STORE AS textdocs_nestedtab;
```

### Creating a Table: Multilevel Collection Example

The following example shows how an account manager might create a table of customers using two levels of nested tables:

```
CREATE TYPE phone AS OBJECT (telephone NUMBER);
/
CREATE TYPE phone_list AS TABLE OF phone;
/
CREATE TYPE my_customers AS OBJECT (
  cust_name VARCHAR2(25),
  phones phone_list);
/
CREATE TYPE customer_list AS TABLE OF my_customers;
/
CREATE TABLE business_contacts (
  company_name VARCHAR2(25),
  company_reps customer_list)
  NESTED TABLE company_reps STORE AS outer_ntab
  (NESTED TABLE phones STORE AS inner_ntab);
```

The following variation of this example shows how to use the `COLUMN_VALUE` keyword if the inner nested table has no column or attribute name:

```
CREATE TYPE phone AS TABLE OF NUMBER;
/
CREATE TYPE phone_list AS TABLE OF phone;
/
```

```
CREATE TABLE my_customers (
  name VARCHAR2(25),
  phone_numbers phone_list)
NESTED TABLE phone_numbers STORE AS outer_ntab
(NESTED TABLE COLUMN_VALUE STORE AS inner_ntab);
```

### Creating a Table: LOB Column Example

The following statement is a variation of the statement that created the `print_media` table with some added LOB storage characteristics:

```
CREATE TABLE print_media_new
( product_id      NUMBER(6)
, ad_id           NUMBER(6)
, ad_composite   BLOB
, ad_sourcetext  CLOB
, ad_finaltext   CLOB
, ad_fltextn     NCLOB
, ad_textdocs_ntab textdoc_tab
, ad_photo       BLOB
, ad_graphic     BFILE
, ad_header      adheader_typ
) NESTED TABLE ad_textdocs_ntab STORE AS textdocs_nestedtab_new
LOB (ad_sourcetext, ad_finaltext) STORE AS
(TABLESPACE example
 STORAGE (INITIAL 6144)
 CHUNK 4000
 NOCACHE LOGGING);
```

In the example above, the database rounds the value of `CHUNK` up to 4096 (the nearest multiple of the block size of 2048).

### Index-Organized Table Example

The following statement is a variation of the sample table `hr.countries`, which is index organized:

```
CREATE TABLE countries_demo
( country_id      CHAR(2)
  CONSTRAINT country_id_nn_demo NOT NULL
, country_name   VARCHAR2(40)
, currency_name  VARCHAR2(25)
, currency_symbol VARCHAR2(3)
, region        VARCHAR2(15)
, CONSTRAINT    country_c_id_pk_demo
                PRIMARY KEY (country_id ) )
ORGANIZATION INDEX
INCLUDING      country_name
PCTTHRESHOLD 2
STORAGE
( INITIAL      4K )
OVERFLOW
STORAGE
( INITIAL      4K );
```

### External Table Example

The following statement creates an external table that represents a subset of the sample table `hr.departments`. The `TYPE` clause specifies that the access driver type for the table is `ORACLE_LOADER`. The `ACCESS PARAMETERS ()` clause specifies parameter values for the `ORACLE_LOADER` access driver. These parameters are shown in italics

and form the `opaque_format_spec`. The syntax for `opaque_format_spec` depends on the access driver type and is outside the scope of this document. Refer to *Oracle Database Utilities* for details on the `ORACLE_LOADER` access driver and the `opaque_format_spec` syntax.

```
CREATE TABLE dept_external (
  deptno    NUMBER(6),
  dname     VARCHAR2(20),
  loc       VARCHAR2(25)
)
ORGANIZATION EXTERNAL
(TYPE oracle_loader
DEFAULT DIRECTORY admin
ACCESS PARAMETERS
(
  RECORDS DELIMITED BY newline
  BADFILE 'ulcase1.bad'
  DISCARDFILE 'ulcase1.dis'
  LOGFILE 'ulcase1.log'
  SKIP 20
  FIELDS TERMINATED BY "," OPTIONALLY ENCLOSED BY '"'
  (
    deptno    INTEGER EXTERNAL(6),
    dname     CHAR(20),
    loc       CHAR(25)
  )
)
LOCATION ('ulcase1.ct1')
)
REJECT LIMIT UNLIMITED;
```



### See Also:

"[Creating a Directory: Examples](#)" to see how the `admin` directory was created

## XMLType Examples

This section contains brief examples of creating an `XMLType` table or `XMLType` column. For a more expanded version of these examples, refer to "[Using XML in SQL Statements](#)".

### XMLType Table Examples

The following example creates a very simple `XMLType` table with one implicit binary XML column:

```
CREATE TABLE xwarehouses OF XMLTYPE;
```

The following example creates an XMLSchema-based table. The XMLSchema must already have been created (see "[Using XML in SQL Statements](#)" for more information):

```
CREATE TABLE xwarehouses OF XMLTYPE
XMLSCHEMA "http://www.example.com/xwarehouses.xsd"
ELEMENT "Warehouse";
```

You can define constraints on an XMLSchema-based table, and you can also create indexes on XMLSchema-based tables, which greatly enhance subsequent queries. You can create object-relational views on `XMLType` tables, and you can create `XMLType` views on object-relational tables.

 **See Also:**

- ["Using XML in SQL Statements"](#) for an example of adding a constraint
- ["Creating an Index on an XMLType Table: Example"](#) for an example of creating an index
- ["Creating an XMLType View: Example"](#) for an example of creating an XMLType view

## XMLType Column Examples

The following example creates a table with an XMLType column stored as a CLOB. This table does not require an XMLSchema, so the content structure is not predetermined:

```
CREATE TABLE xwarehouses (
  warehouse_id      NUMBER,
  warehouse_spec    XMLTYPE)
XMLTYPE warehouse_spec STORE AS CLOB
(TABLESPACE example
 STORAGE (INITIAL 6144)
 CHUNK 4000
 NOCACHE LOGGING);
```

The following example creates a similar table, but stores XMLType data in an object relational XMLType column whose structure is determined by the specified schema:

```
CREATE TABLE xwarehouses (
  warehouse_id      NUMBER,
  warehouse_spec    XMLTYPE)
XMLTYPE warehouse_spec STORE AS OBJECT RELATIONAL
XMLSCHEMA "http://www.example.com/xwarehouses.xsd"
ELEMENT "Warehouse";
```

The following example creates another similar table with an XMLType column stored as a SecureFiles CLOB. This table does not require an XMLSchema, so the content structure is not predetermined. SecureFiles LOBs require a tablespace with automatic segment-space management, so the example uses the tablespace created in ["Specifying Segment Space Management for a Tablespace: Example"](#).

```
CREATE TABLE xwarehouses (
  warehouse_id      NUMBER,
  warehouse_spec    XMLTYPE)
XMLTYPE warehouse_spec STORE AS SECUREFILE CLOB
(TABLESPACE auto_seg_ts
 STORAGE (INITIAL 6144)
 CACHE);
```

## Partitioning Examples

### Range Partitioning Example

The sales table in the sample schema sh is partitioned by range. The following example shows an abbreviated variation of the sales table. Constraints and storage elements have been omitted from the example.

```
CREATE TABLE range_sales
  ( prod_id      NUMBER(6)
```

```

, cust_id          NUMBER
, time_id          DATE
, channel_id       CHAR(1)
, promo_id         NUMBER(6)
, quantity_sold    NUMBER(3)
, amount_sold      NUMBER(10,2)
)
PARTITION BY RANGE (time_id)
(PARTITION SALES_Q1_1998 VALUES LESS THAN (TO_DATE('01-APR-1998','DD-MON-YYYY')),
PARTITION SALES_Q2_1998 VALUES LESS THAN (TO_DATE('01-JUL-1998','DD-MON-YYYY')),
PARTITION SALES_Q3_1998 VALUES LESS THAN (TO_DATE('01-OCT-1998','DD-MON-YYYY')),
PARTITION SALES_Q4_1998 VALUES LESS THAN (TO_DATE('01-JAN-1999','DD-MON-YYYY')),
PARTITION SALES_Q1_1999 VALUES LESS THAN (TO_DATE('01-APR-1999','DD-MON-YYYY')),
PARTITION SALES_Q2_1999 VALUES LESS THAN (TO_DATE('01-JUL-1999','DD-MON-YYYY')),
PARTITION SALES_Q3_1999 VALUES LESS THAN (TO_DATE('01-OCT-1999','DD-MON-YYYY')),
PARTITION SALES_Q4_1999 VALUES LESS THAN (TO_DATE('01-JAN-2000','DD-MON-YYYY')),
PARTITION SALES_Q1_2000 VALUES LESS THAN (TO_DATE('01-APR-2000','DD-MON-YYYY')),
PARTITION SALES_Q2_2000 VALUES LESS THAN (TO_DATE('01-JUL-2000','DD-MON-YYYY')),
PARTITION SALES_Q3_2000 VALUES LESS THAN (TO_DATE('01-OCT-2000','DD-MON-YYYY')),
PARTITION SALES_Q4_2000 VALUES LESS THAN (MAXVALUE))
;

```

For information about partitioned table maintenance operations, see *Oracle Database VLDB and Partitioning Guide*.

### Range Partitioning Live SQL Example

The following statement creates a table partitioned by range:

```

CREATE TABLE empl_h
(
    employee_id NUMBER(6) PRIMARY KEY,
    first_name  VARCHAR2(20),
    last_name   VARCHAR2(25),
    email       VARCHAR2(25),
    phone_number VARCHAR2(20),
    hire_date   DATE DEFAULT SYSDATE,
    job_id      VARCHAR2(10),
    salary      NUMBER(8, 2),
    part_name   VARCHAR2(25)
) PARTITION BY RANGE (hire_date) (
PARTITION hire_q1 VALUES less than(to_date('01-APR-2014', 'DD-MON-YYYY')),
PARTITION hire_q2 VALUES less than(to_date('01-JUL-2014', 'DD-MON-YYYY')),
PARTITION hire_q3 VALUES less than(to_date('01-OCT-2014', 'DD-MON-YYYY')),
PARTITION hire_q4 VALUES less than(to_date('01-JAN-2015', 'DD-MON-YYYY'))
);

```

The following statements insert rows into the partitions:

```

INSERT INTO empl_h (employee_id, first_name, last_name, email, phone_number,
hire_date, job_id, salary, Part_name)
VALUES (1, 'Jane', 'Doe', 'example.com', '415.555.0100', '10-Feb-2014', '1001',
5001, 'HIRE_Q1');

INSERT INTO empl_h (employee_id, first_name, last_name, email, phone_number,
hire_date, job_id, salary, Part_name)
VALUES (2, 'John', 'Doe', 'example.net', '415.555.0101', '10-Apr-2014', '1002',
7001, 'HIRE_Q2');

INSERT INTO empl_h (employee_id, first_name, last_name, email, phone_number,
hire_date, job_id, salary, Part_name)
VALUES (3, 'Isabelle', 'Owl', 'example.org', '415.555.0102', '10-Sep-2014', '1003',

```

```
10001,'HIRE_Q3');

INSERT INTO empl_h (employee_id, first_name, last_name, email, phone_number,
hire_date, job_id, salary, Part_name)
VALUES (4, 'Smith', 'Jones', 'example.in', '415.555.0103', '10-Dec-2014',
'1004', 12001,'HIRE_Q4');
```

The following statements display the partition names using data dictionary tables:

```
SELECT PARTITION_NAME FROM USER_TAB_PARTITIONS WHERE TABLE_NAME = 'EMPL_H';
```

```
PARTITION_NAME
-----
HIRE_Q1
HIRE_Q2
HIRE_Q3
HIRE_Q4
```

```
SELECT TABLE_NAME, PARTITIONING_TYPE, STATUS FROM USER_PART_TABLES WHERE
TABLE_NAME = 'EMPL_H';
```

```
TABLE_NAME      PARTITIONING_TYPE      STATUS
-----
EMPL_H          RANGE                   VALID
```

The following statement creates a table named `parts` by selecting a particular column from the data dictionary table `user_tab_partitions`:

```
CREATE TABLE parts (p_name) AS SELECT PARTITION_NAME FROM USER_TAB_PARTITIONS
WHERE TABLE_NAME = 'EMPL_H';
```

The following statement displays the table data:

```
select * from parts;

P_NAME
-----
HIRE_Q1
HIRE_Q2
HIRE_Q3
HIRE_Q4
```

The following statement compares the columns from the two tables and displays the information based on the comparison:

```
select E.HIRE_DATE,E.JOB_ID,P.p_name from empl_h E, parts P where E.Part_name =
P.p_name;
```

```
HIRE_DATE JOB_ID      P_NAME
-----
10-FEB-14 1001          HIRE_Q1
10-APR-14 1002          HIRE_Q2
10-SEP-14 1003          HIRE_Q3
10-DEC-14 1004          HIRE_Q4
```

### Interval Partitioning Example

The following example creates a variation of the `oe.customers` table that is partitioned by interval on the `credit_limit` column. One range partition is created to establish the transition point. All of the original data in the table is within the bounds of the range



partition. Then data is added that exceeds the range partition, and the database creates a new interval partition.

```
CREATE TABLE customers_demo (
  customer_id number(6),
  cust_first_name varchar2(20),
  cust_last_name varchar2(20),
  credit_limit number(9,2))
PARTITION BY RANGE (credit_limit)
INTERVAL (1000)
(PARTITION p1 VALUES LESS THAN (5001));

INSERT INTO customers_demo
(customer_id, cust_first_name, cust_last_name, credit_limit)
(select customer_id, cust_first_name, cust_last_name, credit_limit
from customers);
```

Query the `USER_TAB_PARTITIONS` data dictionary view before the database creates the interval partition:

```
SELECT partition_name, high_value FROM user_tab_partitions WHERE table_name =
'CUSTOMERS_DEMO';
```

PARTITION_NAME	HIGH_VALUE
P1	5001

Insert data into the table that exceeds the high value of the range partition:

```
INSERT INTO customers_demo
VALUES (699, 'Fred', 'Flintstone', 5500);
```

Query the `USER_TAB_PARTITIONS` view again after the insert to learn the system-generated name of the interval partition created to accommodate the inserted data. (The system-generated name will vary for each session.)

```
SELECT partition_name, high_value FROM user_tab_partitions
WHERE table_name = 'CUSTOMERS_DEMO'
ORDER BY partition_name;
```

PARTITION_NAME	HIGH_VALUE
P1	5001
SYS_P44	6001

### List Partitioning Example

The following statement shows how the sample table `oe.customers` might have been created as a list-partitioned table. Some columns and all constraints of the sample table have been omitted in this example.

```
CREATE TABLE list_customers
( customer_id          NUMBER(6)
, cust_first_name     VARCHAR2(20)
, cust_last_name      VARCHAR2(20)
, cust_address        CUST_ADDRESS_TYP
, nls_territory       VARCHAR2(30)
, cust_email          VARCHAR2(40))
PARTITION BY LIST (nls_territory) (
PARTITION asia VALUES ('CHINA', 'THAILAND'),
```

```

PARTITION europe VALUES ('GERMANY', 'ITALY', 'SWITZERLAND'),
PARTITION west VALUES ('AMERICA'),
PARTITION east VALUES ('INDIA'),
PARTITION rest VALUES (DEFAULT));

```

### Partitioned Table with LOB Columns Example

This statement creates a partitioned table `print_media_demo` with two partitions `p1` and `p2`, and a number of LOB columns. The statement uses the sample table `pm.print_media`.

```

CREATE TABLE print_media_demo
  ( product_id NUMBER(6)
  , ad_id NUMBER(6)
  , ad_composite BLOB
  , ad_sourcetext CLOB
  , ad_finaltext CLOB
  , ad_fltextn NCLOB
  , ad_textdocs_ntab textdoc_tab
  , ad_photo BLOB
  , ad_graphic BFILE
  , ad_header adheader_typ
  ) NESTED TABLE ad_textdocs_ntab STORE AS textdocs_nestedtab_demo
  LOB (ad_composite, ad_photo, ad_finaltext)
  STORE AS (STORAGE (INITIAL 20M))
  PARTITION BY RANGE (product_id)
  (PARTITION p1 VALUES LESS THAN (3000) TABLESPACE tbs_01
  LOB (ad_composite, ad_photo)
  STORE AS (TABLESPACE tbs_02 STORAGE (INITIAL 10M))
  NESTED TABLE ad_textdocs_ntab STORE AS nt_p1 (TABLESPACE example),
  PARTITION p2 VALUES LESS THAN (MAXVALUE)
  LOB (ad_composite, ad_finaltext)
  STORE AS SECUREFILE (TABLESPACE auto_seg_ts)
  NESTED TABLE ad_textdocs_ntab STORE AS nt_p2
  )
  TABLESPACE tbs_03;

```

Partition `p1` will be in tablespace `tbs_01`. The LOB data partitions for `ad_composite` and `ad_photo` will be in tablespace `tbs_02`. The LOB data partition for the remaining LOB columns will be in tablespace `tbs_01`. The storage attribute `INITIAL` is specified for LOB columns `ad_composite` and `ad_photo`. Other attributes will be inherited from the default table-level specification. The default LOB storage attributes not specified at the table level will be inherited from the tablespace `tbs_02` for columns `ad_composite` and `ad_photo` and from tablespace `tbs_01` for the remaining LOB columns. LOB index partitions will be in the same tablespaces as the corresponding LOB data partitions. Other storage attributes will be based on values of the corresponding attributes of the LOB data partitions and default attributes of the tablespace where the index partitions reside. The nested table partition for `ad_textdocs_ntab` will be stored as `nt_p1` in tablespace `example`.

Partition `p2` will be in the default tablespace `tbs_03`. The LOB data for `ad_composite` and `ad_finaltext` will be in tablespace `auto_seg_ts` as SecureFiles LOBs. The LOB data for the remaining LOB columns will be in tablespace `tbs_03`. The LOB index for columns `ad_composite` and `ad_finaltext` will be in tablespace `auto_seg_ts`. The LOB index for the remaining LOB columns will be in tablespace `tbs_03`. The nested table partition for `ad_textdocs_ntab` will be stored as `nt_p2` in the default tablespace `tbs_03`.

## Hash Partitioning Example

The sample table `oe.product_information` is not partitioned. However, you might want to partition such a large table by hash for performance reasons, as shown in this example. The tablespace names are hypothetical in this example.

```
CREATE TABLE hash_products
  ( product_id      NUMBER(6)  PRIMARY KEY
  , product_name    VARCHAR2(50)
  , product_description VARCHAR2(2000)
  , category_id     NUMBER(2)
  , weight_class    NUMBER(1)
  , warranty_period INTERVAL YEAR TO MONTH
  , supplier_id     NUMBER(6)
  , product_status  VARCHAR2(20)
  , list_price      NUMBER(8,2)
  , min_price       NUMBER(8,2)
  , catalog_url     VARCHAR2(50)
  , CONSTRAINT      product_status_lov_demo
                    CHECK (product_status in ('orderable'
                                              , 'planned'
                                              , 'under development'
                                              , 'obsolete'))
  )
PARTITION BY HASH (product_id)
PARTITIONS 4
STORE IN (tbs_01, tbs_02, tbs_03, tbs_04);
```

## Reference Partitioning Example

The next statement uses the `hash_products` partitioned table created in the preceding example. It creates a variation of the `oe.order_items` table that is partitioned by reference to the hash partitioning on the product id of `hash_products`. The resulting child table will be created with five partitions. For each row of the child table `part_order_items`, the database evaluates the foreign key value (`product_id`) to determine the partition number of the parent table `hash_products` to which the referenced key belongs. The `part_order_items` row is placed in its corresponding partition.

```
CREATE TABLE part_order_items (
  order_id      NUMBER(12) PRIMARY KEY,
  line_item_id  NUMBER(3),
  product_id    NUMBER(6) NOT NULL,
  unit_price    NUMBER(8,2),
  quantity      NUMBER(8),
  CONSTRAINT product_id_fk
  FOREIGN KEY (product_id) REFERENCES hash_products(product_id)
  PARTITION BY REFERENCE (product_id_fk);
```

## Composite-Partitioned Table Examples

The table created in the "[Range Partitioning Example](#)" divides data by time of sale. If you plan to access recent data according to distribution channel as well as time, then composite partitioning might be more appropriate. The following example creates a copy of that `range_sales` table but specifies range-hash composite partitioning. The partitions with the most recent data are subpartitioned with both system-generated and user-defined subpartition names. Constraints and storage attributes have been omitted from the example.

```
CREATE TABLE composite_sales
  ( prod_id      NUMBER(6)
  , cust_id      NUMBER
```

```

, time_id          DATE
, channel_id      CHAR(1)
, promo_id        NUMBER(6)
, quantity_sold   NUMBER(3)
, amount_sold     NUMBER(10,2)
)
PARTITION BY RANGE (time_id)
SUBPARTITION BY HASH (channel_id)
(PARTITION SALES_Q1_1998 VALUES LESS THAN (TO_DATE('01-APR-1998','DD-MON-YYYY')),
PARTITION SALES_Q2_1998 VALUES LESS THAN (TO_DATE('01-JUL-1998','DD-MON-YYYY')),
PARTITION SALES_Q3_1998 VALUES LESS THAN (TO_DATE('01-OCT-1998','DD-MON-YYYY')),
PARTITION SALES_Q4_1998 VALUES LESS THAN (TO_DATE('01-JAN-1999','DD-MON-YYYY')),
PARTITION SALES_Q1_1999 VALUES LESS THAN (TO_DATE('01-APR-1999','DD-MON-YYYY')),
PARTITION SALES_Q2_1999 VALUES LESS THAN (TO_DATE('01-JUL-1999','DD-MON-YYYY')),
PARTITION SALES_Q3_1999 VALUES LESS THAN (TO_DATE('01-OCT-1999','DD-MON-YYYY')),
PARTITION SALES_Q4_1999 VALUES LESS THAN (TO_DATE('01-JAN-2000','DD-MON-YYYY')),
PARTITION SALES_Q1_2000 VALUES LESS THAN (TO_DATE('01-APR-2000','DD-MON-YYYY')),
PARTITION SALES_Q2_2000 VALUES LESS THAN (TO_DATE('01-JUL-2000','DD-MON-YYYY'))
    SUBPARTITIONS 8,
PARTITION SALES_Q3_2000 VALUES LESS THAN (TO_DATE('01-OCT-2000','DD-MON-YYYY'))
    (SUBPARTITION ch_c,
     SUBPARTITION ch_i,
     SUBPARTITION ch_p,
     SUBPARTITION ch_s,
     SUBPARTITION ch_t),
PARTITION SALES_Q4_2000 VALUES LESS THAN (MAXVALUE)
    SUBPARTITIONS 4)
;

```

The following examples creates a partitioned table of customers based on the sample table `oe.customers`. In this example, the table is partitioned on the `credit_limit` column and list subpartitioned on the `nls_territory` column. The subpartition template determines the subpartitioning of any subsequently added partitions, unless you override the template by defining individual subpartitions. This composite partitioning makes it possible to query the table based on a credit limit range within a specified region:

```

CREATE TABLE customers_part (
    customer_id          NUMBER(6),
    cust_first_name      VARCHAR2(20),
    cust_last_name       VARCHAR2(20),
    nls_territory        VARCHAR2(30),
    credit_limit         NUMBER(9,2)
    PARTITION BY RANGE (credit_limit)
    SUBPARTITION BY LIST (nls_territory)
    SUBPARTITION TEMPLATE
        (SUBPARTITION east VALUES
          ('CHINA', 'JAPAN', 'INDIA', 'THAILAND'),
         SUBPARTITION west VALUES
          ('AMERICA', 'GERMANY', 'ITALY', 'SWITZERLAND'),
         SUBPARTITION other VALUES (DEFAULT))
    (PARTITION p1 VALUES LESS THAN (1000),
     PARTITION p2 VALUES LESS THAN (2500),
     PARTITION p3 VALUES LESS THAN (MAXVALUE));

```

## Object Column and Table Examples

### Creating Object Tables: Examples

Consider object type `department_typ`:

```
CREATE TYPE department_typ AS OBJECT
  ( d_name  VARCHAR2(100),
    d_address VARCHAR2(200) );
/
```

**Object table** departments\_obj\_t holds department objects of type department\_typ:

```
CREATE TABLE departments_obj_t OF department_typ;
```

The following statement creates object table salesreps with a user-defined object type, salesrep\_typ:

```
CREATE OR REPLACE TYPE salesrep_typ AS OBJECT
  ( repId NUMBER,
    repName VARCHAR2(64));

CREATE TABLE salesreps OF salesrep_typ;
```

### Creating a Table with a User-Defined Object Identifier: Example

This example creates an object type and a corresponding object table whose object identifier is primary key based:

```
CREATE TYPE employees_typ AS OBJECT
  ( e_no NUMBER, e_address CHAR(30));
/

CREATE TABLE employees_obj_t OF employees_typ (e_no PRIMARY KEY)
  OBJECT IDENTIFIER IS PRIMARY KEY;
```

You can subsequently reference the employees\_obj\_t object table using either *inline\_ref\_constraint* or *out\_of\_line\_ref\_constraint* syntax:

```
CREATE TABLE departments_t
  (d_no NUMBER,
  mgr_ref REF employees_typ SCOPE IS employees_obj_t);

CREATE TABLE departments_t (
  d_no NUMBER,
  mgr_ref REF employees_typ
  CONSTRAINT mgr_in_emp REFERENCES employees_obj_t);
```

### Specifying Constraints on Type Columns: Example

The following example shows how to define constraints on attributes of an object type column:

```
CREATE TYPE address_t AS OBJECT
  ( hno NUMBER,
    street VARCHAR2(40),
    city VARCHAR2(20),
    zip VARCHAR2(5),
    phone VARCHAR2(10) );
/

CREATE TYPE person AS OBJECT
  ( name VARCHAR2(40),
    dateofbirth DATE,
    homeaddress address_t,
    manager REF person );
```

```

/

CREATE TABLE persons OF person
  ( homeaddress NOT NULL,
    UNIQUE (homeaddress.phone),
    CHECK (homeaddress.zip IS NOT NULL),
    CHECK (homeaddress.city <> 'San Francisco') );

```

### Add Annotations at Table Creation: Example

The following example adds two operations with values *Sort* and *Group*, and a standalone *Hidden* without a value, to table *t1*.

```

CREATE TABLE t1 (T NUMBER) ANNOTATIONS(Operations 'Sort', Operations 'Group',
Hidden);

```

The annotation can be preceded by the keyword `ADD` which is the default operation if nothing is specified as the following example shows:

```

CREATE TABLE t1 (T NUMBER) ANNOTATIONS (ADD Hidden);

```

### Add Annotations to Table Columns

```

CREATE TABLE t1 (T NUMBER ANNOTATIONS(Operations 'Sort' , Hidden) );

```

### Add Annotations to Table and Columns

```

CREATE TABLE Employee (
  Id NUMBER(5) ANNOTATIONS(Identity, Display 'Employee ID', Group 'Emp_Info'),
  Ename VARCHAR2(50) ANNOTATIONS(Display 'Employee Name', Group 'Emp_Info'),
  Sal NUMBER TAG ANNOTATIONS(Display 'Employee Salary', UI_Hidden)
) ANNOTATIONS (Display 'Employee Table');

```

### Associating Table Columns to Domains Using CREATE TABLE: Example

You can associate table columns with a domain with `CREATE TABLE` or with `ALTER TABLE MODIFY`.

You must specify domain associations at the end of the statement, after all columns have been defined.

The `DOMAIN` keyword, when specified, must be followed by the domain name.

### Associate Table Columns With a Domain: Example

The following example creates domain *dn1*:

```

CREATE DOMAIN dn1 AS NUMBER;

```

The following example creates domain *dn2*:

```

CREATE DOMAIN dn2 AS (c1 AS NUMBER NOT NULL, c2 as NUMBER DEFAULT 1);

```

The following example creates domain *dm1*:

```

CREATE DOMAIN dm1 AS
  (ann AS NUMBER NOT NULL ,
  bnnpos AS NUMBER NOT NULL CONSTRAINT CHECK (bnnpos > 0),
  c AS VARCHAR2(10) DEFAULT 'abc',
  ddon AS NUMBER DEFAULT ON NULL 10)

```

```
CONSTRAINT CHECK (ann+ddon <= 100)
CONSTRAINT CHECK (length(c) > bnnpos);
```

The following example associates columns `c1`, `c2`, `c3`, `c4` with domain `dm1`, columns `c5` and `c6` with domain `dn2`, and column `c7` with `dn1`.

```
CREATE TABLE tml (c1 NUMBER, c2 NUMBER, c3 VARCHAR2(15), c4 NUMBER, c5 NUMBER,
                  c6 NUMBER, c7 NUMBER, DOMAIN dm1 (c1, c2, c3, c4),
                  DOMAIN dn2(c5, c6), DOMAIN dn1(c7));
```

## Create Tables and Columns as Transportable Binary XML

### Create Tables Stored as Transportable Binary XML

```
CREATE TABLE t1 OF XMLTYPE
  XMLTYPE STORE AS TRANSPORTABLE BINARY XML;
```

### Create Columns Stored as Transportable Binary XML

```
CREATE TABLE t2 (id NUMBER, doc XMLTYPE)
  XMLTYPE doc STORE AS TRANSPORTABLE BINARY XML;
```

### Add Columns Stored as Transportable Binary XML to Tables

```
ALTER TABLE t3 ADD (doc XMLTYPE)
  XMLTYPE doc STORE AS TRANSPORTABLE BINARY XML;
```

# CREATE TABLESPACE

## Purpose

Use the `CREATE TABLESPACE` statement to create a **tablespace**, which is an allocation of space in the database that can contain schema objects.

- A **permanent tablespace** contains persistent schema objects. Objects in permanent tablespaces are stored in **data files**.
- An **undo tablespace** is a type of permanent tablespace used by Oracle Database to manage undo data if you are running your database in automatic undo management mode. Oracle strongly recommends that you use automatic undo management mode rather than using rollback segments for undo.
- A **temporary tablespace** contains schema objects only for the duration of a session. Objects in temporary tablespaces are stored in **temp files**.

When you create a tablespace, it is initially a read/write tablespace. You can subsequently use the `ALTER TABLESPACE` statement to take the tablespace offline or online, add data files or temp files to it, or make it a read-only tablespace.

You can also drop a tablespace from the database with the `DROP TABLESPACE` statement.

 **See Also:**

- *Oracle Database Concepts* for information on tablespaces
- [ALTER TABLESPACE](#) and [DROP TABLESPACE](#) for information on modifying and dropping tablespaces

**Prerequisites**

You must have the `CREATE TABLESPACE` system privilege. To create the `SYSAUX` tablespace, you must have the `SYSDBA` system privilege.

Before you can create a tablespace, you must create a database to contain it, and the database must be open.

 **See Also:**

[CREATE DATABASE](#)

To use objects in a tablespace other than the `SYSTEM` tablespace:


- If you are running the database in automatic undo management mode, then at least one `UNDO` tablespace must be online.
- If you are running the database in manual undo management mode, then at least one rollback segment other than the `SYSTEM` rollback segment must be online.

 **Note:**

Oracle strongly recommends that you run your database in automatic undo management mode. For more information, refer to *Oracle Database Administrator's Guide*.

**Syntax**


***create\_tablespace::=***



*(permanent\_tablespace\_clause::=, temporary\_tablespace\_clause::=, undo\_tablespace\_clause::=)*




**permanent\_tablespace\_clause::=**




(*file\_specification::=, permanent\_tablespace\_attrs::=*)

**permanent\_tablespace\_attrs::=**




(*size\_clause::=, logging\_clause::=, tablespace\_encryption\_clause::=, default\_tablespace\_params::=, extent\_management\_clause::=, segment\_management\_clause::=, flashback\_mode\_clause::=*)

**logging\_clause::=**




**tablespace\_encryption\_clause::=**




(tablespace\_encryption\_spec::=)

**tablespace\_encryption\_spec::=**



**default\_tablespace\_params::=**




(default\_table\_compression::=, default\_index\_compression::=, inmemory\_clause::=, ilm\_clause::=—part of CREATE TABLE syntax, storage\_clause::=)


**Note:**

If you specify the `DEFAULT` clause, then you must specify at least one of the clauses `default_table_compression`, `default_index_compression`, `inmemory_clause`, `ilm_clause`, or `storage_clause`.


**default\_table\_compression::=**




**default\_index\_compression::=**



**inmemory\_clause::=**




**inmemory\_attributes::=**




([inmemory\\_memcompress::=](#), [inmemory\\_priority::=](#), [inmemory\\_distribute\\_tablespace::=](#),  
[inmemory\\_duplicate::=](#))


**inmemory\_memcompress::=**




***inmemory\_priority::=***




***inmemory\_distribute\_tablespace::=***



***inmemory\_duplicate::=***



***extent\_management\_clause::=***




***(size\_clause::=)***


***segment\_management\_clause::=***



**flashback\_mode\_clause::=**




**undo\_tablespace\_clause::=**




(file\_specification::=, extent\_management\_clause::=, tablespace\_retention\_clause::=)



**tablespace\_retention\_clause::=**



**temporary\_tablespace\_clause::=**



(file\_specification::=, tablespace\_group\_clause::=, extent\_management\_clause::=,  
tablespace\_encryption\_clause::=)

**tablespace\_group\_clause ::=****lost\_write\_protection ::=**

### Semantics

#### BIGFILE | SMALLFILE

Use this clause to determine whether the tablespace is a bigfile or smallfile tablespace. This clause overrides any default tablespace type setting for the database.

- A **bigfile tablespace** contains only one data file or temp file, which can contain up to approximately 4 billion ( $2^{32}$ ) blocks. The minimum size of the single data file or temp file is 12 megabytes (MB) for a tablespace with 32K blocks and 7MB for a tablespace with 8K blocks. The maximum size of the single data file or temp file is 128 terabytes (TB) for a tablespace with 32K blocks and 32TB for a tablespace with 8K blocks.
- A **smallfile tablespace** is a traditional Oracle tablespace, which can contain 1022 data files or temp files, each of which can contain up to approximately 4 million ( $2^{22}$ ) blocks.

If you omit this clause, then Oracle Database uses the current default tablespace type of permanent or temporary tablespace that is set for the database. If you specify **BIGFILE** for a permanent tablespace, then the database by default creates a locally managed tablespace with automatic segment-space management.

#### Restriction on Bigfile Tablespaces

You can specify only one data file in the **DATAFILE** clause or one temp file in the **TEMPFILE** clause.

#### See Also:

- *Oracle Database Administrator's Guide* for more information on using bigfile tablespaces
- ["Creating a Bigfile Tablespace: Example"](#)

### *permanent\_tablespace\_clause*

Use the following clauses to create a permanent tablespace. (Some of these clauses are also used to create a temporary or undo tablespace.)

### *tablespace*

Specify the name of the tablespace to be created. The name must satisfy the requirements listed in "[Database Object Naming Rules](#)".

### **IF NOT EXISTS**

Specifying `IF NOT EXISTS` has the following effects:

- If the tablespace does not exist, a new tablespace is created at the end of the statement.
- If the tablespace exists, this is the tablespace you have at the end of the statement. A new one is not created because the older one is detected.

Using `IF EXISTS` with `CREATE` results in error: Incorrect `IF NOT EXISTS` clause for `CREATE` statement.

### **Note on the SYSAUX Tablespace**

`SYSAUX` is a required auxiliary system tablespace. You must use the `CREATE TABLESPACE` statement to create the `SYSAUX` tablespace if you are upgrading from a release earlier than Oracle Database 11g. You must have the `SYSDBA` system privilege to specify this clause, and you must have opened the database in `UPGRADE` mode.

You must specify `EXTENT MANAGEMENT LOCAL` and `SEGMENT SPACE MANAGEMENT AUTO` for the `SYSAUX` tablespace. The `DATAFILE` clause is optional only if you have enabled Oracle Managed Files. See "[DATAFILE | TEMPFILE Clause](#)" for the behavior of the `DATAFILE` clause.

Take care to allocate sufficient space for the `SYSAUX` tablespace. For guidelines on creating this tablespace, refer to *Oracle Database Upgrade Guide*.

### **Restrictions on the SYSAUX Tablespace**

You cannot specify `OFFLINE` or `TEMPORARY` for the `SYSAUX` tablespace.

### **DATAFILE | TEMPFILE Clause**

Specify the data files to make up the permanent tablespace or the temp files to make up the temporary tablespace. Use the `datafile_tempfile_spec` form of `file_specification` to create regular data files and temp files in an operating system file system or to create Oracle Automatic Storage Management (Oracle ASM) disk group files.

You must specify the `DATAFILE` or `TEMPFILE` clause unless you have enabled Oracle Managed Files by setting a value for the `DB_CREATE_FILE_DEST` initialization parameter. For Oracle ASM disk group files, the parameter must be set to a multiple file creation form of Oracle ASM filenames. If this parameter is set, then the database creates a system-named 100 MB file in the default file destination specified in the parameter. The file has `AUTOEXTEND` enabled and an unlimited maximum size.

 **Note:**

Media recovery does not recognize temp files.

 **See Also:**

- *Oracle Automatic Storage Management Administrator's Guide* for more information on using Oracle ASM
- [file\\_specification](#) for a full description, including the `AUTOEXTEND` parameter and the multiple file creation form of Oracle ASM filenames

### Notes on Specifying Data Files and Temp Files

- You can create a tablespace within an Oracle ASM disk group by providing only the disk group name in the `datafile_tempfile_spec`. In this case, Oracle ASM creates a data file in the specified disk group with a system-generated filename. The data file is auto-extensible with an unlimited maximum size and a default size of 100 MB. You can use the `autoextend_clause` to override the default size.
- If you use one of the reference forms of the `ASM_filename`, which refers to an existing file, then you must also specify `REUSE`.

 **Note:**

On some operating systems, Oracle does not allocate space for a temp file until the temp file blocks are actually accessed. This delay in space allocation results in faster creation and resizing of temp files, but it requires that sufficient disk space is available when the temp files are later used. To avoid potential problems, before you create or resize a temp file, ensure that the available disk space exceeds the size of the new temp file or the increased size of a resized temp file. The excess space should allow for anticipated increases in disk space use by unrelated operations as well. Then proceed with the creation or resizing operation.

 **See Also:**

- [file\\_specification](#) for a full description, including the `AUTOEXTEND` parameter
- ["Enabling Autoextend for a Tablespace: Example"](#) and ["Creating Oracle Managed Files: Examples"](#)



### *permanent\_tablespace\_attrs*

Use the *permanent\_tablespace\_attrs* clauses to set the attributes of the tablespace.

#### MINIMUM EXTENT Clause

This clause is valid only for a dictionary-managed tablespace. Specify the minimum size of an extent in the tablespace. This clause lets you control free space fragmentation in the tablespace by ensuring that the size of every used or free extent in a tablespace is at least as large as, and is a multiple of, the value specified in the *size\_clause*.

#### See Also:

[size\\_clause](#) for information on that clause and *Oracle Database VLDB and Partitioning Guide* for more information about using `MINIMUM EXTENT` to control fragmentation

#### BLOCKSIZE Clause

Use the `BLOCKSIZE` clause to specify a nonstandard block size for the tablespace. In order to specify this clause, the `DB_CACHE_SIZE` and at least one `DB_nK_CACHE_SIZE` parameter must be set, and the integer you specify in this clause must correspond with the setting of one `DB_nK_CACHE_SIZE` parameter setting.

#### Restriction on BLOCKSIZE

You cannot specify nonstandard block sizes for a temporary tablespace or if you intend to assign this tablespace as the temporary tablespace for any users.

#### Note:

Oracle recommend that you do not store tablespaces with a 2K block size on 4K sector size disks, because performance degradation can result.

#### See Also:

*Oracle Database Reference* for information on the `DB_nK_CACHE_SIZE` parameter and *Oracle Database Concepts* for information on multiple block sizes

### *logging\_clause*

Specify the default logging attributes of all tables, indexes, materialized views, materialized view logs, and partitions within the tablespace. This clause is not valid for a temporary or undo tablespace.

If you omit this clause, then the default is `LOGGING`. The exception is creating a tablespace in a PDB. In this case, if you omit this clause, then the tablespace uses the logging attribute of the PDB. Refer to the [logging\\_clause](#) of `CREATE PLUGGABLE DATABASE` for more information.

The tablespace-level logging attribute can be overridden by logging specifications at the table, index, materialized view, materialized view log, and partition levels.

**See Also:**

[logging\\_clause](#) for a full description of this clause

**FORCE LOGGING**

Use this clause to put the tablespace into `FORCE LOGGING` mode. Oracle Database will log all changes to all objects in the tablespace except changes to temporary segments, overriding any `NOLOGGING` setting for individual objects. The database must be open and in `READ WRITE` mode.

This setting does not exclude the `NOLOGGING` attribute. You can specify both `FORCE LOGGING` and `NOLOGGING`. In this case, `NOLOGGING` is the default logging mode for objects subsequently created in the tablespace, but the database ignores this default as long as the tablespace or the database is in `FORCE LOGGING` mode. If you subsequently take the tablespace out of `FORCE LOGGING` mode, then the `NOLOGGING` default is once again enforced.

**Note:**

`FORCE LOGGING` mode can have performance effects. Refer to *Oracle Database Administrator's Guide* for information on when to use this setting.

**Restriction on Forced Logging**

You cannot specify `FORCE LOGGING` for an undo or temporary tablespace.

***tablespace\_encryption\_clause***

Use this clause to specify whether to create an encrypted or unencrypted tablespace. If you create an encrypted tablespace, then Transparent Data Encryption (TDE) is applied to all data files of the tablespace.

**ENCRYPT | DECRYPT**

Specify `ENCRYPT` to create an encrypted tablespace. Specify `DECRYPT` to create an unencrypted tablespace.

If you omit this clause, then the value of the `ENCRYPT_NEW_TABLESPACES` initialization parameter determines whether the tablespace is encrypted upon creation. Refer to *Oracle Database Reference* for more information on the `ENCRYPT_NEW_TABLESPACES` initialization parameter.

Before issuing this clause, you must already have loaded the TDE master key into database memory or established a connection to the HSM. For more information, see the [open\\_keystore](#) clause of `ADMINISTER KEY MANAGEMENT`.

***tablespace\_encryption\_spec***

Use `USING 'encryption_algorithm'` to specify the encryption algorithm.

Valid algorithms are AES256, AES192, AES128, and 3DES168.

Specify '*cipher\_mode*' to determine how the TDE encrypted tablespace uses the tablespace key to encrypt data blocks. You can specify XTS (an XEX-based mode with ciphertext stealing mode) only with the encryption algorithms AES128 and AES256. For AES192 use CFB.

If you set the COMPATIBLE initialization parameter to 12.2 or higher, then the following algorithms are also valid: ARIA128, ARIA192, ARIA256, GOST256, and SEED128.

If you omit this clause, then the database uses AES128.

Starting with Oracle Database 23ai, the Transparent Data Encryption (TDE) decryption libraries for the GOST and SEED algorithms are deprecated, and encryption to GOST and SEED are desupported.

GOST 28147-89 has been deprecated by the Russian government, and SEED has been deprecated by the South Korean government. If you need South Korean government-approved TDE cryptography, then use ARIA instead. If you are using GOST 28147-89, then you must decrypt and encrypt with another supported TDE algorithm. The decryption algorithms for GOST 28147-89 and SEED are included in Oracle Database 23ai, but are deprecated, and the GOST encryption algorithm is desupported with Oracle Database 23ai. If you are using GOST or SEED for TDE encryption, then Oracle recommends that you decrypt and encrypt with another algorithm before upgrading to Oracle Database 23ai. However, with the exception of the HP Itanium platform, the GOST and SEED decryption libraries are available with Oracle Database 23ai, so you can also decrypt after upgrading.

#### See Also:

- ["Creating an Encrypted Tablespace: Example"](#)
- [Encryption Conversions for Tablespaces and Databases](#)

#### ***default\_tablespace\_params***

The DEFAULT clause lets you specify default parameters for the tablespace.

#### ***default\_table\_compression***

Use this clause to specify default compression of data for all tables created in the tablespace. This clause is not valid for a temporary tablespace. The subclauses of this clause have the same semantics as they have for the *table\_compression* clause of the CREATE TABLE statement, with one exception: The COMPRESS FOR OLTP clause here is equivalent to the ROW STORE COMPRESS ADVANCED clause of CREATE TABLE. Refer to the [table\\_compression](#) clauses of CREATE TABLE for the full semantics of these subclauses.

#### ***default\_index\_compression***

Use this clause to specify default compression of data for all indexes created in the tablespace. This clause is not valid for a temporary tablespace. The subclauses of this clause have the same semantics as they have for the *advanced\_index\_compression* clause of the CREATE INDEX statement. Refer to the [advanced\\_index\\_compression](#) clause of CREATE INDEX for the full semantics of these subclauses.

### *inmemory\_clause*

Use the *inmemory\_clause* to specify the default In-Memory Column Store (IM column store) settings for all tables and materialized views created in the tablespace. This clause is not valid for a temporary tablespace.

- Specify `INMEMORY` to enable all tables and materialized views for the IM column store.

You can optionally use the *inmemory\_attributes* clause to specify how the table or materialized view data is stored in the IM column store. The *inmemory\_attributes* clause has the same semantics in `CREATE TABLE` and `CREATE TABLESPACE`. Refer to the *inmemory\_attributes* clause of `CREATE TABLE` for the full semantics of this clause.

- Specify `NO INMEMORY` to disable all tables and materialized views for the IM column store. This is the default.

### *ilm\_clause*

Use the *ilm\_clause* to specify default Automatic Data Optimization settings for all tables created in the tablespace. This clause is not valid for a temporary tablespace. Refer to the *ilm\_clause* of `CREATE TABLE` for the full semantics of this clause.

### *storage\_clause*

Use the *storage\_clause* to specify storage parameters for all objects created in the tablespace. This clause is not valid for a temporary tablespace or a locally managed tablespace. For a dictionary-managed tablespace, you can specify the following storage parameters with this clause: `ENCRYPT`, `INITIAL`, `NEXT`, `MINEXTENTS`, `MAXEXTENTS`, `MAXSIZE`, and `PCTINCREASE`. Refer to *storage\_clause* for more information.

#### Note:

The `ENCRYPT` clause of the *storage\_clause* is supported for backward compatibility. However, beginning with Oracle Database 12c Release 2 (12.2), you can instead specify `ENCRYPT` in the *tablespace\_encryption\_clause*. Refer to *tablespace\_encryption\_clause* for more information.

#### See Also:

"Creating Basic Tablespaces: Examples"

### ONLINE | OFFLINE Clauses

Use these clauses to determine whether the tablespace is online or offline. This clause is not valid for a temporary tablespace.

#### ONLINE

Specify `ONLINE` to make the tablespace available immediately after creation to users who have been granted access to the tablespace. This is the default.

### OFFLINE

Specify `OFFLINE` to make the tablespace unavailable immediately after creation.

The data dictionary view `DBA_TABLESPACES` indicates whether each tablespace is online or offline.

### *extent\_management\_clause*

The *extent\_management\_clause* lets you specify how the extents of the tablespace will be managed.

#### Note:

After you have specified extent management with this clause, you can change extent management only by migrating the tablespace.

- `AUTOALLOCATE` specifies that the tablespace is system managed. Users cannot specify an extent size. You cannot specify `AUTOALLOCATE` for a temporary tablespace.
- `UNIFORM` specifies that the tablespace is managed with uniform extents of `SIZE` bytes. The default `SIZE` is 1 megabyte. All extents of temporary tablespaces are of uniform size, so this keyword is optional for a temporary tablespace. However, you must specify `UNIFORM` in order to specify `SIZE`. You cannot specify `UNIFORM` for an undo tablespace.

If you do not specify `AUTOALLOCATE` or `UNIFORM`, then the default is `UNIFORM` for temporary tablespaces and `AUTOALLOCATE` for all other types of tablespaces.

If you do not specify the *extent\_management\_clause*, then Oracle Database interprets the `MINIMUM EXTENT` clause and the `DEFAULT storage_clause` to determine extent management.

#### Note:

The `DICTIONARY` keyword is deprecated. It is still supported for backward compatibility. However, Oracle recommends that you create locally managed tablespaces. Locally managed tablespaces are much more efficiently managed than dictionary-managed tablespaces. The creation of new dictionary-managed tablespaces is scheduled for desupport.

#### See Also:

*Oracle Database Concepts* for a discussion of locally managed tablespaces

### Restrictions on Extent Management

Extent management is subject to the following restrictions:

- A permanent locally managed tablespace can contain only permanent objects. If you need a locally managed tablespace to store temporary objects, for example, if you will assign it as a user's temporary tablespace, then use the *temporary\_tablespace\_clause*.
- If you specify this clause, then you cannot specify *DEFAULT storage\_clause*, *MINIMUM EXTENT*, or the *temporary\_tablespace\_clause*.

 **See Also:**

*Oracle Database Administrator's Guide* for information on changing extent management by migrating tablespaces and "[Creating a Locally Managed Tablespace: Example](#)"

### ***segment\_management\_clause***

The *segment\_management\_clause* is relevant only for permanent, locally managed tablespaces. It lets you specify whether Oracle Database should track the used and free space in the segments in the tablespace using free lists or bitmaps. This clause is not valid for a temporary tablespace.

#### **AUTO**

Specify **AUTO** if you want the database to manage the free space of segments in the tablespace using a bitmap. If you specify **AUTO**, then the database ignores any specification for **PCTUSED**, **FREELIST**, and **FREELIST GROUPS** in subsequent storage specifications for objects in this tablespace. This setting is called **automatic segment-space management** and is the default.

#### **MANUAL**

Specify **MANUAL** if you want the database to manage the free space of segments in the tablespace using free lists. Oracle strongly recommends that you do not use this setting and that you create tablespaces with automatic segment-space management.

To determine the segment management of an existing tablespace, query the **SEGMENT\_SPACE\_MANAGEMENT** column of the **DBA\_TABLESPACES** or **USER\_TABLESPACES** data dictionary view.

 **Note:**

If you specify **AUTO** segment management, then:

- If you set extent management to **LOCAL UNIFORM**, then you must ensure that each extent contains at least 5 database blocks.
- If you set extent management to **LOCAL AUTOALLOCATE**, and if the database block size is 16K or greater, then Oracle manages segment space by creating extents with a minimum size of 5 blocks rounded up to 64K.

### **Restrictions on Automatic Segment-Space Management**

This clause is subject to the following restrictions:

- You can specify this clause only for a permanent, locally managed tablespace.
- You cannot specify this clause for the `SYSTEM` tablespace.

 **See Also:**

- *Oracle Automatic Storage Management Administrator's Guide* for information on automatic segment-space management and when to use it
- *Oracle Database Reference* for information on the data dictionary views
- ["Specifying Segment Space Management for a Tablespace: Example"](#)

### ***flashback\_mode\_clause***

Use this clause in conjunction with the `ALTER DATABASE FLASHBACK` clause to specify whether the tablespace can participate in `FLASHBACK DATABASE` operations. This clause is useful if you have the database in `FLASHBACK` mode but you do not want Oracle Database to maintain Flashback log data for this tablespace.

This clause is not valid for temporary or undo tablespaces.

### **FLASHBACK ON**

Specify `FLASHBACK ON` to put the tablespace in `FLASHBACK` mode. Oracle Database will save Flashback log data for this tablespace and the tablespace can participate in a `FLASHBACK DATABASE` operation. If you omit the *flashback\_mode\_clause*, then `FLASHBACK ON` is the default.

### **FLASHBACK OFF**

Specify `FLASHBACK OFF` to take the tablespace out of `FLASHBACK` mode. Oracle Database will not save any Flashback log data for this tablespace. You must take the data files in this tablespace offline or drop them prior to any subsequent `FLASHBACK DATABASE` operation. Alternatively, you can take the entire tablespace offline. In either case, the database does not drop existing Flashback logs.

 **Note:**

The `FLASHBACK` mode of a tablespace is independent of the `FLASHBACK` mode of an individual table.

 **See Also:**

- *Oracle Database Backup and Recovery User's Guide* for information on Oracle Flashback Database
- [ALTER DATABASE](#) and [FLASHBACK DATABASE](#) for information on setting the `FLASHBACK` mode of the entire database and reverting the database to an earlier version
- [FLASHBACK TABLE](#) and [flashback\\_query\\_clause](#)

### ***lost\_write\_protection***

Specify the `lost_write_protection` clause to create a storage area for lost write records. This storage area or shadow tablespace must be created, before you can enable lost write protection on datafiles and databases.

You may create as many shadow tablespaces as you need, and name them as you would any other tablespace.

#### **Example: Create a Shadow Tablespace in a Database**

This example creates the shadow tablespace `sh_lwp1` for lost write protection:

```
CREATE BIGFILE TABLESPACE sh_lwp1 DATAFILE sh_lwp1.df SIZE 10M BLOCKSIZE 8K  
  LOST WRITE PROTECTION;
```

To enable lost write protection on datafiles and databases, you must specify the `lost_write_protection` clause with the `ALTER TABLESPACE`, `ALTER DATABASE`, and `ALTER PLUGGABLE DATABASE` statements.

### ***undo\_tablespace\_clause***

Specify `UNDO` to create an undo tablespace. When you run the database in automatic undo management mode, Oracle Database manages undo space using the undo tablespace instead of rollback segments. This clause is useful if you are now running in automatic undo management mode but your database was not created in automatic undo management mode.

Oracle Database always assigns an undo tablespace when you start up the database in automatic undo management mode. If no undo tablespace has been assigned to this instance, then the database uses the `SYSTEM` rollback segment. You can avoid this by creating an undo tablespace, which the database will implicitly assign to the instance if no other undo tablespace is currently assigned.

The `DATAFILE` clause is described in "[DATAFILE | TEMPFILE Clause](#)".

### ***extent\_management\_clause***

It is unnecessary to specify the `extent_management_clause` when creating an undo tablespace, because undo tablespaces must be locally managed tablespaces that use `AUTOALLOCATE` extent management. If you do specify this clause, then you must specify `EXTENT MANAGEMENT LOCAL` or `EXTENT MANAGEMENT LOCAL AUTOALLOCATE`, both of which are the same as omitting this clause. Refer to [extent\\_management\\_clause](#) for the full semantics of this clause.



### ***tablespace\_retention\_clause***

This clause is valid only for undo tablespaces.

- `RETENTION GUARANTEE` specifies that Oracle Database should preserve unexpired undo data in all undo segments of *tablespace* even if doing so forces the failure of ongoing operations that need undo space in those segments. This setting is useful if you need to issue an Oracle Flashback Query or an Oracle Flashback Transaction Query to diagnose and correct a problem with the data.
- `RETENTION NOGUARANTEE` returns the undo behavior to normal. Space occupied by unexpired undo data in undo segments can be consumed if necessary by ongoing transactions. This is the default.

### ***tablespace\_encryption\_clause***

This clause has the same semantics for undo tablespaces as for permanent tablespaces. Refer to [tablespace\\_encryption\\_clause](#) in the documentation on permanent tablespaces for full information.

### **Restrictions on Undo Tablespaces**

Undo tablespaces are subject to the following restrictions:

- You cannot create database objects in this tablespace. It is reserved for system-managed undo data.
- The only clauses you can specify for an undo tablespace are the `DATAFILE` clause, the *tablespace\_retention\_clause*, the *tablespace\_encryption\_clause*, and the *extent\_management\_clause* to specify local `AUTOALLOCATE` extent management. You cannot specify local `UNIFORM` extent management or dictionary extent management using the *extent\_management\_clause*. All undo tablespaces are created permanent, read/write, and in logging mode. Values for `MINIMUM EXTENT` and `DEFAULT STORAGE` are system generated.

#### See Also:

- *Oracle Database Administrator's Guide* for information on automatic undo management and undo tablespaces and *Oracle Database Reference* for information on the `UNDO_MANAGEMENT` parameter
- [CREATE DATABASE](#) for information on creating an undo tablespace during database creation, and [ALTER TABLESPACE](#) and [DROP TABLESPACE](#)
- "[Creating an Undo Tablespace: Example](#)"

### ***temporary\_tablespace\_clause***

Use this clause to create a temporary tablespace, which is an allocation of space in the database that can contain transient data that persists only for the duration of a session. This transient data cannot be recovered after process or instance failure.

The transient data can be user-generated schema objects such as temporary tables or system-generated data such as temp space used by hash joins and sort operations. When a temporary tablespace, or a tablespace group of which this tablespace is a member, is

assigned to a particular user, then Oracle Database uses the tablespace for sorting operations in transactions initiated by that user.

You can create two types of temporary tablespaces:

- You can create a shared temporary tablespace by specifying the `TEMPORARY TABLESPACE` clause. A shared temporary tablespace stores temp files on shared disk, so that the temporary space is accessible to all database instances. Shared temporary tablespaces were available in prior releases of Oracle Database and were called "temporary tablespaces." Elsewhere in this guide, the term "temporary tablespace" refers to a shared temporary tablespace unless specified otherwise.
- Starting with Oracle Database 12c Release 2 (12.2), you can create a local temporary tablespace by specifying the `LOCAL TEMPORARY TABLESPACE` clause. Local temporary tablespaces are useful in an Oracle Clusterware environment. They store a separate, nonshared temp files for each database instance, which can improve I/O performance. A local temporary tablespace must be a `BIGFILE` tablespace.
  - Specify `FOR ALL` to instruct the database to create separate, nonshared temp files for all HUB and LEAF nodes.
  - Specify `FOR LEAF` to instruct the database to create separate nonshared temp files for only LEAF nodes.

### TEMPFILE

The `TEMPFILE` clause is described in "[DATAFILE | TEMPFILE Clause](#)".

### *tablespace\_group\_clause*

This clause is relevant only for temporary tablespaces. Use this clause to determine whether *tablespace* is a member of a tablespace group. A tablespace group lets you assign multiple temporary tablespaces to a single user and increases the addressability of temporary tablespaces.

- Specify a group name to indicate that *tablespace* is a member of this tablespace group. The group name cannot be the same as *tablespace* or any other existing tablespace. If the tablespace group already exists, then Oracle Database adds the new tablespace to that group. If the tablespace group does not exist, then the database creates the group and adds the new tablespace to that group.
- Specify an empty string ( ' ' ) to indicate that *tablespace* is not a member of any tablespace group.

### Restriction on Tablespace Groups

Tablespace groups support only shared temporary tablespaces. You cannot add a local temporary tablespace to a tablespace group.

### *extent\_management\_clause*

The *extent\_management\_clause* is described in [extent\\_management\\_clause](#) .

### *tablespace\_encryption\_clause*

This clause has the same semantics for temporary tablespaces as for permanent tablespaces. Refer to [tablespace\\_encryption\\_clause](#) in the documentation on permanent tablespaces for full information.

 **See Also:**

- [ALTER TABLESPACE](#) and "[Adding a Temporary Tablespace to a Tablespace Group: Example](#)" for information on adding a tablespace to a tablespace group
- [CREATE USER](#) for information on assigning a temporary tablespace to a user
- *Oracle Database Administrator's Guide* for more information on tablespace groups

### Restrictions on Temporary Tablespaces

The data stored in temporary tablespaces persists only for the duration of a session. Therefore, only a subset of the `CREATE TABLESPACE` clauses are relevant for temporary tablespaces. The only clauses you can specify for a temporary tablespace are the `TEMPFILE` clause, the `tablespace_group_clause`, the `extent_management_clause`, and the `tablespace_encryption_clause`.

### Examples

These examples assume that your database is using 8K blocks.

#### Creating a Bigfile Tablespace: Example

The following example creates a bigfile tablespace `bigtbs_01` with a data file `bigtbs_f1.dbf` of 20 MB:

```
CREATE BIGFILE TABLESPACE bigtbs_01
  DATAFILE 'bigtbs_f1.dbf'
  SIZE 20M AUTOEXTEND ON;
```

#### Creating an Undo Tablespace: Example

The following example creates a 10 MB undo tablespace `undots1`:

```
CREATE UNDO TABLESPACE undots1
  DATAFILE 'undotbs_1a.dbf'
  SIZE 10M AUTOEXTEND ON
  RETENTION GUARANTEE;
```

#### Creating a Temporary Tablespace: Example

This statement shows how the temporary tablespace that serves as the default temporary tablespace for database users in the sample database was created:

```
CREATE TEMPORARY TABLESPACE temp_demo
  TEMPFILE 'temp01.dbf' SIZE 5M AUTOEXTEND ON;
```

Assuming that the default database block size is 2K, and that each bit in the map represents one extent, then each bit maps 2,500 blocks.

The following example sets the default location for data file creation and then creates a tablespace with an Oracle-managed temp file in the default location. The temp file is 100 M and is autoextensible with unlimited maximum size. These are the default values for Oracle Managed Files:

```
ALTER SYSTEM SET DB_CREATE_FILE_DEST = '$ORACLE_HOME/rdbms/dbs';  
  
CREATE TEMPORARY TABLESPACE tbs_05;
```

### Adding a Temporary Tablespace to a Tablespace Group: Example

The following statement creates the `tbs_temp_02` temporary tablespace as a member of the `tbs_grp_01` tablespace group. If the tablespace group does not already exist, then Oracle Database creates it during execution of this statement:

```
CREATE TEMPORARY TABLESPACE tbs_temp_02  
  TEMPFILE 'temp02.dbf' SIZE 5M AUTOEXTEND ON  
  TABLESPACE GROUP tbs_grp_01;
```

### Creating Basic Tablespaces: Examples

This statement creates a tablespace named `tbs_01` with one data file:

```
CREATE TABLESPACE tbs_01  
  DATAFILE 'tbs_f2.dbf' SIZE 40M  
  ONLINE;
```

This statement creates tablespace `tbs_03` with one data file and allocates every extent as a multiple of 500K:

```
CREATE TABLESPACE tbs_03  
  DATAFILE 'tbs_f03.dbf' SIZE 20M  
  LOGGING;
```

### Enabling Autoextend for a Tablespace: Example

This statement creates a tablespace named `tbs_02` with one data file. When more space is required, 500 kilobyte extents will be added up to a maximum size of 100 megabytes:

```
CREATE TABLESPACE tbs_02  
  DATAFILE 'disk:tbs_f5.dbf' SIZE 500K REUSE  
  AUTOEXTEND ON NEXT 500K MAXSIZE 100M;
```

### Creating a Locally Managed Tablespace: Example

The following statement assumes that the database block size is 2K.

```
CREATE TABLESPACE tbs_04 DATAFILE 'file_1.dbf' SIZE 10M  
  EXTENT MANAGEMENT LOCAL UNIFORM SIZE 128K;
```

This statement creates a locally managed tablespace in which every extent is 128K and each bit in the bit map describes 64 blocks.

The following statement creates a locally managed tablespace with uniform extents and shows an example of a table stored in that tablespace:

```
CREATE TABLESPACE lmt1 DATAFILE 'lmt_file2.dbf' SIZE 100m REUSE  
  EXTENT MANAGEMENT LOCAL UNIFORM SIZE 1M;  
  
CREATE TABLE lmt_table1 (col1 NUMBER, col2 VARCHAR2(20))  
  TABLESPACE lmt1 STORAGE (INITIAL 2m);
```

The initial segment size of the table is 2M.

The following example creates a locally managed tablespace without uniform extents:

```
CREATE TABLESPACE lmt2 DATAFILE 'lmt_file3.dbf' SIZE 100m REUSE
EXTENT MANAGEMENT LOCAL;
```

```
CREATE TABLE lmt_table2 (col1 NUMBER, col2 VARCHAR2(20))
TABLESPACE lmt2 STORAGE (INITIAL 2m MAXSIZE 100m);
```

The initial segment size of the table is 2M. Oracle Database determines the size of each extent and the total number of extents allocated to satisfy the initial segment size. The segment's maximum size is limited to 100M.

### Creating an Encrypted Tablespace: Example

In the following example, the first statement enables encryption for the database by opening the wallet. The second statement creates an encrypted tablespace.

```
ALTER SYSTEM SET ENCRYPTION WALLET OPEN IDENTIFIED BY "wallet_password";
```

```
CREATE TABLESPACE encrypt_ts
DATAFILE '$ORACLE_HOME/dbs/encrypt_df.dbf' SIZE 1M
ENCRYPTION USING 'AES256' ENCRYPT;
```

The following example creates a tablespace `encts2` using the encryption algorithm AES256 and cipher mode XTS:

```
CREATE TABLESPACE encts2 DATAFILE 'encts2.f' SIZE 1G ENCRYPTION USING AES256 MODE
'XTS' ENCRYPT;
```

### Specifying Segment Space Management for a Tablespace: Example

The following example creates a tablespace with automatic segment-space management:

```
CREATE TABLESPACE auto_seg_ts DATAFILE 'file_2.dbf' SIZE 1M
EXTENT MANAGEMENT LOCAL
SEGMENT SPACE MANAGEMENT AUTO;
```

### Creating Oracle Managed Files: Examples

The following example sets the default location for data file creation and creates a tablespace with a data file in the default location. The data file is 100M and is autoextensible with an unlimited maximum size:

```
ALTER SYSTEM SET DB_CREATE_FILE_DEST = '$ORACLE_HOME/rdbms/dbs';
```

```
CREATE TABLESPACE omf_ts1;
```

The following example creates a tablespace with an Oracle-managed data file of 100M that is not autoextensible:

```
CREATE TABLESPACE omf_ts2 DATAFILE AUTOEXTEND OFF;
```

## CREATE TABLESPACE SET

### Note:

This SQL statement is valid only if you are using Oracle Sharding. For more information on Oracle Sharding, refer to *Oracle Database Administrator's Guide*.

## Purpose

Use the `CREATE TABLESPACE SET` statement to create a tablespace set. A tablespace set can be used in a sharded database as a logical storage unit for one or more sharded tables and indexes.

A tablespace set consists of multiple tablespaces distributed across shards in a shardspace. The database automatically creates the tablespaces in a tablespace set. The number of tablespaces is determined automatically and is equal to the number of chunks in the corresponding shardspace.

All tablespaces in a tablespace set are permanent bigfile tablespaces; a tablespace set does not contain `SYSTEM`, undo, or temporary tablespaces. The database automatically creates one data file for each tablespace. All tablespaces in a tablespace set share the same attributes. You can modify attributes for all tablespaces in a tablespace set with the `ALTER TABLESPACE SET` statement.



### See Also:

[ALTER TABLESPACE SET](#) and [DROP TABLESPACE SET](#)


## Prerequisites

You must be connected to a shard catalog database as an SDB user.


You must have the `CREATE TABLESPACE` system privilege.

## Syntax

***create\_tablespace\_set::=***



***permanent\_tablespace\_attrs::=***



(*file\_specification::=*, See the following clauses of CREATE TABLESPACE: *logging\_clause::=*, *tablespace\_encryption\_clause::=*, *default\_tablespace\_params::=*, *extent\_management\_clause::=*, *segment\_management\_clause::=*, *flashback\_mode\_clause::=*)

**Semantics**

***tablespace\_set***

Specify the name of the tablespace set to be created. The name must satisfy the requirements listed in [Database Object Naming Rules](#) .

**IN SHARDSPACE**

Specify this clause if you are using composite sharding. For *shardspace\_name*, specify the name of the shardspace in which the tablespace set is to be created.

Omit this clause if you are using system-managed sharding. In this case, the tablespace set is created in the default shardspace for the sharded database.

**USING TEMPLATE**

The USING TEMPLATE clause allows you to specify attributes for the tablespaces in the tablespace set.

The DATAFILE and *permanent\_tablespace\_attrs* clauses have the same semantics here as for the CREATE TABLESPACE statement, with the following exceptions:

- For the DATAFILE *file\_specification* clause, you can specify only the SIZE clause and the *autoextend\_clause*.

- You cannot specify the `MINIMUM EXTENT size_clause`.
- For the `segment_management_clause`, you can specify only `SEGMENT SPACE MANAGEMENT AUTO`. The `MANUAL` setting is not supported.

**See Also:**

[file\\_specification](#) and [permanent\\_tablespace\\_attrs](#) in the documentation on `CREATE TABLESPACE` for the full semantics of these clauses

## Examples

### Creating a Tablespace Set: Example

The following statement creates tablespace set `ts1`:

```
CREATE TABLESPACE SET ts1
  IN SHARDSPACE sgr1
  USING TEMPLATE
  ( DATAFILE SIZE 100m
    EXTENT MANAGEMENT LOCAL
    SEGMENT SPACE MANAGEMENT AUTO
  );
```

# CREATE TRIGGER

## Purpose

Triggers are defined using PL/SQL. Therefore, this section provides some general information but refers to *Oracle Database PL/SQL Language Reference* for details of syntax and semantics.

Use the `CREATE TRIGGER` statement to create a **database trigger**, which is:

- A stored PL/SQL block associated with a table, a schema, or the database or
- An anonymous PL/SQL block or a call to a procedure implemented in PL/SQL or Java

Oracle Database automatically executes a trigger when specified conditions occur.

**See Also:**

[ALTER TRIGGER](#) and [DROP TRIGGER](#)

## Prerequisites

To create a trigger in your own schema on a table in your own schema or on your own schema (`SCHEMA`), you must have the `CREATE TRIGGER` system privilege.

To create a trigger in any schema on a table in any schema, or on another user's schema (`schema.SCHEMA`), you must have the schema level `CREATE ANY TRIGGER`



privilege both in the schema where the trigger is created and in the schema where table resides, or you must have the `CREATE ANY TRIGGER` system privilege.

In addition to the preceding privileges, to create a trigger on `DATABASE`, you must have the `ADMINISTER DATABASE TRIGGER` system privilege.

To create a trigger on a pluggable database (PDB), the current container must be that PDB and you must have the `ADMINISTER DATABASE TRIGGER` system privilege. For information about PDBs, see *Oracle Database Administrator's Guide*.


In addition to the preceding privileges, to create a crossedition trigger, you must be enabled for editions. For information about enabling editions for a user, see *Oracle Database Development Guide*.

If the trigger issues SQL statements or calls procedures or functions, then the owner of the trigger must have the privileges necessary to perform these operations. These privileges must be granted directly to the owner rather than acquired through roles.

### Syntax

Triggers are defined using PL/SQL. Therefore, the syntax diagram in this book shows only the SQL keywords. Refer to *Oracle Database PL/SQL Language Reference* for the PL/SQL syntax, semantics, and examples.

**`create_trigger::=`**



(*plsql\_trigger\_source*: See *Oracle Database PL/SQL Language Reference*.)

### Semantics

#### OR REPLACE

Specify `OR REPLACE` to re-create the trigger if it already exists. Use this clause to change the definition of an existing trigger without first dropping it.

#### IF NOT EXISTS

Specifying `IF NOT EXISTS` has the following effects:

- If the trigger does not exist, a new trigger is created at the end of the statement.
- If the trigger exists, this is the trigger you have at the end of the statement. A new one is not created because the older one is detected.

You can have *one* of `OR REPLACE` or `IF NOT EXISTS` in a statement at a time. Using both `OR REPLACE` with `IF NOT EXISTS` in the very same statement results in the following error:  
ORA-11541: REPLACE and IF NOT EXISTS cannot coexist in the same DDL statement.

Using `IF EXISTS` with `CREATE` results in ORA-11543: Incorrect IF NOT EXISTS clause for CREATE statement.

**[ EDITIONABLE | NONEDITIONABLE ]**

Use these clauses to specify whether the trigger is an editioned or noneditioned object if editioning is enabled for the schema object type `TRIGGER` in *schema*. The default is `EDITIONABLE`. For information about editioned and noneditioned objects, see *Oracle Database Development Guide*.

**Restriction on NONEDITIONABLE**

You cannot specify `NONEDITIONABLE` for a crossedition trigger.

***plsql\_trigger\_source***

See *Oracle Database PL/SQL Language Reference* for the syntax and semantics of the *plsql\_trigger\_source*.

## CREATE TRUE CACHE

**Purpose**

Use `CREATE TRUE CACHE` to internally create and initialize the run-time management files required for True Cache, and also open True Cache for service. The set of run-time management files for True Cache operation include `controlfile`, `SPFILE` and `tempfiles`.

**Prerequisites**

- You must set the initialization parameter `TRUE_CACHE` to `TRUE` to be in a True Cache environment.
- You must start the database in `NOMOUNT` mode.

**See Also:**

*True Cache User's Guide*

**Syntax**

```
→ CREATE → TRUE → CACHE →
```

**Semantics**

To drop True Cache use [DROP DATABASE](#).

# CREATE TYPE

## Purpose

Object types are defined using PL/SQL. Therefore, this section provides some general information but refers to *Oracle Database PL/SQL Language Reference* for details of syntax and semantics.

Use the `CREATE TYPE` statement to create the specification of an **object type**, a **SQLJ object type**, a named varying array (**varray**), a **nested table type**, or an **incomplete object type**. You create object types with the `CREATE TYPE` and the `CREATE TYPE BODY` statements. The `CREATE TYPE` statement specifies the name of the object type, its attributes, methods, and other properties. The `CREATE TYPE BODY` statement contains the code for the methods that implement the type.

### Note:

- If you create an object type for which the type specification declares only attributes but no methods, then you need not specify a type body.
- If you create a SQLJ object type, then you cannot specify a type body. The implementation of the type is specified as a Java class.

An **incomplete type** is a type created by a forward type definition. It is called "incomplete" because it has a name but no attributes or methods. It can be referenced by other types, and so can be used to define types that refer to each other. However, you must fully specify the type before you can use it to create a table or an object column or a column of a nested table type.

### See Also:

- [CREATE TYPE BODY](#) for information on creating the member methods of a type
- *Oracle Database Object-Relational Developer's Guide* for more information about objects, incomplete types, varrays, and nested tables

## Prerequisites

To create a type in your own schema, you must have the `CREATE TYPE` system privilege. To create a type in another user's schema, you must have the `CREATE ANY TYPE` system privilege. You can acquire these privileges explicitly or be granted them through a role.

To create a subtype, you must have the `UNDER ANY TYPE` system privilege or the `UNDER` object privilege on the supertype.

The owner of the type must be explicitly granted the `EXECUTE` object privilege in order to access all other types referenced within the definition of the type, or the type owner must be

granted the `EXECUTE ANY TYPE` system privilege. The owner cannot obtain these privileges through roles.

If the type owner intends to grant other users access to the type, then the owner must be granted the `EXECUTE` object privilege on the referenced types with the `GRANT OPTION` or the `EXECUTE ANY TYPE` system privilege with the `ADMIN OPTION`. Otherwise, the type owner has insufficient privileges to grant access on the type to other users.

### User-Defined Datatypes Declared as Non-Persistable Datatypes

You can specify a user-defined datatype as non-persistable when creating the datatype. Instances of non-persistable types cannot persist on disk. Persistable data types include the following:

- ANSI-supported data types, for example `NUMERIC`, `DECIMAL`, `REAL`.
- Oracle built-in data types, for example `NUMBER`, `VARCHAR2`, `TIMESTAMP`.
- Oracle-supplied data types, for example `ANYDATA`, `XML Type`, `ORDImage`.

### Rules For SQL User-Defined Data Types


- A persistable type cannot have attributes or elements of non-persistable types.
- A non-persistable type can have attributes or elements of both persistable and non-persistable types.
- A sub-type must inherit the persistence property from its super type.
- A `REF` type is persistable and can hold references only to objects of persistable types.
- You cannot persist instances of non-persistable types on disk. If you create a table with a type that has been declared as non-persistable, the `CREATE TABLE` statement will fail. The following operations will likewise fail:
  - Create or alter a relational table with columns of non-persistable types.
  - Create an object table with columns of non-persistable types.
  - Store instances of non-persistable types in an `ANYDATA` instance which is persisted on disk.

You can specify unique PL/SQL attributes in the `CREATE TYPE` statement in the PL/SQL context only.

### Syntax

Types are defined using PL/SQL. Therefore, the syntax diagram in this book shows only the SQL keywords. Refer to *Oracle Database PL/SQL Language Reference* for the PL/SQL syntax, semantics, and examples.

**`create_type::=`**



(*plsql\_type\_source*: See *Oracle Database PL/SQL Language Reference*.)

## Semantics

### OR REPLACE

Specify `OR REPLACE` to re-create the type if it already exists. Use this clause to change the definition of an existing type without first dropping it.

Users previously granted privileges on the re-created object type can use and reference the object type without being granted privileges again.

If any function-based indexes depend on the type, then Oracle Database marks the indexes `DISABLED`.

### IF NOT EXISTS

Specifying `IF NOT EXISTS` has the following effects:

- If the type does not exist, a new type is created at the end of the statement.
- If the type exists, this is the type you have at the end of the statement. A new one is not created because the older one is detected.

You can have *one* of `OR REPLACE` or `IF NOT EXISTS` in a statement at a time. Using both `OR REPLACE` with `IF NOT EXISTS` in the very same statement results in the following error:  
ORA-11541: REPLACE and IF NOT EXISTS cannot coexist in the same DDL statement.

Using `IF EXISTS` with `CREATE` results in ORA-11543: Incorrect IF NOT EXISTS clause for CREATE statement.

### [ EDITIONABLE | NONEDITIONABLE ]

Use these clauses to specify whether the type is an editioned or noneditioned object if editioning is enabled for the schema object type `TYPE` in *schema*. The default is `EDITIONABLE`. For information about editioned and noneditioned objects, see *Oracle Database Development Guide*.

### *plsql\_type\_source*

See *Oracle Database PL/SQL Language Reference* for the syntax and semantics of the *plsql\_type\_source*.

## CREATE TYPE BODY

### Purpose

Type bodies are defined using PL/SQL. Therefore, this section provides some general information but refers to *Oracle Database PL/SQL Language Reference* for details of syntax and semantics.

Use the `CREATE TYPE BODY` to define or implement the member methods defined in the object type specification. You create object types with the `CREATE TYPE` and the `CREATE TYPE BODY` statements. The `CREATE TYPE` statement specifies the name of the object type, its attributes, methods, and other properties. The `CREATE TYPE BODY` statement contains the code for the methods that implement the type.

For each method specified in an object type specification for which you did not specify the *call\_spec*, you must specify a corresponding method body in the object type body.

**Note:**

If you create a SQLJ object type, then specify it as a Java class.

**See Also:**

- [CREATE TYPE](#) for information on creating a type specification
- [ALTER TYPE](#) for information on modifying a type specification

**Prerequisites**


Every member declaration in the `CREATE TYPE` specification for object types must have a corresponding construct in the `CREATE TYPE` or `CREATE TYPE BODY` statement.

To create or replace a type body in your own schema, you must have the `CREATE TYPE` or the `CREATE ANY TYPE` system privilege. To create an object type in another user's schema, you must have the `CREATE ANY TYPE` system privilege. To replace an object type in another user's schema, you must have the `DROP ANY TYPE` system privilege.

**Syntax**

Type bodies are defined using PL/SQL. Therefore, the syntax diagram in this book shows only the SQL keywords. Refer to *Oracle Database PL/SQL Language Reference* for the PL/SQL syntax, semantics, and examples.

**`create_type_body::=`**



(*plsql\_type\_body\_source*: See *Oracle Database PL/SQL Language Reference*.)

**Semantics****OR REPLACE**

Specify `OR REPLACE` to re-create the type body if it already exists. Use this clause to change the definition of an existing type body without first dropping it.

Users previously granted privileges on the re-created object type body can use and reference the object type body without being granted privileges again.

You can use this clause to add new member subprogram definitions to specifications added with the `ALTER TYPE ... REPLACE` statement.

## IF NOT EXISTS

Specifying `IF NOT EXISTS` has the following effects:

- If the type body does not exist, a new type body is created at the end of the statement.
- If the type body exists, this is the type body you have at the end of the statement. A new one is not created because the older one is detected.

You can have *one* of `OR REPLACE` or `IF NOT EXISTS` in a statement at a time. Using both `OR REPLACE` with `IF NOT EXISTS` in the very same statement results in the following error:  
ORA-11541: REPLACE and IF NOT EXISTS cannot coexist in the same DDL statement.

Using `IF EXISTS` with `CREATE` results in ORA-11543: Incorrect IF NOT EXISTS clause for CREATE statement.

## [ EDITIONABLE | NONEDITIONABLE ]

If you do not specify this clause, then the type body inherits `EDITIONABLE` or `NONEDITIONABLE` from the type specification. If you do specify this clause, then it must match that of the type specification.

### *plsql\_type\_body\_source*

See *Oracle Database PL/SQL Language Reference* for the syntax and semantics of the *plsql\_type\_body\_source*.

# CREATE USER

## Purpose

Use the `CREATE USER` statement to create and configure a database **user**, which is an account through which you can log in to the database, and to establish the means by which Oracle Database permits access by the user.

You can issue this statement in an Oracle Automatic Storage Management (Oracle ASM) cluster to add a user and password combination to the password file that is local to the Oracle ASM instance of the current node. Each node's Oracle ASM instance can use this statement to update its own password file. The password file itself must have been created by the `ORAPWD` utility.

You can enable a user to connect to the database through a proxy application or application server. For syntax and discussion, refer to [ALTER USER](#).

## Prerequisites

You must have the `CREATE USER` system privilege. When you create a user with the `CREATE USER` statement, the user's privilege domain is empty. To log on to Oracle Database, a user must have the `CREATE SESSION` system privilege. Therefore, after creating a user, you should grant the user at least the `CREATE SESSION` system privilege. Refer to [GRANT](#) for more information.


Only a user authenticated `AS SYSASM` can issue this command to modify the Oracle ASM instance password file.

To specify the `CONTAINER` clause, you must be connected to a multitenant container database (CDB). To specify `CONTAINER = ALL`, the current container must be the root. To specify `CONTAINER = CURRENT`, the current container must be a pluggable database (PDB).



### Syntax

**create\_user ::=**



(*size\_clause*::=)

## Semantics

### IF NOT EXISTS

Specifying `IF NOT EXISTS` has the following effects:

- If the user does not exist, a new user is created at the end of the statement.
- If the user exists, this is the user you have at the end of the statement. A new one is not created because the older one is detected.

Using `IF EXISTS` with `CREATE` results in `ORA-11543: Incorrect IF NOT EXISTS clause for CREATE statement.`

### *user*

Specify the name of the user to be created. This name can contain only characters from your database character set and must follow the rules described in the section "[Database Object Naming Rules](#)". Oracle recommends that the user name contain at least one single-byte character regardless of whether the database character set also contains multibyte characters.

In a non-CDB, a user name cannot begin with `C##` or `c##`.

#### Note:

A multitenant container database is the only supported architecture in Oracle Database 21c and later releases. While the documentation is being revised, legacy terminology may persist. In most cases, "database" and "non-CDB" refer to a CDB or PDB, depending on context. In some contexts, such as upgrades, "non-CDB" refers to a non-CDB from a previous release.

In a CDB, the requirements for a user name are as follows:

- The name of a **common user** must begin with characters that are a case-insensitive match to the prefix specified by the `COMMON_USER_PREFIX` initialization parameter. By default, the prefix is `C##`.
- The name of a **local user** must not begin with characters that are a case-insensitive match to the prefix specified by the `COMMON_USER_PREFIX` initialization parameter. Regardless of the value of `COMMON_USER_PREFIX`, the name of a local user can never begin with `C##` or `c##`.

 **Note:**

If the value of `COMMON_USER_PREFIX` is an empty string, then there are no requirements for common or local user names with one exception: the name of a local user can never begin with `C##` or `c##`. Oracle recommends against using an empty string value because it might result in conflicts between the names of local and common users when a PDB is plugged into a different CDB, or when opening a PDB that was closed when a common user was created.

 **Note:**

Oracle recommends that user names and passwords be encoded in ASCII or EBCDIC characters only, depending on your platform.

 **See Also:**

["Creating a Database User: Example"](#)

### IDENTIFIED Clause

The `IDENTIFIED` clause lets you indicate how Oracle Database authenticates the user.

#### **BY password**

The `BY password` clause lets you create a **local user** and indicates that the user must specify `password` to log on to the database. Passwords are case sensitive and their maximum length is 1024 bytes. Any subsequent `CONNECT` string used to connect this user to the database must specify the password using the same case (upper, lower, or mixed) that is used in this `CREATE USER` statement or a subsequent `ALTER USER` statement. Passwords can contain any single-byte, multibyte, or special characters, or any combination of these, from your database character set, with the exception of the double quotation mark (") and the return character . If a password starts with a non-alphabetic character, or contains a character other than an alphanumeric character, the underscore (\_), dollar sign (\$), or pound sign (#), then it must be enclosed in double quotation marks. Otherwise, enclosing a password in double quotation marks is optional.

 **See Also:**

*Oracle Database Security Guide* for more information about case-sensitive passwords, password complexity, and other password guidelines

Passwords must follow the rules described in the section "[Database Object Naming Rules](#)", unless you are using one of the three Oracle Database password complexity verification routines. These routines requires a more complex combination of characters than the normal

naming rules permit. You implement these routines with the `UTLPWDMG.SQL` script, which is further described in *Oracle Database Security Guide*.

**Note:**

Oracle recommends that user names and passwords be encoded in ASCII or EBCDIC characters only, depending on your platform.

**See Also:**

*Oracle Database Security Guide* to for a detailed discussion of password management and protection

**[HTTP] DIGEST Clause**

This clause lets you `ENABLE` or `DISABLE` HTTP Digest Access Authentication for the user. The default is `DISABLE`.

The `HTTP` keyword is optional and is provided for semantic clarity.

**Restriction on the [HTTP] DIGEST Clause**

You cannot specify this clause for external or global users.

**EXTERNALLY Clause**

Specify `EXTERNALLY` to create an **external user**. Such a user must be authenticated by an external service, such as an operating system or a third-party service. In this case, Oracle Database relies on authentication by the operating system or third-party service to ensure that a specific external user has access to a specific database user.

The `IDENTIFIED EXTERNALLY` clause setting is unique to the user that is specified in the `CREATE USER` statement. This means that you cannot create another user with the same name used in a previous user creation statement.

The following example creates the external user `jsmith`:

```
CREATE USER jsmith IDENTIFIED EXTERNALLY AS "CN=foo,DNQ=123,SERIAL=234";
```

Now create another external user `tjones` with the same name

```
CN=foo,dnQualifier=123,SERIALNUMBER=234 :
```

```
CREATE USER tjones IDENTIFIED EXTERNALLY AS  
"CN=foo,dnQualifier=123,SERIALNUMBER=234";
```

The user `tjones` is not created because the command fails with the error: User with same external name already exists because the `CN=foo,dnQualifier=123,SerialNumber=234` setting has already been used. This happens because `dnq=` is converted to `dnQualifier=` and `serial=` is converted to `serialnumber=` internally, and therefore, `CN=foo,DNQ=123,SERIAL=234` and `CN=foo,dnQualifier=123,SerialNumber=234` are treated as the same user.

### AS 'certificate\_DN'

This clause is required for and used for SSL-authenticated external users only. The *certificate\_DN* is the distinguished name in the user's PKI certificate in the user's wallet. The maximum length of *certificate\_DN* is 1024 characters.

### AS 'kerberos\_principal\_name'

This clause is required for and used for Kerberos-authenticated external users only. The maximum length of *kerberos\_principal\_name* is 1024 characters.



#### Note:

Oracle strongly recommends that you do not use IDENTIFIED EXTERNALLY with operating systems that have inherently weak login security.

### Restriction on Creating External Users

Oracle ASM does not support the creation of external users.



#### See Also:

- *Oracle Database Enterprise User Security Administrator's Guide* for more information on externally identified users
- ["Creating External Database Users: Examples"](#)

### GLOBALLY Clause

The GLOBALLY clause lets you create a **global user**. Such a user must be authorized by the enterprise directory service (Oracle Internet Directory).

The *directory\_DN* string can take one of two forms:

- The X.509 name at the enterprise directory service that identifies this user. It should be of the form *CN=username,other\_attributes*, where *other\_attributes* is the rest of the user's distinguished name (DN) in the directory. This form uses the LDAP Data Interchange Format (LDIF) and creates a **private global schema**.
- A null string (' ') indicating that the enterprise directory service will map authenticated global users to this database schema with the appropriate roles. This form is the same as specifying the GLOBALLY keyword alone and creates a **shared global schema**.

The maximum length of *directory\_DN* is 1024 characters.

You can control the ability of an application server to connect as the specified user and to activate that user's roles using the ALTER USER statement.

You can exclusively map an Oracle Database schema to a Microsoft Azure AD user using GLOBALLY AS AZURE\_USER. You must log in to the Oracle Autonomous Database instance as a user who has been granted the CREATE USER or ALTER USER system privilege.

### Example: Map Oracle Database Schema to a Microsoft Azure AD User

The example creates a new database schema user named `peter_fitch` and maps this user to an existing Azure AD user named `peter.fitch@example.com`:

```
CREATE USER peter_fitch IDENTIFIED GLOBALLY AS  
'AZURE_USER=peter.fitch@example.com';
```

### Example: Map a Shared Oracle Database Schema to an App Role

The example creates a new database global user account (schema) named `dba_azure` and maps it to an existing Azure AD application role named `AZURE_DBA`:

```
CREATE USER dba_azure IDENTIFIED GLOBALLY AS 'AZURE_ROLE=AZURE_DBA';
```

### Restriction on Creating Global Users

Oracle ASM does not support the creation of global users.

#### See Also:

- *Oracle Database Security Guide* for more information on global users
- *Authenticating and Authorizing Microsoft Azure Active Directory Users for Oracle Autonomous Databases*
- [ALTER USER](#)
- ["Creating a Global Database User: Example"](#)

### NO AUTHENTICATION Clause

Use the `NO AUTHENTICATION` clause to create a schema that does not have a password and cannot be logged into. This is intended for schema only accounts and reduces maintenance by removing default passwords and any requirement to rotate the password.

### DEFAULT COLLATION Clause

This clause lets you specify the default collation for the schema owned by the user. The default collation is assigned to tables, views, and materialized views that are subsequently created in the schema.

For `collation_name`, specify a valid named collation or pseudo-collation.

If you omit this clause, then the default collation for the schema owned by the user is set to the `USING_NLS_COMP` pseudo-collation.

You can override this clause and assign a different default collation to a particular table, materialized view, or view by specifying the `DEFAULT COLLATION` clause of the `CREATE` or `ALTER` statement for the table, materialized view, or view. You can also override the default collations of all schemas for the duration of a database session by setting the default collation for the session. See the [DEFAULT\\_COLLATION](#) clause of `ALTER SESSION` for more details.

You can specify the `DEFAULT COLLATION` clause only if the `COMPATIBLE` initialization parameter is set to 12.2 or greater, and the `MAX_STRING_SIZE` initialization parameter is set to `EXTENDED`.

## DEFAULT TABLESPACE Clause

Specify the default tablespace for objects that are created in the user's schema. If you omit this clause, then the user's objects are stored in the database default tablespace. If no default tablespace has been specified for the database, then the user's objects are stored in the `SYSTEM` tablespace.

## Restriction on Default Tablespaces

You cannot specify a locally managed temporary tablespace, including an undo tablespace, or a dictionary-managed temporary tablespace, as a user's default tablespace.



### See Also:

- [CREATE TABLESPACE](#) for more information on tablespaces in general and undo tablespaces in particular
- *Oracle Database Security Guide* for more information on assigning default tablespaces to users

## [LOCAL] TEMPORARY TABLESPACE Clause

Specify the tablespace or tablespace group for the user's temporary segments. If you omit this clause, then the user's temporary segments are stored in the database default temporary tablespace or, if none has been specified, in the `SYSTEM` tablespace.

- Specify *tablespace* to indicate the user's temporary tablespace. Specify `TEMPORARY TABLESPACE` to indicate a shared temporary tablespace. Specify `LOCAL TEMPORARY TABLESPACE` to indicate a local temporary tablespace. If you are connected to a CDB, then you can specify `CDB$DEFAULT` to use the CDB-wide default temporary tablespace.
- Specify *tablespace\_group\_name* to indicate that the user can save temporary segments in any tablespace in the tablespace group specified by *tablespace\_group\_name*. Local temporary tablespaces cannot be part of a tablespace group.

## Restrictions on Temporary Tablespace

This clause is subject to the following restrictions:

- The tablespace must be a temporary tablespace and must have a standard block size.
- The tablespace cannot be an undo tablespace or a tablespace with automatic segment-space management.

 **See Also:**

- *Oracle Database Administrator's Guide* for information about tablespace groups and *Oracle Database Security Guide* for information on assigning temporary tablespaces to users
- [CREATE TABLESPACE](#) for more information on undo tablespaces and segment management
- "[Assigning a Tablespace Group: Example](#)"

### QUOTA Clause

Use the `QUOTA` clause to specify the maximum amount of space the user can allocate in the tablespace.

A `CREATE USER` statement can have multiple `QUOTA` clauses for multiple tablespaces.

`UNLIMITED` lets the user allocate space in the tablespace without bound.

The maximum amount of space that you can specify is 2 terabytes (TB). If you need more space, then specify `UNLIMITED`.

### Restriction on the QUOTA Clause

You cannot specify this clause for a temporary tablespace.

 **See Also:**

[size\\_clause](#) for information on that clause and *Oracle Database Security Guide* for more information on assigning tablespace quotas

### PROFILE Clause

Specify the profile you want to assign to the user. The profile limits the amount of database resources the user can use. If you omit this clause, then Oracle Database assigns the `DEFAULT` profile to the user.

You can use the `CREATE USER` statement to create a new user, and associate the user with a profile that has the `PASSWORD_ROLLOVER_TIME` configured.

You must first set the password rollover period using `CREATE PROFILE` or `ALTER PROFILE`.

In the example `u1` is the user, with password `p1`. `prof1` is the profile with `PASSWORD_ROLLOVER_TIME` set.

```
CREATE USER u1 IDENTIFIED BY p1 PROFILE prof1 ;
```



 **Note:**

Oracle recommends that you use the Database Resource Manager to establish database resource limits rather than SQL profiles. The Database Resource Manager offers a more flexible means of managing and tracking resource use. For more information on the Database Resource Manager, refer to *Oracle Database Administrator's Guide*.

 **See Also:**

- [GRANT](#) and [CREATE PROFILE](#)
- [Configuring Authentication](#)

**PASSWORD EXPIRE Clause**

Specify `PASSWORD EXPIRE` if you want the user's password to expire. This setting forces the user or the DBA to change the password before the user can log in to the database.

**ACCOUNT Clause**

Specify `ACCOUNT LOCK` to lock the user's account and disable access. Specify `ACCOUNT UNLOCK` to unlock the user's account and enable access to the account. The default is `ACCOUNT UNLOCK`.

**ENABLE EDITIONS**

This clause is not reversible. Specify `ENABLE EDITIONS` to allow the user to create multiple versions of editionable objects in this schema using editions. Editionable objects in schemas that are not editions-enabled cannot be editioned.

Note the following before enabling editions with `ALTER USER`:

- Enabling editions is not a live operation.
- When a database is upgraded from Release 11.2 to Release 12.1, users who were enabled for editions in the pre-upgrade database are enabled for editions in the post-upgrade database and the default schema object types are editionable in their schemas. The default schema object types are displayed by the static data dictionary view `DBA_EDITIONED_TYPES`. Users who were not enabled for editions in the pre-upgrade database are not enabled for editions in the post-upgrade database and no schema object types are editionable in their schemas.
- To see which users already have editions enabled, see the `EDITIONS_ENABLED` column of the static data dictionary view `DBA_USERS` or `USER_USERS`.

**Restriction on Enabling Editions**

The `FOR` clause is ignored when used with `ENABLE EDITIONS`. This only applies to the `CREATE USER` statement, not the `ALTER USER` statement.

You cannot enable editions for any schemas supplied by Oracle.

 **See Also:**

- *Enabling Editions for a User*
- *Oracle Database Reference* for more information about the `V$EDITIONABLE_TYPES` dynamic performance view

### CONTAINER Clause

The `CONTAINER` clause applies when you are connected to a CDB. However, it is not necessary to specify the `CONTAINER` clause because its default values are the only allowed values.

- To create a common user, you must be connected to the root. You can optionally specify `CONTAINER = ALL`, which is the default when you are connected to the root.
- To create a local user, you must be connected to a PDB. You can optionally specify `CONTAINER = CURRENT`, which is the default when you are connected to a PDB.

While creating a common user, any default tablespace, temporary tablespace, or profile specified using the following clauses must exist in all the containers belonging to the CDB:

- `DEFAULT TABLESPACE`
- `TEMPORARY TABLESPACE`
- `QUOTA`
- `PROFILE`

If these objects do not exist in all the containers, the `CREATE USER` statement fails.

### READ ONLY | READ WRITE

Use this clause to set `READ ONLY` access to a local PDB user.

With read-only access, the local PDB user is not permitted to execute any write operations on the PDB they connect to. The session operates as if the database is open in read-only mode.

Specify `READ WRITE` to set `READ WRITE` access to a local user.

You must have the `CREATE USER` privilege to execute this statement.

You can view the state of a local user in the `*_USERS` view.

### Examples

All of the following examples use the `example` tablespace, which exists in the seed database and is accessible to the sample schemas.

#### Creating a Database User: Example

If you create a new user with `PASSWORD EXPIRE`, then the user's password must be changed before the user attempts to log in to the database. You can create the user `sidney` by issuing the following statement:

```
CREATE USER sidney
  IDENTIFIED BY out_standing1
  DEFAULT TABLESPACE example
  QUOTA 10M ON example
  TEMPORARY TABLESPACE temp
  QUOTA 5M ON system
  PROFILE app_user
  PASSWORD EXPIRE;
```

The user `sidney` has the following characteristics:

- The password `out_standing1`
- Default tablespace `example`, with a quota of 10 megabytes
- Temporary tablespace `temp`
- Access to the tablespace `SYSTEM`, with a quota of 5 megabytes
- Limits on database resources defined by the profile `app_user` (which was created in ["Creating a Profile: Example"](#))
- An expired password, which must be changed before `sidney` can log in to the database

### Creating External Database Users: Examples

The following example creates an external user, who must be identified by an external source before accessing the database:

```
CREATE USER app_user1
  IDENTIFIED EXTERNALLY
  DEFAULT TABLESPACE example
  QUOTA 5M ON example
  PROFILE app_user;
```

The user `app_user1` has the following additional characteristics:

- Default tablespace `example`
- Default temporary tablespace `example`
- 5M of space on the tablespace `example` and unlimited quota on the temporary tablespace of the database
- Limits on database resources defined by the `app_user` profile

To create another user accessible only by an operating system account, prefix the user name with the value of the initialization parameter `OS_AUTHENT_PREFIX`. For example, if this value is `"ops$"`, then you can create the externally identified user `external_user` with the following statement:

```
CREATE USER ops$external_user
  IDENTIFIED EXTERNALLY
  DEFAULT TABLESPACE example
  QUOTA 5M ON example
  PROFILE app_user;
```

### Creating a Global Database User: Example

The following example creates a global user. When you create a global user, you can specify the X.509 name that identifies this user at the enterprise directory server:

```
CREATE USER global_user
  IDENTIFIED GLOBALLY AS 'CN=analyst, OU=division1, O=oracle, C=US'
```

```
DEFAULT TABLESPACE example
QUOTA 5M ON example;
```

### Creating a Common User in a CDB

The following example creates a common user called `c##comm_user` in a CDB. Before you run this `CREATE USER` statement, ensure that the tablespaces `example` and `temp_tbs` exist in all of the containers in the CDB.

```
CREATE USER c##comm_user
  IDENTIFIED BY comm_pwd
  DEFAULT TABLESPACE example
  QUOTA 20M ON example
  TEMPORARY TABLESPACE temp_tbs;
```

The user `comm_user` has the following additional characteristics:

- The password `comm_pwd`
- Default tablespace `example`, with a quota of 20 megabytes
- Temporary tablespace `temp_tbs`

## CREATE VECTOR INDEX

### Purpose

Vector indexes speed up vector searches and are either exact search indexes or approximate search indexes. An exact search gives 100% accuracy at the cost of heavy compute resources. Approximate search indexes, also called vector indexes, trade accuracy for performance.

Vectors are grouped or connected together based on similarity, where similarity is determined by their relative distance to each other. Greedy searches are done across these groups and connections to find the best, closest match to the query vector being searched for. A search using a vector index is called an approximate search.


There are two vector indexes supported in vector search: IVF (Inverted File) Flat index and HNSW (Hierarchical Navigable Small Worlds) index. IVF Flat (also simply called IVF) is a partitioned-based index, while HNSW is a graph-based index. All partition based indexes are classified as Neighbor Partition Vector Index, and all graph-based indexes are classified as In-Memory Neighbor Graph Vector Index.



#### See Also:

*Create Vector Indexes of the AI Vector Search User's Guide*

## Syntax



## Semantics

### HNSW Specific Parameters

`NEIGHBORS` and `M` are equivalent and represent the maximum number of neighbors a vector can have on any layer. The last vertex has one additional flexibility that it can have up to  $2M$  neighbors.

`EFCONSTRUCTION` represents the maximum number of closest vector candidates considered at each step of the search during insertion.

The valid range for HNSW vector index parameters are:

- `ACCURACY`:  $> 0$  and  $\leq 100$
- `DISTANCE`: `EUCLIDEAN`, `L2_SQUARED` (aka `EUCLIDEAN_SQUARED`), `COSINE`, `DOT`, `MANHATTAN`, `HAMMING`
- `TYPE` : `HNSW`
- `NEIGHBORS`:  $>0$  and  $\leq 2048$
- `EFCONSTRUCTION`:  $>0$  and  $\leq 65535$

### IVF Parameters

`NEIGHBOR PARTITIONS` determines the number of centroid partitions that are created by the index.

`SAMPLE_PER_PARTITION` decides the total number of vectors that are passed to the clustering algorithm (number of samples per partition times the number of neighbor partitions). Note, that passing all the vectors would significantly increase the total time to create the index. Instead, aim to pass a subset of vectors that can capture the data distribution.

`MIN_VECTORS_PAR_PARTITION` represents the target minimum number of vectors per partition. Aim to trim out any partition that can end up with fewer than 100 vectors. This may result in lesser number of centroids. Its values can range from 0 (no trimming of centroids) to `num_vectors` (would result in 1 neighbor partition).

The valid range for IVF vector index parameters are:

- `ACCURACY`: > 0 and <= 100
- `DISTANCE`: EUCLIDEAN, L2\_SQUARED (aka EUCLIDEAN\_SQUARED), COSINE, DOT, MANHATTAN, HAMMING
- `TYPE` : IVF
- `NEIGHBOR PARTITIONS`: >0 and <= 10000000
- `SAMPLE_PER_PARTITION`: from 1 to (`num_vectors/neighbor_partitions`)
- `MIN_VECTORS_PAR_PARTITION`: from 0 (no trimming of centroid partitions) to total number of vectors (would result in 1 centroid partition)

### Examples

```
CREATE VECTOR INDEX galaxies_hnsw_idx ON galaxies (embedding) ORGANIZATION
INMEMORY NEIGHBOR GRAPH
DISTANCE COSINE
WITH TARGET ACCURACY 95;
```

```
CREATE VECTOR INDEX galaxies_hnsw_idx ON galaxies (embedding) ORGANIZATION
INMEMORY NEIGHBOR GRAPH
DISTANCE COSINE
WITH TARGET ACCURACY 90 PARAMETERS (type HNSW, neighbors 40, efconstruction 500);
```

```
CREATE VECTOR INDEX galaxies_ivf_idx ON galaxies (embedding) ORGANIZATION
NEIGHBOR PARTITIONS
DISTANCE COSINE
WITH TARGET ACCURACY 95;
```

```
CREATE VECTOR INDEX galaxies_ivf_idx ON galaxies (embedding) ORGANIZATION
NEIGHBOR PARTITIONS
DISTANCE COSINE
WITH TARGET ACCURACY 90 PARAMETERS (type IVF, neighbor partitions 10);
```

## CREATE VIEW

### Purpose

Use the `CREATE VIEW` statement to define a **view**, which is a logical table based on one or more tables or views. A view contains no data itself. The tables upon which a view is based are called **base tables**.

You can also create an **object view** or a relational view that supports LOBs, object types, `REF` data types, nested table, or varray types on top of the existing view mechanism. An object view is a view of a user-defined type, where each row contains objects, each object with a unique object identifier.

You can also create `XMLType` views, which are similar to object views but display data from XMLSchema-based tables of `XMLType`.

 **See Also:**

- *Oracle Database Concepts*, *Oracle Database Development Guide*, and *Oracle Database Administrator's Guide* for information on various types of views and their uses
- *Oracle XML DB Developer's Guide* for information on `XMLType` views
- [ALTER VIEW](#) and [DROP VIEW](#) for information on modifying a view and removing a view from the database

### Prerequisites

To create a view in your own schema, you must have the `CREATE VIEW` system privilege. To create a view in another user's schema, you must have the `CREATE ANY VIEW` system privilege.

To create a subview, you must have the `UNDER ANY VIEW` system privilege or the `UNDER` object privilege on the superview.

The owner of the schema containing the view must have the privileges necessary to either select (`READ` or `SELECT` privilege), insert, update, or delete rows from all the tables or views on which the view is based. The owner must be granted these privileges directly, rather than through a role.

To use the basic constructor method of an object type when creating an object view, one of the following must be true:


- The object type must belong to the same schema as the view to be created.
- You must have the `EXECUTE ANY TYPE` system privileges.
- You must have the `EXECUTE` object privilege on that object type.

 **See Also:**

[SELECT](#) , [INSERT](#) , [UPDATE](#) , and [DELETE](#) for information on the privileges required by the owner of a view on the base tables or views of the view being created

### Syntax


**create\_view ::=**



(*inline\_constraint ::=* and *out\_of\_line\_constraint ::=*, *object\_view\_clause ::=*,  
*XMLType\_view\_clause ::=*, *subquery ::=*—part of SELECT,  
*subquery\_restriction\_clause ::=*, *annotations\_clause*)




**object\_view\_clause::=**




(*inline\_constraint::=* and *out\_of\_line\_constraint::=*)

**XMLType\_view\_clause::=**




**XMLSchema\_spec::=**



**annotations\_clause::=**

For the full syntax and semantics of the `annotations_clause` see [annotations\\_clause](#).

**subquery\_restriction\_clause::=**



## Semantics

### OR REPLACE

Specify `OR REPLACE` to re-create the view if it already exists. You can use this clause to change the definition of an existing view without dropping, re-creating, and regranteeing object privileges previously granted on it.

`INSTEAD OF` triggers defined on a conventional view are dropped when the view is re-created. DML triggers defined on an editing view are retained when an editing view is re-created. However, such triggers can be rendered permanently invalid if the editing view has changed so that it can no longer be compiled—for example if an editing view column referenced in the trigger definition has been dropped.

If any materialized views are dependent on *view*, then those materialized views will be marked `UNUSABLE` and will require a full refresh to restore them to a usable state. Invalid materialized views cannot be used by query rewrite and cannot be refreshed until they are recompiled.

You cannot replace a conventional view with an editing view or an editing view with a conventional view. See *Oracle Database Development Guide* for more information on editing views.

#### See Also:

- [ALTER MATERIALIZED VIEW](#) for information on refreshing invalid materialized views
- *Oracle Database Concepts* for information on materialized views in general
- [CREATE TRIGGER](#) for more information about the `INSTEAD OF` clause

### FORCE

Specify `FORCE` if you want to create the view regardless of whether the base tables of the view or the referenced object types exist or the owner of the schema containing the view has privileges on them. These conditions must be true before any `SELECT`, `INSERT`, `UPDATE`, or `DELETE` statements can be issued against the view.

If the view definition contains any constraints, `CREATE VIEW ... FORCE` fails if the base table does not exist or the referenced object type does not exist. `CREATE VIEW ... FORCE` also fails if the view definition names a constraint that does not exist.

### NO FORCE

Specify `NOFORCE` if you want to create the view only if the base tables exist and the owner of the schema containing the view has privileges on them. This is the default.

## EDITIONING

Use this clause to create an **editioning view**. An editioning view is a single-table view that selects all rows from the base table and displays a subset of the base table columns. You can use an editioning view to isolate an application from DDL changes to the base table during administrative operations such as upgrades. You can obtain information about the relationship of existing editioning view to their base tables by querying the `USER_`, `ALL_`, and `DBA_EDITIONING_VIEW` data dictionary views.

The owner of an editioning view must be editions-enabled. Refer to [ENABLE EDITIONS](#) for more information.

### Notes on Editioning Views

Editioning views differ from conventional views in several important ways:

- Editioning views are intended only to select and provide aliases for a subset of columns in a table. Therefore, the syntax for creating an editioning view is more limited than the syntax for creating a conventional view. Any violation of the restrictions that follow causes the creation of the view to fail, even if you specify `FORCE`.
- You can create DML triggers on editioning views. In this case, the database considers the editioning view to be the base object of the trigger. Such triggers fire when a DML operation target the editioning view itself. They do not fire if the DML operation targets the base table.
- You cannot create `INSTEAD OF` triggers on editioning views.

### Restrictions on Editioning Views

Editioning views are subject to the following restrictions:

- Within any edition, you can create only one editioning view for any single table.
- You cannot specify the `object_view_clause`, `XMLType_view_clause`, or `BEQUEATH` clause.
- You cannot define a constraint `WITH CHECK OPTION` on an editioning view.
- In the select list of the defining subquery, you can specify only simple references to the columns of the base table, and you can specify each column of the base table only once in the select list. The asterisk wildcard symbol `*` and `t_alias.*` are supported to designate all columns of a base table.
- The `FROM` clause of the defining subquery of the view can reference only a single existing database table. Joins are not permitted. The base table must be in the same schema as the view being created. You cannot use a synonym to identify the table, but you can specify a table alias.
- The following clauses of the defining subquery are not valid for editioning views: `subquery_factoring_clause`, `DISTINCT` or `UNIQUE`, `where_clause`, `hierarchical_query_clause`, `group_by_clause`, `HAVING` condition, `model_clause`, or the set operators (`UNION`, `INTERSECT`, or `MINUS`)

 **See Also:**

- *Oracle Database Development Guide* for detailed information about editioning views
- [CREATE EDITION](#) for information about editions, including an example of an editioning view

**EDITIONABLE | NONEDITIONABLE**

Use these clauses to specify whether the view becomes an editioned or noneditioned object if editioning is enabled for the schema object type `VIEW` in *schema*. The default is `EDITIONABLE`. For information about editioned and noneditioned objects, see *Oracle Database Development Guide*.

**IF NOT EXISTS**

Specifying `IF NOT EXISTS` has the following effects:

- If the view does not exist, a new view is created at the end of the statement.
- If the view exists, this is the view you have at the end of the statement. A new one is not created because the older one is detected.

You can have *one* of `OR REPLACE` or `IF NOT EXISTS` in a statement at a time. Using both `OR REPLACE` with `IF NOT EXISTS` in the very same statement results in the following error: `ORA-11541: REPLACE and IF NOT EXISTS cannot coexist in the same DDL statement`.

Using `IF EXISTS` with `CREATE` results in `ORA-11543: Incorrect IF NOT EXISTS clause for CREATE statement`.

***schema***

Specify the schema to contain the view. If you omit *schema*, then Oracle Database creates the view in your own schema.

***view***

Specify the name of the view or the object view. The name must satisfy the requirements listed in "[Database Object Naming Rules](#)".

**Restriction on Views**

If a view has `INSTEAD OF` triggers, then any views created on it must have `INSTEAD OF` triggers, even if the views are inherently updatable.

 **See Also:**

["Creating a View: Example"](#)

## SHARING

This clause applies only when creating a view in an application root. This type of view is called an application common object and its data can be shared with the application PDBs that belong to the application root. To determine how the view data is shared, specify one of the following sharing attributes:

- `METADATA` - A metadata link shares the view's metadata, but its data is unique to each container. This type of view is referred to as a **metadata-linked application common object**.
- `DATA` - A data link shares the view, and its data is the same for all containers in the application container. Its data is stored only in the application root. This type of view is referred to as a **data-linked application common object**.
- `EXTENDED DATA` - An extended data link shares the view, and its data in the application root is the same for all containers in the application container. However, each application PDB in the application container can store data that is unique to the application PDB. For this type of view, data is stored in the application root and, optionally, in each application PDB. This type of view is referred to as an **extended data-linked application common object**.
- `NONE` - The view is not shared.

If you omit this clause, then the database uses the value of the `DEFAULT_SHARING` initialization parameter to determine the sharing attribute of the view. If the `DEFAULT_SHARING` initialization parameter does not have a value, then the default is `METADATA`.

When creating a conventional view, you can specify `METADATA`, `DATA`, `EXTENDED DATA`, or `NONE`.

When creating an object view or an `XMLTYPE` view, you can specify only `METADATA` or `NONE`.

You cannot change the sharing attribute of a view after it is created.

### See Also:

- *Oracle Database Reference* for more information on the `DEFAULT_SHARING` initialization parameter
- *Oracle Database Administrator's Guide* for complete information on creating application common objects

## *alias*

Specify names for the expressions selected by the defining query of the view. The number of aliases must match the number of expressions selected by the view. Aliases must follow the rules for naming Oracle Database schema objects. Aliases must be unique within the view.

If you omit the aliases, then the database derives them from the columns or column aliases in the query. For this reason, you must use aliases if the query contains expressions rather than only column names. Also, you must specify aliases if the view definition includes constraints and/or column annotations.

### **Restriction on View Aliases**

You cannot specify an alias when creating an object view.

**See Also:**

["Syntax for Schema Objects and Parts in SQL Statements"](#)

**VISIBLE | INVISIBLE**

Use this clause to specify whether a view column is `VISIBLE` or `INVISIBLE`. By default, view columns are `VISIBLE` regardless of their visibility in the base tables, unless you specify `INVISIBLE`. This applies to conventional views and editioning views. For complete information on these clauses, refer to "[VISIBLE | INVISIBLE](#)" in the documentation on `CREATE TABLE`.

***inline\_constraint and out\_of\_line\_constraint***

You can specify constraints on views and object views. You define the constraint at the view level using the `out_of_line_constraint` clause. You define the constraint as part of column or attribute specification using the `inline_constraint` clause after the appropriate alias.

Oracle Database does not enforce view constraints. For a full discussion of view constraints, including restrictions, refer to "[View Constraints](#)".

**See Also:**

["Creating a View with Constraints: Example"](#)

***object\_view\_clause***

The `object_view_clause` lets you define a view on an object type.

**See Also:**

["Creating an Object View: Example"](#)

**OF *type\_name* Clause**

Use this clause to explicitly create an **object view** of type `type_name`. The columns of an object view correspond to the top-level attributes of type `type_name`. Each row will contain an object instance and each instance will be associated with an object identifier as specified in the `WITH OBJECT IDENTIFIER` clause. If you omit `schema`, then the database creates the object view in your own schema.

Object tables, as well as `XMLType` tables, object views, and `XMLType` views, do not have any column names specified for them. Therefore, Oracle Database defines a system-generated pseudocolumn `OBJECT_ID`. You can use this column name in queries and to create object views with the `WITH OBJECT IDENTIFIER` clause.

**WITH OBJECT IDENTIFIER Clause**

Use the `WITH OBJECT IDENTIFIER` clause to specify a top-level (root) object view. This clause lets you specify the attributes of the object type that will be used as a key to identify each row in the object view. In most cases these attributes correspond to the primary key columns of the base table. You must ensure that the attribute list is unique and identifies exactly one row in the view. The `WITH OBJECT IDENTIFIER` and `WITH OBJECT ID` clauses can be used interchangeably and are provided for semantic clarity.

### Restrictions on Object Views

Object views are subject to the following restrictions:

- If you try to dereference or pin a primary key `REF` that resolves to more than one instance in the object view, then the database returns an error.
- You cannot specify this clause if you are creating a subview, because subviews inherit object identifiers from superviews.

If the object view is defined on an object table or an object view, then you can omit this clause or specify `DEFAULT`.

### DEFAULT

Specify `DEFAULT` if you want the database to use the intrinsic object identifier of the underlying object table or object view to uniquely identify each row.

### *attribute*

For *attribute*, specify an attribute of the object type from which the database should create the object identifier for the object view.

### UNDER Clause

Use the `UNDER` clause to specify a subview based on an object superview.

### Restrictions on Subviews

Subviews are subject to the following restrictions:

- You must create a subview in the same schema as the superview.
- The object type *type\_name* must be the immediate subtype of *superview*.
- You can create only one subview of a particular type under the same superview.



#### See Also:

- [CREATE TYPE](#) for information about creating objects
- *Oracle Database Reference* for information on data dictionary views

### *XMLType\_view\_clause*

Use this clause to create an `XMLType` view, which displays data from an XMLSchema-based table of type `XMLType`. The `XMLSchema_spec` indicates the XMLSchema to be used to map the XML data to its object-relational equivalents. The XMLSchema must already have been created before you can create an `XMLType` view.

The `WITH OBJECT IDENTIFIER` and `WITH OBJECT ID` clauses can be used interchangeably and are provided for semantic clarity.

Object tables, as well as `XMLType` tables, object views, and `XMLType` views, do not have any column names specified for them. Therefore, Oracle Database defines a system-generated pseudocolumn `OBJECT_ID`. You can use this column name in queries and to create object views with the `WITH OBJECT IDENTIFIER` clause.

#### See Also:

- *Oracle XML DB Developer's Guide* for information on `XMLType` views and `XMLSchemas`
- "Creating an `XMLType` View: Example" and "Creating a View on an `XMLType` Table: Example"

#### ***annotations\_clause***

For the full semantics of the annotations clause see [annotations\\_clause](#).

#### **DEFAULT COLLATION**

Use this clause to specify the default collation for the view. The default collation is used as the derived collation for all the character literals included in the defining query of the view. The default collation is not used by the view columns; the collations for the view columns are derived from the view's defining subquery. The `CREATE VIEW` statement fails with an error if any of its character columns is based on an expression in the defining subquery that has no derived collation.

For *collation\_name*, specify a valid named collation or pseudo-collation.

If you omit this clause, then the default collation for the view is set to the effective schema default collation of the schema containing the view. Refer to the [DEFAULT\\_COLLATION](#) clause of `ALTER SESSION` for more information on the effective schema default collation.

You can specify the `DEFAULT COLLATION` clause only if the `COMPATIBLE` initialization parameter is set to 12.2 or greater, and the `MAX_STRING_SIZE` initialization parameter is set to `EXTENDED`.

To change the default collation for a view, you must recreate the view.

#### **Restriction on the Default Collation for Views**

If the defining query of the view contains the `WITH plsql_declarations` clause, then the default collation of the view must be `USING_NLS_COMP`.

#### **BEQUEATH**

Use the `BEQUEATH` clause to specify whether functions referenced in the view are executed using the view invoker's rights or the view definer's rights.

#### **CURRENT\_USER**



If you specify `BEQUEATH CURRENT_USER`, then functions referenced by the view are executed using the view invoker's rights as long as one of the following conditions is met:

- The view owner has the `INHERIT PRIVILEGES` object privilege on the invoking user.
- The view owner has the `INHERIT ANY PRIVILEGES` system privilege.

If a query of the view invokes an identity- or privilege-sensitive SQL function, or an invoker's rights PL/SQL or Java function, then the current schema, current user, and currently enabled roles within the operation's execution are inherited from the querying user's environment, rather than from the owner of the view.

This clause does not turn the view itself into an invoker's rights object. Name resolution within the view is still handled using the view owner's schema, and privilege checking for the view is done using the view owner's privileges.

### DEFINER

If you specify `BEQUEATH DEFINER`, then functions referenced by the view are executed using the view definer's rights. If a query on the view invokes an identity- or privilege-sensitive SQL function, or an invoker's rights PL/SQL or Java function, then the current schema, current user, and currently enabled roles within the operation's execution are inherited from the owner of the view.

Name resolution within the view is handled using the view owner's schema, and privilege checking for the view is done using the view owner's privileges.

This is the default.

### Restriction on the BEQUEATH Clause

You cannot specify this clause with the `EDITIONING` clause.



#### See Also:

*Oracle Database Security Guide* for more information on controlling invoker's rights and definer's rights in views

### AS subquery

Specify a subquery that identifies columns and rows of the table(s) that the view is based on. The select list of the subquery can contain up to 1000 expressions.

If you create views that refer to remote tables and views, then the database links you specify must have been created using the `CONNECT TO` clause of the `CREATE DATABASE LINK` statement, and you must qualify them with a schema name in the view subquery.

If you create a view with the `flashback_query_clause` in the defining query, then the database does not interpret the `AS OF` expression at create time but rather each time a user subsequently queries the view.

 **See Also:**

"[Creating a Join View: Example](#)" and *Oracle Database Development Guide* for more information on Oracle Flashback Query

### Restrictions on the Defining Query of a View

The view query is subject to the following restrictions:

- The subquery cannot select the `CURRVAL` or `NEXTVAL` pseudocolumns.
- If the subquery selects the `ROWID`, `ROWNUM`, or `LEVEL` pseudocolumns, then those columns must have aliases in the view subquery.
- If the subquery uses an asterisk (\*) to select all columns of a table, and you later add new columns to the table, then the view will not contain those columns until you re-create the view by issuing a `CREATE OR REPLACE VIEW` statement.
- For object views, the number of elements in the subquery select list must be the same as the number of top-level attributes for the object type. The data type of each of the selecting elements must be the same as the corresponding top-level attribute.
- You cannot specify the `SAMPLE` clause.

The preceding restrictions apply to materialized views as well.

### Notes on Updatable Views

The following notes apply to updatable views:

An updatable view is one you can use to insert, update, or delete base table rows. You can create a view to be inherently updatable, or you can create an `INSTEAD OF` trigger on any view to make it updatable.

To learn whether and in what ways the columns of an inherently updatable view can be modified, query the `USER_UPDATABLE_COLUMNS` data dictionary view. The information displayed by this view is meaningful only for inherently updatable views. For a view to be inherently updatable, the following conditions must be met:

- Each column in the view must map to a column of a single table. For example, if a view column maps to the output of a `TABLE` clause (an unnested collection), then the view is not inherently updatable.
- The view must not contain any of the following constructs:
  - A set operator
  - A `DISTINCT` operator
  - An aggregate or analytic function
  - A `GROUP BY`, `ORDER BY`, `MODEL`, `CONNECT BY`, or `START WITH` clause
  - A collection expression in a `SELECT` list
  - A subquery in a `SELECT` list
  - A subquery designated `WITH READ ONLY`
  - Joins, with some exceptions, as documented in *Oracle Database Administrator's Guide*

- In addition, if an inherently updatable view contains pseudocolumns or expressions, then you cannot update base table rows with an `UPDATE` statement that refers to any of these pseudocolumns or expressions.
- If you want a join view to be updatable, then all of the following conditions must be true:
  - The DML statement must affect only one table underlying the join.
  - For an `INSERT` statement, the view must not be created `WITH CHECK OPTION`, and all columns into which values are inserted must come from a **key-preserved table**. A key-preserved table is one for which every primary key or unique key value in the base table is also unique in the join view.
  - For an `UPDATE` statement, the view must not be created `WITH CHECK OPTION`, and update must be deterministic (updates each row only once).
  - For a `DELETE` statement, if the join results in more than one key-preserved table, then Oracle Database deletes from the first table named in the `FROM` clause, whether or not the view was created `WITH CHECK OPTION`.

 **See Also:**

- *Oracle Database Administrator's Guide* for more information on updatable views
- "[Creating an Updatable View: Example](#)", "[Creating a Join View: Example](#)" for an example of updatable join views and key-preserved tables, and *Oracle Database PL/SQL Language Reference* for an example of an `INSTEAD OF` trigger on a view that is not inherently updatable

***subquery\_restriction\_clause***

Use the *subquery\_restriction\_clause* to restrict the defining query of the view in one of the following ways:

**WITH READ ONLY**

Specify `WITH READ ONLY` to indicate that the table or view cannot be updated.

**WITH CHECK OPTION**

Specify `WITH CHECK OPTION` to indicate that Oracle Database prohibits any changes to the table or view that would produce rows that are not included in the subquery. When used in the subquery of a DML statement, you can specify this clause in a subquery in the `FROM` clause but not in subquery in the `WHERE` clause.

**CONSTRAINT *constraint***

Specify the name of the `READ ONLY` or `CHECK OPTION` constraint. If you omit this identifier, then Oracle automatically assigns the constraint a name of the form `SYS_Cn`, where *n* is an integer that makes the constraint name unique within the database.

 **Note:**

For tables, `WITH CHECK OPTION` guarantees that inserts and updates result in tables that the defining table subquery can select. For views, `WITH CHECK OPTION` cannot make this guarantee if:

- There is a subquery within the defining query of this view or any view on which this view is based or
- `INSERT`, `UPDATE`, or `DELETE` operations are performed using `INSTEAD OF` triggers.

**Restriction on the `subquery_restriction_clause`**

You cannot specify this clause if you specify an `ORDER BY` clause.

 **See Also:**

["Creating a Read-Only View: Example"](#)

**CONTAINER\_MAP**

Specify the `CONTAINER_MAP` clause to enable the view to be queried using a container map.

**CONTAINERS\_DEFAULT**

Specify the `CONTAINERS_DEFAULT` clause to enable the view for the `CONTAINERS` clause.

**Examples****Creating a View: Example**

The following statement creates a view of the sample table `employees` named `emp_view`. The view shows the employees in department 20 and their annual salary:

```
CREATE VIEW emp_view AS
  SELECT last_name, salary*12 annual_salary
  FROM employees
  WHERE department_id = 20;
```

The view declaration need not define a name for the column based on the expression `salary*12`, because the subquery uses a column alias (`annual_salary`) for this expression.

**Creating an Editioning View: Example**

The following statement creates an editioning view of the `orders` table:

```
CREATE EDITIONING VIEW ed_orders_view (o_id, o_date, o_status)
  AS SELECT order_id, order_date, order_status FROM orders
  WITH READ ONLY;
```

You can use this view to isolate an application from DDL changes to the `orders` table during an administrative operation such as an upgrade. You can create a DML trigger on this view, so that the trigger fires when a DML operation targets the view itself, but does not fire if the DML operation targets the `orders` table.

### Creating a View with Constraints: Example

The following statement creates a restricted view of the sample table `hr.employees` and defines a unique constraint on the `email` view column and a primary key constraint for the view on the `emp_id` view column:

```
CREATE VIEW emp_sal (emp_id, last_name,
                    email UNIQUE RELY DISABLE NOVALIDATE,
                    CONSTRAINT id_pk PRIMARY KEY (emp_id) RELY DISABLE NOVALIDATE)
AS SELECT employee_id, last_name, email FROM employees;
```

### Creating an Updatable View: Example

The following statement creates an updatable view named `clerk` of all clerks in the `employees` table. Only the employees' IDs, last names, department numbers, and jobs are visible in this view, and these columns can be updated only in rows where the employee is a kind of clerk:

```
CREATE VIEW clerk AS
SELECT employee_id, last_name, department_id, job_id
FROM employees
WHERE job_id = 'PU_CLERK'
   or job_id = 'SH_CLERK'
   or job_id = 'ST_CLERK';
```

This view lets you change the `job_id` of a purchasing clerk to purchasing manager (`PU_MAN`):

```
UPDATE clerk SET job_id = 'PU_MAN' WHERE employee_id = 118;
```

The next example creates the same view `WITH CHECK OPTION`. You cannot subsequently insert a new row into `clerk` if the new employee is not a clerk. You can update an employee's `job_id` from one type of clerk to another type of clerk, but the update in the preceding statement would fail, because the view cannot access employees with non-clerk `job_id`.

```
CREATE VIEW clerk AS
SELECT employee_id, last_name, department_id, job_id
FROM employees
WHERE job_id = 'PU_CLERK'
   or job_id = 'SH_CLERK'
   or job_id = 'ST_CLERK'
WITH CHECK OPTION;
```

### Creating a Join View: Example

A join view is one whose view subquery contains a join. If at least one column in the join has a unique index, then it may be possible to modify one base table in a join view. You can query `USER_UPDATABLE_COLUMNS` to see whether the columns in a join view are updatable. For example:

```
CREATE VIEW locations_view AS
SELECT d.department_id, d.department_name, l.location_id, l.city
FROM departments d, locations l
WHERE d.location_id = l.location_id;

SELECT column_name, updatable
```

```
FROM user_updatable_columns
WHERE table_name = 'LOCATIONS_VIEW'
ORDER BY column_name, updatable;
```

COLUMN_NAME	UPD
DEPARTMENT_ID	YES
DEPARTMENT_NAME	YES
LOCATION_ID	NO
CITY	NO

In the preceding example, the primary key index on the `location_id` column of the `locations` table is not unique in the `locations_view` view. Therefore, `locations` is not a key-preserved table and columns from that base table are not updatable.

```
INSERT INTO locations_view VALUES
  (999, 'Entertainment', 87, 'Roma');
INSERT INTO locations_view VALUES
  *
ERROR at line 1:
ORA-01776: cannot modify more than one base table through a join view
```

You can insert, update, or delete a row from the `departments` base table, because all the columns in the view mapping to the `departments` table are marked as updatable and because the primary key of `departments` is retained in the view.

```
INSERT INTO locations_view (department_id, department_name)
VALUES (999, 'Entertainment');

1 row created.
```



#### Note:

For you to insert into the table using the view, the view must contain all `NOT NULL` columns of all tables in the join, unless you have specified `DEFAULT` values for the `NOT NULL` columns.



#### See Also:

*Oracle Database Administrator's Guide* for more information on updating join views

### Creating a Read-Only View: Example

The following statement creates a read-only view named `customer_ro` of the `oe.customers` table. Only the customers' last names, language, and credit limit are visible in this view:

```
CREATE VIEW customer_ro (name, language, credit)
AS SELECT cust_last_name, nls_language, credit_limit
FROM customers
WITH READ ONLY;
```

### Creating an Object View: Example

The following example shows the creation of the type `inventory_typ` in the `oc` schema, and the `oc_inventories` view that is based on that type:

```

CREATE TYPE inventory_typ
  OID '82A4AF6A4CD4656DE034080020E0EE3D'
  AS OBJECT
    ( product_id          NUMBER(6)
      , warehouse         warehouse_typ
      , quantity_on_hand  NUMBER(8)
    ) ;
/
CREATE OR REPLACE VIEW oc_inventories OF inventory_typ
  WITH OBJECT OID (product_id)
  AS SELECT i.product_id,
           warehouse_typ(w.warehouse_id, w.warehouse_name, w.location_id),
           i.quantity_on_hand
  FROM inventories i, warehouses w
  WHERE i.warehouse_id=w.warehouse_id;

```

### Creating a View on an XMLType Table: Example

The following example builds a regular view on the XMLType table `xwarehouses`, which was created in "Examples ":

```

CREATE VIEW warehouse_view AS
  SELECT VALUE(p) AS warehouse_xml
  FROM xwarehouses p;

```

You select from such a view as follows:

```

SELECT e.warehouse_xml.getclobval()
  FROM warehouse_view e
  WHERE EXISTSNODE(warehouse_xml, '//Docks') =1;

```

### Creating an XMLType View: Example

In some cases you may have an object-relational table upon which you would like to build an XMLType view. The following example creates an object-relational table resembling the XMLType column `warehouse_spec` in the sample table `oe.warehouses`, and then creates an XMLType view of that table:

```

CREATE TABLE warehouse_table
(
  WarehouseID      NUMBER,
  Area             NUMBER,
  Docks            NUMBER,
  DockType         VARCHAR2(100),
  WaterAccess      VARCHAR2(10),
  RailAccess       VARCHAR2(10),
  Parking          VARCHAR2(20),
  VClearance       NUMBER
);

INSERT INTO warehouse_table
  VALUES(5, 103000,3,'Side Load','false','true','Lot',15);

CREATE VIEW warehouse_view OF XMLTYPE
  XMLSCHEMA "http://www.example.com/xwarehouses.xsd"
  ELEMENT "Warehouse"

```

```
WITH OBJECT ID
  (extract(OBJECT_VALUE, '/Warehouse/Area/text()').getnumberval())
AS SELECT XMLELEMENT("Warehouse",
  XMLFOREST(WarehouseID as "Building",
    area as "Area",
    docks as "Docks",
    docktype as "DockType",
    wateraccess as "WaterAccess",
    railaccess as "RailAccess",
    parking as "Parking",
    VClearance as "VClearance"))
FROM warehouse_table;
```

You query this view as follows:

```
SELECT VALUE(e) FROM warehouse_view e;
```

## DELETE

### Purpose

Use the `DELETE` statement to remove rows from:

- An unpartitioned or partitioned table
- The unpartitioned or partitioned base table of a view
- The unpartitioned or partitioned container table of a writable materialized view
- The unpartitioned or partitioned master table of an updatable materialized view

### Prerequisites

For you to delete rows from a table, the table must be in your own schema or you must have the `DELETE` object privilege on the table.

For you to delete rows from an updatable materialized view, the materialized view must be in your own schema or you must have the `DELETE` object privilege on the materialized view.

For you to delete rows from the base table of a view, the owner of the schema containing the view must have the `DELETE` object privilege on the base table. Also, if the view is in a schema other than your own, then you must have the `DELETE` object privilege on the view.

The `DELETE ANY TABLE` system privilege also allows you to delete rows from any table or table partition or from the base table of any view.

To delete rows from an object on a remote database, you must also have the `READ` or `SELECT` object privilege on the object.


If the `SQL92_SECURITY` initialization parameter is set to `TRUE` and the `DELETE` operation references table columns, such as the columns in a *where\_clause*, then you must also have the `SELECT` object privilege on the object from which you want to delete rows.

You cannot delete rows from a table if a function-based index on the table has become invalid. You must first validate the function-based index.




### Syntax

#### **delete::=**




(*DML\_table\_expression\_clause::=*, *where\_clause::=*, *returning\_clause::=*,  
*error\_logging\_clause::=*, *from\_using\_clause::=*)

#### **DML\_table\_expression\_clause::=**




(*partition\_extension\_clause::=*, *subquery::=*, *subquery\_restriction\_clause::=*,  
*table\_collection\_expression::=*)


#### **partition\_extension\_clause::=**




#### **subquery\_restriction\_clause::=**



**table\_collection\_expression::=**




**from\_using\_clause::=**




**where\_clause::=**



**returning\_clause::=**



**error\_logging\_clause::=**



## Semantics

### *hint*

Specify a comment that passes instructions to the optimizer on choosing an execution plan for the statement.



#### See Also:

"Hints" for the syntax and description of hints

### *from\_clause*

Use the `FROM` clause to specify the database objects from which you are deleting rows.

The `ONLY` syntax is relevant only for views. Use the `ONLY` clause if the view in the `FROM` clause belongs to a view hierarchy and you do not want to delete rows from any of its subviews.

### *DML\_table\_expression\_clause*

Use this clause to specify the objects from which data is being deleted.

### *schema*

Specify the schema containing the table or view. If you omit *schema*, then Oracle Database assumes the table or view is in your own schema.

### *table | view | materialized view | subquery*

Specify the name of a table, view, materialized view, or the column or columns resulting from a subquery, from which the rows are to be deleted.

When you delete rows from an updatable view, Oracle Database deletes rows from the base table.

You cannot delete rows from a read-only materialized view. If you delete rows from a writable materialized view, then the database removes the rows from the underlying container table. However, the deletions are overwritten at the next refresh operation. If you delete rows from an updatable materialized view that is part of a materialized view group, then the database also removes the corresponding rows from the master table.

If *table* or the base table of *view* or the master table of *materialized\_view* contains one or more domain index columns, then this statement executes the appropriate indextype delete routine.



#### See Also:

*Oracle Database Data Cartridge Developer's Guide* for more information on these routines

Issuing a `DELETE` statement against a table fires any `DELETE` triggers defined on the table.

All table or index space released by the deleted rows is retained by the table and index.

### ***partition\_extension\_clause***

Specify the name or partition key value of the partition or subpartition targeted for deletes within the object.

You need not specify the partition name when deleting values from a partitioned object. However, in some cases, specifying the partition name is more efficient than a complicated *where\_clause*.



#### **See Also:**

["References to Partitioned Tables and Indexes "](#) and ["Deleting Rows from a Partition: Example"](#)

### ***dblink***

Specify the complete or partial name of a database link to a remote database where the object is located. You can delete rows from a remote object only if you are using Oracle Database distributed functionality.



#### **Note:**

Starting with Oracle Database 12c Release 2 (12.2), the `DELETE` statement accepts remote LOB locators as bind variables. Refer to the "Distributed LOBs" chapter in *Oracle Database SecureFiles and Large Objects Developer's Guide* for more information.



#### **See Also:**

["References to Objects in Remote Databases "](#) for information on referring to database links and ["Deleting Rows from a Remote Database: Example"](#)

If you omit *dblink*, then the database assumes that the object is located on the local database.

### ***subquery\_restriction\_clause***

The *subquery\_restriction\_clause* lets you restrict the subquery in one of the following ways:

#### **WITH READ ONLY**

Specify `WITH READ ONLY` to indicate that the table or view cannot be updated.

#### **WITH CHECK OPTION**

Specify `WITH CHECK OPTION` to indicate that Oracle Database prohibits any changes to the table or view that would produce rows that are not included in the subquery. When used in the subquery of a DML statement, you can specify this clause in a subquery in the `FROM` clause but not in subquery in the `WHERE` clause.

### **CONSTRAINT *constraint***

Specify the name of the `CHECK OPTION` constraint. If you omit this identifier, then Oracle automatically assigns the constraint a name of the form `SYS_Cn`, where `n` is an integer that makes the constraint name unique within the database.



#### **See Also:**

["Using the WITH CHECK OPTION Clause: Example"](#)

### ***table\_collection\_expression***

The *table\_collection\_expression* lets you inform Oracle that the value of *collection\_expression* should be treated as a table for purposes of query and DML operations. The *collection\_expression* can be a subquery, a column, a function, or a collection constructor. Regardless of its form, it must return a collection value—that is, a value whose type is nested table or varray. This process of extracting the elements of a collection is called **collection unnesting**.

The optional plus (+) is relevant if you are joining the `TABLE` collection expression with the parent table. The + creates an outer join of the two, so that the query returns rows from the outer table even if the collection expression is null.



#### **Note:**

In earlier releases of Oracle, when *collection\_expression* was a subquery, *table\_collection\_expression* was expressed as `THE subquery`. That usage is now deprecated.

You can use a *table\_collection\_expression* in a correlated subquery to delete rows with values that also exist in another table.



#### **See Also:**

["Table Collections: Examples"](#)

### ***collection\_expression***

Specify a subquery that selects a nested table column from the object from which you are deleting.

### **Restrictions on the *dml\_table\_expression\_clause* Clause**

This clause is subject to the following restrictions:

- You cannot execute this statement if *table* or the base or master table of *view* or *materialized\_view* contains any domain indexes marked `IN_PROGRESS` or `FAILED`.
- You cannot insert into a partition if any affected index partitions are marked `UNUSABLE`.
- You cannot specify the `ORDER BY` clause in the subquery of the *DML\_table\_expression\_clause*.
- You cannot delete from a view except through `INSTEAD OF` triggers if the defining query of the view contains one of the following constructs:
  - A set operator
  - A `DISTINCT` operator
  - An aggregate or analytic function
  - A `GROUP BY`, `ORDER BY`, `MODEL`, `CONNECT BY`, or `START WITH` clause
  - A collection expression in a `SELECT` list
  - A subquery in a `SELECT` list
  - A subquery designated `WITH READ ONLY`
  - Joins, with some exceptions, as documented in *Oracle Database Administrator's Guide*

If you specify an index, index partition, or index subpartition that has been marked `UNUSABLE`, then the `DELETE` statement will fail unless the `SKIP_UNUSABLE_INDEXES` initialization parameter has been set to `true`.



**See Also:**

[ALTER SESSION](#)

### *t* alias

Provide a **correlation name** for the table, view, materialized view, subquery, or collection value to be referenced elsewhere in the statement. This alias is required if the *DML\_table\_expression\_clause* references any object type attributes or object type methods. Table aliases are generally used in `DELETE` statements with correlated queries.

### *from\_using\_clause*

Use this clause to filter the rows `DELETE` removes. Specify the join conditions in the *where\_clause*. You can outer join source tables to the target with (+). The target table cannot be the outer table in the join.

You can join many tables, views, and inline views. Specify the join conditions in the *where\_clause* or use the *join\_clause* to join these to each other with ANSI join syntax.

You can specify the same table in the *dml\_table\_expression\_clause* and *from\_using\_clause*. When you do so they must have unique aliases.

### **Example: Delete with Direct-Join**

In this example, the join condition between table *t* and table *s* determines which rows of *t* are deleted:

```
DELETE FROM t
FROM s
WHERE t.t1 = s.s1;
```

If the join condition results in the same target row being selected more than once, the `DELETE` will succeed, and the deletion count will correctly reflect the number of rows deleted.

In a `DELETE` of a join view, one of the tables must be key-preserving. That table is used as the delete target. If there is more than one table that is key-preserving, the first key-preserved table encountered in the `FROM` clause is used as the delete target. If no such table exists, error `ORA-01752` is raised. There is no such restriction in direct join syntax, since it is clear what the delete target is.

Direct joins for `DELETE` have the same semantics and restrictions as `SELECT` in the `from_clause` and `where_clause`. Triggers on the target table fire as normal.

### Restrictions

- You cannot specify ANSI join syntax using the `dml_table_expression_clause`. However, you can specify ANSI join syntax between the tables specified in the `FROM` clause. Right and full outer joins are not allowed.
- You can use a lateral view in the `FROM` clause, but it cannot reference a column from the delete target. It may be outer-joined.
- You can only specify one table, view, or materialized view in `dml_table_expression_clause` when the `from_using_clause` is present.
- The `hint` clause can be used to specify instructions to the optimizer for joins involving the `from_using_clause`

### *where\_clause*

Use the `where_clause` to delete only rows that satisfy the condition. The condition can reference the object from which you are deleting and can contain a subquery. You can delete rows from a remote object only if you are using Oracle Database distributed functionality. Refer to [Conditions](#) for the syntax of `condition`.

If this clause contains a `subquery` that refers to remote objects, then the `DELETE` operation can run in parallel as long as the reference does not loop back to an object on the local database. However, if the `subquery` in the `DML_table_expression_clause` refers to any remote objects, then the `DELETE` operation will run serially without notification. Refer to the [parallel\\_clause](#) in the `CREATE TABLE` documentation for additional information.

If you omit `dblink`, then the database assumes that the table or view is located on the local database.

If you omit the `where_clause`, then the database deletes all rows of the object.

### *returning\_clause*

This clause lets you return values from deleted columns, and thereby eliminate the need to issue a `SELECT` statement following the `DELETE` statement.

The returning clause retrieves the rows affected by a DML statement. You can specify this clause for tables and materialized views and for views with a single base table.

When operating on a single row, a DML statement with a *returning\_clause* can retrieve column expressions using the affected row, rowid, and REFs to the affected row and store them in host variables or PL/SQL variables.

When operating on multiple rows, a DML statement with the *returning\_clause* stores values from expressions, rowids, and REFs involving the affected rows in bind arrays.

### ***expr***

Each item in the *expr* list must be a valid expression syntax.

### **INTO**

The INTO clause indicates that the values of the changed rows are to be stored in the variable(s) specified in *data\_item* list.

### ***data\_item***

Each *data\_item* is a host variable or PL/SQL variable that stores the retrieved *expr* value.

For each expression in the RETURNING list, you must specify a corresponding type-compatible PL/SQL variable or host variable in the INTO list.

### **Restrictions on the RETURNING Clause**

The following restrictions apply to the RETURNING clause:

- The *expr* is restricted as follows:
  - For UPDATE and DELETE statements each *expr* must be a simple expression or a single-set aggregate function expression. You cannot combine simple expressions and single-set aggregate function expressions in the same *returning\_clause*. For INSERT statements, each *expr* must be a simple expression. Aggregate functions are not supported in an INSERT statement RETURNING clause.
  - Single-set aggregate function expressions cannot include the DISTINCT keyword.
- If the *expr* list contains a primary key column or other NOT NULL column, then the update statement fails if the table has a BEFORE UPDATE trigger defined on it.
- You cannot specify the *returning\_clause* for a multitable insert.
- You cannot use this clause with parallel DML or with remote objects.
- You cannot retrieve LONG types with this clause.
- You cannot specify this clause for a view on which an INSTEAD OF trigger has been defined.

#### See Also:

- *Oracle Database PL/SQL Language Reference* for information on using the BULK COLLECT clause to return multiple values to collection variables
- ["Using the RETURNING Clause: Example"](#)



### ***error\_logging\_clause***

The *error\_logging\_clause* has the same behavior in `DELETE` statement as it does in an `INSERT` statement. Refer to the `INSERT` statement [error\\_logging\\_clause](#) for more information.



#### **See Also:**

["Inserting Into a Table with Error Logging: Example"](#)

## **Examples**

### **Deleting Rows: Examples**

The following statement deletes all rows from the sample table `oe.product_descriptions` where the value of the `language_id` column is `AR`:

```
DELETE FROM product_descriptions
  WHERE language_id = 'AR';
```

The following statement deletes from the sample table `hr.employees` purchasing clerks whose commission rate is less than 10%:

```
DELETE FROM employees
  WHERE job_id = 'SA_REP'
  AND commission_pct < .2;
```

The following statement has the same effect as the preceding example, but uses a subquery:

```
DELETE FROM (SELECT * FROM employees)
  WHERE job_id = 'SA_REP'
  AND commission_pct < .2;
```

### **Deleting Rows from a Remote Database: Example**

The following statement deletes specified rows from the `locations` table owned by the user `hr` on a database accessible by the database link `remote`:

```
DELETE FROM hr.locations@remote
  WHERE location_id > 3000;
```

### **Deleting Nested Table Rows: Example**

For an example that deletes nested table rows, refer to "[Table Collections: Examples](#)".

### **Deleting Rows from a Partition: Example**

The following example removes rows from partition `sales_q1_1998` of the `sh.sales` table:

```
DELETE FROM sales PARTITION (sales_q1_1998)
  WHERE amount_sold > 1000;
```

### **Using the RETURNING Clause: Example**

The following example returns column `salary` from the deleted rows and stores the result in bind variable `:bnd1`. The bind variable must already have been declared.

```
DELETE FROM employees
WHERE job_id = 'SA_REP'
AND hire_date + TO_YMINTERVAL('01-00') < SYSDATE
RETURNING salary INTO :bnd1;
```

### Deleting Data from a Table: Example

The following statements create a table named `product_price_history` and insert data into it:

```
CREATE TABLE product_price_history (
  product_id          INTEGER NOT NULL,
  price               INTEGER NOT NULL,
  currency_code       VARCHAR2(3 CHAR) NOT NULL,
  effective_from_date DATE NOT NULL,
  effective_to_date   DATE,
  CONSTRAINT product_price_history_pk
    PRIMARY KEY (product_id, currency_code, effective_from_date)
) PARTITION BY RANGE (effective_from_date) (
  PARTITION p0 VALUES less than (DATE'2015-01-02'),
  PARTITION p1 VALUES less than (DATE'2015-01-03'),
  PARTITION p2 VALUES less than (DATE'2015-01-04')
);

INSERT INTO product_price_history
WITH prices AS (
  SELECT 1, 100, 'USD', DATE'2015-01-01', DATE'2015-01-02'
  FROM dual UNION ALL
  SELECT 1, 60, 'GBP', DATE'2015-01-01', DATE'2015-01-02'
  FROM dual UNION ALL
  SELECT 1, 110, 'EUR', DATE'2015-01-01', DATE'2015-01-02'
  FROM dual UNION ALL
  SELECT 1, 101, 'USD', DATE'2015-01-02', DATE'2015-01-03'
  FROM dual UNION ALL
  SELECT 1, 62, 'GBP', DATE'2015-01-02', DATE'2015-01-03'
  FROM dual UNION ALL
  SELECT 1, 109, 'EUR', DATE'2015-01-02', DATE'2015-01-03'
  FROM dual UNION ALL
  SELECT 1, 105, 'USD', DATE'2015-01-03', NULL
  FROM dual UNION ALL
  SELECT 1, 61, 'GBP', DATE'2015-01-03', NULL
  FROM dual UNION ALL
  SELECT 1, 107, 'EUR', DATE'2015-01-03', NULL
  FROM dual UNION ALL
  SELECT 2, 30, 'USD', DATE'2015-01-01', DATE'2015-01-03'
  FROM dual UNION ALL
  SELECT 2, 33, 'USD', DATE'2015-01-03', NULL
  FROM dual UNION ALL
  SELECT 3, 100, 'GBP', DATE'2015-01-03', NULL
  FROM dual
)
SELECT *
FROM prices;
```

The following statement deletes the rows from the table `product_price_history` where `product_id` is 3:

```
DELETE FROM product_price_history WHERE product_id = 3;
```

The following procedure deletes the rows from the `product_price_history` where `product_id` is 2 and `effective_to_date` is NULL:

```

DECLARE
    currency product_price_history.currency_code%TYPE;
BEGIN
    DELETE product_price_history
    WHERE product_id = 2
    AND effective_to_date IS NULL
    returning currency_code INTO currency;

    dbms_output.Put_line(currency);
END;

USD

```

The following statement deletes the rows from the table `product_price_history` where `currency_code` is 'EUR':

```
DELETE (SELECT * FROM product_price_history) WHERE currency_code = 'EUR';
```

The following statement uses a subquery to delete rows from `product_price_history`:

```

DELETE product_price_history pp
WHERE (product_id, currency_code, effective_from_date)
    IN (SELECT product_id, currency_code, Max(effective_from_date)
        FROM product_price_history
        GROUP BY product_id, currency_code);

```

The following statement uses partitions to delete rows from `product_price_history`:

```
DELETE product_price_history partition (p1);
```

The following statement displays the table information:

```

SELECT * FROM product_price_history;

PRODUCT_ID    PRICE CUR EFFECTIVE EFFECTIVE
-----
1            100 USD 01-JAN-15 02-JAN-15
1             60 GBP 01-JAN-15 02-JAN-15

```

The following statement deletes all rows from `product_price_history`:

```
DELETE product_price_history;
```

## DISASSOCIATE STATISTICS

### Purpose

Use the `DISASSOCIATE STATISTICS` statement to disassociate default statistics or a statistics type from columns, standalone functions, packages, types, domain indexes, or indextypes.



#### See Also:


[ASSOCIATE STATISTICS](#) for more information on statistics type associations

### Prerequisites

To issue this statement, you must have the appropriate privileges to alter the underlying table, function, package, type, domain index, or indextype.

### Syntax

***disassociate\_statistics::=***



### Semantics

#### **FROM COLUMNS | FUNCTIONS | PACKAGES | TYPES | INDEXES | INDEXTYPES**

Specify one or more columns, standalone functions, packages, types, domain indexes, or indextypes from which you are disassociating statistics.

If you do not specify *schema*, then Oracle Database assumes the object is in your own schema.

If you have collected user-defined statistics on the object, then the statement fails unless you specify **FORCE**.

## FORCE

Specify `FORCE` to remove the association regardless of whether any statistics exist for the object using the statistics type. If statistics do exist, then the statistics are deleted before the association is deleted.

### Note:

When you drop an object with which a statistics type has been associated, Oracle Database automatically disassociates the statistics type with the `FORCE` option and drops all statistics that have been collected with the statistics type.

## Examples

### Disassociating Statistics: Example

This statement disassociates statistics from the `emp_mgmt` package. See *Oracle Database PL/SQL Language Reference* for the example that creates this package in the `hr` schema.

```
DISASSOCIATE STATISTICS FROM PACKAGES hr.emp_mgmt;
```

# DROP ANALYTIC VIEW

## Purpose


Use the `DROP ANALYTIC VIEW` statement to drop an analytic view. An `ANALYTIC VIEW` object is a component of analytic views.

## Prerequisites

To drop an analytic view in your own schema, you must have the `DROP ANALYTIC VIEW` system privilege. To drop an analytic view in another user's schema, you must have the `DROP ANY ANALYTIC VIEW` system privilege.

## Syntax

***drop\_analytic\_view::=***



## Semantics

### IF EXISTS

Specify `IF EXISTS` to drop an existing object.

Specifying `IF NOT EXISTS` with `DROP` results in `ORA-11544: Incorrect IF EXISTS clause for ALTER/DROP statement.`

**schema**

Specify the schema in which the analytic view exists. If you do not specify a schema, then Oracle Database looks for the analytic view in your own schema.

**analytic\_view\_name**

Specify the name of the analytic view to drop.

**Example**

The following statement drops the specified analytic view object:

```
DROP ANALYTIC VIEW sales_av;
```

## DROP ATTRIBUTE DIMENSION

**Purpose**


Use the `DROP ATTRIBUTE DIMENSION` statement to drop an attribute dimension. An `ATTRIBUTE DIMENSION` object is a component of analytic views.

**Prerequisites**

To drop an attribute dimension in your own schema, you must have the `DROP ATTRIBUTE DIMENSION` system privilege. To drop an analytic view in another user's schema, you must have the `DROP ANY ATTRIBUTE DIMENSION` system privilege.

**Syntax**

***drop\_attribute\_dimension::=***

**Semantics****IF EXISTS**

Specify `IF EXISTS` to drop an existing object.

Specifying `IF NOT EXISTS` with `DROP` results in `ORA-11544: Incorrect IF EXISTS clause for ALTER/DROP statement.`

**schema**

Specify the schema in which the attribute dimension exists. If you do not specify a schema, then Oracle Database looks for the attribute dimension in your own schema.

**attr\_dimension\_name**

Specify the name of the attribute dimension to drop.

### Example

The following statement drops the specified attribute dimension object:

```
DROP ATTRIBUTE DIMENSION product_attr_dim;
```

## DROP AUDIT POLICY (Unified Auditing)

This section describes the `DROP AUDIT POLICY` statement for **unified auditing**. This type of auditing is new beginning with Oracle Database 12c and provides a full set of enhanced auditing features. Refer to *Oracle Database Security Guide* for more information on unified auditing.

### Purpose

Use the `DROP AUDIT POLICY` statement to remove a unified audit policy from the database.

#### See Also:

- [CREATE AUDIT POLICY \(Unified Auditing\)](#)
- [ALTER AUDIT POLICY \(Unified Auditing\)](#)
- [AUDIT \(Unified Auditing\)](#)
- [NOAUDIT \(Unified Auditing\)](#)


### Prerequisites

You must have the `AUDIT SYSTEM` system privilege or the `AUDIT_ADMIN` role.

To drop a common unified audit policy, the current container must be the root and you must have the commonly granted `AUDIT SYSTEM` privilege or the `AUDIT_ADMIN` common role. To drop a local unified audit policy, the current container must be the container in which the audit policy was created and you must have the commonly granted `AUDIT SYSTEM` privilege or the `AUDIT_ADMIN` common role, or you must have the locally granted `AUDIT SYSTEM` privilege or the `AUDIT_ADMIN` local role in the container.

### Syntax

***drop\_audit\_policy::=***



### Semantics

#### ***policy***

Specify the name of the unified audit policy you want to drop. The policy must have been created using the `CREATE AUDIT POLICY` statement.

You can find the names of all unified audit policies by querying the `AUDIT_UNIFIED_POLICIES` view and the names of all *enabled* unified audit policies by querying the `AUDIT_UNIFIED_ENABLED_POLICIES` view

### Restriction on Dropping Unified Audit Policies

You cannot drop an enabled unified audit policy. You must first disable the policy using the `NOAUDIT` statement.

#### See Also:

- [CREATE AUDIT POLICY \(Unified Auditing\)](#)
- *Oracle Database Reference* for more information on the `AUDIT_UNIFIED_POLICIES` and `AUDIT_UNIFIED_ENABLED_POLICIES` views

### Examples

#### Dropping a Unified Audit Policy: Example

The following statement drops unified audit policy `table_pol`:

```
DROP AUDIT POLICY table_pol;
```

## DROP CLUSTER

### Purpose

Use the `DROP CLUSTER` clause to remove a cluster from the database.

#### Note:

When you drop a cluster, any tables in the recycle bin that were once part of that cluster are purged from the recycle bin and can no longer be recovered with a `FLASHBACK TABLE` operation.

You cannot uncluster an individual table. Instead you must perform these steps:

1. Create a new table with the same structure and contents as the old one, but with no `CLUSTER` clause.
2. Drop the old table.
3. Use the `RENAME` statement to give the new table the name of the old one.
4. Grant privileges on the new unclustered table. Grants on the old clustered table do not apply.



 **See Also:**


[CREATE TABLE](#), [DROP TABLE](#), [RENAME](#), [GRANT](#) for information on these steps

**Prerequisites**

The cluster must be in your own schema or you must have the `DROP ANY CLUSTER` system privilege.

**Syntax**

***drop\_cluster ::=***

**Semantics****IF EXISTS**

Specify `IF EXISTS` to drop an existing object.

Specifying `IF NOT EXISTS` with `DROP` results in `ORA-11544: Incorrect IF EXISTS clause for ALTER/DROP statement.`

***schema***

Specify the schema containing the cluster. If you omit *schema*, then the database assumes the cluster is in your own schema.

***cluster***

Specify the name of the cluster to be dropped. Dropping a cluster also drops the cluster index and returns all cluster space, including data blocks for the index, to the appropriate tablespace(s).

**INCLUDING TABLES**

Specify `INCLUDING TABLES` to drop all tables that belong to the cluster.

**CASCADE CONSTRAINTS**

Specify `CASCADE CONSTRAINTS` to drop all referential integrity constraints from tables outside the cluster that refer to primary and unique keys in tables of the cluster. If you omit this clause and such referential integrity constraints exist, then the database returns an error and does not drop the cluster.

## Examples

### Dropping a Cluster: Examples

The following examples drop the clusters created in the "Examples" section of CREATE CLUSTER.

The following statements drops the language cluster:

```
DROP CLUSTER language;
```

The following statement drops the personnel cluster as well as tables dept\_10 and dept\_20 and any referential integrity constraints that refer to primary or unique keys in those tables:

```
DROP CLUSTER personnel  
  INCLUDING TABLES  
  CASCADE CONSTRAINTS;
```

# 16

## SQL Statements: DROP CONTEXT to DROP JAVA

This chapter contains the following SQL statements:

- [DROP CONTEXT](#)
- [DROP DATABASE](#)
- [DROP DATABASE LINK](#)
- [DROP DIMENSION](#)
- [DROP DIRECTORY](#)
- [DROP DISKGROUP](#)
- [DROP EDITION](#)
- [DROP FLASHBACK ARCHIVE](#)
- [DROP FUNCTION](#)
- [DROP HIERARCHY](#)
- [DROP INDEX](#)
- [DROP INDEXTYPE](#)
- [DROP INMEMORY JOIN GROUP](#)
- [DROP JAVA](#)

### DROP CONTEXT

#### Purpose

Use the `DROP CONTEXT` statement to remove a context namespace from the database.

Removing a context namespace does not invalidate any context under that namespace that has been set for a user session. However, the context will be invalid when the user next attempts to set that context.



#### See Also:


[CREATE CONTEXT](#) and *Oracle Database Security Guide* for more information on contexts

#### Prerequisites

You must have the `DROP ANY CONTEXT` system privilege.

## Syntax

***drop\_context::=***



## Semantics

### *namespace*

Specify the name of the context namespace to drop. You cannot drop the built-in namespace `USERENV`.



#### See Also:

[SYS\\_CONTEXT](#) for information on the `USERENV` namespace

## Examples

### Dropping an Application Context: Example

The following statement drops the context created in [CREATE CONTEXT](#):

```
DROP CONTEXT hr_context;
```

# DROP DATABASE

## Purpose



#### Note:

You cannot roll back a `DROP DATABASE` statement.

Use the `DROP DATABASE` statement to drop the database. This statement is useful when you want to drop a test database or drop an old database after successful migration to a new host.

You can issue `DROP DATABASE` on True Cache to delete all the files that belong to this True Cache. The command only deletes files that belong to this True Cache. You must have started up the True Cache in mount mode.



#### See Also:

*Oracle Database Backup and Recovery User's Guide* for more information on dropping the database

### Prerequisites

You must have the `SYSDBA` system privilege to issue this statement. The database must be mounted in exclusive and restricted mode, and it must be closed.

### Syntax

**`drop_database::=`**

→ DROP → DATABASE →

### Semantics

When you issue this statement, Oracle Database drops the database and deletes all control files and data files listed in the control file. If the database used a server parameter file (spfile), then the spfile is also deleted.

Archived logs and backups are not removed, but you can use Recovery Manager (RMAN) to remove them. If the database is on raw disks, then this statement does not delete the actual raw disk special files.

### Drop True Cache

To drop the True Cache using `DROP DATABASE` you must mount the database and set restricted mode as follows:

```
STARTUP MOUNT
ALTER SYSTEM ENABLE RESTRICTED SESSION;
DROP DATABASE
```

## DROP DATABASE LINK

### Purpose

Use the `DROP DATABASE LINK` statement to remove a database link from the database.



#### See Also:


[CREATE DATABASE LINK](#) for information on creating database links

### Prerequisites

A private database link must be in your own schema. To drop a `PUBLIC` database link, you must have the `DROP PUBLIC DATABASE LINK` system privilege.

## Syntax

***drop\_database\_link***::=



## Semantics

### **PUBLIC**

You must specify `PUBLIC` to drop a `PUBLIC` database link.

### ***dblink***

Specify the name of the database link to be dropped.

### **Restriction on Dropping Database Links**

You cannot drop a database link in another user's schema, and you cannot qualify *dblink* with the name of a schema, because periods are permitted in names of database links. Therefore, Oracle Database interprets the entire name, such as `ralph.linktosales`, as the name of a database link in your schema rather than as a database link named `linktosales` in the schema `ralph`.

### **IF EXISTS**

Specify `IF EXISTS` to drop an existing object.

Specifying `IF NOT EXISTS` with `DROP` results in `ORA-11544: Incorrect IF EXISTS clause for ALTER/DROP statement.`

## Examples

### **Dropping a Database Link: Example**

The following statement drops the public database link named `remote`, which was created in "[Defining a Public Database Link: Example](#)":

```
DROP PUBLIC DATABASE LINK remote;
```

# DROP DIMENSION

## Purpose

Use the `DROP DIMENSION` statement to remove the named dimension.

This statement does not invalidate materialized views that use relationships specified in dimensions. However, requests that have been rewritten by query rewrite may be invalidated, and subsequent operations on such views may execute more slowly.

 **See Also:**


- [CREATE DIMENSION](#) and [ALTER DIMENSION](#) for information on creating and modifying a dimension
- *Oracle Database Concepts* for general information about dimensions

**Prerequisites**

The dimension must be in your own schema or you must have the `DROP ANY DIMENSION` system privilege to use this statement.

**Syntax**

***drop\_dimension ::=***

**Semantics*****schema***

Specify the name of the schema in which the dimension is located. If you omit *schema*, then Oracle Database assumes the dimension is in your own schema.

***dimension***

Specify the name of the dimension you want to drop. The dimension must already exist.

**Examples****Dropping a Dimension: Example**

This example drops the `sh.customers_dim` dimension:

```
DROP DIMENSION customers_dim;
```

 **See Also:**

"[Creating a Dimension: Examples](#)" and "[Modifying a Dimension: Examples](#)" for examples of creating and modifying this dimension

## DROP DIRECTORY

**Purpose**

Use the `DROP DIRECTORY` statement to remove a directory object from the database.

**See Also:**

[CREATE DIRECTORY](#) for information on creating a directory

**Prerequisites**


To drop a directory, you must have the `DROP ANY DIRECTORY` system privilege.

**Note:**

Do not drop a directory when files in the associated file system are being accessed by PL/SQL or OCI programs.

**Syntax**

***drop\_directory ::=***

**Semantics****IF EXISTS**

Specify `IF EXISTS` to drop an existing object.

Specifying `IF NOT EXISTS` with `DROP` results in `ORA-11544: Incorrect IF EXISTS clause for ALTER/DROP statement.`

***directory\_name***

Specify the name of the directory database object to be dropped.

Oracle Database removes the directory object but does not delete the associated operating system directory on the server file system.

**Examples****Dropping a Directory: Example**

The following statement drops the directory object `bfile_dir`:

```
DROP DIRECTORY bfile_dir;
```

**See Also:**

["Creating a Directory: Examples"](#)



# DROP DISKGROUP

## Note:

This SQL statement is valid only if you are using Oracle ASM and you have started an Oracle ASM instance. You must issue this statement from within the Oracle ASM instance, not from a normal database instance. For information on starting an Oracle ASM instance, refer to *Oracle Automatic Storage Management Administrator's Guide*.

## Purpose

The `DROP DISKGROUP` statement lets you drop an Oracle ASM disk group along with all the files in the disk group. Oracle ASM first ensures that no files in the disk group are open. It then drops the disk group and all its member disks and clears the disk header.

## See Also:


- [CREATE DISKGROUP](#) and [ALTER DISKGROUP](#) for information on creating and modifying disk groups
- *Oracle Automatic Storage Management Administrator's Guide* for information on Oracle ASM and using disks groups to simplify database administration

## Prerequisites

You must have the `SYSASM` system privilege and you must have an Oracle ASM instance started, from which you issue this statement. The disk group to be dropped must be mounted.

## Syntax

***drop\_diskgroup::=***



## Semantics

### ***diskgroup\_name***

Specify the name of the disk group you want to drop.

## INCLUDING CONTENTS

Specify `INCLUDING CONTENTS` to confirm that Oracle ASM should drop all the files in the disk group. You must specify this clause if the disk group contains any files.

## FORCE

This clause clears the headers on the disk belonging to a disk group that cannot be mounted by the Oracle ASM instance. The disk group cannot be mounted by any instance of the database.

The Oracle ASM instance first determines whether the disk group is being used by any other Oracle ASM instance using the same storage subsystem. If it is being used, and if the disk group is in the same cluster, or on the same node, then the statement fails. If the disk group is in a different cluster, then the system further checks to determine whether the disk group is mounted by any instance in the other cluster. If it is mounted elsewhere, then the statement fails. However, this latter check is not as definitive as the checks for disk groups in the same cluster. Therefore, use this clause with caution.

## EXCLUDING CONTENTS

Specify `EXCLUDING CONTENTS` to ensure that Oracle ASM drops the disk group only when the disk group is empty. This is the default. If the disk group is not empty, then an error will be returned.

## Examples

### Dropping a Diskgroup: Example

The following statement drops the Oracle ASM disk group `dgroup_01`, which was created in "[Creating a Diskgroup: Example](#)", and all of the files in the disk group:

```
DROP DISKGROUP dgroup_01 INCLUDING CONTENTS;
```

# DROP DOMAIN

## Purpose


Use this statement to drop a domain, thereby disassociating the domain from all its dependent objects.

## Prerequisites

The domain must be in your own schema or you must have the `DROP ANY DOMAIN` system privilege.

## Syntax

**drop\_domain ::=**



## Semantics

### IF EXISTS

Specify `IF EXISTS` to drop a domain that exists.

You cannot specify `IF NOT EXISTS` with `DROP DOMAIN`. This results in the following error:  
ORA-11544:Incorrect IF EXISTS clause for ALTER/DROP statement.

You can drop a domain by specifying its domain name and disassociate it from all its dependent columns. In the following example `email` is the name of a domain name:

```
DROP DOMAIN email;
```

If a domain is associated with columns, `DROP DOMAIN domain_name` fails with `ORA-11502: The domain <domain_name> to be dropped has dependent objects. This includes any tables in the recyclebin.`

You can additionally drop a domain by specifying two optional keywords: either `FORCE` or `FORCE PRESERVE` which have different meanings:

### FORCE

`DROP DOMAIN domain_name FORCE` disassociates the domain from all its dependent columns. This includes dropping all constraints on columns that were inherited from the domain. Defaults inherited from the domain are also dropped unless these defaults were set specifically on columns.

If you must drop a domain and have dependent tables in the recyclebin, you must use the `FORCE` option.

### FORCE PRESERVE

Use `DROP DOMAIN domain_name FORCE PRESERVE` if you want to preserve domain defaults and domain constraints on columns inherited from the domain. You must first specify `FORCE`, in order to specify the `PRESERVE` option. Use this option if you want to temporarily drop the domain and recreate it later with new data and the former dependent columns. In this case you want to ensure that the table data continues to be consistent with the domain definition with all the constraints and defaults on columns inherited from the domain preserved. If you drop a domain with `FORCE PRESERVE` and later recreate the domain and reassociate the column with it, you can end up with a second constraint. In this case, use `ALTER TABLE DROP CONSTRAINT` to drop the second constraint.

If there are no tables or materialized views with columns of the given domain, then `DROP DOMAIN` will invalidate any SQL dependent statements and remove the domain object from the catalog. In this case you can specify `FORCE` and `FORCE PRESERVE` without affecting the domain or the domain's dependent objects.

If there are tables or materialized views with columns of the given domain, `DROP DOMAIN` without the `FORCE` option will fail without affecting the domain or domain's dependent objects.

If there are tables or materialized views with columns of the given domain, `DROP DOMAIN FORCE` will do the following:

- Remove the default expression from any dependent column, if the column has a default expression that was only set as a domain default. If the default expression was added on the column and set as domain default, then default on the column is preserved.
- Remove the domain annotations from all dependent columns
- Preserve collation on any domain dependent columns
- Invalidate all SQL dependent statements in the cursor cache.
- Materialized views (MVs) that reference domain functions like `DOMAIN_DISPLAY`, `DOMAIN_ORDER`, `DOMAIN_NAME` will be invalidated so they can be fully refreshed. MVs that reference columns of a given domain will not be invalidated .
- Remove the domain successfully.

If there are flexible domains referencing the domain, then `DROP DOMAIN` without the `FORCE` option will raise an error, while `DROP DOMAIN FORCE` will drop all flexible dependent domains in `FORCE` mode also.

### Examples

The following example drops the domain `day_of_week`. If there are any columns associated with the domain the statement will raise `ORA-11502` and the domain will still be present:

```
DROP DOMAIN day_of_week;
```

The following statement drops the domain `day_of_week`. If there are any columns associated with it, the columns will inherit any defaults and constraints from the domain:

```
DROP DOMAIN day_of_week FORCE PRESERVE;
```

## DROP EDITION

### Purpose

Use the `DROP EDITION` statement to drop an edition, along with all actual editionable objects it contains. An actual editionable object is an editionable object that has been created or modified in an edition.

**See Also:**


[CREATE EDITION](#) for a listing of editionable object types

**Prerequisites**

You must have the `DROP ANY EDITION` system privilege, granted either directly or through a role.

**Syntax**

***drop\_edition::=***

**Semantics****IF EXISTS**

Specify `IF EXISTS` to drop an existing edition.

Specifying `IF NOT EXISTS` with `DROP` results in `ORA-11544: Incorrect IF EXISTS clause for ALTER/DROP statement.`

Objects that are not editionable, or that are editionable but have not been actualized in the current edition, are not dropped.

You must specify `CASCADE` if the specified edition contains any actual editionable objects.

**Restrictions**

This statement is subject to the following conditions and restrictions:

- The specified edition cannot have both a parent edition and a child edition.
- `DROP EDITION` will fail if you attempt to drop the default edition.
- `DROP EDITION` will fail if you attempt to drop the root edition and the recycle bin contains at least one object that used to be in that edition before it was dropped. Under these circumstances, even `DROP EDITION CASCADE` will fail. In this case, you can purge all objects from the recycle bin with the `PURGE DBA_RECYCLEBIN` statement and then drop the edition. Refer to [PURGE](#) for more information.

`DROP EDITION` will also fail if you attempt to drop the leaf edition and the recycle bin contains at least one object that used to be in that edition before it was dropped. However, under these circumstances, `DROP EDITION CASCADE` will succeed.

The only type of editioned object that might be in the recycle bin is a trigger.

 **See Also:**

- *Oracle Database Development Guide*
- *Oracle Database PL/SQL Packages and Types Reference*

**Examples**

For examples that use this statement, refer to [CREATE EDITION](#) .

## DROP FLASHBACK ARCHIVE

**Purpose**


Use the `DROP FLASHBACK ARCHIVE` clause to remove a flashback archive from the system. This statement removes the flashback archive and all the historical data in it, but does not drop the tablespaces that were used by the flashback archive.

**Prerequisites**

You must have the `FLASHBACK ARCHIVE ADMINISTER` system privilege to drop a flashback archive.

**Syntax**

***drop flashback archive::=***

**Semantics*****flashback\_archive***

Specify the name of the flashback archive you want to drop.

 **See Also:**

[CREATE FLASHBACK ARCHIVE](#) for information on creating flashback archives and for some simple examples of using flashback archives

## DROP FUNCTION

**Purpose**

Functions are defined using PL/SQL. Refer to *Oracle Database PL/SQL Language Reference* for complete information on creating, altering, and dropping functions.

Use the `DROP FUNCTION` statement to remove a standalone stored function from the database.

 **Note:**


Do not use this statement to remove a function that is part of a package. Instead, either drop the entire package using the `DROP PACKAGE` statement or redefine the package without the function using the `CREATE PACKAGE` statement with the `OR REPLACE` clause.

### Prerequisites

The function must be in your own schema or you must have the `DROP ANY PROCEDURE` system privilege.

### Syntax

***drop\_function ::=***



### Semantics

#### IF EXISTS

Specify `IF EXISTS` to drop an existing object.

**Specifying `IF NOT EXISTS` with `DROP` results in ORA-11544: Incorrect IF EXISTS clause for ALTER/DROP statement.**

#### *schema*

Specify the schema containing the function. If you omit *schema*, then Oracle Database assumes the function is in your own schema.

#### *function\_name*

Specify the name of the function to be dropped.

Oracle Database invalidates any local objects that depend on, or call, the dropped function. If you subsequently reference one of these objects, then the database tries to recompile the object and returns an error if you have not re-created the dropped function.

If any statistics types are associated with the function, then the database disassociates the statistics types with the `FORCE` option and drops any user-defined statistics collected with the statistics type.

 **See Also:**

- *Oracle Database Concepts* for more information on how Oracle Database maintains dependencies among schema objects, including remote objects
- [ASSOCIATE STATISTICS](#) and [DISASSOCIATE STATISTICS](#) for more information on statistics type associations

**Examples****Dropping a Function: Example**

The following statement drops the function `SecondMax` in the sample schema `oe` and invalidates all objects that depend upon `SecondMax`:

```
DROP FUNCTION oe.SecondMax;
```

 **See Also:**

*Oracle Database PL/SQL Language Reference* for the example that creates the `SecondMax` function

## DROP HIERARCHY

**Purpose**


Use the `DROP HIERARCHY` statement to drop a hierarchy. A `HIERARCHY` object is a component of analytic views.

**Prerequisites**

To drop a hierarchy in your own schema, you must have the `DROP HIERARCHY` system privilege. To drop a hierarchy in another user's schema, you must have the `DROP ANY HIERARCHY` system privilege.

**Syntax**

***drop\_hierarchy ::=***

**Semantics****IF EXISTS**

Specify `IF EXISTS` to drop an existing object.



Specifying `IF NOT EXISTS` with `DROP` results in `ORA-11544: Incorrect IF EXISTS clause for ALTER/DROP statement.`

### **schema**

Specify the schema in which the hierarchy exists. If you do not specify a schema, then Oracle Database looks for the hierarchy in your own schema.

### **hierarchy\_name**

Specify the name of the hierarchy to drop.

### **Example**

The following statement drops the specified hierarchy object:

```
DROP HIERARCHY product_hier;
```

## DROP INDEX

### **Purpose**

Use the `DROP INDEX` statement to remove an index or domain index from the database.

When you drop a global partitioned index, a range-partitioned index, or a hash-partitioned index, all the index partitions are also dropped. If you drop a composite-partitioned index, then all the index partitions and subpartitions are also dropped.

In addition, when you drop a domain index:

- Oracle Database invokes the appropriate routine.
- If any statistics are associated with the domain index, then Oracle Database disassociates the statistics types with the `FORCE` clause and removes the user-defined statistics collected with the statistics type.

### See Also:


- *Oracle Database Data Cartridge Developer's Guide* for information on the routines
- [CREATE INDEX](#) and [ALTER INDEX](#) for information on creating and modifying an index
- The *domain\_index\_clause* of [CREATE INDEX](#) for more information on domain indexes
- [ASSOCIATE STATISTICS](#) and [DISASSOCIATE STATISTICS](#) for more information on statistics type associations

### **Prerequisites**

The index must be in your own schema or you must have the `DROP ANY INDEX` system privilege.

## Syntax

**drop\_index ::=**



## Semantics

### IF EXISTS

Specify `IF EXISTS` to drop an existing object.

Specifying `IF NOT EXISTS` with `DROP` results in `ORA-11544: Incorrect IF EXISTS clause for ALTER/DROP statement.`

### schema

Specify the schema containing the index. If you omit *schema*, then Oracle Database assumes the index is in your own schema.

### index

Specify the name of the index to be dropped. When the index is dropped, all data blocks allocated to the index are returned to the tablespace that contained the index.

### ONLINE

Specify `ONLINE` to indicate that DML operations on the table or partition will be allowed while dropping the index.

### FORCE

`FORCE` applies only to domain indexes. This clause drops the domain index even if the `indextype` routine invocation returns an error or the index is marked `IN PROGRESS`. Without `FORCE`, you cannot drop a domain index if its `indextype` routine invocation returns an error or the index is marked `IN PROGRESS`.

#### Note:

When dropping a domain index with `FORCE` option, the index will be dropped regardless of any errors happening in the `indextype` routine. The errors raised by the `indextype` routine are not reported.

Only use the `FORCE` option when the index or index partitions are marked `IN PROGRESS` or when `DROP INDEX` has already failed.

**{ DEFERRED | IMMEDIATE } INVALIDATION**

This clause lets you control when the database invalidates dependent cursors while dropping the index. It has the same semantics here as for the `ALTER INDEX` statement, with the following addition: When you drop an index with `DEFERRED INVALIDATION`, Oracle database will immediately invalidate any DML statement or query that references the dropped index in its plan.

See [{ DEFERRED | IMMEDIATE } INVALIDATION](#) in the documentation on `ALTER INDEX` for the full semantics of this clause.

**Restrictions on Dropping Indexes**

The following restrictions apply to dropping indexes:

- You cannot drop a domain index if the index or any of its index partitions is marked `IN_PROGRESS`.
- You cannot specify the `ONLINE` clause when dropping a domain index, a cluster index, or an index on a queue table.

**Examples****Dropping an Index: Example**

This statement drops an index named `ord_customer_ix_demo`, which was created in "[Compressing an Index: Example](#)":

```
DROP INDEX ord_customer_ix_demo;
```

## DROP INDEXTYPE

**Purpose**

Use the `DROP INDEXTYPE` statement to drop an indextype as well as any association with a statistics type.

**See Also:**


[CREATE INDEXTYPE](#) for more information on indextypes

**Prerequisites**

The indextype must be in your own schema or you must have the `DROP ANY INDEXTYPE` system privilege.

**Syntax**

*drop\_indextype::=*



## Semantics

### IF EXISTS

Specify `IF EXISTS` to drop an existing object.

Specifying `IF NOT EXISTS` with `DROP` results in `ORA-11544: Incorrect IF EXISTS clause for ALTER/DROP statement.`

### *schema*

Specify the schema containing the indextype. If you omit *schema*, then Oracle Database assumes the indextype is in your own schema.

### *indextype*

Specify the name of the indextype to be dropped.

If any statistics types have been associated with indextype, then the database disassociates the statistics type from the indextype and drops any statistics that have been collected using the statistics type.



#### See Also:

[ASSOCIATE STATISTICS](#) and [DISASSOCIATE STATISTICS](#) for more information on statistics associations

### FORCE

Specify `FORCE` to drop the indextype even if the indextype is currently being referenced by one or more domain indexes. Oracle Database marks those domain indexes `INVALID`. Without `FORCE`, you cannot drop an indextype if any domain indexes reference the indextype.

### Examples

#### Dropping an Indextype: Example

The following statement drops the indextype `position_indextype`, created in "[Using Extensible Indexing](#)", and marks `INVALID` any domain indexes defined on this indextype:

```
DROP INDEXTYPE position_indextype FORCE;
```

## DROP INMEMORY JOIN GROUP

### Purpose

Use the `DROP INMEMORY JOIN GROUP` statement to remove a join group from the database.

 **See Also:**


- [CREATE INMEMORY JOIN GROUP](#) and [ALTER INMEMORY JOIN GROUP](#)
- *Oracle Database In-Memory Guide* for more information on join groups

**Prerequisites**

If the join group is in another user's schema, then you must have the `DROP ANY TABLE` system privilege.

**Syntax**

*drop\_inmemory\_join\_group::=*

**Semantics****IF EXISTS**

Specify `IF EXISTS` to drop an existing object.

Specifying `IF NOT EXISTS` with `DROP` results in `ORA-11544: Incorrect IF EXISTS clause for ALTER/DROP statement.`

**schema**

Specify the schema containing the join group. If you omit *schema*, then the database assumes the join group is in your own schema.

**join\_group**

Specify the name of the join group to be dropped.

You can view existing join groups by querying the `DBA_JOINGROUPS` or `USER_JOINGROUPS` data dictionary view. Refer to *Oracle Database Reference* for more information on these views.

**Examples**

The following statement drops the join group `prod_id1`:

```
DROP INMEMORY JOIN GROUP prod_id1;
```

## DROP JAVA

**Purpose**

Use the `DROP JAVA` statement to drop a Java source, class, or resource schema object.

 **See Also:**


- [CREATE JAVA](#) for information on creating Java objects
- *Oracle Database Java Developer's Guide* for more information on resolving Java sources, classes, and resources

**Prerequisites**

The Java source, class, or resource must be in your own schema or you must have the `DROP ANY PROCEDURE` system privilege. You also must have the `EXECUTE object` privilege on Java classes to use this command.

**Syntax**

***drop\_java ::=***

**Semantics****IF EXISTS**

Specify `IF EXISTS` to drop an existing object.

Specifying `IF NOT EXISTS` with `DROP` results in `ORA-11544: Incorrect IF EXISTS clause for ALTER/DROP statement.`

**JAVA SOURCE**

Specify `SOURCE` to drop a Java source schema object and all Java class schema objects derived from it.

**JAVA CLASS**

Specify `CLASS` to drop a Java class schema object.

**JAVA RESOURCE**

Specify `RESOURCE` to drop a Java resource schema object.

***object\_name***

Specify the name of an existing Java class, source, or resource schema object. Enclose the *object\_name* in double quotation marks to preserve lower- or mixed-case names.

**Examples****Dropping a Java Class Object: Example**

The following statement drops the Java class `Agent`, created in "[Creating a Java Class Object: Example](#)":

```
DROP JAVA CLASS "Agent";
```

# 17

## SQL Statements: DROP LIBRARY to DROP SYNONYM

This chapter contains the following SQL statements:

- [DROP LIBRARY](#)
- [DROP LOCKDOWN PROFILE](#)
- [DROP MATERIALIZED VIEW](#)
- [DROP MATERIALIZED VIEW LOG](#)
- [DROP MATERIALIZED ZONEMAP](#)
- [DROP OPERATOR](#)
- [DROP OUTLINE](#)
- [DROP PACKAGE](#)
- [DROP PLUGGABLE DATABASE](#)
- [DROP PROCEDURE](#)
- [DROP PROFILE](#)
- [DROP RESTORE POINT](#)
- [DROP ROLE](#)
- [DROP ROLLBACK SEGMENT](#)
- [DROP SEQUENCE](#)
- [DROP SYNONYM](#)

### DROP LIBRARY

#### Purpose

Use the `DROP LIBRARY` statement to remove an external procedure library from the database.



#### See Also:

[CREATE LIBRARY](#) for information on creating a library


#### Prerequisites

You must have the `DROP ANY LIBRARY` system privilege.



## Syntax

***drop\_library::=***



## Semantics

### IF EXISTS

Specify `IF EXISTS` to drop an existing object.

Specifying `IF NOT EXISTS` with `DROP` results in `ORA-11544: Incorrect IF EXISTS clause for ALTER/DROP statement.`

### *library\_name*

Specify the name of the external procedure library being dropped.

## Examples

### Dropping a Library: Example

The following statement drops the `ext_lib` library:

```
DROP LIBRARY ext_lib;
```

# DROP LOCKDOWN PROFILE

## Purpose

Use the `DROP LOCKDOWN PROFILE` statement to remove a PDB lockdown profile from the database. A PDB that was assigned the dropped profile will continue to be assigned the profile, but will not be subject to the restrictions imposed by the dropped profile.

If the `PDB_LOCKDOWN` initialization parameter for a CDB, an application root, or a PDB has the value of the dropped lockdown profile, then the restrictions imposed by the dropped profile will be disabled when you drop it. However, the value of the `PDB_LOCKDOWN` initialization parameter will remain until you explicitly unset it.

### See Also:

- [CREATE LOCKDOWN PROFILE](#) and [ALTER LOCKDOWN PROFILE](#)
- *Oracle Database Security Guide* for more information on PDB lockdown profiles


## Prerequisites

- You must issue this statement from the CDB Root or the Application Root.

- You must have the `DROP LOCKDOWN PROFILE` system privilege in the container where you mean to issue the statement.

### Syntax

**`drop_lockdown_profile::=`**



### Semantics

#### **`profile_name`**

Specify the name of the PDB lockdown profile to be dropped.

You can find the names of existing PDB lockdown profiles by querying the `DBA_LOCKDOWN_PROFILES` data dictionary view.



#### **See Also:**

*Oracle Database Reference* for more information on the `DBA_LOCKDOWN_PROFILES` data dictionary view and the `PDB_LOCKDOWN` initialization parameter

### Example

The following statement drops PDB lockdown profile `hr_prof`:

```
DROP LOCKDOWN PROFILE hr_prof;
```

## DROP MATERIALIZED VIEW

### Purpose

Use the `DROP MATERIALIZED VIEW` statement to remove an existing materialized view from the database.

When you drop a materialized view, Oracle Database does not place it in the recycle bin. Therefore, you cannot subsequently either purge or undrop the materialized view.



#### **Note:**

The keyword `SNAPSHOT` is supported in place of `MATERIALIZED VIEW` for backward compatibility.

 **See Also:**

- [CREATE MATERIALIZED VIEW](#) for more information on the various types of materialized views
- [ALTER MATERIALIZED VIEW](#) for information on modifying a materialized view
- *Oracle Database Administrator's Guide* for information on materialized views in a replication environment
- *Oracle Database Data Warehousing Guide* for information on materialized views in a data warehousing environment

**Prerequisites**


The materialized view must be in your own schema or you must have the `DROP ANY MATERIALIZED VIEW` system privilege. You must also have the privileges to drop the internal table, views, and index that the database uses to maintain the materialized view data.

 **See Also:**

[DROP TABLE](#) , [DROP VIEW](#) , and [DROP INDEX](#) for information on privileges required to drop objects that the database uses to maintain the materialized view

**Syntax**

***drop\_materialized\_view::=***

**Semantics****IF EXISTS**

Specify `IF EXISTS` to drop an existing object.

Specifying `IF NOT EXISTS` with `DROP` results in `ORA-11544: Incorrect IF EXISTS clause for ALTER/DROP statement.`

***schema***

Specify the schema containing the materialized view. If you omit `schema`, then Oracle Database assumes the materialized view is in your own schema.

***materialized\_view***

Specify the name of the existing materialized view to be dropped.

- If you drop a simple materialized view that is the least recently refreshed materialized view of a master table, then the database automatically purges from the master table materialized view log only the rows needed to refresh the dropped materialized view.
- If you drop a materialized view that was created on a prebuilt table, then the database drops the materialized view, and the prebuilt table reverts to its identity as a table.
- When you drop a master table, the database does not automatically drop materialized views based on the table. However, the database returns an error when it tries to refresh a materialized view based on a master table that has been dropped.
- If you drop a materialized view, then any compiled requests that were rewritten to use the materialized view will be invalidated and recompiled automatically. If the materialized view was prebuilt on a table, then the table is not dropped, but it can no longer be maintained by the materialized view refresh mechanism.

### **PRESERVE TABLE Clause**

This clause lets you retain the materialized view container table and its contents after the materialized view object is dropped. The resulting table has the same name as the dropped materialized view.

Oracle Database removes all metadata associated with the materialized view. However, indexes created on the container table automatically during creation of the materialized view are preserved, with one exception: the index created during the creation of a rowid materialized view is dropped. Also, if the materialized view has any nested table columns, then the storage tables for those columns are preserved, along with their metadata.

### **Restriction on the PRESERVE TABLE Clause**

This clause is not valid for materialized views that have been imported from releases earlier than Oracle9i, when these objects were called "snapshots".

### **Examples**

#### **Dropping a Materialized View: Examples**

The following statement drops the materialized view `emp_data` in the sample schema `hr`:

```
DROP MATERIALIZED VIEW emp_data;
```

The following statement drops the `sales_by_month_by_state` materialized view and the underlying table of the materialized view, unless the underlying table was registered in the `CREATE MATERIALIZED VIEW` statement with the `ON PREBUILT TABLE` clause:

```
DROP MATERIALIZED VIEW sales_by_month_by_state;
```

## **DROP MATERIALIZED VIEW LOG**

### **Purpose**

Use the `DROP MATERIALIZED VIEW LOG` statement to remove a materialized view log from the database.

 **Note:**

The keyword `SNAPSHOT` is supported in place of `MATERIALIZED VIEW` for backward compatibility.

 **See Also:**

- [CREATE MATERIALIZED VIEW](#) and [ALTER MATERIALIZED VIEW](#) for more information on materialized views
- [CREATE MATERIALIZED VIEW LOG](#) for information on materialized view logs
- *Oracle Database Administrator's Guide* for information on materialized views in a replication environment
- *Oracle Database Data Warehousing Guide* for information on materialized views in a data warehousing environment

**Prerequisites**


To drop a materialized view log, you must have the privileges needed to drop a table.

 **See Also:**

[DROP TABLE](#)

**Syntax**

***drop\_materialized\_view\_log::=***



**Semantics**

**IF EXISTS**

Specify `IF EXISTS` to drop an existing object.

Specifying `IF NOT EXISTS` with `DROP` results in `ORA-11544: Incorrect IF EXISTS clause for ALTER/DROP statement.`

**schema**

Specify the schema containing the materialized view log and its master table. If you omit *schema*, then Oracle Database assumes the materialized view log and master table are in your own schema.

**table**

Specify the name of the master table associated with the materialized view log to be dropped.

After you drop a materialized view log that was created `FOR FAST REFRESH`, some materialized views based on the materialized view log master table can no longer be fast refreshed. These materialized views include rowid materialized views, primary key materialized views, and subquery materialized views.

**See Also:**

*Oracle Database Data Warehousing Guide* for a description of these types of materialized views

After you drop a materialized view log that was created `FOR SYNCHRONOUS REFRESH` (a staging log), the materialized views based on the staging log master table can no longer be synchronous refreshed.

**Examples****Dropping a Materialized View Log: Example**

The following statement drops the materialized view log on the `oe.customers` master table:

```
DROP MATERIALIZED VIEW LOG ON customers;
```

## DROP MATERIALIZED ZONEMAP

**Purpose**

Use the `DROP MATERIALIZED ZONEMAP` statement to remove an existing zone map from the database.

**Prerequisites**


The zone map must be in your own schema or you must have the `DROP ANY MATERIALIZED VIEW` system privilege. You must also have the privileges to drop the internal table and indexes that the database uses to maintain the zone map data.

**See Also:**

[DROP TABLE](#) and [DROP INDEX](#) for information on privileges required to drop objects that the database uses to maintain the zone map

**Syntax**

```
drop_materialized_zonemap::=
```



**Semantics****IF EXISTS**

Specify `IF EXISTS` to drop an existing object.

Specifying `IF NOT EXISTS` with `DROP` results in `ORA-11544: Incorrect IF EXISTS clause for ALTER/DROP statement.`

**schema**

Specify the schema containing the zone map. If you omit *schema*, then Oracle Database assumes the zone map is in your own schema.

**zonemap\_name**

Specify the name of the existing zone map to be dropped.

**Example****Dropping a Zone Map: Examples**

The following statement drops the zone map `sales_zmap`:

```
DROP MATERIALIZED ZONEMAP sales_zmap;
```


## DROP MLE ENV

**Purpose**

Drop an existing environment with `DROP MLE ENV`.

**Prerequisites**

You must have the `DROP ANY MLE` privilege to drop an environment in schemas other than your own. No privilege is needed to drop an environment in your own schema.

**Syntax****Semantics**

Specify `IF EXISTS` to drop an existing MLE environment.

Specifying `IF NOT EXISTS` with `DROP` results in `ORA-11544: Incorrect IF EXISTS clause for ALTER/DROP statement.`

 **See Also:**


- [CREATE MLE ENV](#)
- [ALTER MLE ENV](#)
- [CREATE MLE MODULE](#)

## DROP MLE MODULE

### Purpose

You can drop a previously deployed MLE module using `DROP MLE MODULE`.

### Syntax



### Semantics

Specify `IF EXISTS` to drop an existing MLE module.

Specifying `IF NOT EXISTS` with `DROP` results in `ORA-11544: Incorrect IF EXISTS clause for ALTER/DROP statement.`

*schema* Specify the schema containing the MLE module. If you do not specify the schema, then Oracle Database assumes that the module is in your own schema.

*module\_name* refers to the module name.

 **See Also:**

- [CREATE MLE MODULE](#)
- [ALTER MLE MODULE](#)

## DROP OPERATOR

### Purpose

Use the `DROP OPERATOR` statement to drop a user-defined operator.



 **See Also:**


- [CREATE OPERATOR](#) and [ALTER OPERATOR](#) for information on creating and modifying operators
- "[User-Defined Operators](#)" and *Oracle Database Data Cartridge Developer's Guide* for more information on operators in general
- [ALTER INDEXTYPE](#) for information on dropping an operator of a user-defined indextype

**Prerequisites**

The operator must be in your schema or you must have the `DROP ANY OPERATOR` system privilege.

**Syntax**

*drop\_operator*::=

**Semantics****IF EXISTS**

Specify `IF EXISTS` to drop an existing object.

Specifying `IF NOT EXISTS` with `DROP` results in `ORA-11544: Incorrect IF EXISTS clause for ALTER/DROP statement.`

***schema***

Specify the schema containing the operator. If you omit *schema*, then Oracle Database assumes the operator is in your own schema.

***operator***

Specify the name of the operator to be dropped.

**FORCE**

Specify `FORCE` to drop the operator even if it is currently being referenced by one or more schema objects, such as indextypes, packages, functions, procedures, and so on. The database marks any such dependent objects `INVALID`. Without `FORCE`, you cannot drop an operator if any schema objects reference it.

**Examples****Dropping a User-Defined Operator: Example**

The following statement drops the operator `eq_op`:

```
DROP OPERATOR eq_op;
```

Because the `FORCE` clause is not specified, this operation will fail if any of the bindings of this operator are referenced by an indextype.

## DROP OUTLINE

### Purpose

#### Note:

- Stored outlines are deprecated. They are still supported for backward compatibility. However, Oracle recommends that you use SQL plan management instead. SQL plan management creates SQL plan baselines, which offer superior SQL performance stability compared with stored outlines.
- You can migrate existing stored outlines to SQL plan baselines by using the `MIGRATE_STORED_OUTLINE` function of the `DBMS_SPM` package or Enterprise Manager Cloud Control. When the migration is complete, the stored outlines are marked as migrated and can be removed. You can drop all migrated stored outlines on your system by using the `DROP_MIGRATED_STORED_OUTLINE` function of the `DBMS_SPM` package.
- **See Also:** *Oracle Database SQL Tuning Guide* for more information about SQL plan management and *Oracle Database PL/SQL Packages and Types Reference* for information about the `DBMS_SPM` package

Use the `DROP OUTLINE` statement to drop a stored outline.

#### See Also:

[CREATE OUTLINE](#) for information on creating an outline

### Prerequisites

To drop an outline, you must have the `DROP ANY OUTLINE` system privilege.

### Syntax

```
drop_outline ::=
```

```
→ DROP → OUTLINE → (outline) → ;
```

### Semantics

#### *outline*

Specify the name of the outline to be dropped.

After the outline is dropped, if the SQL statement for which the stored outline was created is compiled, then the optimizer generates a new execution plan without the influence of the outline.

## Examples

### Dropping an Outline: Example

The following statement drops the stored outline called `salaries`.

```
DROP OUTLINE salaries;
```

# DROP PACKAGE

## Purpose

Packages are defined using PL/SQL. Refer to *Oracle Database PL/SQL Language Reference* for complete information on creating, altering, and dropping packages.

Use the `DROP PACKAGE` statement to remove a stored package from the database. This statement drops the body and specification of a package.

### Note:


Do not use this statement to remove a single object from a package. Instead, re-create the package without the object using the `CREATE PACKAGE` and `CREATE PACKAGE BODY` statements with the `OR REPLACE` clause.

## Prerequisites

The package must be in your own schema or you must have the `DROP ANY PROCEDURE` system privilege.

## Syntax

***drop\_package::=***



## Semantics

### IF EXISTS

Specify `IF EXISTS` to drop an existing object.

Specifying `IF NOT EXISTS` with `DROP` results in `ORA-11544: Incorrect IF EXISTS clause for ALTER/DROP statement.`

## BODY

Specify `BODY` to drop only the body of the package. If you omit this clause, then Oracle Database drops both the body and specification of the package.

When you drop only the body of a package but not its specification, the database does not invalidate dependent objects. However, you cannot call one of the procedures or stored functions declared in the package specification until you re-create the package body.

## *schema*

Specify the schema containing the package. If you omit *schema*, then the database assumes the package is in your own schema.

## *package*

Specify the name of the package to be dropped.

Oracle Database invalidates any local objects that depend on the package specification. If you subsequently reference one of these objects, then the database tries to recompile the object and returns an error if you have not re-created the dropped package.

If any statistics types are associated with the package, then the database disassociates the statistics types with the `FORCE` clause and drops any user-defined statistics collected with the statistics types.



### See Also:

[ASSOCIATE STATISTICS](#) and [DISASSOCIATE STATISTICS](#)

## Examples

### Dropping a Package: Example

The following statement drops the specification and body of the `emp_mgmt` package, invalidating all objects that depend on the specification. See *Oracle Database PL/SQL Language Reference* for the example that creates this package.

```
DROP PACKAGE emp_mgmt;
```

# DROP PLUGGABLE DATABASE

## Purpose

Use the `DROP PLUGGABLE DATABASE` statement to drop a pluggable database (PDB). The PDB can be a traditional PDB, an application container, an application seed, or an application PDB.

When you drop a PDB, the control file of the multitenant container database (CDB) is modified to remove all references to the dropped PDB and its data files. Archived logs and backups associated with the dropped PDB are not deleted. You can delete them using Oracle Recovery Manager (RMAN), or you can retain them in case you subsequently want to perform point-in-time recovery of the PDB.

**▲ Caution:**

You cannot roll back a `DROP PLUGGABLE DATABASE` statement.

**Prerequisites**

You must be connected to a CDB.

To drop a traditional PDB or an application container, the current container must be the root, you must be authenticated `AS SYSDBA` or `AS SYSOPER`, and the `SYSDBA` or `SYSOPER` privilege must be either granted to you commonly, or granted to you locally in the root and locally in traditional PDB or application container you want to drop. The application container must be empty, that is, it must not contain an application seed or any application PDBs.

To drop an application seed, the current container must be the root or the application root, you must be authenticated `AS SYSDBA` or `AS SYSOPER`, and the `SYSDBA` or `SYSOPER` privilege must be either granted to you commonly, or granted to you locally in the root or application root.


To drop an application PDB, the current container must be the root or the application root, you must be authenticated `AS SYSDBA` or `AS SYSOPER`, and the `SYSDBA` or `SYSOPER` privilege must be either granted to you commonly, or granted to you locally in the root or application root, and locally in the application PDB you want to drop.

To specify `KEEP DATAFILES` (the default), the PDB you want to drop must be unplugged.

To specify `INCLUDING DATAFILES`, the PDB you want to drop must be in mounted mode or it must be unplugged.

**Syntax**

**`drop_pluggable_database::=`**

**Semantics****`pdb_name`**

Specify the name of the PDB you want to drop. You cannot drop the seed (`PDB$SEED`). However, you can drop an application seed.

**FORCE**

Use `FORCE` to drop an orphaned application root container.

`FORCE` requires the following condition: the `APP_ROOT_CLONE` must be closed, and the `APP_CDB` must be open.

To close the APP\_ROOT\_CLONE, you must set the variable `_ORACLE_SCRIPT` to true using ALTER SESSION.

Keeping APP\_CDB open follow the instructions to close the APP\_ROOT\_CLONE:

```
ALTER SESSION SET _ORACLE_SCRIPT=true ;
ALTER PLUGGABLE DATABASE APP_ROOT_CLONE CLOSE;
DROP PLUGGABLE DATABASE APP_ROOT_CLONE FORCE INCLUDING DATAFILES;
```



### See Also:

*Removing a PDB*

## KEEP DATAFILES

Specify `KEEP DATAFILES` to retain the data files associated with the PDB after the PDB is dropped. The temp file for the PDB is deleted because it is no longer needed. This is the default.

Keeping data files may be useful in scenarios where a PDB that is unplugged from one CDB is plugged into another CDB, with both CDBs sharing storage devices.

## INCLUDING DATAFILES

Specify `INCLUDING DATAFILES` to delete the data files associated with the PDB being dropped. The temp file for the PDB is also deleted.

### Restriction on Dropping SNAPSHOT COPY PDBs

If a PDB was created with the `SNAPSHOT COPY` clause, then you must specify `INCLUDING DATAFILES` when you drop the PDB.

## Examples

### Dropping a PDB: Example

The following statement drops the PDB `pdb1` and its associated data files:

```
DROP PLUGGABLE DATABASE pdb1
INCLUDING DATAFILES;
```


# DROP PMEM FILESTORE

## Purpose

You can drop a PMEM file store with this command.

## Syntax

```
drop_pmem_filestore::=
```



## Semantics

### INCLUDING CONTENTS

Specify `INCLUDING CONTENTS` to confirm that Oracle should remove all the files in the PMEM file store.

### EXCLUDING CONTENTS

Specify `EXCLUDING CONTENTS` to ensure that Oracle drops the PMEM file store only when the file store is empty.

### FORCE

Specify `FORCE` along with `INCLUDING CONTENTS` if you suspect that the file store is corrupt.

Note that this option does not check if the file store has content in it prior to deleting it.

If you specify neither `INCLUDING CONTENTS` nor `EXCLUDING CONTENTS`, you must ensure that the file store is empty. `EXCLUDING CONTENTS` is the default behavior.

### Example

```
DROP PMEM FILESTORE cloud_db_1 EXCLUDING CONTENTS
```

## DROP PROCEDURE

### Purpose

Procedures are defined using PL/SQL. Refer to *Oracle Database PL/SQL Language Reference* for complete information on creating, altering, and dropping procedures.

Use the `DROP PROCEDURE` statement to remove a standalone stored procedure from the database. Do not use this statement to remove a procedure that is part of a package. Instead, either drop the entire package using the `DROP PACKAGE` statement, or redefine the package without the procedure using the `CREATE PACKAGE` statement with the `OR REPLACE` clause.

### Prerequisites

The procedure must be in your own schema or you must have the `DROP ANY PROCEDURE` system privilege.

### Syntax

**drop\_procedure ::=**



## Semantics

### IF EXISTS

Specify `IF EXISTS` to drop an existing object.

Specifying `IF NOT EXISTS` with `DROP` results in `ORA-11544: Incorrect IF EXISTS clause for ALTER/DROP statement.`

### schema

Specify the schema containing the procedure. If you omit `schema`, then Oracle Database assumes the procedure is in your own schema.

### procedure

Specify the name of the procedure to be dropped.

When you drop a procedure, Oracle Database invalidates any local objects that depend upon the dropped procedure. If you subsequently reference one of these objects, then the database tries to recompile the object and returns an error message if you have not re-created the dropped procedure.

## Examples

### Dropping a Procedure: Example

The following statement drops the procedure `remove_emp` owned by the user `hr` and invalidates all objects that depend upon `remove_emp`:

```
DROP PROCEDURE hr.remove_emp;
```

# DROP PROFILE

## Purpose

Use the `DROP PROFILE` statement to remove a profile from the database. You can drop any profile except the `DEFAULT` profile.



### See Also:

[CREATE PROFILE](#) and [ALTER PROFILE](#) on creating and modifying a profile

## Prerequisites

You must have the `DROP PROFILE` system privilege.

## Syntax

**drop\_profile ::=**





## Semantics

### *profile*

Specify the name of the profile to be dropped.

### CASCADE

Specify `CASCADE` to deassign the profile from any users to whom it is assigned. Oracle Database automatically assigns the `DEFAULT` profile to such users. You must specify this clause to drop a profile that is currently assigned to users.

## Examples

### Dropping a Profile: Example

The following statement drops the profile `app_user`, which was created in "[Creating a Profile: Example](#)". Oracle Database drops the profile `app_user` and assigns the `DEFAULT` profile to any users currently assigned the `app_user` profile:

```
DROP PROFILE app_user CASCADE;
```

# DROP PROPERTY GRAPH

## Purpose


You can drop property graphs with `DROP PROPERTY GRAPH`.

## Prerequisites

Like tables and views, you can drop a property graph in your own schema. To drop a property graph in any schema except `SYS` and `AUDSYS`, you must have the `DROP ANY PROPERTY GRAPH` privilege.

## Syntax

***drop\_property\_graph::=***



## Semantics

### IF EXISTS

Specify `IF EXISTS` to drop an existing property graph.

If you specify `IF NOT EXISTS` with `DROP`, the command fails with the error message:  
Incorrect `IF EXISTS` clause for `ALTER/DROP` statement.

# DROP RESTORE POINT

## Purpose

Use the `DROP RESTORE POINT` statement to remove a normal restore point or a guaranteed restore point from the database.

- You need not drop normal restore points. The database automatically drops the oldest restore points when necessary, as described in the semantics for [restore\\_point](#). However, you can drop a normal restore point if you want to reuse the name.
- Guaranteed restore points are not dropped automatically. Therefore, if you want to remove a guaranteed restore point from the database, then you must do so explicitly using this statement.



### See Also:

[CREATE RESTORE POINT](#), [FLASHBACK DATABASE](#), and [FLASHBACK TABLE](#) for information on creating and using restore points

## Prerequisites

To drop a normal restore point, you must have the `SELECT ANY DICTIONARY`, `FLASHBACK ANY TABLE`, `SYSBACKUP`, or `SYSDG` system privilege.

To drop a guaranteed restore point, you must fulfill *one* of the following conditions:

- You must connect `AS SYSDBA`, or `AS SYSBACKUP`, or `AS SYSDG`.
- You must have been granted the `SYSDBA` privilege, and be using a multitenant database.
- You must be running as user `SYS`, and be using a multitenant database.


You can drop a restore point when connected to a multitenant container database (CDB) as follows:

- To drop a normal CDB restore point, the current container must be the root and you must have the `SELECT ANY DICTIONARY` or `FLASHBACK ANY TABLE` system privilege, either granted commonly or granted locally in the root, or the `SYSDBA`, `SYSBACKUP`, or `SYSDG` system privilege granted commonly.
- To drop a guaranteed CDB restore point, the current container must be the root and you must have the `SYSDBA`, `SYSBACKUP`, or `SYSDG` system privilege granted commonly.
- To drop a normal PDB restore point, the current container must be the root and you must have the `SELECT ANY DICTIONARY`, `FLASHBACK ANY TABLE`, `SYSDBA`, `SYSBACKUP`, or `SYSDG` system privilege, granted commonly, or the current container must be the PDB in which you want to create the restore point and you must have the `SELECT ANY DICTIONARY`, `FLASHBACK ANY TABLE`, `SYSDBA`, `SYSBACKUP`, or `SYSDG` system privilege, granted commonly or granted locally in that PDB.
- To drop a guaranteed PDB restore point, the current container must be the root and you must have the `SYSDBA`, `SYSBACKUP`, or `SYSDG` system privilege, granted commonly, or the current container must be the PDB in which you want to create the restore point and you

must have the `SYSDBA`, `SYSBACKUP`, or `SYSDBG` system privilege, granted commonly or granted locally in that PDB.

### Syntax

***drop\_restore\_point::=***



### Semantics

#### *restore\_point*

Specify the name of the restore point you want to drop.

#### FOR PLUGGABLE DATABASE

This clause enables you to drop a PDB restore point when you are connected to the root. For *pdb\_name*, specify the name of the PDB that contains the restore point you want to drop.

If you are connected to the PDB from which you want to drop the restore point, then it is not necessary to specify this clause. However, if you specify this clause, then you must specify the name of the PDB to which you are connected.

### Examples

#### Dropping a Restore Point: Example

The following example drops the `good_data` restore point, which was created in ["Creating and Using a Restore Point: Example"](#):

```
DROP RESTORE POINT good_data;
```

## DROP ROLE

### Purpose

Use the `DROP ROLE` statement to remove a role from the database. When you drop a role, Oracle Database revokes it from all users and roles to whom it has been granted and removes it from the database. User sessions in which the role is already enabled are not affected. However, no new user session can enable the role after it is dropped.

#### See Also:


- [CREATE ROLE](#) and [ALTER ROLE](#) for information on creating roles and changing the authorization needed to enable a role
- [SET ROLE](#) for information on disabling roles for the current session

### Prerequisites

You must have been granted the role with the `ADMIN OPTION` or you must have the `DROP ANY ROLE` system privilege.

### Syntax

***drop\_role::=***



### Semantics

#### *role*

Specify the name of the role to be dropped.

### Examples

#### Dropping a Role: Example

To drop the role `dw_manager`, which was created in "[Creating a Role: Example](#)", issue the following statement:

```
DROP ROLE dw_manager;
```

## DROP ROLLBACK SEGMENT

### Purpose

Use the `DROP ROLLBACK SEGMENT` to remove a rollback segment from the database. When you drop a rollback segment, all space allocated to the rollback segment returns to the tablespace.

#### Note:


If your database is running in automatic undo mode, then this is the only valid operation on rollback segments. In that mode, you cannot create or alter a rollback segment.

### Prerequisites

You must have the `DROP ROLLBACK SEGMENT` system privilege, and the rollback segment must be offline.

### Syntax

***drop\_rollback\_segment::=***



## Semantics

### *rollback\_segment*

Specify the name the rollback segment to be dropped.

## Restrictions on Dropping Rollback Segments

This statement is subject to the following restrictions:

- You can drop a rollback segment only if it is offline. To determine whether a rollback segment is offline, query the data dictionary view `DBA_ROLLBACK_SEGS`. Offline rollback segments have the value `AVAILABLE` in the `STATUS` column. You can take a rollback segment offline with the `OFFLINE` clause of the `ALTER ROLLBACK SEGMENT` statement.
- You cannot drop the `SYSTEM` rollback segment.

## Examples

### Dropping a Rollback Segment: Example

The following syntax drops the rollback segment created in "[Creating a Rollback Segment: Example](#)":

```
DROP ROLLBACK SEGMENT rbs_one;
```

# DROP SEQUENCE

## Purpose

Use the `DROP SEQUENCE` statement to remove a sequence from the database.

You can also use this statement to restart a sequence by dropping and then re-creating it. For example, if you have a sequence with a current value of 150 and you would like to restart the sequence with a value of 27, then you can drop the sequence and then re-create it with the same name and a `START WITH` value of 27.



### See Also:


[CREATE SEQUENCE](#) and [ALTER SEQUENCE](#) for more information on creating and modifying a sequence

## Prerequisites

The sequence must be in your own schema or you must have the `DROP ANY SEQUENCE` system privilege.

## Syntax

**drop\_sequence::=**



## Semantics

### IF EXISTS

Specify `IF EXISTS` to drop an existing object.

Specifying `IF NOT EXISTS` with `DROP` results in `ORA-11544: Incorrect IF EXISTS clause for ALTER/DROP statement.`

### schema

Specify the schema containing the sequence. If you omit *schema*, then Oracle Database assumes the sequence is in your own schema.

### sequence\_name

Specify the name of the sequence to be dropped.

## Examples

### Dropping a Sequence: Example

The following statement drops the sequence `customers_seq` owned by the user `oe`, which was created in "[Creating a Sequence: Example](#)". To issue this statement, you must either be connected as user `oe` or have the `DROP ANY SEQUENCE` system privilege:

```
DROP SEQUENCE oe.customers_seq;
```

# DROP SYNONYM

## Purpose

Use the `DROP SYNONYM` statement to remove a synonym from the database or to change the definition of a synonym by dropping and re-creating it.



### See Also:

[CREATE SYNONYM](#) for more information on synonyms

## Prerequisites


To drop a private synonym, either the synonym must be in your own schema or you must have the `DROP ANY SYNONYM` system privilege.

To drop a `PUBLIC` synonym, you must have the `DROP PUBLIC SYNONYM` system privilege.

## Syntax

**drop\_synonym::=**

*drop\_synonym::=*



## Semantics

### PUBLIC

You must specify `PUBLIC` to drop a public synonym. You cannot specify `schema` if you have specified `PUBLIC`.

### IF EXISTS

Specify `IF EXISTS` to drop an existing object.

Specifying `IF NOT EXISTS` with `DROP` results in `ORA-11544: Incorrect IF EXISTS clause for ALTER/DROP statement.`

### *schema*

Specify the schema containing the synonym. If you omit `schema`, then Oracle Database assumes the synonym is in your own schema.

### *synonym*

Specify the name of the synonym to be dropped.

If you drop a synonym for the master table of a materialized view, and if the defining query of the materialized view specified the synonym rather than the actual table name, then Oracle Database marks the materialized view unusable.

If an object type synonym has any dependent tables or user-defined types, then you cannot drop the synonym unless you also specify `FORCE`.

### FORCE

Specify `FORCE` to drop the synonym even if it has dependent tables or user-defined types.

#### Note:

Oracle does not recommend that you specify `FORCE` to drop object type synonyms with dependencies. This operation can result in invalidation of other user-defined types or marking `UNUSED` the table columns that depend on the synonym. For information about type dependencies, see *Oracle Database Object-Relational Developer's Guide*.

## Examples

### Dropping a Synonym: Example

To drop the public synonym named `customers`, which was created in "[Oracle Database Resolution of Synonyms: Example](#)", issue the following statement:

```
DROP PUBLIC SYNONYM customers;
```



# 18

## SQL Statements: DROP TABLE to LOCK TABLE

This chapter contains the following SQL statements:

- DROP TABLE
- DROP TABLESPACE
- DROP TABLESPACE SET
- DROP TRIGGER
- DROP TYPE
- DROP TYPE BODY
- DROP USER
- DROP VIEW
- EXPLAIN PLAN
- FLASHBACK DATABASE
- FLASHBACK TABLE
- GRANT
- INSERT
- LOCK TABLE

### DROP TABLE

#### Purpose

Use the `DROP TABLE` statement to move a table or object table to the recycle bin or to remove the table and all its data from the database entirely.



#### Note:

Unless you specify the `PURGE` clause, the `DROP TABLE` statement does not result in space being released back to the tablespace for use by other objects, and the space continues to count toward the user's space quota.

For an external table, this statement removes only the table metadata in the database. It has no effect on the actual data, which resides outside of the database.

When you drop a table that is part of a cluster, the table is moved to the recycle bin. However, if you subsequently drop the cluster, then the table is purged from the recycle bin and can no longer be recovered with a `FLASHBACK TABLE` operation.

Dropping a table invalidates dependent objects and removes object privileges on the table. If you want to re-create the table, then you must regrant object privileges on the table, re-create the indexes, integrity constraints, and triggers for the table, and respecify its storage parameters. Truncating has none of these effects. Therefore, removing rows with the `TRUNCATE` statement can be more efficient than dropping and re-creating a table.



#### See Also:

- [CREATE TABLE](#) and [ALTER TABLE](#) for information on creating and modifying tables
- [TRUNCATE TABLE](#) and [DELETE](#) for information on removing data from a table
- [FLASHBACK TABLE](#) for information on retrieving a dropped table from the recycle bin

#### Prerequisites

The table must be in your own schema or you must have the `DROP ANY TABLE` system privilege.

You can perform DDL operations (such as `ALTER TABLE`, `DROP TABLE`, `CREATE INDEX`) on a temporary table only when no session is bound to it. A session becomes bound to a temporary table by performing an `INSERT` operation on the table. A session becomes unbound to the temporary table by issuing a `TRUNCATE` statement or at session termination, or, for a transaction-specific temporary table, by issuing a `COMMIT` or `ROLLBACK` statement.

#### Dropping Private Temporary Tables

You can drop a private temporary table using the existing `DROP TABLE` command. Dropping a private temporary table will not commit an existing transaction. This applies to both transaction-specific and session-specific private temporary tables. Note that a dropped private temporary table will not go into the `RECYCLEBIN`.

#### Dropping Blockchain and Immutable Tables

Use the `DROP TABLE` statement to drop a blockchain or immutable table. It is recommended that you include the `PURGE` option while dropping these tables. Dropping a blockchain or immutable table removes its definition from the data dictionary, deletes all its rows, and deletes any indexes and triggers defined on the table.


The blockchain or immutable table must be contained in your schema, or you must have the `DROP ANY TABLE` system privilege.

A blockchain or immutable table can be dropped only after it has not been modified for a period of time that is defined by its retention period.

An empty blockchain or immutable table can be dropped regardless of its retention period.

## Syntax

*drop\_table*::=



## Semantics

### IF EXISTS

Specifying `IF EXISTS` drops the table if it exists.

Using `IF NOT EXISTS` with `DROP TABLE` results in `ORA-11544: Incorrect IF EXISTS clause for ALTER/DROP statement.`

### *schema*

Specify the schema containing the table. If you omit *schema*, then Oracle Database assumes the table is in your own schema.

### *table*

Specify the name of the table to be dropped. Oracle Database automatically performs the following operations:

- All rows from the table are dropped.
- All table indexes and domain indexes are dropped, as well as any triggers defined on the table, regardless of who created them or whose schema contains them. If *table* is partitioned, then any corresponding local index partitions are also dropped.
- All the storage tables of nested tables and LOBs of *table* are dropped.
- When you drop a range-, hash-, or list-partitioned table, then the database drops all the table partitions. If you drop a composite-partitioned table, then all the partitions and subpartitions are also dropped.
- When you drop a partitioned table with the `PURGE` keyword, the statement executes as a series of subtransactions, each of which drops a subset of partitions or subpartitions and their metadata. This division of the drop operation into subtransactions optimizes the processing of internal system resource consumption (for example, the library cache), especially for the dropping of very large partitioned tables. As soon as the first subtransaction commits, the table is marked `UNUSABLE`. If any of the subtransactions fails, then the only operation allowed on the table is another `DROP TABLE ... PURGE` statement. Such a statement will resume work from where the previous `DROP TABLE` statement failed, assuming that you have corrected any errors that the previous operation encountered.

You can list the tables marked `UNUSABLE` by such a drop operation by querying the `status` column of the `*_TABLES`, `*_PART_TABLES`, `*_ALL_TABLES`, or `*_OBJECT_TABLES` data dictionary views, as appropriate.

 **See Also:**

*Oracle Database VLDB and Partitioning Guide* for more information on dropping partitioned tables.

- For an index-organized table, any mapping tables defined on the index-organized table are dropped.
- For a domain index, the appropriate drop routines are invoked. Refer to *Oracle Database Data Cartridge Developer's Guide* for more information on these routines.
- If any statistics types are associated with the table, then the database disassociates the statistics types with the `FORCE` clause and removes any user-defined statistics collected with the statistics type.

 **See Also:**

[ASSOCIATE STATISTICS](#) and [DISASSOCIATE STATISTICS](#) for more information on statistics type associations

- If the table is not part of a cluster, then the database returns all data blocks allocated to the table and its indexes to the tablespaces containing the table and its indexes.

To drop a cluster and all its the tables, use the `DROP CLUSTER` statement with the `INCLUDING TABLES` clause to avoid dropping each table individually. See [DROP CLUSTER](#).

- If the table is a base table for a view, a container or master table of a materialized view, or if it is referenced in a stored procedure, function, or package, then the database invalidates these dependent objects but does not drop them. You cannot use these objects unless you re-create the table or drop and re-create the objects so that they no longer depend on the table.

If you choose to re-create the table, then it must contain all the columns selected by the subqueries originally used to define the materialized views and all the columns referenced in the stored procedures, functions, or packages. Any users previously granted object privileges on the views, stored procedures, functions, or packages need not be regranted these privileges.

If the table is a master table for a materialized view, then the materialized view can still be queried, but it cannot be refreshed unless the table is re-created so that it contains all the columns selected by the defining query of the materialized view.

If the table has a materialized view log, then the database drops this log and any other direct-path `INSERT` refresh information associated with the table.

### Restrictions on Dropping Tables

- You cannot directly drop the storage table of a nested table. Instead, you must drop the nested table column using the `ALTER TABLE ... DROP COLUMN` clause.
- You cannot drop the parent table of a reference-partitioned table. You must first drop all reference-partitioned child tables.

- You cannot drop a table that uses a flashback data archive for historical tracking. You must first disable the table's use of the flashback archive.

### CASCADE CONSTRAINTS

Specify `CASCADE CONSTRAINTS` to drop all referential integrity constraints that refer to primary and unique keys in the dropped table. If you omit this clause, and such referential integrity constraints exist, then the database returns an error and does not drop the table.

### PURGE

Specify `PURGE` if you want to drop the table and release the space associated with it in a single step. If you specify `PURGE`, then the database does not place the table and its dependent objects into the recycle bin.

 **Note:**

You cannot roll back a `DROP TABLE` statement with the `PURGE` clause, nor can you recover the table if you have dropped it with the `PURGE` clause.

Using this clause is equivalent to first dropping the table and then purging it from the recycle bin. This clause lets you save one step in the process. It also provides enhanced security if you want to prevent sensitive material from appearing in the recycle bin.

 **See Also:**

*Oracle Database Administrator's Guide* for information on the recycle bin and naming conventions for objects in the recycle bin

### Examples

#### Dropping a Table: Example

The following statement drops the `oe.list_customers` table created in "[List Partitioning Example](#)".

```
DROP TABLE list_customers PURGE;
```

## DROP TABLESPACE

### Purpose

Use the `DROP TABLESPACE` statement to remove a tablespace from the database.

When you drop a tablespace, Oracle Database does not place it in the recycle bin. Therefore, you cannot subsequently either purge or undrop the tablespace.

 **See Also:**


[CREATE TABLESPACE](#) and [ALTER TABLESPACE](#) for information on creating and modifying a tablespace

**Prerequisites**

You must have the `DROP TABLESPACE` system privilege. You cannot drop a tablespace if it contains any rollback segments holding active transactions.

**Syntax**

*drop\_tablespace::=*

**IF NOT EXISTS**

Specify `IF EXISTS` to drop an existing tablespace.

Specifying `IF NOT EXISTS` with `ALTER` results in error: Incorrect `IF EXISTS` clause for `ALTER/DROP` statement.

**Semantics*****tablespace***

Specify the name of the tablespace to be dropped, including those of shadow tablespaces, that store lost write protection updates.

You can drop a tablespace regardless of whether it is online or offline. Oracle recommends that you take the tablespace offline before dropping it to ensure that no SQL statements in currently running transactions access any of the objects in the tablespace.

You cannot drop the `SYSTEM` tablespace. You can drop the `SYSAUX` tablespace only if you have the `SYSDBA` system privilege and you have started the database in `UPGRADE` mode.

You may want to alert any users who have been assigned the tablespace as either a default or temporary tablespace. After the tablespace has been dropped, these users cannot allocate space for objects or sort areas in the tablespace. You can reassign users new default and temporary tablespaces with the `ALTER USER` statement.

Any objects that were previously dropped from the tablespace and moved to the recycle bin are purged from the recycle bin. Oracle Database removes from the data dictionary all metadata about the tablespace and all data files and temp files in the tablespace. The database also automatically drops from the operating system any Oracle-managed data files and temp files in the tablespace. Other data files and temp files are not removed from the operating system unless you specify `INCLUDING CONTENTS AND DATAFILES`.

You cannot use this statement to drop a tablespace group. However, if `tablespace` is the only tablespace in a tablespace group, then Oracle Database removes the tablespace group from the data dictionary as well.

### Restrictions on Dropping Tablespaces

Dropping tablespaces is subject to the following restrictions:

- You cannot drop a tablespace that contains a domain index or any objects created by a domain index.
- You cannot drop an undo tablespace if it is being used by any instance or if it contains any undo data needed to roll back uncommitted transactions.
- You cannot drop a tablespace that has been designated as the default tablespace for the database. You must first reassign another tablespace as the default tablespace and then drop the old default tablespace.
- You cannot drop a temporary tablespace if it is part of the database default temporary tablespace group. You must first remove the tablespace from the database default temporary tablespace group and then drop it.
- You cannot drop a temporary tablespace if it contains segments that are in use by existing sessions. In this case, no error is raised. The database waits until there are no segments in use by existing sessions and then drops the tablespace.
- You cannot drop a tablespace, even with the `INCLUDING CONTENTS` and `CASCADE CONSTRAINTS` clauses, if doing so would disable a primary key or unique constraint in another tablespace. For example, if the tablespace being dropped contains a primary key index, but the primary key column itself is in a different tablespace, then you cannot drop the tablespace until you have manually disabled the primary key constraint in the other tablespace.

#### See Also:

*Oracle Database Data Cartridge Developer's Guide* and *Oracle Database Concepts* for more information on domain indexes

### { DROP | KEEP } QUOTA

Specify `DROP QUOTA` to drop all user quotas for the tablespace. Specify `KEEP QUOTA` to retain all user quotas for the tablespace. The default is `KEEP QUOTA`.

You can view all user quotas for a tablespace by querying the `DBA_TS_QUOTAS` data dictionary view.

### INCLUDING CONTENTS

Specify `INCLUDING CONTENTS` to drop all the contents of the tablespace, including those of shadow tablespaces that store lost write protection updates. You must specify this clause to

drop a tablespace that contains any database objects. If you omit this clause, and the tablespace is not empty, then the database returns an error and does not drop the tablespace.

`DROP TABLESPACE` fails, even if you specify `INCLUDING CONTENTS`, if the tablespace contains some, but not all, of the partitions or subpartitions of a single table. If all the partitions or subpartitions of a partitioned table reside in *tablespace*, then `DROP TABLESPACE ... INCLUDING CONTENTS` drops *tablespace*, as well as any associated index segments, LOB data and index segments, and nested table data and index segments of *table* in other tablespace(s).

For a partitioned index-organized table, if all the primary key index segments are in this tablespace, then this clause will also drop any overflow segments that exist in other tablespaces, as well as any associated mapping table in other tablespaces. If some of the primary key index segments are *not* in this tablespace, then the statement will fail. In that case, before you can drop the tablespace, you must use `ALTER TABLE ... MOVE PARTITION` to move those primary key index segments into this tablespace, drop the partitions whose overflow data segments are not in this tablespace, and drop the partitioned index-organized table.

If the tablespace contains a master table of a materialized view, then the database invalidates the materialized view.

If the tablespace contains a materialized view log, then the database drops the log and any other direct-path `INSERT` refresh information associated with the table.

### AND DATAFILES

When you specify `INCLUDING CONTENTS`, the `AND DATAFILES` clause lets you instruct the database to delete the associated operating system files as well. Oracle Database writes a message to the alert log for each operating system file deleted. This clause is not needed for Oracle Managed Files, because they are removed from the system even if you do not specify `AND DATAFILES`.

### KEEP DATAFILES

When you specify `INCLUDING CONTENTS`, the `KEEP DATAFILES` clause lets you instruct the database to leave untouched the associated operating system files, including Oracle Managed Files. You must specify this clause if you are using Oracle Managed Files and you do not want the associated operating system files removed by the `INCLUDING CONTENTS` clause.

### CASCADE CONSTRAINTS

Specify `CASCADE CONSTRAINTS` to drop all referential integrity constraints from tables outside *tablespace* that refer to primary and unique keys of tables inside *tablespace*. If you omit this clause and such referential integrity constraints exist, then Oracle Database returns an error and does not drop the tablespace.

### Examples

#### Dropping a Tablespace: Example

The following statement drops the `tbs_01` tablespace and drops all referential integrity constraints that refer to primary and unique keys inside `tbs_01`:

```
DROP TABLESPACE tbs_01
  INCLUDING CONTENTS
  CASCADE CONSTRAINTS;
```



### Dropping a Shadow Tablespace: Example

The following statement tries to move the tracked data in the shadow tablespace to another shadow tablespace. This only works if there are shadow tablespaces in the PDB with enough free space.

```
DROP TABLESPACE <shadow_tablespace_name>
```

The following statement drops the shadow tablespace and all its contents. All the tracking data is lost.

### Dropping Shadow Tablespace Including Contents: Example

```
DROP TABLESPACE <shadow_tablespace_name>  
INCLUDING CONTENTS
```

### Deleting Operating System Files: Example

The following example drops the `tbs_02` tablespace and deletes all associated operating system data files:

```
DROP TABLESPACE tbs_02  
INCLUDING CONTENTS AND DATAFILES;
```

## DROP TABLESPACE SET

### Note:

This SQL statement is valid only if you are using Oracle Sharding. For more information on Oracle Sharding, refer to *Oracle Database Administrator's Guide*.

### Purpose

Use the `DROP TABLESPACE SET` statement to drop a tablespace set from a shardgroup.

When you drop a tablespace set, Oracle Database does not place it in the recycle bin. Therefore, you cannot subsequently either purge or undrop the tablespace set.

### See Also:

[CREATE TABLESPACE SET](#) and [ALTER TABLESPACE SET](#)


### Prerequisites

You must be connected to a shard catalog database as an SDB user.

You must have the `DROP TABLESPACE` system privilege. You cannot drop a tablespace set if its tablespaces contain any rollback segments holding active transactions.

## Syntax

***drop\_tablespace\_set::=***



## Semantics

***tablespace\_set***

Specify the name of the tablespace set to be dropped.

### INCLUDING CONTENTS

This clause lets you specify how the database manages objects and datafiles associated with the tablespaces in the tablespace set during the drop operation. The `INCLUDING CONTENTS` clause has the same semantics here as for the `DROP TABLESPACE` statement. See [INCLUDING CONTENTS](#) for the full semantics of this clause.

## Examples

### Dropping a Tablespace Set: Example

The following statement drops the tablespace set `ts1`:

```
DROP TABLESPACE SET ts1;
```

# DROP TRIGGER

## Purpose

Triggers are defined using PL/SQL. Refer to *Oracle Database PL/SQL Language Reference* for complete information on creating, altering, and dropping triggers.

Use the `DROP TRIGGER` statement to remove a database trigger from the database.



### See Also:


[CREATE TRIGGER](#) and [ALTER TRIGGER](#)

## Prerequisites

The trigger must be in your own schema or you must have the `DROP ANY TRIGGER` system privilege. To drop a trigger on `DATABASE` in another user's schema, you must also have the `ADMINISTER DATABASE TRIGGER` system privilege.

## Syntax

**drop\_trigger ::=**



## Semantics

### IF EXISTS

Specify `IF EXISTS` to drop an existing object.

Specifying `IF NOT EXISTS` with `DROP` results in `ORA-11544: Incorrect IF EXISTS clause for ALTER/DROP statement.`

### *schema*

Specify the schema containing the trigger. If you omit *schema*, then Oracle Database assumes the trigger is in your own schema.

### *trigger*

Specify the name of the trigger to be dropped. Oracle Database removes it from the database and does not fire it again.

## Examples

### Dropping a Trigger: Example

The following statement drops the `salary_check` trigger in the schema `hr`:

```
DROP TRIGGER hr.salary_check;
```

# DROP TYPE

## Purpose

Object types are defined using PL/SQL. Refer to *Oracle Database PL/SQL Language Reference* for complete information on creating, altering, and dropping object types.


Use the `DROP TYPE` statement to drop the specification and body of an object type, a varray, or a nested table type.

## Prerequisites

The object type, varray, or nested table type must be in your own schema or you must have the `DROP ANY TYPE` system privilege.

## Syntax

***drop\_type***::=



## IF EXISTS

Specify `IF EXISTS` to drop an existing object.

Specifying `IF NOT EXISTS` with `DROP` results in `ORA-11544: Incorrect IF EXISTS clause for ALTER/DROP statement.`

## Semantics

### *schema*

Specify the schema containing the type. If you omit *schema*, then Oracle Database assumes the type is in your own schema.

### *type\_name*

Specify the name of the object, varray, or nested table type to be dropped. You can drop only types with no type or table dependencies. This includes tables in the recycle bin.

When you drop a type, any dependent objects such as subtypes are not placed in the recycle bin and any former dependent objects in the recycle bin are purged.

If *type\_name* is a supertype, then this statement will fail unless you also specify `FORCE`. If you specify `FORCE`, then the database invalidates all subtypes depending on this supertype.

If *type\_name* is a statistics type, then this statement will fail unless you also specify `FORCE`. If you specify `FORCE`, then the database first disassociates all objects that are associated with *type\_name* and then drops *type\_name*.



### See Also:

[ASSOCIATE STATISTICS](#) and [DISASSOCIATE STATISTICS](#) for more information on statistics types

If *type\_name* is an object type that has been associated with a statistics type, then the database first attempts to disassociate *type\_name* from the statistics type and then drops *type\_name*. However, if statistics have been collected using the statistics type, then the database will be unable to disassociate *type\_name* from the statistics type, and this statement will fail.

If *type\_name* is an implementation type for an indextype, then the indextype will be marked INVALID.

If *type\_name* has a public synonym defined on it, then the database will also drop the synonym.

Unless you specify `FORCE`, you can drop only object types, nested tables, or varray types that are standalone schema objects with no dependencies. This is the default behavior.



#### See Also:

[CREATE INDEXTYPE](#)

## FORCE

Specify `FORCE` to drop the type even if it has dependent database objects. Oracle Database marks `UNUSED` all columns dependent on the type to be dropped, and those columns become inaccessible.



#### Note:

Oracle does not recommend that you specify `FORCE` to drop object types with dependencies. These include dependent tables in the recycle bin. This operation is not recoverable and could cause the data in the dependent tables or columns to become inaccessible.

Refer to *Managing Tables* .

## VALIDATE

If you specify `VALIDATE` when dropping a type, then Oracle Database checks for stored instances of this type within substitutable columns of any of its supertypes. If no such instances are found, then the database completes the drop operation.

This clause is meaningful only for subtypes. Oracle recommends the use of this option to safely drop subtypes that do not have any explicit type or table dependencies.

## Examples

### Dropping an Object Type: Example

The following statement removes object type `person_t`. See *Oracle Database PL/SQL Language Reference* for the example that creates this object type. Any columns that are dependent on `person_t` are marked `UNUSED` and become inaccessible.

```
DROP TYPE person_t FORCE;
```

# DROP TYPE BODY

## Purpose

Object types are defined using PL/SQL. Refer to *Oracle Database PL/SQL Language Reference* for complete information on creating, altering, and dropping object types.


Use the `DROP TYPE BODY` statement to drop the body of an object type, varray, or nested table type. When you drop a type body, the object type specification still exists, and you can re-create the type body. Prior to re-creating the body, you can still use the object type, although you cannot call the member functions.

## Prerequisites

The object type body must be in your own schema or you must have the `DROP ANY TYPE` system privilege.

## Syntax

***drop\_type\_body ::=***



## Semantics

### IF EXISTS

Specify `IF EXISTS` to drop an existing object.

Specifying `IF NOT EXISTS` with `DROP` results in `ORA-11544: Incorrect IF EXISTS clause for ALTER/DROP statement.`

### *schema*

Specify the schema containing the object type. If you omit *schema*, then Oracle Database assumes the object type is in your own schema.

### *type\_name*

Specify the name of the object type body to be dropped.

## Restriction on Dropping Type Bodies

You can drop a type body only if it has no type or table dependencies.

## Examples

### Dropping an Object Type Body: Example

The following statement removes object type body `data_typ1`. See *Oracle Database PL/SQL Language Reference* for the example that creates this object type.

```
DROP TYPE BODY data_typ1;
```

# DROP USER

## Purpose

Use the `DROP USER` statement to remove a database user and optionally remove the user's objects.

In an Oracle Automatic Storage Management (Oracle ASM) cluster, a user authenticated `AS SYSASM` can use this clause to remove a user from the password file that is local to the Oracle ASM instance of the current node.

When you drop a user, Oracle Database also purges all of that user's schema objects from the recycle bin.

### Note:

Do not attempt to drop the users `SYS` or `SYSTEM`. Doing so will corrupt your database.

### See Also:


[CREATE USER](#) and [ALTER USER](#) for information on creating and modifying a user

## Prerequisites

You must have the `DROP USER` system privilege. In an Oracle ASM cluster, you must be authenticated `AS SYSASM`.

## Syntax

***drop\_user ::=***



## Semantics

### IF EXISTS

Specify `IF EXISTS` to drop an existing object.

Specifying `IF NOT EXISTS` with `DROP` results in `ORA-11544: Incorrect IF EXISTS clause for ALTER/DROP statement.`

### *user*

Specify the user to be dropped. Oracle Database does not drop users whose schemas contain objects unless you specify `CASCADE` or unless you first explicitly drop the user's objects.

### Restriction on Dropping Users

You cannot drop a user whose schema contains a table that uses a flashback data archive for historical tracking. You must first disable the table's use of the flashback data archive.

### CASCADE

Specify `CASCADE` to drop all objects in the user's schema before dropping the user. You must specify this clause to drop a user whose schema contains any objects.

- If the user's schema contains tables, then Oracle Database drops the tables and automatically drops any referential integrity constraints on tables in other schemas that refer to primary and unique keys on these tables.
- If this clause results in tables being dropped, then the database also drops all domain indexes created on columns of those tables and invokes appropriate drop routines.

#### See Also:

*Oracle Database Data Cartridge Developer's Guide* for more information on these routines

- Oracle Database invalidates, but does not drop, the following objects in other schemas:
  - Views or synonyms for objects in the dropped user's schema
  - Stored procedures, functions, or packages that query objects in the dropped user's schema
- Oracle Database does not drop materialized views in other schemas that are based on tables in the dropped user's schema. However, because the base tables no longer exist, the materialized views in the other schemas can no longer be refreshed.
- Oracle Database drops all triggers in the user's schema.
- Oracle Database does not drop roles created by the user.
- Oracle Database drops all domains in the user's schemas. The database will issue `DROP DOMAIN FORCE` for all domains the user owns.

#### Note:

Oracle Database also drops with `FORCE` all types owned by the user. See the `FORCE` keyword of `DROP TYPE`.



## Examples

### Dropping a Database User: Example

If user Sidney's schema contains no objects, then you can drop `sidney` by issuing the statement:

```
DROP USER sidney;
```

If Sidney's schema contains objects, then you must use the `CASCADE` clause to drop `sidney` and the objects:

```
DROP USER sidney CASCADE;
```

## DROP VIEW

### Purpose

Use the `DROP VIEW` statement to remove a view or an object view from the database. You can change the definition of a view by dropping and re-creating it.



#### See Also:


[CREATE VIEW](#) and [ALTER VIEW](#) for information on creating and modifying a view

### Prerequisites

The view must be in your own schema or you must have the `DROP ANY VIEW` system privilege.

### Syntax

***drop\_view ::=***



### Semantics

#### IF EXISTS

Specify `IF EXISTS` to drop an existing object.

Specifying `IF NOT EXISTS` with `DROP` results in `ORA-11544: Incorrect IF EXISTS clause for ALTER/DROP statement.`

#### *schema*

Specify the schema containing the view. If you omit *schema*, then Oracle Database assumes the view is in your own schema.

**view**

Specify the name of the view to be dropped.

Oracle Database does not drop views, materialized views, and synonyms that are dependent on the view but marks them `INVALID`. You can drop them or redefine views and synonyms, or you can define other views in such a way that the invalid views and synonyms become valid again.

If any subviews have been defined on `view`, then the database invalidates the subviews as well. To determine whether the view has any subviews, query the `SUPERVIEW_NAME` column of the `USER_`, `ALL_`, or `DBA_VIEWS` data dictionary views.

 **See Also:**

- [CREATE TABLE](#) and [CREATE SYNONYM](#)
- [ALTER MATERIALIZED VIEW](#) for information on revalidating invalid materialized views

**CASCADE CONSTRAINTS**

Specify `CASCADE CONSTRAINTS` to drop all referential integrity constraints that refer to primary and unique keys in the view to be dropped. If you omit this clause, and such constraints exist, then the `DROP` statement fails.

**Examples****Dropping a View: Example**

The following statement drops the `emp_view` view, which was created in "[Creating a View: Example](#)":

```
DROP VIEW emp_view;
```

## EXPLAIN PLAN

**Purpose**

Use the `EXPLAIN PLAN` statement to determine the execution plan Oracle Database follows to execute a specified SQL statement. This statement inserts a row describing each step of the execution plan into a specified table. You can also issue the `EXPLAIN PLAN` statement as part of the SQL trace facility.

This statement also determines the cost of executing the statement. If any domain indexes are defined on the table, then user-defined CPU and I/O costs will also be inserted.

The definition of a sample output table `PLAN_TABLE` is available in a SQL script on your distribution media. Your output table must have the same column names and data types as this table. The common name of this script is `UTLXPLAN.SQL`. The exact name and location depend on your operating system.

Oracle Database provides information on cached cursors through several dynamic performance views:

- For information on the work areas used by SQL cursors, query `V$SQL_WORKAREA`.
- For information on the execution plan for a cached cursor, query `V$SQL_PLAN`.
- For execution statistics at each step or operation of an execution plan of cached cursors (for example, number of produced rows, number of blocks read), query `V$SQL_PLAN_STATISTICS`.
- For a selective precomputed join of the preceding three views, query `V$SQL_PLAN_STATISTICS_ALL`.
- Execution statistics at each step or operation of an execution plan of cached cursors are displayed in `V$SQL_PLAN_MONITOR` if the statement execution is monitored. You can force monitoring using the `MONITOR` hint.

#### See Also:

- *Oracle Database SQL Tuning Guide* for information on the output of `EXPLAIN PLAN`, how to use the SQL trace facility, and how to generate and interpret execution plans
- *Oracle Database Reference* for information on dynamic performance views

#### Prerequisites

To issue an `EXPLAIN PLAN` statement, you must have the privileges necessary to insert rows into an existing output table that you specify to hold the execution plan.

You must also have the privileges necessary to execute the SQL statement for which you are determining the execution plan. If the SQL statement accesses a view, then you must have privileges to access any tables and views on which the view is based. If the view is based on another view that is based on a table, then you must have privileges to access both the other view and its underlying table.

To examine the execution plan produced by an `EXPLAIN PLAN` statement, you must have the privileges necessary to query the output table.


The `EXPLAIN PLAN` statement is a data manipulation language (DML) statement, rather than a data definition language (DDL) statement. Therefore, Oracle Database does not implicitly commit the changes made by an `EXPLAIN PLAN` statement. If you want to keep the rows generated by an `EXPLAIN PLAN` statement in the output table, then you must commit the transaction containing the statement.

#### See Also:

`INSERT` and `SELECT` for information on the privileges you need to populate and query the plan table

## Syntax

***explain\_plan*::=**



## Semantics

### SET STATEMENT\_ID Clause

Specify a value for the `STATEMENT_ID` column for the rows of the execution plan in the output table. You can then use this value to identify these rows among others in the output table. Be sure to specify a `STATEMENT_ID` value if your output table contains rows from many execution plans. If you omit this clause, then the `STATEMENT_ID` value defaults to null.

### INTO *table* Clause

Specify the name of the output table, and optionally its schema and database. This table must exist before you use the `EXPLAIN PLAN` statement.

If you omit `schema`, then the database assumes the table is in your own schema.

The `dblink` can be a complete or partial name of a database link to a remote Oracle Database where the output table is located. You can specify a remote output table only if you are using Oracle Database distributed functionality. If you omit `dblink`, then the database assumes the table is on your local database. See "[References to Objects in Remote Databases](#)" for information on referring to database links.

If you omit `INTO` altogether, then the database assumes an output table named `PLAN_TABLE` in your own schema on your local database.

### FOR *statement* Clause

Specify a `SELECT`, `INSERT`, `UPDATE`, `DELETE`, `MERGE`, `CREATE TABLE`, `CREATE INDEX`, or `ALTER INDEX ... REBUILD` statement for which the execution plan is generated.

### Notes on EXPLAIN PLAN

The following notes apply to `EXPLAIN PLAN`:

- If `statement` includes the `parallel_clause`, then the resulting execution plan will indicate parallel execution. However, `EXPLAIN PLAN` actually inserts the statement into the plan table, so that the parallel DML statement you submit is no longer the first DML statement in the transaction. This violates the Oracle Database restriction of one parallel DML statement in a single transaction, and the statement will be executed serially. To maintain parallel execution of the statements, you must commit or roll back the `EXPLAIN PLAN` statement, and then submit the parallel DML statement.

- To determine the execution plan for an operation on a temporary table, `EXPLAIN PLAN` must be run from the same session, because the data in temporary tables is session specific.

## Examples

### EXPLAIN PLAN Examples

The following statement determines the execution plan and cost for an `UPDATE` statement and inserts rows describing the execution plan into the specified `plan_table` table with the `STATEMENT_ID` value of 'Raise in Tokyo':

```
EXPLAIN PLAN
  SET STATEMENT_ID = 'Raise in Tokyo'
  INTO plan_table
  FOR UPDATE employees
    SET salary = salary * 1.10
    WHERE department_id =
      (SELECT department_id FROM departments
       WHERE location_id = 1700);
```

The following `SELECT` statement queries the `plan_table` table and returns the execution plan and the cost:

```
SELECT id, LPAD(' ',2*(LEVEL-1))||operation operation, options,
       object_name, object_alias, position
FROM plan_table
START WITH id = 0 AND statement_id = 'Raise in Tokyo'
CONNECT BY PRIOR id = parent_id AND statement_id = 'Raise in Tokyo'
ORDER BY id;
```

The query returns this execution plan:

ID	OPERATION	OPTIONS	OBJECT_NAME	OBJECT_ALIAS	POSITION
0	UPDATE STATEMENT				4
1	UPDATE		EMPLOYEES		1
2	INDEX	RANGE SCAN	EMP_DEPARTMENT_IX	EMPLOYEES@UPD\$1	1
3	TABLE ACCESS	BY INDEX ROWID	DEPARTMENTS	DEPARTMENTS@SEL\$1	1
4	INDEX	RANGE SCAN	DEPT_LOCATION_IX	DEPARTMENTS@SEL\$1	1

The value in the `POSITION` column of the first row shows that the statement has a cost of 4.

### EXPLAIN PLAN: Partitioned Example

The sample table `sh.sales` is partitioned on the `time_id` column. Partition `sales_q3_2000` contains time values less than Oct. 1, 2000, and there is a local index `sales_time_bix` on the `time_id` column.

Consider the query:

```
EXPLAIN PLAN FOR
  SELECT * FROM sales
    WHERE time_id BETWEEN :h AND '01-OCT-2000';
```

where `:h` represents an already declared bind variable. `EXPLAIN PLAN` executes this query with `PLAN_TABLE` as the output table. The basic execution plan, including partitioning information, is obtained with the following query:

```
SELECT operation, options, partition_start, partition_stop,  
       partition_id  
FROM plan_table;
```

## FLASHBACK DATABASE

### Purpose

Use the `FLASHBACK DATABASE` statement to return the database to a past time or system change number (SCN). This statement provides a fast alternative to performing incomplete database recovery.

Following a `FLASHBACK DATABASE` operation, in order to have write access to the flashed back database, you must reopen it with an `ALTER DATABASE OPEN RESETLOGS` statement.

### See Also:

*Oracle Database Backup and Recovery User's Guide* for more information on `FLASHBACK DATABASE`

### Prerequisites

You must have the `SYSDBA`, `SYSBACKUP`, or `SYSDBG` system privilege.

If you are connected to a multitenant container database (CDB):

- To flash back a CDB, you must be connected to the root and you must have the `SYSDBA`, `SYSBACKUP`, or `SYSDBG` system privilege granted commonly.
- To flash back a PDB you must be connected to the root and you must have the `SYSDBA`, `SYSBACKUP`, or `SYSDBG` system privilege granted commonly, or you must be connected to the PDB you want to flash back and you must have the `SYSDBA`, `SYSBACKUP`, or `SYSDBG` system privilege, granted commonly or granted locally in that PDB.


A fast recovery area must have been prepared for the database. The database must have been put in `FLASHBACK` mode with an `ALTER DATABASE FLASHBACK ON` statement unless you are flashing the database back to a guaranteed restore point. The database must be mounted but not open.

In addition:

- The database must run in `ARCHIVELOG` mode.
- The database must be mounted, but not open, with a current control file. The control file cannot be a backup or re-created. When the database control file is restored from backup or re-created, all existing flashback log information is discarded.
- The database must contain no online tablespaces for which flashback functionality was disabled with the SQL statement `ALTER TABLESPACE ... FLASHBACK OFF`.

 **See Also:**

- *Oracle Database Backup and Recovery User's Guide* and the `ALTER DATABASE ... flashback_mode_clause` for information on putting the database in FLASHBACK mode
- [CREATE RESTORE POINT](#) for information on restore points and guaranteed restore points

**Syntax****flashback\_database::=****Semantics**

When you issue a `FLASHBACK DATABASE` statement, Oracle Database first verifies that all required archived and online redo logs are available. If they are available, then it reverts all currently online data files in the database to the SCN or time specified in this statement.

- The amount of Flashback data retained in the database is controlled by the `DB_FLASHBACK_RETENTION_TARGET` initialization parameter and the size of the fast recovery area. You can determine how far back you can flash back the database by querying the `V$FLASHBACK_DATABASE_LOG` view.
- If insufficient data remains in the database to perform the flashback, then you can use standard recovery procedures to recover the database to a past point in time.
- If insufficient data remains for a set of data files, then the database returns an error. In this case, you can take those data files offline and reissue the statement to revert the remainder of the database. You can then attempt to recover the offline data files using standard recovery procedures.

 **See Also:**

*Oracle Database Backup and Recovery User's Guide* for more information on recovering data files

## STANDBY

Specify `STANDBY` to revert the standby database to an earlier SCN or time. If the database is not a standby database, then the database returns an error. If you omit this clause, then `database` can be either a primary or a standby database.

### See Also:

*Oracle Data Guard Concepts and Administration* for information on how you can use `FLASHBACK DATABASE` on a standby database to achieve different delays

## PLUGGABLE

Specify `PLUGGABLE` to flash back a PDB. You must specify this clause whether the current container is the root or the PDB you want to flash back.

### Restrictions on Flashing Back a PDB

- You cannot flash back a proxy PDB.
- If the CDB is in shared undo mode, then you can only flash back a PDB to a clean PDB restore point. Refer to the `CLEAN` clause of `CREATE RESTORE POINT` for more information.

### *database*

If you are flashing back a CDB, then you can optionally specify the name of the database to be flashed back. If you omit `database`, then Oracle Database flashes back the database identified by the value of the initialization parameter `DB_NAME`.

If you are flashing back a PDB and the current container is the root, then use `database` to specify the name of the PDB to be flashed back. If you are flashing back a PDB and the current container is that PDB, then you can optionally use `database` to specify the PDB name.

## TO SCN Clause

Specify a system change number (SCN):

- `TO SCN` reverts the database back to its state at the specified SCN.
- `TO BEFORE SCN` reverts the database back to its state at the system change number just preceding the specified SCN.

You can determine the current SCN by querying the `CURRENT_SCN` column of the `V$DATABASE` view. This in turn lets you save the SCN to a spool file, for example, before running a high-risk batch job.

## TO TIMESTAMP Clause

Specify a valid datetime expression.

- `TO TIMESTAMP` reverts the database back to its state at the specified timestamp.



- `TO BEFORE TIMESTAMP` reverts the database back to its state one second before the specified timestamp.

You can represent the timestamp as an offset from a determinate value, such as `SYSDATE`, or as an absolute system timestamp.

### TO RESTORE POINT Clause

Specify this clause to flash back the database to the specified restore point. If you have not enabled flashback database, then this is the only clause you can specify in this `FLASHBACK DATABASE` statement. If the database is not in `FLASHBACK` mode, as described in the "Prerequisites" section above, then this is the only clause you can specify for this statement.

### RESETLOGS

Specify `TO BEFORE RESETLOGS` to flash the database back to just before the last resetlogs operation (`ALTER DATABASE OPEN RESETLOGS`).



#### See Also:

*Oracle Database Backup and Recovery User's Guide* for more information about this clause

### Examples

Assuming that you have prepared a fast recovery area for the database and enabled media recovery, enable database `FLASHBACK` mode and open the database with the following statements:

```
STARTUP MOUNT
ALTER DATABASE FLASHBACK ON;
ALTER DATABASE OPEN;
```

With your database open for at least a day, you can flash back the database one day with the following statements:

```
SHUTDOWN DATABASE
STARTUP MOUNT
FLASHBACK DATABASE TO TIMESTAMP SYSDATE-1;
```

## FLASHBACK TABLE

### Purpose

Use the `FLASHBACK TABLE` statement to restore an earlier state of a table in the event of human or application error. The time in the past to which the table can be flashed back is dependent on the amount of undo data in the system. Also, Oracle Database cannot restore a table to an earlier state across any DDL operations that change the structure of the table.

 **Note:**

Oracle strongly recommends that you run your database in automatic undo mode by leaving the `UNDO_MANAGEMENT` initialization parameter set to `AUTO`, which is the default. In addition, set the `UNDO_RETENTION` initialization parameter to an interval large enough to include the oldest data you anticipate needing. For more information refer to the documentation on the `UNDO_MANAGEMENT` and `UNDO_RETENTION` initialization parameters.

You cannot roll back a `FLASHBACK TABLE` statement. However, you can issue another `FLASHBACK TABLE` statement and specify a time just prior to the current time. Therefore, it is advisable to record the current SCN before issuing a `FLASHBACK TABLE` clause.

 **See Also:**

- To set the `UNDO_RETENTION` initialization parameter, see [Setting the Minimum Undo Retention Period](#)
- [FLASHBACK DATABASE](#) for information on reverting the entire database to an earlier version
- the [flashback\\_query\\_clause](#) of `SELECT` for information on retrieving past data from a table
- *Oracle Database Backup and Recovery User's Guide* for additional information on using the `FLASHBACK TABLE` statement

**Prerequisites**

To flash back a table to an earlier SCN or timestamp, you must have either the `FLASHBACK` object privilege on the table or the `FLASHBACK ANY TABLE` system privilege. In addition, you must have the `READ` or `SELECT` object privilege on the table, and you must have the `INSERT`, `DELETE`, and `ALTER` object privileges on the table.


Row movement must be enabled for all tables in the Flashback list unless you are flashing back the table `TO BEFORE DROP`. That operation is called a **flashback drop** operation, and it uses dropped data in the recycle bin rather than undo data. Refer to [row\\_movement\\_clause](#) for information on enabling row movement.

To flash back a table to a restore point, you must have the `SELECT ANY DICTIONARY` or `FLASHBACK ANY TABLE` system privilege or the `SELECT_CATALOG_ROLE` role.

To flash back a table to before a `DROP TABLE` operation, you need only the privileges necessary to drop the table.

## Syntax

***flashback\_table*::=**



## Semantics

During an Oracle Flashback Table operation, Oracle Database acquires exclusive DML locks on all the tables specified in the Flashback list. These locks prevent any operations on the tables while they are reverting to their earlier state.

The Flashback Table operation is executed in a single transaction, regardless of the number of tables specified in the Flashback list. Either all of the tables revert to the earlier state or none of them do. If the Flashback Table operation fails on any table, then the entire statement fails.

At the completion of the Flashback Table operation, the data in *table* is consistent with *table* at the earlier time. However, `FLASHBACK TABLE TO SCN` or `TIMESTAMP` does not preserve rowids, and `FLASHBACK TABLE TO BEFORE DROP` does not recover referential constraints.

Oracle Database does not revert statistics associated with *table* to their earlier form. Indexes on *table* that exist currently are reverted and reflect the state of the table at the Flashback point. If the index exists now but did not yet exist at the Flashback point, then the database updates the index to reflect the state of the table at the Flashback point. However, indexes that were dropped during the interval between the Flashback point and the current time are not restored.

### *schema*

Specify the schema containing the table. If you omit *schema*, then the database assumes the table is in your own schema.

### *table*

Specify the name of one or more tables containing data you want to revert to an earlier version.

## Restrictions on Flashing Back Tables

This statement is subject to the following restrictions:

- Flashback Table operations are not valid for the following type objects: tables that are part of a cluster, child tables using reference partitioning, materialized views, Advanced

Queuing (AQ) tables, static data dictionary tables, system tables, remote tables, object tables, nested tables, or individual table partitions or subpartitions.

- The following DDL operations change the structure of a table, so that you cannot subsequently use the `TO SCN` or `TO TIMESTAMP` clause to flash the table back to a time preceding the operation: upgrading, moving, or truncating a table; adding a constraint to a table, adding a table to a cluster; modifying or dropping a column; changing a column encryption key; adding, dropping, merging, splitting, coalescing, or truncating a partition or subpartition (with the exception of adding a range partition).

### TO SCN Clause

Specify the system change number (SCN) corresponding to the point in time to which you want to return the table. The *expr* must evaluate to a number representing a valid SCN.

### TO TIMESTAMP Clause

Specify a timestamp value corresponding to the point in time to which you want to return the table. The *expr* must evaluate to a valid timestamp in the past. The table will be flashed back to a time within approximately 3 seconds of the specified timestamp.

### TO RESTORE POINT Clause

Specify a restore point to which you want to flash back the table. The restore point must already have been created.



#### See Also:

[CREATE RESTORE POINT](#) for information on creating restore points

### ENABLE | DISABLE TRIGGERS

By default, Oracle Database disables all enabled triggers defined on *table* during the Flashback Table operation and then reenables them after the Flashback Table operation is complete. Specify `ENABLE TRIGGERS` if you want to override this default behavior and keep the triggers enabled during the Flashback process.

This clause affects only those database triggers defined on *table* that are already enabled. To enable currently disabled triggers selectively, use the `ALTER TABLE ... enable_disable_clause` before you issue the `FLASHBACK TABLE` statement with the `ENABLE TRIGGERS` clause.

### TO BEFORE DROP Clause

Use this clause to retrieve from the recycle bin a table that has been dropped, along with all possible dependent objects. The table must have resided in a locally managed tablespace other than the `SYSTEM` tablespace.

 **See Also:**

- *Oracle Database Administrator's Guide* for information on the recycle bin and naming conventions for objects in the recycle bin
- **PURGE** for information on removing objects permanently from the recycle bin

You can specify either the original user-specified name of the table or the system-generated name Oracle Database assigned to the object when it was dropped.

- System-generated recycle bin object names are unique. Therefore, if you specify the system-generated name, then the database retrieves that specified object.

To see the contents of your recycle bin, query the `USER_RECYCLEBIN` data dictionary view. You can use the `RECYCLEBIN` synonym instead. The following two statements return the same rows:

```
SELECT * FROM RECYCLEBIN;
SELECT * FROM USER_RECYCLEBIN;
```

- If you specify the user-specified name, and if the recycle bin contains more than one object of that name, then the database retrieves the object that was moved to the recycle bin most recently. If you want to retrieve an older version of the table, then do one of these things:
  - Specify the system-generated recycle bin name of the table you want to retrieve.
  - Issue additional `FLASHBACK TABLE ... TO BEFORE DROP` statements until you retrieve the table you want.

Oracle Database attempts to preserve the original table name. If a new table of the same name has been created in the same schema since the original table was dropped, then the database returns an error unless you also specify the `RENAME TO` clause.

### RENAME TO Clause

Use this clause to specify a new name for the table being retrieved from the recycle bin.

### Notes on Flashing Back Dropped Tables

The following notes apply to flashing back dropped tables:

- Oracle Database retrieves all indexes defined on the table retrieved from the recycle bin except for bitmap join indexes and domain indexes. (Bitmap join indexes and domain indexes are not put in the recycle bin during a `DROP TABLE` operation, so cannot be retrieved.)
- The database also retrieves all triggers and constraints defined on the table except for referential integrity constraints that reference other tables.

The retrieved indexes, triggers, and constraints have recycle bin names. Therefore it is advisable to query the `USER_RECYCLEBIN` view before issuing a `FLASHBACK TABLE ... TO BEFORE DROP` statement so that you can rename the retrieved triggers and constraints to more usable names.

- When you drop a table, all materialized view logs defined on the table are also dropped but are not placed in the recycle bin. Therefore, the materialized view logs cannot be flashed back along with the table.

- When you drop a table, any indexes on the table are dropped and put into the recycle bin along with the table. If subsequent space pressures arise, then the database reclaims space from the recycle bin by first purging indexes. In this case, when you flash back the table, you may not get back all of the indexes that were defined on the table.
- You cannot flash back a table if it has been purged, either by a user or by Oracle Database as a result of some space reclamation operation.

## Examples

### Restoring a Table to an Earlier State: Examples

The examples below create a new table, `employees_test`, with row movement enabled, update values within the new table, and issue the `FLASHBACK TABLE` statement.

Create table `employees_test`, with row movement enabled, from table `employees` of the sample `hr` schema:

```
CREATE TABLE employees_test
  AS SELECT * FROM employees;
```

As a benchmark, list those salaries less than 2500:

```
SELECT salary
  FROM employees_test
 WHERE salary < 2500;
```

```

SALARY
-----
      2400
      2200
      2100
      2400
      2200
```



#### Note:

To allow time for the SCN to propagate to the mapping table used by the `FLASHBACK TABLE` statement, wait a minimum of 5 minutes prior to issuing the following statement. This wait would not be necessary if a previously existing table were being used in this example.

Enable row movement for the table:

```
ALTER TABLE employees_test
  ENABLE ROW MOVEMENT;
```

Issue a 10% salary increase to those employees earning less than 2500:

```
UPDATE employees_test
  SET salary = salary * 1.1
 WHERE salary < 2500;
```

```
5 rows updated.
COMMIT;
```

As a second benchmark, list those salaries that remain less than 2500 following the 10% increase:

```
SELECT salary
   FROM employees_test
  WHERE salary < 2500;
```

```

SALARY
-----
      2420
      2310
      2420
```

Restore the table `employees_test` to its state prior to the current system time. The unrealistic duration of 1 minute is used so that you can test this series of examples quickly. Under normal circumstances a much greater interval would have elapsed.

```
FLASHBACK TABLE employees_test
  TO TIMESTAMP (SYSTIMESTAMP - INTERVAL '1' minute);
```

List those salaries less than 2500. After the `FLASHBACK TABLE` statement issued above, this list should match the list in the first benchmark.

```
SELECT salary
   FROM employees_test
  WHERE salary < 2500;
```

```

SALARY
-----
      2400
      2200
      2100
      2400
      2200
```

### Retrieving a Dropped Table: Example

If you accidentally drop the `pm.print_media` table and want to retrieve it, then issue the following statement:

```
FLASHBACK TABLE print_media TO BEFORE DROP;
```

If another `print_media` table has been created in the `pm` schema, then use the `RENAME TO` clause to rename the retrieved table:

```
FLASHBACK TABLE print_media TO BEFORE DROP RENAME TO print_media_old;
```

If you know that the `employees` table has been dropped multiple times, and you want to retrieve the oldest version, then query the `USER_RECYCLEBIN` table to determine the system-generated name, and then use that name in the `FLASHBACK TABLE` statement. (System-generated names in your database will differ from those shown here.)

```
SELECT object_name, droptime FROM user_recyclebin
  WHERE original_name = 'PRINT_MEDIA';
```

```

OBJECT_NAME                                DROPTIME
-----
RB$$45703$TABLE$0                          2003-06-03:15:26:39
RB$$45704$TABLE$0                          2003-06-12:12:27:27
RB$$45705$TABLE$0                          2003-07-08:09:28:01
```

# GRANT

## Purpose

Use the `GRANT` statement to grant:

- Administrative privileges to users only (not to roles). [Table 18-1](#)  
Refer to the *Database Security Guide* for more information about administrative privileges *Managing Administrative Privileges*
- System privileges to users and roles. [Table 18-2](#)  
Note that `ANY` system privileges, for example, `SELECT ANY TABLE`, will not work on `SYS` objects or other dictionary objects.
- Schema privileges to users and roles. [Table 18-3](#)
- Roles to users, roles, and program units. The granted roles can be either user-defined (local or external) or predefined. For a list of predefined roles, refer to *Oracle Database Security Guide*.
- Object privileges for a particular object to users and roles. [Table 18-4](#)



### Note:

Global roles (created with `IDENTIFIED GLOBALLY`) are granted through enterprise roles and cannot be granted using the `GRANT` statement.

## Notes on Authorizing Database Users

You can authorize database users through means other than the database and the `GRANT` statement.

- Many Oracle Database privileges are granted through supplied PL/SQL and Java packages. For information on those privileges, refer to the documentation for the appropriate package.
- Some operating systems have facilities that let you grant roles to Oracle Database users with the initialization parameter `OS_ROLES`. If you choose to grant roles to users through operating system facilities, then you cannot also grant roles to users with the `GRANT` statement, although you can use the `GRANT` statement to grant system privileges to users and system privileges and roles to other roles.

## Note on Oracle Automatic Storage Management

A user authenticated `AS SYSASM` can use this statement to grant the system privileges `SYSASM`, `SYSOPER`, and `SYSDBA` to a user in the Oracle ASM password file of the current node.

## Note on Editionable Objects

A `GRANT` operation to grant object privileges on an editionable object actualizes the object in the current edition. See *Oracle Database Development Guide* for more information about editions and editionable objects.



 **See Also:**

- [CREATE USER](#) and [CREATE ROLE](#) for definitions of local, global, and external privileges
- *Oracle Database Security Guide* for information about other authorization methods and for information about privileges
- [REVOKE](#) for information on revoking grants

**Prerequisites**

To grant a **system privilege**, one of the following conditions must be met:

- You must have been granted the `GRANT ANY PRIVILEGE` system privilege. In this case, if you grant the system privilege to a role, then a user to whom the role has been granted does not have the privilege unless the role is enabled in user's session.
- You must have been granted the system privilege with the `ADMIN OPTION`. In this case, if you grant the system privilege to a role, then a user to whom the role has been granted has the privilege regardless whether the role is enabled in the user's session.

To grant a **role to a user or another role**, you must have been directly granted the role with the `ADMIN OPTION`, or you must have been granted the `GRANT ANY ROLE` system privilege, or you must have created the role.

To grant a **role to a program unit in your own schema**, you must have been directly granted the role with either the `ADMIN OPTION` or the `DELEGATE OPTION`, or you must have been granted the `GRANT ANY ROLE` system privilege, or you must have created the role.

To grant a **role to a program unit in another user's schema**, you must be the user `SYS` and the role must have been created by the schema owner or directly granted to the schema owner.

To grant an **object privilege on a user**, by specifying the `ON USER` clause of the `on_object_clause`, you must be the user on whom the privilege is granted, or you must have been granted the object privilege on that user with the `WITH GRANT OPTION`, or you must have been granted the `GRANT ANY OBJECT PRIVILEGE` system privilege. If you can grant an object privilege on a user only because you have the `GRANT ANY OBJECT PRIVILEGE`, then the `GRANTOR` column of the `*_TAB_PRIVS` views displays the user on whom the privilege is granted rather than the user who issued the `GRANT` statement.


To grant an **object privilege on all other types of objects**, you must own the object, or the owner of the object must have granted you the object privileges with the `WITH GRANT OPTION`, or you must have been granted the `GRANT ANY OBJECT PRIVILEGE` system privilege. If you have the `GRANT ANY OBJECT PRIVILEGE`, then you can grant the object privilege only if the object owner could have granted the same object privilege. In this case, the `GRANTOR` column of the `*_TAB_PRIVS` views displays the object owner rather than the user who issued the `GRANT` statement.

You can revoke privileges on an object if you have the `GRANT ANY` object privilege. This does not apply to `SYS` objects. The `ANY` keyword in reference to a system privilege means that the user can perform the privilege on any objects owned by any user except for `SYS`.

To specify the `CONTAINER` clause, you must be connected to a multitenant container database (CDB). To specify `CONTAINER = ALL`, the current container must be the root.


### Syntax

**grant::=**




*(grant\_system\_privileges::=, grant\_schema\_privileges::=, grant\_object\_privileges::=, grant\_roles\_to\_programs::=)*

**grant\_system\_privileges::=**




*(grantee\_clause::=, grantee\_identified\_by::=)*


**grant\_schema\_privileges::=**




**grantee\_clause::=**



**grantee\_identified\_by::=**




**grant\_object\_privileges::=**





(on\_object\_clause::=, grantee\_clause::=)

**on\_object\_clause::=**



**grant\_roles\_to\_programs::=**



***program\_unit::=*****Semantics*****grant\_system\_privileges***

Use these clauses to grant system privileges.

***system\_privilege***

Specify the system privilege you want to grant. [Table 18-2](#) lists the system privileges, organized by the database object operated upon.

- If you grant a privilege to a **user**, then the database adds the privilege to the user's privilege domain. The user can immediately exercise the privilege. Oracle recommends that you only grant the `ANY` privileges to trusted users.
- If you grant a privilege to a **role**, then the database adds the privilege to the privilege domain of the role. Users who have been granted and have enabled the role can immediately exercise the privilege. Other users who have been granted the role can enable the role and exercise the privilege.

 **See Also:**

[Granting a System Privilege to a User: Example](#) and ["Granting System Privileges to a Role: Example"](#)

- If you grant a privilege to **PUBLIC**, then the database adds the privilege to the privilege domains of each user. All users can immediately perform operations authorized by the privilege. Oracle recommends against granting system privileges to **PUBLIC**.

***role***

Specify the role you want to grant. You can grant an Oracle Database predefined role or a user-defined role.

- If you grant a role to a **user**, then the database makes the role available to the user. The user can immediately enable the role and exercise the privileges in the privilege domain of the role.

In the case of a secure application role, you need not grant such a role directly to the user. You can let the associated PL/SQL package do this, assuming the user passes appropriate security policies. For more information, see the `CREATE ROLE` semantics for [USING package](#) and *Oracle Database Security Guide*

- If you grant a role to another **role**, then the database adds the privilege domain of the granted role to the privilege domain of the grantee role. Users who have been granted the grantee role can enable it and exercise the privileges in the granted role's privilege domain.
- If you grant a role to **PUBLIC**, then the database makes the role available to all users. All users can immediately enable the role and exercise the privileges in the privilege domain of the role.

### ALL PRIVILEGES

Specify **ALL PRIVILEGES** to grant all of the system privileges listed in [Table 18-2](#), except the **SELECT ANY DICTIONARY**, **ALTER DATABASE LINK**, and **ALTER PUBLIC DATABASE LINK** privileges.

However, **grant** and **revoke ALL PRIVILEGES** do not apply to **ADMINISTER KEY MANAGEMENT**. **Granting ALL PRIVILEGES** does not grant **ADMINISTER KEY MANAGEMENT**. Similarly, **revoking ALL PRIVILEGES** does not revoke **ADMINISTER KEY MANAGEMENT**.

#### See Also:

- *Oracle Database Security Guide* for information on the Oracle predefined roles
- ["Granting a Role to a Role: Example"](#)
- **CREATE ROLE** for information on creating a user-defined role

### *grantee\_clause*

Use the *grantee\_clause* to specify the users or roles to which the system privilege, role, or object privilege is granted.

### **PUBLIC**

Specify **PUBLIC** to grant the privileges to all users. Oracle recommends against granting system privileges to **PUBLIC**.

### Restriction on Grantees

A user, role, or **PUBLIC** cannot appear more than once in the *grantee\_clause*.

### *grantee\_identified\_by*

The *grantee\_identified\_by* clause lets you assign passwords to users when granting them system privileges and roles. You must specify an equal number of users and passwords. The first password is assigned to the first user, the second password is assigned to the second user, and so on. If a specified user exists, then the database resets the user's password. If a specified user does not exist, then the database creates the user with the password.

You can set the password to a maximum length of 1024 bytes.

#### See Also:

**CREATE USER** for restrictions on usernames and passwords and ["Assigning User Passwords When Granting a System Privilege: Example"](#)

## WITH ADMIN OPTION

Specify `WITH ADMIN OPTION` to enable the grantee to:

- Grant the privilege or role to another user or role, unless the role is a `GLOBAL` role
- Revoke the privilege or role from another user or role
- Alter the privilege or role to change the authorization needed to access it
- Drop the privilege or role
- Grant the role to a program unit in the grantee's schema.
- Revoke the role from a program unit in the grantee's schema.

If you grant a system privilege or role to a user without specifying `WITH ADMIN OPTION`, and then subsequently grant the privilege or role to the user `WITH ADMIN OPTION`, then the user has the `ADMIN OPTION` on the privilege or role.

To revoke the `ADMIN OPTION` on a system privilege or role from a user, you must revoke the privilege or role from the user altogether and then grant the privilege or role to the user without the `ADMIN OPTION`.



### See Also:

["Granting a Role with the ADMIN OPTION: Example"](#)

## WITH DELEGATE OPTION

You can specify this clause only when granting a role to a user.

Specify `WITH DELEGATE OPTION` to enable the grantee to:

- Grant the role to a program unit in the grantee's schema
- Revoke the role from a program unit in the grantee's schema

If you grant a role to a user without specifying `WITH DELEGATE OPTION`, and then subsequently grant the role to the user `WITH DELEGATE OPTION`, then the user has the `DELEGATE OPTION` on the role.

To revoke the `DELEGATE OPTION` on a role from a user, you must revoke the role from the user altogether and then grant the role to the user without the `DELEGATE OPTION`.



### See Also:

- ["Granting a Role with the DELEGATE OPTION: Example"](#)
- The [grant\\_roles\\_to\\_programs](#) clause for more information on granting roles to program units

## Restrictions on Granting System Privileges and Roles

Privileges and roles are subject to the following restrictions:

- A privilege or role cannot appear more than once in the list of privileges and roles to be granted.
- You cannot grant a role to itself.
- You cannot grant a role `IDENTIFIED GLOBALLY` to anything.
- You cannot grant a role `IDENTIFIED EXTERNALLY` to a global user or global role.
- You cannot grant roles circularly. For example, if you grant the role `banker` to the role `teller`, then you cannot subsequently grant `teller` to `banker`.
- You cannot grant an `IDENTIFIED BY` role, `IDENTIFIED USING` role, or `IDENTIFIED EXTERNALLY` role to another role.

### ***grant\_schema\_privileges***

You can grant a schema level privilege to any user or any role if you are a user who :

- Owns the schema.
- Has a schema level privilege `WITH ADMIN OPTION`.
- Has the `GRANT ANY SCHEMA PRIVILEGE` system privilege. If you specify `ALL PRIVILEGES` , all the schema level privileges in [Table 18-3](#) are granted.

You cannot grant schema privileges on the `SYS` schema.



#### **See Also:**

*Schema Privileges to Simplify Access Control in the Oracle Database Security Guide*

### ***grant\_object\_privileges***

Use these clauses to grant object privileges.

#### ***object\_privilege***

Specify the object privilege you want to grant. [Table 18-4](#) lists the object privileges, organized by the type of object on which they can be granted. When you grant an object privilege on a editionable object, either to a user or to a role, the object is actualized in the edition in which the grant is made. Refer to [CREATE EDITION](#) for information on editionable object types and editions.

 **Note:**

To grant `SELECT` on a view to another user, either you must own all of the objects underlying the view or you must have been granted the `SELECT` object privilege `WITH GRANT OPTION` on all of those underlying objects. This is true even if the grantee already has `SELECT` privileges on those underlying objects.

To grant `READ` on a view to another user, either you must own all of the objects underlying the view or you must have been granted the `READ` or `SELECT` object privilege `WITH GRANT OPTION` on all of those underlying objects. This is true even if the grantee already has the `READ` or `SELECT` privilege on those underlying objects.

### Restriction on Object Privileges

A privilege cannot appear more than once in the list of privileges to be granted.

#### **ALL [PRIVILEGES]**

Specify `ALL` to grant all the privileges for the object that you have been granted with the `GRANT OPTION`. The user who owns the schema containing an object automatically has all privileges on the object with the `GRANT OPTION`. The keyword `PRIVILEGES` is provided for semantic clarity and is optional.

#### **column**

Specify the table or view column on which privileges are to be granted. You can specify columns only when granting the `INSERT`, `REFERENCES`, or `UPDATE` privilege. If you do not list columns, then the grantee has the specified privilege on all columns in the table or view.

For information on existing column object grants, query the `USER_`, `ALL_`, or `DBA_COL_PRIVS` data dictionary view.

 **See Also:**

*Oracle Database Reference* for information on the data dictionary views and "[Granting Multiple Object Privileges on Individual Columns: Example](#)"

#### **on\_object\_clause**

The `on_object_clause` identifies the object on which the privileges are granted. Users, directory objects, editions, data mining models, Java source and resource schema objects, and SQL translation profiles are identified separately because they reside in separate namespaces.



**See Also:**

["Granting Object Privileges to a Role: Example"](#)

**object**

Specify the *schema* object on which the privileges are to be granted. If you do not qualify *object* with *schema*, then the database assumes the object is in your own schema. The object can be one of the following types:

- Table, view, or materialized view
- Sequence
- Procedure, function, or package
- User-defined type
- Synonym for any of the preceding items
- Directory, library, operator, or indextype
- Java source, class, or resource

You cannot grant privileges directly to a single partition of a partitioned table.

**See Also:**

["Granting Object Privileges on a Table to a User: Example"](#), ["Granting Object Privileges on a View: Example"](#), and ["Granting Object Privileges to a Sequence in Another Schema: Example"](#)

**ON USER**

Specify the database user you want to grant privileges to.

**Restriction on Granting Privileges on Users**

You cannot grant privileges on user `PUBLIC`.

**See Also:**

["Granting an Object Privilege on a User: Example"](#)

**ON DIRECTORY**

Specify the name of the directory object on which privileges are to be granted. You cannot qualify *directory\_name* with a schema name.

**See Also:**

[CREATE DIRECTORY](#) and "[Granting an Object Privilege on a Directory: Example](#)"

**ON EDITION**

Specify the name of the edition on which the `USE` object privilege is to be granted. You cannot qualify `edition_name` with a schema name.

**ON MINING MODEL**

Specify the name of the mining model on which privileges are to be granted. If you do not qualify `mining_model_name` with `schema`, then the database assumes that the mining model is in your own schema.

**ON JAVA SOURCE | RESOURCE**

Specify the name of the Java source or resource schema object on which privileges are to be granted. If you do not qualify `object` with `schema`, then the database assumes that the object is in your own schema.

**See Also:**

[CREATE JAVA](#)

**ON SQL TRANSLATION PROFILE**

Specify the name of the SQL translation profile on which privileges are to be granted. If you do not qualify `profile` with `schema`, then the database assumes that the profile is in your own schema.

**WITH HIERARCHY OPTION**

Specify `WITH HIERARCHY OPTION` to grant the specified object privilege on all subobjects of `object`, such as subviews created under a view, including subobjects created subsequent to this statement.

This clause is meaningful only in combination with the `READ` or `SELECT` object privilege.

**WITH GRANT OPTION**

Specify `WITH GRANT OPTION` to enable the grantee to grant the object privileges to other users and roles.

If you grant an object privilege to a user without specifying `WITH GRANT OPTION`, and then subsequently grant the privilege to the user `WITH GRANT OPTION`, then the user has the `GRANT OPTION` on the privilege.

To revoke the `GRANT OPTION` on an object privilege from a user, you must revoke the privilege from the user altogether and then grant the privilege to the user without the `GRANT OPTION`.

**Restriction on Granting WITH GRANT OPTION**

You can specify `WITH GRANT OPTION` only when granting to a user or to `PUBLIC`, not when granting to a role.

### ***grant\_roles\_to\_programs***

Use this clause to grant roles to program units. Such roles are called code based access control (CBAC) roles.

#### ***role***

Specify the role you want to grant. You can grant an Oracle Database predefined role or a user-defined role. The role must have been created by or directly granted to the schema owner of the program unit.

#### ***program\_unit***

Specify the program unit to which the role is to be granted. You can specify a PL/SQL function, procedure, or package. If you do not specify *schema*, then Oracle Database assumes the function, procedure, or package is in your own schema.

#### See Also:

*Oracle Database Security Guide* for more information on granting code based access control roles to program units

### **CONTAINER Clause**

If the current container is a pluggable database (PDB):

- Specify `CONTAINER = CURRENT` to locally grant a system privilege, object privilege, or role to a user or role. The privilege or role is granted to the user or role only in the current PDB.

If the current container is the root:

- Specify `CONTAINER = CURRENT` to locally grant a system privilege, object privilege, or role to a common user or common role. The privilege or role is granted to the user or role only in the root.
- Specify `CONTAINER = ALL` to commonly grant a system privilege, object privilege on a common object, or role, to a common user or common role.

If you omit this clause, then `CONTAINER = CURRENT` is the default.

#### Note:

If you specify the `CONTAINER` clause when granting a privilege or role, then the current container must be the same container and you must specify the same `CONTAINER` clause when you revoke the privilege or role. Refer to the [CONTAINER Clause](#) of the `REVOKE` statement for more information.

## Listings of System Administrative, System, Schema, and Object Privileges

Table 18-1 Administrative Privileges

Administrative Privilege Name	Operations Authorized
SYSBACKUP	<p>Perform the following backup and recovery operations:</p> <p>STARTUP and SHUTDOWN.</p> <p>CREATE CONTROLFILE.</p> <p>CREATE PFILE and CREATE SPFILE.</p> <p>FLASHBACK DATABASE.</p> <p>Create, use, view, and drop restore points (including guaranteed restore points).</p> <p>Execute procedures in the DBMS_DATAPUMP, DBMS_PIPE, DBMS_TDB, and DBMS_TTS packages.</p> <p>SELECT on X\$ tables, V\$ views, and GV\$ views.</p> <p>Includes the ALTER DATABASE, ALTER SESSION, ALTER SYSTEM, ALTER TABLESPACE, CREATE ANY CLUSTER, CREATE ANY DIRECTORY, CREATE ANY TABLE, CREATE SESSION, DROP DATABASE, DROP TABLESPACE, RESUMABLE, SELECT ANY DICTIONARY, SELECT ANY TRANSACTION, UNLIMITED TABLESPACE privileges and the SELECT_CATALOG_ROLE role.</p>
SYSDBA	<p>STARTUP and SHUTDOWN.</p> <p>ALTER DATABASE: open, mount, back up, or change character set.</p> <p>CREATE DATABASE.</p> <p>DROP DATABASE.</p> <p>ARCHIVELOG and RECOVERY.</p> <p>CREATE SPFILE.</p> <p>Includes the RESTRICTED SESSION privilege.</p>
SYSDBG	<p>Perform the following Oracle Data Guard operations:</p> <p>STARTUP and SHUTDOWN.</p> <p>FLASHBACK DATABASE.</p> <p>Create, use, view, and drop restore points (including guaranteed restore points).</p> <p>SELECT on X\$ tables, V\$ views, and GV\$ views.</p> <p>Includes the ALTER DATABASE, ALTER SESSION, ALTER SYSTEM, CREATE SESSION, and SELECT ANY DICTIONARY privileges.</p>
SYSKM	<p>Perform the following encryption key management operations:</p> <p>Connect to the database even if the database is not open.</p> <p>SELECT on the following views when the database is open: V\$CLIENT_SECRETS, V\$ENCRYPTED_TABLESPACES, V\$ENCRYPTION_KEYS, V\$ENCRYPTION_WALLET and V\$WALLET.</p> <p>Includes the ADMINISTER KEY MANAGEMENT and CREATE SESSION privileges.</p>

**Table 18-1 (Cont.) Administrative Privileges**

Administrative Privilege Name	Operations Authorized
SYSOPER	STARTUP and SHUTDOWN operations. ALTER DATABASE: open, mount, or back up. ARCHIVELOG and RECOVERY. CREATE SPFILE. Includes the RESTRICTED SESSION privilege.

**Table 18-2 System Privileges (Organized by the Database Object Operated Upon)**

System Privilege Name	Operations Authorized
<b>Advisor Framework Privileges:</b>	All of the advisor framework privileges are part of the DBA role.
ADVISOR	Access the advisor framework through PL/SQL packages such as DBMS_ADVISOR and DBMS_SQLTUNE.
ADMINISTER SQL TUNING SET	Create, drop, select (read), load (write), and delete SQL tuning sets owned by the grantee through the DBMS_SQLTUNE package.
ADMINISTER ANY SQL TUNING SET	Create, drop, select (read), load (write), and delete SQL tuning sets owned by any user through the DBMS_SQLTUNE package.
CREATE ANY SQL PROFILE	Accept a SQL Profile recommended by the SQL Tuning Advisor, which is accessed through Enterprise Manager or by the DBMS_SQLTUNE package. <b>Note:</b> This privilege has been deprecated in favor of ADMINISTER SQL MANAGEMENT OBJECT.
ALTER ANY SQL PROFILE	Alter the attributes of an existing SQL Profile. <b>Note:</b> This privilege has been deprecated in favor of ADMINISTER SQL MANAGEMENT OBJECT.
DROP ANY SQL PROFILE	Drop existing SQL Profiles. <b>Note:</b> This privilege has been deprecated in favor of ADMINISTER SQL MANAGEMENT OBJECT.
ADMINISTER SQL MANAGEMENT OBJECT	Create, alter, and drop SQL Profiles owned by any user through the DBMS_SQLTUNE package.
<b>ANALYTIC VIEWS</b>	—
CREATE ANALYTIC VIEW	Create analytic views in the grantee's schema.
CREATE ANY ANALYTIC VIEW	Create analytic views in any schema except SYS, AUDSYS.
ALTER ANY ANALYTIC VIEW	Rename analytic views in any schema except SYS, AUDSYS.
DROP ANY ANALYTIC VIEW	Drop analytic views in any schema except SYS, AUDSYS.
<b>ATTRIBUTE DIMENSIONS</b>	—
CREATE ATTRIBUTE DIMENSION	Create attribute dimensions in the grantee's schema.
CREATE ANY ATTRIBUTE DIMENSION	Create attribute dimensions in any schema except SYS, AUDSYS.
ALTER ANY ATTRIBUTE DIMENSION	Rename attribute dimensions in any schema except SYS, AUDSYS.
DROP ANY ATTRIBUTE DIMENSION	Drop attribute dimensions in any schema except SYS, AUDSYS.
<b>AUDIT:</b>	—

Table 18-2 (Cont.) System Privileges (Organized by the Database Object Operated Upon)

System Privilege Name	Operations Authorized
AUDIT ANY	Audit an object in any schema, except SYS, AUDSYS, using <code>AUDIT schema_objects</code> statements.
AUDIT SYSTEM	Issue <code>AUDIT</code> statements.
ADMINISTER FINE GRAINED AUDIT POLICY	Allow management of fine-grained audit policies
<b>CLUSTERS:</b>	—
CREATE CLUSTER	Create clusters in the grantee's schema.
CREATE ANY CLUSTER	Create clusters in any schema except SYS, AUDSYS. Behaves similarly to <code>CREATE ANY TABLE</code> .
ALTER ANY CLUSTER	Alter clusters in any schema except SYS, AUDSYS.
DROP ANY CLUSTER	Drop clusters in any schema except SYS, AUDSYS.
<b>CONTEXTS:</b>	—
CREATE ANY CONTEXT	Create any context namespace.
DROP ANY CONTEXT	Drop any context namespace.
<b>DATA REDACTION:</b>	—
EXEMPT REDACTION POLICY	Bypass any existing Oracle Data Redaction policies and view actual data from tables or views on which Data Redaction policies are defined.
ADMINISTER REDACTION POLICY	Allow management of Redaction policies .
<b>DATABASE:</b>	—
ALTER DATABASE	Alter the database.
ALTER SYSTEM	Issue <code>ALTER SYSTEM</code> statements.
<b>DATABASE LINKS:</b>	—
CREATE DATABASE LINK	Create private database links in the grantee's schema.
CREATE PUBLIC DATABASE LINK	Create public database links.
ALTER DATABASE LINK	Modify a fixed-user database link when the password of the connection or authentication user changes.
ALTER PUBLIC DATABASE LINK	Modify a public fixed-user database link when the password of the connection or authentication user changes.
DROP PUBLIC DATABASE LINK	Drop public database links.
<b>DEBUGGING:</b>	—
DEBUG CONNECT SESSION	Connect the current session to a debugger.
DEBUG ANY PROCEDURE	Debug all PL/SQL and Java code in any database object. Display information on all SQL statements executed by the application. <b>Note:</b> Granting this privilege is equivalent to granting the <code>DEBUG</code> object privilege on all applicable objects in the database.
<b>DICTIONARIES:</b>	—
ANALYZE ANY DICTIONARY	Analyze any data dictionary object.
<b>DIMENSIONS:</b>	—

**Table 18-2 (Cont.) System Privileges (Organized by the Database Object Operated Upon)**

<b>System Privilege Name</b>	<b>Operations Authorized</b>
CREATE DIMENSION	Create dimensions in the grantee's schema.
CREATE ANY DIMENSION	Create dimensions in any schema except SYS, AUDSYS.
ALTER ANY DIMENSION	Alter dimensions in any schema except SYS, AUDSYS.
DROP ANY DIMENSION	Drop dimensions in any schema except SYS, AUDSYS.
<b>DIRECTORIES:</b>	—
CREATE ANY DIRECTORY	Create directory database objects.
DROP ANY DIRECTORY	Drop directory database objects.
<b>DOMAINS:</b>	—
CREATE DOMAIN	Create a domain in your own schema.
CREATE ANY DOMAIN	Create a domain in any schema.
ALTER ANY DOMAIN	Alter a domain in any schema.
DROP ANY DOMAIN	Drop a domain in any schema.
EXECUTE ANY DOMAIN	Refer to a domain in any schema.
<b>EDITIONS:</b>	—
CREATE ANY EDITION	Create editions.
DROP ANY EDITION	Drop editions.
<b>FLASHBACK DATA ARCHIVES:</b>	—
FLASHBACK ARCHIVE ADMINISTER	Create, alter, or drop any flashback data archive.
<b>HIERARCHIES</b>	—
CREATE HIERARCHY	Create hierarchies in the grantee's schema.
CREATE ANY HIERARCHY	Create hierarchies in any schema except SYS, AUDSYS.
ALTER ANY HIERARCHY	Rename hierarchies in any schema except SYS, AUDSYS.
DROP ANY HIERARCHY	Drop hierarchies in any schema except SYS, AUDSYS.
<b>INDEXES:</b>	—
CREATE ANY INDEX	Create in any schema, except SYS, AUDSYS, a domain index or an index on any table in any schema except SYS, AUDSYS.
ALTER ANY INDEX	Alter indexes in any schema except SYS, AUDSYS.
DROP ANY INDEX	Drop indexes in any schema except SYS, AUDSYS.
<b>INDEXTYPES:</b>	—
CREATE INDEXTYPE	Create indextypes in the grantee's schema.
CREATE ANY INDEXTYPE	Create indextypes in any schema except SYS and create comments on indextypes in any schema except SYS.
ALTER ANY INDEXTYPE	Modify indextypes in any schema except SYS, AUDSYS.
DROP ANY INDEXTYPE	Drop indextypes in any schema except SYS, AUDSYS.
EXECUTE ANY INDEXTYPE	Reference indextypes in any schema except SYS, AUDSYS.

Table 18-2 (Cont.) System Privileges (Organized by the Database Object Operated Upon)

System Privilege Name	Operations Authorized
<b>JOB SCHEDULER OBJECTS:</b>	The following privileges are needed to execute procedures in the DBMS_SCHEDULER package. This privileges do not apply to lightweight jobs, which are not database objects. Refer to <i>Oracle Database Administrator's Guide</i> for more information about lightweight jobs.
CREATE JOB	Create, alter, or drop jobs, chains, schedules, programs, credentials, resource objects, or incompatibility resource objects in the grantee's schema.
CREATE ANY JOB	Create, alter, or drop jobs, chains, schedules, programs, credentials, resource objects, or incompatibility resource objects in any schema except SYS, AUDSYS. <b>Note:</b> This extremely powerful privilege allows the grantee to execute code as any other user. It should be granted with caution.
CREATE EXTERNAL JOB	Create in the grantee's schema an executable scheduler job that runs on the operating system.
EXECUTE ANY CLASS	Specify any job class in a job in the grantee's schema.
EXECUTE ANY PROGRAM	Use any program in a job in the grantee's schema.
MANAGE SCHEDULER	Create, alter, or drop any job class, window, or window group.
USE ANY JOB RESOURCE	Associate any schedule resource object with any program or job in the grantee's schema.
<b>KEY MANAGEMENT FRAMEWORK:</b>	—
ADMINISTER KEY MANAGEMENT	Manage keys and keystores.
<b>LIBRARIES:</b>	<b>Caution:</b> CREATE LIBRARY, CREATE ANY LIBRARY, ALTER ANY LIBRARY, and EXECUTE ANY LIBRARY are extremely powerful privileges that should be granted only to trusted users. Refer to <i>Oracle Database Security Guide</i> before granting these privileges.
CREATE LIBRARY	Create external procedure or function libraries in the grantee's schema.
CREATE ANY LIBRARY	Create external procedure or function libraries in any schema except SYS, AUDSYS.
ALTER ANY LIBRARY	Alter external procedure or function libraries in any schema except SYS, AUDSYS.
DROP ANY LIBRARY	Drop external procedure or function libraries in any schema except SYS, AUDSYS.
EXECUTE ANY LIBRARY	Use external procedure or function libraries in any schema except SYS, AUDSYS.
<b>LOGMINER:</b>	—
LOGMINING	Execute procedures in the DBMS_LOGMNR package in a CDB or a PDB. Query the contents of the V\$LOGMNR_CONTENTS view.
<b>MATERIALIZED VIEWS:</b>	—
CREATE MATERIALIZED VIEW	Create materialized views in the grantee's schema.
CREATE ANY MATERIALIZED VIEW	Create materialized views in any schema except SYS, AUDSYS.
ALTER ANY MATERIALIZED VIEW	Alter materialized views in any schema except SYS, AUDSYS.



**Table 18-2 (Cont.) System Privileges (Organized by the Database Object Operated Upon)**

<b>System Privilege Name</b>	<b>Operations Authorized</b>
DROP ANY MATERIALIZED VIEW	Drop materialized views in any schema except SYS, AUDSYS.
QUERY REWRITE	This privilege has been deprecated. No privileges are needed for a user to enable rewrite for a materialized view that references tables or views in the user's own schema.
GLOBAL QUERY REWRITE	Enable rewrite using a materialized view when that materialized view references tables or views in any schema except SYS.
ON COMMIT REFRESH	Create a refresh-on-commit materialized view on any table in the database. Alter a refresh-on-demand materialized view on any table in the database to refresh-on-commit.
FLASHBACK ANY TABLE	Issue a SQL Flashback Query on any table, view, or materialized view in any schema except SYS. This privilege is not needed to execute the DBMS_FLASHBACK procedures.
<b>MINING MODELS:</b>	—
CREATE MINING MODEL	Create mining models in the grantee's schema using the DBMS_DATA_MINING.CREATE_MODEL procedure.
CREATE ANY MINING MODEL	Create mining models in any schema, except SYS, AUDSYS, using the DBMS_DATA_MINING.CREATE_MODEL procedure.
ALTER ANY MINING MODEL	Change the mining model name or the associated cost matrix of a model in any schema, except SYS, AUDSYS, using the applicable DBMS_DATA_MINING procedures.
DROP ANY MINING MODEL	Drop mining models in any schema, except SYS, AUDSYS, using the DBMS_DATA_MINING.DROP_MODEL procedure.
SELECT ANY MINING MODEL	Score or view mining models in any schema except SYS, AUDSYS. Scoring is done either with the PREDICTION family of SQL functions or with the DBMS_DATA_MINING.APPLY procedure. Viewing the model is done with the DBMS_DATA_MINING.GET_MODEL_DETAILS_* procedures.
COMMENT ANY MINING MODEL	Create comments on mining models in any schema, except SYS, AUDSYS, using the SQL COMMENT statement.
<b>OLAP CUBES:</b>	The following privileges are valid when you are using Oracle Database with the OLAP option.
CREATE CUBE	Create OLAP cubes in the grantee's schema.
CREATE ANY CUBE	Create OLAP cubes in any schema except SYS, AUDSYS.
ALTER ANY CUBE	Alter OLAP cubes in any schema except SYS, AUDSYS.
DROP ANY CUBE	Drop OLAP cubes in any schema except SYS, AUDSYS.
SELECT ANY CUBE	Query or view OLAP cubes in any schema except SYS, AUDSYS.
UPDATE ANY CUBE	Update OLAP cubes in any schema except SYS, AUDSYS.
<b>OLAP CUBE MEASURE FOLDERS:</b>	The following privileges are valid when you are using Oracle Database with the OLAP option.
CREATE MEASURE FOLDER	Create OLAP measure folders in the grantee's schema.

**Table 18-2 (Cont.) System Privileges (Organized by the Database Object Operated Upon)**

<b>System Privilege Name</b>	<b>Operations Authorized</b>
CREATE ANY MEASURE FOLDER	Create OLAP measure folders in any schema except SYS, AUDSYS.
DELETE ANY MEASURE FOLDER	Delete a measure from an OLAP measure folder in any schema except SYS, AUDSYS.
DROP ANY MEASURE FOLDER	Drop OLAP measure folders in any schema except SYS, AUDSYS.
INSERT ANY MEASURE FOLDER	Insert a measure into an OLAP measure folder in any schema except SYS, AUDSYS.
<b>OLAP CUBE DIMENSIONS:</b>	The following privileges are valid when you are using Oracle Database with the OLAP option.
CREATE CUBE DIMENSION	Create OLAP cube dimension in the grantee's schema.
CREATE ANY CUBE DIMENSION	Create OLAP cube dimensions in any schema except SYS, AUDSYS.
ALTER ANY CUBE DIMENSION	Alter OLAP cube dimensions in any schema except SYS, AUDSYS.
DELETE ANY CUBE DIMENSION	Delete from OLAP cube dimensions in any schema except SYS, AUDSYS.
DROP ANY CUBE DIMENSION	Drop OLAP cube dimensions in any schema except SYS, AUDSYS.
INSERT ANY CUBE DIMENSION	Insert into OLAP cube dimensions in any schema except SYS, AUDSYS.
SELECT ANY CUBE DIMENSION	View or query OLAP cube dimensions in any schema except SYS, AUDSYS.
UPDATE ANY CUBE DIMENSION	Update OLAP cube dimensions in any schema except SYS, AUDSYS.
<b>OLAP CUBE BUILD PROCESSES:</b>	—
CREATE CUBE BUILD PROCESS	Create OLAP cube build processes in the grantee's schema.
CREATE ANY CUBE BUILD PROCESS	Create OLAP cube build processes in any schema except SYS, AUDSYS.
DROP ANY CUBE BUILD PROCESS	Drop OLAP cube build processes in any schema except SYS, AUDSYS.
UPDATE ANY CUBE BUILD PROCESS	Update OLAP cube build processes in any schema except SYS, AUDSYS.
<b>OPERATORS:</b>	—
CREATE OPERATOR	Create an operator and its bindings in the grantee's schema.
CREATE ANY OPERATOR	Create an operator and its bindings in any schema and create a comment on an operator in any schema.
ALTER ANY OPERATOR	Modify operators in any schema.
DROP ANY OPERATOR	Drop operators in any schema.
EXECUTE ANY OPERATOR	Reference operators in any schema.
<b>OUTLINES:</b>	—
CREATE ANY OUTLINE	Create public outlines that can be used in any schema that uses outlines.

**Table 18-2 (Cont.) System Privileges (Organized by the Database Object Operated Upon)**

<b>System Privilege Name</b>	<b>Operations Authorized</b>
ALTER ANY OUTLINE	Modify outlines.
DROP ANY OUTLINE	Drop outlines.
<b>PDB LOCKDOWN PROFILES:</b>	—
CREATE LOCKDOWN PROFILE	Create PDB lockdown profiles.
ALTER LOCKDOWN PROFILE	Alter PDB lockdown profiles.
DROP LOCKDOWN PROFILE	Drop PDB lockdown profiles.
<b>PLAN MANAGEMENT:</b>	—
ADMINISTER SQL MANAGEMENT OBJECT	Perform controlled manipulation of plan history and SQL plan baselines maintained for various SQL statements.
<b>PLUGGABLE DATABASES:</b>	—
CREATE PLUGGABLE DATABASE	Create a PDB. Plug in a PDB that was previously unplugged from a CDB. Clone a PDB.
SET CONTAINER	Allow a common user to switch into the container for which this privilege was granted. This privilege can be granted only to a common user or common role.
<b>PROCEDURES:</b>	—
CREATE PROCEDURE	Create stored procedures, functions, or packages in the grantee's schema.
CREATE ANY PROCEDURE	Create stored procedures, functions, or packages in any schema except SYS, AUDSYS.
ALTER ANY PROCEDURE	Alter stored procedures, functions, or packages in any schema except SYS, AUDSYS.
DROP ANY PROCEDURE	Drop stored procedures, functions, or packages in any schema except SYS, AUDSYS.
EXECUTE ANY PROCEDURE	Execute procedures or functions, either standalone or packaged. Reference public package variables in any schema except SYS, AUDSYS.
INHERIT ANY REMOTE PRIVILEGES	Execute definer's rights procedures or functions that contain current user database links.
<b>PROFILES:</b>	—
CREATE PROFILE	Create profiles.
ALTER PROFILE	Alter profiles.
DROP PROFILE	Drop profiles.
<b>PROPERTY GRAPHS:</b>	—
CREATE PROPERTY GRAPH	Create property graph in the grantee's schema.
CREATE ANY PROPERTY GRAPH	Create property graph in any schema except SYS, AUDSYS.
ALTER ANY PROPERTY GRAPH	Alter property graph in any schema except SYS, AUDSYS.
DROP ANY PROPERTY GRAPH	Drop property graph in any schema except SYS, AUDSYS.

**Table 18-2 (Cont.) System Privileges (Organized by the Database Object Operated Upon)**

<b>System Privilege Name</b>	<b>Operations Authorized</b>
READ ANY PROPERTY GRAPH	Query property graph in any schema except SYS, AUDSYS.
<b>ROLES:</b>	—
CREATE ROLE	Create roles.
ALTER ANY ROLE	Alter any role in the database.
DROP ANY ROLE	Drop roles.
GRANT ANY ROLE	Grant any role in the database.
<b>ROLLBACK SEGMENTS:</b>	—
CREATE ROLLBACK SEGMENT	Create rollback segments.
ALTER ROLLBACK SEGMENT	Alter rollback segments.
DROP ROLLBACK SEGMENT	Drop rollback segments.
<b>SEQUENCES:</b>	—
CREATE SEQUENCE	Create sequences in the grantee's schema.
CREATE ANY SEQUENCE	Create sequences in any schema except SYS, AUDSYS.
ALTER ANY SEQUENCE	Alter sequences in any schema except SYS, AUDSYS.
DROP ANY SEQUENCE	Drop sequences in any schema except SYS, AUDSYS.
SELECT ANY SEQUENCE	Reference sequences in any schema except SYS, AUDSYS.
<b>SESSIONS:</b>	—
CREATE SESSION	Connect to the database.
ALTER RESOURCE COST	Set costs for session resources.
ALTER SESSION	Enable and disable the SQL trace facility.
RESTRICTED SESSION	Logon after the instance is started using the SQL*Plus STARTUP RESTRICT statement.
<b>SNAPSHOTS:</b>	See MATERIALIZED VIEWS
<b>SQL Firewall Administration</b>	—
ADMINISTER SQL FIREWALL	This system privilege is required to execute the PL/SQL procedures in SYS.DBMS_SQL_FIREWALL package. Just like any other system privileges, SYS is assumed to have this privilege. However this system privilege will not be granted to the DBA role by default.
<b>SQL TRANSLATION PROFILES:</b>	—
CREATE SQL TRANSLATION PROFILE	Create SQL translation profiles in the grantee's schema.
CREATE ANY SQL TRANSLATION PROFILE	Create SQL translation profiles in any schema except SYS, AUDSYS.
ALTER ANY SQL TRANSLATION PROFILE	Alter the translator, custom SQL statement translations, or custom error translations of a SQL translation profile in any schema except SYS, AUDSYS.
USE ANY SQL TRANSLATION PROFILE	Use SQL translation profiles in any schema except SYS, AUDSYS.
DROP ANY SQL TRANSLATION PROFILE	Drop SQL translation profiles in any schema except SYS, AUDSYS.

**Table 18-2 (Cont.) System Privileges (Organized by the Database Object Operated Upon)**

System Privilege Name	Operations Authorized
TRANSLATE ANY SQL	Translate SQL through the grantee's SQL translation profile for any user.
<b>SYNONYMS:</b>	<b>Caution:</b> CREATE PUBLIC SYNONYM and DROP PUBLIC SYNONYM are extremely powerful privileges that should be granted only to trusted users. Refer to <i>Oracle Database Security Guide</i> before granting these privileges.
CREATE SYNONYM	Create synonyms in the grantee's schema.
CREATE ANY SYNONYM	Create private synonyms in any schema except SYS, AUDSYS.
CREATE PUBLIC SYNONYM	Create public synonyms.
DROP ANY SYNONYM	Drop private synonyms in any schema except SYS, AUDSYS.
DROP PUBLIC SYNONYM	Drop public synonyms.
<b>TABLES:</b>	<b>Note:</b> For external tables, the only valid privileges are CREATE ANY TABLE, ALTER ANY TABLE, DROP ANY TABLE, READ ANY TABLE, and SELECT ANY TABLE.
CREATE TABLE	Create tables in the grantee's schema.
CREATE ANY TABLE	Create a table in any schema except SYS, AUDSYS. The owner of the schema containing the table must have space quota on the tablespace to contain the table.
ALTER ANY TABLE	Alter a table or view in any schema except SYS, AUDSYS.
BACKUP ANY TABLE	Use the Export utility to incrementally export objects from the schema of other users except SYS, AUDSYS.
DELETE ANY TABLE	Delete rows from tables, table partitions, or views in any schema except SYS, AUDSYS.
DROP ANY TABLE	Drop or truncate tables or table partitions in any schema except SYS, AUDSYS.
INSERT ANY TABLE	Insert rows into tables and views in any schema except SYS, AUDSYS.
LOCK ANY TABLE	Lock tables and views in any schema except SYS, AUDSYS.
READ ANY TABLE	Query tables, views, or materialized views in any schema except SYS, AUDSYS.
SELECT ANY TABLE	Query tables, views, or materialized views in any schema except SYS, AUDSYS. Obtain row locks using a SELECT ... FOR UPDATE.
FLASHBACK ANY TABLE	Issue a SQL Flashback Query on any table, view, or materialized view in any schema except SYS, AUDSYS. This privilege is not needed to execute the DBMS_FLASHBACK procedures.
UPDATE ANY TABLE	Update rows in tables and views in any schema except SYS, AUDSYS.
REDEFINE ANY TABLE	Perform online redefinition without granting any of the privileges in USER or FULL mode.

Table 18-2 (Cont.) System Privileges (Organized by the Database Object Operated Upon)

System Privilege Name	Operations Authorized
TABLE RETENTION	Create a blockchain table or an immutable table whose table retention exceeds the threshold specified by the parameter <code>BLOCKCHAIN_TABLE_RETENTION_THRESHOLD</code> . Increase the table retention for an existing blockchain table or immutable table to a value above the threshold specified by the parameter <code>BLOCKCHAIN_TABLE_RETENTION_THRESHOLD</code> .
<b>TABLESPACES:</b>	—
CREATE TABLESPACE	Create tablespaces.
ALTER TABLESPACE	Alter tablespaces.
DROP TABLESPACE	Drop tablespaces.
MANAGE TABLESPACE	Take tablespaces offline and online and begin and end tablespace backups.
UNLIMITED TABLESPACE	Use an unlimited amount of any tablespace. This privilege overrides any specific quotas assigned. If you revoke this privilege from a user, then the user's schema objects remain but further tablespace allocation is denied unless authorized by specific tablespace quotas. You cannot grant this system privilege to roles.
<b>TRIGGERS:</b>	—
CREATE TRIGGER	Create database triggers in the grantee's schema.
CREATE ANY TRIGGER	Create database triggers in any schema except <code>SYS</code> , <code>AUDSYS</code> .
ALTER ANY TRIGGER	Enable, disable, or compile database triggers in any schema except <code>SYS</code> , <code>AUDSYS</code> .
DROP ANY TRIGGER	Drop database triggers in any schema except <code>SYS</code> , <code>AUDSYS</code> .
ADMINISTER DATABASE TRIGGER	Create a trigger on <code>DATABASE</code> . You must also have the <code>CREATE TRIGGER</code> or <code>CREATE ANY TRIGGER</code> system privilege.
<b>TYPES:</b>	—
CREATE TYPE	Create object types and object type bodies in the grantee's schema.
CREATE ANY TYPE	Create object types and object type bodies in any schema except <code>SYS</code> , <code>AUDSYS</code> .
ALTER ANY TYPE	Alter object types in any schema except <code>SYS</code> , <code>AUDSYS</code> .
DROP ANY TYPE	Drop object types and object type bodies in any schema except <code>SYS</code> , <code>AUDSYS</code> .
EXECUTE ANY TYPE	Use and reference object types and collection types in any schema except <code>SYS</code> , <code>AUDSYS</code> , and invoke methods of an object type in any schema, except <code>SYS</code> , <code>AUDSYS</code> , if you make the grant to a specific user. If you grant <code>EXECUTE ANY TYPE</code> to a role, then users holding the enabled role will not be able to invoke methods of an object type in any schema.
UNDER ANY TYPE	Create subtypes under any nonfinal object types.
<b>USERS:</b>	—

Table 18-2 (Cont.) System Privileges (Organized by the Database Object Operated Upon)

System Privilege Name	Operations Authorized
CREATE USER	Create users. This privilege also allows the creator to: <ul style="list-style-type: none"> <li>Assign quotas on any tablespace.</li> <li>Set default and temporary tablespaces.</li> <li>Assign a profile as part of a CREATE USER statement.</li> </ul>
ALTER USER	Alter any user except SYS. This privilege authorizes the grantee to: <ul style="list-style-type: none"> <li>Change another user's password or authentication method.</li> <li>Assign quotas on any tablespace.</li> <li>Set default and temporary tablespaces.</li> <li>Assign a profile and default roles.</li> </ul>
DROP USER	Drop users
<b>VIEWS:</b>	—
CREATE VIEW	Create views in the grantee's schema.
CREATE ANY VIEW	Create views in any schema except SYS, AUDSYS.
DROP ANY VIEW	Drop views in any schema except SYS, AUDSYS.
UNDER ANY VIEW	Create subviews under any object views.
FLASHBACK ANY TABLE	Issue a SQL Flashback Query on any table, view, or materialized view in any schema except SYS, AUDSYS. This privilege is not needed to execute the DBMS_FLASHBACK procedures.
MERGE ANY VIEW	If a user has been granted the MERGE ANY VIEW privilege, then for any query issued by that user, the optimizer can use view merging to improve query performance without performing the checks that would otherwise be performed to ensure that view merging does not violate any security intentions of the view creator. See <i>Oracle Database SQL Tuning Guide</i> for information on view merging.
<b>VIRTUAL PRIVATE DATABASE</b>	
EXEMPT ACCESS POLICY	Bypass fine-grained access control. <b>Caution:</b> This is a very powerful system privilege, as it lets the grantee bypass application-driven security policies. Database administrators should use caution when granting this privilege.
ADMINISTER ROW LEVEL SECURITY POLICY	Allow management of Virtual Private Database (VPD) policies (fine-grained access control, row-level security)
<b>MISCELLANEOUS:</b>	—
ANALYZE ANY	Analyze a table, cluster, or index in any schema except SYS.
BECOME USER	Allow users of the Data Pump Import utility (impdp) and the original Import utility (imp) to assume the identity of another user in order to perform operations that cannot be directly performed by a third party (for example, loading objects such as object privilege grants).  Allow Streams administrators to create or alter capture users and apply users in a Streams environment. By default this privilege is part of the DBA role. Database Vault removes this privileges from the DBA role. Therefore, this privilege is needed by Streams only in an environment where Database Vault is installed.

Table 18-2 (Cont.) System Privileges (Organized by the Database Object Operated Upon)

System Privilege Name	Operations Authorized
CHANGE NOTIFICATION	Create a registration on queries and receive database change notifications in response to DML or DDL changes to the objects associated with the registered queries. Refer to <i>Oracle Database Development Guide</i> for more information on database change notification.
COMMENT ANY TABLE	Comment on a table, view, or column in any schema except SYS, AUDSYS.
ENABLE DIAGNOSTICS	<ul style="list-style-type: none"> <li>• Set debug-events via ALTER SESSION or ALTER SYSTEM</li> <li>• Set debug-actions to execute during an event via ALTER SESSION or ALTER SYSTEM</li> <li>• Execute debug-actions immediately via ALTER SESSION or ALTER SYSTEM by specifying the IMMEDIATE keyword instead of an event name</li> <li>• Set the event parameter in the spfile via ALTER SYSTEM</li> </ul>
FORCE ANY TRANSACTION	Force the commit or rollback of any in-doubt distributed transaction in the local database. Induce the failure of a distributed transaction.
FORCE TRANSACTION	Force the commit or rollback of the grantee's in-doubt distributed transactions in the local database.
GRANT ANY OBJECT PRIVILEGE	Grant any object privilege that the object owner is permitted to grant. Revoke any object privilege that was granted by the object owner or by some other user with the GRANT ANY OBJECT PRIVILEGE privilege.
GRANT ANY PRIVILEGE	Grant any system privilege.
INHERIT ANY PRIVILEGES	Execute invoker's rights procedures owned by the grantee with the privileges of the invoker.
KEEP DATE TIME	The SYSDATE and SYSTIMESTAMP functions return their original values during replay for Application Continuity when the grantee is running the application. This privilege is useful for providing bind variable consistency after recoverable errors. <b>Note:</b> If this privilege is granted or revoked between runtime and failover of a request, then the original values are not returned during replay for Application Continuity for that request.
KEEP SYSGUID	The SYS_GUID function returns its original value during replay for Application Continuity when the grantee is running the application. This privilege is useful for providing bind variable consistency after recoverable errors. <b>Note:</b> If this privilege is granted or revoked between runtime and failover of a request, then the original value is not returned during replay for Application Continuity for that request.
PURGE DBA_RECYCLEBIN	Remove all objects from the system-wide recycle bin.
RESUMABLE	Enable resumable space allocation.



Table 18-2 (Cont.) System Privileges (Organized by the Database Object Operated Upon)

System Privilege Name	Operations Authorized
SELECT ANY DICTIONARY	Query any data dictionary object in the dictionary protected schema, with the exception of the following objects: SYS.DEFAULT_PWD\$, SYS.ENC\$, SYS.LINK\$, SYS.USER\$, SYS.USER_HISTORY\$, and SYS.XS\$VERIFIERS. <b>Note:</b> The privilege will NOT allow the grantee to execute SELECT . . . FOR UPDATE on a dictionary table. It will allow “READ” on dictionary objects
SELECT ANY TRANSACTION	Query the contents of the FLASHBACK_TRANSACTION_QUERY view. <b>Caution:</b> This is a very powerful system privilege, as it lets the grantee view all data in the database, including past data. This privilege should be granted only to users who need to use the Oracle Flashback Transaction Query feature.

Table 18-3 Schema Privileges (Organized by the Operations Authorized)

Schema Privilege Name	Operations Authorized
<b>ANALYTIC VIEWS</b>	—
CREATE ANY ANALYTIC VIEW	Create analytic views in any schema except SYS, AUDSYS. If the grantee is the schema owner, then grantee should have been granted CREATE ANALYTIC VIEW privilege.
ALTER ANY ANALYTIC VIEW	Rename analytic views in any schema except SYS, AUDSYS.
DROP ANY ANALYTIC VIEW	Drop analytic views in any schema except SYS, AUDSYS .
<b>ATTRIBUTE DIMENSIONS</b>	—
CREATE ANY ATTRIBUTE DIMENSION	Create attribute dimensions in any schema except SYS, AUDSYS. If the grantee is the schema owner, then grantee should have been granted CREATE ATTRIBUTE DIMENSION privilege.
ALTER ANY ATTRIBUTE DIMENSION	Rename attribute dimensions in any schema except SYS, AUDSYS.
DROP ANY ATTRIBUTE DIMENSION	Drop attribute dimensions in any schema except SYS, AUDSYS.
<b>AUDIT GROUP:</b>	—
AUDIT ANY	Audit an object in any schema, except SYS, AUDSYS, using AUDIT <i>schema_objects</i> statements.
ADMINISTER FINE GRAINED AUDIT POLICY	Allow management of fine-grained audit policies in a schema.
<b>CLUSTERS:</b>	—
CREATE ANY CLUSTER	Create clusters in any schema except SYS, AUDSYS. Behaves similarly to CREATE ANY TABLE. If the grantee is the schema owner, then grantee should have been granted CREATE CLUSTER privilege.
ALTER ANY CLUSTER	Alter clusters in any schema except SYS, AUDSYS.
DROP ANY CLUSTER	Drop clusters in any schema except SYS, AUDSYS.
<b>DATA REDACTION:</b>	—

Table 18-3 (Cont.) Schema Privileges (Organized by the Operations Authorized)

Schema Privilege Name	Operations Authorized
EXEMPT REDACTION POLICY	Bypass any existing Oracle Data Redaction policies and view actual data from tables or views on which Data Redaction policies are defined in the schema.
ADMINISTER REDACTION POLICY	Allow management of redaction policies in a schema.
<b>DIMENSIONS:</b>	—
CREATE ANY DIMENSION	Create dimensions in any schema except SYS, AUDSYS. If the grantee is the schema owner, then grantee should have been granted CREATE DIMENSION privilege.
ALTER ANY DIMENSION	Alter dimensions in any schema except SYS, AUDSYS.
DROP ANY DIMENSION	Drop dimensions in any schema except SYS, AUDSYS.
<b>DOMAINS:</b>	—
CREATE ANY DOMAIN	Create a DOMAIN in any non-dictionary protected schema. If the grantee is the schema owner, then grantee should have been granted CREATE DOMAIN privilege.
ALTER ANY DOMAIN	Rename a domain in any non-dictionary protected schema.
DROP ANY DOMAIN	Drop a domain in any non-dictionary protected schema.
EXECUTE ANY DOMAIN	Execute a domain in a designated non-dictionary protected schema.
<b>HIERARCHIES</b>	—
CREATE ANY HIERARCHY	Create hierarchies in any schema except SYS, AUDSYS. If the grantee is the schema owner, then grantee should have been granted CREATE HIERARCHY privilege.
ALTER ANY HIERARCHY	Rename hierarchies in any schema except SYS, AUDSYS.
DROP ANY HIERARCHY	Drop hierarchies in any schema except SYS, AUDSYS.
<b>INDEXES:</b>	—
CREATE ANY INDEX	Create in any schema, except SYS, AUDSYS, a domain index or an index on any table in any schema except SYS, AUDSYS. If the grantee is the schema owner, then grantee should have been granted CREATE INDEX privilege.
ALTER ANY INDEX	Alter indexes in any schema except SYS, AUDSYS.
DROP ANY INDEX	Drop indexes in any schema except SYS, AUDSYS.
<b>INDEXTYPES:</b>	—
CREATE ANY INDEXTYPE	Create indextypes in any schema except SYS and create comments on indextypes in any schema except SYS. If the grantee is the schema owner, then grantee should have been granted CREATE INDEXTYPE privilege.
ALTER ANY INDEXTYPE	Modify indextypes in any schema except SYS, AUDSYS.
DROP ANY INDEXTYPE	Drop indextypes in any schema except SYS, AUDSYS.
EXECUTE ANY INDEXTYPE	Reference indextypes in any schema except SYS, AUDSYS.

Table 18-3 (Cont.) Schema Privileges (Organized by the Operations Authorized)

Schema Privilege Name	Operations Authorized
<b>JOB SCHEDULER OBJECTS:</b>	The following privileges are needed to execute procedures in the DBMS_SCHEDULER package. This privileges do not apply to lightweight jobs, which are not database objects. Refer to <i>Oracle Database Administrator's Guide</i> for more information about lightweight jobs.
CREATE ANY JOB	Create, alter, or drop jobs, chains, schedules, programs, credentials, resource objects, or incompatibility resource objects in any schema except SYS, AUDSYS.  If the grantee is the schema owner, then grantee should have been granted CREATE JOB privilege.  <b>Note:</b> This extremely powerful privilege allows the grantee to execute code as any other user. It should be granted with caution.
<b>LIBRARIES:</b>	<b>Caution:</b> CREATE LIBRARY, CREATE ANY LIBRARY, ALTER ANY LIBRARY, and EXECUTE ANY LIBRARY are extremely powerful privileges that should be granted only to trusted users. Refer to <i>Oracle Database Security Guide</i> before granting these privileges.
CREATE ANY LIBRARY	Create external procedure or function libraries in any schema except SYS, AUDSYS.  If the grantee is the schema owner, then grantee should have been granted CREATE LIBRARY privilege.
ALTER ANY LIBRARY	Alter external procedure or function libraries in any schema except SYS, AUDSYS.
DROP ANY LIBRARY	Drop external procedure or function libraries in any schema except SYS, AUDSYS.
EXECUTE ANY LIBRARY	Use external procedure or function libraries in any schema except SYS, AUDSYS.
<b>MATERIALIZED VIEWS:</b>	—
CREATE ANY MATERIALIZED VIEW	Create materialized views in any schema except SYS, AUDSYS.  If the grantee is the schema owner, then grantee should have been granted CREATE MATERIALIZED VIEW privilege.
ALTER ANY MATERIALIZED VIEW	Alter materialized views in any schema except SYS, AUDSYS.
DROP ANY MATERIALIZED VIEW	Drop materialized views in any schema except SYS, AUDSYS.
GLOBAL QUERY REWRITE	Enable rewrite using a materialized view when that materialized view references tables or views in any schema except SYS.
FLASHBACK ANY TABLE	Issue a SQL Flashback Query on any table, view, or materialized view in any schema except SYS. This privilege is not needed to execute the DBMS_FLASHBACK procedures.
<b>MINING MODELS:</b>	—
CREATE ANY MINING MODEL	Create mining models in any schema, except SYS, AUDSYS, using the DBMS_DATA_MINING.CREATE_MODEL procedure.  If the grantee is the schema owner, then grantee should have been granted CREATE MINING MODEL privilege.

**Table 18-3 (Cont.) Schema Privileges (Organized by the Operations Authorized)**

Schema Privilege Name	Operations Authorized
ALTER ANY MINING MODEL	Change the mining model name or the associated cost matrix of a model in any schema, except SYS, AUDSYS, using the applicable DBMS_DATA_MINING procedures.
DROP ANY MINING MODEL	Drop mining models in any schema, except SYS, AUDSYS, using the DBMS_DATA_MINING.DROP_MODEL procedure.
SELECT ANY MINING MODEL	Score or view mining models in any schema except SYS, AUDSYS. Scoring is done either with the PREDICTION family of SQL functions or with the DBMS_DATA_MINING.APPLY procedure. Viewing the model is done with the DBMS_DATA_MINING.GET_MODEL_DETAILS_* procedures.
COMMENT ANY MINING MODEL	Create comments on mining models in any schema, except SYS, AUDSYS, using the SQL COMMENT statement.
<b>OLAP CUBES:</b>	The following privileges are valid when you are using Oracle Database with the OLAP option.
CREATE ANY CUBE	Create OLAP cubes in any schema except SYS, AUDSYS. If the grantee is the schema owner, then grantee should have been granted CREATE CUBE privilege.
ALTER ANY CUBE	Alter OLAP cubes in any schema except SYS, AUDSYS.
DROP ANY CUBE	Drop OLAP cubes in any schema except SYS, AUDSYS.
SELECT ANY CUBE	Query or view OLAP cubes in any schema except SYS, AUDSYS.
UPDATE ANY CUBE	Update OLAP cubes in any schema except SYS, AUDSYS.
<b>OLAP CUBE MEASURE FOLDERS:</b>	The following privileges are valid when you are using Oracle Database with the OLAP option.
CREATE ANY MEASURE FOLDER	Create OLAP measure folders in any schema except SYS, AUDSYS. If the grantee is the schema owner, then grantee should have been granted CREATE MEASURE FOLDER privilege.
DELETE ANY MEASURE FOLDER	Delete a measure from an OLAP measure folder in any schema except SYS, AUDSYS.
DROP ANY MEASURE FOLDER	Drop OLAP measure folders in any schema except SYS, AUDSYS.
INSERT ANY MEASURE FOLDER	Insert a measure into an OLAP measure folder in any schema except SYS, AUDSYS.
<b>OLAP CUBE DIMENSIONS:</b>	The following privileges are valid when you are using Oracle Database with the OLAP option.
CREATE ANY CUBE DIMENSION	Create OLAP cube dimensions in any schema except SYS, AUDSYS. If the grantee is the schema owner, then grantee should have been granted CREATE CUBE DIMENSION privilege.
ALTER ANY CUBE DIMENSION	Alter OLAP cube dimensions in any schema except SYS, AUDSYS.
DELETE ANY CUBE DIMENSION	Delete from OLAP cube dimensions in any schema except SYS, AUDSYS.
DROP ANY CUBE DIMENSION	Drop OLAP cube dimensions in any schema except SYS, AUDSYS.

**Table 18-3 (Cont.) Schema Privileges (Organized by the Operations Authorized)**

<b>Schema Privilege Name</b>	<b>Operations Authorized</b>
INSERT ANY CUBE DIMENSION	Insert into OLAP cube dimensions in any schema except SYS, AUDSYS.
SELECT ANY CUBE DIMENSION	View or query OLAP cube dimensions in any schema except SYS, AUDSYS.
UPDATE ANY CUBE DIMENSION	Update OLAP cube dimensions in any schema except SYS, AUDSYS.
<b>OLAP CUBE BUILD PROCESSES:</b>	—
CREATE ANY CUBE BUILD PROCESS	Create OLAP cube build processes in any schema except SYS, AUDSYS.  If the grantee is the schema owner, then grantee should have been granted CREATE CUBE BUILD PROCESS privilege.
DROP ANY CUBE BUILD PROCESS	Drop OLAP cube build processes in any schema except SYS, AUDSYS.
UPDATE ANY CUBE BUILD PROCESS	Update OLAP cube build processes in any schema except SYS, AUDSYS.
<b>OPERATORS:</b>	—
CREATE ANY OPERATOR	Create an operator and its bindings in any schema and create a comment on an operator in any schema.  If the grantee is the schema owner, then grantee should have been granted CREATE OPERATOR privilege.
ALTER ANY OPERATOR	Modify operators in any schema.
DROP ANY OPERATOR	Drop operators in any schema.
EXECUTE ANY OPERATOR	Reference operators in any schema.
<b>PROCEDURES:</b>	—
CREATE ANY PROCEDURE	Create stored procedures, functions, or packages in any schema except SYS, AUDSYS.  If the grantee is the schema owner, then grantee should have been granted CREATE PROCEDURE privilege.
ALTER ANY PROCEDURE	Alter stored procedures, functions, or packages in any schema except SYS, AUDSYS.
DROP ANY PROCEDURE	Drop stored procedures, functions, or packages in any schema except SYS, AUDSYS.
EXECUTE ANY PROCEDURE	Execute procedures or functions, either standalone or packaged. Reference public package variables in any schema except SYS, AUDSYS.
<b>SEQUENCES:</b>	—
CREATE ANY SEQUENCE	Create sequences in any schema except SYS, AUDSYS.  If the grantee is the schema owner, then grantee should have been granted CREATE SEQUENCE privilege.
ALTER ANY SEQUENCE	Alter sequences in any schema except SYS, AUDSYS.
DROP ANY SEQUENCE	Drop sequences in any schema except SYS, AUDSYS.

**Table 18-3 (Cont.) Schema Privileges (Organized by the Operations Authorized)**

Schema Privilege Name	Operations Authorized
SELECT ANY SEQUENCE	Reference sequences in any schema except SYS, AUDSYS.
<b>SQL TRANSLATION PROFILES:</b>	—
CREATE ANY SQL TRANSLATION PROFILE	Create SQL translation profiles in any schema except SYS, AUDSYS.  If the grantee is the schema owner, then grantee should have been granted CREATE SQL TRANSLATION PROFILE privilege.
ALTER ANY SQL TRANSLATION PROFILE	Alter the translator, custom SQL statement translations, or custom error translations of a SQL translation profile in any schema except SYS, AUDSYS.
USE ANY SQL TRANSLATION PROFILE	Use SQL translation profiles in any schema except SYS, AUDSYS.
DROP ANY SQL TRANSLATION PROFILE	Drop SQL translation profiles in any schema except SYS, AUDSYS.
TRANSLATE ANY SQL	Translate SQL through the grantee's SQL translation profile for any user.
<b>SYNONYMS:</b>	-
CREATE ANY SYNONYM	Create private synonyms in any schema except SYS, AUDSYS.  If the grantee is the schema owner, then grantee should have been granted CREATE SYNONYM privilege.
DROP ANY SYNONYM	Drop private synonyms in any schema except SYS, AUDSYS.
<b>TABLES:</b>	-
CREATE ANY TABLE	Create a table in any schema except SYS, AUDSYS. The owner of the schema containing the table must have space quota on the tablespace to contain the table.  If the grantee is the schema owner, then grantee should have been granted CREATE TABLE privilege.
ALTER ANY TABLE	Alter a table or view in any schema except SYS, AUDSYS.
BACKUP ANY TABLE	Use the Export utility to incrementally export objects from the schema of other users except SYS, AUDSYS.
DELETE ANY TABLE	Delete rows from tables, table partitions, or views in any schema except SYS, AUDSYS.
DROP ANY TABLE	Drop or truncate tables or table partitions in any schema except SYS, AUDSYS.
INSERT ANY TABLE	Insert rows into tables and views in any schema except SYS, AUDSYS.
LOCK ANY TABLE	Lock tables and views in any schema except SYS, AUDSYS.
READ ANY TABLE	Query tables, views, or materialized views in any schema except SYS, AUDSYS.
SELECT ANY TABLE	Query tables, views, or materialized views in any schema except SYS, AUDSYS. Obtain row locks using a SELECT ... FOR UPDATE.
FLASHBACK ANY TABLE	Issue a SQL Flashback Query on any table, view, or materialized view in any schema except SYS, AUDSYS. This privilege is not needed to execute the DBMS_FLASHBACK procedures.

Table 18-3 (Cont.) Schema Privileges (Organized by the Operations Authorized)

Schema Privilege Name	Operations Authorized
UPDATE ANY TABLE	Update rows in tables and views in any schema except SYS, AUDSYS.
<b>TRIGGERS:</b>	—
CREATE ANY TRIGGER	Create database triggers in any schema except SYS, AUDSYS. If the grantee is the schema owner, then grantee should have been granted CREATE TRIGGER privilege.
ALTER ANY TRIGGER	Enable, disable, or compile database triggers in any schema except SYS, AUDSYS.
DROP ANY TRIGGER	Drop database triggers in any schema except SYS, AUDSYS.
<b>TYPES:</b>	—
CREATE ANY TYPE	Create object types and object type bodies in any schema except SYS, AUDSYS. If the grantee is the schema owner, then grantee should have been granted CREATE TYPE privilege.
ALTER ANY TYPE	Alter object types in any schema except SYS, AUDSYS.
DROP ANY TYPE	Drop object types and object type bodies in any schema except SYS, AUDSYS.
EXECUTE ANY TYPE	Use and reference object types and collection types in any schema except SYS, AUDSYS, and invoke methods of an object type in any schema, except SYS, AUDSYS, if you make the grant to a specific user. If you grant EXECUTE ANY TYPE to a role, then users holding the enabled role will not be able to invoke methods of an object type in any schema.
UNDER ANY TYPE	Create subtypes under any nonfinal object types.
<b>VIEWS:</b>	—
CREATE ANY VIEW	Create views in any schema except SYS, AUDSYS. If the grantee is the schema owner, then grantee should have been granted CREATE VIEW privilege.
DROP ANY VIEW	Drop views in any schema except SYS, AUDSYS.
UNDER ANY VIEW	Create subviews under any object views.
FLASHBACK ANY TABLE	Issue a SQL Flashback Query on any table, view, or materialized view in any schema except SYS, AUDSYS. This privilege is not needed to execute the DBMS_FLASHBACK procedures.
<b>VIRTUAL PRIVATE DATABASE:</b>	—
EXEMPT ACCESS POLICY	Bypass fine-grained access control. <b>Caution:</b> This is a very powerful system privilege, as it lets the grantee bypass application-driven security policies. Database administrators should use caution when granting this privilege.
ADMINISTER ROW LEVEL SECURITY POLICY	Allow management of Virtual Private Database (VPD) policies in a schema (fine-grained access control, row-level security).
<b>MISCELLANEOUS:</b>	—
ANALYZE ANY	Analyze a table, cluster, or index in any schema except SYS.

Table 18-3 (Cont.) Schema Privileges (Organized by the Operations Authorized)

Schema Privilege Name	Operations Authorized
COMMENT ANY TABLE	Comment on a table, view, or column in any schema except SYS, AUDSYS.

Table 18-4 Object Privileges (Organized by the Database Object Operated Upon)

Object Privilege Name	Operations Authorized
<b>ANALYTIC VIEW PRIVILEGES</b>	The following <b>analytic view privileges</b> authorize operations on analytic views.
ALTER	Rename the analytic view.
READ	Query the object with the <code>SELECT</code> statement.
SELECT	Query the object with the <code>SELECT</code> statement.
<b>ATTRIBUTE DIMENSION PRIVILEGES</b>	The following <b>attribute dimension privileges</b> authorize operations on attribute dimensions..
ALTER	Rename the attribute dimension.
<b>DIRECTORY PRIVILEGES</b>	The following <b>directory privileges</b> provide secured access to the files stored in the operating system directory to which the directory object serves as a pointer. The directory object contains the full path name of the operating system directory where the files reside. Because the files are actually stored outside the database, Oracle Database server processes also need to have appropriate file permissions on the file system server. Granting object privileges on the directory database object to individual database users, rather than on the operating system, allows the database to enforce security during file operations.
READ	Read files in the directory.
WRITE	Write files in the directory. This privilege is useful only in connection with external tables. It allows the grantee to determine whether the external table agent can write a log file or a bad file to the directory. <b>Restriction:</b> This privilege does not allow the grantee to write to a <code>BFILE</code> .
EXECUTE	Execute a preprocessor program that resides in the directory. A preprocessor program converts data to a supported format when loading data records from an external table with the <code>ORACLE_LOADER</code> access driver. Refer to <i>Oracle Database Utilities</i> for more information. This privilege does not implicitly allow <code>READ</code> access on the external table data.
<b>EDITION PRIVILEGE</b>	The following <b>edition privilege</b> authorizes the use of an edition.
USE	Use an edition.
<b>FLASHBACK DATA ARCHIVE PRIVILEGE</b>	The following <b>flashback data archive privilege</b> authorizes operations on flashback data archives.
FLASHBACK ARCHIVE	Enable or disable historical tracking for a table.
<b>HIERARCHY PRIVILEGES</b>	The following <b>hierarchy privileges</b> authorize operations on hierarchies.
ALTER	Rename the hierarchy.
READ	Query the object with the <code>SELECT</code> statement.
SELECT	Query the object with the <code>SELECT</code> statement.
<b>INDEXTYPE PRIVILEGE</b>	The following <b>indextype privilege</b> authorizes operations on indextypes.



Table 18-4 (Cont.) Object Privileges (Organized by the Database Object Operated Upon)

Object Privilege Name	Operations Authorized
EXECUTE	Reference an indextype.
<b>LIBRARY PRIVILEGE</b>	The following <b>library privilege</b> authorizes operations on a library.
EXECUTE	Use and reference the specified object and invoke its methods. <b>Caution:</b> This extremely powerful privilege should be granted only to trusted users. Refer to <i>Oracle Database Security Guide</i> before granting this privilege.
<b>MATERIALIZED VIEW PRIVILEGES</b>	The following <b>materialized view privileges</b> authorize operations on a materialized view. The DELETE, INSERT, and UPDATE privileges can be granted only to updatable materialized views.
ON COMMIT REFRESH	Create a refresh-on-commit materialized view on the specified table.
QUERY REWRITE	Create a materialized view for query rewrite using the specified table.
READ	Query the materialized view.
SELECT	Query the materialized view. Obtain row locks with the SELECT ... FOR UPDATE or LOCK TABLE statement.
<b>MINING MODEL PRIVILEGES</b>	The following mining model privileges authorize operations on a mining model. These privileges are not required for models within the users own schema.
ALTER	Change the mining model name or the associated cost matrix using the applicable DBMS_DATA_MINING procedures.
SELECT	Score or view the mining model. Scoring is done with the PREDICTION family of SQL functions or with the DBMS_DATA_MINING.APPLY procedure. Viewing the model is done with the DBMS_DATA_MINING.GET_MODEL_DETAILS_* procedures.
<b>OBJECT TYPE PRIVILEGES</b>	The following <b>object type privileges</b> authorize operations on a database object type.
DEBUG	Access, through a debugger, all public and nonpublic variables, methods, and types defined on the object type. Place a breakpoint or stop at a line or instruction boundary within the type body.
EXECUTE	Use and reference the specified object and invoke its methods. Access, through a debugger, public variables, types, and methods defined on the object type.
UNDER	Create a subtype under this type. You can grant this object privilege only if you have the UNDER ANY TYPE privilege WITH GRANT OPTION on the immediate supertype of this type.
<b>OLAP PRIVILEGES</b>	The following object privileges are valid if you are using Oracle Database with the OLAP option.
INSERT	Insert members into the OLAP cube dimension or measures into the measures folder.
ALTER	Change the definition of the OLAP cube dimension or cube.
DELETE	Delete members from the OLAP cube dimension or measures from the measures folder.
SELECT	View or query the OLAP cube or cube dimension.
UPDATE	Update measure values of the OLAP cube or attribute values of the cube dimension.

Table 18-4 (Cont.) Object Privileges (Organized by the Database Object Operated Upon)

Object Privilege Name	Operations Authorized
<b>OPERATOR PRIVILEGE</b>	The following <b>operator privilege</b> authorizes operations on user-defined operators.
EXECUTE	Reference an operator.
<b>PROCEDURE, FUNCTION, PACKAGE PRIVILEGES</b>	The following <b>procedure, function, and package privileges</b> authorize operations on procedures, functions, and packages. These privileges also apply to <b>Java sources, classes, and resources</b> , which Oracle Database treats as though they were procedures for purposes of granting object privileges.
DEBUG	Access, through a debugger, all public and nonpublic variables, methods, and types defined on the object.  Place a breakpoint or stop at a line or instruction boundary within the procedure, function, or package. This privilege grants access to the declarations in the method or package specification and body.
EXECUTE	Execute the procedure or function directly, or access any program object declared in the specification of a package, or compile the object implicitly during a call to a currently invalid or uncompiled function or procedure. This privilege does not allow the grantee to explicitly compile using <code>ALTER PROCEDURE</code> or <code>ALTER FUNCTION</code> . For explicit compilation you need the appropriate <code>ALTER</code> system privilege.  Access, through a debugger, public variables, types, and methods defined on the procedure, function, or package. This privilege grants access to the declarations in the method or package specification only.  Job scheduler objects are created using the <code>DBMS_SCHEDULER</code> package. After these objects are created, you can grant the <code>EXECUTE</code> object privilege on job scheduler classes and programs. You can also grant <code>ALTER</code> privilege on job scheduler jobs, programs, and schedules.  <b>Note:</b> Users do not need this privilege to execute a procedure, function, or package indirectly.
<b>PROPERTY GRAPH PRIVILEGES</b>	The following object privileges authorize operations on property graphs.
ALTER	Change the graph definition using <code>ALTER PROPERTY GRAPH</code> statement.
READ	Query the <code>PROPERTY GRAPH</code> with the <code>SELECT</code> statement.  Does not allow <code>SELECT ... FOR UPDATE</code> .
SELECT	Query the <code>PROPERTY GRAPH</code> with the <code>SELECT</code> statement.
<b>SCHEDULER PRIVILEGES</b>	Job scheduler objects are created using the <code>DBMS_SCHEDULER</code> package. After these objects are created, you can grant the following privileges.
EXECUTE	Operations on job classes, programs, chains, and credentials.
ALTER	Modifications to jobs, programs, chains, credentials, and schedules.
USE	Associate the specified scheduler resource object with programs and jobs.
<b>SEQUENCE PRIVILEGES</b>	The following <b>sequence privileges</b> authorize operations on a sequence.
ALTER	Change the sequence definition with the <code>ALTER SEQUENCE</code> statement.

Table 18-4 (Cont.) Object Privileges (Organized by the Database Object Operated Upon)

Object Privilege Name	Operations Authorized
KEEP SEQUENCE	<p>The sequence pseudocolumn <code>NEXTVAL</code> retains its original value during replay for Application Continuity when the grantee is running the application. This privilege is useful for providing bind variable consistency when replaying after recoverable errors.</p> <p>If this privilege is granted or revoked between runtime and failover of a request, then the original value of <code>NEXTVAL</code> is not retained during replay for Application Continuity for that request.</p> <p><b>Note:</b> This privilege is not granted by the <code>GRANT ALL PRIVILEGES ON sequence</code> statement. You must explicitly grant this privilege.</p> <p><b>Note:</b> This privilege is part of the DBA role.</p>
SELECT	Examine and increment values of the sequence with the <code>CURRVAL</code> and <code>NEXTVAL</code> pseudocolumns.
<b>SQL TRANSLATION PROFILE PRIVILEGES</b>	The following <b>SQL translation profile privileges</b> authorize operations on a SQL translation profile.
ALTER	Alter the translator, custom SQL statement translations, or custom error translations of a SQL translation profile.
USE	Use a SQL translation profile.
<b>SYNONYM PRIVILEGES</b>	<p><b>Synonym privileges</b> are the same as the privileges for the target object. Granting a privilege on a synonym is equivalent to granting the privilege on the base object. Similarly, granting a privilege on a base object is equivalent to granting the privilege on all synonyms for the object. If you grant to a user a privilege on a synonym, then the user can use either the synonym name or the base object name in the SQL statement that exercises the privilege.</p>
<b>TABLE PRIVILEGES</b>	<p>The following <b>table privileges</b> authorize operations on a table. Any one of following object privileges, except the <code>READ</code> privilege, allows the grantee to lock the table in any lock mode with the <code>LOCK TABLE</code> statement.</p> <p><b>Note:</b> For external tables, the only valid object privileges are <code>ALTER</code>, <code>READ</code>, and <code>SELECT</code>.</p>
ALTER	Change the table definition with the <code>ALTER TABLE</code> statement.
DEBUG	<p>Access, through a debugger:</p> <ul style="list-style-type: none"> <li>• PL/SQL code in the body of any triggers defined on the table</li> <li>• Information on SQL statements that reference the table directly</li> </ul>
DELETE	<p>Remove rows from the table with the <code>DELETE</code> statement.</p> <p><b>Note:</b> You must grant the <code>SELECT</code> privilege on the table along with the <code>DELETE</code> privilege if the table is on a remote database.</p>
INDEX	Create an index on the table with the <code>CREATE INDEX</code> statement.
INSERT	<p>Add new rows to the table with the <code>INSERT</code> statement.</p> <p><b>Note:</b> You must grant the <code>SELECT</code> privilege on the table along with the <code>INSERT</code> privilege if the table is on a remote database.</p>
READ	Query the table with the <code>SELECT</code> statement. Does not allow <code>SELECT ... FOR UPDATE</code> .
REFERENCES	Create a constraint that refers to the table. You cannot grant this privilege to a role.

Table 18-4 (Cont.) Object Privileges (Organized by the Database Object Operated Upon)

Object Privilege Name	Operations Authorized
SELECT	To allow access to specific tables during queries, grant the <code>SELECT</code> privilege on the table. Query the table with the <code>SELECT</code> statement, including <code>SELECT ... FOR UPDATE</code> .
UPDATE	Change data in the table with the <code>UPDATE</code> statement. <b>Note:</b> You must grant the <code>SELECT</code> privilege on the table along with the <code>UPDATE</code> privilege if the table is on a remote database.
FLASHBACK	To allow access to a specific table during queries, grant the <code>FLASHBACK</code> privilege on the table. Issue a SQL Flashback Query on the table.
SIGN	A user <code>SCOTT</code> with the <code>SIGN</code> privilege on a blockchain table can sign a row in the blockchain table as a delegate if the following conditions are met: The row does not already have a delegate signature The row does not contain a non-NULL delegate user ID that is different than the ID of user <code>SCOTT</code> .
<b>USER PRIVILEGES</b>	The following privileges authorize operations on a user.
INHERIT PRIVILEGES	Execute invoker's rights procedures or functions owned by the grantee with the privileges of the invoker when the invoker is the user on whom this privilege is granted.
INHERIT REMOTE PRIVILEGES	Allow the user on whom this privilege is granted to execute definer's rights procedures or functions that contain current user database links and are owned by the grantee.
TRANSLATE SQL	Translate SQL through the grantee's SQL translation profile for the user on whom this privilege is granted.
<b>VIEW PRIVILEGES</b>	The following <b>view privileges</b> authorize operations on a view. Any one of the following object privileges, except the <code>READ</code> privilege, allows the grantee to lock the view in any lock mode with the <code>LOCK TABLE</code> statement. To grant a privilege on a view, you must have that privilege with the <code>GRANT OPTION</code> on all of the base tables of the view.
DEBUG	Access, through a debugger: <ul style="list-style-type: none"> <li>• PL/SQL code in the body of any triggers defined on the view</li> <li>• Information on SQL statements that reference the view directly</li> </ul>
DELETE	Remove rows from the view with the <code>DELETE</code> statement.
INSERT	Add new rows to the view with the <code>INSERT</code> statement.
MERGE VIEW	This object privilege has the same behavior as the system privilege <code>MERGE ANY VIEW</code> , except that the privilege is limited to the views specified in the <code>ON</code> clause. For any query issued by the grantee on the specified views, the optimizer can use view merging to improve query performance without performing the checks that would otherwise be performed to ensure that view merging does not violate any security intentions of the view creator.
READ	Query the view with the <code>SELECT</code> statement. Does not allow <code>SELECT ... FOR UPDATE</code> .
REFERENCES	Define foreign key constraints on the view.

**Table 18-4 (Cont.) Object Privileges (Organized by the Database Object Operated Upon)**

Object Privilege Name	Operations Authorized
SELECT	Query the view with the SELECT statement, including SELECT ... FOR UPDATE. <b>See Also:</b> <a href="#">object_privilege</a> for additional information on granting this object privilege on a view
UNDER	Create a subview under this view. You can grant this object privilege only if you have the UNDER ANY VIEW privilege WITH GRANT OPTION on the immediate superview of this view.
UPDATE	Change data in the view with the UPDATE statement.
FLASHBACK	To allow access to a specific view during queries, grant the FLASHBACK privilege on the view. Issue a SQL Flashback Query on the view.

### Examples

#### Granting a System Privilege to a User: Example

To grant the CREATE SESSION system privilege to the sample user hr, allowing hr to log on to Oracle Database, issue the following statement:

```
GRANT CREATE SESSION
  TO hr;
```

#### Assigning User Passwords When Granting a System Privilege: Example

Assume that user hr exists and user newuser does not exist. The following statement resets the user hr password to password1, creates user newuser with password2, and grants both users the CREATE SESSION system privilege:

```
GRANT CREATE SESSION
  TO hr, newuser IDENTIFIED BY password1, password2;
```

#### Granting System Privileges to a Role: Example

The following statement grants appropriate system privileges to a data warehouse manager role, which was created in the "[Creating a Role: Example](#)":

```
GRANT
  CREATE ANY MATERIALIZED VIEW
  , ALTER ANY MATERIALIZED VIEW
  , DROP ANY MATERIALIZED VIEW
  , QUERY REWRITE
  , GLOBAL QUERY REWRITE
  TO dw_manager
  WITH ADMIN OPTION;
```

The dw\_manager privilege domain now contains the system privileges related to materialized views.

#### Granting a Role with the ADMIN OPTION: Example

To grant the dw\_manager role with the ADMIN OPTION to the sample user sh, issue the following statement:

```
GRANT dw_manager
  TO sh
  WITH ADMIN OPTION;
```

User `sh` can now perform the following operations with the `dw_manager` role:

- Enable the role and exercise any privileges in the privilege domain of the role, including the `CREATE MATERIALIZED VIEW` system privilege
- Grant and revoke the role to and from other users
- Drop the role
- Grant and revoke the `dw_manager` role to and from program units in the `sh` schema

### Granting a Role with the `DELEGATE OPTION`: Example

To grant the `dw_manager` role with the `DELEGATE OPTION` to the sample user `sh`, issue the following statement:

```
GRANT dw_manager
  TO sh
  WITH DELEGATE OPTION;
```

User `sh` can now grant and revoke the `dw_manager` role to and from program units in the `sh` schema.

### Granting Object Privileges to a Role: Example

The following example grants the `SELECT` object privileges to a data warehouse user role, which was created in the "[Creating a Role: Example](#)":

```
GRANT SELECT ON sh.sales TO warehouse_user;
```

### Granting a Role to a Role: Example

The following statement grants the `warehouse_user` role to the `dw_manager` role. Both roles were created in the "[Creating a Role: Example](#)":

```
GRANT warehouse_user TO dw_manager;
```

The `dw_manager` role now contains all of the privileges in the domain of the `warehouse_user` role.

### Granting an Object Privilege on a User: Example

To grant the `INHERIT PRIVILEGES` object privilege on user `sh` to user `hr`, issue the following statement:

```
GRANT INHERIT PRIVILEGES ON USER sh TO hr;
```

### Granting an Object Privilege on a Directory: Example

To grant `READ` on directory `bfile_dir` to user `hr`, with the `GRANT OPTION`, issue the following statement:

```
GRANT READ ON DIRECTORY bfile_dir TO hr
  WITH GRANT OPTION;
```

### Granting Object Privileges on a Table to a User: Example

To grant all privileges on the table `oe.bonuses`, which was created in "[Merging into a Table: Example](#)", to the user `hr` with the `GRANT OPTION`, issue the following statement:

```
GRANT ALL ON bonuses TO hr
  WITH GRANT OPTION;
```

The user `hr` can subsequently perform the following operations:

- Exercise any privilege on the `bonuses` table
- Grant any privilege on the `bonuses` table to another user or role

### Granting Object Privileges on a View: Example

To grant `SELECT` and `UPDATE` privileges on the view `emp_view`, which was created in "[Creating a View: Example](#)", to all users, issue the following statement:

```
GRANT SELECT, UPDATE
  ON emp_view TO PUBLIC;
```

All users can subsequently query and update the view of employee details.

### Granting Object Privileges to a Sequence in Another Schema: Example

To grant `SELECT` privilege on the `customers_seq` sequence in the schema `oe` to the user `hr`, issue the following statement:

```
GRANT SELECT
  ON oe.customers_seq TO hr;
```

The user `hr` can subsequently generate the next value of the sequence with the following statement:

```
SELECT oe.customers_seq.NEXTVAL
  FROM DUAL;
```

### Granting Multiple Object Privileges on Individual Columns: Example

To grant to user `oe` the `REFERENCES` privilege on the `employee_id` column and the `UPDATE` privilege on the `employee_id`, `salary`, and `commission_pct` columns of the `employees` table in the schema `hr`, issue the following statement:

```
GRANT REFERENCES (employee_id),
  UPDATE (employee_id, salary, commission_pct)
  ON hr.employees
  TO oe;
```

The user `oe` can subsequently update values of the `employee_id`, `salary`, and `commission_pct` columns. User `oe` can also define referential integrity constraints that refer to the `employee_id` column. However, because the `GRANT` statement lists only these columns, `oe` cannot perform operations on any of the other columns of the `employees` table.

For example, `oe` can create a table with a constraint:

```
CREATE TABLE dependent
  (dependno NUMBER,
   dependname VARCHAR2(10),
   employee NUMBER
   CONSTRAINT in_emp REFERENCES hr.employees (employee_id) );
```

The constraint `in_emp` ensures that all dependents in the `dependent` table correspond to an employee in the `employees` table in the schema `hr`.

## INSERT

### Purpose

Use the `INSERT` statement to add rows to a table, the base table of a view, a partition of a partitioned table or a subpartition of a composite-partitioned table, or an object table or the base table of an object view.

### Prerequisites

For you to insert rows into a table, the table must be in your own schema or you must have the `INSERT` object privilege on the table.

For you to insert rows into the base table of a view, the owner of the schema containing the view must have the `INSERT` object privilege on the base table. Also, if the view is in a schema other than your own, then you must have the `INSERT` object privilege on the view.

If you have the `INSERT ANY TABLE` system privilege, then you can also insert rows into any table or the base table of any view.

You must also have the `READ` or `SELECT` object privilege on the table into which you want to insert rows if the table is on a remote database.

### Conventional and Direct-Path INSERT

You can use the `INSERT` statement to insert data into a table, partition, or view in two ways: conventional `INSERT` and direct-path `INSERT`. When you issue a conventional `INSERT` statement, Oracle Database reuses free space in the table into which you are inserting and maintains referential integrity constraints. With direct-path `INSERT`, the database appends the inserted data after existing data in the table. Data is written directly into data files, bypassing the buffer cache. Free space in the existing data is not reused. This alternative enhances performance during insert operations and is similar to the functionality of the Oracle direct-path loader utility, `SQL*Loader`. When you insert into a table that has been created in parallel mode, direct-path `INSERT` is the default.

The manner in which the database generates redo and undo data depends in part on whether you are using conventional or direct-path `INSERT`:

- Conventional `INSERT` always generates maximal redo and undo for changes to both data and metadata, regardless of the logging setting of the table and the `archivelog` and `force logging` settings of the database.
- Direct-path `INSERT` generates both redo and undo for *metadata* changes, because these are needed for operation recovery. For *data* changes, redo and undo are generated as follows:
  - Direct-path `INSERT` always bypasses undo generation for data changes.
  - If the database is not in `ARCHIVELOG` or `FORCE LOGGING` mode, then no redo is generated for data changes, regardless of the logging setting of the table.



- If the database is in ARCHIVELOG mode (but not in FORCE LOGGING mode), then direct-path INSERT generates data redo for LOGGING tables but not for NOLOGGING tables.
- If the database is in ARCHIVELOG **and** FORCE LOGGING mode, then direct-path SQL generate data redo for both LOGGING and NOLOGGING tables.

Direct-path INSERT is subject to a number of restrictions. If any of these restrictions is violated, then Oracle Database executes conventional INSERT serially without returning any message, unless otherwise noted:


- You can have multiple direct-path INSERT statements in a single transaction, with or without other DML statements. However, after one DML statement alters a particular table, partition, or index, no other DML statement in the transaction can access that table, partition, or index.
- Queries that access the same table, partition, or index are allowed before the direct-path INSERT statement, but not after it.
- If any serial or parallel statement attempts to access a table that has already been modified by a direct-path INSERT in the same transaction, then the database returns an error and rejects the statement.
- The target table cannot be of a cluster.
- The target table cannot contain object type columns.
- Direct-path INSERT is not supported for an index-organized table (IOT) if it has a mapping table, or if it is reference by a materialized view.
- Direct-path INSERT into a single partition of an index-organized table (IOT), into a partitioned IOT with only one partition, or into an IOT that is not partitioned, will be done serially, even if the IOT was created in parallel mode or you specify the APPEND or APPEND\_VALUES hint. However, direct-path INSERT operations into a partitioned IOT will honor parallel mode as long as the partition-extended name is not used and the IOT has more than one partition.
- The target table cannot have any triggers or referential integrity constraints defined on it.
- The target table cannot be replicated.
- A transaction containing a direct-path INSERT statement cannot be or become distributed.

#### See Also:

- *Oracle Database Administrator's Guide* for a more complete description of direct-path INSERT
- *Oracle Database Utilities* for information on SQL\*Loader
- *Oracle Database SQL Tuning Guide* for information on statistics gathering when inserting into an empty table using direct-path INSERT


### Syntax

**insert::=**




*(single\_table\_insert::=, multi\_table\_insert::=)*

**single\_table\_insert::=**




*(insert\_into\_clause::=, insert\_values\_clause::=, returning\_clause::=, subquery::=, error\_logging\_clause::=)*

**insert\_into\_clause::=**




*(DML\_table\_expression\_clause::=)*


**insert\_values\_clause::=**



**returning\_clause::=**




**multi\_table\_insert::=**




(*insert\_into\_clause::=*, *insert\_values\_clause::=*, *conditional\_insert\_clause::=*, *subquery::=*, *error\_logging\_clause::=*)

**conditional\_insert\_clause::=**




(*insert\_into\_clause::=*, *insert\_values\_clause::=*)

**DML\_table\_expression\_clause::=**




(*partition\_extension\_clause::=*, *subquery::=*—part of SELECT, *subquery\_restriction\_clause::=*, *table\_collection\_expression::=*)


***partition\_extension\_clause::=***




***subquery\_restriction\_clause::=***



***table\_collection\_expression::=***



***error\_logging\_clause::=***



**Semantics**

***hint***

Specify a comment that passes instructions to the optimizer on choosing an execution plan for the statement.

For a multi-table insert, if you specify the `PARALLEL` hint for any target table, then the entire multi-table insert statement is parallelized even if the target tables have not been created or altered with `PARALLEL` specified. If you do not specify the `PARALLEL` hint, then the insert operation will not be parallelized unless all target tables were created or altered with `PARALLEL` specified.

 **See Also:**

- ["Hints "](#) for the syntax and description of hints
- ["Restrictions on Multi-Table Inserts"](#)

***single\_table\_insert***

In a **single-table insert**, you insert values into one row of a table, view, or materialized view by specifying values explicitly or by retrieving the values through a subquery.

You can use the *flashback\_query\_clause* in *subquery* to insert past data into *table*. Refer to the *flashback\_query\_clause* of `SELECT` for more information on this clause.

**Restriction on Single-Table Inserts**

If you retrieve values through a subquery, then the select list of the subquery must have the same number of columns as the column list of the `INSERT` statement. If you omit the column list, then the subquery must provide values for every column in the table.

 **See Also:**

["Inserting Values into Tables: Examples"](#)

***insert\_into\_clause***

Use the `INSERT INTO` clause to specify the target object or objects into which the database is to insert data.

Directory-based sharding uses the same partition extension syntax as system-based sharding.

***DML\_table\_expression\_clause***

Use the `INTO DML_table_expression_clause` to specify the objects into which data is being inserted.

***schema***

Specify the schema containing the table, view, or materialized view. If you omit *schema*, then the database assumes the object is in your own schema.

***table | view | materialized\_view | subquery***

Specify the name of the table or object table, view or object view, materialized view, or the column or columns returned by a subquery, into which rows are to be inserted. If you specify a view or object view, then the database inserts rows into the base table of the view.

You cannot insert rows into a read-only materialized view. If you insert rows into a writable materialized view, then the database inserts the rows into the underlying container table. However, the insertions are overwritten at the next refresh operation. If you insert rows into an updatable materialized view that is part of a materialized view group, then the database also inserts the corresponding rows into the master table.

If any value to be inserted is a `REF` to an object table, and if the object table has a primary key object identifier, then the column into which you insert the `REF` must be a `REF` column with a referential integrity or `SCOPE` constraint to the object table.

If *table*, or the base table of *view*, contains one or more domain index columns, then this statement executes the appropriate indextype insert routine.

Issuing an `INSERT` statement against a table fires any `INSERT` triggers defined on the table.



### See Also:

*Oracle Database Data Cartridge Developer's Guide* for more information on these routines

### Restrictions on the `DML_table_expression_clause`

This clause is subject to the following restrictions:

- You cannot execute this statement if *table* or the base table of *view* contains any domain indexes marked `IN_PROGRESS` or `FAILED`.
- You cannot insert into a partition if any affected index partitions are marked `UNUSABLE`.
- With regard to the `ORDER BY` clause of the *subquery* in the `DML_table_expression_clause`, ordering is guaranteed only for the rows being inserted, and only within each extent of the table. Ordering of new rows with respect to existing rows is not guaranteed.
- If a view was created using the `WITH CHECK OPTION`, then you can insert into the view only rows that satisfy the defining query of the view.
- If a view was created using a single base table, then you can insert rows into the view and then retrieve those values using the `returning_clause`.
- You cannot insert rows into a view except with `INSTEAD OF` triggers if the defining query of the view contains one of the following constructs:
  - A set operator
  - A `DISTINCT` operator
  - An aggregate or analytic function
  - A `GROUP BY`, `ORDER BY`, `MODEL`, `CONNECT BY`, or `START WITH` clause
  - A collection expression in a `SELECT` list
  - A subquery in a `SELECT` list
  - A subquery designated `WITH READ ONLY`
  - Joins, with some exceptions, as documented in *Oracle Database Administrator's Guide*
- If you specify an index, index partition, or index subpartition that has been marked `UNUSABLE`, then the `INSERT` statement will fail unless the `SKIP_UNUSABLE_INDEXES` session parameter has been set to `TRUE`. Refer to [ALTER SESSION](#) for information on the `SKIP_UNUSABLE_INDEXES` session parameter.

***partition\_extension\_clause***

Specify the name or partition key value of the partition or subpartition within *table*, or the base table of *view*, targeted for inserts.

If a row to be inserted does not map into a specified partition or subpartition, then the database returns an error.

**Restriction on Target Partitions and Subpartitions**

This clause is not valid for object tables or object views.

**See Also:**

["References to Partitioned Tables and Indexes "](#)

***dblink***

Specify a complete or partial name of a database link to a remote database where the table or view is located. You can insert rows into a remote table or view only if you are using Oracle Database distributed functionality.

If you omit *dblink*, then Oracle Database assumes that the table or view is on the local database.

**Note:**

Starting with Oracle Database 12c Release 2 (12.2), the `INSERT` statement accepts remote LOB locators as bind variables. Refer to the "Distributed LOBs" chapter in *Oracle Database SecureFiles and Large Objects Developer's Guide* for more information.

**See Also:**

- ["Syntax for Schema Objects and Parts in SQL Statements"](#) and ["References to Objects in Remote Databases "](#) for information on referring to database links
- ["Inserting into a Remote Database: Example"](#)

***subquery\_restriction\_clause***

Use the *subquery\_restriction\_clause* to restrict the subquery in one of the following ways:

**WITH READ ONLY**

Specify `WITH READ ONLY` to indicate that the table or view cannot be updated.

**WITH CHECK OPTION**

Specify `WITH CHECK OPTION` to indicate that Oracle Database prohibits any changes to the table or view that would produce rows that are not included in the subquery. When used in

the subquery of a DML statement, you can specify this clause in a subquery in the FROM clause but not in subquery in the WHERE clause.

### **CONSTRAINT *constraint***

Specify the name of the CHECK OPTION constraint. If you omit this identifier, then Oracle automatically assigns the constraint a name of the form SYS\_Cn, where n is an integer that makes the constraint name unique within the database.



#### **See Also:**

["Using the WITH CHECK OPTION Clause: Example"](#)

### ***table\_collection\_expression***

The *table\_collection\_expression* lets you inform Oracle that the value of *collection\_expression* should be treated as a table for purposes of query and DML operations. The *collection\_expression* can be a subquery, a column, a function, or a collection constructor. Regardless of its form, it must return a collection value—that is, a value whose type is nested table or varray. This process of extracting the elements of a collection is called **collection unnesting**.

The optional plus (+) is relevant if you are joining the TABLE collection expression with the parent table. The + creates an outer join of the two, so that the query returns rows from the outer table even if the collection expression is null.



#### **Note:**

In earlier releases of Oracle, when *collection\_expression* was a subquery, *table\_collection\_expression* was expressed as THE *subquery*. That usage is now deprecated.



#### **See Also:**

["Table Collections: Examples"](#)

### ***t\_alias***

Specify a **correlation name**, which is an alias for the table, view, materialized view, or subquery to be referenced elsewhere in the statement.

#### **Restriction on Table Aliases**

You cannot specify *t\_alias* during a multi-table insert.

### ***column***

Specify a column of the table, view, or materialized view. In the inserted row, each column in this list is assigned a value from the *insert\_values\_clause* or the subquery.



If you want to assign a value to an `INVISIBLE` column, then you must include the column in this list.

If you omit one or more of the table's columns from this list, then the column value of that column for the inserted row is the column default value as specified when the table was created or last altered. If any omitted column has a `NOT NULL` constraint and no default value, then the database returns an error indicating that the constraint has been violated and rolls back the `INSERT` statement. Refer to [CREATE TABLE](#) for more information on default column values.

If you omit the column list altogether, then the `insert_values_clause` or query must specify values for all columns in the table.

### *insert\_values\_clause*

For a **single-table insert** operation, specify a row of values to be inserted into the table or view. You must specify a value in the `insert_values_clause` for each column in the column list. If you omit the column list, then the `insert_values_clause` must provide values for every column in the table.

You can only supply one set of values for each `insert_into_clause` in a **multi-table insert** operation.

In a **multi-table insert** operation, each expression in the `insert_values_clause` must refer to columns returned by the select list of the subquery. If you omit the `insert_values_clause`, then the select list of the subquery determines the values to be inserted, so it must have the same number of columns as the column list of the corresponding `insert_into_clause`. If you do not specify a column list in the `insert_into_clause`, then the computed row must provide values for all columns in the target table.

For both types of insert operations, if you specify a column list in the `insert_into_clause`, then the database assigns to each column in the list a corresponding value from the values clause or the subquery. You can specify `DEFAULT` for any value in the `insert_values_clause`. If you have specified a default value for the corresponding column of the table or view, then that value is inserted. If no default value for the corresponding column has been specified, then the database inserts null. Refer to "[About SQL Expressions](#)" and [SELECT](#) for syntax of valid expressions.

### Restrictions on Inserted Values

Values are subject to the following restrictions:

- You cannot insert a `BFILE` value until you have initialized the `BFILE` locator to null or to a directory name and filename.
- When inserting into a list-partitioned table, you cannot insert a value into the partitioning key column that does not already exist in the `partition_key_value` list of one of the partitions.
- You cannot specify `DEFAULT` when inserting into a view.
- If you insert string literals into a `RAW` column, then during subsequent queries Oracle Database will perform a full table scan rather than using any index that might exist on the `RAW` column.
- Default values for columns are disallowed in row value expressions.

 **See Also:**

- [BFILENAME](#) for information on initializing `BFILE` values and for an example of inserting into a `BFILE`
- *Oracle Database SecureFiles and Large Objects Developer's Guide* for information on initializing `BFILE` locators
- ["Using XML in SQL Statements"](#) for information on inserting values into an `XMLType` table
- ["Inserting into a Substitutable Tables and Columns: Examples"](#), ["Inserting Using the TO\\_LOB Function: Example"](#), ["Inserting Sequence Values: Example"](#), and ["Inserting Using Bind Variables: Example"](#)

***returning\_clause***

The `returning` clause retrieves the rows affected by a DML statement. You can specify this clause for tables and materialized views and for views with a single base table.

When operating on a single row, a DML statement with a `returning_clause` can retrieve column expressions using the affected row, `rowid`, and `REFs` to the affected row and store them in host variables or PL/SQL variables.

When operating on multiple rows, a DML statement with the `returning_clause` stores values from expressions, `rowids`, and `REFs` involving the affected rows in bind arrays.

***expr***

Each item in the `expr` list must be a valid expression syntax.

**INTO**

The `INTO` clause indicates that the values of the changed rows are to be stored in the variable(s) specified in `data_item` list.

***data\_item***

Each `data_item` is a host variable or PL/SQL variable that stores the retrieved `expr` value.

For each expression in the `RETURNING` list, you must specify a corresponding type-compatible PL/SQL variable or host variable in the `INTO` list.

**Restrictions**

The following restrictions apply to the `RETURNING` clause:

- The `expr` is restricted as follows:
  - For `UPDATE` and `DELETE` statements each `expr` must be a simple expression or a single-set aggregate function expression. You cannot combine simple expressions and single-set aggregate function expressions in the same `returning_clause`. For `INSERT` statements, each `expr` must be a simple expression. Aggregate functions are not supported in an `INSERT` statement `RETURNING` clause.

- Single-set aggregate function expressions cannot include the `DISTINCT` keyword.
- If the *expr* list contains a primary key column or other `NOT NULL` column, then the update statement fails if the table has a `BEFORE UPDATE` trigger defined on it.
- You cannot specify the *returning\_clause* for a multi-table insert.
- You cannot use this clause with parallel DML or with remote objects.
- You cannot retrieve `LONG` types with this clause.
- You cannot specify this clause for a view on which an `INSTEAD OF` trigger has been defined.



### See Also:

*Oracle Database PL/SQL Language Reference* for information on using the `BULK COLLECT` clause to return multiple values to collection variables

### *multi\_table\_insert*

In a **multi-table insert**, you insert rows returned from the evaluation of a subquery into one or more tables.

Table aliases are not defined by the select list of the subquery. Therefore, they are not visible in the clauses dependent on the select list. For example, this can happen when trying to refer to an object column in an expression. To use an expression with a table alias, you must put the expression into the select list with a column alias, and then refer to the column alias in the `VALUES` clause or `WHEN` condition of the multi-table insert.

### **ALL into\_clause**

Specify `ALL` followed by multiple *insert\_into\_clauses* to perform an **unconditional multi-table insert**. Oracle Database executes each *insert\_into\_clause* once for each row returned by the subquery.

### **Restrictions Using INSERT ALL**

- The maximum number of rows you can insert into a table with 4096 columns is 15.
- The maximum number of rows you can insert into a table with 1000 columns is 65.
- The maximum row limit for tables with fewer columns is not constant and may vary.

### **conditional\_insert\_clause**

Specify the *conditional\_insert\_clause* to perform a **conditional multi-table insert**.

You can only supply one set of values for each `WHEN` or `ELSE` clause of *conditional\_insert\_clause*.

Oracle Database filters each *insert\_into\_clause* through the corresponding `WHEN` condition, which determines whether that *insert\_into\_clause* is executed. Each expression in the `WHEN` condition must refer to columns returned by the select list of the subquery. A single multi-table insert statement can contain up to 127 `WHEN` clauses.

### **ALL**

If you specify `ALL`, the default value, then the database evaluates each `WHEN` clause regardless of the results of the evaluation of any other `WHEN` clause. For each `WHEN` clause whose condition evaluates to true, the database executes the corresponding `INTO` clause list.

### FIRST

If you specify `FIRST`, then the database evaluates each `WHEN` clause in the order in which it appears in the statement. For the first `WHEN` clause that evaluates to true, the database executes the corresponding `INTO` clause and skips subsequent `WHEN` clauses for the given row.

### ELSE clause

For a given row, if no `WHEN` clause evaluates to true, then:

- If you have specified an `ELSE` clause, then the database executes the `INTO` clause list associated with the `ELSE` clause.
- If you did not specify an `else` clause, then the database takes no action for that row.



#### See Also:

["Multi-Table Inserts: Examples"](#)

### Restrictions on Multi-Table Inserts

multi-table inserts are subject to the following restrictions:

- You can perform multi-table inserts only on tables, not on views or materialized views.
- You cannot perform a multi-table insert into a remote table.
- You cannot specify a `TABLE` collection expression when performing a multi-table insert.
- multi-table inserts are not parallelized if any target table is index organized or if any target table has a bitmap index defined on it.
- Plan stability is not supported for multi-table insert statements.
- The subquery of the multitable insert statement cannot use a sequence. For rules pertaining to sequences, see [How to Use Sequence Values](#)

### *subquery*

Specify a subquery that returns rows that are inserted into the table. The subquery can refer to any table, view, or materialized view, including the target tables of the `INSERT` statement. If the subquery selects no rows, then the database inserts no rows into the table.

You can use *subquery* in combination with the `TO_LOB` function to convert the values in a `LONG` column to LOB values in another column in the same or another table.

- To migrate `LONG` values to LOB values in another column in a view, you must perform the migration on the base table and then add the LOB column to the view.

- To migrate `LONG` values on a remote table to LOB values in a local table, you must perform the migration on the remote table using the `TO_LOB` function, and then perform an `INSERT ... subquery` operation to copy the LOB values from the remote table into the local table.

### Notes on Inserting with a Subquery

The following notes apply when inserting with a subquery:

- If `subquery` returns the partial or total equivalent of a materialized view, then the database may use the materialized view for query rewrite in place of one or more tables specified in `subquery`.

#### See Also:

*Oracle Database Data Warehousing Guide* for more information on materialized views and query rewrite

- If `subquery` refers to remote objects, then the `INSERT` operation can run in parallel as long as the reference does not loop back to an object on the local database. However, if the `subquery` in the `DML_table_expression_clause` refers to any remote objects, then the `INSERT` operation will run serially without notification. See [parallel\\_clause](#) for more information.
- If `subquery` includes an `ORDER BY` clause, then it will override row ordering specified using attribute clustering table properties.

#### See Also:

- ["Inserting Values with a Subquery: Example"](#)
- [BFILENAME](#) for an example of inserting into a `BFILE`
- *Oracle Database SecureFiles and Large Objects Developer's Guide* for information on initializing `BFILES`
- ["About SQL Expressions "](#) and [SELECT](#) for syntax of valid expressions

### ***error\_logging\_clause***

The `error_logging_clause` lets you capture DML errors and the log column values of the affected rows and save them in an error logging table.

#### ***INTO table***

Specify the name of the error logging table. If you omit this clause, then the database assigns the default name generated by the `DBMS_ERRLOG` package. The default error log table name is `ERR$_` followed by the first 25 characters of the name of the table upon which the DML operation is being executed.

#### ***simple\_expression***

Specify the value to be used as a statement tag, so that you can identify the errors from this statement in the error logging table. The expression can be either a text literal, a number

literal, or a general SQL expression such as a bind variable. You can also use a function expression if you convert it to a text literal — for example, `TO_CHAR(SYSDATE)`.

### REJECT LIMIT

This clause lets you specify an integer as an upper limit for the number of errors to be logged before the statement terminates and rolls back any changes made by the statement. The default rejection limit is zero. For parallel DML operations, the reject limit is applied to each parallel server.

### Restrictions on DML Error Logging

- The following conditions cause the statement to fail and roll back without invoking the error logging capability:
  - Violated deferred constraints.
  - Any direct-path `INSERT` or `MERGE` operation that raises a unique constraint or index violation.
  - Any update operation `UPDATE` or `MERGE` that raises a unique constraint or index violation.
- You cannot track errors in the error logging table for `LONG`, `LOB`, or object type columns. However, the table that is the target of the DML operation can contain these types of columns.
  - If you create or modify the corresponding error logging table so that it contains a column of an unsupported type, and if the name of that column corresponds to an unsupported column in the target DML table, then the DML statement fails at parse time.
  - If the error logging table does not contain any unsupported column types, then all DML errors are logged until the reject limit of errors is reached. For rows on which errors occur, column values with corresponding columns in the error logging table are logged along with the control information.



#### See Also:

- *Oracle Database PL/SQL Packages and Types Reference* for information on using the `create_error_log` procedure of the `DBMS_ERRLOG` package and *Oracle Database Administrator's Guide* for general information on DML error logging.
- ["Inserting Into a Table with Error Logging: Example"](#)

## Examples

### Inserting Values into Tables: Examples

The following statement inserts a row into the sample table `departments`:

```
INSERT INTO departments
VALUES (280, 'Recreation', 121, 1700);
```

If the `departments` table had been created with a default value of 121 for the `manager_id` column, then you could issue the same statement as follows:

```
INSERT INTO departments
VALUES (280, 'Recreation', DEFAULT, 1700);
```

The following statement inserts a row with six columns into the `employees` table. One of these columns is assigned `NULL` and another is assigned a number in scientific notation:

```
INSERT INTO employees (employee_id, last_name, email,
hire_date, job_id, salary, commission_pct)
VALUES (207, 'Gregory', 'pgregory@example.com',
sysdate, 'PU_CLERK', 1.2E3, NULL);
```

The following statement has the same effect as the preceding example, but uses a subquery in the `DML_table_expression_clause`:

```
INSERT INTO
(SELECT employee_id, last_name, email, hire_date, job_id,
salary, commission_pct FROM employees)
VALUES (207, 'Gregory', 'pgregory@example.com',
sysdate, 'PU_CLERK', 1.2E3, NULL);
```

### Inserting Values with a Subquery: Example

The following statement copies employees whose commission exceeds 25% of their salary into the `bonuses` table, which was created in "[Merging into a Table: Example](#)":

```
INSERT INTO bonuses
SELECT employee_id, salary*1.1
FROM employees
WHERE commission_pct > 0.25;
```

### Inserting Into a Table with Error Logging: Example

The following statements create a `raises` table in the sample schema `hr`, create an error logging table using the `DBMS_ERRLOG` package, and populate the `raises` table with data from the `employees` table. One of the inserts violates the check constraint on `raises`, and that row can be seen in `errlog`. If more than ten errors had occurred, then the statement would have aborted, rolling back any insertions made:

```
CREATE TABLE raises (emp_id NUMBER, sal NUMBER
CONSTRAINT check_sal CHECK(sal > 8000));

EXECUTE DBMS_ERRLOG.CREATE_ERROR_LOG('raises', 'errlog');

INSERT INTO raises
SELECT employee_id, salary*1.1 FROM employees
WHERE commission_pct > .2
LOG ERRORS INTO errlog ('my_bad') REJECT LIMIT 10;

SELECT ORA_ERR_MSG$, ORA_ERR_TAG$, emp_id, sal FROM errlog;
```

ORA_ERR_MSG\$	ORA_ERR_TAG\$	EMP_ID	SAL
ORA-02290: check constraint my_bad (HR.SYS_C004266) violated		161	7700

### Inserting into a Remote Database: Example

The following statement inserts a row into the `employees` table owned by the user `hr` on the database accessible by the database link `remote`:

```
INSERT INTO employees@remote
VALUES (8002, 'Juan', 'Fernandez', 'juanf@example.com', NULL,
TO_DATE('04-OCT-1992', 'DD-MON-YYYY'), 'SH_CLERK', 3000,
NULL, 121, 20);
```

### Inserting Sequence Values: Example

The following statement inserts a new row containing the next value of the `departments_seq` sequence into the `departments` table:

```
INSERT INTO departments
VALUES (departments_seq.nextval, 'Entertainment', 162, 1400);
```

### Inserting Using Bind Variables: Example

The following example returns the values of the inserted rows into output bind variables `:bnd1` and `:bnd2`. The bind variables must first be declared.

```
INSERT INTO employees
(employee_id, last_name, email, hire_date, job_id, salary)
VALUES
(employeees_seq.nextval, 'Doe', 'john.doe@example.com',
SYSDATE, 'SH_CLERK', 2400)
RETURNING salary*12, job_id INTO :bnd1, :bnd2;
```

### Inserting into a Substitutable Tables and Columns: Examples

The following example inserts into the `persons` table, which is created in "[Substitutable Table and Column Examples](#)". The first statement uses the root type `person_t`. The second insert uses the `employee_t` subtype of `person_t`, and the third insert uses the `part_time_emp_t` subtype of `employee_t`:

```
INSERT INTO persons VALUES (person_t('Bob', 1234));
INSERT INTO persons VALUES (employee_t('Joe', 32456, 12, 100000));
INSERT INTO persons VALUES (
part_time_emp_t('Tim', 5678, 13, 1000, 20));
```

The following example inserts into the `books` table, which was created in "[Substitutable Table and Column Examples](#)". Notice that specification of the attribute values is identical to that for the substitutable table example:

```
INSERT INTO books VALUES (
'An Autobiography', person_t('Bob', 1234));
INSERT INTO books VALUES (
'Business Rules', employee_t('Joe', 3456, 12, 10000));
INSERT INTO books VALUES (
'Mixing School and Work',
part_time_emp_t('Tim', 5678, 13, 1000, 20));
```

You can extract data from substitutable tables and columns using built-in functions and conditions. For examples, see the functions [TREAT](#) and [SYS\\_TYPEID](#), and "[IS OF type Condition](#)".

### Inserting Using the TO\_LOB Function: Example

The following example copies `LONG` data to a LOB column in the following `long_tab` table:

```
CREATE TABLE long_tab (pic_id NUMBER, long_pics LONG RAW);
```

First you must create a table with a LOB.



```
CREATE TABLE lob_tab (pic_id NUMBER, lob_pics BLOB);
```

Next, use an `INSERT ... SELECT` statement to copy the data in all rows for the `LONG` column into the newly created `LOB` column:

```
INSERT INTO lob_tab
  SELECT pic_id, TO_LOB(long_pics) FROM long_tab;
```

When you are confident that the migration has been successful, you can drop the `long_pics` table. Alternatively, if the table contains other columns, then you can simply drop the `LONG` column from the table as follows:

```
ALTER TABLE long_tab DROP COLUMN long_pics;
```

### Multi-Table Inserts: Examples

The following example uses the multi-table insert syntax to insert into the sample table `sh.sales` some data from an input table with a different structure.



#### Note:

A number of `NOT NULL` constraints on the `sales` table have been disabled for purposes of this example, because the example ignores a number of table columns for the sake of brevity.

The input table looks like this:

```
SELECT * FROM sales_input_table;
```

PRODUCT_ID	CUSTOMER_ID	WEEKLY_ST	SALES_SUN	SALES_MON	SALES_TUE	SALES_WED	SALES_THU	SALES_FRI	SALES_SAT
111	222	01-OCT-00	100	200	300	400	500	600	700
222	333	08-OCT-00	200	300	400	500	600	700	800
333	444	15-OCT-00	300	400	500	600	700	800	900

The multi-table insert statement looks like this:

```
INSERT ALL
  INTO sales (prod_id, cust_id, time_id, amount)
  VALUES (product_id, customer_id, weekly_start_date, sales_sun)
  INTO sales (prod_id, cust_id, time_id, amount)
  VALUES (product_id, customer_id, weekly_start_date+1, sales_mon)
  INTO sales (prod_id, cust_id, time_id, amount)
  VALUES (product_id, customer_id, weekly_start_date+2, sales_tue)
  INTO sales (prod_id, cust_id, time_id, amount)
  VALUES (product_id, customer_id, weekly_start_date+3, sales_wed)
  INTO sales (prod_id, cust_id, time_id, amount)
  VALUES (product_id, customer_id, weekly_start_date+4, sales_thu)
  INTO sales (prod_id, cust_id, time_id, amount)
  VALUES (product_id, customer_id, weekly_start_date+5, sales_fri)
  INTO sales (prod_id, cust_id, time_id, amount)
  VALUES (product_id, customer_id, weekly_start_date+6, sales_sat)
  SELECT product_id, customer_id, weekly_start_date, sales_sun,
    sales_mon, sales_tue, sales_wed, sales_thu, sales_fri, sales_sat
  FROM sales_input_table;
```

Assuming these are the only rows in the `sales` table, the contents now look like this:

```
SELECT * FROM sales
ORDER BY prod_id, cust_id, time_id;
```

PROD_ID	CUST_ID	TIME_ID	C	PROMO_ID	QUANTITY_SOLD	AMOUNT	COST
111	222	01-OCT-00				100	
111	222	02-OCT-00				200	
111	222	03-OCT-00				300	
111	222	04-OCT-00				400	
111	222	05-OCT-00				500	
111	222	06-OCT-00				600	
111	222	07-OCT-00				700	
222	333	08-OCT-00				200	
222	333	09-OCT-00				300	
222	333	10-OCT-00				400	
222	333	11-OCT-00				500	
222	333	12-OCT-00				600	
222	333	13-OCT-00				700	
222	333	14-OCT-00				800	
333	444	15-OCT-00				300	
333	444	16-OCT-00				400	
333	444	17-OCT-00				500	
333	444	18-OCT-00				600	
333	444	19-OCT-00				700	
333	444	20-OCT-00				800	
333	444	21-OCT-00				900	

The next examples insert into multiple tables. Suppose you want to provide to sales representatives some information on orders of various sizes. The following example creates tables for small, medium, large, and special orders and populates those tables with data from the sample table `oe.orders`:

```
CREATE TABLE small_orders
  (order_id      NUMBER(12)  NOT NULL,
   customer_id   NUMBER(6)   NOT NULL,
   order_total   NUMBER(8,2),
   sales_rep_id  NUMBER(6)
  );

CREATE TABLE medium_orders AS SELECT * FROM small_orders;

CREATE TABLE large_orders AS SELECT * FROM small_orders;

CREATE TABLE special_orders
  (order_id      NUMBER(12)  NOT NULL,
   customer_id   NUMBER(6)   NOT NULL,
   order_total   NUMBER(8,2),
   sales_rep_id  NUMBER(6),
   credit_limit  NUMBER(9,2),
   cust_email    VARCHAR2(40)
  );
```

The first multi-table insert populates only the tables for small, medium, and large orders:

```
INSERT ALL
  WHEN order_total <= 100000 THEN
    INTO small_orders
  WHEN order_total > 100000 AND order_total <= 200000 THEN
    INTO medium_orders
  WHEN order_total > 200000 THEN
```

```

        INTO large_orders
    SELECT order_id, order_total, sales_rep_id, customer_id
    FROM orders;

```

You can accomplish the same thing using the `ELSE` clause in place of the insert into the `large_orders` table:

```

INSERT ALL
    WHEN order_total <= 100000 THEN
        INTO small_orders
    WHEN order_total > 100000 AND order_total <= 200000 THEN
        INTO medium_orders
    ELSE
        INTO large_orders
    SELECT order_id, order_total, sales_rep_id, customer_id
    FROM orders;

```

The next example inserts into the small, medium, and large tables, as in the preceding example, and also puts orders greater than 290,000 into the `special_orders` table. This table also shows how to use column aliases to simplify the statement:

```

INSERT ALL
    WHEN ottl <= 100000 THEN
        INTO small_orders
            VALUES(oid, ottl, sid, cid)
    WHEN ottl > 100000 and ottl <= 200000 THEN
        INTO medium_orders
            VALUES(oid, ottl, sid, cid)
    WHEN ottl > 200000 THEN
        into large_orders
            VALUES(oid, ottl, sid, cid)
    WHEN ottl > 290000 THEN
        INTO special_orders
    SELECT o.order_id oid, o.customer_id cid, o.order_total ottl,
        o.sales_rep_id sid, c.credit_limit cl, c.cust_email cem
    FROM orders o, customers c
    WHERE o.customer_id = c.customer_id;

```

Finally, the next example uses the `FIRST` clause to put orders greater than 290,000 into the `special_orders` table and exclude those orders from the `large_orders` table:

```

INSERT FIRST
    WHEN ottl <= 100000 THEN
        INTO small_orders
            VALUES(oid, ottl, sid, cid)
    WHEN ottl > 100000 and ottl <= 200000 THEN
        INTO medium_orders
            VALUES(oid, ottl, sid, cid)
    WHEN ottl > 290000 THEN
        INTO special_orders
    WHEN ottl > 200000 THEN
        INTO large_orders
            VALUES(oid, ottl, sid, cid)
    SELECT o.order_id oid, o.customer_id cid, o.order_total ottl,
        o.sales_rep_id sid, c.credit_limit cl, c.cust_email cem
    FROM orders o, customers c
    WHERE o.customer_id = c.customer_id;

```

### Inserting Multiple Rows Using a Single Statement: Example

The following statements create three tables named `people`, `patients` and `staff`:

```
CREATE TABLE people (  
  person_id  INTEGER NOT NULL PRIMARY KEY,  
  given_name  VARCHAR2(100) NOT NULL,  
  family_name VARCHAR2(100) NOT NULL,  
  title      VARCHAR2(20),  
  birth_date  DATE  
);  
  
CREATE TABLE patients (  
  patient_id  INTEGER NOT NULL PRIMARY KEY REFERENCES people  
  (person_id),  
  last_admission_date DATE  
);  
  
CREATE TABLE staff (  
  staff_id  INTEGER NOT NULL PRIMARY KEY REFERENCES people (person_id),  
  hired_date DATE  
);
```

The following statement inserts a row into the people table:

```
INSERT INTO people  
VALUES (1, 'Dave', 'Badger', 'Mr', date'1960-05-01');
```

The following statement returns an error as there is no value provided for the birth\_date column:

```
INSERT INTO people  
VALUES (2, 'Simon', 'Fox', 'Mr');
```

The following statement inserts a row into the people table:

```
INSERT INTO people (person_id, given_name, family_name, title)  
VALUES (2, 'Simon', 'Fox', 'Mr');
```

The following statement inserts a row into the people table and the value for the title column is populated by selecting a static value from the dual table:

```
INSERT INTO people (person_id, given_name, family_name, title)  
VALUES (3, 'Dave', 'Frog', (SELECT 'Mr' FROM dual));
```

The following statement inserts multiple rows into the people table using 'SELECT' statement:

```
INSERT INTO people (person_id, given_name, family_name, title)  
WITH names AS (  
  SELECT 4, 'Ruth',      'Fox',      'Mrs'   FROM dual UNION ALL  
  SELECT 5, 'Isabelle', 'Squirrel', 'Miss'  FROM dual UNION ALL  
  SELECT 6, 'Justin',   'Frog',   'Master' FROM dual UNION ALL  
  SELECT 7, 'Lisa',     'Owl',    'Dr'    FROM dual  
)  
SELECT * FROM names;
```

The following statement rolls back all the previous DML operations:

```
ROLLBACK;
```

The following statement inserts multiple rows into the people table using 'SELECT' statement with a 'WHERE' condition:

```
INSERT INTO people (person_id, given_name, family_name, title)  
WITH names AS (  
  SELECT 4, 'Ruth',      'Fox',      'Mrs'   FROM dual UNION ALL  
  SELECT 5, 'Isabelle', 'Squirrel', 'Miss'  FROM dual UNION ALL  
  SELECT 6, 'Justin',   'Frog',   'Master' FROM dual UNION ALL  
  SELECT 7, 'Lisa',     'Owl',    'Dr'    FROM dual  
)  
SELECT * FROM names  
WHERE person_id < 5;
```

```

SELECT 4, 'Ruth',      'Fox' family_name,      'Mrs' FROM dual UNION ALL
SELECT 5, 'Isabelle', 'Squirrel' family_name, 'Miss' FROM dual UNION ALL
SELECT 6, 'Justin',   'Frog' family_name,     'Master' FROM dual UNION ALL
SELECT 7, 'Lisa',     'Owl' family_name,      'Dr' FROM dual
)
SELECT * FROM names
WHERE family_name LIKE 'F%';

```

The following statement rolls back all the previous DML operations:

```
ROLLBACK;
```

The following statement inserts multiple rows into people, patients and staff table using 'INSERT ALL' statement:

```

INSERT ALL
/* Every one is a person */
INTO people (person_id, given_name, family_name, title)
VALUES (id, given_name, family_name, title)
INTO patients (patient_id, last_admission_date)
VALUES (id, admission_date)
INTO staff (staff_id, hired_date)
VALUES (id, hired_date)
WITH names AS (
SELECT 4 id, 'Ruth' given_name, 'Fox' family_name, 'Mrs' title,
        NULL hired_date, DATE'2009-12-31' admission_date
FROM dual UNION ALL
SELECT 5 id, 'Isabelle' given_name, 'Squirrel' family_name, 'Miss' title ,
        NULL hired_date, DATE'2014-01-01' admission_date
FROM dual UNION ALL
SELECT 6 id, 'Justin' given_name, 'Frog' family_name, 'Master' title,
        NULL hired_date, DATE'2015-04-22' admission_date
FROM dual UNION ALL
SELECT 7 id, 'Lisa' given_name, 'Owl' family_name, 'Dr' title,
        DATE'2015-01-01' hired_date, NULL admission_date
FROM dual
)
SELECT * FROM names;

```

The following statement rolls back all the previous DML operations:

```
ROLLBACK;
```

The following statement inserts multiple rows into people, patients and staff table using 'INSERT ALL' statement with various conditions:

```

INSERT ALL
/* Everyone is a person, so insert all rows into people */
WHEN 1=1 THEN
INTO people (person_id, given_name, family_name, title)
VALUES (id, given_name, family_name, title)
/* Only people with an admission date are patients */
WHEN admission_date IS NOT NULL THEN
INTO patients (patient_id, last_admission_date)
VALUES (id, admission_date)
/* Only people with a hired date are staff */
WHEN hired_date IS NOT NULL THEN
INTO staff (staff_id, hired_date)
VALUES (id, hired_date)
WITH names AS (
SELECT 4 id, 'Ruth' given_name, 'Fox' family_name, 'Mrs' title,
        NULL hired_date, DATE'2009-12-31' admission_date

```

```
FROM dual UNION ALL
SELECT 5 id, 'Isabelle' given_name, 'Squirrel' family_name, 'Miss' title ,
       NULL hired_date, DATE'2014-01-01' admission_date
FROM dual UNION ALL
SELECT 6 id, 'Justin' given_name, 'Frog' family_name, 'Master' title,
       NULL hired_date, DATE'2015-04-22' admission_date
FROM dual UNION ALL
SELECT 7 id, 'Lisa' given_name, 'Owl' family_name, 'Dr' title,
       DATE'2015-01-01' hired_date, NULL admission_date
FROM dual
)
SELECT * FROM names;
```

## LOCK TABLE

### Purpose

Use the `LOCK TABLE` statement to lock one or more tables, table partitions, or table subpartitions in a specified mode. This lock manually overrides automatic locking and permits or denies access to a table or view by other users for the duration of your operation.

Some forms of locks can be placed on the same table at the same time. Other locks allow only one lock for a table.

A locked table remains locked until you either commit your transaction or roll it back, either entirely or to a savepoint before you locked the table.

A lock never prevents other users from querying the table. A query never places a lock on a table. Readers never block writers and writers never block readers.



### See Also:

- *Oracle Database Concepts* for a complete description of the interaction of lock modes
- [COMMIT](#)
- [ROLLBACK](#)
- [SAVEPOINT](#)

### Prerequisites

The table or view must be in your own schema, or you must have the `LOCK ANY TABLE` system privilege, or you must have any object privilege (except the `READ` object privilege) on the table or view.



If you specify `PARTITION` and `table` is composite-partitioned, then the database acquires locks on all the subpartitions of the partition.

### Restrictions on Locking Tables

The following restrictions apply to locking tables:

- If `view` is part of a hierarchy, then it must be the root of the hierarchy.
- You can acquire locks on only the existing partitions in an automatic list-partitioned table. That is, when you specify the following statement, the partition key value must correspond to a partition that already exists in the table; it cannot correspond to a partition that might be created on-demand at a later time:

```
LOCK TABLE ... PARTITION FOR (partition_key_value) ...
```

### *dblink*

Specify a database link to a remote Oracle Database where the table or view is located. You can lock tables and views on a remote database only if you are using Oracle distributed functionality. All tables locked by a `LOCK TABLE` statement must be on the same database.

If you omit `dblink`, then Oracle Database assumes the table or view is on the local database.



#### See Also:

"[References to Objects in Remote Databases](#)" for information on specifying database links

### *lockmode* Clause

Specify one of the following modes:

#### **ROW SHARE**

`ROW SHARE` permits concurrent access to the locked table but prohibits users from locking the entire table for exclusive access. `ROW SHARE` is synonymous with `SHARE UPDATE`, which is included for compatibility with earlier versions of Oracle Database.

#### **ROW EXCLUSIVE**

`ROW EXCLUSIVE` is the same as `ROW SHARE`, but it also prohibits locking in `SHARE` mode. `ROW EXCLUSIVE` locks are automatically obtained when updating, inserting, or deleting.

#### **SHARE UPDATE**

See [ROW SHARE](#).

#### **SHARE**

`SHARE` permits concurrent queries but prohibits updates to the locked table.

#### **SHARE ROW EXCLUSIVE**



`SHARE ROW EXCLUSIVE` is used to look at a whole table and to allow others to look at rows in the table but to prohibit others from locking the table in `SHARE` mode or from updating rows.

### EXCLUSIVE

`EXCLUSIVE` permits queries on the locked table but prohibits any other activity on it.

### NOWAIT

Specify `NOWAIT` if you want the database to return control to you immediately if the specified table, partition, or table subpartition is already locked by another user. In this case, the database returns a message indicating that the table, partition, or subpartition is already locked by another user.

### WAIT

Use the `WAIT` clause to indicate that the `LOCK TABLE` statement should wait up to the specified number of seconds to acquire a DML lock. There is no limit on the value of *integer*.

If you specify neither `NOWAIT` nor `WAIT`, then the database waits indefinitely until the table is available, locks it, and returns control to you. When the database is executing DDL statements concurrently with DML statements, a timeout or deadlock can sometimes result. The database detects such timeouts and deadlocks and returns an error.



#### See Also:

*Oracle Database Administrator's Guide* for more information about locking tables

## Examples

### Locking a Table: Example

The following statement locks the `employees` table in exclusive mode but does not wait if another user already has locked the table:

```
LOCK TABLE employees
  IN EXCLUSIVE MODE
  NOWAIT;
```

The following statement locks the remote `employees` table that is accessible through the database link `remote`:

```
LOCK TABLE employees@remote
  IN SHARE MODE;
```

# 19

## SQL Statements: MERGE to UPDATE

This chapter contains the following SQL statements:

- MERGE
- NOAUDIT (Traditional Auditing)
- NOAUDIT (Unified Auditing)
- PURGE
- RENAME
- REVOKE
- ROLLBACK
- SAVEPOINT
- SELECT
- SET CONSTRAINT[S]
- SET ROLE
- SET TRANSACTION
- TRUNCATE CLUSTER
- TRUNCATE TABLE
- UPDATE

### MERGE

#### Purpose

Use the `MERGE` statement to select rows from one or more sources for update or insertion into a table or view. You can specify conditions to determine whether to update or insert into the target table or view.

This statement is a convenient way to combine multiple operations. It lets you avoid multiple `INSERT`, `UPDATE`, and `DELETE` DML statements.

`MERGE` is a deterministic statement. You cannot update the same row of the target table multiple times in the same `MERGE` statement.

**Note:**


In previous releases of Oracle Database, when you created an Oracle Virtual Private Database policy on an application that included the `MERGE INTO` statement, the `MERGE INTO` statement would be prevented with an `ORA-28132: Merge into syntax does not support security policies error`, due to the presence of the Virtual Private Database policy. Beginning with Oracle Database 11g Release 2 (11.2.0.2), you can create policies on applications that include `MERGE INTO` operations. To do so, in the `DBMS_RLS.ADD_POLICY` statement `statement_types` parameter, include the `INSERT`, `UPDATE`, and `DELETE` statements, or just omit the `statement_types` parameter altogether. Refer to *Oracle Database Security Guide* for more information on enforcing policies on specific SQL statement types.

**Prerequisites**

You must have the `INSERT` and `UPDATE` object privileges on the target table and the `SELECT` object privilege on the source objects. To specify the `DELETE` clause of the `merge_update_clause`, you must also have the `DELETE` object privilege on the target table or view.

**Syntax**


**merge::=**

**Note:**


You must specify at least one of the clauses `merge_update_clause` or `merge_insert_clause`.

(*values\_clause::=*, *merge\_update\_clause::=*, *merge\_insert\_clause::=*,  
*error\_logging\_clause::=*)


***values\_clause::=***




***merge\_update\_clause::=***




***merge\_insert\_clause::=***



***where\_clause::=***



***error\_logging\_clause::=*****Semantics****INTO Clause**

Use the `INTO` clause to specify the target table or view you are updating or inserting into. In order to merge data into a view, the view must be updatable. Refer to "[Notes on Updatable Views](#)" for more information.

**Restriction on Target Views**

You cannot specify a target view on which an `INSTEAD OF` trigger has been defined.

**USING Clause**

Use the `USING` clause to specify the source you are updating or inserting from.

***values\_clause***

For semantics of the *values\_clause* please see the *values\_clause* of the `SELECT` statement [values\\_clause](#).

**ON Clause**

Use the `ON` clause to specify the condition upon which the `MERGE` operation either updates or inserts. For each row in the target table for which the search condition is true, Oracle Database updates the row with corresponding data from the source. If the condition is not true for any rows, then the database inserts into the target table based on the corresponding source row.

***merge\_update\_clause***

The *merge\_update\_clause* specifies the new column values of the target table or view. Oracle performs this update if the condition of the `ON` clause is true. If the update clause is executed, then all update triggers defined on the target table are activated.

Specify the *where\_clause* if you want the database to execute the update operation only if the specified condition is true. The condition can refer to either the data source or the target table. If the condition is not true, then the database skips the update operation when merging the row into the table.

Specify the `DELETE where_clause` to clean up data in a table while populating or updating it. The only rows affected by this clause are those rows in the destination table that are updated by the merge operation. The `DELETE WHERE` condition evaluates the updated value, not the original value that was evaluated by the `UPDATE SET ...`

`WHERE` condition. If a row of the destination table meets the `DELETE` condition but is not included in the join defined by the `ON` clause, then it is not deleted. Any delete triggers defined on the target table will be activated for each row deletion.

You can specify this clause by itself or with the `merge_insert_clause`. If you specify both, then they can be in either order.

### Restrictions on the `merge_update_clause`

This clause is subject to the following restrictions:

- You cannot update a column that is referenced in the `ON condition` clause.
- You cannot specify `DEFAULT` when updating a view.

### `merge_insert_clause`

The `merge_insert_clause` specifies values to insert into the column of the target table if the condition of the `ON` clause is false. If the insert clause is executed, then all insert triggers defined on the target table are activated. If you omit the column list after the `INSERT` keyword, then the number of columns in the target table must match the number of values in the `VALUES` clause.

To insert all of the source rows into the table, you can use a **constant filter predicate** in the `ON` clause condition. An example of a constant filter predicate is `ON (0=1)`. Oracle Database recognizes such a predicate and makes an unconditional insert of all source rows into the table. This approach is different from omitting the `merge_update_clause`. In that case, the database still must perform a join. With constant filter predicate, no join is performed.

Specify the `where_clause` if you want Oracle Database to execute the insert operation only if the specified condition is true. The condition can refer only to the data source columns. Oracle Database skips the insert operation for all rows for which the condition is not true.

You can specify the `merge_insert_clause` by itself or with the `merge_update_clause`. If you specify both, then they can be in either order.

### Restriction on the `merge_insert_clause`

You cannot specify `DEFAULT` when inserting into a view.

### `error_logging_clause`

The `error_logging_clause` has the same behavior in a `MERGE` statement as in an `INSERT` statement. Refer to the `INSERT` statement [error\\_logging\\_clause](#) for more information.



#### See Also:

["Inserting Into a Table with Error Logging: Example"](#)

## Examples

### Merging into a Table: Example

The following example uses the `bonuses` table in the sample schema `oe` with a default bonus of 100. It then inserts into the `bonuses` table all employees who made sales, based on the `sales_rep_id` column of the `oe.orders` table. Finally, the human resources manager decides

that employees with a salary of \$8000 or less should receive a bonus. Those who have not made sales get a bonus of 1% of their salary. Those who already made sales get an increase in their bonus equal to 1% of their salary. The `MERGE` statement implements these changes in one step:

```
CREATE TABLE bonuses (employee_id NUMBER, bonus NUMBER DEFAULT 100);
INSERT INTO bonuses(employee_id)
  (SELECT e.employee_id FROM hr.employees e, oe.orders o
   WHERE e.employee_id = o.sales_rep_id
   GROUP BY e.employee_id);
```

```
SELECT * FROM bonuses ORDER BY employee_id;
```

EMPLOYEE_ID	BONUS
153	100
154	100
155	100
156	100
158	100
159	100
160	100
161	100
163	100

```
MERGE INTO bonuses D
  USING (SELECT employee_id, salary, department_id FROM hr.employees
   WHERE department_id = 80) S
  ON (D.employee_id = S.employee_id)
  WHEN MATCHED THEN UPDATE SET D.bonus = D.bonus + S.salary*.01
  DELETE WHERE (S.salary > 8000)
  WHEN NOT MATCHED THEN INSERT (D.employee_id, D.bonus)
  VALUES (S.employee_id, S.salary*.01)
  WHERE (S.salary <= 8000);
```

```
SELECT * FROM bonuses ORDER BY employee_id;
```

EMPLOYEE_ID	BONUS
153	180
154	175
155	170
159	180
160	175
161	170
164	72
165	68
166	64
167	62
171	74
172	73
173	61
179	62

### Conditional Insert and Update: Example

The following example conditionally inserts and updates table data by using the `MERGE` statement.

The following statements create two tables named `people_source` and `people_target` and populate them with names:

```
CREATE TABLE people_source (  
  person_id INTEGER NOT NULL PRIMARY KEY,  
  first_name VARCHAR2(20) NOT NULL,  
  last_name VARCHAR2(20) NOT NULL,  
  title VARCHAR2(10) NOT NULL  
);  
  
CREATE TABLE people_target (  
  person_id INTEGER NOT NULL PRIMARY KEY,  
  first_name VARCHAR2(20) NOT NULL,  
  last_name VARCHAR2(20) NOT NULL,  
  title VARCHAR2(10) NOT NULL  
);  
  
INSERT INTO people_target VALUES (1, 'John', 'Smith', 'Mr');  
INSERT INTO people_target VALUES (2, 'alice', 'jones', 'Mrs');  
INSERT INTO people_source VALUES (2, 'Alice', 'Jones', 'Mrs.');
```

```
INSERT INTO people_source VALUES (3, 'Jane', 'Doe', 'Miss');  
INSERT INTO people_source VALUES (4, 'Dave', 'Brown', 'Mr');
```

```
COMMIT;
```

The following statement compares the contents of `people_target` and `people_source` by using the `person_id` column. The values in the `people_target` table are updated when there is a match in the `people_source` table:

```
MERGE INTO people_target pt  
USING people_source ps  
ON (pt.person_id = ps.person_id)  
WHEN MATCHED THEN UPDATE  
  SET pt.first_name = ps.first_name,  
      pt.last_name = ps.last_name,  
      pt.title = ps.title;
```

The following statements display the contents of the `people_target` table and perform a rollback:

```
SELECT * FROM people_target;
```

PERSON_ID	FIRST_NAME	LAST_NAME	TITLE
1	John	Smith	Mr
2	Alice	Jones	Mrs.

```
ROLLBACK;
```



This statement compares the contents of the `people_target` and `people_source` tables by using the `person_id` column. The values in the `people_target` table are updated only when there is no match in the `people_source` table:

```
MERGE INTO people_target pt
USING people_source ps
ON      (pt.person_id = ps.person_id)
WHEN NOT MATCHED THEN INSERT
      (pt.person_id, pt.first_name, pt.last_name, pt.title)
      VALUES (ps.person_id, ps.first_name, ps.last_name, ps.title);
```

The following statements display the contents of the `people_target` table and perform a rollback:

```
SELECT * FROM people_target;
```

PERSON_ID	FIRST_NAME	LAST_NAME	TITLE
1	John	Smith	Mr
2	alice	jones	Mrs
3	Jane	Doe	Miss
4	Dave	Brown	Mr

```
ROLLBACK;
```

The following statement compares the contents of the `people_target` and `people_source` tables by using the `person_id` column and conditionally inserts and updates data in the `people_target` table. For each matching row in the `people_source` table, the values in the `people_target` table are updated by using the values from the `people_source` table. Any unmatched rows from the `people_source` table are added to the `people_target` table:

```
MERGE INTO people_target pt
USING people_source ps
ON      (pt.person_id = ps.person_id)
WHEN MATCHED THEN UPDATE
      SET pt.first_name = ps.first_name,
          pt.last_name = ps.last_name,
          pt.title = ps.title
WHEN NOT MATCHED THEN INSERT
      (pt.person_id, pt.first_name, pt.last_name, pt.title)
      VALUES (ps.person_id, ps.first_name, ps.last_name, ps.title);
```

The following statements display the contents of the `people_target` table and perform a rollback:

```
SELECT * FROM people_target;
```

PERSON_ID	FIRST_NAME	LAST_NAME	TITLE
1	John	Smith	Mr
2	Alice	Jones	Mrs.

3	Jane	Doe	Miss
4	Dave	Brown	Mr

```
ROLLBACK;
```

The following statement compares the `people_target` and `people_source` tables by using the `person_id` column. When the `person_id` matches, the corresponding rows in the `people_target` table are updated by using values from the `people_source` table. The `DELETE` clause removes all the values in `people_target` where `title` is 'Mrs.'. When the `person_id` does not match, the rows from the `people_source` table are added to the `people_target` table. The `WHERE` clause ensures that only values that have `title` as 'Mr' are added to the `people_target` table:

```
MERGE INTO people_target pt
USING people_source ps
ON (pt.person_id = ps.person_id)
WHEN MATCHED THEN UPDATE
  SET pt.first_name = ps.first_name,
      pt.last_name = ps.last_name,
      pt.title = ps.title
  DELETE where pt.title = 'Mrs.'
WHEN NOT MATCHED THEN INSERT
  (pt.person_id, pt.first_name, pt.last_name, pt.title)
  VALUES (ps.person_id, ps.first_name, ps.last_name, ps.title)
  WHERE ps.title = 'Mr';
```

The following statements display the contents of the `people_target` table and perform a rollback:

```
SELECT * FROM people_target;
```

PERSON_ID	FIRST_NAME	LAST_NAME	TITLE
1	John	Smith	Mr
4	Dave	Brown	Mr

```
ROLLBACK;
```

### Dealing with Inputs from an Application

Usually applications have to check for the existence of a row first in order to decide whether to `INSERT` a new row, or `UPDATE` an already existing one. The `MERGE` statement eliminates the need for such a check by allowing the use of bind variables inside the `USING` statement as a source.

The following statements demonstrate the use of bind variables to insert a new row into the `people_target` table:

```
var person_id NUMBER;
var first_name VARCHAR2(20);
var last_name VARCHAR2(20);
var title VARCHAR2(10);
```

```

exec :person_id := 3;
exec :first_name := 'Gerald';
exec :last_name := 'Walker';
exec :title := 'Mr';

MERGE INTO people_target pt
  USING (SELECT :person_id AS person_id,
               :first_name AS first_name,
               :last_name AS last_name,
               :title AS title FROM DUAL) ps
  ON (pt.person_id = ps.person_id)
  WHEN MATCHED THEN UPDATE
  SET pt.first_name = ps.first_name,
      pt.last_name = ps.last_name,
      pt.title = ps.title
  WHEN NOT MATCHED THEN INSERT
  (pt.person_id, pt.first_name, pt.last_name, pt.title)
  VALUES (ps.person_id, ps.first_name, ps.last_name, ps.title);

```

The following statements display the contents of the `people_target` table and perform a rollback:

```
SELECT * FROM people_target;
```

PERSON_ID	FIRST_NAME	LAST_NAME	TITLE
1	John	Smith	Mr
2	alice	jones	Mrs
3	Gerald	Walker	Mr

```
ROLLBACK;
```

The following statements demonstrate the use of bind variables to update an already existing row in the `people_target`. Note that the `MERGE` statement is identical to the one just used to insert a new row:

```

var person_id NUMBER;
var first_name VARCHAR2(20);
var last_name VARCHAR2(20);
var title VARCHAR2(10);

exec :person_id := 2;
exec :first_name := 'Alice';
exec :last_name := 'Jones';
exec :title := 'Mrs';

MERGE INTO people_target pt
  USING (SELECT :person_id AS person_id,
               :first_name AS first_name,
               :last_name AS last_name,
               :title AS title FROM DUAL) ps
  ON (pt.person_id = ps.person_id)
  WHEN MATCHED THEN UPDATE

```

```

SET pt.first_name = ps.first_name,
   pt.last_name = ps.last_name,
   pt.title = ps.title
WHEN NOT MATCHED THEN INSERT
  (pt.person_id, pt.first_name, pt.last_name, pt.title)
VALUES (ps.person_id, ps.first_name, ps.last_name, ps.title);

```

The following statements display the contents of the `people_target` table and perform a rollback:

```
SELECT * FROM people_target;
```

PERSON_ID	FIRST_NAME	LAST_NAME	TITLE
1	John	Smith	Mr
2	Alice	Jones	Mrs

```
ROLLBACK;
```

## NOAUDIT (Traditional Auditing)

### See Also:

Traditional auditing is desupported in 23ai. Databases migrated from earlier versions may still have traditional auditing policies configured. Those policies should be migrated to unified auditing. When migrated, the traditional audit policies may be removed with the `NOAUDIT` statement.

This section describes the `NOAUDIT` statement for **traditional auditing**, which is the same auditing functionality used in releases earlier than Oracle Database 12c.

Beginning with Oracle Database 12c, Oracle introduces **unified auditing**, which provides a full set of enhanced auditing features. For backward compatibility, traditional auditing is still supported. However, Oracle recommends that you plan the migration of your existing audit settings to the new unified audit policy syntax. For new audit requirements, Oracle recommends that you use the new unified auditing. Traditional auditing may be desupported in a future major release.

### See Also:

[NOAUDIT \(Unified Auditing\)](#) for a description of the `NOAUDIT` statement for unified auditing

### Purpose

Use the `NOAUDIT` statement to stop auditing operations previously enabled by the `AUDIT` statement.

The `NOAUDIT` statement must have the same syntax as the previous `AUDIT` statement. Further, it reverses the effects only of that particular statement. For example, suppose one `AUDIT` statement A enables auditing for a specific user. A second statement B enables auditing for all users. A `NOAUDIT` statement C to disable auditing for all users reverses statement B. However, statement C leaves statement A in effect and continues to audit the user that statement A specified.



**See Also:**

[AUDIT \(Traditional Auditing\)](#)

**Prerequisites**


To stop auditing of SQL statements, you must have the `AUDIT SYSTEM` system privilege.

To stop auditing of schema objects, you must be the owner of the object on which you stop auditing or you must have the `AUDIT ANY` system privilege. In addition, if the object you chose for auditing is a directory, then even if you created it, you must have the `AUDIT ANY` system privilege.

To specify the `CONTAINER` clause, you must be connected to a multitenant container database (CDB). To specify `CONTAINER = ALL`, the current container must be the root and you must have the commonly granted `AUDIT SYSTEM` privilege in order to stop auditing for the issuances of a SQL statement, or the commonly granted `AUDIT ANY` privilege in order to stop auditing for the operations on a schema object. To specify `CONTAINER = CURRENT`, the current container must be a pluggable database (PDB) and you must have the locally granted `AUDIT SYSTEM` privilege in order to stop auditing the issuances of a SQL statement, or the locally granted `AUDIT ANY` privilege in order to stop auditing operations on a schema object.


**Syntax**

***noaudit::=***




*(audit\_operation\_clause::=, auditing\_by\_clause::=, audit\_schema\_object\_clause::=)*


***audit\_operation\_clause::=***




***auditing\_by\_clause::=***



***audit\_schema\_object\_clause::=***



***auditing\_on\_clause::=***



**Semantics**

***audit\_operation\_clause***

Use the *audit\_operation\_clause* to stop auditing of a particular SQL statement.

***statement\_option***

For *sql\_statement\_shortcut*, specify the shortcut for the SQL statements for which auditing is to be stopped. Refer to [#unique\\_907/unique\\_907\\_Connect\\_42\\_BABEFEAC](#) and [#unique\\_907/unique\\_907\\_Connect\\_42\\_G2274817](#) for a list of the SQL statement shortcuts and the SQL statements they audit.

**ALL**

Specify **ALL** to stop auditing of all statement options currently being audited because of an earlier **AUDIT ALL . . .** statement. You cannot use this clause to reverse an earlier **AUDIT ALL STATEMENTS . . .** statement.

**ALL STATEMENTS**

Specify **ALL STATEMENTS** to reverse an earlier **AUDIT ALL STATEMENTS . . .** statement. You cannot use this clause to reverse an earlier **AUDIT ALL . . .** statement.

***system\_privilege***

For *system\_privilege*, specify the system privilege for which auditing is to be stopped. Refer to [Table 18-2](#) for a list of the system privileges and the statements they authorize.

**ALL PRIVILEGES**

Specify **ALL PRIVILEGES** to stop auditing of all system privileges currently being audited.

***auditing\_by\_clause***

Use the *auditing\_by\_clause* to stop auditing only for SQL statements issued by the specified users in their subsequent sessions. If you omit this clause, then Oracle Database stops auditing for all users' statements, except for the situation described for **WHENEVER SUCCESSFUL**.

***audit\_schema\_object\_clause***

Use the *audit\_schema\_object\_clause* to stop auditing of a particular database object.

***sql\_operation***

For *sql\_operation*, specify the type of operation for which auditing is to be stopped on the object specified in the **ON** clause. Refer to [#unique\\_907/unique\\_907\\_Connect\\_42\\_BABCFIEA](#) for a list of these options.

**ALL**

Specify **ALL** as a shortcut equivalent to specifying all SQL operations applicable for the type of object.

***auditing\_on\_clause***

The *auditing\_on\_clause* lets you specify the particular schema object for which auditing is to be stopped.

- For object, specify the object name of a table, view, sequence, stored procedure, function, or package, materialized view, or library. If you do not qualify *object* with *schema*, then Oracle Database assumes the object is in your own schema. Refer to [AUDIT \(Traditional Auditing\)](#) for information on auditing specific schema objects.

- The `DIRECTORY` clause lets you specify the name of the directory on which auditing is to be stopped.
- The `SQL TRANSLATION PROFILE` clause lets you specify the SQL translation profile on which auditing is to be stopped.
- Specify `DEFAULT` to remove the specified object options as default object options for subsequently created objects.

### NETWORK

Use this clause to discontinue auditing of database link usage and logins.

### DIRECT\_PATH LOAD

Use this clause to discontinue auditing of SQL\*Loader direct path loads.

### WHENEVER [NOT] SUCCESSFUL

Specify `WHENEVER SUCCESSFUL` to stop auditing only for SQL statements and operations on schema objects that complete successfully.

Specify `WHENEVER NOT SUCCESSFUL` to stop auditing only for SQL statements and operations that result in Oracle Database errors.

If you omit this clause, then the database stops auditing for all statements or operations, regardless of success or failure.

### CONTAINER Clause

Use the `CONTAINER` clause to specify the scope of the `NOAUDIT` command.

- Specify `CONTAINER = CURRENT` to stop auditing in the PDB to which you are connected. If you specify the *auditing\_by\_clause*, then *user* must be a common user or local user in the current PDB. If you specify the *auditing\_on\_clause*, then the objects must be local objects in the current PDB.
- Specify `CONTAINER = ALL` to stop auditing across the entire CDB. If you specify the *auditing\_by\_clause*, then *user* must be a common user. If you do not specify the *auditing\_by\_clause*, then auditing is stopped for all common users and all local users in each PDB. If you specify the *auditing\_on\_clause*, then the objects must be common objects.

If you omit this clause, then `CONTAINER = CURRENT` is the default.

### Examples

#### Stop Auditing of SQL Statements Related to Roles: Example

If you have chosen auditing for every SQL statement that creates or drops a role, then you can stop auditing of such statements by issuing the following statement:

```
NOAUDIT ROLE;
```

#### Stop Auditing of Updates or Queries on Objects Owned by a Particular User: Example

If you have chosen auditing for any statement that queries or updates any table issued by the users `hr` and `oe`, then you can stop auditing for queries by `hr` by issuing the following statement:

```
NOAUDIT SELECT TABLE BY hr;
```



The preceding statement stops auditing only queries by `hr`, so the database continues to audit queries and updates by `oe` as well as updates by `hr`.

### Stop Auditing of Statements Authorized by a Particular Object Privilege: Example

To stop auditing on all statements that are authorized by `DELETE ANY TABLE` system privilege, issue the following statement:

```
NOAUDIT DELETE ANY TABLE;
```

### Stop Auditing of Queries on a Particular Object: Example

If you have chosen auditing for every SQL statement that queries the `employees` table in the schema `hr`, then you can stop auditing for such queries by issuing the following statement:

```
NOAUDIT SELECT
  ON hr.employees;
```

### Stop Auditing of Queries that Complete Successfully: Example

You can stop auditing for queries that complete successfully by issuing the following statement:

```
NOAUDIT SELECT
  ON hr.employees
  WHENEVER SUCCESSFUL;
```

This statement stops auditing only for successful queries. Oracle Database continues to audit queries resulting in Oracle Database errors.

## NOAUDIT (Unified Auditing)

This section describes the `NOAUDIT` statement for **unified auditing**. This type of auditing is new beginning with Oracle Database 12c and provides a full set of enhanced auditing features. Refer to *Oracle Database Security Guide* for more information on unified auditing.

### Purpose

Use the `NOAUDIT` statement to:

- Disable a unified audit policy for all users or for specified users
- Exclude the values of context attributes from audit records

Changes made to the audit policy become effective immediately in the current session and in all active sessions without re-login.

 **See Also:**

- [AUDIT \(Unified Auditing\)](#)
- [CREATE AUDIT POLICY \(Unified Auditing\)](#)
- [ALTER AUDIT POLICY \(Unified Auditing\)](#)
- [DROP AUDIT POLICY \(Unified Auditing\)](#)

**Prerequisites**


You must have the `AUDIT SYSTEM` system privilege or the `AUDIT_ADMIN` role.

If you are connected to a multitenant container database (CDB), then to disable a common unified audit policy, the current container must be the root and you must have the commonly granted `AUDIT SYSTEM` privilege or the `AUDIT_ADMIN` common role. To disable a local unified audit policy, the current container must be the container in which the audit policy was created and you must have the commonly granted `AUDIT SYSTEM` privilege or the `AUDIT_ADMIN` common role, or you must have the locally granted `AUDIT SYSTEM` privilege or the `AUDIT_ADMIN` local role in the container.


To specify the `NOAUDIT CONTEXT ...` statement when connected to a CDB, you must have the commonly granted `AUDIT SYSTEM` privilege or the `AUDIT_ADMIN` common role, or you must have the locally granted `AUDIT SYSTEM` privilege or the `AUDIT_ADMIN` local role in the current session's container.

**Syntax**

***unified\_noaudit::=***



***by\_users\_with\_roles::=***



## Semantics

### *policy*

Specify the name of the unified audit policy you want to disable.

You can find descriptions of all unified audit policies by querying the `AUDIT_UNIFIED_POLICIES` view and descriptions of all *enabled* unified audit policies by querying the `AUDIT_UNIFIED_ENABLED_POLICIES` view.



#### See Also:

*Oracle Database Reference* for more information on the `AUDIT_UNIFIED_POLICIES` and `AUDIT_UNIFIED_ENABLED_POLICIES` views

## CONTEXT Clause

Specify the `CONTEXT` clause to exclude the values of context attributes in audit records.

- For *namespace*, specify the context namespace.
- For *attribute*, specify one or more context attributes whose values you want to exclude from audit records.

If you specify the `CONTEXT` clause when the current container is the root of a CDB, then the values of context attributes will be included in audit records only for events executed in the root. If you specify the optional `BY` clause, then *user* must be a common user.

If you specify the `CONTEXT` clause when the current container is a pluggable database (PDB), then the values of context attributes will be included in audit records only for events executed in that PDB. If you specify the optional `BY` clause, then *user* must be a common user or a local user in that PDB.

You can find the application context attributes that are configured to be captured in the audit trail by querying the `AUDIT_UNIFIED_CONTEXTS` view.



#### See Also:

*Oracle Database Reference* for more information on the `AUDIT_UNIFIED_CONTEXTS` view

## BY

You can specify the `BY` clause for the `NOAUDIT POLICY` and `NOAUDIT CONTEXT` statements.

### NOAUDIT POLICY ... BY

The behavior of the `BY` clause depends on whether *policy* is enabled for all users or specific users.

- If *policy* is enabled for all users, then you can disable *policy* for all users by omitting the BY clause. If you specify the BY clause, then the NOAUDIT POLICY statement will have no effect.
- If *policy* is enabled for one or more users (using the AUDIT POLICY ... BY ... statement), then you can:
  - Disable *policy* for one or more of those users by specifying the BY clause followed by the users for whom you want *policy* disabled
  - Completely disable *policy* by specifying the BY clause followed by all of the users for whom *policy* is enabled

If you do not specify the BY clause, then the NOAUDIT POLICY statement will have no effect.

- If *policy* is enabled for all users except specific users (using the AUDIT POLICY ... EXCEPT ... statement), then you can disable *policy* for all users by omitting the BY clause. If you specify the BY clause, then the NOAUDIT POLICY statement will have no effect.

If *policy* is a common unified audit policy, then *user* must be a common user. If *policy* is a local unified audit policy, then *user* must be a common user or a local user in the container to which you are connected.

### NOAUDIT CONTEXT ... BY

The behavior of the BY clause depends on whether *attribute* is configured to be included in audit records for all users or specific users.

- If *attribute* is configured to be included in audit records for all users, then you can exclude *attribute* from audit records for all users by omitting the BY clause. If you specify the BY clause, then the NOAUDIT CONTEXT statement will have no effect.
- If *attribute* is configured to be included in audit records for specific users, then you can exclude *attribute* for one or more of those users by specifying the BY clause followed by the users for whom you want *attribute* excluded. If you do not specify the BY clause, then the NOAUDIT CONTEXT statement will have no effect.

### *by\_users\_with\_roles*

Specify this clause to disable *policy* only for users who have been directly granted the specified roles. If you subsequently grant one of the roles to an additional user, then the policy is automatically disabled for that user.

When you are connected to a CDB, if *policy* is a common unified audit policy, then *role* must be a common role. If *policy* is a local unified audit policy, then *role* must be a common role or a local role in the container to which you are connected.

### Examples

The following examples disable unified audit policies that were created in the CREATE AUDIT POLICY "Examples" and enabled in the AUDIT "Examples".

#### Disabling a Unified Audit Policy for All Users: Example

Assume that unified audit policy *table\_pol* is enabled for all users. The following statement disables *table\_pol* for all users:

```
NOAUDIT POLICY table_pol;
```

The following statement returns no rows, which verifies that `table_pol` is disabled for all users:

```
SELECT *
  FROM audit_unified_enabled_policies
 WHERE policy_name = 'TABLE_POL';
```

### Disabling a Unified Audit Policy for Specific Users: Example

Assume that unified audit policy `dml_pol` is enabled for users `hr` and `sh`, as shown by the following query:

```
SELECT policy_name, enabled_option, entity_name
  FROM audit_unified_enabled_policies
 WHERE policy_name = 'DML_POL'
 ORDER BY entity_name;
```

POLICY_NAME	ENABLED_OPTION	ENTITY_NAME
DML_POL	BY	HR
DML_POL	BY	SH

The following statement disables `dml_pol` for user `hr`:

```
NOAUDIT POLICY dml_pol BY hr;
```

The following statement verifies that `dml_pol` is now enabled for only user `sh`:

```
SELECT policy_name, enabled_option, entity_name
  FROM audit_unified_enabled_policies
 WHERE policy_name = 'DML_POL';
```

POLICY_NAME	ENABLED_OPTION	ENTITY_NAME
DML_POL	BY	SH

The following statement disables `dml_pol` for user `sh`:

```
NOAUDIT POLICY dml_pol BY sh;
```

The following statement returns no rows, which verifies that `dml_pol` is disabled for all users:

```
SELECT *
  FROM audit_unified_enabled_policies
 WHERE policy_name = 'DML_POL';
```

### Excluding Values of Context Attributes in Audit Records: Example

The following statement instructs the database to exclude the values of namespace `USERENV` attributes `CURRENT_USER` and `DB_NAME` from all audit records for user `hr`:

```
NOAUDIT CONTEXT NAMESPACE userenv
  ATTRIBUTES current_user, db_name
  BY hr;
```

# PURGE

## Purpose

Use the `PURGE` statement to:

- Remove a table or index from your recycle bin and release all of the space associated with the object
- Remove part or all of a dropped tablespace or tablespace set from the recycle bin
- Remove the entire recycle bin



### Note:

You cannot roll back a `PURGE` statement, nor can you recover an object after it is purged.

To see the contents of your recycle bin, query the `USER_RECYCLEBIN` data dictionary view. You can use the `RECYCLEBIN` synonym instead. The following two statements return the same rows:

```
SELECT * FROM RECYCLEBIN;  
SELECT * FROM USER_RECYCLEBIN;
```



### See Also:

- *Oracle Database Administrator's Guide* for information on the recycle bin and naming conventions for objects in the recycle bin
- [FLASHBACK TABLE](#) for information on retrieving dropped tables from the recycle bin
- *Oracle Database Reference* for information on using the `RECYCLEBIN` initialization parameter to control whether dropped tables go into the recycle bin

## Prerequisites

To purge a table, the table must reside in your own schema or you must have the `DROP ANY TABLE` system privilege, or you must have the `SYSDBA` system privilege.

To purge an index, the index must reside in your own schema or you must have the `DROP ANY INDEX` system privilege, or you must have the `SYSDBA` system privilege.


To purge a tablespace or tablespace set, you must have the `DROP TABLESPACE` system privilege, or you must have the `SYSDBA` system privilege.

To purge a tablespace set, you must also be connected to a shard catalog database as an SDB user.

To perform the `PURGE DBA_RECYCLEBIN` operation, you must have the `SYSDBA` or `PURGE DBA_RECYCLEBIN` system privilege.

## Syntax

***purge::=***



## Semantics

### TABLE or INDEX

Specify the name of the table or index in the recycle bin that you want to purge. You can specify either the original user-specified name or the system-generated name Oracle Database assigned to the object when it was dropped.

- If you specify the user-specified name, and if the recycle bin contains more than one object of that name, then the database purges the object that has been in the recycle bin the longest.
- System-generated recycle bin object names are unique. Therefore, if you specify the system-generated name, then the database purges that specified object.

When the database purges a table, all table partitions, LOBs and LOB partitions, indexes, and other dependent objects of that table are also purged.

### TABLESPACE or TABLESPACE SET

Use this clause to purge all the objects residing in the specified tablespace or tablespace set from the recycle bin.

### USER *user*

Use this clause to reclaim space in a tablespace or tablespace set for a specified user. This operation is useful when a particular user is running low on disk quota for the specified tablespace or tablespace set.

### RECYCLEBIN

Use this clause to purge the current user's recycle bin. Oracle Database will remove all objects from the user's recycle bin and release all space associated with objects in the recycle bin.

### DBA\_RECYCLEBIN

This clause is valid only if you have the `SYSDBA` or `PURGE DBA_RECYCLEBIN` system privilege. It lets you remove all objects from the system-wide recycle bin, and is

equivalent to purging the recycle bin of every user. This operation is useful, for example, before backward migration.

## Examples

### Remove a File From Your Recycle Bin: Example

The following statement removes the table `test` from the recycle bin. If more than one version of `test` resides in the recycle bin, then Oracle Database removes the version that has been there the longest:

```
PURGE TABLE test;
```

To determine system-generated name of the table you want removed from your recycle bin, issue a `SELECT` statement on your recycle bin. Using that object name, you can remove the table by issuing a statement similar to the following statement. (The system-generated name will differ from the one shown in the example.)

```
PURGE TABLE RB$$33750$TABLE$0;
```

### Remove the Contents of Your Recycle Bin: Example

To remove the entire contents of your recycle bin, issue the following statement:

```
PURGE RECYCLEBIN;
```

# RENAME

## Purpose



### Note:

You cannot roll back a `RENAME` statement.

Use the `RENAME` statement to rename a table, view, sequence, or private synonym.

- Oracle Database automatically transfers integrity constraints, indexes, and grants on the old object to the new object.
- Oracle Database invalidates all objects that depend on the renamed object, such as views, synonyms, and stored procedures and functions that refer to a renamed table.



### See Also:

[CREATE SYNONYM](#) and [DROP SYNONYM](#)


## Prerequisites

The object must be in your own schema.



## Syntax

***rename*::=**



## Semantics

### ***old\_name***

Specify the name of an existing table, view, sequence, or private synonym.

### ***new\_name***

Specify the new name to be given to the existing object. The new name must not already be used by another schema object in the same namespace and must follow the rules for naming schema objects.

## Restrictions on Renaming Objects

Renaming objects is subject to the following restrictions:

- You cannot rename a public synonym. Instead, drop the public synonym and then re-create the public synonym with the new name.
- You cannot rename a type synonym that has any dependent tables or dependent valid user-defined object types.



### See Also:

["Database Object Naming Rules"](#)

## Examples

### Renaming a Database Object: Example

The following example uses a copy of the sample table `hr.departments`. To change the name of table `departments_new` to `emp_departments`, issue the following statement:

```
RENAME departments_new TO emp_departments;
```

You cannot use this statement directly to rename columns. However, you can rename a column using the `ALTER TABLE ... rename_column_clause`.



### See Also:

[rename\\_column\\_clause](#)

Another way to rename a column is to use the `RENAME` statement together with the `CREATE TABLE` statement with `AS subquery`. This method is useful if you are changing the structure of a table rather than only renaming a column. The following statements re-create the sample table `hr.job_history`, renaming a column from `department_id` to `dept_id`:

```
CREATE TABLE temporary
  (employee_id, start_date, end_date, job_id, dept_id)
AS SELECT
  employee_id, start_date, end_date, job_id, department_id
FROM job_history;

DROP TABLE job_history;

RENAME temporary TO job_history;
```

Any integrity constraints defined on table `job_history` will be lost in the preceding example. You will have to redefine them on the new `job_history` table using an `ALTER TABLE` statement.

## REVOKE

### Purpose

Use the `REVOKE` statement to:

- Revoke system privileges from users and roles
- Revoke roles from users, roles, and program units.
- Revoke object privileges for a particular object from users and roles
- Revoke schema privileges from users and roles

### Note on Oracle Automatic Storage Management

A user authenticated as `SYSASM` can use this statement to revoke the system privileges `SYSASM`, `SYSOPER`, and `SYSDBA` from a user in the Oracle ASM password file of the current node.

### Note on Editionable Objects

A `REVOKE` operation to revoke object privileges on an editionable object actualizes the object in the current edition. See *Oracle Database Development Guide* for more information about editions and editionable objects.



### See Also:

- [GRANT](#) for information on granting system privileges and roles
- [Table 18-4](#) for a listing of the object privileges for each type of object

### Prerequisites

To revoke a **system privilege**, you must have been granted the privilege with the `ADMIN OPTION`. You can revoke any privilege if you have the `GRANT ANY PRIVILEGE` system privilege.

To revoke a **role from a user or another role**, you must have been directly granted the role with the `ADMIN OPTION` or you must have created the role. You can revoke any role if you have the `GRANT ANY ROLE` system privilege.

To revoke a **role from a program unit**, you must be the user `SYS` or you must be the schema owner of the program unit.

To revoke an **object privilege**, one of the following conditions must be met:

- You must previously have granted the object privilege to the user or role.
- You must have the `GRANT ANY OBJECT PRIVILEGE` system privilege. In this case, you can revoke any object privilege that was granted by the object owner or on behalf of the owner by a user with the `GRANT ANY OBJECT PRIVILEGE`. However, you cannot revoke an object privilege that was granted by way of a `WITH GRANT OPTION` grant.
- You can revoke privileges on an object if you have the `GRANT ANY` object privilege. This does not apply to `SYS` objects. The `ANY` keyword in reference to a system privilege means that the user can perform the privilege on any objects owned by any user except for `SYS`.



### See Also:

["Revoke Operations that Use GRANT ANY OBJECT PRIVILEGE: Example"](#)


The `REVOKE` statement can revoke only privileges and roles that were previously granted directly with a `GRANT` statement. You cannot use this statement to revoke:

- Privileges or roles not granted to the revokee
- Roles or object privileges granted through the operating system
- Privileges or roles granted to the revokee through roles

To specify the `CONTAINER` clause, you must be connected to a multitenant container database (CDB). To specify `CONTAINER = ALL`, the current container must be the root.


### Syntax

**revoke::=**




*(revoke\_system\_privileges::=, revoke\_object\_privileges::=,  
revoke\_roles\_from\_programs::=)*

**revoke\_system\_privileges::=**




(*revokee\_clause::=*)

**revoke\_schema\_privileges::=**




(*revokee\_clause::=*)

**revoke\_object\_privileges::=**




(*on\_object\_clause::=, revokee\_clause::=*)


**revokee\_clause::=**




***on\_object\_clause ::=***



***revoke\_roles\_from\_programs ::=***



***program\_unit ::=***



**Semantics**

***revoke\_system\_privileges***

Use these clauses to revoke system privileges.

***system\_privilege***

Specify the system privilege to be revoked. Refer to [Table 18-2](#) for a list of the system privileges.

If you revoke a system privilege from a **user**, then the database removes the privilege from the user's privilege domain. Effective immediately, the user cannot exercise the privilege.

If you revoke a system privilege from a **role**, then the database removes the privilege from the privilege domain of the role. Effective immediately, users with the role enabled cannot exercise the privilege. Also, other users who have been granted the role and subsequently enable the role cannot exercise the privilege.



#### See Also:

["Revoking a System Privilege from a User: Example"](#) and ["Revoking a System Privilege from a Role: Example"](#)

If you revoke a system privilege from **PUBLIC**, then the database removes the privilege from the privilege domain of each user who has been granted the privilege through **PUBLIC**. Effective immediately, such users can no longer exercise the privilege. However, the privilege is not revoked from users who have been granted the privilege directly or through roles.

Oracle Database provides a shortcut for specifying all system privileges at once: Specify **ALL PRIVILEGES** to revoke all the system privileges listed in [Table 18-2](#).

### Restriction on Revoking System Privileges

A system privilege cannot appear more than once in the list of privileges to be revoked.

#### **role**

Specify the role to be revoked.

If you revoke a role from a **user**, then the database makes the role unavailable to the user. If the role is currently enabled for the user, then the user can continue to exercise the privileges in the role's privilege domain as long as it remains enabled. However, the user cannot subsequently enable the role.

If you revoke a role from another **role**, then the database removes the privilege domain of the revoked role from the privilege domain of the revokee role. Users who have been granted and have enabled the revokee role can continue to exercise the privileges in the privilege domain of the revoked role as long as the revokee role remains enabled. However, other users who have been granted the revokee role and subsequently enable it cannot exercise the privileges in the privilege domain of the revoked role.



#### See Also:

["Revoking a Role from a User: Example"](#) and ["Revoking a Role from a Role: Example"](#)

If you revoke a role from **PUBLIC**, then the database makes the role unavailable to all users who have been granted the role through **PUBLIC**. Any user who has enabled the role can continue to exercise the privileges in its privilege domain as long as it remains enabled. However, users cannot subsequently enable the role. The role is not revoked from users who have been granted the role directly or through other roles.

## Restriction on Revoking System Roles

A system role cannot appear more than once in the list of roles to be revoked. For information on the predefined roles, refer to *Oracle Database Security Guide*.

### *revokee\_clause*

Use the *revokee\_clause* to specify the users or roles from which the system privilege, role, or object privilege is to be revoked.

### **PUBLIC**

Specify **PUBLIC** to revoke the privileges or roles from all users.

### *revoke\_schema\_privileges*

Use this clause to revoke schema privileges. You can revoke a schema level privilege from any user or any role if you are a user who :

- Owns the schema.
- Has a schema level privilege **WITH ADMIN OPTION**.
- Has the **GRANT ANY SCHEMA PRIVILEGE** system privilege. If you specify **ALL PRIVILEGES** , all the schema level privileges in [Table 18-3](#) are granted.

### *revoke\_object\_privileges*

Use these clauses to revoke object privileges.

### *object\_privilege*

Specify the object privilege to be revoked. The object privileges, categorized by the type of object to which they apply, are described in [Table 18-4](#).



#### Note:

Each privilege authorizes some operation. By revoking a privilege, you prevent the revokee from performing that operation. However, multiple users may grant the same privilege to the same user, role, or **PUBLIC**. To remove the privilege from the grantee's privilege domain, all grantors must revoke the privilege. If even one grantor does not revoke the privilege, then the grantee can still exercise the privilege by virtue of that grant.

If you revoke an object privilege from a **user**, then the database removes the privilege from the user's privilege domain. Effective immediately, the user cannot exercise the privilege.

- If that user has granted that privilege to other users or roles, then the database also revokes the privilege from those other users or roles.
- If that user's schema contains a procedure, function, or package that contains SQL statements that exercise the privilege, then the procedure, function, or package can no longer be executed.
- If that user's schema contains a view on that object, then the database invalidates the view.

- If you revoke the `REFERENCES` object privilege from a user who has exercised the privilege to define referential integrity constraints, then you must specify the `CASCADE CONSTRAINTS` clause.

If you revoke an object privilege from a **role**, then the database removes the privilege from the privilege domain of the role. Effective immediately, users with the role enabled cannot exercise the privilege. Other users who have been granted the role cannot exercise the privilege after enabling the role.

If you revoke an object privilege from `PUBLIC`, then the database removes the privilege from the privilege domain of each user who has been granted the privilege through `PUBLIC`. Effective immediately, all such users are restricted from exercising the privilege. However, the privilege is not revoked from users who have been granted the privilege directly or through roles.

### ALL [PRIVILEGES]

Specify `ALL` to revoke all object privileges that you have granted to the revokee. (The keyword `PRIVILEGES` is provided for semantic clarity and is optional.)

If no privileges have been granted on the object, then the database takes no action and does not return an error.

### Restriction on Revoking Object Privileges

A privilege cannot appear more than once in the list of privileges to be revoked. A user, a role, or `PUBLIC` cannot appear more than once in the `FROM` clause.



#### See Also:

["Revoking an Object Privilege from a User: Example"](#), ["Revoking Object Privileges from PUBLIC: Example"](#), and ["Revoking All Object Privileges from a User: Example"](#)

### CASCADE CONSTRAINTS

This clause is relevant only if you revoke the `REFERENCES` privilege or `ALL [PRIVILEGES]`. It drops any referential integrity constraints that the revokee has defined using the `REFERENCES` privilege, which might have been granted either explicitly or implicitly through a grant of `ALL [PRIVILEGES]`.



#### See Also:

["Revoking an Object Privilege with CASCADE CONSTRAINTS: Example"](#)

### FORCE

Specify `FORCE` to revoke the `EXECUTE` object privilege on user-defined type objects with table or type dependencies. You must use `FORCE` to revoke the `EXECUTE` object privilege on user-defined type objects with table dependencies.



If you specify `FORCE`, then all privileges are revoked, all dependent objects are marked `INVALID`, data in dependent tables becomes inaccessible, and all dependent function-based indexes are marked `UNUSABLE`. Regranting the necessary type privilege will revalidate the table.

**See Also:**

*Oracle Database Concepts* for detailed information about type dependencies and user-defined object privileges

***on\_object\_clause***

The *on\_object\_clause* identifies the objects on which privileges are to be revoked.

***object***

Specify the object on which the object privileges are to be revoked. This object can be:

- A table, view, sequence, procedure, stored function, package, or materialized view
- A synonym for a table, view, sequence, procedure, stored function, package, materialized view, or user-defined type
- A library, indextype, or user-defined operator

If you do not qualify object with *schema*, then the database assumes the object is in your own schema.

**See Also:**

["Revoking an Object Privilege on a Sequence from a User: Example"](#)

If you revoke the `READ` or `SELECT` object privilege on the containing table or materialized view of a materialized view, whether the privilege was granted with or without the `GRANT OPTION`, then the database invalidates the materialized view.

If you revoke the `READ` or `SELECT` object privilege on any of the master tables of a materialized view, whether the privilege was granted with or without the `GRANT OPTION`, then the database invalidates both the materialized view and its containing table or materialized view.

**ON USER**

Specify the database user you want to revoke privileges from.

**See Also:**

["Revoking an Object Privilege on a User from a User: Example"](#)

**ON DIRECTORY**

Specify the name of the directory object on which privileges are to be revoked. You cannot qualify *directory\_name* with a schema name.

**See Also:**

[CREATE DIRECTORY](#) and "Revoking an Object Privilege on a Directory from a User: Example"

**ON EDITION**

Specify the name of the edition on which the `USE` object privilege is to be revoked. You cannot qualify *edition\_name* with a schema name.

**ON MINING MODEL**

Specify the name of the mining model on which privileges are to be revoked. If you do not qualify *mining\_model\_name* with *schema*, then the database assumes that the mining model is in your own schema.

**ON JAVA SOURCE | RESOURCE**

Specify the name of the Java source or resource schema object on which privileges are to be revoked. If you do not qualify *object* with *schema*, then the database assumes that the object is in your own schema.

**ON SQL TRANSLATION PROFILE**

Specify the name of the SQL translation profile on which privileges are to be revoked. If you do not qualify *profile* with *schema*, then the database assumes the profile is in your own schema.

***revoke\_roles\_from\_programs***

Use this clause to revoke code based access control (CBAC) roles from program units.

***role***

Specify the role you want to revoke.

**ALL**

Specify `ALL` to revoke all roles that are granted to the program unit.

***program\_unit***

Specify the program unit from which the role is to be revoked. You can specify a PL/SQL function, procedure, or package. If you do not specify *schema*, then Oracle Database assumes the function, procedure, or package is in your own schema.

**See Also:**

*Oracle Database Security Guide* for more information on revoking CBAC roles from program units

## CONTAINER Clause

If the current container is a pluggable database (PDB):

- Specify `CONTAINER = CURRENT` to revoke a locally granted system privilege, object privilege, or role from a local user, common user, local role, or common role. The privilege or role is revoked from the user or role only in the current PDB. This clause does not revoke privileges granted with `CONTAINER = ALL`.

If the current container is the root:

- Specify `CONTAINER = CURRENT` to revoke a locally granted system privilege, object privilege, or role from a common user or common role. The privilege or role is revoked from the user or role only in the root. This clause does not revoke privileges granted with `CONTAINER = ALL`.
- Specify `CONTAINER = ALL` to revoke a commonly granted system privilege, object privilege on a common object, or role from a common user or common role. The privilege or role is revoked from the user or role across the entire CDB. This clause can revoke only a privilege or role granted with `CONTAINER = ALL` from the specified common user or common role. This clause does not revoke privileges granted locally with `CONTAINER = CURRENT`. However, any locally granted privileges that depend on the commonly granted privilege being revoked are also revoked.

If you omit this clause, then `CONTAINER = CURRENT` is the default.

## Examples

### Revoking a System Privilege from a User: Example

The following statement revokes the `DROP ANY TABLE` system privilege from the users `hr` and `oe`:

```
REVOKE DROP ANY TABLE
FROM hr, oe;
```

The users `hr` and `oe` can no longer drop tables in schemas other than their own.

### Revoking a Role from a User: Example

The following statement revokes the role `dw_manager` from the user `sh`:

```
REVOKE dw_manager
FROM sh;
```

The user `sh` can no longer enable the `dw_manager` role.

### Revoking a System Privilege from a Role: Example

The following statement revokes the `CREATE TABLESPACE` system privilege from the `dw_manager` role:

```
REVOKE CREATE TABLESPACE
FROM dw_manager;
```

Enabling the `dw_manager` role no longer allows users to create tablespaces.

### Revoking a Role from a Role: Example

To revoke the role `dw_user` from the role `dw_manager`, issue the following statement:

```
REVOKE dw_user
FROM dw_manager;
```

The `dw_user` role privileges are no longer granted to `dw_manager`.

### Revoking an Object Privilege from a User: Example

You can grant `DELETE`, `INSERT`, `READ`, `SELECT`, and `UPDATE` privileges on the table `orders` to the user `hr` with the following statement:

```
GRANT ALL
ON orders TO hr;
```

To revoke the `DELETE` privilege on `orders` from `hr`, issue the following statement:

```
REVOKE DELETE
ON orders FROM hr;
```

### Revoking All Object Privileges from a User: Example

To revoke the remaining privileges on `orders` that you granted to `hr`, issue the following statement:

```
REVOKE ALL
ON orders FROM hr;
```

### Revoking Object Privileges from PUBLIC: Example

You can grant `SELECT` and `UPDATE` privileges on the view `emp_details_view` to all users by granting the privileges to the role `PUBLIC`:

```
GRANT SELECT, UPDATE
ON emp_details_view TO public;
```

The following statement revokes `UPDATE` privilege on `emp_details_view` from all users:

```
REVOKE UPDATE
ON emp_details_view FROM public;
```

Users can no longer update the `emp_details_view` view, although users can still query it. However, if you have also granted the `UPDATE` privilege on `emp_details_view` to any users, either directly or through roles, then these users retain the privilege.

### Revoking an Object Privilege on a User from a User: Example

You can grant the user `hr` the `INHERIT PRIVILEGES` privilege on user `sh` with the following statement:

```
GRANT INHERIT PRIVILEGES ON USER sh TO hr;
```

To revoke the `INHERIT PRIVILEGES` privilege on user `sh` from user `hr`, issue the following statement:

```
REVOKE INHERIT PRIVILEGES ON USER sh FROM hr;
```

### Revoking an Object Privilege on a Sequence from a User: Example

You can grant the user `oe` the `SELECT` privilege on the `departments_seq` sequence in the schema `hr` with the following statement:

```
GRANT SELECT
ON hr.departments_seq TO oe;
```

To revoke the `SELECT` privilege on `departments_seq` from `oe`, issue the following statement:

```
REVOKE SELECT
  ON hr.departments_seq FROM oe;
```

However, if the user `hr` has also granted `SELECT` privilege on `departments` to `sh`, then `sh` can still use `departments` by virtue of `hr`'s grant.

### Revoking an Object Privilege with `CASCADE CONSTRAINTS`: Example

You can grant to `oe` the privileges `REFERENCES` and `UPDATE` on the `employees` table in the schema `hr` with the following statement:

```
GRANT REFERENCES, UPDATE
  ON hr.employees TO oe;
```

The user `oe` can exercise the `REFERENCES` privilege to define a constraint in his or her own dependent table that refers to the `employees` table in the schema `hr`:

```
CREATE TABLE dependent
  (dependno NUMBER,
   dependname VARCHAR2(10),
   employee NUMBER
   CONSTRAINT in_emp REFERENCES hr.employees(employee_id) );
```

You can revoke the `REFERENCES` privilege on `hr.employees` from `oe` by issuing the following statement that contains the `CASCADE CONSTRAINTS` clause:

```
REVOKE REFERENCES
  ON hr.employees
  FROM oe
  CASCADE CONSTRAINTS;
```

Revoking `oe`'s `REFERENCES` privilege on `hr.employees` causes Oracle Database to drop the `in_emp` constraint, because `oe` required the privilege to define the constraint.

However, if `oe` has also been granted the `REFERENCES` privilege on `hr.employees` by a user other than you, then the database does not drop the constraint. `oe` still has the privilege necessary for the constraint by virtue of the other user's grant.

### Revoking an Object Privilege on a Directory from a User: Example

You can revoke the `READ` object privilege on directory `bfile_dir` from `hr` by issuing the following statement:

```
REVOKE READ ON DIRECTORY bfile_dir FROM hr;
```

### Revoke Operations that Use `GRANT ANY OBJECT PRIVILEGE`: Example

Suppose that the database administrator has granted `GRANT ANY OBJECT PRIVILEGE` to user `sh`. Now suppose that user `hr` grants the update privilege on the `employees` table to `oe`:

```
CONNECT hr
GRANT UPDATE ON employees TO oe WITH GRANT OPTION;
```

This grant gives user `oe` the right to pass the object privilege along to another user:

```
CONNECT oe
GRANT UPDATE ON hr.employees TO pm;
```

User `sh`, who has the `GRANT ANY OBJECT PRIVILEGE`, can now act on behalf of user `hr` and revoke the update privilege from user `oe`, because `oe` was granted the privilege by `hr`:

```
CONNECT sh
REVOKE UPDATE ON hr.employees FROM oe;
```

User `sh` cannot revoke the update privilege from user `pm` explicitly, because `pm` received the grant neither from the object owner (`hr`), nor from `sh`, nor from another user with `GRANT ANY OBJECT PRIVILEGE`, but from user `oe`. However, the preceding statement cascades, removing all privileges that depend on the one revoked. Therefore the object privilege is implicitly revoked from `pm` as well.

## ROLLBACK

### Purpose

Use the `ROLLBACK` statement to undo work done in the current transaction or to manually undo the work done by an in-doubt distributed transaction.

#### Note:

Oracle recommends that you explicitly end transactions in application programs using either a `COMMIT` or `ROLLBACK` statement. If you do not explicitly commit the transaction and the program terminates abnormally, then Oracle Database rolls back the last uncommitted transaction.

#### See Also:

- *Oracle Database Concepts* for information on transactions
- *Oracle Database Heterogeneous Connectivity User's Guide* for information on distributed transactions
- [SET TRANSACTION](#) for information on setting characteristics of the current transaction
- [COMMIT](#) and [SAVEPOINT](#)


### Prerequisites

To roll back your current transaction, no privileges are necessary.

To manually roll back an in-doubt distributed transaction that you originally committed, you must have the `FORCE TRANSACTION` system privilege. To manually roll back an in-doubt distributed transaction originally committed by another user, you must have the `FORCE ANY TRANSACTION` system privilege.

## Syntax

***rollback::=***



## Semantics

### WORK

The keyword `WORK` is optional and is provided for SQL standard compatibility.

### TO SAVEPOINT Clause

Specify the savepoint to which you want to roll back the current transaction. If you omit this clause, then the `ROLLBACK` statement rolls back the entire transaction.

Using `ROLLBACK` without the `TO SAVEPOINT` clause performs the following operations:

- Ends the transaction
- Undoes all changes in the current transaction
- Erases all savepoints in the transaction
- Releases any transaction locks

### See Also:

[SAVEPOINT](#)

Using `ROLLBACK` with the `TO SAVEPOINT` clause performs the following operations:

- Rolls back just the portion of the transaction after the savepoint. It does not end the transaction.
- Erases all savepoints created after that savepoint. The named savepoint is retained, so you can roll back to the same savepoint multiple times. Prior savepoints are also retained.
- Releases all table and row locks acquired since the savepoint. Other transactions that have requested access to rows locked after the savepoint must continue to wait until the transaction is committed or rolled back. Other transactions that have not already requested the rows can request and access the rows immediately.

### Restriction on In-doubt Transactions

You cannot manually roll back an in-doubt transaction to a savepoint.

## FORCE Clause

Specify `FORCE` to manually roll back an in-doubt distributed transaction. The transaction is identified by the *string* containing its local or global transaction ID. To find the IDs of such transactions, query the data dictionary view `DBA_2PC_PENDING`.

A `ROLLBACK` statement with a `FORCE` clause rolls back only the specified transaction. Such a statement does not affect your current transaction.



### See Also:

*Oracle Database Administrator's Guide* for more information on distributed transactions and rolling back in-doubt transactions

## Examples

### Rolling Back Transactions: Examples

The following statement rolls back your entire current transaction:

```
ROLLBACK;
```

The following statement rolls back your current transaction to savepoint `banda_sal`:

```
ROLLBACK TO SAVEPOINT banda_sal;
```

See "[Creating Savepoints: Example](#)" for a full version of the preceding example.

The following statement manually rolls back an in-doubt distributed transaction:

```
ROLLBACK WORK  
FORCE '25.32.87';
```

# SAVEPOINT

## Purpose

Use the `SAVEPOINT` statement to create a name for a system change number (SCN), to which you can later roll back.



### See Also:

- *Oracle Database Concepts* for information on savepoints.
- [ROLLBACK](#) for information on rolling back transactions
- [SET TRANSACTION](#) for information on setting characteristics of the current transaction



## Prerequisites

None.

## Syntax

***savepoint::=***



## Semantics

### ***savepoint***

Specify the name of the savepoint to be created.

Savepoint names must be distinct within a given transaction. If you create a second savepoint with the same identifier as an earlier savepoint, then the earlier savepoint is erased. After a savepoint has been created, you can either continue processing, commit your work, roll back the entire transaction, or roll back to the savepoint.

## Examples

### **Creating Savepoints: Example**

To update the salary for *Banda* and *Greene* in the sample table `hr.employees`, check that the total department salary does not exceed 314,000, then reenter the salary for *Greene*:

```
UPDATE employees
  SET salary = 7000
  WHERE last_name = 'Banda';
SAVEPOINT banda_sal;

UPDATE employees
  SET salary = 12000
  WHERE last_name = 'Greene';
SAVEPOINT greene_sal;

SELECT SUM(salary) FROM employees;

ROLLBACK TO SAVEPOINT banda_sal;

UPDATE employees
  SET salary = 11000
  WHERE last_name = 'Greene';

COMMIT;
```

# SELECT

## Purpose

Use a `SELECT` statement or subquery to retrieve data from one or more tables, object tables, views, object views, materialized views, analytic views, or hierarchies.

If part or all of the result of a `SELECT` statement is equivalent to an existing materialized view, then Oracle Database may use the materialized view in place of one or more tables specified in the `SELECT` statement. This substitution is called **query rewrite**. It takes place only if cost optimization is enabled and the `QUERY_REWRITE_ENABLED` parameter is set to `TRUE`. To determine whether query rewrite has occurred, use the `EXPLAIN PLAN` statement.

### See Also:

- [SQL Queries and Subqueries](#) for general information on queries and subqueries
- *Oracle Database Data Warehousing Guide* for more information on materialized views, query rewrite, and analytic views and hierarchies
- If you are querying JSON data see *Query JSON Data*
- If you are querying XML data see *Querying XML Content Stored in Oracle XML DB*
- [EXPLAIN PLAN](#)

### Prerequisites

For you to select data from a table, materialized view, analytic view, or hierarchy, the object must be in your own schema or you must have the `READ` or `SELECT` privilege on the table, materialized view, analytic view, or hierarchy.

For you to select rows from the base tables of a view:

- The object must be in your own schema or you must have the `READ` or `SELECT` privilege on it, and
- Whoever owns the schema containing the object must have the `READ` or `SELECT` privilege on the base tables.

The `READ ANY TABLE` or `SELECT ANY TABLE` system privilege also allows you to select data from any table, materialized view, analytic view, or hierarchy, or the base table of any materialized view, analytic view, or hierarchy.

To specify the `FOR UPDATE` clause, the preceding prerequisites apply with the following exception: The `READ` and `READ ANY TABLE` privileges, where mentioned, do not allow you to specify the `FOR UPDATE` clause.

To issue an Oracle Flashback Query using the `flashback_query_clause`, you must have the `READ` or `SELECT` privilege on the objects in the select list. In addition, either you must have `FLASHBACK` object privilege on the objects in the select list, or you must have `FLASHBACK ANY TABLE` system privilege.


### Syntax

**`select::=`**




(*subquery::=, for\_update\_clause::=*)

**subquery::=**




(*query\_block::=, order\_by\_clause::=, row\_limiting\_clause::=*)

**query\_block::=**



(*with\_clause::=, select\_list::=, table\_reference::=, join\_clause::=, inline\_analytic\_view, where\_clause::=, hierarchical\_query\_clause::=, group\_by\_clause::=, model\_clause::=, window\_clause::=*)

**with\_clause::=**







**Note:**

You cannot specify only the `WITH` keyword. You must specify at least one of the clauses `plsql_declarations`, `subquery_factoring_clause`, or `subav_factoring_clause`.


***plsql\_declarations::=***



***subquery\_factoring\_clause::=***




***search\_clause::=***




***cycle\_clause::=***




***subav\_factoring\_clause::=***




**sub\_av\_clause::=**




**hierarchies\_clause::=**




**filter\_clauses::=**




**filter\_clause::=**




**hier\_ids::=**




**hier\_id::=**




**add\_meas\_clause::=**



**cube\_meas::=**




**base\_meas\_clause::=**




**calc\_meas\_clause::=**



**select\_list::=**




**table\_reference::=**




(*query\_table\_expression*::=, *flashback\_query\_clause*::=, *pivot\_clause*::=, *unpivot\_clause*::=, *row\_pattern\_clause*::=, *containers\_clause*::=, *shards\_clause*::=, *values\_clause*::=)

***flashback\_query\_clause*::=**




***query\_table\_expression*::=**




(*analytic\_view*, *hierarchy*, *subquery\_restriction\_clause*::=, *table\_collection\_expression*::=)


***inline\_external\_table*::=**




***inline\_external\_table\_properties::=***




***modified\_external\_table::=***




***modify\_external\_table\_properties::=***



***pivot\_clause::=***




***pivot\_for\_clause::=***







***pivot\_in\_clause::=***




***unpivot\_clause::=***




***unpivot\_in\_clause::=***




***sample\_clause::=***



***partition\_extension\_clause::=***




***subquery\_restriction\_clause::=***



***table\_collection\_expression::=***




***containers\_clause::=***




***shards\_clause::=***



***values\_clause::=***




**join\_clause::=**




(inner\_cross\_join\_clause::=, outer\_join\_clause::=, cross\_outer\_apply\_clause::=)

**inner\_cross\_join\_clause::=**




(table\_reference::=)

**outer\_join\_clause::=**




(query\_partition\_clause::=, outer\_join\_type::=, table\_reference::=)


**query\_partition\_clause::=**



**outer\_join\_type::=**




**cross\_outer\_apply\_clause::=**



([table\\_reference::=](#), [query\\_partition\\_clause::=](#))

**inline\_analytic\_view**




([sub\\_av\\_clause::=](#))

**where\_clause::=**




**hierarchical\_query\_clause::=**




(*condition* can be any condition as described in [Conditions](#))

**group\_by\_clause::=**




*(rollup\_cube\_clause::=, grouping\_sets\_clause::=)*

**rollup\_cube\_clause::=**




*(grouping\_expression\_list::=)*

**grouping\_sets\_clause::=**




*(rollup\_cube\_clause::=, grouping\_expression\_list::=)*


**grouping\_expression\_list::=**



**expression\_list::=**




**model\_clause::=**




(*cell\_reference\_options::=, return\_rows\_clause::=, reference\_model::=, main\_model::=*)


**cell\_reference\_options::=**



**return\_rows\_clause::=**




**reference\_model::=**





(*model\_column\_clauses::=, cell\_reference\_options::=*)

**main\_model::=**




(*model\_column\_clauses::=, cell\_reference\_options::=, model\_rules\_clause::=*)

**model\_column\_clauses::=**




**model\_rules\_clause::=**




(*model\_iterate\_clause::=, cell\_assignment::=, order\_by\_clause::=*)

**model\_iterate\_clause::=**




**cell\_assignment::=**




(*single\_column\_for\_loop::=, multi\_column\_for\_loop::=*)


**single\_column\_for\_loop::=**




**multi\_column\_for\_loop::=**




**order\_by\_clause::=**



**window\_clause::=**




**window\_specification::=**




*query\_partition\_clause::=, order\_by\_clause::=, windowing\_clause*




**row\_limiting\_clause::=**



**for\_update\_clause::=**




**row\_pattern\_clause::=**




*(row\_pattern\_partition\_by::=, row\_pattern\_order\_by::=, row\_pattern\_measures::=, row\_pattern\_rows\_per\_match::=, row\_pattern\_skip\_to::=, row\_pattern::=, row\_pattern\_subset\_clause::=, row\_pattern\_definition\_list::=)*


**row\_pattern\_partition\_by::=**




**row\_pattern\_order\_by::=**




**row\_pattern\_measures::=**




**row\_pattern\_measure\_column::=**




**row\_pattern\_rows\_per\_match::=**




**row\_pattern\_skip\_to::=**




**row\_pattern::=**




**row\_pattern\_term::=**




**row\_pattern\_factor::=**




**row\_pattern\_primary::=**




**row\_pattern\_permute::=**




***row\_pattern\_quantifier::=***




***row\_pattern\_subset\_clause::=***




***row\_pattern\_subset\_item::=***




***row\_pattern\_definition\_list::=***



***row\_pattern\_definition::=***




***row\_pattern\_rec\_func::=***




(*row\_pattern\_classifier\_func::=*, *row\_pattern\_match\_num\_func::=*,  
*row\_pattern\_navigation\_func::=*, *row\_pattern\_aggregate\_func::=*)


***row\_pattern\_classifier\_func::=***



***row\_pattern\_match\_num\_func::=***




***row\_pattern\_navigation\_func::=***




(*row\_pattern\_nav\_logical::=*, *row\_pattern\_nav\_physical::=*,  
*row\_pattern\_nav\_compound::=*)


***row\_pattern\_nav\_logical::=***




***row\_pattern\_nav\_physical::=***



***row\_pattern\_nav\_compound::=***



***row\_pattern\_aggregate\_func::=*****Semantics*****with\_clause***

Use the *with\_clause* to define the following:

- PL/SQL procedures and functions (using the *plsql\_declarations* clause)
- Subquery blocks (using *subquery\_factoring\_clause* or *subav\_factoring\_clause*, or both)

***plsql\_declarations***

The *plsql\_declarations* clause lets you declare and define PL/SQL functions and procedures. You can then reference the PL/SQL functions in the query in which you specify this clause, as well as its subqueries, if any. For the purposes of name resolution, these function names have precedence over schema-level stored functions.

If the query in which you specify this clause is not a top-level `SELECT` statement, then the following rules apply to the top-level SQL statement that contains the query:

- If the top-level statement is a `SELECT` statement, then it must have either a `WITH plsql_declarations` clause or the `WITH_PLSQL` hint.
- If the top-level statement is a `DELETE`, `MERGE`, `INSERT`, or `UPDATE` statement, then it must have the `WITH_PLSQL` hint.

The `WITH_PLSQL` hint only enables you to specify the `WITH plsql_declarations` clause within the statement. It is not an optimizer hint.

 **See Also:**

- *Oracle Database PL/SQL Language Reference* for syntax and restrictions for *function\_declaration* and *procedure\_declaration*.
- ["Using a PL/SQL Function in the WITH Clause: Examples"](#)

***subquery\_factoring\_clause***

The *subquery\_factoring\_clause* lets you assign a name (*query\_name*) to a subquery block. You can then reference the subquery block multiple places in the query by specifying *query\_name*. Oracle Database optimizes the query by treating the *query\_name* as either an inline view or as a temporary table. The *query\_name* is subject to the same naming conventions and restrictions as database schema objects. Refer to ["Database Object Naming Rules"](#) for information on database object names.

The column aliases following the *query\_name* and the set operators separating multiple subqueries in the `AS` clause are valid and required for recursive subquery factoring. The *search\_clause* and *cycle\_clause* are valid only for recursive subquery factoring but are not required. See "[Recursive Subquery Factoring](#)".

You can specify this clause in any top-level `SELECT` statement and in most types of subqueries. The query name is visible to the main query and to all subsequent subqueries. For recursive subquery factoring, the query name is even visible to the subquery that defines the query name itself.

### Recursive Subquery Factoring

If a *subquery\_factoring\_clause* refers to its own *query\_name* in the subquery that defines it, then the *subquery\_factoring\_clause* is said to be **recursive**. A recursive *subquery\_factoring\_clause* must contain two query blocks: the first is the **anchor member** and the second is the **recursive member**. The anchor member must appear before the recursive member, and it cannot reference *query\_name*. The anchor member can be composed of one or more query blocks combined by the set operators: `UNION ALL`, `UNION`, `INTERSECT` or `MINUS`. The recursive member must follow the anchor member and must reference *query\_name* exactly once. You must combine the recursive member with the anchor member using the `UNION ALL` set operator.

The number of column aliases following `WITH query_name` and the number of columns in the `SELECT` lists of the anchor and recursive query blocks must be the same.

The recursive member cannot contain any of the following elements:

- The `DISTINCT` keyword or a `GROUP BY` clause
- The *model\_clause*
- An aggregate function. However, analytic functions are permitted in the select list.
- Subqueries that refer to *query\_name*.
- Outer joins that refer to *query\_name* as the right table.

In previous releases of Oracle Database, the recursive member of a recursive `WITH` clause ran serially regardless of the parallelism of the entire query (also known as the top-level `SELECT` statement). Beginning with Oracle Database 12c Release 2 (12.2), the recursive member runs in parallel if the optimizer determines that the top-level `SELECT` statement can be executed in parallel.

### *search\_clause*

Use the `SEARCH` clause to specify an ordering for the rows.

- Specify `BREADTH FIRST BY` if you want sibling rows returned before any child rows are returned.
- Specify `DEPTH FIRST BY` if you want child rows returned before any siblings rows are returned.
- Sibling rows are ordered by the columns listed after the `BY` keyword.
- The *c\_alias* list following the `SEARCH` keyword must contain column names from the column alias list for *query\_name*.
- The *ordering\_column* is automatically added to the column list for the query name. The query that selects from *query\_name* can include an `ORDER BY` on

*ordering\_column* to return the rows in the order that was specified by the `SEARCH` clause.

### ***cycle\_clause***

Use the `CYCLE` clause to mark cycles in the recursion.

- The *c\_alias* list following the `CYCLE` keyword must contain column names from the column alias list for *query\_name*. Oracle Database uses these columns to detect a cycle.
- *cycle\_value* and *no\_cycle\_value* should be character strings of length 1.
- If a cycle is detected, then the cycle mark column specified by *cycle\_mark\_c\_alias* for the row causing the cycle is set to the value specified for *cycle\_value*. The recursion will then stop for this row. That is, it will not look for child rows for the offending row, but it will continue for other noncyclic rows.
- If no cycles are found, then the cycle mark column is set to the default value specified for *no\_cycle\_value*.
- The cycle mark column is automatically added to the column list for the *query\_name*.
- A row is considered to form a cycle if one of its ancestor rows has the same values for the cycle columns.

If you omit the `CYCLE` clause, then the recursive `WITH` clause returns an error if cycles are discovered. In this case, a row forms a cycle if one of its ancestor rows has the same values for all the columns in the column alias list for *query\_name* that are referenced in the `WHERE` clause of the recursive member.

### **Restrictions on Subquery Factoring**

This clause is subject to the following restrictions:

- You can specify only one *subquery\_factoring\_clause* in a single SQL statement. Any *query\_name* defined in the *subquery\_factoring\_clause* can be used in any subsequent named query block in the *subquery\_factoring\_clause*.
- In a compound query with set operators, you cannot use the *query\_name* for any of the component queries, but you can use the *query\_name* in the `FROM` clause of any of the component queries.
- You cannot specify duplicate names in the column alias list for *query\_name*.
- The name used for the *ordering\_column* has to be different from the name used for *cycle\_mark\_c\_alias*.
- The *ordering\_column* and cycle mark column names cannot already be in the column alias list for *query\_name*.



#### **See Also:**

- [Oracle Database Concepts](#) for information about inline views
- ["Subquery Factoring: Example"](#)
- ["Recursive Subquery Factoring: Examples"](#)



### ***subav\_factoring\_clause***

With the *subav\_factoring\_clause*, you can define a transitory analytic view that filters fact data prior to aggregation or adds calculated measures to a query of an analytic view. The *subav\_name* argument assigns a name to the transitory analytic view. You can then reference the transitory analytic view multiple places in the query by specifying *subav\_name*. The *subav\_name* is subject to the same naming conventions and restrictions as database schema objects. Refer to "[Database Object Naming Rules](#)" for information on database object names.

You can specify this clause in any top-level `SELECT` statement and in most types of subqueries. The query name is visible to the main query and to all subsequent subqueries.

The *sub\_av\_clause* argument defines a transitory analytic view.

### ***sub\_av\_clause***

With the `USING` keyword, specify the name of an analytic view, which may be a transitory analytic view previously defined in the `WITH` clause or it may be a persistent analytic view. A persistent analytic view is defined in a `CREATE ANALYTIC VIEW` statement. If the analytic view is a persistent one, then the current user must have select access on it.



#### **See Also:**

[Analytic Views: Examples](#)

### ***hierarchies\_clause***

The *hierarchies\_clause* specifies the hierarchies of the base analytic view that the results of the transitory analytic view are dimensioned by. With the `HIERARCHIES` keyword, specify the alias of one or more hierarchies of the base analytic view.

If you do not specify a `HIERARCHIES` clause, then the default hierarchies of the base analytic view are used.

### ***filter\_clauses***

You may specify a given *hier\_alias* in at most one *filter\_clause*.

### ***filter\_clause***

The filter clause applies the specified predicate condition to the fact table, which reduces the number of rows returned from the table before aggregation of the measure values. The predicate may contain any SQL row function or operation. The predicate may refer to any attribute of the specified hierarchy or it may refer to a measure of the analytic view if you specify the `MEASURES` keyword.

For example, the following clause restricts the aggregation of measure values to those for the first and second quarters of every year of a time hierarchy.

```
FILTER FACT (time_hier TO quarter_of_year IN (1,2))
```

If you then select from the transitory analytic view the sales for the years 2000 and 2001, the values returned are the aggregated values of the first and second quarters only.

An example of specifying a predicate for a measure in the filter clause is the following.

```
FILTER FACT (MEASURES TO sales BETWEEN 100 AND 200)
```

### ***attr\_dim\_alias***

The alias of an attribute dimension in the base analytic view. The `USER_ANALYTIC_VIEW_DIMENSIONS` view contains the aliases of the attribute dimensions in an analytic view.

### ***hier\_alias***

The alias of a hierarchy in the base analytic view. The `USER_ANALYTIC_VIEW_HIERS` view contains the aliases of the hierarchies in an analytic view.

### ***add\_meas\_clause***

With the `ADD MEASURES` keywords, you may add calculated measures to the transitory analytic view.

### ***calc\_meas\_clause***

Specify a name for the calculated measure and an analytic view expression that specifies values for the calculated measure. The analytic view expression can be any valid *calc\_meas\_expression* as described in [Analytic View Expressions](#). For example, the following adds a calculated measure named "share\_sales."

```
ADD MEASURES (share_sales AS (SHARE_OF(sales HIERARCHY time_hier PARENT)))
```

### ***hint***

Specify a comment that passes instructions to the optimizer on choosing an execution plan for the statement.



#### **See Also:**

"Hints " for the syntax and description of hints

## **DISTINCT | UNIQUE**

Specify `DISTINCT` or `UNIQUE` if you want the database to return only one copy of each set of duplicate rows selected. These two keywords are synonymous. Duplicate rows are those with matching values for each expression in the select list.

### **Restrictions on DISTINCT and UNIQUE Queries**

These types of queries are subject to the following restrictions:

- When you specify `DISTINCT` or `UNIQUE`, the total number of bytes in all select list expressions is limited to the size of a data block minus some overhead. This size is specified by the initialization parameter `DB_BLOCK_SIZE`.

- You cannot specify `DISTINCT` if the `select_list` contains LOB columns.

## ALL

Specify `ALL` if you want the database to return all rows selected, including all copies of duplicates. The default is `ALL`.

## *select\_list*

The `select_list` lets you specify the columns you want to retrieve from the database.

### **\* (all-column wildcard)**

Specify the all-column wildcard (asterisk) to select all columns, excluding pseudocolumns and `INVISIBLE` columns, from all tables, views, or materialized views listed in the `FROM` clause. The columns are returned in the order indicated by the `COLUMN_ID` column of the `*_TAB_COLUMNS` data dictionary view for the table, view, or materialized view.

If you are selecting from a table rather than from a view or a materialized view, then columns that have been marked as `UNUSED` by the `ALTER TABLE SET UNUSED` statement are not selected.



#### See Also:

[ALTER TABLE](#), "Simple Query Examples", and "Selecting from the DUAL Table: Example"

### ***query\_name.\****

Specify `query_name` followed by a period and the asterisk to select all columns from the specified subquery block. For `query_name`, specify a subquery block name already specified in the `subquery_factoring_clause`. You must have specified the `subquery_factoring_clause` in order to specify `query_name` in the `select_list`. If you specify `query_name` in the `select_list`, then you also must specify `query_name` in the `query_table_expression` (`FROM` clause).

### ***table.\* | view.\* | materialized view.\****

Specify the object name followed by a period and the asterisk to select all columns from the specified table, view, or materialized view. Oracle Database returns a set of columns in the order in which the columns were specified when the object was created. A query that selects rows from two or more tables, views, or materialized views is a join.

You can use the schema qualifier to select from a table, view, or materialized view in a schema other than your own. If you omit `schema`, then the database assumes the table, view, or materialized view is in your own schema.



#### See Also:

"Joins "

***t\_alias .\****

Specify a correlation name (alias) followed by a period and the asterisk to select all columns from the object with that correlation name specified in the `FROM` clause of the same subquery. The object can be a table, view, materialized view, or subquery. Oracle Database returns a set of columns in the order in which the columns were specified when the object was created. A query that selects rows from two or more objects is a join.

***expr***

Specify an expression representing the information you want to select. A column name in this list can be qualified with *schema* only if the table, view, or materialized view containing the column is qualified with *schema* in the `FROM` clause. If you specify a member method of an object type, then you must follow the method name with parentheses even if the method takes no arguments.

The expression can also hold a scalar value that can be return values of PL/SQL functions, subqueries that return a single value per row, and SQL macros.

***c\_alias***

Specify an alias for the column expression. Oracle Database will use this alias in the column heading of the result set. The `AS` keyword is optional. The alias effectively renames the select list item for the duration of the query. The alias can be used in the *order\_by\_clause* but not other clauses in the query.

From Release 23 you can use *c\_alias* in *group\_by\_clause*.

**See Also:**

- *Oracle Database Data Warehousing Guide* for information on using the *expr AS c\_alias* syntax with the `UNION ALL` operator in queries of multiple materialized views
- "[About SQL Expressions](#)" for the syntax of *expr*

**Restrictions on the Select List**

The select list is subject to the following restrictions:

- If you also specify a *group\_by\_clause* in this statement, then this select list can contain only the following types of expressions:
  - Constants
  - Aggregate functions and the functions `USER`, `UID`, and `SYSDATE`
  - Expressions identical to those in the *group\_by\_clause*. If the *group\_by\_clause* is in a subquery, then all columns in the select list of the subquery must match the `GROUP BY` columns in the subquery. If the select list and `GROUP BY` columns of a top-level query or of a subquery do not match, then the statement results in `ORA-00979`.

From Release 23 you can group by *position* and *alias*.

- Expressions involving the preceding expressions that evaluate to the same value for all rows in a group

- You can select a rowid from a join view only if the join has one and only one key-preserved table. The rowid of that table becomes the rowid of the view.

 **See Also:**

*Oracle Database Administrator's Guide* for information on key-preserved tables

- If two or more tables have some column names in common, and if you are specifying a join in the `FROM` clause, then you must qualify column names with names of tables or table aliases.

## FROM Clause

Use the optional `FROM` clause to specify the objects from which data is selected.

You can invoke a polymorphic table function (PTF) in the query block of the `FROM` clause like other existing table functions. A PTF is a table function whose operands can have more than one type.

With Oracle Database 21c, you can write SQL table macros and use them inside the `FROM` clause, where it would be legal to call a PL/SQL function. SQL table macros are expressions, typically used in a `FROM` clause, to act as a sort of polymorphic (parameterized) views. You must define these macro functions in PL/SQL and call them from SQL for them to function as macros.

With Oracle Database Release 23, you can use the `GRAPH_TABLE` operator as a table expression in the `FROM` clause.

 **See Also:**

- [GRAPH\\_TABLE Operator](#)
- [PL/SQL Optimization and Tuning](#)
- [Defining SQL Macros](#)

## ONLY

The `ONLY` clause applies only to views. Specify `ONLY` if the view in the `FROM` clause is a view belonging to a hierarchy and you do not want to include rows from any of its subviews.

### *query\_table\_expression*

Use the *query\_table\_expression* clause to identify a subquery block, table, view, materialized view, analytic view, hierarchy, partition, or subpartition, or to specify a subquery that identifies the objects. In order to specify a subquery block, you must have specified the subquery block name (*query\_name* in the *subquery\_factoring\_clause* or *subav\_name* in the *subav\_factoring\_clause*).

The analytic view in the expression may be a transitory analytic view defined in the *with\_clause* or a persistent analytic view.

**See Also:**

["Using Subqueries: Examples"](#)

**LATERAL**

Specify `LATERAL` to designate *subquery* as a lateral inline view. Within a lateral inline view, you can specify tables that appear to the left of the lateral inline view in the `FROM` clause of a query. You can specify this left correlation anywhere within *subquery* (such as the `SELECT`, `FROM`, and `WHERE` clauses) and at any nesting level.

**Restrictions on LATERAL**

Lateral inline views are subject to the following restrictions:

- If you specify `LATERAL`, then you cannot specify the *pivot\_clause*, the *unpivot\_clause*, or a pattern in the *table\_reference* clause.
- If a lateral inline view contains the *query\_partition\_clause*, and it is the right side of a join clause, then it cannot contain a left correlation to the left table in the join clause. However, it can contain a left correlation to a table to its left in the `FROM` clause that is not the left table.
- A lateral inline view cannot contain a left correlation to the first table in a right outer join or full outer join.

**See Also:**

["Using Lateral Inline Views: Example"](#)

***inline\_external\_table***

Specify this clause to inline an external table in a query. You must specify the table columns and properties for the external table that will be inlined in the query.

***inline\_external\_table\_properties***

This clause extends the *external\_table\_data\_props* with the `REJECT LIMIT` and *access\_driver\_type* options. Use this clause to specify the properties of the external table.

In addition to supporting external data residing in operating file systems and Big Data sources and formats such as HDFS and Hive, Oracle supports external data residing in objects.

***modified\_external\_table***

You can use this clause to override some external table properties specified by the `CREATE TABLE` or `ALTER TABLE` statements from within a query.

You can override external table parameters at runtime.

**Restrictions**

- You must specify the key words `EXTERNAL MODIFY` in the query. If you do not specify the keywords, you will see a `Missing or invalid option error`.

- You must reference an external table in the query. If you do not, you will see an error.
- You must specify at least *one* property in the query. One of `DEFAULT DIRECTORY`, `LOCATION`, `ACCESS PARAMETERS`, or `REJECT LIMIT`.
- If you specify more than one external table properties, they must be listed in order. First the `DEFAULT DIRECTORY` must be specified, followed by the `ACCESS PARAMETERS`, `LOCATION` and `REJECT LIMIT`. Otherwise an error will be raised.
- In the `DEFAULT DIRECTORY` clause, you must specify only one proper default directory. Otherwise a `Missing DEFAULT keyword` error will occur.
- You must enclose a filename in the `LOCATION` clause within quotes. Otherwise a `Missing keyword` error will occur. Note that the access driver will decide whether or not to allow a `LOCATION` clause in the query. If the clause is disallowed for a particular access driver, an error will be raised.
- For `ORACLE_LOADER` and `ORACLE_DATAPUMP` access drivers, the external file location in the `LOCATION` clause must be specified in the following format: `directory: location`, i.e, the directory and location must be separated by a colon. Multiple locations in the clause must be separated by a comma. Otherwise, a `Missing keyword` error will occur.
- Note that `LOCATION` will be made optional in `CREATE TABLE`, and must be specified either when creating or querying the external table. Otherwise an error will be raised in the access driver.
- When populating external data using `ORACLE_DATAPUMP` via `CTAS`, the external file location must be specified. This will be the only case where `LOCATION` clause is mandatory in `CREATE TABLE`.
- When overriding access parameters, a proper access parameter list must be provided in the `ACCESS PARAMETERS` clause, with enclosing parentheses.  
  
Note that the syntax and allowable values for the access parameters in the `modified_external_table` clause are the same as for the external table DDL for each access driver. For more see *Oracle Database Utilities* for additional details regarding syntax and permissible values.
- If you specify the `REJECT LIMIT`, then it must either be `UNLIMITED` or some valid value that is within range. Otherwise a `Reject limit out of range` error will be raised.

### ***modify\_external\_table\_properties***

You can specify the external table properties that you want to modify at run time using this clause. The parameters that you can modify are `DEFAULT DIRECTORY`, `LOCATION`, `ACCESS PARAMETERS` (`BADFILE`, `LOGFILE`, `DISCARDFILE`) and `REJECT LIMIT`.

### **Example: Overriding External Table Parameters in a Query**

```
SELECT * FROM
sales_external EXTERNAL MODIFY (LOCATION 'sales_9.csv' REJECT LIMIT UNLIMITED);
```

### ***flashback\_query\_clause***

Use the `flashback_query_clause` to retrieve data from a table, view, or materialized view based on time dimensions associated with the data.

This clause implements SQL-driven Flashback, which lets you specify the following:

- A different system change number or timestamp for each object in the select list, using the clauses `VERSIONS BETWEEN { SCN | TIMESTAMP }` or `VERSIONS AS OF { SCN | TIMESTAMP }`. You can also implement session-level Flashback using the `DBMS_FLASHBACK` package.
- A valid time period for each object in the select list, using the clauses `VERSIONS PERIOD FOR` or `AS OF PERIOD FOR`. You can also implement valid-time session-level Flashback using the `DBMS_FLASHBACK_ARCHIVE` package.

A Flashback Query lets you retrieve a history of changes made to a row. You can retrieve the corresponding identifier of the transaction that made the change using the `VERSIONS_XID` pseudocolumn. You can also retrieve information about the transaction that resulted in a particular row version by issuing an Oracle Flashback Transaction Query. You do this by querying the `FLASHBACK_TRANSACTION_QUERY` data dictionary view for a particular transaction ID.

### VERSIONS BETWEEN { SCN | TIMESTAMP }

Specify `VERSIONS BETWEEN` to retrieve multiple versions of the rows returned by the query. Oracle Database returns all committed versions of the rows that existed between two SCNs or between two timestamp values. The first specified SCN or timestamp must be earlier than the second specified SCN or timestamp. The rows returned include deleted and subsequently reinserted versions of the rows.

- Specify `VERSIONS BETWEEN SCN ...` to retrieve the versions of the row that existed between two SCNs. Both expressions must evaluate to a number and cannot evaluate to NULL. `MINVALUE` and `MAXVALUE` resolve to the SCN of the oldest and most recent data available, respectively.
- Specify `VERSIONS BETWEEN TIMESTAMP ...` to retrieve the versions of the row that existed between two timestamps. Both expressions must evaluate to a timestamp value and cannot evaluate to NULL. `MINVALUE` and `MAXVALUE` resolve to the timestamp of the oldest and most recent data available, respectively.

### AS OF { SCN | TIMESTAMP }

Specify `AS OF` to retrieve the single version of the rows returned by the query at a particular change number (SCN) or timestamp. If you specify `SCN`, then `expr` must evaluate to a number. If you specify `TIMESTAMP`, then `expr` must evaluate to a timestamp value. In either case, `expr` cannot evaluate to NULL. Oracle Database returns rows as they existed at the specified system change number or time.

Oracle Database provides a group of version query pseudocolumns that let you retrieve additional information about the various row versions. Refer to "[Version Query Pseudocolumns](#)" for more information.

When both clauses are used together, the `AS OF` clause determines the SCN or moment in time from which the database issues the query. The `VERSIONS` clause determines the versions of the rows as seen from the `AS OF` point. The database returns null for a row version if the transaction started before the first `BETWEEN` value or ended after the `AS OF` point.

### VERSIONS PERIOD FOR

Specify `VERSIONS PERIOD FOR` to retrieve rows from `table` based on whether they are considered valid during the specified time period. In order to use this clause, `table` must support Temporal Validity.



- For *valid\_time\_column*, specify the name of the valid time dimension column for *table*.
- Use the `BETWEEN` clause to specify the time period during which rows are considered valid. Both expressions must evaluate to a timestamp value and cannot evaluate to `NULL`. `MINVALUE` resolves to the earliest date or timestamp in the start time column of *table*. `MAXVALUE` resolves to latest date or timestamp in the end time column of *table*.

### AS OF PERIOD FOR

Specify `AS OF PERIOD FOR` to retrieve rows from *table* based on whether they are considered valid as of the specified time. In order to use this clause, *table* must support Temporal Validity.

- For *valid\_time\_column*, specify the name of the valid time dimension column for *table*.
- Use *expr* to specify the time as of which rows are considered valid. The expression must evaluate to a timestamp value and cannot evaluate to `NULL`.

#### See Also:

- *Oracle Database Development Guide* for more information on Temporal Validity
- `CREATE TABLE` [period\\_definition](#) to learn how to configure a table to support Temporal Validity and for information about the *valid\_time\_column*, start time column, and end time column

### Note on Flashback Queries

When performing a flashback query, Oracle Database might not use query optimizations that it would use for other types of queries, which could have a negative impact on performance. In particular, this occurs when you specify multiple flashback queries in a hierarchical query.

### Restrictions on Flashback Queries

These queries are subject to the following restrictions:

- You cannot specify a column expression or a subquery in the expression of the `AS OF` clause.
- You cannot specify the `AS OF` clause if you have specified the *for\_update\_clause*.
- You cannot use the `AS OF` clause in the defining query of a materialized view.
- You cannot use the `VERSIONS` clause in flashback queries to temporary or external tables, or tables that are part of a cluster.
- You cannot use the `VERSIONS` clause in flashback queries to views. However, you can use the `VERSIONS` syntax in the defining query of a view.
- You cannot specify the *flashback\_query\_clause* if you have specified *query\_name* in the *query\_table\_expression*.

 **See Also:**

- *Oracle Database Development Guide* for more information on Oracle Flashback Query
- ["Using Flashback Queries: Example"](#)
- *Oracle Database Development Guide* and *Oracle Database PL/SQL Packages and Types Reference* for information about session-level Flashback using the `DBMS_FLASHBACK` package
- *Oracle Database Administrator's Guide* and to the description of `FLASHBACK_TRANSACTION_QUERY` in the *Oracle Database Reference* for more information about transaction history

***partition\_extension\_clause***

For `PARTITION` or `SUBPARTITION`, specify the name or key value of the partition or subpartition within *table* from which you want to retrieve data.

For range- and list-partitioned data, as an alternative to this clause, you can specify a condition in the `WHERE` clause that restricts the retrieval to one or more partitions of *table*. Oracle Database will interpret the condition and fetch data from only those partitions. It is not possible to formulate such a `WHERE` condition for hash-partitioned data.

 **See Also:**

["References to Partitioned Tables and Indexes "](#) and ["Selecting from a Partition: Example"](#)

***dblink***

For *dblink*, specify the complete or partial name for a database link to a remote database where the table, view, or materialized view is located. This database need not be an Oracle Database.

 **See Also:**

- ["References to Objects in Remote Databases "](#) for more information on referring to database links
- ["Distributed Queries "](#) for more information about distributed queries and ["Using Distributed Queries: Example"](#)

If you omit *dblink*, then the database assumes that the table, view, or materialized view is on the local database.

**Restrictions on Database Links**

Database links are subject to the following restrictions:

- You cannot query a user-defined type or an object REF on a remote table.
- You cannot query columns of type ANYTYPE, ANYDATA, or ANYDATASET from remote tables.

***table | view | materialized\_view | analytic\_view | hierarchy***

Specify the name of a table, view, materialized view, analytic view, or hierarchy from which data is selected.

***analytic\_view***

A persistent analytic view defined with the CREATE ANALYTIC VIEW statement or a transitory analytic view defined in a WITH clause.

**See Also:**

[Analytic Views: Examples](#)

***hierarchy***

A hierarchy defined with the CREATE HIERARCHY statement.

***sample\_clause***

The *sample\_clause* lets you instruct the database to select from a random sample of data from the table, rather than from the entire table.

**See Also:**

["Selecting a Sample: Examples"](#)

**BLOCK**

BLOCK instructs the database to attempt to perform random block sampling instead of random row sampling.

Block sampling is possible only during full table scans or index fast full scans. If a more efficient execution path exists, then Oracle Database does not perform block sampling. If you want to guarantee block sampling for a particular table or index, then use the FULL or INDEX\_FFS hint.

Beginning with Oracle Database 12c Release 2 (12.2.), you can specify block sampling for external tables. In earlier releases, specifying block sampling for external tables had no effect; row sampling was performed.

***sample\_percent***

For *sample\_percent*, specify the percentage of the total row or block count to be included in the sample. The value must be in the range .000001 to, but not including, 100. This percentage indicates the probability of each row, or each cluster of rows in the case of block sampling, being selected as part of the sample. It does not mean that the database will retrieve exactly *sample\_percent* of the rows of *table*.

 **WARNING:**

The use of statistically incorrect assumptions when using this feature can lead to incorrect or undesirable results.

**SEED *seed\_value***

Specify this clause to instruct the database to attempt to return the same sample from one execution to the next. The *seed\_value* must be an integer between 0 and 4294967295. If you omit this clause, then the resulting sample will change from one execution to the next.

**Restrictions on *sample\_clause***

The following restrictions apply to the `SAMPLE` clause:

- You cannot specify the `SAMPLE` clause in a subquery in a DML statement.
- You can specify the `SAMPLE` clause in a query on a base table, a container table of a materialized view, or a view that is key preserving. You cannot specify this clause on a view that is not key preserving.

***subquery\_restriction\_clause***

The *subquery\_restriction\_clause* lets you restrict the subquery in one of the following ways:

**WITH READ ONLY**

Specify `WITH READ ONLY` to indicate that the table or view cannot be updated.

**WITH CHECK OPTION**

Specify `WITH CHECK OPTION` to indicate that Oracle Database prohibits any changes to the table or view that would produce rows that are not included in the subquery. When used in the subquery of a DML statement, you can specify this clause in a subquery in the `FROM` clause but not in subquery in the `WHERE` clause.

**CONSTRAINT *constraint***

Specify the name of the `CHECK OPTION` constraint. If you omit this identifier, then Oracle automatically assigns the constraint a name of the form `SYS_Cn`, where `n` is an integer that makes the constraint name unique within the database.

 **See Also:**

["Using the WITH CHECK OPTION Clause: Example"](#)

***table\_collection\_expression***

The *table\_collection\_expression* lets you inform Oracle that the value of *collection\_expression* should be treated as a table for purposes of query and DML operations. The *collection\_expression* can be a subquery, a column, a function, or a collection constructor. Regardless of its form, it must return a collection value—that is, a

value whose type is nested table or varray. This process of extracting the elements of a collection is called **collection unnesting**.

The optional plus (+) is relevant if you are joining the `TABLE` collection expression with the parent table. The + creates an outer join of the two, so that the query returns rows from the outer table even if the collection expression is null.

 **Note:**

In earlier releases of Oracle, when `collection_expression` was a subquery, `table_collection_expression` was expressed as `THE subquery`. That usage is now deprecated.

The `collection_expression` can reference columns of tables defined to its left in the `FROM` clause. This is called **left correlation**. Left correlation can occur only in `table_collection_expression`. Other subqueries cannot contain references to columns defined outside the subquery.

The optional (+) lets you specify that `table_collection_expression` should return a row with all fields set to null if the collection is null or empty. The (+) is valid only if `collection_expression` uses left correlation. The result is similar to that of an outer join.

When you use the (+) syntax in the `WHERE` clause of a subquery in an `UPDATE` or `DELETE` operation, you must specify two tables in the `FROM` clause of the subquery. Oracle Database ignores the outer join syntax unless there is a join in the subquery itself.

 **See Also:**

- ["Outer Joins "](#)
- ["Table Collections: Examples"](#) and ["Collection Unnesting: Examples"](#)

**`t_alias`**

Specify a **correlation name**, which is an alias for the table, view, materialized view, or subquery for evaluating the query. This alias is required if the select list references any object type attributes or object type methods. Correlation names are most often used in a correlated query. Other references to the table, view, or materialized view throughout the query must refer to this alias.

 **See Also:**

- ["Using Correlated Subqueries: Examples"](#)

### ***pivot\_clause***

The *pivot\_clause* lets you write cross-tabulation queries that rotate rows into columns, aggregating data in the process of the rotation. The output of a pivot operation typically includes more columns and fewer rows than the starting data set. The *pivot\_clause* performs the following steps:

1. The *pivot\_clause* computes the aggregation functions specified at the beginning of the clause. Aggregation functions must specify a `GROUP BY` clause to return multiple values, yet the *pivot\_clause* does not contain an explicit `GROUP BY` clause. Instead, the *pivot\_clause* performs an implicit `GROUP BY`. The implicit grouping is based on all the columns not referred to in the *pivot\_clause*, along with the set of values specified in the *pivot\_in\_clause*.) If you specify more than one aggregation function, then you must provide aliases for at least all but one of the aggregation functions.
2. The grouping columns and aggregated values calculated in Step 1 are configured to produce the following cross-tabular output:
  - a. All the implicit grouping columns not referred to in the *pivot\_clause*, followed by
  - b. New columns corresponding to values in the *pivot\_in\_clause*. Each aggregated value is transposed to the appropriate new column in the cross-tabulation. If you specify the `XML` keyword, then the result is a single new column that expresses the data as an XML string. The database generates a name for each new column. If you do not provide an alias for an aggregation function, then the database uses each pivot column value as the name for each new column to which that aggregated value is transposed. If you provide an alias for an aggregation function, then the database generates a name for each new column to which that aggregated value is transposed by concatenating the pivot column name, the underscore character (`_`), and the aggregation function alias. If a generated column name exceeds the maximum length of a column name, then an ORA-00918 error is returned. To avoid this issue, specify a shorter alias for the pivot column heading, the aggregation function, or both.

The subclauses of the *pivot\_clause* have the following semantics:

#### **XML**

The optional `XML` keyword generates XML output for the query. The `XML` keyword permits the *pivot\_in\_clause* to contain either a subquery or the wildcard keyword `ANY`. Subqueries and `ANY` wildcards are useful when the *pivot\_in\_clause* values are not known in advance. With XML output, the values of the pivot column are evaluated at execution time. You cannot specify `XML` when you specify explicit pivot values using expressions in the *pivot\_in\_clause*.

When XML output is generated, the aggregate function is applied to each distinct pivot value, and the database returns a column of `XMLType` containing an XML string for all value and measure pairs.

#### **expr**

For *expr*, specify an expression that evaluates to a constant value of a pivot column. You can optionally provide an alias for each pivot column value. If there is no alias, the column heading becomes a quoted identifier.

#### **subquery**

A subquery is used only in conjunction with the `XML` keyword. When you specify a subquery, all values found by the subquery are used for pivoting. The output is not the same cross-tabular format returned by non-XML pivot queries. Instead of multiple columns specified in

the *pivot\_in\_clause*, the subquery produces a single XML string column. The XML string for each row holds aggregated data corresponding to the implicit `GROUP BY` value of that row. The XML string for each output row includes all pivot values found by the subquery, even if there are no corresponding rows in the input data.

The subquery must return a list of unique values at the execution time of the pivot query. If the subquery does not return a unique value, then Oracle Database raises a run-time error. Use the `DISTINCT` keyword in the subquery if you are not sure the query will return unique values.

### ANY

The `ANY` keyword is used only in conjunction with the `XML` keyword. The `ANY` keyword acts as a wildcard and is similar in effect to *subquery*. The output is not the same cross-tabular format returned by non-XML pivot queries. Instead of multiple columns specified in the *pivot\_in\_clause*, the `ANY` keyword produces a single XML string column. The XML string for each row holds aggregated data corresponding to the implicit `GROUP BY` value of that row. However, in contrast to the behavior when you specify *subquery*, the `ANY` wildcard produces an XML string for each output row that includes only the pivot values found in the input data corresponding to that row.



#### See Also:

*Oracle Database Data Warehousing Guide* for more information about `PIVOT` and `UNPIVOT` and "[Using PIVOT and UNPIVOT: Examples](#)"

### *unpivot\_clause*

The *unpivot\_clause* rotates columns into rows.

- The `INCLUDE | EXCLUDE NULLS` clause gives you the option of including or excluding null-valued rows. `INCLUDE NULLS` causes the unpivot operation to include null-valued rows; `EXCLUDE NULLS` eliminates null-valued rows from the return set. If you omit this clause, then the unpivot operation excludes nulls.
- For *column*, specify a name for each output column that will hold measure values, such as `sales_quantity`.
- In the *pivot\_for\_clause*, specify a name for each output column that will hold descriptor values, such as `quarter` or `product`.
- In the *unpivot\_in\_clause*, specify the input data columns whose names will become values in the output columns of the *pivot\_for\_clause*. These input data columns have names specifying a category value, such as `Q1`, `Q2`, `Q3`, `Q4`. The optional `AS` clause lets you map the input data column names to the specified *literal* values in the output columns.

The unpivot operation turns a set of value columns into one column. Therefore, the data types of all the value columns must be in the same data type group, such as numeric or character.

- If all the value columns are `CHAR`, then the unpivoted column is `CHAR`. If any value column is `VARCHAR2`, then the unpivoted column is `VARCHAR2`.

- If all the value columns are `NUMBER`, then the unpivoted column is `NUMBER`. If any value column is `BINARY_DOUBLE`, then the unpivoted column is `BINARY_DOUBLE`. If no value column is `BINARY_DOUBLE` but any value column is `BINARY_FLOAT`, then the unpivoted column is `BINARY_FLOAT`.

### ***containers\_clause***

The `CONTAINERS` clause is useful in a multitenant container database (CDB). This clause lets you query data in the specified table or view across all containers in a CDB.

- To query data in a CDB, you must be a common user connected to the CDB root, and the table or view must exist in the root and all PDBs. The query returns all rows from the table or view in the CDB root and in all open PDBs.
- To query data in an application container, you must be a common user connected to the application root, and the table or view must exist in the application root and all PDBs in the application container. The query returns all rows from the table or view in the application root and in all open PDBs in the application container.

The table or view must be in your own schema. It is not necessary to specify `schema`, but if you do then you must specify your own schema.

The query returns all rows from the table or view in the root and in all open PDBs, except PDBs that are open in `RESTRICTED` mode. If the queried table or view does not already contain a `CON_ID` column, then the query adds a `CON_ID` column to the query result, which identifies the container whose data a given row represents.

#### See Also:

- [CONTAINERS Hint](#)
- *Oracle Database Administrator's Guide* for more information on the `CONTAINERS` clause

### ***shards\_clause***

Use the `shards_clause` to query Oracle supplied objects such as `V$`, `DBA/USER/ALL` views, and dictionary tables across shards. You can execute a query with the `shards_clause` only on the shard catalog database.

This feature enables easier centralized management by providing the ability to execute queries across all shards from a central shard catalog.

### ***values\_clause***

You can use the `values_clause` in the `FROM` and `with_clause` of `SELECT` as a table value constructor (TVC).

Each table value constructor contains a set of row value expressions (RVE). The elements in each row expression should be homogeneous in number and their type must be compatible.

The `c_alias` or column alias is the name of the column corresponding to each expression in an RVE.

TVCs in the `FROM` clause of select statements can be used as table expressions.



**Example: Using the Values Constructor in the FROM Clause of SELECT**

```
SELECT *
      FROM ( VALUES (1, 'SCOTT'),
                    (2, 'SMITH'),
                    (3, 'JOHN' )
          ) t1 (employee_id, first_name);
```

The example above creates an in-line table `t1` with two columns `employee_id` and `first_name` and three rows.

If you use the `values_clause` with the `with_clause::=`, you must specify the column alias. Each column alias must correspond to the column produced by the TVC. In this case, the TVC replaces the subquery.

**Example: Using the Values Constructor in the With\_Clause of SELECT:**

```
WITH X(foo, bar, baz) AS (
      VALUES (0, 1, 2), (3, 4, 5), (6, 7, 8) ) SELECT * FROM X;
```

The table and column aliases (`t_alias` and `c_alias`) are required unless you use `values_clause` with `with_clause` in `SELECT`.

**Restrictions**

- If multiple RVEs are specified, then each RVE should have the same cardinality. This means that each RVE must have the same number of elements.
- Each element of the RVE can be a valid SQL expression that includes a column name, scalar valued subquery, bind variable, or any other expression that evaluates to a single value.
- The type of the expression or a constant at the corresponding positions of RVE in a TVC should be implicitly convertible to the most general type following normal SQL type conversion rules. The type of expression that will be inferred will be the most general type of expression at the same position in all RVEs that constitute the TVC.
- If a scalar valued subquery is used to compute the value of an element in a RVE then the select list of scalar valued subquery can contain exactly one expression.
- If RVE is used in an `UPDATE`, or `MERGE` statement, then the keyword `DEFAULT` can be specified in a RVE for each position to indicate to the SQL engine that the default column value should be used for this column.
- The execution plan will have a new section that appears only when the TVC has RVEs consisting of constant values.
- If the types of the corresponding elements in a RVE in a TVC have different constraints, then the type of the column will be the union of all the constraints or the most relaxed constraint.
- An error will be thrown if a TVC, that consists of more than one RVE, is used in a place where a scalar valued subquery is expected.
- The parallel behavior will be similar to union all queries on `DUAL`. TVC will not impact parallel behavior.
- RVEs cannot be nested, that is, a RVE cannot contain another RVE.

- The maximum number of columns produced by the *with\_clause* will be the same as the maximum number of columns in a database table.
- NDV and other statistics that are computed by the optimizer will be similar to a union of all queries on *DUAL*.
- The TVC clause will not have any restriction on number of RVEs other than the restriction imposed by available memory.
- The elimination of *UNION ALL* branches on a predicate will be similar to *UNION ALL* queries with *DUAL*.

### *join\_clause*

Use the appropriate *join\_clause* syntax to identify tables that are part of a join from which to select data. The *inner\_cross\_join\_clause* lets you specify an inner or cross join. The *outer\_join\_clause* lets you specify an outer join. The *cross\_outer\_apply\_clause* lets you specify a variation of an ANSI *CROSS JOIN* or an ANSI *LEFT OUTER JOIN* with left correlation support.

When you join more than two row sources, you can use parentheses to override default precedence. For example, the following syntax:

```
SELECT ... FROM a JOIN (b JOIN c) ...
```

results in a join of *b* and *c*, and then a join of that result set with *a*.



#### See Also:

"Joins" for more information on joins, "Using Join Queries: Examples", "Using Self Joins: Example", and "Using Outer Joins: Examples"

### *inner\_cross\_join\_clause*

Inner joins return only those rows that satisfy the join condition.

#### **INNER**

Specify *INNER* to explicitly specify an inner join.

#### **JOIN**

The *JOIN* keyword explicitly states that a join is being performed. You can use this syntax to replace the comma-delimited table expressions used in *WHERE* clause joins with *FROM* clause join syntax.

#### **ON condition**

Use the *ON* clause to specify a join condition. Doing so lets you specify join conditions separate from any search or filter conditions in the *WHERE* clause.

#### **USING (column)**

When you are specifying an equijoin of columns that have the same name in both tables, the *USING column* clause indicates the columns to be used. You can use this clause only if the join columns in both tables have the same name. Within this clause, do not qualify the column name with a table name or table alias.

## CROSS

The `CROSS` keyword indicates that a cross join is being performed. A cross join produces the cross-product of two relations and is essentially the same as the comma-delimited Oracle Database notation.

## NATURAL

The `NATURAL` keyword indicates that a natural join is being performed. Refer to [NATURAL](#) for the full semantics of this clause.

### *outer\_join\_clause*

Outer joins return all rows that satisfy the join condition and also return some or all of those rows from one table for which no rows from the other satisfy the join condition. You can specify two types of outer joins: a conventional outer join using the *table\_reference* syntax on both sides of the join, or a partitioned outer join using the *query\_partition\_clause* on one side or the other. A partitioned outer join is similar to a conventional outer join except that the join takes place between the outer table and each partition of the inner table. This type of join lets you selectively make sparse data more dense along the dimensions of interest. This process is called **data densification**.

### *query\_partition\_clause*

The *query\_partition\_clause* lets you define a **partitioned outer join**. Such a join extends the conventional outer join syntax by applying the outer join to partitions returned by the query. Oracle Database creates a partition of rows for each expression you specify in the `PARTITION BY` clause. The rows in each query partition have same value for the `PARTITION BY` expression.

The *query\_partition\_clause* can be on either side of the outer join. The result of a partitioned outer join is a `UNION` of the outer joins of each of the partitions in the partitioned result set and the table on the other side of the join. This type of result is useful for filling gaps in sparse data, which simplifies analytic calculations.

If you omit this clause, then the database treats the entire table expression—everything specified in *table\_reference*—as a single partition, resulting in a conventional outer join.

To use the *query\_partition\_clause* in an analytic function, use the upper branch of the syntax (without parentheses). To use this clause in a model query (in the *model\_column\_clauses*) or a partitioned outer join (in the *outer\_join\_clause*), use the lower branch of the syntax (with parentheses).

## Restrictions on Partitioned Outer Joins

Partitioned outer joins are subject to the following restrictions:

- You can specify the *query\_partition\_clause* on either the right or left side of the join, but not both.
- You cannot specify a `FULL` partitioned outer join.
- If you specify the *query\_partition\_clause* in an outer join with an `ON` clause, then you cannot specify a subquery in the `ON` condition.

**See Also:**

"Using Partitioned Outer Joins: Examples"

**NATURAL**

The `NATURAL` keyword indicates that a natural join is being performed. A natural join is based on all columns in the two tables that have the same name. It selects rows from the two tables that have equal values in the relevant columns. If two columns with the same name do not have compatible data types, then an error is raised. When specifying columns that are involved in the natural join, do not qualify the column name with a table name or table alias.

On occasion, the table pairings in natural or cross joins may be ambiguous. For example, consider the following join syntax:

```
a NATURAL LEFT JOIN b LEFT JOIN c ON b.c1 = c.c1
```

This example can be interpreted in either of the following ways:

```
a NATURAL LEFT JOIN (b LEFT JOIN c ON b.c1 = c.c1)
(a NATURAL LEFT JOIN b) LEFT JOIN c ON b.c1 = c.c1
```

To avoid this ambiguity, you can use parentheses to specify the pairings of joined tables. In the absence of such parentheses, the database uses left associativity, pairing the tables from left to right.

**Restriction on Natural Joins**

You cannot specify a LOB column, columns of `ANYTYPE`, `ANYDATA`, or `ANYDATASET`, or a collection column as part of a natural join.

***outer\_join\_type***

The *outer\_join\_type* indicates the kind of outer join being performed:

- Specify `RIGHT` to indicate a right outer join.
- Specify `LEFT` to indicate a left outer join.
- Specify `FULL` to indicate a full or two-sided outer join. In addition to the inner join, rows from both tables that have not been returned in the result of the inner join will be preserved and extended with nulls.
- You can specify the optional `OUTER` keyword following `RIGHT`, `LEFT`, or `FULL` to explicitly clarify that an outer join is being performed.

***ON condition***

Use the `ON` clause to specify a join condition. Doing so lets you specify join conditions separate from any search or filter conditions in the `WHERE` clause.

**Restriction on the *ON condition* Clause**

You cannot specify this clause with a `NATURAL` outer join.

***USING column***

In an outer join with the `USING` clause, the query returns a single column that coalesces the two matching columns in the join. The coalesce function is as follows:

COALESCE (a, b) = a if a NOT NULL, else b.

Therefore:

- A left outer join returns all the common column values from the left table in the FROM clause.
- A right outer join returns all the common column values from the right table in the FROM clause.
- A full outer join returns all the common column values from both joined tables.

### Restriction on the USING *column* Clause

The USING *column* clause is subject to the following restrictions:

- Within this clause, do not qualify the column name with a table name or table alias.
- You cannot specify a LOB column or a collection column in the USING *column* clause.
- You cannot specify this clause with a NATURAL outer join.



#### See Also:

- "[Outer Joins](#)" for additional rules and restrictions pertaining to outer joins
- *Oracle Database Data Warehousing Guide* for a complete discussion of partitioned outer joins and data densification
- "[Using Outer Joins: Examples](#)"

### *cross\_outer\_apply\_clause*

This clause allows you to perform a variation of an ANSI CROSS JOIN or an ANSI LEFT OUTER JOIN with left correlation support. You can specify a *table\_reference* or *collection\_expression* to the right of the APPLY keyword. The *table\_reference* can be a table, inline view, or TABLE collection expression. The *collection\_expression* can be a subquery, a column, a function, or a collection constructor. Regardless of its form, it must return a collection value—that is, a value whose type is nested table or varray. The *table\_reference* or *collection\_expression* can reference columns of tables defined in the FROM clause to the left of the APPLY keyword. This is called left correlation.

- Specify CROSS APPLY to perform a variation of an ANSI CROSS JOIN. Only rows from the table on the left side of the join that produce a result set from *table\_reference* or *collection\_expression* are returned.
- Specify OUTER APPLY to perform a variation of an ANSI LEFT OUTER JOIN. All rows from the table on the left side of the join are returned. Rows that do not produce a result set from *table\_reference* or *collection\_expression* have the NULL value in the corresponding column(s).

### Restriction on the *cross\_outer\_apply\_clause*

The *table\_reference* cannot be a lateral inline view.

**See Also:**

[Using CROSS APPLY and OUTER APPLY Joins: Examples](#)

***inline\_analytic\_view***

An inline analytic view is a transitory analytic view that is specified in the `FROM` clause. To create an inline analytic view, use the `ANALYTIC VIEW` keyword and specify a *sub\_av\_clause* that defines the analytic view. Optionally, you may specify an *inline\_av\_alias*, which is an alias for the inline analytic view. The rules for the *inline\_av\_alias* are the same as the rules for an inline view alias.

**See Also:**

[Analytic Views: Examples](#)

***where\_clause***

The `WHERE` condition lets you restrict the rows selected to those that satisfy one or more conditions. For *condition*, specify any valid SQL condition.

If you omit this clause, then the database returns all rows from the tables, views, or materialized views in the `FROM` clause.

**Note:**

If this clause refers to a `DATE` column of a partitioned table or index, then the database performs partition pruning only if:

- You created the table or index partitions by fully specifying the year using the `TO_DATE` function with a 4-digit format mask, *and*
- You specify the date in the *where\_clause* of the query using the `TO_DATE` function and either a 2- or 4-digit format mask.

With Oracle Database 21c you can write macros for scalar expressions and use them inside the *where\_clause*, where it would be legal to call a PLSQL function.

You must define these macro functions in PL/SQL and call them from SQL for them to function as macros.

 **See Also:**

- [Conditions](#) for the syntax description of *condition*
- ["Selecting from a Partition: Example"](#)
- [Defining SQL Macros](#)

***hierarchical\_query\_clause***

The *hierarchical\_query\_clause* lets you select rows in a hierarchical order.

`SELECT` statements that contain hierarchical queries can contain the `LEVEL` pseudocolumn in the select list. `LEVEL` returns the value 1 for a root node, 2 for a child node of a root node, 3 for a grandchild, and so on. The number of levels returned by a hierarchical query may be limited by available user memory.

Oracle processes hierarchical queries as follows:

- A join, if present, is evaluated first, whether the join is specified in the `FROM` clause or with `WHERE` clause predicates.
- The `CONNECT BY` condition is evaluated.
- Any remaining `WHERE` clause predicates are evaluated.

If you specify this clause, then do not specify either `ORDER BY` or `GROUP BY`, because they will destroy the hierarchical order of the `CONNECT BY` results. If you want to order rows of siblings of the same parent, then use the `ORDER SIBLINGS BY` clause.

 **See Also:**

["Hierarchical Queries "](#) for a discussion of hierarchical queries and ["Using the LEVEL Pseudocolumn: Examples"](#)

**START WITH Clause**

Specify a condition that identifies the row(s) to be used as the root(s) of a hierarchical query. The *condition* can be any condition as described in [Conditions](#). Oracle Database uses as root(s) all rows that satisfy this condition. If you omit this clause, then the database uses all rows in the table as root rows.

**CONNECT BY Clause**

Specify a condition that identifies the relationship between parent rows and child rows of the hierarchy. The *condition* can be any condition as described in [Conditions](#). However, it must use the `PRIOR` operator to refer to the parent row.

 See Also:

- [Pseudocolumns](#) for more information on `LEVEL`
- ["Hierarchical Queries"](#) for general information on hierarchical queries
- ["Hierarchical Query: Examples"](#)

**group\_by\_clause**

Specify the `GROUP BY` clause if you want the database to group the selected rows based on the value of `expr(s)` for each row and return a single row of summary information for each group. If this clause contains `CUBE` or `ROLLUP` extensions, then the database produces superaggregate groupings in addition to the regular groupings.

Expressions in the `GROUP BY` clause can contain any columns of the tables, views, or materialized views in the `FROM` clause, regardless of whether the columns appear in the select list.

The `GROUP BY` clause groups rows but does not guarantee the order of the result set. To order the groupings, use the `ORDER BY` clause.

If a column name in the source tables and column alias in the `SELECT` list are the same, `GROUP BY` will interpret the identifier as the column name, not the alias.

 See Also:

- *Oracle Database Data Warehousing Guide* for an expanded discussion and examples of using SQL grouping syntax for data aggregation
- the `GROUP_ID`, `GROUPING`, and `GROUPING_ID` functions for examples
- ["Using the GROUP BY Clause: Examples"](#)
- [Restrictions for Linguistic Collations](#) for information on implications of how `GROUP BY` character values are compared linguistically
- Appendix C in *Oracle Database Globalization Support Guide* for the collation determination rules for the expressions in the `GROUP BY` clause

**ROLLUP**

The `ROLLUP` operation in the *simple\_grouping\_clause* groups the selected rows based on the values of the first `n`, `n-1`, `n-2`, ... 0 expressions in the `GROUP BY` specification, and returns a single row of summary for each group. You can use the `ROLLUP` operation to produce **subtotal values** by using it with the `SUM` function. When used with `SUM`, `ROLLUP` generates subtotals from the most detailed level to the grand total. Aggregate functions such as `COUNT` can be used to produce other kinds of superaggregates.

For example, given three expressions (`n=3`) in the `ROLLUP` clause of the *simple\_grouping\_clause*, the operation results in `n+1 = 3+1 = 4` groupings.



Rows grouped on the values of the first  $n$  expressions are called **regular rows**, and the others are called **superaggregate rows**.

 **See Also:**

*Oracle Database Data Warehousing Guide* for information on using `ROLLUP` with materialized views

## CUBE

The `CUBE` operation in the `simple_grouping_clause` groups the selected rows based on the values of all possible combinations of expressions in the specification. It returns a single row of summary information for each group. You can use the `CUBE` operation to produce **cross-tabulation values**.

For example, given three expressions ( $n=3$ ) in the `CUBE` clause of the `simple_grouping_clause`, the operation results in  $2^n = 2^3 = 8$  groupings. Rows grouped on the values of  $n$  expressions are called **regular rows**, and the rest are called **superaggregate rows**.

 **See Also:**

- *Oracle Database Data Warehousing Guide* for information on using `CUBE` with materialized views
- ["Using the GROUP BY CUBE Clause: Example"](#)

## GROUPING SETS

`GROUPING SETS` are a further extension of the `GROUP BY` clause that let you specify multiple groupings of data. Doing so facilitates efficient aggregation by pruning the aggregates you do not need. You specify just the desired groups, and the database does not need to perform the full set of aggregations generated by `CUBE` or `ROLLUP`. Oracle Database computes all groupings specified in the `GROUPING SETS` clause and combines the results of individual groupings with a `UNION ALL` operation. The `UNION ALL` means that the result set can include duplicate rows.

Within the `GROUP BY` clause, you can combine expressions in various ways:

- To specify **composite columns**, group columns within parentheses so that the database treats them as a unit while computing `ROLLUP` or `CUBE` operations.
- To specify **concatenated grouping sets**, separate multiple grouping sets, `ROLLUP`, and `CUBE` operations with commas so that the database combines them into a single `GROUP BY` clause. The result is a cross-product of groupings from each grouping set.

**See Also:**

["Using the GROUPING SETS Clause: Example"](#)

**HAVING Clause**

Use the `HAVING` clause to restrict the groups of returned rows to those groups for which the specified *condition* is `TRUE`. If you omit this clause, then the database returns summary rows for all groups.

Specify `GROUP BY` and `HAVING` after the *where\_clause* and *hierarchical\_query\_clause*. If you specify both `GROUP BY` and `HAVING`, then they can appear in either order.

With Oracle Database 21c you can write macros for scalar expressions and use them inside the `HAVING` clause, where it would be legal to call a PL/SQL function.

You must define these macro functions in PL/SQL and call them from SQL for them to function as macros.

**See Also:**

- ["Using the HAVING Condition: Example"](#)
- [Defining SQL Macros](#)

**Restrictions on the GROUP BY Clause**

This clause is subject to the following restrictions:

- You cannot specify LOB columns, nested tables, or varrays as part of *expr*.
- The expressions can be of any form except scalar subquery expressions.
- If the *group\_by\_clause* references any object type columns, then the query will not be parallelized.
- To group by position, the parameter `group_by_position_enabled` must be set to `true`, this is `false` by default

***model\_clause***

The *model\_clause* lets you view selected rows as a multidimensional array and randomly access cells within that array. Using the *model\_clause*, you can specify a series of cell assignments, referred to as **rules**, that invoke calculations on individual cells and ranges of cells. These rules operate on the results of a query and do not update any database tables.

When using the *model\_clause* in a query, the `SELECT` and `ORDER BY` clauses must refer only to those columns defined in the *model\_column\_clauses*.

 **See Also:**

- The syntax description of *expr* in ["About SQL Expressions "](#) and the syntax description of *condition* in [Conditions](#)
- *Oracle Database Data Warehousing Guide* for an expanded discussion and examples
- ["The MODEL clause: Examples"](#)

***main\_model***

The *main\_model* clause defines how the selected rows will be viewed in a multidimensional array and what rules will operate on which cells in that array.

***model\_column\_clauses***

The *model\_column\_clauses* define and classify the columns of a query into three groups: partition columns, dimension columns, and measure columns. For *expr*, you can specify a column, constant, host variable, single-row function, aggregate function, or any expression involving them. If *expr* is a column, then the column alias (*c\_alias*) is optional. If *expr* is not a column, then the column alias is required. If you specify a column alias, then you must use the alias to refer to the column in the *model\_rules\_clause*, SELECT list, and the query ORDER BY clauses.

**PARTITION BY**

The PARTITION BY clause specifies the columns that will be used to divide the selected rows into partitions based on the values of the specified columns.

**DIMENSION BY**

The DIMENSION BY clause specifies the columns that will identify a row within a partition. The values of the dimension columns, along with those of the partition columns, serve as array indexes to the measure columns within a row.

**MEASURES**

The MEASURES clause identifies the columns on which the calculations can be performed. Measure columns in individual rows are treated like cells that you can reference, by specifying the values for the partition and dimension columns, and update.

***cell\_reference\_options***

Use the *cell\_reference\_options* clause to specify how null and absent values are treated in rules and how column uniqueness is constrained.

**IGNORE NAV**

When you specify IGNORE NAV, the database returns the following values for the null and absent values of the data type specified:

- Zero for numeric data types
- 01-JAN-2000 for datetime data types
- An empty string for character data types

- Null for all other data types

### KEEP NAV

When you specify `KEEP NAV`, the database returns null for both null and absent cell values. `KEEP NAV` is the default.

### UNIQUE SINGLE REFERENCE

When you specify `UNIQUE SINGLE REFERENCE`, the database checks only single-cell references on the right-hand side of the rule for uniqueness, not the entire query result set.

### UNIQUE DIMENSION

When you specify `UNIQUE DIMENSION`, the database checks that the `PARTITION BY` and `DIMENSION BY` columns form a unique key to the query. `UNIQUE DIMENSION` is the default.

### *model\_rules\_clause*

Use the *model\_rules\_clause* to specify the cells to be updated, the rules for updating those cells, and optionally, how the rules are to be applied and processed.

Each rule represents an assignment and consists of a left-hand side and right-hand side. The left-hand side of the rule identifies the cells to be updated by the right-hand side of the rule. The right-hand side of the rule evaluates to the values to be assigned to the cells specified on the left-hand side of the rule.

### UPSERT ALL

`UPSERT ALL` allows `UPSERT` behavior for a rule with both positional and symbolic references on the left-hand side of the rule. When evaluating an `UPSERT ALL` rule, Oracle performs the following steps to create a list of cell references to be upserted:

1. Find the existing cells that satisfy all the symbolic predicates of the cell reference.
2. Using just the dimensions that have symbolic references, find the distinct dimension value combinations of these cells.
3. Perform a cross product of these value combinations with the dimension values specified by way of positional references.

Refer to *Oracle Database Data Warehousing Guide* for more information on the semantics of `UPSERT ALL`.

### UPSERT

When you specify `UPSERT`, the database applies the rules to those cells referenced on the left-hand side of the rule that exist in the multidimensional array, and inserts new rows for those that do not exist. `UPSERT` behavior applies only when positional referencing is used on the left-hand side and a single cell is referenced. `UPSERT` is the default. Refer to [cell\\_assignment](#) for more information on positional referencing and single-cell references.

`UPDATE` and `UPSERT` can be specified for individual rules as well. When either `UPDATE` or `UPSERT` is specified for a specific rule, it takes precedence over the option specified in the `RULES` clause.

 **Note:**

If an `UPSERT ALL`, `UPSERT`, or `UPDATE` rule does not contain the appropriate predicates, then the database may implicitly convert it to a different type of rule:

- If an `UPSERT` rule contains an existential predicate, then the rule is treated as an `UPDATE` rule.
- An `UPSERT ALL` rule must have at least one existential predicate and one qualified predicate on its left side. If it has no existential predicate, then it is treated as an `UPSERT` rule. If it has no qualified predicate, then it is treated as an `UPDATE` rule.

**UPDATE**

When you specify `UPDATE`, the database applies the rules to those cells referenced on the left-hand side of the rule that exist in the multidimensional array. If the cells do not exist, then the assignment is ignored.

**AUTOMATIC ORDER**

When you specify `AUTOMATIC ORDER`, the database evaluates the rules based on their dependency order. In this case, a cell can be assigned a value once only.

**SEQUENTIAL ORDER**

When you specify `SEQUENTIAL ORDER`, the database evaluates the rules in the order they appear. In this case, a cell can be assigned a value more than once. `SEQUENTIAL ORDER` is the default.

**ITERATE ... [UNTIL]**

Use `ITERATE ... [UNTIL]` to specify the number of times to cycle through the rules and, optionally, an early termination condition. The parentheses around the `UNTIL` condition are optional.

When you specify `ITERATE ... [UNTIL]`, rules are evaluated in the order in which they appear. Oracle Database returns an error if both `AUTOMATIC ORDER` and `ITERATE ... [UNTIL]` are specified in the `model_rules_clause`.

***cell\_assignment***

The `cell_assignment` clause, which is the left-hand side of the rule, specifies one or more cells to be updated. When a `cell_assignment` references a single cell, it is called a **single-cell reference**. When more than one cell is referenced, it is called a **multiple-cell reference**.

All dimension columns defined in the `model_clause` must be qualified in the `cell_assignment` clause. A dimension can be qualified using either symbolic or positional referencing.

A **symbolic reference** qualifies a single dimension column using a Boolean condition like `dimension_column=constant`. A **positional reference** is one where the dimension column is implied by its position in the `DIMENSION BY` clause. The only difference between symbolic references and positional references is in the treatment of nulls.

Using a single-cell symbolic reference such as `a[x=null,y=2000]`, no cells qualify because `x=null` evaluates to `FALSE`. However, using a single-cell positional reference such as `a[null,2000]`, a cell where `x` is null and `y` is 2000 qualifies because `null = null` evaluates to `TRUE`. With single-cell positional referencing, you can reference, update, and insert cells where dimension columns are null.

You can specify a condition or an expression representing a dimension column value using either symbolic or positional referencing. `condition` cannot contain aggregate functions or the `CV` function, and `condition` must reference a single dimension column. `expr` cannot contain a subquery. Refer to "[Model Expressions](#)" for information on model expressions.

### ***single\_column\_for\_loop***

The `single_column_for_loop` clause lets you specify a range of cells to be updated within a single dimension column.

The `IN` clause lets you specify the values of the dimension column as either a list of values or as a subquery. When using `subquery`, it cannot:

- Be a correlated query
- Return more than 10,000 rows
- Be a query defined in the `WITH` clause

The `FROM` clause lets you specify a range of values for a dimension column with discrete increments within the range. The `FROM` clause can only be used for those columns with a data type for which addition and subtraction is supported. The `INCREMENT` and `DECREMENT` values must be positive.

Optionally, you can specify the `LIKE` clause within the `FROM` clause. In the `LIKE` clause, `pattern` is a character string containing a single pattern-matching character `%`. This character is replaced during execution with the current incremented or decremented value in the `FROM` clause.

If all dimensions other than those used by a `FOR` loop involve a single-cell reference, then the expressions can insert new rows. The number of dimension value combinations generated by `FOR` loops is counted as part of the 10,000 row limit of the `MODEL` clause.

### ***multi\_column\_for\_loop***

The `multi_column_for_loop` clause lets you specify a range of cells to be updated across multiple dimension columns. The `IN` clause lets you specify the values of the dimension columns as either multiple lists of values or as a subquery. When using `subquery`, it cannot:

- Be a correlated query
- Return more than 10,000 rows
- Be a query defined in the `WITH` clause

If all dimensions other than those used by a `FOR` loop involve a single-cell reference, then the expressions can insert new rows. The number of dimension value combinations generated by `FOR` loops is counted as part of the 10,000 row limit of the `MODEL` clause.

 **See Also:**

*Oracle Database Data Warehousing Guide* for more information about using FOR loops in the MODEL clause

**order\_by\_clause**

Use the ORDER BY clause to specify the order in which cells on the left-hand side of the rule are to be evaluated. The *expr* must resolve to a dimension or measure column. If the ORDER BY clause is not specified, then the order defaults to the order of the columns as specified in the DIMENSION BY clause. See [order\\_by\\_clause](#) for more information.

**Restrictions on the order\_by\_clause**

Use of the ORDER BY clause in the model rule is subject to the following restrictions:

- You cannot specify SIBLINGS, *position*, or *c\_alias* in the *order\_by\_clause* of the *model\_clause*.
- You cannot specify this clause on the left-hand side of the model rule and also specify a FOR loop on the right-hand side of the rule.

**expr**

Specify an expression representing the value or values of the cell or cells specified on the right-hand side of the rule. *expr* cannot contain a subquery. Refer to "[Model Expressions](#)" for information on model expressions.

**return\_rows\_clause**

The *return\_rows\_clause* lets you specify whether to return all rows selected or only those rows updated by the model rules. ALL is the default.

**reference\_model**

Use the *reference\_model* clause when you need to access multiple arrays from inside the *model\_clause*. This clause defines a read-only multidimensional array based on the results of a query.

The subclasses of the *reference\_model* clause have the same semantics as for the *main\_model* clause. Refer to [model\\_column\\_clauses](#) and [cell\\_reference\\_options](#).

**Restrictions on the reference\_model Clause**

This clause is subject to the following restrictions:

- PARTITION BY columns cannot be specified for reference models.
- The subquery of the reference model cannot refer to columns in an outer subquery.

**Set Operators: (UNION, INTERSECT, MINUS, EXCEPT) ALL**

The set operators combine the rows returned by two SELECT statements into a single result. The number and data types of the columns selected by each component query must be the same, but the column lengths can be different. The names of the columns in the result set are the names of the expressions in the select list preceding the set operator.

If you combine more than two queries with set operators, then the database evaluates adjacent queries from left to right. The parentheses around the subquery are optional. You can use them to specify a different order of evaluation.

Refer to "[The Set Operators](#)" for information on these operators, including restrictions on their use.

### ***order\_by\_clause***

Use the `ORDER BY` clause to order rows returned by the statement. Without an *order\_by\_clause*, no guarantee exists that the same query executed more than once will retrieve rows in the same order.

### **SIBLINGS**

The `SIBLINGS` keyword is valid only if you also specify the *hierarchical\_query\_clause* (`CONNECT BY`). `ORDER SIBLINGS BY` preserves any ordering specified in the hierarchical query clause and then applies the *order\_by\_clause* to the siblings of the hierarchy.

### ***expr***

*expr* orders rows based on their value for *expr*. The expression is based on columns in the select list or columns in the tables, views, or materialized views in the `FROM` clause.

### ***position***

Specify *position* to order rows based on their value for the expression in this position of the select list. The *position* value must be an integer.

You can specify multiple expressions in the *order\_by\_clause*. Oracle Database first sorts rows based on their values for the first expression. Rows with the same value for the first expression are then sorted based on their values for the second expression, and so on. The database sorts nulls following all others in ascending order and preceding all others in descending order. Refer to "[Sorting Query Results](#)" for a discussion of ordering query results.

### **ASC | DESC**

Specify whether the ordering sequence is ascending or descending. `ASC` is the default.

### **NULLS FIRST | NULLS LAST**

Specify whether returned rows containing null values should appear first or last in the ordering sequence.

`NULLS LAST` is the default for ascending order, and `NULLS FIRST` is the default for descending order.

### **Restrictions on the ORDER BY Clause**

The following restrictions apply to the `ORDER BY` clause:

- If you have specified the `DISTINCT` operator in this statement, then this clause cannot refer to columns unless they appear in the select list.
- An *order\_by\_clause* can contain no more than 255 expressions.
- You cannot order by a `LOB`, `LONG`, or `LONG RAW` column, nested table, or varray.
- If you specify a *group\_by\_clause* in the same statement, then this *order\_by\_clause* is restricted to the following expressions:
  - Constants



- Aggregate functions
- Analytic functions
- The functions `USER`, `UID`, and `SYSDATE`
- Expressions identical to those in the *group\_by\_clause*
- Expressions comprising the preceding expressions that evaluate to the same value for all rows in a group

### See Also:

- ["Using the ORDER BY Clause: Examples"](#)
- [Restrictions for Linguistic Collations](#) for information on implications of how `ORDER BY` character values are compared linguistically
- Appendix C in *Oracle Database Globalization Support Guide* for the collation determination rules for the expressions in the `ORDER BY` clause

### *window\_clause*

Oracle Database Release 21c supports the *window\_clause* in the *query\_block* clause.

#### Rules

- If you use a new *window\_specification* to specify an *existing\_window\_name* then
  - *existing\_window\_name* must refer to an earlier entry in the *window\_name* list
  - You cannot use *existing\_window\_name* with *windowing\_clause*
  - You cannot define a new window with the *query\_partition\_clause*. If *existing\_window\_name* has *order\_by\_clause*, then the new window definition cannot have *order\_by\_clause*.
- Note that `OVER window_name` is not equivalent to `OVER (window_name ...)`. `OVER (window_name ...)` implies copying and modifying the window specification, and will be rejected if the referenced window specification includes a *windowing\_clause*.

#### Example

The following query shows the usage of *window\_clause* specified as part of table expression and window functions specified using the window name as defined in *window clause*.

```
SELECT
    ename, mgr,
    FIRST_VALUE(sal) OVER w AS "first",
    LAST_VALUE(sal) OVER w AS "last",
    NTH_VALUE(sal, 2) OVER w AS "second",
    NTH_VALUE(sal, 4) OVER w AS "fourth"
FROM emp
WINDOW w AS (PARTITION BY deptno ORDER BY sal ROWS UNBOUNDED PRECEDING);
```

### *row\_limiting\_clause*

The *row\_limiting\_clause* allows you to limit the rows returned by the query. You can specify an offset, and the number of rows or percentage of rows to return. You can use this clause to implement top-N reporting. For consistent results, specify the *order\_by\_clause* to ensure a deterministic sort order.

#### OFFSET

Use this clause to specify the number of rows to skip before row limiting begins. *offset* must be a number or an expression that evaluates to a numeric value. If you specify a negative number, then *offset* is treated as 0. If you specify NULL, or a number greater than or equal to the number of rows returned by the query, then 0 rows are returned. If *offset* includes a fraction, then the fractional portion is truncated. If you do not specify this clause, then *offset* is 0 and row limiting begins with the first row.

#### ROW | ROWS

These keywords can be used interchangeably and are provided for semantic clarity.

#### FETCH

Use this clause to specify the number of rows or percentage of rows to return. If you do not specify this clause, then all rows are returned, beginning at row *offset* + 1.

#### APPROX | APPROXIMATE

Specify APPROX or APPROXIMATE to perform approximate vector search.

#### Rules

- If you specify APPROX or APPROXIMATE, you must specify *rowcount* and ROW or ROWS. *rowcount* must be a positive integer between 1 and UB4MAXVAL.
- You cannot specify *percent* and WITH TIES with APPROX or APPROXIMATE.
- Specify WITH TARGET first if you want to specify ACCURACY, followed by the input parameter *accuracy* and PERCENT. *accuracy* must be a positive integer literal between 1 and 100.

In the case where vector index is used, the accuracy, if specified, overwrites the index specification, otherwise it inherits the index specification. In the case where no vector index is used, exact results are returned, and the accuracy is meaningless.

- PARAMETERS *efs* and *nprobes* must be a positive integer literal between 1 and UB4MAXVAL.

#### Rules for an Approximate Vector Search when a Vector Index is available

- The APPROXIMATE syntax is used in row limiting clause.
- The approximate row limiting clause must be associated with an ORDER BY clause.
- The first key of the ORDER BY must be a distance function (VECTOR\_DISTANCE or variant), which must have one and only one vector column operand.
- There may be additional ORDER BY expressions after the distance function, but not before.

If any of these conditions are not true, an exact search will be performed even though the APPROXIMATE syntax is used. In addition, the optimizer may employ other cost-based

decisions and choose not to use the index and perform exact search even though all the conditions above are met.

### Example: Vector Search Query

```
SELECT docID FROM vec_table
ORDER BY VECTOR_DISTANCE(data, :query_vec)
FETCH APPROX FIRST 20 ROWS ONLY;
```

### FIRST | NEXT

These keywords can be used interchangeably and are provided for semantic clarity.

### rowcount | percent PERCENT

Use *rowcount* to specify the number of rows to return. *rowcount* must be a number or an expression that evaluates to a numeric value. If you specify a negative number, then *rowcount* is treated as 0. If *rowcount* is greater than the number of rows available beginning at row *offset* + 1, then all available rows are returned. If *rowcount* includes a fraction, then the fractional portion is truncated. If *rowcount* is NULL, then 0 rows are returned.

Use *percent PERCENT* to specify the percentage of the total number of selected rows to return. *percent* must be a number or an expression that evaluates to a numeric value. If you specify a negative number, then *percent* is treated as 0. If *percent* is NULL, then 0 rows are returned.

If you do not specify *rowcount* or *percent PERCENT*, then 1 row is returned.

### ONLY | WITH TIES

Specify *ONLY* to return exactly the specified number of rows or percentage of rows.

Specify *WITH TIES* to return additional rows with the same sort key as the last row fetched. If you specify *WITH TIES*, then you must specify the *order\_by\_clause*. If you do not specify the *order\_by\_clause*, then no additional rows will be returned.

### Restrictions on the row\_limiting\_clause

This clause is subject to the following restrictions:

- You cannot specify this clause with the *for\_update\_clause*.
- If you specify this clause, then the select list cannot contain the sequence pseudocolumns *CURRVAL* or *NEXTVAL*.
- Materialized views are not eligible for an incremental refresh if the defining query contains the *row\_limiting\_clause*.
- If the select list contains columns with identical names and you specify the *row\_limiting\_clause*, then an ORA-00918 error occurs. This error occurs whether the identically named columns are in the same table or in different tables. You can work around this issue by specifying unique column aliases for the identically named columns.

**See Also:**

["Row Limiting: Examples"](#)

***for\_update\_clause***

The `FOR UPDATE` clause lets you lock the selected rows so that other users cannot lock or update the rows until you end your transaction. You can specify this clause only in a top-level `SELECT` statement, not in subqueries.

**Note:**

Prior to updating a LOB value, you must lock the row containing the LOB. One way to lock the row is with an embedded `SELECT ... FOR UPDATE` statement. You can do this using one of the programmatic languages or `DBMS_LOB` package. For more information on lock rows before writing to a LOB, see *Oracle Database SecureFiles and Large Objects Developer's Guide*.

Nested table rows are not locked as a result of locking the parent table rows. If you want the nested table rows to be locked, then you must lock them explicitly.

**Restrictions on the FOR UPDATE Clause**

This clause is subject to the following restrictions:

- You cannot specify this clause with the following other constructs: the `DISTINCT` operator, `CURSOR` expression, set operators, *group\_by\_clause*, or aggregate functions.
- The tables locked by this clause must all be located on the same database and on the same database as any `LONG` columns and sequences referenced in the same statement.

**See Also:**

["Using the FOR UPDATE Clause: Examples"](#)

**Using the FOR UPDATE Clause on Views**

In general, this clause is not supported on views. However, in some cases, a `SELECT ... FOR UPDATE` query on a view can succeed without any errors. This occurs when the view has been merged to its containing query block internally by the query optimizer, and `SELECT ... FOR UPDATE` succeeds on the internally transformed query. The examples in this section illustrate when using the `FOR UPDATE` clause on a view can succeed or fail.

- Using the `FOR UPDATE` clause on merged views

An error can occur when you use the `FOR UPDATE` clause on a merged view if both of the following conditions apply:

- The underlying column of the view is an expression

- The `FOR UPDATE` clause applies to a column list

The following statement succeeds because the underlying column of the view is not an expression:

```
SELECT employee_id FROM (SELECT * FROM employees)
   FOR UPDATE OF employee_id;
```

The following statement succeeds because, while the underlying column of the view is an expression, the `FOR UPDATE` clause does not apply to a column list:

```
SELECT employee_id FROM (SELECT employee_id+1 AS employee_id FROM employees)
   FOR UPDATE;
```

The following statement fails because the underlying column of the view is an expression and the `FOR UPDATE` clause applies to a column list:

```
SELECT employee_id FROM (SELECT employee_id+1 AS employee_id FROM employees)
   FOR UPDATE OF employee_id;
*
```

Error at line 2:

ORA-01733: virtual column not allowed here

- Using the `FOR UPDATE` clause on non-merged views

Since the `FOR UPDATE` clause is not supported on views, anything that prevents view merging, such as the `NO_MERGE` hint, parameters that disallow view merging, or something in the query structure that prevents view merging, will result in an `ORA-02014` error.

In the following example, the `GROUP BY` statement prevents view merging, which causes an error:

```
SELECT avgсал
   FROM (SELECT AVG(salary) AS avgсал FROM employees GROUP BY job_id)
   FOR UPDATE;
FROM (SELECT AVG(salary) AS avgсал FROM employees GROUP BY job_id)
*
```

ERROR at line 2:  
ORA-02014: cannot select FOR UPDATE from view with DISTINCT, GROUP BY, etc.



#### Note:

Due to the complexity of the view merging mechanism, Oracle recommends against using the `FOR UPDATE` clause on views.

### OF ... *column*

Use the `OF ... column` clause to lock the select rows only for a particular table or view in a join. The columns in the `OF` clause only indicate which table or view rows are locked. The specific columns that you specify are not significant. However, you must specify an actual column name, not a column alias. If you omit this clause, then the database locks the selected rows from all the tables in the query.

### NOWAIT | WAIT

The `NOWAIT` and `WAIT` clauses let you tell the database how to proceed if the `SELECT` statement attempts to lock a row that is locked by another user.

- Specify `NOWAIT` to return control to you immediately if a lock exists.
- Specify `WAIT` to instruct the database to wait *integer* seconds for the row to become available and then return control to you.

If you specify neither `WAIT` nor `NOWAIT`, then the database waits until the row is available and then returns the results of the `SELECT` statement.

### SKIP LOCKED

`SKIP LOCKED` is an alternative way to handle a contending transaction that is locking some rows of interest. Specify `SKIP LOCKED` to instruct the database to attempt to lock the rows specified by the `WHERE` clause and to skip any rows that are found to be already locked by another transaction. This feature is designed for use in multiconsumer queue environments. It enables queue consumers to skip rows that are locked by other consumers and obtain unlocked rows without waiting for the other consumers to finish. Refer to *Oracle Database Advanced Queuing User's Guide* for more information.

### Note on the `WAIT` and `SKIP LOCKED` Clauses

If you specify `WAIT` or `SKIP LOCKED` and the table is locked in exclusive mode, then the database will not return the results of the `SELECT` statement until the lock on the table is released. In the case of `WAIT`, the `SELECT FOR UPDATE` clause is blocked regardless of the wait time specified.

### *row\_pattern\_clause*

The `MATCH_RECOGNIZE` clause lets you perform pattern matching. Use this clause to recognize patterns in a sequence of rows in *table*, which is called the row pattern input table. The result of a query that uses the `MATCH_RECOGNIZE` clause is called the row pattern output table.

The `MATCH_RECOGNIZE` enables you to do the following tasks:

- Logically partition and order the data with the `PARTITION BY` and `ORDER BY` clauses.
- Define measures, which are expressions usable in other parts of the SQL query, in the `MEASURES` clause.
- Define patterns of rows to seek using the `PATTERN` clause. These patterns use regular expression syntax, a powerful and expressive feature, applied to the pattern variables you define.
- Specify the logical conditions required to map a row to a row pattern variable in the `DEFINE` clause.

#### See Also:

- *Oracle Database Data Warehousing Guide* for more information on pattern matching
- ["Row Pattern Matching: Example"](#)

### *row\_pattern\_partition\_by*

Specify `PARTITION BY` to divide the rows in the row pattern input table into logical groups called row pattern partitions. Use *column* to specify one or more partitioning columns. Each

partition consists of the set of rows in the row pattern input table that have the same value(s) on the partitioning column(s).

If you specify this clause, then matches are found within partitions and do not cross partition boundaries. If you do not specify this clause, then all rows of the row input table constitute a single row pattern partition.

### ***row\_pattern\_order\_by***

Specify `ORDER BY` to order rows within each row pattern partition. Use *column* to specify one or more ordering columns. If you specify multiple columns, then Oracle Database first sorts rows based on their values for the first column. Rows with the same value for the first column are then sorted based on their values for the second column, and so on. Oracle Database sorts nulls following all others in ascending order.

If you do not specify this clause, then the result of the *row\_pattern\_clause* is nondeterministic and you may get inconsistent results each time you run the query.

### ***row\_pattern\_measures***

Use the `MEASURES` clause to define one or more row pattern measure columns. These columns are included in the row pattern output table and contain values that are useful for analyzing data.

When you define a row pattern measure column, using the *row\_pattern\_measure\_column* clause, you specify its pattern measure expression. The values in the column are calculated by evaluating the pattern measure expression whenever a match is found.

### ***row\_pattern\_measure\_column***

Use this clause to define a row pattern measure column.

- For *expr*, specify the pattern measure expression. A pattern measure expression is an expression as described in [Expressions](#) that can contain only the following elements:
  - Constants: Text literals and numeric literals
  - References to any column of the row pattern input table
  - The `CLASSIFIER` function, which returns the name of the primary row pattern variable to which the row is mapped. Refer to [row\\_pattern\\_classifier\\_func](#) for more information.
  - The `MATCH_NUMBER` function, which returns the sequential number of a row pattern match within the row pattern partition. Refer to [row\\_pattern\\_match\\_num\\_func](#) for more information.
  - Row pattern navigation functions: `PREV`, `NEXT`, `FIRST`, and `LAST`. Refer to [row\\_pattern\\_navigation\\_func](#) for more information.
  - Row pattern aggregate functions: `AVG`, `COUNT`, `MAX`, `MIN`, or `SUM`. Refer to [row\\_pattern\\_aggregate\\_func](#) for more information.
- For *c\_alias*, specify the alias for the pattern measure expression. Oracle Database uses this alias in the column heading of the row pattern output table. The `AS` keyword is optional. The alias can be used in other parts of the query, such as the `SELECT ... ORDER BY` clause.

### *row\_pattern\_rows\_per\_match*

This clause lets you specify whether the row pattern output table includes summary or detailed data about each match.

- If you specify `ONE ROW PER MATCH`, then each match produces one summary row. This is the default.
- If you specify `ALL ROWS PER MATCH`, then each match that spans multiple rows will produce one output row for each row in the match.

### *row\_pattern\_skip\_to*

This clause lets you specify the point to resume row pattern matching after a non-empty match is found.

- Specify `AFTER MATCH SKIP TO NEXT ROW` to resume pattern matching at the row after the first row of the current match.
- Specify `AFTER MATCH SKIP PAST LAST ROW` to resume pattern matching at the next row after the last row of the current match. This is the default.
- Specify `AFTER MATCH SKIP TO FIRST variable_name` to resume pattern matching at the first row that is mapped to pattern variable *variable\_name*. The *variable\_name* must be defined in the `DEFINE` clause.
- Specify `AFTER MATCH SKIP TO LAST variable_name` to resume pattern matching at the last row that is mapped to pattern variable *variable\_name*. The *variable\_name* must be defined in the `DEFINE` clause.
- `AFTER MATCH SKIP TO variable_name` has the same behavior as `AFTER MATCH SKIP TO LAST variable_name`.



#### See Also:

*Oracle Database Data Warehousing Guide* for more information on the `AFTER MATCH SKIP` clauses

## PATTERN

Use the `PATTERN` clause to define which pattern variables must be matched, the sequence in which they must be matched, and the quantity of rows that must be matched for each pattern variable.

A row pattern match consists of a set of contiguous rows in a row pattern partition. Each row of the match is mapped to a pattern variable. The mapping of rows to pattern variables must conform to the regular expression specified in the *row\_pattern* clause, and all conditions in the `DEFINE` clause must be true.



 **Note:**

It is outside the scope of this document to explain regular expression concepts and details. If you are not familiar with regular expressions, then you are encouraged to familiarize yourself with the topic using other sources.

The precedence of the elements that you specify in the regular expression of the `PATTERNS` clause, in decreasing order, is as follows:

- Row pattern elements (specified in the `row_pattern_primary` clause)
- Row pattern quantifiers (specified in the `row_pattern_quantifier` clause)
- Concatenation (specified in the `row_pattern_term` clause)
- Alternation (specified in the `row_pattern` clause)

 **See Also:**

*Oracle Database Data Warehousing Guide* for more information on the `PATTERN` clause

***row\_pattern***

Use this clause to specify the row pattern. A row pattern is a regular expression that can take one of the following forms:

- A single row pattern term  
For example: `PATTERN (A)`
- A row pattern, a vertical bar, and a row pattern term  
For example: `PATTERN (A|B)`
- A recursively built row pattern, a vertical bar, and a row pattern term  
For example: `PATTERN (A|B|C)`

The vertical bar in this clause represents **alternation**. Alternation matches a single regular expression from a list of several possible regular expressions. Alternatives are preferred in the order they are specified. For example, if you specify `PATTERN (A|B|C)`, then Oracle Database attempts to match `A` first. If `A` is not matched, then it attempts to match `B`. If `B` is not matched, then it attempts to match `C`.

***row\_pattern\_term***

This clause lets you specify a row pattern term. A row pattern term can take one of the following forms:

- A single row pattern factor  
For example: `PATTERN (A)`
- A row pattern term followed by a row pattern factor.  
For example: `PATTERN (A B)`

- A recursively built row pattern term followed by a row pattern factor

For example: `PATTERN(A B C)`

The syntax used in the second and third examples represents **concatenation**. Concatenation is used to list two or more items in a pattern to be matched and the order in which they are to be matched. For example, if you specify `PATTERN(A B C)`, then Oracle Database first matches A, then uses the resulting matched rows to match B, then uses the resulting matched rows to match C. Only rows that match A, B, and C, are included in the row pattern match.

### ***row\_pattern\_factor***

This clause lets you specify a row pattern factor. A row pattern factor consists of a row pattern element, specified using the *row\_pattern\_primary* clause, and an optional row pattern quantifier, specified using the *row\_pattern\_quantifier* clause.

### ***row\_pattern\_primary***

Use this clause to specify the row pattern element. [Table 19-1](#) lists the valid row pattern elements and their descriptions.

**Table 19-1 Row Pattern Elements**

Row Pattern Element	Description
<i>variable_name</i>	Specify a primary pattern variable name that is defined in the <i>row_pattern_definition</i> clause. You cannot specify a union pattern variable that is defined in the <i>row_pattern_subset_item</i> clause.
\$	\$ matches the position after the last row in the partition. This element is an anchor. Anchors work in terms of positions rather than rows.
^	^ matches the position before the first row in the partition. This element is an anchor. Anchors work in terms of positions rather than rows
( [ <i>row_pattern</i> ] )	Use <i>row_pattern</i> to specify the row pattern to be matched. An empty pattern ( ) matches an empty set of rows.
{- <i>row_pattern</i> -}	Exclusion syntax. Use <i>row_pattern</i> to specify parts of the pattern to be excluded from the output of ALL ROWS PER MATCH.
<i>row_pattern_permute</i>	Use <i>row_pattern_permute</i> to specify a pattern that is a permutation of row pattern elements. Refer to <a href="#">row_pattern_permute</a> for the full semantics of this clause.

### ***row\_pattern\_permute***

Use the `PERMUTE` clause to express a pattern that is a permutation of the specified row pattern elements. For example, `PATTERN (PERMUTE (A, B, C))` is equivalent to an alternation of all permutations of the three row pattern elements A, B, and C, similar to the following:

```
PATTERN (A B C | A C B | B A C | B C A | C A B | C B A)
```

Note that the row pattern elements are expanded lexicographically and that each element to permute must be separated by a comma from the other elements.

 **See Also:**

*Oracle Database Data Warehousing Guide* for more information on permutations

***row\_pattern\_quantifier***

Use this clause to specify the row pattern quantifier, which is a postfix operator that defines the number of iterations accepted for a match.

Row pattern quantifiers are referred to as greedy; they will attempt to match as many instances of the regular expression on which they are applied as possible. The exception is row pattern quantifiers that have a question mark (?) as a suffix, which are referred to as reluctant. They will attempt to match as few instances as possible of the regular expression on which they are applied.

[Table 19-2](#) lists the valid row pattern quantifiers and the number of iterations they accept for a match. In this table, *n* and *m* represent unsigned integers.

**Table 19-2 Row Pattern Quantifiers**

Row Pattern Quantifier	Number of Iterations Accepted for a Match
*	0 or more iterations (greedy)
*?	0 or more iterations (reluctant)
+	1 or more iterations (greedy)
+	1 or more iterations (reluctant)
?	0 or 1 iterations (greedy)
??	0 or 1 iterations (reluctant)
{ <i>n</i> , }	<i>n</i> or more iterations, ( <i>n</i> >= 0) (greedy)
{ <i>n</i> , }?	<i>n</i> or more iterations, ( <i>n</i> >= 0) (reluctant)
{ <i>n</i> , <i>m</i> }	Between <i>n</i> and <i>m</i> iterations, inclusive, ( $0 \leq n \leq m$ , $0 < m$ ) (greedy)
{ <i>n</i> , <i>m</i> }?	Between <i>n</i> and <i>m</i> iterations, inclusive, ( $0 \leq n \leq m$ , $0 < m$ ) (reluctant)
{, <i>m</i> }	Between 0 and <i>m</i> iterations, inclusive ( <i>m</i> > 0) (greedy)
{, <i>m</i> }?	Between 0 and <i>m</i> iterations, inclusive ( <i>m</i> > 0) (reluctant)
{ <i>n</i> }?	<i>n</i> iterations, ( <i>n</i> > 0)

 **See Also:**

*Oracle Database Data Warehousing Guide* for more information on row pattern quantifiers

### ***row\_pattern\_subset\_clause***

The `SUBSET` clause lets you specify one or more union row pattern variables. Use the *row\_pattern\_subset\_item* clause to declare each union row pattern variable.

You can specify union row pattern variables in the following clauses:

- `MEASURES` clause: In the expression for a row pattern measure column. That is, in expression *expr* of the *row\_pattern\_measure\_column* clause.
- `DEFINE` clause: In the condition that defines a primary pattern variable. That is, in *condition* of the *row\_pattern\_definition* clause

### ***row\_pattern\_subset\_item***

This clause lets you create a grouping of multiple pattern variables that can be referred to with a variable name of its own. The variable name that refers to this grouping is called a union row pattern variable.

- For *variable\_name* on the left side of the equal sign, specify the name of the union row pattern variable.
- On the right side of the equal sign, specify a comma-separated list of distinct primary row pattern variables within parentheses. This list cannot include any union row pattern variables.

#### See Also:

*Oracle Database Data Warehousing Guide* for more information on defining union row pattern variables

## **DEFINE**

Use the `DEFINE` clause to specify one or more row pattern definitions. A row pattern definition specifies the conditions that a row must meet in order to be mapped to a specific pattern variable.

The `DEFINE` clause only supports running semantics.

#### See Also:

- *Oracle Database Data Warehousing Guide* for more information on the `DEFINE` clause
- *Oracle Database Data Warehousing Guide* for more information on running and final semantics

### ***row\_pattern\_definition\_list***

This clause lets you specify one or more row pattern definitions.

### ***row\_pattern\_definition***

This clause lets you specify a row pattern definition, which contains the conditions that a row must meet in order to be mapped to the specified pattern variable.

- For *variable\_name*, specify the name of the pattern variable.
- For *condition*, specify a condition as described in [Conditions](#), with the following extension: *condition* can contain any of the functions described by [row\\_pattern\\_navigation\\_func::=](#) and [row\\_pattern\\_aggregate\\_func::=](#).

### ***row\_pattern\_rec\_func***

This clause comprises the following clauses, which let you specify row pattern recognition functions:

- *row\_pattern\_classifier\_func*: Use this clause to specify the `CLASSIFIER` function, which returns a character string whose value is the name of the variable to which the row is mapped.
- *row\_pattern\_match\_num\_func*: Use this clause to specify the `MATCH_NUMBER` function, which returns a numeric value with scale 0 (zero) whose value is the sequential number of the match within the row pattern partition.
- *row\_pattern\_navigation\_func*: Use this clause to specify functions that perform row pattern navigation operations.
- *row\_pattern\_aggregate\_func*: Use this clause to specify an aggregate function in the expression for a row pattern measure column or in the condition that defines a primary pattern variable.

You can specify row pattern recognition functions in the following clauses:

- `MEASURES` clause: In the expression for a row pattern measure column. That is, in expression *expr* of the *row\_pattern\_measure\_column* clause.
- `DEFINE` clause: In the condition that defines a primary pattern variable. That is, in *condition* of the *row\_pattern\_definition* clause

A row pattern recognition function may behave differently depending whether you specify it in the `MEASURES` or `DEFINE` clause. These details are explained in the semantics for each clause.

### ***row\_pattern\_classifier\_func***

The `CLASSIFIER` function returns a character string whose value is the name of the variable to which the row is mapped.

- In the `MEASURES` clause:
  - If you specify `ONE ROW PER MATCH`, then the query uses the last row of the match when processing the `MEASURES` clause, so the `CLASSIFIER` function returns the name of the pattern variable to which the last row of the match is mapped.
  - If you specify `ALL ROWS PER MATCH`, then for each row of the match found, the `CLASSIFIER` function returns the name of the pattern variable to which the row is mapped.

For empty matches—that is, matches that contain no rows, the `CLASSIFIER` function returns `NULL`.

- In the `DEFINE` clause, the `CLASSIFIER` function returns the name of the primary pattern variable to which the current row is mapped.

### ***row\_pattern\_match\_num\_func***

The `MATCH_NUMBER` function returns a numeric value with scale 0 (zero) whose value is the sequential number of the match within the row pattern partition.

Matches within a row pattern partition are numbered sequentially starting with 1 in the order in which they are found. If multiple rows satisfy a match, then they are all assigned the same match number. Note that match numbering starts over again at 1 in each row pattern partition, because there is no inherent ordering between row pattern partitions.

- In the `MEASURES` clause: You can use `MATCH_NUMBER` to obtain the sequential number of the match within the row pattern.
- In the `DEFINE` clause: You can use `MATCH_NUMBER` to define conditions that depend upon the match number.

### ***row\_pattern\_navigation\_func***

This clause lets you perform the following row pattern navigation operations:

- Navigate among the group of rows mapped to a pattern variable using the `FIRST` and `LAST` functions of the `row_pattern_nav_logical` clause.
- Navigate among all rows in a row pattern partition using the `PREV` and `NEXT` functions of the `row_pattern_nav_physical` clause
- Nest the `FIRST` or `LAST` function within the `PREV` or `NEXT` function using the `row_pattern_nav_compound` clause.

### ***row\_pattern\_nav\_logical***

This clause lets you use the `FIRST` and `LAST` functions to navigate among the group of rows mapped to a pattern variable using an optional logical offset.

- The `FIRST` function returns the value of expression `expr` when evaluated in the first row of the group of rows mapped to the pattern variable that is specified in `expr`. If no rows are mapped to the pattern variable, then the `FIRST` function returns `NULL`.
- The `LAST` function returns the value of expression `expr` when evaluated in the last row of the group of rows mapped to the pattern variable that is specified in `expr`. If no rows are mapped to the pattern variable, then the `LAST` function returns `NULL`.
- Use `expr` to specify the expression to be evaluated. It must contain at least one row pattern column reference. If it contains more than one row pattern column reference, then all must refer to the same pattern variable.
- Use the optional `offset` to specify the logical offset within the set of rows mapped to the pattern variable. When specified with the `FIRST` function, the offset is the number of rows from the first row, in ascending order. When specified with the `LAST` function, the offset is the number of rows from the last row in descending order. The default offset is 0.

For `offset`, specify a non-negative integer. It must be a runtime constant (literal, bind variable, or expressions involving them), but not a column or subquery.

If you specify an `offset` that is greater than or equal to the number of rows mapped to the pattern variable minus 1, then the function returns `NULL`.

You can specify running or final semantics for the `FIRST` and `LAST` functions as follows:

- The `MEASURES` clause supports running and final semantics. Specify `RUNNING` for running semantics. Specify `FINAL` for final semantics. The default is `RUNNING`.
- The `DEFINE` clause supports only running semantics. Therefore, running semantics will be used whether you specify or omit `RUNNING`. You cannot specify `FINAL`.

 See Also:

- *Oracle Database Data Warehousing Guide* for more information on the `FIRST` and `LAST` functions
- *Oracle Database Data Warehousing Guide* for more information on running and final semantics

***row\_pattern\_nav\_physical***

This clause lets you use the `PREV` and `NEXT` functions to navigate all rows in a row pattern partition using an optional physical offset.

- The `PREV` function returns the value of expression *expr* when evaluated in the previous row in the partition. If there is no previous row in the partition, then the `PREV` function returns `NULL`.
- The `NEXT` function returns the value of expression *expr* when evaluated in the next row in the partition. If there is no next row in the partition, then the `NEXT` function returns `NULL`.
- Use *expr* to specify the expression to be evaluated. It must contain at least one row pattern column reference. If it contains more than one row pattern column reference, then all must refer to the same pattern variable.
- Use the optional *offset* to specify the physical offset within the partition. When specified with the `PREV` function, it is the number of rows before the current row. When specified with the `NEXT` function, it is the number of rows after the current row. The default is 1. If you specify an offset of 0, then the current row is evaluated.

For *offset*, specify a non-negative integer. It must be a runtime constant (literal, bind variable, or expressions involving them), but not a column or subquery.

The `PREV` and `NEXT` functions always use running semantics. Therefore, you cannot specify the `RUNNING` or `FINAL` keywords with this clause.

 See Also:

- *Oracle Database Data Warehousing Guide* for more information on the `PREV` and `NEXT` functions
- *Oracle Database Data Warehousing Guide* for more information on running and final semantics

***row\_pattern\_nav\_compound***

This clause lets you nest the *row\_pattern\_nav\_logical* clause within the *row\_pattern\_nav\_physical* clause. That is, it lets you nest the `FIRST` or `LAST` function within the `PREV` or `NEXT` function. The *row\_pattern\_nav\_logical* clause is evaluated first and then the result is supplied to the *row\_pattern\_nav\_physical* clause.

Refer to [row\\_pattern\\_nav\\_logical](#) and [row\\_pattern\\_nav\\_physical](#) for the full semantics of these clauses.

 **See Also:**

*Oracle Database Data Warehousing Guide* for more information on nesting the `FIRST` and `LAST` functions within the `PREV` and `NEXT` functions

***row\_pattern\_aggregate\_func***

This clause lets you use an aggregate function in the expression for a row pattern measure column or in the condition that defines a primary pattern variable.

For *aggregate\_function*, specify any one of the `AVG`, `COUNT`, `MAX`, `MIN`, or `SUM` functions. The `DISTINCT` keyword is not supported.

You can specify running or final semantics for aggregate functions as follows:

- The `MEASURES` clause supports running and final semantics. Specify `RUNNING` for running semantics. Specify `FINAL` for final semantics. The default is `RUNNING`.
- The `DEFINE` clause supports only running semantics. Therefore, running semantics will be used whether you specify or omit `RUNNING`. You cannot specify `FINAL`.

 **See Also:**

- *Oracle Database Data Warehousing Guide* for more information on aggregate functions
- *Oracle Database Data Warehousing Guide* for more information on running and final semantics

**Examples****SQL Macros - Scalar Valued Macros: Examples****Print Hello <name>**

A PL/SQL function `greet` is defined as a scalar SQL Macro that returns the string 'Hello, <name>! ' when called from a SQL `SELECT` statement.

```
create or replace function greet(name varchar2 default 'World')
    return varchar2 SQL_MACRO(Scalar) is
begin
    return q{ 'Hello, ' || name || '! ' };
end;
/
```

You can call `greet` in two ways:

**Option 1: Without passing an explicit argument** . In this case the default argument is used and 'Hello World' is returned.

```
SELECT greet ('World') from dual;
-----
Hello, World!
```



**Option 2: Passing an explicit argument** . In this case the argument passed is used and 'Hello Bob' is returned.

```
SELECT greet ('Bob') from dual;
-----
Hello, Bob!
```

### Split String Based on Delimiter

The PL/SQL function `split_part` splits a string on the specified delimiter and returns the part at the specified position.

```
create or replace function split_part(string varchar2,
                                     delimiter varchar2,
                                     position pls_integer)
    return varchar2 SQL_MACRO(Scalar) is
begin
    return q'{
        regexp_substr(replace(string, delimiter||delimiter, delimiter||' '||
delimiter),
                    '['^'||delimiter||']+', 1, position, 'imx')
    }';
end;
/
SELECT split_part( sysdate, '-', 2) month from dual;
-----
MONTH
-----
OCT
```

### SQL Macros - Table Valued Macros: Examples

The macro function `budget` computes the amount of each department's budget for a given job. It returns the number of employees in each department with the specified job title.

```
create or replace function budget(job varchar2) return varchar2 SQL_MACRO is
begin
    return q'{
        select deptno, sum(sal) budget
        from emp
        where job = budget.job
        group by deptno
    }';
end;
/
```

```
SELECT * FROM budget ('MANAGER');
DEPTNO    BUDGET
-----
20         2975
30         2850
10         2450
```

### Using a PL/SQL Function in the WITH Clause: Examples

The following example declares and defines a PL/SQL function `get_domain` in the `WITH` clause. The `get_domain` function returns the domain name from a URL string, assuming that the URL string has the "www" prefix immediately preceding the domain name, and the domain name is separated by dots on the left and right. The `SELECT`

statement uses `get_domain` to find distinct catalog domain names from the `orders` table in the `oe` schema.

```
WITH
  FUNCTION get_domain(url VARCHAR2) RETURN VARCHAR2 IS
    pos BINARY_INTEGER;
    len BINARY_INTEGER;
  BEGIN
    pos := INSTR(url, 'www.');
```

```
    len := INSTR(SUBSTR(url, pos + 4), '.') - 1;
    RETURN SUBSTR(url, pos + 4, len);
  END;
SELECT DISTINCT get_domain(catalog_url)
  FROM product_information;
/
```

### Subquery Factoring: Example

The following statement creates the query names `dept_costs` and `avg_cost` for the initial query block containing a join, and then uses the query names in the body of the main query.

```
WITH
  dept_costs AS (
    SELECT department_name, SUM(salary) dept_total
      FROM employees e, departments d
      WHERE e.department_id = d.department_id
      GROUP BY department_name),
  avg_cost AS (
    SELECT SUM(dept_total)/COUNT(*) avg
      FROM dept_costs)
SELECT * FROM dept_costs
  WHERE dept_total >
    (SELECT avg FROM avg_cost)
  ORDER BY department_name;
```

DEPARTMENT_NAME	DEPT_TOTAL
-----	-----
Sales	304500
Shipping	156400

### Recursive Subquery Factoring: Examples

The following statement shows the employees who directly or indirectly report to employee 101 and their reporting level.

```
WITH
  reports_to_101 (eid, emp_last, mgr_id, reportLevel) AS
  (
    SELECT employee_id, last_name, manager_id, 0 reportLevel
      FROM employees
      WHERE employee_id = 101
    UNION ALL
    SELECT e.employee_id, e.last_name, e.manager_id, reportLevel+1
      FROM reports_to_101 r, employees e
      WHERE r.eid = e.manager_id
  )
SELECT eid, emp_last, mgr_id, reportLevel
  FROM reports_to_101
  ORDER BY reportLevel, eid;
```

EID	EMP_LAST	MGR_ID	REPORTLEVEL
-----	----------	--------	-------------

```

-----
101 Kochhar                100          0
108 Greenberg             101          1
200 Whalen                101          1
203 Mavris                101          1
204 Baer                  101          1
205 Higgins               101          1
109 Faviet                108          2
110 Chen                  108          2
111 Sciarra               108          2
112 Urman                 108          2
113 Popp                  108          2
206 Gietz                 205          2

```

The following statement shows employees who directly or indirectly report to employee 101, their reporting level, and their management chain.

```

WITH
reports_to_101 (eid, emp_last, mgr_id, reportLevel, mgr_list) AS
(
  SELECT employee_id, last_name, manager_id, 0 reportLevel,
         CAST(manager_id AS VARCHAR2(2000))
  FROM employees
  WHERE employee_id = 101
  UNION ALL
  SELECT e.employee_id, e.last_name, e.manager_id, reportLevel+1,
         CAST(mgr_list || ',' || manager_id AS VARCHAR2(2000))
  FROM reports_to_101 r, employees e
  WHERE r.eid = e.manager_id
)
SELECT eid, emp_last, mgr_id, reportLevel, mgr_list
FROM reports_to_101
ORDER BY reportLevel, eid;

```

```

          EID EMP_LAST                MGR_ID REPORTLEVEL MGR_LIST
-----
101 Kochhar                100          0 100
108 Greenberg             101          1 100,101
200 Whalen                101          1 100,101
203 Mavris                101          1 100,101
204 Baer                  101          1 100,101
205 Higgins               101          1 100,101
109 Faviet                108          2 100,101,108
110 Chen                  108          2 100,101,108
111 Sciarra               108          2 100,101,108
112 Urman                 108          2 100,101,108
113 Popp                  108          2 100,101,108
206 Gietz                 205          2 100,101,205

```

The following statement shows the employees who directly or indirectly report to employee 101 and their reporting level. It stops at reporting level 1.

```

WITH
reports_to_101 (eid, emp_last, mgr_id, reportLevel) AS
(
  SELECT employee_id, last_name, manager_id, 0 reportLevel
  FROM employees
  WHERE employee_id = 101
  UNION ALL
  SELECT e.employee_id, e.last_name, e.manager_id, reportLevel+1
  FROM reports_to_101 r, employees e

```

```

        WHERE r.eid = e.manager_id
    )
SELECT eid, emp_last, mgr_id, reportLevel
FROM reports_to_101
WHERE reportLevel <= 1
ORDER BY reportLevel, eid;

```

EID	EMP_LAST	MGR_ID	REPORTLEVEL
101	Kochhar	100	0
108	Greenberg	101	1
200	Whalen	101	1
203	Mavris	101	1
204	Baer	101	1
205	Higgins	101	1

The following statement shows the entire organization, indenting for each level of management.

```

WITH
  org_chart (eid, emp_last, mgr_id, reportLevel, salary, job_id) AS
  (
    SELECT employee_id, last_name, manager_id, 0 reportLevel, salary, job_id
    FROM employees
    WHERE manager_id is null
  UNION ALL
    SELECT e.employee_id, e.last_name, e.manager_id,
           r.reportLevel+1 reportLevel, e.salary, e.job_id
    FROM org_chart r, employees e
    WHERE r.eid = e.manager_id
  )
  SEARCH DEPTH FIRST BY emp_last SET order1
SELECT lpad(' ',2*reportLevel)||emp_last emp_name, eid, mgr_id, salary, job_id
FROM org_chart
ORDER BY order1;

```

EMP_NAME	EID	MGR_ID	SALARY	JOB_ID
King	100		24000	AD_PRES
Cambrault	148	100	11000	SA_MAN
Bates	172	148	7300	SA_REP
Bloom	169	148	10000	SA_REP
Fox	170	148	9600	SA_REP
Kumar	173	148	6100	SA_REP
Ozer	168	148	11500	SA_REP
Smith	171	148	7400	SA_REP
De Haan	102	100	17000	AD_VP
Hunold	103	102	9000	IT_PROG
Austin	105	103	4800	IT_PROG
Ernst	104	103	6000	IT_PROG
Lorentz	107	103	4200	IT_PROG
Pataballa	106	103	4800	IT_PROG
Errazuriz	147	100	12000	SA_MAN
Ande	166	147	6400	SA_REP
. . .				

The following statement shows the entire organization, indenting for each level of management, with each level ordered by *hire\_date*. The value of *is\_cycle* is set to Y for any employee who has the same *hire\_date* as any manager above him in the management chain.

```

WITH
  dup_hiredate (eid, emp_last, mgr_id, reportLevel, hire_date, job_id) AS
  (
    SELECT employee_id, last_name, manager_id, 0 reportLevel, hire_date, job_id
    FROM employees
    WHERE manager_id is null
  UNION ALL
    SELECT e.employee_id, e.last_name, e.manager_id,
           r.reportLevel+1 reportLevel, e.hire_date, e.job_id
    FROM dup_hiredate r, employees e
    WHERE r.eid = e.manager_id
  )
  SEARCH DEPTH FIRST BY hire_date SET order1
  CYCLE hire_date SET is_cycle TO 'Y' DEFAULT 'N'
SELECT lpad(' ',2*reportLevel)||emp_last emp_name, eid, mgr_id,
       hire_date, job_id, is_cycle
FROM dup_hiredate
ORDER BY order1;

```

EMP_NAME	EID	MGR_ID	HIRE_DATE	JOB_ID	IS_CYCLE
King	100		17-JUN-03	AD_PRES	N
De Haan	102	100	13-JAN-01	AD_VP	N
Hunold	103	102	03-JAN-06	IT_PROG	N
Austin	105	103	25-JUN-05	IT_PROG	N
. . .					
Kochhar	101	100	21-SEP-05	AD_VP	N
Mavris	203	101	07-JUN-02	HR_REP	N
Baer	204	101	07-JUN-02	PR_REP	N
Higgins	205	101	07-JUN-02	AC_MGR	N
<b>Gietz</b>	<b>206</b>	<b>205</b>	<b>07-JUN-02</b>	<b>AC_ACCOUNT</b>	<b>Y</b>
Greenberg	108	101	17-AUG-02	FI_MGR	N
Faviet	109	108	16-AUG-02	FI_ACCOUNT	N
Chen	110	108	28-SEP-05	FI_ACCOUNT	N
. . .					

The following statement counts the number of employees under each manager.

```

WITH
  emp_count (eid, emp_last, mgr_id, mgrLevel, salary, cnt_employees) AS
  (
    SELECT employee_id, last_name, manager_id, 0 mgrLevel, salary, 0
    cnt_employees
    FROM employees
  UNION ALL
    SELECT e.employee_id, e.last_name, e.manager_id,
           r.mgrLevel+1 mgrLevel, e.salary, 1 cnt_employees
    FROM emp_count r, employees e
    WHERE e.employee_id = r.mgr_id
  )
  SEARCH DEPTH FIRST BY emp_last SET order1
SELECT emp_last, eid, mgr_id, salary, sum(cnt_employees), max(mgrLevel) mgrLevel
FROM emp_count
GROUP BY emp_last, eid, mgr_id, salary
HAVING max(mgrLevel) > 0
ORDER BY mgr_id NULLS FIRST, emp_last;

```

EMP_LAST	EID	MGR_ID	SALARY	SUM(CNT_EMPLOYEES)	MGRLEVEL
King	100		24000	106	3
Cambrault	148	100	11000	7	2

De Haan	102	100	17000	5	2
Errazuriz	147	100	12000	6	1
Fripp	121	100	8200	8	1
Hartstein	201	100	13000	1	1
Kaufling	122	100	7900	8	1
. . .					

### Analytic Views: Examples

The following statement uses the persistent analytic view `sales_av`. The query selects the `member_name` hierarchical attribute of `time_hier`, which is the alias of a hierarchy of the same name, and values from the sales and units measures of the analytic view that are dimensioned by the time attribute dimension used by the `time_hier` hierarchy. The results of the selection are filtered to those for the YEAR level of the hierarchy. The results are returned in hierarchical order.

```
SELECT time_hier.member_name as TIME,
       sales,
       units
FROM   sales_av HIERARCHIES(time_hier)
WHERE  time_hier.level_name = 'YEAR'
ORDER BY time_hier.hier_order;
```

The results of the query are the following:

TIME	SALES	UNITS
-----	-----	-----
CY2011	6755115980.73	24462444
CY2012	6901682398.95	24400619
CY2013	7240938717.57	24407259
CY2014	7579746352.89	24402666
CY2015	7941102885.15	24475206

### Transitory Analytic View Examples

The following statement defines the transitory analytic view `my_av` in the `WITH` clause. The transitory analytic view is based on the persistent analytic view `sales_av`. The `lag_sales` calculated measure is a `LAG` calculation that is used at query time.

```
WITH
  my_av ANALYTIC VIEW AS (
    USING sales_av HIERARCHIES (time_hier)
    ADD MEASURES (
      lag_sales AS (LAG(sales) OVER (HIERARCHY time_hier OFFSET 1))
    )
  )
SELECT time_hier.member_name time, sales, lag_sales
FROM   my_av HIERARCHIES (time_hier)
WHERE  time_hier.level_name = 'YEAR'
ORDER BY time_hier.hier_order;
```

The results of the query are the following:

TIME	SALES	LAG_SALES
CY2011	6755115981	(null)
CY2012	6901682399	6755115981
CY2013	7240938718	6901682399
CY2014	7579746353	7240938718
CY2015	7941102885	7579746353

The following statement defines a transitory analytic view that uses a filter clause.

```
WITH
  my_av ANALYTIC VIEW AS (
    USING sales_av HIERARCHIES (time_hier)
    FILTER FACT (
      time_hier TO quarter_of_year IN (1, 2)
      AND year_name IN ('CY2011', 'CY2012')
    )
  )
SELECT time_hier.member_name time, sales
FROM my_av HIERARCHIES (time_hier)
WHERE time_hier.level_name IN ('YEAR', 'QUARTER')
ORDER BY time_hier.hier_order;
```

The results of the query are the following:

TIME	SALES
CY2011	3340459835
Q1CY2011	1625299627
Q2CY2011	1715160208
CY2012	3397271965
Q1CY2012	1644857783
Q2CY2012	1752414182

### Inline Analytic View Example

The following statement defines an inline analytic view in the `FROM` clause. The transitory analytic view is based on the persistent analytic view `sales_av`. The `lag_sales` calculated measure is a `LAG` calculation that is used at query time.

```
SELECT time_hier.member_name time, sales, lag_sales
FROM
  ANALYTIC VIEW (
    USING sales_av HIERARCHIES (time_hier)
    ADD MEASURES (
      lag_sales AS (LAG(sales) OVER (HIERARCHY time_hier OFFSET 1))
    )
  )
WHERE time_hier.level_name = 'YEAR'
ORDER BY time_hier.hier_order;
```

The results of the query are the following:

TIME	SALES	LAG_SALES
-----	-----	-----
CY2011	6755115981	(null)
CY2012	6901682399	6755115981
CY2013	7240938718	6901682399
CY2014	7579746353	7240938718
CY2015	7941102885	7579746353

### Simple Query Examples

The following statement selects rows from the `employees` table with the department number of 30:

```
SELECT *
FROM employees
WHERE department_id = 30
ORDER BY last_name;
```

The following statement selects the name, job, salary and department number of all employees except purchasing clerks from department number 30:

```
SELECT last_name, job_id, salary, department_id
FROM employees
WHERE NOT (job_id = 'PU_CLERK' AND department_id = 30)
ORDER BY last_name;
```

The following statement selects from subqueries in the `FROM` clause and for each department returns the total employees and salaries as a decimal value of all the departments:

```
SELECT a.department_id "Department",
       a.num_emp/b.total_count "%_Employees",
       a.sal_sum/b.total_sal "%_Salary"
FROM
  (SELECT department_id, COUNT(*) num_emp, SUM(salary) sal_sum
   FROM employees
   GROUP BY department_id) a,
  (SELECT COUNT(*) total_count, SUM(salary) total_sal
   FROM employees) b
ORDER BY a.department_id;
```

### Selecting from a Partition: Example

You can select rows from a single partition of a partitioned table by specifying the keyword `PARTITION` in the `FROM` clause. This SQL statement assigns an alias for and retrieves rows from the `sales_q2_2000` partition of the sample table `sh.sales`:

```
SELECT * FROM sales PARTITION (sales_q2_2000) s
WHERE s.amount_sold > 1500
ORDER BY cust_id, time_id, channel_id;
```

The following example selects rows from the `oe.orders` table for orders earlier than a specified date:

```
SELECT * FROM orders
WHERE order_date < TO_DATE('2006-06-15', 'YYYY-MM-DD');
```

### Selecting a Sample: Examples



The following query estimates the number of orders in the `oe.orders` table:

```
SELECT COUNT(*) * 10 FROM orders SAMPLE (10);

COUNT(*)*10
-----
          70
```

Because the query returns an estimate, the actual return value may differ from one query to the next.

```
SELECT COUNT(*) * 10 FROM orders SAMPLE (10);

COUNT(*)*10
-----
          80
```

The following query adds a seed value to the preceding query. Oracle Database always returns the same estimate given the same seed value:

```
SELECT COUNT(*) * 10 FROM orders SAMPLE(10) SEED (1);

COUNT(*)*10
-----
        130
```

```
SELECT COUNT(*) * 10 FROM orders SAMPLE(10) SEED(4);

COUNT(*)*10
-----
        120
```

```
SELECT COUNT(*) * 10 FROM orders SAMPLE(10) SEED (1);

COUNT(*)*10
-----
        130
```

### Using Flashback Queries: Example

The following statements show a current value from the sample table `hr.employees` and then change the value. The intervals used in these examples are very short for demonstration purposes. Time intervals in your own environment are likely to be larger.

```
SELECT salary FROM employees
   WHERE last_name = 'Chung';

SALARY
-----
    3800

UPDATE employees SET salary = 4000
   WHERE last_name = 'Chung';
1 row updated.

SELECT salary FROM employees
   WHERE last_name = 'Chung';

SALARY
```

```
-----
      4000
```

To learn what the value was before the update, you can use the following Flashback Query:

```
SELECT salary FROM employees
   AS OF TIMESTAMP (SYSTIMESTAMP - INTERVAL '1' MINUTE)
  WHERE last_name = 'Chung';
```

```
      SALARY
-----
      3800
```

To learn what the values were during a particular time period, you can use a version Flashback Query:

```
SELECT salary FROM employees
   VERSIONS BETWEEN TIMESTAMP
     SYSTIMESTAMP - INTERVAL '10' MINUTE AND
     SYSTIMESTAMP - INTERVAL '1' MINUTE
  WHERE last_name = 'Chung';
```

To revert to the earlier value, use the Flashback Query as the subquery of another UPDATE statement:

```
UPDATE employees SET salary =
   (SELECT salary FROM employees
    AS OF TIMESTAMP (SYSTIMESTAMP - INTERVAL '2' MINUTE)
   WHERE last_name = 'Chung')
  WHERE last_name = 'Chung';
1 row updated.
```

```
SELECT salary FROM employees
   WHERE last_name = 'Chung';
```

```
      SALARY
-----
      3800
```

### Using the GROUP BY Clause: Examples

To return the minimum and maximum salaries for each department in the `employees` table, issue the following statement:

```
SELECT department_id, MIN(salary), MAX (salary)
   FROM employees
   GROUP BY department_id
  ORDER BY department_id;
```

To return the minimum and maximum salaries for the clerks in each department, issue the following statement:

```
SELECT department_id, MIN(salary), MAX (salary)
   FROM employees
   WHERE job_id = 'PU_CLERK'
   GROUP BY department_id
  ORDER BY department_id;
```

The following example counts how many employees were hired each year. The `GROUP BY` clause uses the column alias `YEAR_HIRED`, so this groups using the expression `TRUNC(hire_date, 'YYYY')`

```

SELECT TRUNC(hire_date, 'YYYY') year_hired, COUNT(*)
FROM employees
GROUP BY year_hired
ORDER BY year_hired;

```

```

YEAR_HIRED COUNT(*)
-----
01-JAN-2011 1
01-JAN-2012 7
...
01-JAN-2017 19
01-JAN-2018 11

```

The following example counts how many employees were hired each day. The query groups by `HIRE_DATE`, which is the name of a column in `EMPLOYEES` and a `SELECT` list alias. The column name takes priority, so the query groups by the column, not the alias.

```

SELECT TRUNC(hire_date, 'YYYY') hire_date, COUNT(*)
FROM employees
GROUP BY hire_date
ORDER BY hire_date;

```

```

HIRE_DATE COUNT(*)
-----
01-JAN-2011 1
01-JAN-2012 4
01-JAN-2012 1
...
01-JAN-2018 1
01-JAN-2018 1

```

### Using the GROUP BY CUBE Clause: Example

To return the number of employees and their average yearly salary across all possible combinations of department and job category, issue the following query on the sample tables `hr.employees` and `hr.departments`:

```

SELECT DECODE(GROUPING(department_name), 1, 'All Departments',
             department_name) AS department_name,
       DECODE(GROUPING(job_id), 1, 'All Jobs', job_id) AS job_id,
       COUNT(*) "Total Empl", AVG(salary) * 12 "Average Sal"
FROM employees e, departments d
WHERE d.department_id = e.department_id
GROUP BY CUBE (department_name, job_id)
ORDER BY department_name, job_id;

```

DEPARTMENT_NAME	JOB_ID	Total Empl	Average Sal
Accounting	AC_ACCOUNT	1	99600
Accounting	AC_MGR	1	144000
Accounting	All Jobs	2	121800
Administration	AD_ASST	1	52800
...			
Shipping	ST_CLERK	20	33420
Shipping	ST_MAN	5	87360

### Using the GROUPING SETS Clause: Example

The following example finds the sum of sales aggregated for three precisely specified groups:

- (channel\_desc, calendar\_month\_desc, country\_id)
- (channel\_desc, country\_id)
- (calendar\_month\_desc, country\_id)

Without the `GROUPING SETS` syntax, you would have to write less efficient queries with more complicated SQL. For example, you could run three separate queries and `UNION` them, or run a query with a `CUBE(channel_desc, calendar_month_desc, country_id)` operation and filter out five of the eight groups it would generate.

```
SELECT channel_desc, calendar_month_desc, co.country_id,
       TO_CHAR(sum(amount_sold) , '9,999,999,999') SALES$
FROM sales, customers, times, channels, countries co
WHERE sales.time_id=times.time_id
      AND sales.cust_id=customers.cust_id
      AND sales.channel_id= channels.channel_id
      AND customers.country_id = co.country_id
      AND channels.channel_desc IN ('Direct Sales', 'Internet')
      AND times.calendar_month_desc IN ('2000-09', '2000-10')
      AND co.country_iso_code IN ('UK', 'US')
GROUP BY GROUPING SETS(
         (channel_desc, calendar_month_desc, co.country_id),
         (channel_desc, co.country_id),
         (calendar_month_desc, co.country_id) );
```

CHANNEL_DESC	CALENDAR	COUNTRY_ID	SALES\$
Internet	2000-09	52790	124,224
Direct Sales	2000-09	52790	638,201
Internet	2000-10	52790	137,054
Direct Sales	2000-10	52790	682,297
	2000-09	52790	762,425
	2000-10	52790	819,351
Internet		52790	261,278
Direct Sales		52790	1,320,497

#### See Also:

The functions [GROUP\\_ID](#) , [GROUPING](#) , and [GROUPING\\_ID](#) for more information on those functions

### Hierarchical Query: Examples

The following query with a `CONNECT BY` clause defines a hierarchical relationship in which the `employee_id` value of the parent row is equal to the `manager_id` value of the child row:

```
SELECT last_name, employee_id, manager_id FROM employees
       CONNECT BY employee_id = manager_id
       ORDER BY last_name;
```

In the following `CONNECT BY` clause, the `PRIOR` operator applies only to the `employee_id` value. To evaluate this condition, the database evaluates `employee_id` values for the parent row and `manager_id`, `salary`, and `commission_pct` values for the child row:

```
SELECT last_name, employee_id, manager_id FROM employees
   CONNECT BY PRIOR employee_id = manager_id
   AND salary > commission_pct
   ORDER BY last_name;
```

To qualify as a child row, a row must have a `manager_id` value equal to the `employee_id` value of the parent row and it must have a `salary` value greater than its `commission_pct` value.

### Using the HAVING Condition: Example

To return the minimum and maximum salaries for the employees in each department whose lowest salary is less than \$5,000, issue the next statement:

```
SELECT department_id, MIN(salary), MAX (salary)
   FROM employees
   GROUP BY department_id
   HAVING MIN(salary) < 5000
   ORDER BY department_id;
```

DEPARTMENT_ID	MIN(SALARY)	MAX(SALARY)
10	4400	4400
30	2500	11000
50	2100	8200
60	4200	9000

The following example uses a correlated subquery in a `HAVING` clause that eliminates from the result set any departments without managers and managers without departments:

```
SELECT department_id, manager_id
   FROM employees
   GROUP BY department_id, manager_id HAVING (department_id, manager_id) IN
   (SELECT department_id, manager_id FROM employees x
    WHERE x.department_id = employees.department_id)
   ORDER BY department_id;
```

### Using the ORDER BY Clause: Examples

To select all purchasing clerk records from `employees` and order the results by salary in descending order, issue the following statement:

```
SELECT *
   FROM employees
   WHERE job_id = 'PU_CLERK'
   ORDER BY salary DESC;
```

To select information from `employees` ordered first by ascending department number and then by descending salary, issue the following statement:

```
SELECT last_name, department_id, salary
   FROM employees
   ORDER BY department_id ASC, salary DESC, last_name;
```

To select the same information as the previous `SELECT` and use the positional `ORDER BY` notation, issue the following statement, which orders by ascending `department_id`, then descending `salary`, and finally alphabetically by `last_name`:

```
SELECT last_name, department_id, salary
       FROM employees
       ORDER BY 2 ASC, 3 DESC, 1;
```

### The MODEL clause: Examples

The view created below is based on the sample `sh` schema and is used by the example that follows.

```
CREATE OR REPLACE VIEW sales_view_ref AS
  SELECT country_name country,
         prod_name prod,
         calendar_year year,
         SUM(amount_sold) sale,
         COUNT(amount_sold) cnt
  FROM sales,times,customers,countries,products
  WHERE sales.time_id = times.time_id
        AND sales.prod_id = products.prod_id
        AND sales.cust_id = customers.cust_id
        AND customers.country_id = countries.country_id
        AND ( customers.country_id = 52779
              OR customers.country_id = 52776 )
        AND ( prod_name = 'Standard Mouse'
              OR prod_name = 'Mouse Pad' )
  GROUP BY country_name,prod_name,calendar_year;

SELECT country, prod, year, sale
       FROM sales_view_ref
       ORDER BY country, prod, year;
```

COUNTRY	PROD	YEAR	SALE
France	Mouse Pad	1998	2509.42
France	Mouse Pad	1999	3678.69
France	Mouse Pad	2000	3000.72
France	Mouse Pad	2001	3269.09
France	Standard Mouse	1998	2390.83
France	Standard Mouse	1999	2280.45
France	Standard Mouse	2000	1274.31
France	Standard Mouse	2001	2164.54
Germany	Mouse Pad	1998	5827.87
Germany	Mouse Pad	1999	8346.44
Germany	Mouse Pad	2000	7375.46
Germany	Mouse Pad	2001	9535.08
Germany	Standard Mouse	1998	7116.11
Germany	Standard Mouse	1999	6263.14
Germany	Standard Mouse	2000	2637.31
Germany	Standard Mouse	2001	6456.13

16 rows selected.

The next example creates a multidimensional array from `sales_view_ref` with columns containing country, product, year, and sales. It also:

- Assigns the sum of the sales of the Mouse Pad for years 1999 and 2000 to the sales of the Mouse Pad for year 2001, if a row containing sales of the Mouse Pad for year 2001 exists.
- Assigns the value of sales of the Standard Mouse for year 2001 to sales of the Standard Mouse for year 2002, creating a new row if a row containing sales of the Standard Mouse for year 2002 does not exist.

```

SELECT country,prod,year,s
FROM sales_view_ref
MODEL
  PARTITION BY (country)
  DIMENSION BY (prod, year)
  MEASURES (sale s)
  IGNORE NAV
  UNIQUE DIMENSION
  RULES UPSERT SEQUENTIAL ORDER
  (
    s[prod='Mouse Pad', year=2001] =
      s['Mouse Pad', 1999] + s['Mouse Pad', 2000],
    s['Standard Mouse', 2002] = s['Standard Mouse', 2001]
  )
ORDER BY country, prod, year;

```

COUNTRY	PROD	YEAR	SALE
France	Mouse Pad	1998	2509.42
France	Mouse Pad	1999	3678.69
France	Mouse Pad	2000	3000.72
France	Mouse Pad	2001	6679.41
France	Standard Mouse	1998	2390.83
France	Standard Mouse	1999	2280.45
France	Standard Mouse	2000	1274.31
France	Standard Mouse	2001	2164.54
France	Standard Mouse	2002	2164.54
Germany	Mouse Pad	1998	5827.87
Germany	Mouse Pad	1999	8346.44
Germany	Mouse Pad	2000	7375.46
Germany	Mouse Pad	2001	15721.9
Germany	Standard Mouse	1998	7116.11
Germany	Standard Mouse	1999	6263.14
Germany	Standard Mouse	2000	2637.31
Germany	Standard Mouse	2001	6456.13
Germany	Standard Mouse	2002	6456.13

18 rows selected.

The first rule uses `UPDATE` behavior because symbolic referencing is used on the left-hand side of the rule. The rows represented by the left-hand side of the rule exist, so the measure columns are updated. If the rows did not exist, then no action would have been taken.

The second rule uses `UPSERT` behavior because positional referencing is used on the left-hand side and a single cell is referenced. The rows do not exist, so new rows are inserted and the related measure columns are updated. If the rows did exist, then the measure columns would have been updated.



#### See Also:

*Oracle Database Data Warehousing Guide* for an expanded discussion and examples

The next example uses the same `sales_view_ref` view and the analytic function `SUM` to calculate a cumulative sum (`csum`) of sales per country and per year.

```

SELECT country, year, sale, csum
FROM
  (SELECT country, year, SUM(sale) sale
   FROM sales_view_ref
   GROUP BY country, year
  )
MODEL DIMENSION BY (country, year)
  MEASURES (sale, 0 csum)
  RULES (csum[any, any]=
         SUM(sale) OVER (PARTITION BY country
                        ORDER BY year
                        ROWS UNBOUNDED PRECEDING)
        )
ORDER BY country, year;

```

COUNTRY	YEAR	SALE	CSUM
France	1998	4900.25	4900.25
France	1999	5959.14	10859.39
France	2000	4275.03	15134.42
France	2001	5433.63	20568.05
Germany	1998	12943.98	12943.98
Germany	1999	14609.58	27553.56
Germany	2000	10012.77	37566.33
Germany	2001	15991.21	53557.54

8 rows selected.

### Row Limiting: Examples

The following statement returns the 5 employees with the lowest `employee_id` values:

```

SELECT employee_id, last_name
FROM employees
ORDER BY employee_id
FETCH FIRST 5 ROWS ONLY;

```

EMPLOYEE_ID	LAST_NAME
100	King
101	Kochhar
102	De Haan
103	Hunold
104	Ernst

The following statement returns the next 5 employees with the lowest `employee_id` values:

```

SELECT employee_id, last_name
FROM employees
ORDER BY employee_id
OFFSET 5 ROWS FETCH NEXT 5 ROWS ONLY;

```

EMPLOYEE_ID	LAST_NAME
105	Austin
106	Pataballa
107	Lorentz
108	Greenberg
109	Faviet

The following statement returns the 5 percent of employees with the lowest salaries:



```
SELECT employee_id, last_name, salary
       FROM employees
       ORDER BY salary
       FETCH FIRST 5 PERCENT ROWS ONLY;
```

EMPLOYEE_ID	LAST_NAME	SALARY
132	Olson	2100
128	Markle	2200
136	Philtanker	2200
127	Landry	2400
135	Gee	2400
119	Colmenares	2500

Because `WITH TIES` is specified, the following statement returns the 5 percent of employees with the lowest salaries, plus all additional employees with the same salary as the last row fetched in the previous example:

```
SELECT employee_id, last_name, salary
       FROM employees
       ORDER BY salary
       FETCH FIRST 5 PERCENT ROWS WITH TIES;
```

EMPLOYEE_ID	LAST_NAME	SALARY
132	Olson	2100
128	Markle	2200
136	Philtanker	2200
127	Landry	2400
135	Gee	2400
119	Colmenares	2500
131	Marlow	2500
140	Patel	2500
144	Vargas	2500
182	Sullivan	2500
191	Perkins	2500

### Using the FOR UPDATE Clause: Examples

The following statement locks rows in the `employees` table with purchasing clerks located in Oxford, which has `location_id` 2500, and locks rows in the `departments` table with departments in Oxford that have purchasing clerks:

```
SELECT e.employee_id, e.salary, e.commission_pct
       FROM employees e, departments d
       WHERE job_id = 'SA_REP'
       AND e.department_id = d.department_id
       AND location_id = 2500
       ORDER BY e.employee_id
       FOR UPDATE;
```

The following statement locks only those rows in the `employees` table with purchasing clerks located in Oxford. No rows are locked in the `departments` table:

```
SELECT e.employee_id, e.salary, e.commission_pct
       FROM employees e JOIN departments d
       USING (department_id)
       WHERE job_id = 'SA_REP'
       AND location_id = 2500
       ORDER BY e.employee_id
       FOR UPDATE OF e.salary;
```

## Using the WITH CHECK OPTION Clause: Example

The following statement is legal even though the third value inserted violates the condition of the subquery *where\_clause*:

```
INSERT INTO (SELECT department_id, department_name, location_id
             FROM departments WHERE location_id < 2000)
VALUES (9999, 'Entertainment', 2500);
```

However, the following statement is illegal because it contains the WITH CHECK OPTION clause:

```
INSERT INTO (SELECT department_id, department_name, location_id
             FROM departments WHERE location_id < 2000 WITH CHECK OPTION)
VALUES (9999, 'Entertainment', 2500);
*
```

ERROR at line 2:

ORA-01402: view WITH CHECK OPTION where-clause violation

## Using PIVOT and UNPIVOT: Examples

The `oe.orders` table contains information about when an order was placed (`order_date`), how it was place (`order_mode`), and the total amount of the order (`order_total`), as well as other information. The following example shows how to use the `PIVOT` clause to pivot `order_mode` values into columns, aggregating `order_total` data in the process, to get yearly totals by order mode:

```
CREATE TABLE pivot_table AS
SELECT * FROM
(SELECT EXTRACT(YEAR FROM order_date) year, order_mode, order_total FROM orders)
PIVOT
(SUM(order_total) FOR order_mode IN ('direct' AS Store, 'online' AS Internet));

SELECT * FROM pivot_table ORDER BY year;
```

YEAR	STORE	INTERNET
2004	5546.6	
2006	371895.5	100056.6
2007	1274078.8	1271019.5
2008	252108.3	393349.4

The `UNPIVOT` clause lets you rotate specified columns so that the input column headings are output as values of one or more descriptor columns, and the input column values are output as values of one or more measures columns. The first query that follows shows that nulls are excluded by default. The second query shows that you can include nulls using the `INCLUDE NULLS` clause.

```
SELECT * FROM pivot_table
UNPIVOT (yearly_total FOR order_mode IN (store AS 'direct',
                                         internet AS 'online'))
ORDER BY year, order_mode;
```

YEAR	ORDER_	YEARLY_TOTAL
2004	direct	5546.6
2006	direct	371895.5
2006	online	100056.6
2007	direct	1274078.8
2007	online	1271019.5
2008	direct	252108.3

```
2008 online      393349.4
```

```
7 rows selected.
```

```
SELECT * FROM pivot_table
UNPIVOT INCLUDE NULLS
(yearly_total FOR order_mode IN (store AS 'direct', internet AS 'online'))
ORDER BY year, order_mode;
```

YEAR	ORDER_	YEARLY_TOTAL
2004	direct	5546.6
2004	online	
2006	direct	371895.5
2006	online	100056.6
2007	direct	1274078.8
2007	online	1271019.5
2008	direct	252108.3
2008	online	393349.4

```
8 rows selected.
```

### Using Join Queries: Examples

The following examples show various ways of joining tables in a query. In the first example, an equijoin returns the name and job of each employee and the number and name of the department in which the employee works:

```
SELECT last_name, job_id, departments.department_id, department_name
FROM employees, departments
WHERE employees.department_id = departments.department_id
ORDER BY last_name, job_id;
```

LAST_NAME	JOB_ID	DEPARTMENT_ID	DEPARTMENT_NAME
Abel	SA_REP	80	Sales
Ande	SA_REP	80	Sales
Atkinson	ST_CLERK	50	Shipping
Austin	IT_PROG	60	IT
. . .			

You must use a join to return this data because employee names and jobs are stored in a different table than department names. Oracle Database combines rows of the two tables according to this join condition:

```
employees.department_id = departments.department_id
```

The following equijoin returns the name, job, department number, and department name of all sales managers:

```
SELECT last_name, job_id, departments.department_id, department_name
FROM employees, departments
WHERE employees.department_id = departments.department_id
AND job_id = 'SA_MAN'
ORDER BY last_name;
```

LAST_NAME	JOB_ID	DEPARTMENT_ID	DEPARTMENT_NAME
Cambrault	SA_MAN	80	Sales
Errazuriz	SA_MAN	80	Sales
Partners	SA_MAN	80	Sales

Russell	SA_MAN	80 Sales
Zlotkey	SA_MAN	80 Sales

This query is identical to the preceding example, except that it uses an additional *where\_clause* condition to return only rows with a job value of 'SA\_MAN'.

### Using Subqueries: Examples

To determine who works in the same department as employee 'Lorentz', issue the following statement:

```
SELECT last_name, department_id FROM employees
WHERE department_id =
  (SELECT department_id FROM employees
   WHERE last_name = 'Lorentz')
ORDER BY last_name, department_id;
```

To give all employees in the `employees` table a 10% raise if they have changed jobs—if they appear in the `job_history` table—issue the following statement:

```
UPDATE employees
SET salary = salary * 1.1
WHERE employee_id IN (SELECT employee_id FROM job_history);
```

To create a second version of the `departments` table `new_departments`, with only three of the columns of the original table, issue the following statement:

```
CREATE TABLE new_departments
  (department_id, department_name, location_id)
AS SELECT department_id, department_name, location_id
FROM departments;
```

### Using Self Joins: Example

The following query uses a self join to return the name of each employee along with the name of the employee's manager. A `WHERE` clause is added to shorten the output.

```
SELECT e1.last_name||' works for '||e2.last_name
"Employees and Their Managers"
FROM employees e1, employees e2
WHERE e1.manager_id = e2.employee_id
AND e1.last_name LIKE 'R%'
ORDER BY e1.last_name;
```

```
Employees and Their Managers
-----
Rajs works for Mourgos
Raphaely works for King
Rogers works for Kaufling
Russell works for King
```

The join condition for this query uses the aliases `e1` and `e2` for the sample table `employees`:

```
e1.manager_id = e2.employee_id
```

### Using Outer Joins: Examples

The following example shows how a partitioned outer join fills data gaps in rows to facilitate analytic function specification and reliable report formatting. The example first creates a small data table to be used in the join:

```
SELECT d.department_id, e.last_name
       FROM departments d LEFT OUTER JOIN employees e
       ON d.department_id = e.department_id
       ORDER BY d.department_id, e.last_name;
```

Users familiar with the traditional Oracle Database outer joins syntax will recognize the same query in this form:

```
SELECT d.department_id, e.last_name
       FROM departments d, employees e
       WHERE d.department_id = e.department_id(+)
       ORDER BY d.department_id, e.last_name;
```

Oracle strongly recommends that you use the more flexible `FROM` clause join syntax shown in the former example.

The left outer join returns all departments, including those without any employees. The same statement with a right outer join returns all employees, including those not yet assigned to a department:

 **Note:**

The employee Zeuss was added to the employees table for these examples, and is not part of the sample data.

```
SELECT d.department_id, e.last_name
       FROM departments d RIGHT OUTER JOIN employees e
       ON d.department_id = e.department_id
       ORDER BY d.department_id, e.last_name;
```

```
DEPARTMENT_ID LAST_NAME
-----
. . .
      110 Gietz
      110 Higgins
           Grant
           Zeuss
```

It is not clear from this result whether employees Grant and Zeuss have `department_id` NULL, or whether their `department_id` is not in the `departments` table. To determine this requires a full outer join:

```
SELECT d.department_id as d_dept_id, e.department_id as e_dept_id,
       e.last_name
       FROM departments d FULL OUTER JOIN employees e
       ON d.department_id = e.department_id
       ORDER BY d.department_id, e.last_name;
```

```
D_DEPT_ID  E_DEPT_ID LAST_NAME
-----
. . .
      110      110 Gietz
      110      110 Higgins
. . .
      260
      270
```

999 Zeuss  
Grant

Because the column names in this example are the same in both tables in the join, you can also use the common column feature by specifying the `USING` clause of the join syntax. The output is the same as for the preceding example except that the `USING` clause coalesces the two matching columns `department_id` into a single column output:

```
SELECT department_id AS d_e_dept_id, e.last_name
   FROM departments d FULL OUTER JOIN employees e
   USING (department_id)
  ORDER BY department_id, e.last_name;
```

```
D_E_DEPT_ID LAST_NAME
-----
. . .
      110 Higgins
      110 Gietz
. . .
      260
      270
      999 Zeuss
          Grant
```

### Using Partitioned Outer Joins: Examples

The following example shows how a partitioned outer join fills in gaps in rows to facilitate analytic calculation specification and reliable report formatting. The example first creates and populates a simple table to be used in the join:

```
CREATE TABLE inventory (time_id    DATE,
                        product    VARCHAR2(10),
                        quantity    NUMBER);

INSERT INTO inventory VALUES (TO_DATE('01/04/01', 'DD/MM/YY'), 'bottle', 10);
INSERT INTO inventory VALUES (TO_DATE('06/04/01', 'DD/MM/YY'), 'bottle', 10);
INSERT INTO inventory VALUES (TO_DATE('01/04/01', 'DD/MM/YY'), 'can', 10);
INSERT INTO inventory VALUES (TO_DATE('04/04/01', 'DD/MM/YY'), 'can', 10);

SELECT times.time_id, product, quantity FROM inventory
   PARTITION BY (product)
  RIGHT OUTER JOIN times ON (times.time_id = inventory.time_id)
  WHERE times.time_id BETWEEN TO_DATE('01/04/01', 'DD/MM/YY')
     AND TO_DATE('06/04/01', 'DD/MM/YY')
  ORDER BY 2,1;
```

TIME_ID	PRODUCT	QUANTITY
01-APR-01	bottle	10
02-APR-01	bottle	
03-APR-01	bottle	
04-APR-01	bottle	
05-APR-01	bottle	
06-APR-01	bottle	10
01-APR-01	can	10
02-APR-01	can	
03-APR-01	can	
04-APR-01	can	10
05-APR-01	can	
06-APR-01	can	

12 rows selected.

The data is now more dense along the time dimension for each partition of the product dimension. However, each of the newly added rows within each partition is null in the quantity column. It is more useful to see the nulls replaced by the preceding non-NULL value in time order. You can achieve this by applying the analytic function `LAST_VALUE` on top of the query result:

```
SELECT time_id, product, LAST_VALUE(quantity IGNORE NULLS)
  OVER (PARTITION BY product ORDER BY time_id) quantity
  FROM ( SELECT times.time_id, product, quantity
        FROM inventory PARTITION BY (product)
        RIGHT OUTER JOIN times ON (times.time_id = inventory.time_id)
        WHERE times.time_id BETWEEN TO_DATE('01/04/01', 'DD/MM/YY')
          AND TO_DATE('06/04/01', 'DD/MM/YY'))
  ORDER BY 2,1;
```

TIME_ID	PRODUCT	QUANTITY
01-APR-01	bottle	10
02-APR-01	bottle	10
03-APR-01	bottle	10
04-APR-01	bottle	10
05-APR-01	bottle	10
06-APR-01	bottle	10
01-APR-01	can	10
02-APR-01	can	10
03-APR-01	can	10
04-APR-01	can	10
05-APR-01	can	10
06-APR-01	can	10

12 rows selected.



### See Also:

*Oracle Database Data Warehousing Guide* for an expanded discussion on filling gaps in time series calculations and examples of usage

## Using Antijoins: Example

The following example selects a list of employees who are not in a particular set of departments:

```
SELECT * FROM employees
  WHERE department_id NOT IN
    (SELECT department_id FROM departments
     WHERE location_id = 1700)
  ORDER BY last_name;
```

## Using Semijoins: Example

In the following example, only one row needs to be returned from the `departments` table, even though many rows in the `employees` table might match the subquery. If no index has been defined on the `salary` column in `employees`, then a semijoin can be used to improve query performance.

```

SELECT * FROM departments
  WHERE EXISTS
    (SELECT * FROM employees
     WHERE departments.department_id = employees.department_id
     AND employees.salary > 2500)
 ORDER BY department_name;

```

### Using CROSS APPLY and OUTER APPLY Joins: Examples

The following statement uses the `CROSS APPLY` clause of the `cross_outer_apply_clause`. The join returns only rows from the table on the left side of the join (`departments`) that produce a result from the inline view on the right side of the join. That is, the join returns only the departments that have at least one employee. The `WHERE` clause restricts the result set to include only the Marketing, Operations, and Public Relations departments. However, the Operations department is not included in the result set because it has no employees.

```

SELECT d.department_name, v.employee_id, v.last_name
  FROM departments d CROSS APPLY (SELECT * FROM employees e
                                WHERE e.department_id = d.department_id) v
 WHERE d.department_name IN ('Marketing', 'Operations', 'Public Relations')
 ORDER BY d.department_name, v.employee_id;

```

DEPARTMENT_NAME	EMPLOYEE_ID	LAST_NAME
Marketing	201	Hartstein
Marketing	202	Fay
Public Relations	204	Baer

The following statement uses the `OUTER APPLY` clause of the `cross_outer_apply_clause`. The join returns all rows from the table on the left side of the join (`departments`) regardless of whether they produce a result from the inline view on the right side of the join. That is, the join returns all departments regardless of whether the departments have any employees. The `WHERE` clause restricts the result set to include only the Marketing, Operations, and Public Relations departments. The Operations department is included in the result set even though it has no employees.

```

SELECT d.department_name, v.employee_id, v.last_name
  FROM departments d OUTER APPLY (SELECT * FROM employees e
                                WHERE e.department_id = d.department_id) v
 WHERE d.department_name IN ('Marketing', 'Operations', 'Public Relations')
 ORDER by d.department_name, v.employee_id;

```

DEPARTMENT_NAME	EMPLOYEE_ID	LAST_NAME
Marketing	201	Hartstein
Marketing	202	Fay
Operations		
Public Relations	204	Baer

### Using Lateral Inline Views: Example

The following example shows a join with two operands. The second operand is an inline view that specifies the first operand, table `e`, in the `WHERE` clause. This results in an error.

```

SELECT * FROM employees e, (SELECT * FROM departments d
                           WHERE e.department_id = d.department_id);
ORA-00904: "E"."DEPARTMENT_ID": invalid identifier

```



The following example shows a join with two operands. The second operand is a lateral inline view that specifies the first operand, table `e`, in the `WHERE` clause and succeeds without an error.

```
SELECT * FROM employees e, LATERAL(SELECT * FROM departments d
                                WHERE e.department_id = d.department_id);
```

### Table Collections: Examples

You can perform DML operations on nested tables only if they are defined as columns of a table. Therefore, when the *query\_table\_expr\_clause* of an `INSERT`, `DELETE`, or `UPDATE` statement is a *table\_collection\_expression*, the collection expression must be a subquery that uses the `TABLE` collection expression to select the nested table column of the table. The examples that follow are based on the following scenario:

Suppose the database contains a table `hr_info` with columns `department_id`, `location_id`, and `manager_id`, and a column of nested table type `people` which has `last_name`, `department_id`, and `salary` columns for all the employees of each respective manager:

```
CREATE TYPE people_typ AS OBJECT (
    last_name    VARCHAR2(25),
    department_id NUMBER(4),
    salary       NUMBER(8,2));
/
CREATE TYPE people_tab_typ AS TABLE OF people_typ;
/
CREATE TABLE hr_info (
    department_id NUMBER(4),
    location_id   NUMBER(4),
    manager_id    NUMBER(6),
    people        people_tab_typ)
    NESTED TABLE people STORE AS people_stor_tab;

INSERT INTO hr_info VALUES (280, 1800, 999, people_tab_typ());
```

The following example inserts into the `people` nested table column of the `hr_info` table for department 280:

```
INSERT INTO TABLE(SELECT h.people FROM hr_info h
                  WHERE h.department_id = 280)
VALUES ('Smith', 280, 1750);
```

The next example updates the department 280 `people` nested table:

```
UPDATE TABLE(SELECT h.people FROM hr_info h
              WHERE h.department_id = 280) p
SET p.salary = p.salary + 100;
```

The next example deletes from the department 280 `people` nested table:

```
DELETE TABLE(SELECT h.people FROM hr_info h
              WHERE h.department_id = 280) p
WHERE p.salary > 1700;
```

### Collection Unnesting: Examples

To select data from a nested table column, use the `TABLE` collection expression to treat the nested table as columns of a table. This process is called **collection unnesting**.

You could get all the rows from `hr_info`, which was created in the preceding example, and all the rows from the `people` nested table column of `hr_info` using the following statement:

```
SELECT t1.department_id, t2.* FROM hr_info t1, TABLE(t1.people) t2
       WHERE t2.department_id = t1.department_id;
```

Now suppose that `people` is not a nested table column of `hr_info`, but is instead a separate table with columns `last_name`, `department_id`, `address`, `hiredate`, and `salary`. You can extract the same rows as in the preceding example with this statement:

```
SELECT t1.department_id, t2.*
       FROM hr_info t1, TABLE(CAST(MULTISET(
           SELECT t3.last_name, t3.department_id, t3.salary
           FROM people t3
           WHERE t3.department_id = t1.department_id)
           AS people_tab_typ)) t2;
```

Finally, suppose that `people` is neither a nested table column of table `hr_info` nor a table itself. Instead, you have created a function `people_func` that extracts from various sources the name, department, and salary of all employees. You can get the same information as in the preceding examples with the following query:

```
SELECT t1.department_id, t2.* FROM hr_info t1, TABLE(CAST
           (people_func( ... ) AS people_tab_typ)) t2;
```

### See Also:

*Oracle Database Object-Relational Developer's Guide* for more examples of collection unnesting.

## Using the LEVEL Pseudocolumn: Examples

The following statement returns all employees in hierarchical order. The root row is defined to be the employee whose job is `AD_VP`. The child rows of a parent row are defined to be those who have the employee number of the parent row as their manager number.

```
SELECT LPAD(' ',2*(LEVEL-1)) || last_name org_chart,
       employee_id, manager_id, job_id
FROM employees
START WITH job_id = 'AD_VP'
CONNECT BY PRIOR employee_id = manager_id;
```

ORG_CHART	EMPLOYEE_ID	MANAGER_ID	JOB_ID
Kochhar	101	100	AD_VP
Greenberg	108	101	FI_MGR
Faviet	109	108	FI_ACCOUNT
Chen	110	108	FI_ACCOUNT
Sciarra	111	108	FI_ACCOUNT
Urman	112	108	FI_ACCOUNT
Popp	113	108	FI_ACCOUNT
Whalen	200	101	AD_ASST
Mavris	203	101	HR_REP
Baer	204	101	PR_REP
Higgins	205	101	AC_MGR
Gietz	206	205	AC_ACCOUNT
De Haan	102	100	AD_VP

Hunold	103	102	IT_PROG
Ernst	104	103	IT_PROG
Austin	105	103	IT_PROG
Pataballa	106	103	IT_PROG
Lorentz	107	103	IT_PROG

The following statement is similar to the previous one, except that it does not select employees with the job FI\_MGR.

```
SELECT LPAD(' ',2*(LEVEL-1)) || last_name org_chart,
       employee_id, manager_id, job_id
FROM employees
WHERE job_id != 'FI_MGR'
START WITH job_id = 'AD_VP'
CONNECT BY PRIOR employee_id = manager_id;
```

ORG_CHART	EMPLOYEE_ID	MANAGER_ID	JOB_ID
-----	-----	-----	-----
Kochhar	101	100	AD_VP
Faviet	109	108	FI_ACCOUNT
Chen	110	108	FI_ACCOUNT
Sciarra	111	108	FI_ACCOUNT
Urman	112	108	FI_ACCOUNT
Popp	113	108	FI_ACCOUNT
Whalen	200	101	AD_ASST
Mavris	203	101	HR_REP
Baer	204	101	PR_REP
Higgins	205	101	AC_MGR
Gietz	206	205	AC_ACCOUNT
De Haan	102	100	AD_VP
Hunold	103	102	IT_PROG
Ernst	104	103	IT_PROG
Austin	105	103	IT_PROG
Pataballa	106	103	IT_PROG
Lorentz	107	103	IT_PROG

Oracle Database does not return the manager Greenberg, although it does return employees who are managed by Greenberg.

The following statement is similar to the first one, except that it uses the LEVEL pseudocolumn to select only the first two levels of the management hierarchy:

```
SELECT LPAD(' ',2*(LEVEL-1)) || last_name org_chart,
       employee_id, manager_id, job_id
FROM employees
START WITH job_id = 'AD_PRES'
CONNECT BY PRIOR employee_id = manager_id AND LEVEL <= 2;
```

ORG_CHART	EMPLOYEE_ID	MANAGER_ID	JOB_ID
-----	-----	-----	-----
King	100		AD_PRES
Kochhar	101	100	AD_VP
De Haan	102	100	AD_VP
Raphaely	114	100	PU_MAN
Weiss	120	100	ST_MAN
Fripp	121	100	ST_MAN
Kaufling	122	100	ST_MAN
Vollman	123	100	ST_MAN
Mourgos	124	100	ST_MAN
Russell	145	100	SA_MAN

Partners	146	100 SA_MAN
Errazuriz	147	100 SA_MAN
Cambrault	148	100 SA_MAN
Zlotkey	149	100 SA_MAN
Hartstein	201	100 MK_MAN

### Using Distributed Queries: Example

This example shows a query that joins the `departments` table on the local database with the `employees` table on the remote database:

```
SELECT last_name, department_name
   FROM employees@remote, departments
   WHERE employees.department_id = departments.department_id;
```

### Using Correlated Subqueries: Examples

The following examples show the general syntax of a correlated subquery:

```
SELECT select_list
   FROM table1 t_alias1
   WHERE expr operator
         (SELECT column_list
          FROM table2 t_alias2
          WHERE t_alias1.column
                operator t_alias2.column);

UPDATE table1 t_alias1
   SET column =
       (SELECT expr
        FROM table2 t_alias2
        WHERE t_alias1.column = t_alias2.column);

DELETE FROM table1 t_alias1
   WHERE column operator
         (SELECT expr
          FROM table2 t_alias2
          WHERE t_alias1.column = t_alias2.column);
```

The following statement returns data about employees whose salaries exceed their department average. The following statement assigns an alias to `employees`, the table containing the salary information, and then uses the alias in a correlated subquery:

```
SELECT department_id, last_name, salary
   FROM employees x
   WHERE salary > (SELECT AVG(salary)
                   FROM employees
                   WHERE x.department_id = department_id)
   ORDER BY department_id;
```

For each row of the `employees` table, the parent query uses the correlated subquery to compute the average salary for members of the same department. The correlated subquery performs the following steps for each row of the `employees` table:

1. The `department_id` of the row is determined.
2. The `department_id` is then used to evaluate the parent query.
3. If the salary in that row is greater than the average salary of the departments of that row, then the row is returned.

The subquery is evaluated once for each row of the `employees` table.

### Selecting from the DUAL Table: Example

The following statement returns the current date:

```
SELECT CURRENT_DATE FROM DUAL;
```

You could select `CURRENT_DATE` from the `employees` table, but the database would return 14 rows of the same `CURRENT_DATE`, one for every row of the `employees` table. Selecting from `DUAL` is more convenient.

From Release 23 you can omit the optional `FROM` clause as in the following example:

```
SELECT CURRENT_DATE;
```

### Selecting Sequence Values: Examples

The following statement increments the `employees_seq` sequence and returns the new value:

```
SELECT employees_seq.nextval  
FROM DUAL;
```

The following statement selects the current value of `employees_seq`:

```
SELECT employees_seq.currval  
FROM DUAL;
```

### Row Pattern Matching: Example

This example uses row pattern matching to query stock price data. The following statements create table `Ticker` and inserts stock price data into the table:

```
CREATE TABLE Ticker (SYMBOL VARCHAR2(10), tstamp DATE, price NUMBER);  
  
INSERT INTO Ticker VALUES('ACME', '01-Apr-11', 12);  
INSERT INTO Ticker VALUES('ACME', '02-Apr-11', 17);  
INSERT INTO Ticker VALUES('ACME', '03-Apr-11', 19);  
INSERT INTO Ticker VALUES('ACME', '04-Apr-11', 21);  
INSERT INTO Ticker VALUES('ACME', '05-Apr-11', 25);  
INSERT INTO Ticker VALUES('ACME', '06-Apr-11', 12);  
INSERT INTO Ticker VALUES('ACME', '07-Apr-11', 15);  
INSERT INTO Ticker VALUES('ACME', '08-Apr-11', 20);  
INSERT INTO Ticker VALUES('ACME', '09-Apr-11', 24);  
INSERT INTO Ticker VALUES('ACME', '10-Apr-11', 25);  
INSERT INTO Ticker VALUES('ACME', '11-Apr-11', 19);  
INSERT INTO Ticker VALUES('ACME', '12-Apr-11', 15);  
INSERT INTO Ticker VALUES('ACME', '13-Apr-11', 25);  
INSERT INTO Ticker VALUES('ACME', '14-Apr-11', 25);  
INSERT INTO Ticker VALUES('ACME', '15-Apr-11', 14);  
INSERT INTO Ticker VALUES('ACME', '16-Apr-11', 12);  
INSERT INTO Ticker VALUES('ACME', '17-Apr-11', 14);  
INSERT INTO Ticker VALUES('ACME', '18-Apr-11', 24);  
INSERT INTO Ticker VALUES('ACME', '19-Apr-11', 23);  
INSERT INTO Ticker VALUES('ACME', '20-Apr-11', 22);
```

The following query uses row pattern matching to find all cases where stock prices dipped to a bottom price and then rose. This is generally called a V-shape. The resulting output contains only three rows because the query specifies `ONE ROW PER MATCH`, and three matches were found.

```

SELECT *
FROM Ticker MATCH_RECOGNIZE (
  PARTITION BY symbol
  ORDER BY tstamp
  MEASURES STRT.tstamp AS start_tstamp,
           LAST(DOWN.tstamp) AS bottom_tstamp,
           LAST(UP.tstamp) AS end_tstamp
  ONE ROW PER MATCH
  AFTER MATCH SKIP TO LAST UP
  PATTERN (STRT DOWN+ UP+)
  DEFINE
    DOWN AS DOWN.price < PREV(DOWN.price),
    UP AS UP.price > PREV(UP.price)
) MR
ORDER BY MR.symbol, MR.start_tstamp;

```

SYMBOL	START_TST	BOTTOM_TS	END_TSTAM
ACME	05-APR-11	06-APR-11	10-APR-11
ACME	10-APR-11	12-APR-11	13-APR-11
ACME	14-APR-11	16-APR-11	18-APR-11

## SET CONSTRAINT[S]

### Purpose

Use the `SET CONSTRAINTS` statement to specify, for a particular transaction, whether a deferrable constraint is checked following each DML statement (`IMMEDIATE`) or when the transaction is committed (`DEFERRED`). You can use this statement to set the mode for a list of constraint names or for `ALL` constraints.

The `SET CONSTRAINTS` mode lasts for the duration of the transaction or until another `SET CONSTRAINTS` statement resets the mode.



### Note:

You can also use an `ALTER SESSION` statement with the `SET CONSTRAINTS` clause to set *all* deferrable constraints. This is equivalent to making issuing a `SET CONSTRAINTS` statement at the start of each transaction in the current session.

You cannot specify this statement inside of a trigger definition.


`SET CONSTRAINTS` can be a distributed statement. Existing database links that have transactions in process are notified when a `SET CONSTRAINTS ALL` statement is issued, and new links are notified that it was issued as soon as they start a transaction.

### Prerequisites

To specify when a deferrable constraint is checked, you must have the `READ` or `SELECT` privilege on the table to which the constraint is applied unless the table is in your schema.

## Syntax

**set\_constraints ::=**



## Semantics

### *constraint*

Specify the name of one or more integrity constraints.

### ALL

Specify **ALL** to set all deferrable constraints for this transaction.

### IMMEDIATE

Specify **IMMEDIATE** to cause the specified constraints to be checked immediately on execution of each constrained DML statement. Oracle Database first checks any constraints that were deferred earlier in the transaction and then continues immediately checking constraints of any further statements in that transaction, as long as all the checked constraints are consistent and no other **SET CONSTRAINTS** statement is issued. If any constraint fails the check, then an error is signaled. At that point, a **COMMIT** statement causes the whole transaction to undo.

Making constraints immediate at the end of a transaction is a way of checking whether **COMMIT** can succeed. You can avoid unexpected rollbacks by setting constraints to **IMMEDIATE** as the last statement in a transaction. If any constraint fails the check, you can then correct the error before committing the transaction.

### DEFERRED

Specify **DEFERRED** to indicate that the conditions specified by the deferrable constraint are checked when the transaction is committed.

#### **Note:**

You can verify the success of deferrable constraints prior to committing them by issuing a **SET CONSTRAINTS ALL IMMEDIATE** statement.

## Examples

### Setting Constraints: Examples

The following statement sets all deferrable constraints in this transaction to be checked immediately following each DML statement:

```
SET CONSTRAINTS ALL IMMEDIATE;
```

The following statement checks three deferred constraints when the transaction is committed. This example fails if the constraints were specified to be `NOT DEFERRABLE`.

```
SET CONSTRAINTS emp_job_nn, emp_salary_min,  
hr.jhist_dept_fk@remote DEFERRED;
```

## SET ROLE

### Purpose

When a user logs on to Oracle Database, the database enables all privileges granted explicitly to the user and all privileges in the user's default roles. During the session, the user or an application can use the `SET ROLE` statement any number of times to enable or disable the roles currently enabled for the session.

You cannot enable more than 148 user-defined roles at one time.

#### Note:

- For most roles, you cannot enable or disable a role unless it was granted to you either directly or through other roles. However, a secure application role can be granted and enabled by its associated PL/SQL package. See the `CREATE ROLE` semantics for [USING package](#) and *Oracle Database Security Guide* for information about secure application roles.
- `SET ROLE` succeeds only if there are no definer's rights units on the call stack. If at least one DR unit is on the call stack, then issuing the `SET ROLE` command causes ORA-06565. See *Oracle Database PL/SQL Language Reference* for more information about definer's rights units.
- To run the `SET ROLE` command from PL/SQL, you must use dynamic SQL, preferably the `EXECUTE IMMEDIATE` statement. See *Oracle Database PL/SQL Language Reference* for more information about this statement.

You can see which roles are currently enabled by examining the `SESSION_ROLES` data dictionary view.

#### See Also:

- [CREATE ROLE](#) for information on creating roles
- [ALTER USER](#) for information on changing a user's default roles
- *Oracle Database Reference* for information on the `SESSION_ROLES` session parameter


### Prerequisites

You must already have been granted the roles that you name in the `SET ROLE` statement.



## Syntax

**set\_role ::=**



## Semantics

### role

Specify one or more roles to be enabled for the current session. All roles not specified are disabled for the current session or until another `SET ROLE` statement is issued in the current session.

In the `IDENTIFIED BY password` clause, specify the password for a role. If the role has a password, then you must specify the password to enable the role.

### Restriction on Setting Roles

You cannot specify a role identified globally. Global roles are enabled by default at login, and cannot be reenabled later.

### IDENTIFIED BY

You can set the password to a maximum length of 1024 bytes.

### ALL Clause

Specify `ALL` to enable all roles granted to you for the current session except those optionally listed in the `EXCEPT` clause.

Roles listed in the `EXCEPT` clause must be roles granted directly to you. They cannot be roles granted to you through other roles.

If you list a role in the `EXCEPT` clause that has been granted to you both directly and through another role, then the role remains enabled by virtue of the role to which it has been granted.

### Restrictions on the ALL Clause

The following restrictions apply to the `ALL` clause:

- You cannot use this clause to enable roles with passwords that have been granted directly to you.
- You cannot use this clause to enable a secure application role, which is a role that can be enabled only by applications using an authorized package. Refer to *Oracle*

*Database Security Guide* for information on creating a secure application role and *Oracle Database 2 Day + Security Guide* for a tutorial.

## NONE

Specify `NONE` to disable all roles for the current session, including the `DEFAULT` role.

## Examples

### Setting Roles: Examples

To enable the role `dw_manager` identified by a password for your current session, issue the following statement:

```
SET ROLE dw_manager IDENTIFIED BY password;
```

To enable all roles granted to you for the current session, issue the following statement:

```
SET ROLE ALL;
```

To enable all roles granted to you except `dw_manager`, issue the following statement:

```
SET ROLE ALL EXCEPT dw_manager;
```

To disable all roles granted to you for the current session, issue the following statement:

```
SET ROLE NONE;
```

# SET TRANSACTION

## Purpose

Use the `SET TRANSACTION` statement to establish the current transaction as read-only or read/write, establish its isolation level, assign it to a specified rollback segment, or assign a name to the transaction.

A transaction implicitly begins with any operation that obtains a TX lock:

- When a statement that modifies data is issued
- When a `SELECT ... FOR UPDATE` statement is issued
- When a transaction is explicitly started with a `SET TRANSACTION` statement or the `DBMS_TRANSACTION` package

Issuing either a `COMMIT` or `ROLLBACK` statement explicitly ends the current transaction.

The operations performed by a `SET TRANSACTION` statement affect only your current transaction, not other users or other transactions. Your transaction ends whenever you issue a `COMMIT` or `ROLLBACK` statement. Oracle Database implicitly commits the current transaction before and after executing a data definition language (DDL) statement.



### See Also:


`COMMIT` and `ROLLBACK`

## Prerequisites

If you use a `SET TRANSACTION` statement, then it must be the first statement in your transaction. However, a transaction need not have a `SET TRANSACTION` statement.

## Syntax

**set\_transaction ::=**



## Semantics

### READ ONLY

The `READ ONLY` clause establishes the current transaction as a read-only transaction. This clause established **transaction-level read consistency**.

All subsequent queries in that transaction see only changes that were committed before the transaction began. Read-only transactions are useful for reports that run multiple queries against one or more tables while other users update these same tables.

This clause is not supported for the user `SYS`. Queries by `SYS` will return changes made during the transaction even if `SYS` has set the transaction to be `READ ONLY`.

### Restriction on Read-only Transactions

Only the following statements are permitted in a read-only transaction:

- Subqueries—`SELECT` statements without the `for_update_clause`
- `LOCK TABLE`
- `SET ROLE`
- `ALTER SESSION`
- `ALTER SYSTEM`

### READ WRITE

Specify `READ WRITE` to establish the current transaction as a read/write transaction. This clause establishes **statement-level read consistency**, which is the default.

### Restriction on Read/Write Transactions

You cannot toggle between transaction-level and statement-level read consistency in the same transaction.

### ISOLATION LEVEL Clause

- The `SERIALIZABLE` setting specifies serializable transaction isolation mode as defined in the SQL standard. If a serializable transaction contains data manipulation language (DML) that attempts to update any resource that may have been updated in a transaction uncommitted at the start of the serializable transaction, then the DML statement fails.
- The `READ COMMITTED` setting is the default Oracle Database transaction behavior. If the transaction contains DML that requires row locks held by another transaction, then the DML statement waits until the row locks are released.

### USE ROLLBACK SEGMENT Clause

 **Note:**

This clause is relevant and valid only if you are using rollback segments for undo. Oracle strongly recommends that you use automatic undo management to handle undo space. If you follow this recommendation and run your database in automatic undo mode, then Oracle Database ignores this clause.

Specify `USE ROLLBACK SEGMENT` to assign the current transaction to the specified rollback segment. This clause also implicitly establishes the transaction as a read/write transaction.

Parallel DML requires more than one rollback segment. Therefore, if your transaction contains parallel DML operations, then the database ignores this clause.

### NAME Clause

Use the `NAME` clause to assign a name to the current transaction. This clause is especially useful in distributed database environments when you must identify and resolve in-doubt transactions. The *string* value is limited to 255 bytes.

If you specify a name for a distributed transaction, then when the transaction commits, the name becomes the commit comment, overriding any comment specified explicitly in the `COMMIT` statement.

 **See Also:**

*Oracle Database Concepts* for more information about transaction naming

### Examples

#### Setting Transactions: Examples

The following statements could be run at midnight of the last day of every month to count the products and quantities on hand in the Toronto warehouse in the sample Order Entry (oe) schema. This report would not be affected by any other user who might be adding or removing inventory to a different warehouse.

```
COMMIT;
```

```
SET TRANSACTION READ ONLY NAME 'Toronto';

SELECT product_id, quantity_on_hand FROM inventories
   WHERE warehouse_id = 5
   ORDER BY product_id;

COMMIT;
```

The first `COMMIT` statement ensures that `SET TRANSACTION` is the first statement in the transaction. The last `COMMIT` statement does not actually make permanent any changes to the database. It simply ends the read-only transaction.

## TRUNCATE CLUSTER

### Purpose



#### Note:

You cannot roll back a `TRUNCATE CLUSTER` statement.

Use the `TRUNCATE CLUSTER` statement to remove all rows from a cluster. By default, Oracle Database also performs the following tasks:

- Deallocates all space used by the removed rows except that specified by the `MINEXTENTS` storage parameter
- Sets the `NEXT` storage parameter to the size of the last extent removed from the segment by the truncation process

Removing rows with the `TRUNCATE` statement can be more efficient than dropping and re-creating a cluster. Dropping and re-creating a cluster invalidates dependent objects of the cluster, requires you to regrant object privileges on the cluster, and requires you to re-create the indexes and cluster on the table and respecify its storage parameters. Truncating has none of these effects.

Removing rows with the `TRUNCATE CLUSTER` statement can be faster than removing all rows with the `DELETE` statement, especially if the cluster has numerous indexes and other dependencies.




#### See Also:

- [DELETE](#) and [DROP CLUSTER](#) for information on other ways of dropping data from a cluster
- [TRUNCATE TABLE](#) for information on truncating a table

### Prerequisites

To truncate a cluster, the cluster must be in your schema or you must have `DROP ANY TABLE` system privilege.

**See Also:**["Restrictions on Truncating Tables"](#)**Syntax*****truncate\_cluster ::=*****Semantics****CLUSTER Clause**

Specify the schema and name of the cluster to be truncated. You can truncate only an indexed cluster, not a hash cluster. If you omit *schema*, then the database assumes the cluster is in your own schema.

When you truncate a cluster, the database also automatically deletes all data in the indexes of the cluster tables.

**STORAGE Clauses**

The `STORAGE` clauses let you determine what happens to the space freed by the truncated rows. The `DROP STORAGE` clause and `REUSE STORAGE` clause also apply to the space freed by the data deleted from associated indexes.

**DROP STORAGE**

Specify `DROP STORAGE` to deallocate all space from the deleted rows from the cluster except the space allocated by the `MINEXTENTS` parameter of the cluster. This space can subsequently be used by other objects in the tablespace. Oracle Database also sets the `NEXT` storage parameter to the size of the last extent removed from the segment in the truncation process. This is the default.

**REUSE STORAGE**

Specify `REUSE STORAGE` to retain the space from the deleted rows allocated to the cluster. Storage values are not reset to the values when the table or cluster was created. This space can subsequently be used only by new data in the cluster resulting from insert or update operations. This clause leaves storage parameters at their current settings.

If you have specified more than one free list for the object you are truncating, then the `REUSE STORAGE` clause also removes any mapping of free lists to instances and resets the high-water mark to the beginning of the first extent.

**Examples****Truncating a Cluster: Example**

The following statement removes all rows from all tables in the `personnel` cluster, but leaves the freed space allocated to the tables:

```
TRUNCATE CLUSTER personnel REUSE STORAGE;
```

The preceding statement also removes all data from all indexes on the tables in the `personnel` cluster.

## TRUNCATE TABLE

### Purpose

#### Note:

You cannot roll back a `TRUNCATE TABLE` statement, nor can you use a `FLASHBACK TABLE` statement to retrieve the contents of a table that has been truncated.

Use the `TRUNCATE TABLE` statement to remove all rows from a table. By default, Oracle Database also performs the following tasks:

- Deallocates all space used by the removed rows except that specified by the `MINEXTENTS` storage parameter
- Sets the `NEXT` storage parameter to the size of the last extent removed from the segment by the truncation process

Removing rows with the `TRUNCATE TABLE` statement can be more efficient than dropping and re-creating a table. Dropping and re-creating a table invalidates dependent objects of the table, and requires you to repeat the following actions:

- Grant object privileges on the table
- Create the indexes, integrity constraints, and triggers on the table
- Specify the storage parameters of the table

Truncating has none of these effects.

Removing rows with the `TRUNCATE TABLE` statement can be faster than removing all rows with the `DELETE` statement, especially if the table has numerous triggers, indexes, and other dependencies.

#### See Also:

- [DELETE](#) and [DROP TABLE](#) for information on other ways of removing data from a table
- [TRUNCATE CLUSTER](#) for information on truncating a cluster

## Prerequisites

To truncate a table, the table must be in your schema or you must have the `DROP ANY TABLE` system privilege.


To specify the `CASCADE` clause, all affected child tables must be in your schema or you must have the `DROP ANY TABLE` system privilege.

You can truncate a private temporary table with the existing `TRUNCATE TABLE` command. Truncating a private temporary table will not commit and existing transaction. This applies to both transaction-specific and session-specific private temporary tables. Note that a truncated private temporary table will not go into the `RECYCLEBIN`.

 **See Also:**  
"Restrictions on Truncating Tables"

## Syntax

*truncate\_table*::=



## Semantics

### TABLE Clause

Specify the schema and name of the table to be truncated. This table cannot be part of a cluster. If you omit *schema*, then Oracle Database assumes the table is in your own schema.

- You can truncate index-organized tables and temporary tables. When you truncate a temporary table, only the rows created during the current session are removed.
- Oracle Database changes the `NEXT` storage parameter of *table* to be the size of the last extent deleted from the segment in the process of truncation.
- Oracle Database also automatically truncates and resets any existing `UNUSABLE` indicators for the following indexes on *table*: range and hash partitions of local indexes and subpartitions of local indexes.
- If *table* is not empty, then the database marks `UNUSABLE` all nonpartitioned indexes and all partitions of global partitioned indexes on the table. However, when the table is truncated, the index is also truncated, and a new high water mark is calculated for the



index segment. This operation is equivalent to creating a new segment for the index. Therefore, at the end of the truncate operation, the indexes are once again `USABLE`.

- For a domain index, this statement invokes the appropriate truncate routine to truncate the domain index data.

 **See Also:**

*Oracle Database Data Cartridge Developer's Guide* for more information on domain indexes

- If a regular or index-organized table contains LOB columns, then all LOB data and LOB index segments are truncated.
- If *table* is partitioned, then all partitions or subpartitions, as well as the LOB data and LOB index segments for each partition or subpartition, are truncated.

 **Note:**

When you truncate a table, Oracle Database automatically removes all data in the table's indexes and any materialized view direct-path `INSERT` information held in association with the table. This information is independent of any materialized view log. If this direct-path `INSERT` information is removed, then an incremental refresh of the materialized view may lose data.

- All cursors are invalidated.

### Restrictions on Truncating Tables

This statement is subject to the following restrictions:

- You cannot roll back a `TRUNCATE TABLE` statement.
- You cannot flash back to the state of the table before the truncate operation.
- You cannot individually truncate a table that is part of a cluster. You must either truncate the cluster, delete all rows from the table, or drop and re-create the table.
- You cannot truncate the parent table of an enabled foreign key constraint. You must disable the constraint before truncating the table. An exception is that you can truncate the table if the integrity constraint is self-referential.
- If a domain index is defined on *table*, then neither the index nor any index partitions can be marked `IN_PROGRESS`.
- You cannot truncate the parent table of a reference-partitioned table. You must first drop the reference-partitioned child table.
- You cannot truncate a duplicated table.

### MATERIALIZED VIEW LOG Clause

The `MATERIALIZED VIEW LOG` clause lets you specify whether a materialized view log defined on the table is to be preserved or purged when the table is truncated. This

clause permits materialized view master tables to be reorganized through export or import without affecting the ability of primary key materialized views defined on the master to be fast refreshed. To support continued fast refresh of primary key materialized views, the materialized view log must record primary key information.

**Note:**

The keyword `SNAPSHOT` is supported in place of `MATERIALIZED VIEW` for backward compatibility.

**PRESERVE**

Specify `PRESERVE` if any materialized view log should be preserved when the master table is truncated. This is the default.

**PURGE**

Specify `PURGE` if any materialized view log should be purged when the master table is truncated.

**See Also:**

*Oracle Database Administrator's Guide* for more information about materialized view logs and the `TRUNCATE` statement

**STORAGE Clauses**

The `STORAGE` clauses let you determine what happens to the space freed by the truncated rows. The `DROP STORAGE` clause, `DROP ALL STORAGE` clause, and `REUSE STORAGE` clause also apply to the space freed by the data deleted from associated indexes.

**DROP STORAGE**

Specify `DROP STORAGE` to deallocate all space from the deleted rows from the table except the space allocated by the `MINEXTENTS` parameter of the table. This space can subsequently be used by other objects in the tablespace. Oracle Database also sets the `NEXT` storage parameter to the size of the last extent removed from the segment in the truncation process. This setting, which is the default, is useful for small and medium-sized objects. The extent management in locally managed tablespace is very fast in these cases, so there is no need to reserve space.

**DROP ALL STORAGE**

Specify `DROP ALL STORAGE` to deallocate all space from the deleted rows from the table, including the space allocated by the `MINEXTENTS` parameter. All segments for the table, as well as all segments for its dependent objects, will be deallocated.

**Restrictions on DROP ALL STORAGE**

This clause is subject to the same restrictions as described in "[Restrictions on Deferred Segment Creation](#)".

**REUSE STORAGE**

Specify `REUSE STORAGE` to retain the space from the deleted rows allocated to the table. Storage values are not reset to the values when the table was created. This space can subsequently be used only by new data in the table resulting from insert or update operations. This clause leaves storage parameters at their current settings.

This setting is useful as an alternative to deleting all rows of a very large table—when the number of rows is very large, the table entails many thousands of extents, and when data is to be reinserted in the future.

This clause is not valid for temporary tables. A session becomes unbound from the temporary table when the table is truncated, so the storage is automatically dropped.

If you have specified more than one free list for the object you are truncating, then the `REUSE STORAGE` clause also removes any mapping of free lists to instances and resets the high-water mark to the beginning of the first extent.

### CASCADE

If you specify `CASCADE`, then Oracle Database truncates all child tables that reference *table* with an enabled `ON DELETE CASCADE` referential constraint. This is a recursive operation that will truncate all child tables, grandchild tables, and so on, using the specified options.

### Examples

#### Truncating a Table: Example

The following statement removes all rows from a hypothetical copy of the sample table `hr.employees` and returns the freed space to the tablespace containing `employees`:

```
TRUNCATE TABLE employees_demo;
```

The preceding statement also removes all data from all indexes on `employees` and returns the freed space to the tablespaces containing them.

#### Preserving Materialized View Logs After Truncate: Example

The following statements are examples of `TRUNCATE` statements that preserve materialized view logs:

```
TRUNCATE TABLE sales_demo PRESERVE MATERIALIZED VIEW LOG;
```

```
TRUNCATE TABLE orders_demo;
```

## UPDATE

### Purpose

Use the `UPDATE` statement to change existing values in a table or in the base table of a view or the master table of a materialized view.

### Prerequisites

For you to update values in a table, the table must be in your own schema or you must have the `UPDATE` object privilege on the table.

For you to update values in the base table of a view:

- You must have the `UPDATE` object privilege on the view, and

- Whoever owns the schema containing the view must have the UPDATE object privilege on the base table.


The UPDATE ANY TABLE system privilege also allows you to update values in any table or in the base table of any view.

To update values in an object on a remote database, you must also have the READ or SELECT object privilege on the object.

If the SQL92\_SECURITY initialization parameter is set to TRUE and the UPDATE operation references table columns, such as the columns in a *where\_clause*, then you must also have the SELECT object privilege on the object you want to update.


### Syntax

**update::=**




(*DML\_table\_expression\_clause::=*, *update\_set\_clause::=*, *where\_clause::=*, *returning\_clause::=*, *error\_logging\_clause::=*, *from\_using\_clause::=*)

**DML\_table\_expression\_clause::=**




(*partition\_extension\_clause::=*, *subquery::=*--part of SELECT, *subquery\_restriction\_clause::=*, *table\_collection\_expression::=*)


***partition\_extension\_clause::=***




***subquery\_restriction\_clause::=***




***table\_collection\_expression::=***






***update\_set\_clause::=***



***from\_using\_clause::=***



**where\_clause::=****order\_by\_clause::=**See [order\\_by\\_clause::=](#)**returning\_clause::=****error\_logging\_clause::=****Semantics****hint**

Specify a comment that passes instructions to the optimizer on choosing an execution plan for the statement.

You can place a parallel hint immediately after the `UPDATE` keyword to parallelize both the underlying scan and `UPDATE` operations.

 **See Also:**

- ["Hints"](#) for the syntax and description of hints
- *Oracle Database Concepts* for detailed information about parallel execution

***DML\_table\_expression\_clause***

The `ONLY` clause applies only to views. Specify `ONLY` syntax if the view in the `UPDATE` clause is a view that belongs to a hierarchy and you do not want to update rows from any of its subviews.

**See Also:**

"Restrictions on the `DML_table_expression_clause`" and "Updating a Table: Examples"

***schema***

Specify the schema containing the object to be updated. If you omit *schema*, then the database assumes the object is in your own schema.

***table | view | materialized\_view | subquery***

Specify the name of the table, view, materialized view, or the columns returned by a subquery to be updated. Issuing an `UPDATE` statement against a table fires any `UPDATE` triggers associated with the table.

- If you specify *view*, then the database updates the base table of the view. You cannot update a view except with `INSTEAD OF` triggers if the defining query of the view contains one of the following constructs:
  - A set operator
  - A `DISTINCT` operator
  - An aggregate or analytic function
  - A `GROUP BY`, `ORDER BY`, `MODEL`, `CONNECT BY`, or `START WITH` clause
  - A collection expression in a `SELECT` list
  - A subquery in a `SELECT` list
  - A subquery designated `WITH READ ONLY`
  - A recursive `WITH` clause
  - Joins, with some exceptions, as documented in *Oracle Database Administrator's Guide*
- You cannot update more than one base table through a view.
- In addition, if the view was created with the `WITH CHECK OPTION`, then you can update the view only if the resulting data satisfies the view's defining query.
- If *table* or the base table of *view* contains one or more domain index columns, then this statement executes the appropriate indextype update routine.
- You cannot update rows in a read-only materialized view. If you update rows in a writable materialized view, then the database updates the rows from the underlying container table. However, the updates are overwritten at the next refresh operation. If you update rows in an updatable materialized view that is part of a materialized view group, then the database also updates the corresponding rows in the master table.

 **See Also:**

- *Oracle Database Data Cartridge Developer's Guide* for more information on the indextype update routines
- [CREATE MATERIALIZED VIEW](#) for information on creating updatable materialized views

***partition\_extension\_clause***

Specify the name or partition key value of the partition or subpartition within *table* targeted for updates. You need not specify the partition name when updating values in a partitioned table. However in some cases specifying the partition name can be more efficient than a complicated *where\_clause*.

 **See Also:**

["References to Partitioned Tables and Indexes "](#) and ["Updating a Partition: Example"](#)

***dblink***

Specify a complete or partial name of a database link to a remote database where the object is located. You can use a database link to update a remote object only if you are using Oracle Database distributed functionality.

If you omit *dblink*, then the database assumes the object is on the local database.

 **Note:**

Starting with Oracle Database 12c Release 2 (12.2), the `UPDATE` statement accepts remote LOB locators as bind variables. Refer to the "Distributed LOBs" chapter in *Oracle Database SecureFiles and Large Objects Developer's Guide* for more information.

 **See Also:**

["References to Objects in Remote Databases "](#) for information on referring to database links

***subquery\_restriction\_clause***

Use the *subquery\_restriction\_clause* to restrict the subquery in one of the following ways:

**WITH READ ONLY**

Specify `WITH READ ONLY` to indicate that the table or view cannot be updated.



## WITH CHECK OPTION

Specify `WITH CHECK OPTION` to indicate that Oracle Database prohibits any changes to the table or view that would produce rows that are not included in the subquery. When used in the subquery of a DML statement, you can specify this clause in a subquery in the `FROM` clause but not in subquery in the `WHERE` clause.

### CONSTRAINT *constraint*

Specify the name of the `CHECK OPTION` constraint. If you omit this identifier, then Oracle automatically assigns the constraint a name of the form `SYS_Cn`, where `n` is an integer that makes the constraint name unique within the database.



#### See Also:

["Using the WITH CHECK OPTION Clause: Example"](#)

### *table\_collection\_expression*

The *table\_collection\_expression* lets you inform Oracle that the value of *collection\_expression* should be treated as a table for purposes of query and DML operations. The *collection\_expression* can be a subquery, a column, a function, or a collection constructor. Regardless of its form, it must return a collection value—that is, a value whose type is nested table or varray. This process of extracting the elements of a collection is called **collection unnesting**.

The optional plus (+) is relevant if you are joining the `TABLE` collection expression with the parent table. The + creates an outer join of the two, so that the query returns rows from the outer table even if the collection expression is null.



#### Note:

In earlier releases of Oracle, when *collection\_expression* was a subquery, *table\_collection\_expression* was expressed as `THE subquery`. That usage is now deprecated.

You can use a *table\_collection\_expression* to update rows in one table based on rows from another table. For example, you could roll up four quarterly sales tables into a yearly sales table.

### *t\_alias*

Specify a **correlation name** (alias) for the table, view, or subquery to be referenced elsewhere in the statement. This alias is required if the *DML\_table\_expression\_clause* references any object type attributes or object type methods.



#### See Also:

["Correlated Update: Example"](#)

### Restrictions on the *DML\_table\_expression\_clause*

This clause is subject to the following restrictions:

- You cannot execute this statement if *table* or the base table of *view* contains any domain indexes marked `IN_PROGRESS` or `FAILED`.
- You cannot insert into a partition if any affected index partitions are marked `UNUSABLE`.
- You cannot specify the *order\_by\_clause* in the subquery of the *DML\_table\_expression\_clause*.
- If you specify an index, index partition, or index subpartition that has been marked `UNUSABLE`, then the `UPDATE` statement will fail unless the `SKIP_UNUSABLE_INDEXES` session parameter has been set to `TRUE`.



#### See Also:

[ALTER SESSION](#) for information on the `SKIP_UNUSABLE_INDEXES` session parameter

### *update\_set\_clause*

The *update\_set\_clause* lets you set column values.

#### *column*

Specify the name of a column of the object that is to be updated. If you omit a column of the table from the *update\_set\_clause*, then the value of that column remains unchanged.

If *column* refers to a LOB object attribute, then you must first initialize it with a value of empty or null. You cannot update it with a literal. Also, if you are updating a LOB value using some method other than a direct `UPDATE` SQL statement, then you must first lock the row containing the LOB. See [for\\_update\\_clause](#) for more information.

If *column* is a virtual column, you cannot specify it here. Rather, you must update the values from which the virtual column is derived.

If *column* is part of the partitioning key of a partitioned table, then `UPDATE` will fail if you change a value in the column that would move the row to a different partition or subpartition, unless you enable row movement. Refer to the *row\_movement\_clause* of [CREATE TABLE](#) or [ALTER TABLE](#).

In addition, if *column* is part of the partitioning key of a list-partitioned table, then `UPDATE` will fail if you specify a value for the column that does not already exist in the *partition\_key\_value* list of one of the partitions.

#### *subquery*

Specify a subquery that returns exactly one row for each row updated.

- If you specify only one column in the *update\_set\_clause*, then the subquery can return only one value.
- If you specify multiple columns in the *update\_set\_clause*, then the subquery must return as many values as you have specified columns.
- If the subquery returns no rows, then the column is assigned a null.

- If this *subquery* refers to remote objects, then the UPDATE operation can run in parallel as long as the reference does not loop back to an object on the local database. However, if the *subquery* in the *DML\_table\_expression\_clause* refers to any remote objects, then the UPDATE operation will run serially without notification.

You can use the *flashback\_query\_clause* within the subquery to update *table* with past data. Refer to the *flashback\_query\_clause* of SELECT for more information on this clause.

 **See Also:**

- [SELECT and "Using Subqueries "](#)
- [parallel\\_clause](#) in the [CREATE TABLE](#) documentation

**expr**

Specify an expression that resolves to the new value assigned to the corresponding column.

 **Note:**

[Expressions](#) for the syntax of *expr* and "[Updating an Object Table: Example](#)"

**DEFAULT**

Specify DEFAULT to set the column to the value previously specified as the default value for the column. If no default value for the corresponding column has been specified, then the database sets the column to null.

**Restriction on Updating to Default Values**

You cannot specify DEFAULT if you are updating a view.

You cannot use the DEFAULT clause in an UPDATE statement if the table that you are specifying has an Oracle Label Security policy enabled.

**VALUE Clause**

The VALUE clause lets you specify the entire row of an object table.

**Restriction on the VALUE clause**

You can specify this clause only for an object table.

 **Note:**

If you insert string literals into a RAW column, then during subsequent queries, Oracle Database will perform a full table scan rather than using any index that might exist on the RAW column.

**See Also:**

"Updating an Object Table: Example"

***from\_using\_clause***

Use this clause to filter the rows `UPDATE` changes, or to provide the values for the columns in the target table. Specify the join conditions in the *where\_clause*. You can outer join source tables to the target table with (+). The target table cannot be the outer table in the join.

You can join many tables, views, and inline views. Specify the join conditions in the *where\_clause* or use the *join\_clause* to join these to each other with ANSI join syntax.

You can specify the same table in the *dml\_table\_expression\_clause* and *from\_clause*. When you do so they must have unique aliases.

**Example: Update With Direct-Join**

In this example, the join condition between table `employees e` and table `jobs j` determines which rows of `employees` are updated. The column `jobs.max_salary` supplies the new values for `employees.salary`:

```
UPDATE employees e
SET    e.salary = j.max_salary
FROM   jobs j
WHERE  j.job_id = e.job_id;
```

Direct joins for `UPDATE` have the same semantics and restrictions as `SELECT` in the *from\_clause* and *where\_clause*. The target table has the same restrictions as `UPDATE`. Triggers on the target table fire as normal.

**Restrictions**

- You cannot specify ANSI join syntax involving the *dml\_table\_expression\_clause*. However, ANSI join syntax is allowed between the tables specified in the `FROM` clause. Right and full outer joins are not allowed.
- The `UPDATE` can change each row at most once. If the join condition results in the same row being updated more than once, the statement will raise an `ORA-30926` error.
- You can only specify one table, view, or materialized view in *dml\_table\_expression\_clause* when the *from\_clause* is present.
- The left-hand side of *update\_set\_clause* must be a column from the *dml\_table\_expression\_clause* and not from the *from\_clause*.
- You can use a lateral view in the `FROM` clause, but it cannot reference a column from the update target. It may be outer-joined.
- Order by position is not allowed in the *order\_by\_clause*.
- `UPDATE` with *from\_clause* supports *returning\_clause* and *error\_logging\_clause*.
- Hint clause can be used to specify instructions to the optimizer for joins involving the *from\_clause*.

### ***where\_clause***

The *where\_clause* lets you restrict the rows updated to those for which the specified *condition* is true. If you omit this clause, then the database updates all rows in the table or view. Refer to [Conditions](#) for the syntax of *condition*.

The *where\_clause* determines the rows in which values are updated. If you do not specify the *where\_clause*, then all rows are updated. For each row that satisfies the *where\_clause*, the columns to the left of the equality operator (=) in the *update\_set\_clause* are set to the values of the corresponding expressions to the right of the operator. The expressions are evaluated as the row is updated.

### ***order\_by\_clause***

The following restrictions apply to the ORDER BY clause:

- When used in an analytic function, the *order\_by\_clause* must take an expression *expr*.
- The SIBLINGS keyword is not valid (it is relevant only in hierarchical queries)
- The *position* alias is invalid.

See [order\\_by\\_clause](#)

### ***returning\_clause***

You can specify this clause for tables, views, and materialized views with a single base table.

When operating on a single row, a DML statement with a *returning\_clause* can retrieve column values using the affected row, rowid, and REFs to the affected row and store them in host variables or PL/SQL variables.

When operating on multiple rows, a DML statement with the *returning\_clause* returns values from expressions, rowids, and REFs involving the affected rows in bind arrays.

### ***expr***

Each item in the *expr* list must be a valid expression syntax.

### **INTO**

The INTO clause indicates that the values of the changed rows are to be stored in the variable(s) specified in *data\_item* list.

### ***data\_item***

Each *data\_item* is a host variable or PL/SQL variable that stores the retrieved *expr* value.

For each expression in the RETURNING list, you must specify a corresponding type-compatible PL/SQL variable or host variable in the INTO list.

Given columns *c1* and *c2* in a table, you can specify OLD for a column *c1*, (for example OLD *c1*). You can also specify OLD for a column referenced by a column expression (for example *c1*+OLD *c2*). When OLD is specified for a column, the column value before the update is returned. In the case of a column referenced by a column expression, what

is returned is the result from evaluating the column expression using the column value before the update.

`NEW` can be explicitly specified for a column, or column referenced in an expression to return a column value after the update, or an expression result that uses the after update value of a column.

When `OLD` and `NEW` are both omitted for a column or an expression, the after update column value, or expression result computed using after update column values, is returned.

### Restrictions

The following restrictions apply to the `RETURNING` clause:

- The `expr` is restricted as follows:
  - For `UPDATE` and `DELETE` statements each `expr` must be a simple expression or a single-set aggregate function expression. You cannot combine simple expressions and single-set aggregate function expressions in the same `returning_clause`. For `INSERT` statements, each `expr` must be a simple expression. Aggregate functions are not supported in an `INSERT` statement `RETURNING` clause.
  - Single-set aggregate function expressions cannot include the `DISTINCT` keyword.
- If the `expr` list contains a primary key column or other `NOT NULL` column, then the update statement fails if the table has a `BEFORE UPDATE` trigger defined on it.
- You cannot specify the `returning_clause` for a multitable insert.
- You cannot use this clause with parallel DML or with remote objects.
- You cannot retrieve `LONG` types with this clause.
- You cannot specify this clause for a view on which an `INSTEAD OF` trigger has been defined.

#### See Also:

*Oracle Database PL/SQL Language Reference* for information on using the `BULK COLLECT` clause to return multiple values to collection variables

### `error_logging_clause`

The `error_logging_clause` has the same behavior in an `UPDATE` statement as it does in an `INSERT` statement. Refer to the `INSERT` statement [error\\_logging\\_clause](#) for more information.

#### See Also:

"Inserting Into a Table with Error Logging: Example"

### Examples

#### Updating a Table: Examples

The following statement gives null commissions to all employees with the job `SH_CLERK`:

```
UPDATE employees
  SET commission_pct = NULL
  WHERE job_id = 'SH_CLERK';
```

The following statement promotes Douglas Grant to manager of Department 20 with a \$1,000 raise:

```
UPDATE employees SET
  job_id = 'SA_MAN', salary = salary + 1000, department_id = 120
  WHERE first_name||' '||last_name = 'Douglas Grant';
```

The following statement increases the salary of an employee in the `employees` table on the `remote` database:

```
UPDATE employees@remote
  SET salary = salary*1.1
  WHERE last_name = 'Baer';
```

The next example shows the following syntactic constructs of the `UPDATE` statement:

- Both forms of the `update_set_clause` together in a single statement
- A correlated subquery
- A `where_clause` to limit the updated rows

```
UPDATE employees a
  SET department_id =
    (SELECT department_id
     FROM departments
     WHERE location_id = '2100'),
    (salary, commission_pct) =
    (SELECT 1.1*AVG(salary), 1.5*AVG(commission_pct)
     FROM employees b
     WHERE a.department_id = b.department_id)
  WHERE department_id IN
    (SELECT department_id
     FROM departments
     WHERE location_id = 2900
     OR location_id = 2700);
```

The preceding `UPDATE` statement performs the following operations:

- Updates only those employees who work in Geneva or Munich (locations 2900 and 2700)
- Sets `department_id` for these employees to the `department_id` corresponding to Bombay (`location_id` 2100)
- Sets each employee's salary to 1.1 times the average salary of their department
- Sets each employee's commission to 1.5 times the average commission of their department

### Updating a Partition: Example

The following example updates values in a single partition of the `sales` table:

```
UPDATE sales PARTITION (sales_q1_1999) s
  SET s.promo_id = 494
  WHERE amount_sold > 1000;
```

### Updating an Object Table: Example

The following statement creates two object tables, `people_demo1` and `people_demo2`, of the `people_typ` object created in [Table Collections: Examples](#). The example shows how to update a row of `people_demo1` by selecting a row from `people_demo2`:

```
CREATE TABLE people_demo1 OF people_typ;

CREATE TABLE people_demo2 OF people_typ;

UPDATE people_demo1 p SET VALUE(p) =
  (SELECT VALUE(q) FROM people_demo2 q
   WHERE p.department_id = q.department_id)
 WHERE p.department_id = 10;
```

The example uses the `VALUE` object reference function in both the `SET` clause and the subquery.

### Correlated Update: Example

For an example that uses a correlated subquery to update nested table rows, refer to "[Table Collections: Examples](#)".

### Using the RETURNING Clause During UPDATE: Example

The following example returns values from the updated row and stores the result in PL/SQL variables `bnd1`, `bnd2`, `bnd3`:

```
UPDATE employees
  SET job_id='SA_MAN', salary = salary + 1000, department_id = 140
  WHERE last_name = 'Jones'
  RETURNING salary*0.25, last_name, department_id
  INTO :bnd1, :bnd2, :bnd3;
```

The following example shows that you can specify a single-set aggregate function in the expression of the returning clause:

```
UPDATE employees
  SET salary = salary * 1.1
  WHERE department_id = 100
  RETURNING SUM(salary) INTO :bnd1;
```

### Update Using Direct Join: Example

The following example sets every employee's salary to the max salary for their job:

```
UPDATE hr.employees e
  SET e.salary = j.max_salary
  FROM hr.jobs j
  WHERE e.job_id = j.job_id;
```



# A

## How to Read Syntax Diagrams

This appendix describes how to read syntax diagrams.

This reference presents Oracle SQL syntax in both graphic diagrams and in text (Backus-Naur Form—BNF). This appendix contains these sections:

- [Graphic Syntax Diagrams](#)
- [Backus-Naur Form Syntax](#)


### Graphic Syntax Diagrams

Syntax diagrams are drawings that illustrate valid SQL syntax. To read a diagram, trace it from left to right, in the direction shown by the arrows.

Commands and other keywords appear in UPPERCASE inside rectangles. Type them exactly as shown in the rectangles. Parameters appear in lowercase inside ovals. Variables are used for the parameters. Punctuation, operators, delimiters, and terminators appear inside circles.


If the syntax diagram has more than one path, then you can choose any path. For example, in the following syntax you can specify either `NOPARALLEL` or `PARALLEL`:

***parallel\_clause ::=***



If you have the choice of more than one keyword, operator, or parameter, then your options appear in a vertical list. For example, in the following syntax diagram, you can specify one or more of the four parameters in the stack:

***physical\_attributes\_clause ::=***



The following table shows parameters that appear in the syntax diagrams and provides examples of the values you might substitute for them in your statements:

**Table A-1 Syntax Parameters**


Parameter	Description	Examples
<i>table</i>	The substitution value must be the name of an object of the type specified by the parameter. For a list of all types of objects, see the section, " <a href="#">Schema Objects</a> ".	employees
<i>c</i>	The substitution value must be a single character from your database character set.	T s
<i>'text'</i>	The substitution value must be a text string in single quotation marks. See the syntax description of <i>'text'</i> in " <a href="#">Text Literals</a> ".	'Employee records'
<i>char</i>	The substitution value must be an expression of data type CHAR or VARCHAR2 or a character literal in single quotation marks.	last_name 'Smith'
<i>condition</i>	The substitution value must be a condition that evaluates to TRUE or FALSE. See the syntax description of <i>condition</i> in <a href="#">Conditions</a> .	last_name >'A'
<i>date</i> <i>d</i>	The substitution value must be a date constant or an expression of DATE data type.	TO_DATE( '01-Jan-2002', 'DD-MON-YYYY')
<i>expr</i>	The substitution value can be an expression of any data type as defined in the syntax description of <i>expr</i> in " <a href="#">About SQL Expressions</a> ".	salary + 1000
<i>integer</i>	The substitution value must be an integer as defined by the syntax description of integer in " <a href="#">Integer Literals</a> ".	72
<i>number</i> <i>m</i> <i>n</i>	The substitution value must be an expression of NUMBER data type or a number constant as defined in the syntax description of <i>number</i> in " <a href="#">Numeric Literals</a> ".	AVG(salary) 15 * 7
<i>raw</i>	The substitution value must be an expression of data type RAW.	HEXTORAW('7D')
<i>subquery</i>	The substitution value must be a SELECT statement that will be used in another SQL statement. See <a href="#">SELECT</a> .	SELECT last_name FROM employees
<i>db_name</i>	The substitution value must be the name of a nondefault database in an embedded SQL program.	sales_db
<i>db_string</i>	The substitution value must be the database identification string for an Oracle Net database connection. For details, see the user's guide for your specific Oracle Net protocol.	—

## Required Keywords and Parameters

Required keywords and parameters can appear singly or in a vertical list of alternatives. Single required keywords and parameters appear on the main path,

which is the horizontal line you are currently traveling. In the following example, *library\_name* is a required parameter:

**drop\_library::=**




If there is a library named `HQ_LIB`, then, according to the diagram, the following statement is valid:

```
DROP LIBRARY hq_lib;
```

If multiple keywords or parameters appear in a vertical list that intersects the main path, then one of them is required. You must choose one of the keywords or parameters, but not necessarily the one that appears on the main path. In the following example, you must choose `ALL`, `STANDBY`, or `NONE`:

**security\_clause::=**




## Optional Keywords and Parameters

If keywords and parameters appear in a vertical list above the main path, then they are optional. In the following example, instead of traveling down a vertical line, you can continue along the main path:

**deallocate\_unused\_clause::=**



**size\_clause::=**




According to the diagrams, all of the following statements are valid:

```
DEALLOCATE UNUSED;
DEALLOCATE UNUSED KEEP 1000;
DEALLOCATE UNUSED KEEP 10G;
DEALLOCATE UNUSED 8T;
```

## Syntax Loops

Loops let you repeat the syntax within them as many times as you like. In the following example, after choosing one value expression, you can go back repeatedly to choose another, separated by commas.


**query\_partition\_clause::=**



## Multipart Diagrams

Read a multipart diagram as if all the main paths were joined end to end. The following example is a three-part diagram:

**alter\_java::=**



According to the diagram, the following statement is valid:

```
ALTER JAVA SOURCE jsource_1 COMPILE;
```

## Backus-Naur Form Syntax

Each graphic syntax diagram in this reference is followed by a link to a text description of the graphic. The text descriptions consist of a simple variant of Backus-Naur Form (BNF) that includes the following symbols and conventions:

---

Symbol or Convention	Meaning
[ ]	Brackets enclose optional items.
{ }	Braces enclose items only one of which is required.
	A vertical bar separates alternatives within brackets or braces.
...	Ellipsis points show that the preceding syntactic element can be repeated.
delimiters	Delimiters other than brackets, braces, vertical bars, and ellipses must be entered as shown.
<b>boldface</b>	Words appearing in boldface are keywords. They must be typed as shown. (Keywords are case-sensitive in some, but not all, operating systems.) Words that are not in boldface are placeholders for which you must substitute a name or value.

---

# B

## Automatic and Manual Locking Mechanisms During SQL Operations

This appendix describes mechanisms that lock data either automatically or as specified by the user during SQL statements. For a general discussion of locking mechanisms in the context of data concurrency and consistency, see *Oracle Database Concepts*.

This appendix contains the following sections:

- [Automatic Locks in DML Operations](#)
- [Automatic Locks in DDL Operations](#)
- [Manual Data Locking](#)
- [List of Nonblocking DDLs](#)

### List of Nonblocking DDLs

#### Release 23

The following nonblocking DDLs are added in Release 23.3:

- alter table add column
- alter table set column unused
- alter table add constraint enable novalidate
- alter table drop constraint

#### Release 21

The following nonblocking DDLs are added in Release 21c:

- alter table modify default attributes tablespace
- alter table modify default attributes lob tablespace
- alter index modify default attributes tablespace
- alter table modify default attributes for partition tablespace
- alter table modify default attributes for partition lob tablespace
- alter index modify default attributes for partition tablespace

#### Release 12.2.0.2

##### List of Nonblocking DDLs Added in 12.2.0.2

- Alter table merge partition online
- alter table modify partition by .. online (to change the partitioning schema of a table)

### Release 12.2.0.1

#### List of Nonblocking DDLs Added in 12.2.0.1

- alter table split partition [subpartition] online
- alter table move online (move of a non-partitioned table)
- alter table modify partition by .. online (to convert a non-partitioned table to partitioned state)

### Release 12.1

The following nonblocking DDLs are added as of Release 12.1. Some nonblocking DDLs are downgraded to blocking in the presence of supplemental logging.

#### List of Nonblocking DDLs Added in 12.1

- drop index online
- alter index unusable online
- alter table move partition online
- alter table move subpartition online

#### List of Nonblocking DDLs Added in 12.1 that Downgrade to Blocking During Supplemental Logging

- alter table set unused column online
- alter table drop constraint online
- alter table modify column visible / invisible
- alter table add nullable column with default value

### Release 11.2

The following nonblocking DDLs are added as of Release 11.2. Some nonblocking DDLs are downgraded to blocking in the presence of supplemental logging.

#### List of Nonblocking DDLs Added in 11.2

- create index online
- alter index rebuild online
- alter index rebuild partition online
- alter index rebuild subpartition online
- alter index visible / novisible

#### List of Nonblocking DDLs Added in 11.2 that Downgrade to Blocking During Supplemental Logging

- alter table add column not null with default value
- alter table add constraint enable novalidate
- alter table modify constraint validate
- alter table add column (without any default)

## Automatic Locks in DML Operations

The purpose of a DML lock, also called a **data lock**, is to guarantee the integrity of data being accessed concurrently by multiple users. For example, a DML lock can prevent multiple customers from buying the last copy of a book available from an online bookseller. DML locks prevent destructive interference of simultaneous conflicting DML or DDL operations.

DML statements automatically acquire locks at both the table level and the row level. In the sections that follow, the acronym in parentheses after each type of lock or lock mode is the abbreviation used in the Locks Monitor of Oracle Enterprise Manager. Enterprise Manager might display "TM" for any table lock, rather than indicate the mode of table lock (such as RS or SRX).

The types of row and table locks are summarized here. For a more complete discussion of the types of row and table locks, see *Oracle Database Concepts*.

### Row Locks (TX)

A **row lock**, also called a **TX lock**, is a lock on a single row of a table. A transaction acquires a row lock for each row modified by one of the following statements: `INSERT`, `UPDATE`, `DELETE`, `MERGE`, and `SELECT ... FOR UPDATE`. The row lock exists until the transaction commits or rolls back.

When a transaction obtains a row lock for a row, the transaction also acquires a table lock for the table in which the row resides. The table lock prevents conflicting DDL operations that would override data changes in a current transaction.

### Table Locks (TM)

A transaction automatically acquires a table lock (**TM lock**) when a table is modified with the following statements: `INSERT`, `UPDATE`, `DELETE`, `MERGE`, and `SELECT ... FOR UPDATE`. These DML operations require table locks to reserve DML access to the table on behalf of a transaction and to prevent DDL operations that would conflict with the transaction. You can explicitly obtain a table lock using the `LOCK TABLE` statement, as described in "[Manual Data Locking](#)".

A table lock can be held in any of the following modes:

- A **row share lock (RS)**, also called a **subshare table lock (SS)**, indicates that the transaction holding the lock on the table has locked rows in the table and intends to update them. An SS lock is the least restrictive mode of table lock, offering the highest degree of concurrency for a table.
- A **row exclusive lock (RX)**, also called a **subexclusive table lock (SX)**, indicates that the transaction holding the lock has updated table rows or issued `SELECT ... FOR UPDATE`. An SX lock allows other transactions to query, insert, update, delete, or lock rows concurrently in the same table. Therefore, SX locks allow multiple transactions to obtain simultaneous SX and SS locks for the same table.
- A **share table lock (S)** held by one transaction allows other transactions to query the table (without using `SELECT ... FOR UPDATE`) but allows updates only if a single transaction holds the share table lock. Multiple transactions may hold a share table lock concurrently, so holding this lock is not sufficient to ensure that a transaction can modify the table.
- A **share row exclusive table lock (SRX)**, also called a **share-subexclusive table lock (SSX)**, is more restrictive than a share table lock. Only one transaction at a time can acquire an SSX lock on a given table. An SSX lock held by a transaction allows other



transactions to query the table (except for `SELECT ... FOR UPDATE`) but not to update the table.

- An **exclusive table lock (X)** is the most restrictive mode of table lock, allowing the transaction that holds the lock exclusive write access to the table. Only one transaction can obtain an X lock for a table.



**See Also:**

["Manual Data Locking"](#)

### Locks in DML Operations

Oracle Database automatically obtains row-level and table-level locks on behalf of DML operations. The type of operation determines the locking behavior. [Table B-1](#) summarizes the information in this section.



**Note:**

The implicit SX locks shown for the DML statements in [Table B-1](#) can sometimes be exclusive (X) locks for a short time owing to side effects from constraints.

**Table B-1 Summary of Locks Obtained by DML Statements**

SQL Statement	Row Locks	Table Lock Mode	RS	RX	S	SRX	X
<code>SELECT ... FROM table...</code>	—	none	Y	Y	Y	Y	Y
<code>INSERT INTO table ...</code>	Yes	SX	Y	Y	N	N	N
<code>UPDATE table ...</code>	Yes	SX	Y <sup>1</sup>	Y <sup>1</sup>	N	N	N
<code>MERGE INTO table ...</code>	Yes	SX	Y	Y	N	N	N
<code>DELETE FROM table ...</code>	Yes	SX	Y <sup>1</sup>	Y <sup>1</sup>	N	N	N
<code>SELECT ... FROM table FOR UPDATE OF ...</code>	Yes	SX	Y <sup>1</sup>	Y <sup>1</sup>	N	N	N
<code>LOCK TABLE table IN ...</code>	—						
ROW SHARE MODE		SS	Y	Y	Y	Y	N
ROW EXCLUSIVE MODE		SX	Y	Y	N	N	N
SHARE MODE		S	Y	N	Y	N	N
SHARE ROW EXCLUSIVE MODE		SSX	Y	N	N	N	N
EXCLUSIVE MODE		X	N	N	N	N	N

<sup>1</sup> Yes, if no conflicting row locks are held by another transaction. Otherwise, waits occur.

## Locks When Rows Are Queried

A query can be explicit, as in the `SELECT` statement, or implicit, as in most `INSERT`, `MERGE`, `UPDATE`, and `DELETE` statements. The only DML statement that does not necessarily include a query component is an `INSERT` statement with a `VALUES` clause. Because queries only read data, they are the SQL statements least likely to interfere with other SQL statements.

The following characteristics apply to a query *without* the `FOR UPDATE` clause:

- The query acquires no data locks. Therefore, other transactions can query and update a table being queried, including the specific rows being queried. Because queries without the `FOR UPDATE` clause do not acquire any data locks to block other operations, such queries are often referred to as **nonblocking queries**.
- The query does not have to wait for any data locks to be released. Therefore, the query can always proceed. An exception to this rule is that queries may have to wait for data locks in some very specific cases of pending distributed transactions.

## Locks When Rows Are Modified

Some databases use a lock manager to maintain a list of locks in memory. Oracle Database, in contrast, stores lock information in the data block that contains the locked row. Each row lock affects only a single row.

Oracle Database uses a queuing mechanism for acquisition of row locks. If a transaction requires a row lock, and if the row is not already locked, then the transaction acquires a lock in the row's data block. The transaction itself has an entry in the **interested transaction list (ITL)** section of the block header. Each row modified by this transaction points to a copy of the transaction ID stored in the ITL. Thus, 100 rows in the same block modified by a single transaction require 100 row locks, but all 100 rows reference a single transaction ID.

When a transaction ends, the transaction ID remains in the ITL section of the data block header. If a new transaction wants to modify a row, then it uses the transaction ID to determine whether the lock is active. If the lock is active, then the session of the new transaction asks to be notified when the lock is released; otherwise, the new transaction acquires the lock.

The characteristics of `INSERT`, `UPDATE`, `DELETE`, and `SELECT ... FOR UPDATE` statements are as follows:

- A transaction containing a DML statement acquires exclusive row locks on the rows modified by the statement. Therefore, other transactions cannot update or delete the locked rows until the locking transaction either commits or rolls back.
- In addition to these row locks, a transaction containing a DML statement that modifies data also requires at least a subexclusive table lock (SX) on the table that contains the affected rows. If the transaction already holds an S, SRX, or X table lock for the table, which are more restrictive than an SX lock, then the SX lock is not needed and is not acquired. If the containing transaction already holds only an SS lock, however, then Oracle Database automatically converts the SS lock to an SX lock.
- A transaction that contains a DML statement does not require row locks on any rows selected by a subquery or an implicit query.

In the following sample `UPDATE` statement, the `SELECT` statement in parentheses is a subquery, whereas the `WHERE a > 5` clause is an implicit query:

```
UPDATE t SET x = ( SELECT y FROM t2 WHERE t2.z = t.z ) WHERE a > 5;
```

A subquery or implicit query inside a DML statement is guaranteed to be consistent as of the start of the query and does not see the effects of the DML statement of which it forms a part.

- A query in a transaction can see the changes made by previous DML statements in the same transaction, but not the uncommitted changes of other transactions.



#### See Also:

*Oracle Database Concepts* for information on locks in foreign keys

## Automatic Locks in DDL Operations

A **data dictionary (DDL) lock** protects the definition of a schema object while it is acted upon or referred to by an ongoing DDL operation. For example, when a user creates a procedure, Oracle Database automatically acquires DDL locks for all schema objects referenced in the procedure definition. The DDL locks prevent these objects from being altered or dropped before procedure compilation is complete.

Oracle Database acquires a DDL lock automatically on behalf of any DDL transaction requiring it. Users cannot explicitly request DDL locks. Only individual schema objects that are modified or referenced are locked during DDL operations. The whole data dictionary is never locked.

DDL operations also acquire DML locks on the schema object to be modified.

### Exclusive DDL Locks

An **exclusive DDL lock** prevents other session from obtaining a DDL or DML lock.

Most DDL operations require exclusive DDL locks to prevent destructive interference with other DDL operations that might modify or reference the same schema object. For example, a `DROP TABLE` operation is not allowed to drop a table while an `ALTER TABLE` operation is adding a column to it, and vice versa. However, a query against the table is not blocked.

Exclusive DDL locks last for the duration of DDL statement execution and automatic commit. During the acquisition of an exclusive DDL lock, if another DDL lock is already held on the schema object by another operation, then the acquisition waits until the older DDL lock is released and then proceeds.

### Share DDL Locks

A **share DDL lock** for a resource prevents destructive interference with conflicting DDL operations, but allows data concurrency for similar DDL operations.

For example, when a `CREATE PROCEDURE` statement is run, the containing transaction acquires share DDL locks for all referenced tables. Other transactions can concurrently create procedures that reference the same tables and acquire concurrent share DDL locks on the same tables, but no transaction can acquire an exclusive DDL lock on any referenced table.

A share DDL lock lasts for the duration of DDL statement execution and automatic commit. Thus, a transaction holding a share DDL lock is guaranteed that the definition of the referenced schema object is constant for the duration of the transaction.

## Breakable Parse Locks

A **parse lock** is held by a SQL statement or PL/SQL program unit for each schema object that it references. Parse locks are acquired so that the associated shared SQL area can be invalidated if a referenced object is altered or dropped. A parse lock is called a **breakable parse lock** because it does not disallow any DDL operation and can be broken to allow conflicting DDL operations.

A **parse lock** is acquired in the shared pool during the parse phase of SQL statement execution. The lock is held as long as the shared SQL area for that statement remains in the shared pool.

## Manual Data Locking

Oracle Database always performs locking automatically to ensure data concurrency, data integrity, and statement-level read consistency. However, you can override the Oracle default locking mechanisms. This can be useful in situations such as the following:

- When your application requires consistent data for the duration of the transaction, not reflecting changes by other transactions, you can achieve transaction-level read consistency by using explicit locking, read-only transactions, serializable transactions, or by overriding default locking.
- When your application requires that a transaction have exclusive access to a resource so that the transaction does not have to wait for other transactions to complete, you can explicitly lock the data for the duration of the transaction.

You can override automatic locking at two levels:

- **Transaction.** You can override transaction-level locking with the following SQL statements:
  - SET TRANSACTION ISOLATION LEVEL
  - LOCK TABLE
  - SELECT ... FOR UPDATE

Locks acquired by these statements are released after the transaction commits or rolls back.

- **Session.** A session can set the required transaction isolate level with an ALTER SESSION SET ISOLATION LEVEL statement.

### Note:

When overriding Oracle default locking, the database administrator or application developer should ensure that data integrity is guaranteed, data concurrency is acceptable, and deadlocks are not possible or, if possible, are appropriately handled. For more information on these criteria, see *Oracle Database Concepts*.

# C

## Oracle and Standard SQL

This appendix declares Oracle's conformance to the SQL standards established by the American National Standards Institute (ANSI) and the International Organization for Standardization (ISO).

The ISO SQL and SQL/XML standard consists of eleven parts (SQL/Framework, SQL/Foundation, SQL/CLI, SQL/PSM, SQL/MED, SQL/OLB, SQL/Schemata, SQL/JRT, SQL/XML, SQL/MDA, and SQL/PGQ). The ANSI SQL standard consists of the same eleven parts.

The mandatory portion of SQL is known as Core SQL and is found in SQL:2016 Part 2 (Foundation) and Part 11 (Schemata). The Foundation features are analyzed in Annex F of Part 2 in the table "Feature taxonomy and definition for mandatory features." The Schemata features are analyzed in Annex F of Part 11 in the table "Feature taxonomy and definition for mandatory features."

This appendix contains the following sections:

- [ANSI Standards](#)
- [ISO Standards](#)
- [Oracle Compliance to Core SQL](#)
- [Oracle Support for Optional Features of SQL/Foundation](#)
- [Oracle Compliance with SQL/CLI](#)
- [Oracle Compliance with SQL/PSM](#)
- [Oracle Compliance with SQL/MED](#)
- [Oracle Compliance with SQL/OLB](#)
- [Oracle Compliance with SQL/JRT](#)
- [Oracle Compliance with SQL/XML](#)
- [Oracle Compliance with FIPS 127-2](#)
- [Oracle Extensions to Standard SQL](#)
- [Oracle Compliance with Older Standards](#)
- [Character Set Support](#)

## ANSI Standards

The following documents of the American National Standards Institute (ANSI) relate to SQL:

- INCITS/ANSI/ISO/IEC 9075-1:2016, Information technology—Database languages—SQL—Part 1: Framework (SQL/Framework)
- INCITS/ANSI/ISO/IEC 9075-2:2016, Information technology—Database languages—SQL—Part 2: Foundation (SQL/Foundation)
- INCITS/ANSI/ISO/IEC 9075-3:2016, Information technology—Database languages—SQL—Part 3: Call-Level Interface (SQL/CLI)

- INCITS/ANSI/ISO/IEC 9075-4:2016, Information technology—Database languages—SQL—Part 4: Persistent Stored Modules (SQL/PSM)
- INCITS/ANSI/ISO/IEC 9075-9:2016, Information technology—Database languages—SQL—Part 9: Management of External Data (SQL/MED)
- INCITS/ANSI/ISO/IEC 9075-10:2016, Information technology—Database languages—SQL—Part 10: Object Language Bindings (SQL/OLB)
- INCITS/ANSI/ISO/IEC 9075-11:2016, Information technology—Database languages—SQL—Part 11: Information and Definition Schemas (SQL/Schemata)
- INCITS/ANSI/ISO/IEC 9075-13:2016, Information technology—Database languages—SQL—Part 13: SQL Routines and Types using the Java Programming Language (SQL/JRT)
- INCITS/ANSI/ISO/IEC 9075-14:2016, Information technology—Database languages—SQL—Part 14: XML-Related Specifications (SQL/XML)

These standards are identical to the corresponding ISO standards listed in the next section.

You can obtain a copy of ANSI standards from this address:

American National Standards Institute  
25 West 43rd Street, fourth floor  
New York, NY 10036 USA  
Telephone: +1.212.642.4900  
Fax: +1.212.398.0023  
Web site: <http://www.ansi.org/>

You can also obtain the standards from their Web site:

<http://webstore.ansi.org/default.aspx>

A subset of ANSI standards, including the SQL standard, are INCITS standards. You can obtain these from the InterNational Committee for Information Technology Standards (INCITS) at:

<http://www.incits.org/>

## ISO Standards

The following documents of the International Organization for Standardization (ISO) relate to SQL:

- ISO/IEC 9075-1:2016, Information technology—Database languages—SQL—Part 1: Framework (SQL/Framework)
- ISO/IEC 9075-2:2016, Information technology—Database languages—SQL—Part 2: Foundation (SQL/Foundation)
- ISO/IEC 9075-3:2016, Information technology—Database languages—SQL—Part 3: Call-Level Interface (SQL/CLI)
- ISO/IEC 9075-4:2016, Information technology—Database languages—SQL—Part 4: Persistent Stored Modules (SQL/PSM)
- ISO/IEC 9075-9:2016, Information technology—Database languages—SQL—Part 9: Management of External Data (SQL/MED)

- ISO/IEC 9075-10:2016, Information technology—Database languages—SQL—Part 10: Object Language Bindings (SQL/OLB)
- ISO/IEC 9075-11:2016, Information technology—Database languages—SQL—Part 11: Information and Definition Schemas (SQL/Schemata)
- ISO/IEC 9075-13:2016, Information technology—Database languages—SQL—Part 13: SQL Routines and Types using the Java Programming Language (SQL/JRT)
- ISO/IEC 9075-14:2016, Information technology—Database languages—SQL—Part 14: XML-Related Specifications (SQL/XML)

You can obtain a copy of ISO standards from this address:

International Organization for Standardization  
1, ch. de la Voie-Creuse  
Case postale 56  
CH-1211, Geneva 20, Switzerland  
Phone: +41.22.749.0111  
Fax: +41.22.733.3430  
Web site: <http://www.iso.org/>

or from their Web store:

<http://www.iso.org/iso/store.htm>

## Oracle Compliance to Core SQL

The ANSI and ISO SQL standards require conformance claims to state the type of conformance and the implemented facilities. The minimum claim of conformance is called Core SQL and is defined in Part 2, SQL/Foundation, and Part 11, SQL/Schemata, of the standard. The following products provide full or partial conformance with Core SQL as described in the tables that follow:

- Oracle Database server, release 12.2
- OTT (Oracle Type Translator), release 12.2
- Pro\*C/C++, release 12.2
- Pro\*COBOL, release 12.2

The SQL standards conformance features can be used either as a guide to portability, or as a guide to functionality. From the standpoint of portability, the user is interested in conformance to both the precise syntax and semantics of the standard feature. From the standpoint of functionality, the user is less concerned about the precise syntax and more concerned with issues of semantics. The tables in this appendix use the following terms regarding support for standard syntax and semantics:

- Full Support: The feature is supported with standard syntax and semantics.
- Partial Support: Some, but not all, of the standard syntax is supported; whatever is supported has standard semantics.
- Enhanced Support: The standard semantics is supported, as well as additional functionality.
- Equivalent Support: The standard semantics is supported using non-standard syntax.
- Similar Support: Neither the standard's syntax nor semantics are supported precisely, but similar functionality is provided.

Oracle's support for the features of Core SQL is listed in [Table C-1](#):

**Table C-1 Oracle Support of Core SQL Features**

Feature ID, Feature	Support
E011, Numeric data types	Oracle fully supports this feature.
E021, Character data types	<p>Oracle fully supports these subfeatures:</p> <ul style="list-style-type: none"> <li>E021-01, CHARACTER data type</li> <li>E021-07, Character concatenation</li> <li>E021-08, UPPER and LOWER functions</li> <li>E021-09, TRIM function</li> <li>E021-10, Implicit casting among character data types</li> </ul> <p>Oracle partially supports these subfeatures:</p> <ul style="list-style-type: none"> <li>E021-02, CHARACTER VARYING data type (Oracle does not distinguish a zero-length VARCHAR string from NULL)</li> <li>E021-03, Character literals (Oracle regards the zero-length literal " as being null)</li> <li>E021-12, Character comparison (Oracle's rules for padding the shorter of two strings to be compared differs from the standard)</li> </ul> <p>Oracle has equivalent functionality for these subfeatures:</p> <ul style="list-style-type: none"> <li>E021-04, CHARACTER_LENGTH function: use LENGTH function instead</li> <li>E021-05, OCTET_LENGTH function: use LENGTHB function instead</li> <li>E021-06, SUBSTRING function: use SUBSTR function instead</li> <li>E021-11, POSITION function: use INSTR function instead</li> </ul>
E031, Identifiers	<p>Oracle supports this feature, with the following exceptions:</p> <ul style="list-style-type: none"> <li>Oracle does not support the escape sequence to permit a double quote within a quoted identifier</li> <li>A non-quoted identifier may not be equivalent to an Oracle reserved word (the list of Oracle reserved words differs from the standard's list)</li> <li>A column name may not be ROWID, even as a quoted identifier</li> </ul> <p>Oracle extends this feature as follows:</p> <ul style="list-style-type: none"> <li>An identifier may be up to 128 characters long</li> <li>A non-quoted identifier may have dollar sign (\$) or pound sign (#)</li> </ul>
E051, Basic query specification	<p>Oracle fully supports the following subfeatures:</p> <ul style="list-style-type: none"> <li>E051-01, SELECT DISTINCT</li> <li>E051-02, GROUP BY clause</li> <li>E051-04, GROUP BY can contain columns not in SELECT list</li> <li>E051-05, SELECT list items can be renamed</li> <li>E051-06, HAVING clause</li> <li>E051-07, Qualified * in SELECT list</li> </ul> <p>Oracle partially supports the following subfeatures:</p> <ul style="list-style-type: none"> <li>E051-08, Correlation names in FROM clause (Oracle supports correlation names, but not the optional AS keyword)</li> </ul> <p>Oracle has equivalent functionality for the following subfeature:</p> <ul style="list-style-type: none"> <li>E051-09, Rename columns in the FROM clause (column names can be renamed in a subquery in the FROM clause)</li> </ul>



**Table C-1 (Cont.) Oracle Support of Core SQL Features**

Feature ID, Feature	Support
E061, Basic predicates and search conditions	Oracle fully supports this feature, except that Oracle comparison of character strings differs from the standard as follows: In the standard, two character strings of unequal length are compared by either padding the shorter string with spaces or a fictitious character that is less than all actual characters. The decision on padding is made on the basis of the character set. In Oracle, the decision is based on whether the comparands are of fixed or varying length.
E071, Basic query expressions	<p>Oracle fully supports the following subfeatures:</p> <ul style="list-style-type: none"> <li>• E071-01, UNION DISTINCT table operator</li> <li>• E071-02, UNION ALL table operator</li> <li>• E071-05, Columns combined by table operators need not have exactly the same type</li> <li>• E071-06, table operators in subqueries</li> </ul> <p>Oracle has equivalent functionality for the following subfeature:</p> <ul style="list-style-type: none"> <li>• E071-03, EXCEPT DISTINCT table operator: Use MINUS instead of EXCEPT DISTINCT</li> </ul>
E081, Basic privileges	Oracle fully supports all subfeatures of this feature, except E081-09, USAGE privileges. In the standard, the USAGE privilege permits the user to use domains, collations, character sets, transliterations, user-defined types and sequence generators. Oracle does not support domains or transliterations. No privileges are required to access collations and character sets. The Oracle privilege to use a user-defined type is EXECUTE. The Oracle privilege to use a sequence type is SELECT.
E091, Set functions	Oracle fully supports this feature.
E101, Basic data manipulation	Oracle fully supports this feature.
E111, Single row SELECT statement	Oracle fully supports this feature.
E121, Basic cursor support	<p>Oracle fully supports the following subfeatures:</p> <ul style="list-style-type: none"> <li>• E121-02, ORDER BY columns need not be in SELECT list</li> <li>• E121-03, Value expressions in ORDER BY clause</li> <li>• E121-04, OPEN statement</li> <li>• E121-06, Positioned UPDATE statement</li> <li>• E121-07, Positioned DELETE statement</li> <li>• E121-08, CLOSE statement</li> </ul> <p>Oracle provides partial support for the following subfeatures:</p> <ul style="list-style-type: none"> <li>• E121-01, DECLARE CURSOR - fully supported, except for the FOR READ ONLY syntax</li> <li>• E121-10 FETCH statement, implicit NEXT - fully supported, except for the noise word FROM</li> </ul> <p>Oracle provides enhanced support for the following subfeature:</p> <ul style="list-style-type: none"> <li>• E121-17, WITH HOLD cursors (in the standard, a cursor is not held through a ROLLBACK, but Oracle does hold through ROLLBACK)</li> </ul>

**Table C-1 (Cont.) Oracle Support of Core SQL Features**

<b>Feature ID, Feature</b>	<b>Support</b>
E131, Null value support	Oracle fully supports this feature, with this exception: In Oracle, a null of character type is indistinguishable from a zero-length character string.
E141, Basic integrity constraints	Oracle fully supports this feature.
E151, Transaction support	Oracle fully supports this feature.
E152, Basic SET TRANSACTION statement	Oracle fully supports this feature.
E153, Updatable queries with subqueries	Oracle fully supports this feature.
E161, SQL comments using leading double minus	Oracle fully supports this feature.
E171, SQLSTATE support	Oracle fully supports this feature.
E182, Host language binding	Oracle fully supports this feature through Pro*C/C++ and Pro*COBOL
F021, Basic information schema	<p>Oracle does not have any of the views in this feature. However, Oracle makes the same information available in other metadata views:</p> <ul style="list-style-type: none"> <li>• Instead of TABLES, use ALL_TABLES.</li> <li>• Instead of COLUMNS, use ALL_TAB_COLUMNS.</li> <li>• Instead of VIEWS, use ALL_VIEWS.</li> </ul> <p>However, Oracle's ALL_VIEWS does not display whether a user view was defined WITH CHECK OPTION or if it is updatable. To see whether a view has WITH CHECK OPTION, use ALL_CONSTRAINTS, with TABLE_NAME equal to the view name and look for CONSTRAINT_TYPE equal to 'V'.</p> <ul style="list-style-type: none"> <li>• Instead of TABLE_CONSTRAINTS, REFERENTIAL_CONSTRAINTS, and CHECK_CONSTRAINTS, use ALL_CONSTRAINTS.</li> </ul> <p>However, Oracle's ALL_CONSTRAINTS does not display whether a constraint is deferrable or initially deferred.</p>

**Table C-1 (Cont.) Oracle Support of Core SQL Features**

Feature ID, Feature	Support
F031, Basic schema manipulation	<p>Oracle fully supports these subfeatures:</p> <ul style="list-style-type: none"> <li>F031-01, <code>CREATE TABLE</code> statement to create persistent base tables</li> <li>F031-02, <code>CREATE VIEW</code> statement</li> <li>F031-03, <code>GRANT</code> statement</li> </ul> <p>Oracle provides equivalent support for this subfeature:</p> <ul style="list-style-type: none"> <li>F031-04, <code>ALTER TABLE</code> statement: <code>ADD COLUMN</code> clause (Oracle does not support the optional keyword <code>COLUMN</code> in this syntax. Also, Oracle requires the column definition to be enclosed in parentheses, unlike the standard.)</li> </ul> <p>Oracle does not support these subfeatures (because Oracle does not support the keyword <code>RESTRICT</code>):</p> <ul style="list-style-type: none"> <li>F031-13, <code>DROP TABLE</code> statement: <code>RESTRICT</code> clause</li> <li>F031-16, <code>DROP VIEW</code> statement: <code>RESTRICT</code> clause</li> <li>F031-19, <code>REVOKE</code> statement: <code>RESTRICT</code> clause</li> </ul> <p>(Oracle <code>DROP</code> commands enhance the standard by invalidating dependent objects, so that they can be subsequently revalidated without user action, rather than either cascading all drops to dependent objects or prohibiting a drop if there is a dependent object.)</p>
F041, Basic joined table	Oracle fully supports this feature.
F051, Basic date and time	<p>Oracle fully supports this feature, except the following subfeatures are not supported:</p> <ul style="list-style-type: none"> <li>F051-02, <code>TIME</code> data type</li> <li>F051-07, <code>LOCALTIME</code></li> </ul>
F081, <code>UNION</code> and <code>EXCEPT</code> in views	Oracle fully supports <code>UNION</code> in views.
F131, Grouped operations	Oracle fully supports this feature.
F181, Multiple module support	Oracle fully supports this feature.
F201, <code>CAST</code> function	Oracle fully supports this feature.
F221, Explicit defaults	Oracle's <code>DEFAULT ON NULL</code> capability in a column definition provides equivalent functionality for the <code>INSERT</code> statement though not for the <code>UPDATE</code> statement.
F261, <code>CASE</code> expressions	Oracle fully supports this feature.
F311, Schema definition statement	Oracle fully supports this feature.
F471, Scalar subquery values	Oracle fully supports this feature.
F481, Expanded null predicate	Oracle fully supports this feature.

**Table C-1 (Cont.) Oracle Support of Core SQL Features**

Feature ID, Feature	Support
F501, Feature and conformance views	Oracle does not support this feature.
F812, Basic flagging	Oracle has a flagger, but it flags SQL-92 compliance rather than SQL:2011 compliance.
S011, Distinct types	Distinct types are strongly typed scalar types. A distinct type can be emulated in Oracle using an object type with only one attribute. The standard's Information Schema view called <code>USER_DEFINED_TYPES</code> is equivalent to Oracle's metadata view <code>ALL_TYPES</code> .
T321, Basic SQL-invoked routines	<p>Oracle fully supports these subfeatures:</p> <ul style="list-style-type: none"> <li>• T321-03, function invocation</li> <li>• T321-04, <code>CALL</code> statement</li> </ul> <p>Oracle supports these subfeatures with syntactic differences:</p> <ul style="list-style-type: none"> <li>• T321-01, user-defined functions with no overloading</li> <li>• T321-02, user-defined procedures with no overloading</li> </ul> <p>The Oracle syntax for <code>CREATE FUNCTION</code> and <code>CREATE PROCEDURE</code> differs from the standard as follows:</p> <ul style="list-style-type: none"> <li>• In the standard, the mode of a parameter (<code>IN</code>, <code>OUT</code>, or <code>INOUT</code>) comes before the parameter name, whereas in Oracle it comes after the parameter name.</li> <li>• The standard uses <code>INOUT</code>, whereas Oracle uses <code>IN OUT</code>.</li> <li>• Oracle requires either <code>IS</code> or <code>AS</code> after the return type and before the definition of the routine body, while the standard lacks these keywords.</li> <li>• If the routine body is in C (for example), then the standard uses the keywords <code>LANGUAGE C EXTERNAL NAME</code> to name the routine, whereas Oracle uses <code>LANGUAGE C NAME</code>.</li> <li>• If the routine body is in SQL, then Oracle uses its proprietary procedural extension called PL/SQL.</li> </ul> <p>Oracle supports the following subfeature in PL/SQL but not in Oracle SQL:</p> <ul style="list-style-type: none"> <li>• T321-05, <code>RETURN</code> statement</li> </ul> <p>Oracle provides equivalent functionality for the following subfeatures:</p> <ul style="list-style-type: none"> <li>• T321-06, <code>ROUTINES</code> view: Use the <code>ALL PROCEDURES</code> metadata view.</li> <li>• T321-07, <code>PARAMETERS</code> view: Use the <code>ALL_ARGUMENTS</code> and <code>ALL_METHOD_PARAMS</code> metadata views.</li> </ul>
T631, <code>IN</code> predicate with one list element	Oracle fully supports this feature.

## Oracle Support for Optional Features of SQL/Foundation

Oracle's support for optional features of SQL/Foundation is listed in [Table C-2](#):

**Table C-2 Oracle Support for Optional Features of SQL/Foundation**

Feature ID, Feature	Support
B012, Embedded C	Oracle fully supports this feature.
B013, Embedded COBOL	Oracle fully supports this feature.
B021, Direct SQL	Oracle fully supports this feature, as SQL*Plus.
B031, Basic dynamic SQL	<p>Oracle supports dynamic SQL in two styles, documented in the embedded language manuals as "Oracle dynamic SQL" and "ANSI dynamic SQL."</p> <p>ANSI dynamic SQL is an implementation of the standard, with the following restrictions:</p> <ul style="list-style-type: none"> <li>• Oracle supports a subset of the descriptor items.</li> <li>• For &lt;input using clause&gt;, Oracle only supports &lt;using input descriptor&gt;.</li> <li>• For &lt;output using clause&gt;, Oracle only supports &lt;into descriptor&gt;.</li> <li>• Dynamic parameters are indicated by a colon followed by an identifier rather than a question mark.</li> </ul> <p>Oracle dynamic SQL is similar to standard dynamic SQL, with the following modifications:</p> <ul style="list-style-type: none"> <li>• Parameters are indicated by a colon followed by an identifier, instead of a question mark.</li> <li>• Oracle's <code>DESCRIBE SELECT LIST FOR</code> statement replaces the standard's <code>DESCRIBE OUTPUT</code>.</li> <li>• Oracle provides <code>DECLARE STATEMENT</code> if you want to declare a cursor using a dynamic SQL statement physically prior to the <code>PREPARE</code> statement that prepares the dynamic SQL statement.</li> </ul>
B032, Extended dynamic SQL	<p>In ANSI dynamic SQL, Oracle only implements the ability to declare global statements and global cursors from this feature; the rest of the feature is not supported.</p> <p>In Oracle dynamic SQL, Oracle's <code>DESCRIBE BIND VARIABLES</code> is equivalent to the standard's <code>DESCRIBE INPUT</code>; the rest of this feature is not supported.</p>
B122, Routine language C	Oracle supports external routines written in C, though Oracle does not support the standard syntax for creating such routines.
B128, Routine language SQL	Oracle supports routines written in PL/SQL, which is Oracle's equivalent to the standard procedural language SQL/PSM.
F032, CASCADE drop behavior	In Oracle, a <code>DROP</code> command invalidates all of the dropped object's dependent objects. Invalidated objects are effectively unusable until the dropped object is redefined in such a way to allow successful recompilation of the invalidated object.
F033, ALTER TABLE statement: DROP COLUMN clause	Oracle provides a <code>DROP COLUMN</code> clause, but without the <code>RESTRICT</code> or <code>CASCADE</code> options found in the standard.

**Table C-2 (Cont.) Oracle Support for Optional Features of SQL/Foundation**

Feature ID, Feature	Support
F034, Extended <code>REVOKE</code> statement	<p>Oracle supports the following parts of this feature:</p> <ul style="list-style-type: none"> <li>F034-01, <code>REVOKE</code> statement performed by other than the owner of a schema object</li> <li>F034-03, <code>REVOKE</code> statement to revoke a privilege that the grantee has <code>WITH GRANT OPTION</code></li> </ul> <p>Oracle provides equivalent functionality for the following parts of this feature:</p> <ul style="list-style-type: none"> <li><code>CASCADE</code>: In Oracle, a <code>REVOKE</code> invalidates all dependent objects, which become effectively unusable until the metadata is changed through subsequent <code>CREATE</code> and <code>GRANT</code> commands enabling the invalidated object to be successfully recompiled.</li> </ul>
F052, Intervals and datetime arithmetic	Oracle only supports the <code>INTERVAL YEAR TO MONTH</code> and <code>INTERVAL DAY TO SECOND</code> data types.
F111, Isolations levels other than <code>SERIALIZABLE</code>	In addition to <code>SERIALIZABLE</code> , Oracle supports the <code>READ COMMITTED</code> isolation level.
F121, Basic diagnostics management	Much of the functionality of this feature is provided through the <code>SQLCA</code> in embedded languages.
F191, Referential delete actions	Oracle supports <code>ON DELETE CASCADE</code> and <code>ON DELETE SET NULL</code> .
F200, <code>TRUNCATE TABLE</code>	Oracle fully supports this feature, and extends it by permitting truncation of a table that references itself in a referential integrity constraint, and the ability to cascade to child tables with enabled <code>ON DELETE CASCADE</code> referential constraints.
F231, Privilege tables	<p>Oracle makes this information available in the following metadata views:</p> <ul style="list-style-type: none"> <li>Instead of <code>TABLE_PRIVILEGES</code>, use <code>ALL_TAB_PRIVS</code>.</li> <li>Instead of <code>COLUMN_PRIVILEGES</code>, use <code>ALL_COL_PRIVS</code>.</li> <li>Oracle does not support <code>USAGE</code> privileges so there is no equivalent to <code>USAGE_PRIVILEGES</code>.</li> </ul>
F281, <code>LIKE</code> enhancements	Oracle fully supports this feature.
F291, <code>UNIQUE</code> predicate	<p>The <code>IS A SET</code> condition may be used to test whether a multiset is a set; that is, each row is unique. Thus, the equivalent of</p> <pre>UNIQUE &lt;table subquery&gt;</pre> <p>is</p> <pre>CAST (&lt;table subquery&gt; AS MULTISSET) IS A SET</pre>
F302, <code>INTERSECT</code> table operator	Syntactically, Oracle differs from the standard in that <code>UNION</code> , <code>INTERSECT</code> , and <code>MINUS</code> have the same precedence.

**Table C-2 (Cont.) Oracle Support for Optional Features of SQL/Foundation**

Feature ID, Feature	Support
F312, MERGE statement	<p>The Oracle MERGE statement is almost the same as the standard, with these exceptions:</p> <ul style="list-style-type: none"> <li>• Oracle does not support the optional AS keyword before a table alias.</li> <li>• Oracle does not support the ability to rename columns of the table specified in the USING clause with a parenthesized list of column names following the table alias.</li> <li>• Oracle does not support the &lt;override clause&gt;.</li> </ul>
F314, MERGE statement with DELETE branch	<p>Oracle has similar functionality, though in Oracle you must first update a row, after which you can delete it if the revised row meets a condition.</p>
F321, User authorization	<p>Oracle provides equivalent functionality for the following subfeatures:</p> <ul style="list-style-type: none"> <li>• Use SYS_CONTEXT ('USERENV', 'SESSION_USER') instead of SESSION_USER</li> <li>• Use SYS_CONTEXT ('USERENV', 'CURRENT_USER') instead of CURRENT_USER</li> </ul> <p>Oracle does not support the following subfeatures:</p> <ul style="list-style-type: none"> <li>• SYSTEM_USER</li> <li>• SET SESSION AUTHORIZATION statement</li> </ul>
F341, Usage tables	<p>Oracle makes this information available in the views ALL_DEPENDENCIES, DBA_DEPENDENCIES, and USER_DEPENDENCIES.</p>
F381, Extended schema manipulation	<p>Oracle fully supports the following element of this feature:</p> <ul style="list-style-type: none"> <li>• Oracle supports the standard syntax to add a table constraint using ALTER TABLE.</li> </ul> <p>Oracle partially supports the following element of this feature:</p> <ul style="list-style-type: none"> <li>• Oracle supports the standard syntax to drop a table constraint, except that Oracle does not support RESTRICT.</li> </ul> <p>Oracle provides equivalent functionality for the following element of this feature:</p> <ul style="list-style-type: none"> <li>• To alter the default value of a column, use the MODIFY option of ALTER TABLE.</li> </ul> <p>Oracle does not support the following parts of this feature:</p> <ul style="list-style-type: none"> <li>• DROP SCHEMA statement</li> <li>• ALTER ROUTINE statement</li> </ul>
F382, Alter column data type	<p>Oracle supports this functionality, though with non-standard syntax. As an extension to the standard, Oracle allows you to reduce the size or precision of a column.</p>
F383, Set column not null clause	<p>Oracle provides equivalent functionality for the two subfeatures of this feature:</p> <ul style="list-style-type: none"> <li>• To add a NOT NULL constraint to an existing column, use ALTER TABLE ... MODIFY</li> <li>• To drop a NOT NULL constraint, use ALTER TABLE to drop the constraint by name</li> </ul>
F384, Drop identity property clause	<p>Oracle provides equivalent functionality using ALTER TABLE ... MODIFY (... DROP IDENTITY)</p>

**Table C-2 (Cont.) Oracle Support for Optional Features of SQL/Foundation**

Feature ID, Feature	Support
F386, Set identity column generation clause	<p>Oracle provides equivalent functionality. Oracle's syntax and semantics are the same as the standard, with this exception:</p> <ul style="list-style-type: none"> <li>Oracle does not support <code>RESTART</code>; use <code>START WITH</code> instead. When restarting an identity column, the values of the other parameters for the identity column are reset to their defaults unless explicitly set in the <code>ALTER TABLE</code> statement.</li> </ul> <p>Oracle's <code>START WITH LIMIT VALUE</code> option is an extension on the standard.</p>
F391, Long identifiers	Oracle supports identifiers up to 128 characters in length.
F393, Unicode escapes in literals	The Oracle <code>UNISTR</code> function supports numeric escape sequences for all Unicode characters.
F394, Optional normal form specification	<p>This feature adds the keywords <code>NFC</code>, <code>NFD</code>, <code>NFKC</code>, and <code>NKD</code> to the <code>NORMALIZE</code> function and the <code>IS NORMAL</code> predicate. Without these keywords, <code>NFC</code> is the default (see Feature T061, UCS support). Oracle supports all four normalization forms, with nonstandard syntax, as follows:</p> <ul style="list-style-type: none"> <li>For <code>NFC</code>, use <code>COMPOSE</code></li> <li>For <code>NFD</code>, use <code>DECOMPOSE</code> with the <code>CANONICAL</code> option</li> <li>For <code>NFKD</code>, use <code>DECOMPOSE</code> with the <code>COMPATIBILITY</code> option</li> <li>For <code>NFKC</code>, use <code>DECOMPOSE</code> with the <code>CANONICAL</code> option followed by <code>COMPOSE</code></li> </ul> <p>Oracle does not support the <code>IS NORMAL</code> predicate.</p>
F401, Extended joined table	Oracle supports <code>FULL</code> outer joins, <code>CROSS</code> joins, and <code>NATURAL</code> joins.
F402, Named column joins for LOBs, arrays and multisets	Oracle supports named column joins for columns whose declared type is nested table. Oracle does not support named column joins for LOBs or arrays.
F403, Partitioned join tables	Oracle supports this feature, except with <code>FULL</code> outer joins.
F411, Time zone specification	Oracle fully supports <code>TIMESTAMP WITH TIME ZONE</code> , but does not support <code>TIME WITH TIME ZONE</code> .
F421, National character	Oracle fully supports this feature.
F431, Read-only scrollable cursors	Oracle fully supports this feature.
F441, Extended set function support	<p>Oracle supports the following parts of this feature:</p> <ul style="list-style-type: none"> <li>The ability in the <code>WHERE</code> clause to reference a column that is defined using an aggregate, either in a view or an inline view</li> <li><code>COUNT</code> without <code>DISTINCT</code> of an expression</li> <li>Aggregates that reference columns that are outer references with respect to the aggregating query. However, Oracle defines the aggregating query as the innermost query containing the aggregate, rather than the innermost query that defines a range variable referenced in the aggregate.</li> </ul>
F442, Mixed column references in set functions	Oracle fully supports this feature.
F461, Named character sets	Oracle supports many character sets with Oracle-defined names. Oracle does not support any other aspect of this feature.



**Table C-2 (Cont.) Oracle Support for Optional Features of SQL/Foundation**

Feature ID, Feature	Support
F491, Constraint management	Oracle fully supports this feature.
F492, Optional table constraint enforcement	ENFORCED in the standard is equivalent to ENABLE VALIDATE in Oracle. NOT ENFORCED in the standard is equivalent to DISABLE NOVALIDATE in Oracle. Other combinations of the ENABLE   DISABLE, VALIDATE   NOVALIDATE, and RELY   NORELY options are extensions of the standard.
F531, Temporary tables	Oracle supports GLOBAL TEMPORARY tables.
F555, Enhanced seconds precision	Oracle provides enhanced support for this feature, supporting up to 9 places after the decimal point.
F561, Full value expressions	Oracle fully supports this feature.
F571, Truth value tests	Oracle's LNNVL function is equivalent to the standard's IS NOT TRUE predicate.
F591, Derived tables	Oracle supports <derived table>, with the exception of: <ul style="list-style-type: none"> <li>Oracle does not support the optional AS keyword before a table alias.</li> <li>Oracle does not support &lt;derived column list&gt;.</li> </ul>
F641, Row and table constructors	In Oracle, a row constructor may be used in an equality or inequality comparison with another row constructor or with a subquery. Oracle does not support anything else in this feature.
F690, Collation support	Oracle's NLSSORT function may be used to change the collation of character expressions.
F693, SQL-sessions and client module collations	To set a session collation, use ALTER SESSION SET NLS_COMP = 'LINGUISTIC' and also set NLS_SORT to your desired collation. Oracle does not support client module collations.
F695, Translation support	The Oracle CONVERT function can convert between the database character set and the national character set. For other character sets, store the data in the RAW data type and use the PL/SQL package function UTL_RAW.CONVERT. Oracle does not provide the ability to add or drop character set conversions.
F721, Deferrable constraints	Oracle fully supports this feature.
F731, INSERT column privileges	Oracle fully supports this feature.
F761, Session management	Oracle provides the following equivalents for elements of this feature: <ul style="list-style-type: none"> <li>The equivalent to the standard's SET SESSION CHARACTERISTICS AS TRANSACTION SERIALIZABLE is ALTER SESSION SET ISOLATION_LEVEL = SERIALIZABLE.</li> <li>The equivalent to the standard's SET SCHEMA is ALTER SESSION SET CURRENT_SCHEMA.</li> <li>The equivalent to the standard's SET COLLATION is ALTER SESSION SET NLS_SORT.</li> </ul>
F763, CURRENT_SCHEMA	Oracle's equivalent is SYS_CONTEXT ('USERENV', 'CURRENT_SCHEMA')

**Table C-2 (Cont.) Oracle Support for Optional Features of SQL/Foundation**

Feature ID, Feature	Support
F771, Connection management	Oracle's <code>CONNECT</code> statement provides the same functionality as the standard's <code>CONNECT</code> statement, though with different syntax. Instead of using the standard's <code>SET CONNECTION</code> , Oracle provides the <code>AT</code> clause to indicate which connection a SQL statement should be performed on. Oracle embedded languages let you disconnect from a connection by using the <code>RELEASE</code> option of either <code>COMMIT</code> or <code>ROLLBACK</code> .
F781, Self-referencing operations	Oracle fully supports this feature.
F801, Full set function	Oracle fully supports this feature.
F831, Full cursor update	Oracle supports the combination of <code>FOR UPDATE</code> and <code>ORDER BY</code> clauses in a query.
F841, <code>LIKE_REGEX</code> predicate	Oracle's equivalent is <code>REGEXP_LIKE</code> . Oracle's pattern syntax lacks some of the features of the standard's. Oracle's match parameter has the same capabilities as the standard's, though with a few spelling differences.
F842, <code>OCCURRENCES_REGEX</code> function	Oracle's equivalent is <code>REGEXP_COUNT</code> . Oracle's pattern syntax lacks some of the features of the standard's. Oracle's match parameter has the same capabilities as the standard's, though with a few spelling differences.
F843, <code>POSITION_REGEX</code> function	Oracle's equivalent is <code>REGEXP_INSTR</code> . Oracle's pattern syntax lacks some of the features of the standard's. Oracle's match parameter has the same capabilities as the standard's, though with a few spelling differences.
F844, <code>SUBSTRING_REGEX</code> function	Oracle's equivalent is <code>REGEXP_SUBSTR</code> . Oracle's pattern syntax lacks some of the features of the standard's. Oracle's match parameter has the same capabilities as the standard's, though with a few spelling differences.
F845, <code>TRANSLATE_REGEX</code> function	Oracle's equivalent is <code>REGEXP_REPLACE</code> . Oracle's pattern syntax lacks some of the features of the standard's. Oracle's match parameter has the same capabilities as the standard's, though with a few spelling differences.
F850, Top-level <code>&lt;order by clause&gt;</code> in <code>&lt;query expression&gt;</code>	Oracle fully supports this feature.
F851, <code>&lt;order by clause&gt;</code> in subqueries	Oracle fully supports this feature.
F852, Top-level <code>&lt;order by clause&gt;</code> in views	Oracle fully supports this feature.
F855, Nested <code>&lt;order by clause&gt;</code> in <code>&lt;query expression&gt;</code>	Oracle fully supports this feature.
F856, Nested <code>&lt;fetch first clause&gt;</code> in <code>&lt;query expression&gt;</code>	Oracle fully supports this feature.
F857, Top-level <code>&lt;fetch first clause&gt;</code> in a <code>&lt;query expression&gt;</code>	Oracle fully supports this feature.
F858, <code>&lt;fetch first clause&gt;</code> in subqueries	Oracle fully supports this feature.

**Table C-2 (Cont.) Oracle Support for Optional Features of SQL/Foundation**

Feature ID, Feature	Support
F859, Top-level <fetch first clause> in views	Oracle fully supports this feature.
F860, Dynamic <fetch first row count> in <fetch first clause>	Oracle fully supports this feature.
F861, Top-level <result offset clause> in <query expression>	Oracle fully supports this feature.
F862, <result offset clause> in subqueries	Oracle fully supports this feature.
F863, Nested <result offset clause> in <query expression>	Oracle fully supports this feature.
F864, Top-level <result offset clause> in views	Oracle fully supports this feature.
F865, Dynamic <offset row count> in <result offset clause>	Oracle fully supports this feature.
F866, <code>FETCH FIRST</code> clause: <code>PERCENT</code> option	Oracle fully supports this feature.
F867, <code>FETCH FIRST</code> clause: <code>WITH TIES</code> option	Oracle fully supports this feature.
R010, Row pattern recognition: <code>FROM</code> clause	Oracle fully supports this feature.
S023, Basic structured types	Oracle's object types are equivalent to structured types in the standard.
S024, Enhanced structured types	Oracle's syntax is non-standard, but provides equivalents for the following: <ul style="list-style-type: none"> <li>• <code>NOT INSTANTIABLE</code></li> <li>• <code>STATIC</code> methods</li> <li>• <code>RELATIVE</code>, <code>MAP</code>, and <code>STATE</code> orderings. The keyword in Oracle for <code>RELATIVE</code> orderings is <code>ORDER</code>. There is no keyword for <code>STATE</code> orderings (this is the default, if no other ordering is defined). Unlike the standard, Oracle does not support <code>EQUALS ONLY</code> on non-<code>STATE</code> orderings. (See also Feature S251, User-defined orderings.)</li> <li>• <code>SELF AS RESULT</code> in the signature of constructor methods</li> </ul>
S025, Final structured types	Oracle's final object types are equivalent to final structured types in the standard.
S026, Self-referencing structured types	In Oracle, an object type <code>OT</code> may have a reference that references <code>OT</code> .
S041, Basic reference types	Oracle's reference types are equivalent to reference types in the standard. To dereference a reference, dot notation is used, instead of <code>-&gt;</code> as in the standard.

**Table C-2 (Cont.) Oracle Support for Optional Features of SQL/Foundation**

Feature ID, Feature	Support
S043, Enhanced reference types	<p>Oracle supports the following elements of this feature:</p> <ul style="list-style-type: none"> <li>• Deref operator to return the object referenced by a reference</li> <li>• SCOPE clause as a constraint on columns of tables or materialized views</li> <li>• Adding and dropping the scope of a column</li> <li>• References that are either system-generated or derived from the primary key (but not from any other list of columns, nor from a list of attributes of the type)</li> </ul>
S051, Create table of type	Oracle's object tables are equivalent to tables of structured type in the standard.
S081, Subtables	Oracle supports hierarchies of object views, but not of object base tables. To emulate a hierarchy of base tables, create a hierarchy of views on those base tables.
S091, Basic array support	<p>Oracle VARRAY types are equivalent to array types in the standard. However, Oracle does not support storage of arrays of LOBs. To access a single element of an array using a subscript, you must use PL/SQL. Oracle supports the following aspects of this feature with nonstandard syntax:</p> <ul style="list-style-type: none"> <li>• To construct an instance of varray type, including an empty array, use the varray type constructor.</li> <li>• To unnest a varray in the FROM clause, use the TABLE operator.</li> <li>• To get the cardinality of a varray, use the COUNT method in PL/SQL.</li> </ul>
S092, Arrays of user-defined types	Oracle supports VARRAYs of object types.
S094, Arrays of reference types	Oracle supports VARRAYs of references.
S095, Array constructors by query	Oracle supports this using CAST (MULTISET (SELECT ...) AS varray_type). The ability to order the elements of the array using ORDER BY is not supported.
S097, Array element assignment	In PL/SQL, you can assign to array elements, using syntax that is similar to the standard (SQL/PSM).
S098, ARRAY_AGG	Oracle does not have an aggregate that results in a varray. Instead, the COLLECT aggregate may be used to create a multiset, which can be cast to an array of the element type.
S111, ONLY in query expressions	Oracle supports the ONLY clause for view hierarchies; Oracle does not support hierarchies of base tables.
S151, Type predicate	Oracle fully supports this feature.
S161, Subtype treatment	Oracle fully supports this feature.
S162, Subtype treatment for references	Supported, with a minor syntactic difference: The standard requires parentheses around the referenced type's name; Oracle does not support parentheses in this position.
S201, SQL-invoked routines on arrays	PL/SQL provides the ability to pass arrays as parameters and return arrays as the result of functions. Procedures and functions written in C may pass arrays and return arrays as the result of functions using the Oracle Type Translator (OTT).

Table C-2 (Cont.) Oracle Support for Optional Features of SQL/Foundation

Feature ID, Feature	Support
S202, SQL-invoked routines on multisets	A PL/SQL routine may have nested tables as parameters, and may return a nested table. Routines written in C may pass arrays and return arrays as the result of functions using the Oracle Type Translator.
S232, Array locators	Oracle Type Translator supports descriptors for arrays, which achieve the same purpose as locators.
S233, Multiset locators	Oracle supports locators for nested tables.
S241, Transform functions	The Oracle Type Translator provides the same capability as transforms.
S251, User-defined orderings	<p>Oracle's object type ordering capabilities correspond to the standard's capabilities as follows:</p> <ul style="list-style-type: none"> <li>• Oracle's <code>MAP</code> ordering corresponds to the standard's <code>ORDER FULL BY MAP</code> ordering.</li> <li>• Oracle's <code>ORDER</code> ordering corresponds to the standard's <code>ORDER FULL BY RELATIVE</code> ordering.</li> <li>• If an Oracle object type has neither <code>MAP</code> nor <code>ORDER</code> declared, then this corresponds to <code>EQUALS ONLY BY STATE</code> in the standard.</li> <li>• Oracle does not have unordered object types; you can alter the ordering but you cannot drop it.</li> </ul>
S261, Specified type method	The <code>GetType</code> method of the <code>ANYDATA</code> type may be used to learn the name of a type.
S271, Basic multiset support	<p>Multisets in the standard are supported as nested table types in Oracle. The Oracle nested table data type based on a scalar type <code>ST</code> is equivalent, in standard terminology, to a multiset of rows having a single field of type <code>ST</code> and named <code>column_value</code>. The Oracle nested table type based on an object type is equivalent to a multiset of structured type in the standard.</p> <p>Oracle supports the following elements of this feature on nested tables using the same syntax as the standard has for multisets:</p> <ul style="list-style-type: none"> <li>• The <code>CARDINALITY</code> function</li> <li>• The <code>SET</code> function</li> <li>• The <code>MEMBER</code> predicate</li> <li>• The <code>IS A SET</code> predicate</li> <li>• The <code>COLLECT</code> aggregate</li> </ul> <p>All other aspects of this feature are supported with non-standard syntax, as follows:</p> <ul style="list-style-type: none"> <li>• To create an empty multiset, denoted <code>MULTISET []</code> in the standard, use an empty constructor of the nested table type.</li> <li>• To obtain the sole element of a multiset with one element, denoted <code>ELEMENT (&lt;multiset value expression&gt;)</code> in the standard, use a scalar subquery to select the single element from the nested table.</li> <li>• To construct a multiset by enumeration, use the constructor of the nested table type.</li> <li>• To construct a multiset by query, use <code>CAST</code> with a multiset argument, casting to the nested table type.</li> <li>• To unnest a multiset, use the <code>TABLE</code> operator in the <code>FROM</code> clause.</li> </ul>

**Table C-2 (Cont.) Oracle Support for Optional Features of SQL/Foundation**

Feature ID, Feature	Support
S272, Multisets of user-defined types	Oracle's nested table type permits a multiset of structured types. Oracle does not have distinct types, so a multiset of distinct types is not supported.
S274, Multisets of reference types	A nested table type can have one or more columns of reference type.
S275, Advanced multiset support	<p>Oracle supports the following elements of this feature on nested tables using the same syntax as the standard has for multisets:</p> <ul style="list-style-type: none"> <li>• The <code>MULTISET UNION</code>, <code>MULTISET INTERSECTION</code>, and <code>MULTISET EXCEPT</code> operators</li> <li>• The <code>SUBMULTISET</code> predicate</li> <li>• <code>=</code> and <code>&lt;&gt;</code> predicates</li> </ul> <p>Oracle does not support the <code>FUSION</code> or <code>INTERSECTION</code> aggregates.</p>
S281, Nested collection types	Oracle permits nesting of its collection types (varray and nested table).
S401, Distinct types based on array types	Oracle's varray types are strongly typed.
S403, <code>ARRAY_MAX_CARDINALITY</code>	In PL/SQL, the <code>LIMIT</code> method of a varray returns its maximum cardinality.
S404, <code>TRIM_ARRAY</code>	In PL/SQL, the <code>TRIM</code> method of a varray can be used to trim the varray.
T041, Basic LOB data type support	<p>Oracle supports the following aspects of this feature:</p> <ul style="list-style-type: none"> <li>• The keywords <code>BLOB</code>, <code>CLOB</code>, and <code>NCLOB</code></li> <li>• Concatenation, <code>UPPER</code>, <code>LOWER</code> on <code>CLOBs</code></li> </ul> <p>Oracle provides equivalent support for the following aspects of this feature:</p> <ul style="list-style-type: none"> <li>• Use <code>INSTR</code> instead of <code>POSITION</code>.</li> <li>• Use <code>LENGTH</code> instead of <code>CHAR_LENGTH</code>.</li> </ul> <p>Oracle does not support the following aspects of this feature:</p> <ul style="list-style-type: none"> <li>• The keywords <code>BINARY LARGE OBJECT</code>, <code>CHARACTER LARGE OBJECT</code>, and <code>NATIONAL CHARACTER LARGE OBJECT</code> as synonyms for <code>BLOB</code>, <code>CLOB</code>, and <code>NCLOB</code>, respectively</li> <li>• <code>&lt;binary string literal&gt;</code></li> <li>• The ability to specify an upper bound on the length of a <code>BLOB</code> or <code>CLOB</code></li> <li>• Concatenation of <code>BLOBs</code></li> </ul>

**Table C-2 (Cont.) Oracle Support for Optional Features of SQL/Foundation**

Feature ID, Feature	Support
T042, Extended LOB support	<p>Oracle fully supports the following element of this feature:</p> <ul style="list-style-type: none"> <li>• TRIM function on a CLOB argument</li> </ul> <p>Oracle provides equivalent functionality for the following elements of this feature:</p> <ul style="list-style-type: none"> <li>• BLOB and CLOB substring, supported using SUBSTR</li> <li>• SIMILAR predicate, supported using REGEXPR_LIKE to perform pattern matching with a Perl-like syntax</li> </ul> <p>The following elements of this feature are not supported:</p> <ul style="list-style-type: none"> <li>• Comparison predicates with BLOB or CLOB operands</li> <li>• CAST with a BLOB or CLOB operand</li> <li>• OVERLAY (This may be emulated using SUBSTR and string concatenation.)</li> <li>• LIKE predicate with BLOB or CLOB operands</li> </ul>
T051, Row types	Oracle object types can be used in place of the standard's row types.
T061, UCS support	<p>Oracle provides equivalent functionality for the following elements of this feature:</p> <ul style="list-style-type: none"> <li>• Oracle supports the keyword CHAR instead of CHARACTERS, and BYTE instead of OCTETS, in a character data type declaration.</li> <li>• The Oracle COMPOSE function is equivalent to the standard's NORMALIZE function.</li> </ul> <p>Oracle does not support the IS NORMALIZED predicate.</p>
T071, BIGINT data type	On many implementations, BIGINT refers to a binary integer type with 64 bits, which supports almost 19 decimal digits. The Oracle NUMBER type supports 39 decimal digits.
T111, Updatable joins, unions and columns	Oracle's updatable join views are similar to the standard's updatable join capabilities. Unlike the standard, Oracle does not require an updatable join view to display the strong candidate key in the SELECT list. Although an updatable join view might have more than one key-preserved table, only one of them may be modified using an UPDATE or DELETE, unlike the standard, which modifies all key-preserved tables of an updatable join.
T121, WITH (excluding RECURSIVE) in query expression	Oracle fully supports this feature.
T122, WITH (excluding RECURSIVE) in subquery	Oracle fully supports this feature.
T131, Recursive query	Oracle supports the use of a WITH clause element that references itself, but without the RECURSIVE keyword. Alternatively, Oracle's START WITH and CONNECT BY clauses can be used to perform many recursive queries.
T132, Recursive query in subquery	Oracle supports the use of a WITH clause element that references itself, but without the RECURSIVE keyword. Alternatively, Oracle's START WITH and CONNECT BY clauses can be used to perform many recursive queries.
T141, SIMILAR predicate	Oracle provides REGEXP_LIKE for pattern matching with a Perl-like syntax.

**Table C-2 (Cont.) Oracle Support for Optional Features of SQL/Foundation**

Feature ID, Feature	Support
T172, AS subquery clause in table definition	Oracle's AS subquery feature of CREATE TABLE has substantially the same functionality as the standard, though there are some syntactic differences.
T174, Identity columns	<p>Oracle supports this feature, with the following syntactic differences:</p> <ul style="list-style-type: none"> <li>• Oracle uses NOMINVALUE and NOMAXVALUE instead of the standard's NO MINVALUE and NO MAXVALUE.</li> <li>• To restart an identity column, in an ALTER TABLE MODIFY statement, use START WITH LIMIT VALUE to restart at the highest value (for an increasing identity column) or the lowest value (for a decreasing identity column); use START WITH number to restart at a specific number.</li> </ul> <p>GENERATED BY DEFAULT ON NULL is an Oracle extension.</p>
T175, Generated columns	<p>Oracle supports this feature, with the following restrictions:</p> <ul style="list-style-type: none"> <li>• Generated columns are not supported in temporary tables.</li> <li>• The data type of a generated column may not be LOB or XML.</li> </ul>
T176, Sequence generator support	Oracle's sequences have the same capabilities as the standard's, though with different syntax.
T178, Identity columns: simple restart option	Oracle's START WITH LIMIT VALUE is the same as the standard's simple restart if the identity column has not cycled.
T180, System-versioned tables	<p>Oracle's Flashback capability is substantially the same as the standard's system-versioned tables. Some key differences are:</p> <ul style="list-style-type: none"> <li>• In Oracle you do not need to designate particular tables for journaling; all tables are journaled.</li> <li>• In Oracle, LOB columns need to be individually designated for journaling, because of the potential for large amounts of data. The standard has no analogous provision.</li> <li>• In Oracle you need a privilege in order to read historical data.</li> <li>• In the standard, journaled tables have columns to record the start and end timestamps for the row. In Oracle, this is provided through pseudocolumns.</li> </ul>



**Table C-2 (Cont.) Oracle Support for Optional Features of SQL/Foundation**

Feature ID, Feature	Support
T181, Application-time period tables	<p>Oracle supports the following elements of this feature:</p> <ul style="list-style-type: none"> <li>• Application-time period definition during <code>CREATE TABLE</code></li> <li>• Adding and dropping an application-time period definition using <code>ALTER TABLE</code> with a minor syntactic difference: Oracle requires parentheses around the period specification; the standard does not support parentheses in this position.</li> </ul> <p>Oracle extends this feature:</p> <ul style="list-style-type: none"> <li>• With the ability to have more than one application-time period per table.</li> <li>• By making the start time and end time columns optional. In this case, Oracle will create these columns implicitly.</li> <li>• By allowing <code>NULL</code> for the start time column to indicate that the row is considered valid for any point in time before the value of the end time column.</li> <li>• By allowing <code>NULL</code> for the end time column to indicate that the row is considered valid for any point in time on or after the value of the start time column.</li> <li>• By querying an application-time period table using the flashback query options <code>VERSIONS PERIOD FOR</code> and <code>AS OF PERIOD FOR</code>.</li> </ul>
T201, Comparable data types for referential constraints	Oracle fully supports this feature.
T211, Basic trigger capability	<p>Oracle's triggers differ from the standard as follows:</p> <ul style="list-style-type: none"> <li>• Oracle does not provide the optional syntax <code>FOR EACH STATEMENT</code> for the default case, the statement trigger.</li> <li>• Oracle does not support <code>OLD TABLE</code> and <code>NEW TABLE</code>; the transition tables specified in the standard (the multiset of before and after images of affected rows) are not available.</li> <li>• The trigger body is written in PL/SQL, which is functionally equivalent to the standard's procedural language PSM, but not the same.</li> <li>• In the trigger body, the new and old transition variables are referenced beginning with a colon.</li> <li>• Oracle's row triggers are executed as the row is processed, instead of buffering them and executing all of them after processing all rows. The standard's semantics are deterministic, but Oracle's in-flight row triggers are more performant.</li> <li>• Oracle's before-row and before-statement triggers can perform DML statements, which is forbidden in the standard. However, Oracle's after-row statements cannot perform DML, while it is permitted in the standard.</li> <li>• When multiple triggers apply, the standard says they are executed in order of definition. In Oracle the execution order is nondeterministic, unless specified using <code>FOLLOWS</code>.</li> <li>• Oracle uses the system privileges <code>CREATE TRIGGER</code> and <code>CREATE ANY TRIGGER</code> to regulate creation of triggers, instead of the standard's <code>TRIGGER</code> privilege, which is a table privilege.</li> </ul>
T212, Enhanced trigger capability	This feature permits statements triggers, which Oracle supports, as described for feature T211, Basic trigger capability.

**Table C-2 (Cont.) Oracle Support for Optional Features of SQL/Foundation**

Feature ID, Feature	Support
T213, <code>INSTEAD OF</code> triggers	Oracle supports <code>INSTEAD OF</code> triggers on views, with syntax and semantics agreeing with the standard except as noted for feature T211, Basic trigger capability. Oracle permits an <code>INSTEAD OF</code> trigger on a view that specified <code>WITH CHECK OPTION</code> , unlike the standard.
T241, <code>START TRANSACTION</code> statement	Oracle's <code>SET TRANSACTION</code> statement starts a transaction making it equivalent to the standard's <code>START TRANSACTION</code> rather than the standard's <code>SET TRANSACTION</code> . Oracle's <code>READ ONLY</code> transactions are at <code>SERIALIZABLE</code> isolation level.
T271, Savepoints	Oracle supports this feature, except: <ul style="list-style-type: none"> <li>• Oracle does not support <code>RELEASE SAVEPOINT</code>.</li> <li>• Oracle does not support savepoint levels.</li> </ul>
T285, Enhanced derived column names	This feature pertains only to derived columns in a <code>SELECT</code> list with no column alias and consisting of a SQL parameter reference. In that case, the column name defaults to the parameter name, the same as in the standard.
T323, Explicit security for external routines	The Oracle syntax <code>AUTHID { CURRENT USER   DEFINER }</code> when used when creating an external function, procedure, or package is equivalent to the standard's <code>EXTERNAL SECURITY { DEFINER   INVOKER }</code> .
T324, Explicit security for SQL routines	Oracle's syntax <code>AUTHID { CURRENT USER   DEFINER }</code> when used when creating a PL/SQL function, procedure, or package is equivalent to the standard's <code>SQL SECURITY { DEFINER   INVOKER }</code> .
T325, Qualified SQL parameter reference	PL/SQL supports the use of a routine name to qualify a parameter name.
T326, Table functions	Oracle provides equivalents for the following elements of this feature: <ul style="list-style-type: none"> <li>• <code>&lt;multiset value constructor by query&gt;</code> is supported using <code>CAST (MULTISET (&lt;query expression&gt;) AS &lt;nested table type&gt;)</code></li> <li>• <code>&lt;table function derived table&gt;</code> is supported using the <code>TABLE</code> operator in the <code>FROM</code> clause with a varray or nested table as the argument</li> <li>• <code>&lt;collection value expression&gt;</code> is equivalent to an Oracle expression resulting in a varray or nested table</li> <li>• <code>&lt;returns table type&gt;</code> is equivalent to a PL/SQL function that returns a nested table</li> </ul>
T331, Basic roles	Oracle supports this feature, except for <code>REVOKE ADMIN OPTION FOR &lt;role name&gt;</code> .
T341, Overloading of SQL-invoked functions and procedures	Oracle supports overloading of functions and procedures. However, the rules for handling certain data type combinations are not the same as the standard. For example, the standard permits the coexistence of two functions of the same name differing only in the numeric types of the arguments, whereas Oracle does not permit this.
T351, Bracketed comments	Oracle fully supports this feature.
T431, Extended grouping capabilities	Oracle fully supports this feature.

**Table C-2 (Cont.) Oracle Support for Optional Features of SQL/Foundation**

Feature ID, Feature	Support
T432, Nested and concatenated <code>GROUPING SETS</code>	Oracle supports concatenated <code>GROUPING SETS</code> , but not nested <code>GROUPING SETS</code> .
T433, Multiargument function <code>GROUPING</code>	The Oracle <code>GROUP_ID</code> function can be used to conveniently distinguish groups in a grouped query, serving the same purpose as the standard multiargument <code>GROUPING</code> function.
T441, <code>ABS</code> and <code>MOD</code> functions	Oracle supports the <code>ABS</code> function. Oracle's <code>MOD</code> function is similar to the standard, though the behavior is different if the two arguments are of opposite sign.
T471, Result sets return value	PL/SQL ref cursors provide all the functionality of the standard's result set cursors.
T491, <code>LATERAL</code> derived tables	Oracle fully supports this feature.
T501, Enhanced <code>EXISTS</code> predicate	Oracle fully supports this feature.
T511, Transaction counts	Oracle supports the count of transactions committed and rolled back via the system views <code>V\$STATNAME</code> and <code>V\$SESSTAT</code> .
T521, Named arguments in <code>CALL</code> statement	Oracle fully supports this feature.
T522, Default values for <code>IN</code> parameters of SQL-invoked procedures	Oracle fully supports this feature.
T524, Named arguments in routine invocations other than a <code>CALL</code> statement	Oracle fully supports this feature.
T525, Default values for parameters of SQL-invoked functions	Oracle fully supports this feature.
T571, Array-returning external SQL-invoked function	Oracle table functions returning a varray can be defined in external programming languages. When declaring such functions in SQL, use the <code>CREATE FUNCTION</code> command with the <code>PIPELINED USING</code> clause.
T572, Multiset-returning external SQL-invoked function	Oracle table functions returning a nested table can be defined in external programming languages. When declaring such functions in SQL, use the <code>CREATE FUNCTION</code> command with the <code>PIPELINED USING</code> clause. In the body of the function, use the <code>OCItable</code> interface. The function must be invoked within the <code>TABLE</code> operator in the <code>FROM</code> clause.
T581, Regular expressions substring functions	Oracle provides the <code>REGEXP_SUBSTR</code> function to perform substring operations using regular expression matching.

**Table C-2 (Cont.) Oracle Support for Optional Features of SQL/Foundation**

Feature ID, Feature	Support
T591, <code>UNIQUE</code> constraints of possibly null columns	Oracle permits a <code>UNIQUE</code> constraint on one or more nullable columns. If the <code>UNIQUE</code> constraint is on a single column, then the semantics are the same as the standard (the constraint permits any number of rows that are null in the designated column). If the <code>UNIQUE</code> constraint is on two or more columns, then the semantics are nonstandard. Oracle permits any number of rows that are null in all the designated columns. Unlike the standard, if a row is non-null in at least one of the designated columns, then another row having the same values in the non-null columns of the constraint is a constraint violation and not permitted.
T611, Elementary OLAP operations	Oracle fully supports this feature, except that <code>DISTINCT</code> is only supported in conjunction with window partitioning but not with window framing.
T612, Advanced OLAP operations	Oracle supports the following elements of this feature: <code>PERCENT_RANK</code> , <code>CUME_DIST</code> , <code>WIDTH_BUCKET</code> , hypothetical set functions, <code>PERCENTILE_CONT</code> , <code>PERCENTILE_DISC</code> , and <code>ROW_NUMBER</code> . Oracle does not support the following element of this feature: <ul style="list-style-type: none"> <li>• <code>ROW_NUMBER</code> without <code>ORDER BY</code></li> </ul>
T613, Sampling	Oracle uses the keyword <code>SAMPLE</code> instead of the standard's keyword, <code>TABLESAMPLE</code> . Oracle uses the keyword <code>BLOCK</code> instead of the standard's keyword, <code>SYSTEM</code> . Oracle uses the absence of the keyword <code>BLOCK</code> to indicate a Bernoulli sampling of rows, indicated in the standard by the keyword <code>BERNOULLI</code> . Oracle does not support sampling of derived tables or views that are not key-preserving. Oracle does not permit sampling in a subquery of a <code>DELETE</code> , <code>UPDATE</code> or <code>MERGE</code> statement.
T614, <code>NTILE</code> function	Oracle fully supports this feature.
T615, <code>LEAD</code> and <code>LAG</code> functions	Oracle fully supports this feature.
T616, Null treatment option for <code>LEAD</code> and <code>LAG</code> functions	Oracle fully supports this feature.
T617, <code>FIRST_VALUE</code> and <code>LAST_VALUE</code> functions	Oracle fully supports this feature.
T618, <code>NTH_VALUE</code> function	Oracle fully supports this feature.
T621, Enhanced numeric functions	Oracle fully supports this feature, except for the alternate spelling <code>CEILING</code> of the <code>CEIL</code> function.
T622, Trigonometric functions	Oracle fully supports this feature.
T623, General logarithm function	Oracle fully supports this feature.
T625, <code>LISTAGG</code>	Oracle fully supports this feature.
T641, Multiple column assignment	The standard syntax to assign to multiple columns is supported if the assignment source is a subquery.
T652, SQL-dynamic statements in SQL routines.	PL/SQL supports dynamic SQL.
T654, SQL-dynamic statements in external routines	Oracle supports dynamic SQL in embedded C, which may be used to create an external routine.

**Table C-2 (Cont.) Oracle Support for Optional Features of SQL/Foundation**

Feature ID, Feature	Support
T655, Cyclically dependent routines	PL/SQL supports recursion.
T811, Basic SQL/JSON constructor functions	Oracle fully supports this feature, except for the <code>JSON_ARRAY</code> constructor by query.
T812, SQL/JSON: <code>JSON_OBJECTAGG</code>	Oracle fully supports this feature.
T813, SQL/JSON: <code>JSON_ARRAYAGG</code> with <code>ORDER BY</code>	Oracle fully supports this feature.
T821, Basic SQL/JSON query operators	Oracle fully supports this feature.
T822, SQL/JSON: <code>IS JSON WITH UNIQUE KEYS</code> predicate	Oracle fully supports this feature.
T823, SQL/JSON: <code>PASSING</code> clause	Oracle supports the <code>PASSING</code> clause in <code>JSON_EXISTS</code> .
T825, SQL/JSON: <code>ON EMPTY</code> and <code>ON ERROR</code> clauses	Oracle fully supports this feature, except that: <ul style="list-style-type: none"> <li>• The <code>ON ERROR</code> clause for <code>JSON_EXISTS</code> does not support <code>UNKNOWN</code>.</li> <li>• <code>JSON_TABLE</code> does not support a column-level <code>ON EMPTY</code> clause.</li> </ul>
T828, <code>JSON_QUERY</code>	Oracle fully supports this feature.
T829, <code>JSON_QUERY</code> : array wrapper options	Oracle fully supports this feature.
T832, SQL/JSON path language: item method	Oracle fully supports the following item methods: <ul style="list-style-type: none"> <li>• <code>abs</code></li> <li>• <code>ceiling</code></li> <li>• <code>double</code></li> <li>• <code>floor</code></li> </ul> Oracle provides the following comparable support: <ul style="list-style-type: none"> <li>• <code>date</code> and <code>timestamp</code> are comparable to the standard's <code>datetime</code></li> </ul> Oracle extends this feature by supporting the following item methods: <ul style="list-style-type: none"> <li>• <code>length</code></li> <li>• <code>lower</code></li> <li>• <code>number</code></li> <li>• <code>string</code></li> <li>• <code>upper</code></li> </ul>
T833, SQL/JSON path language: multiple subscripts	Oracle fully supports this feature, except that subscripts have to be specified in strictly monotonically increasing order.
T834, SQL/JSON path language: wildcard member accessor	Oracle fully supports this feature.
T835, SQL/JSON path language: filter expression	Oracle supports the filter expression as the last step of the SQL/JSON path expression in <code>JSON_EXISTS</code> .

**Table C-2 (Cont.) Oracle Support for Optional Features of SQL/Foundation**

Feature ID, Feature	Support
T839, Formatted cast of datetimes to/from character strings	Oracle supports this feature with a minor syntactic difference: Oracle uses a comma instead of the keyword <code>FORMAT</code> .

## Oracle Compliance with SQL/CLI

The Oracle ODBC driver conforms to SQL/CLI.

## Oracle Compliance with SQL/PSM

Oracle PL/SQL provides functionality equivalent to SQL/PSM, with minor syntactic differences, such as the spelling or arrangement of keywords.

## Oracle Compliance with SQL/MED

Oracle does not comply with SQL/MED.

## Oracle Compliance with SQL/OLB

Oracle SQLJ conforms to SQL/OLB:1999 and not yet to SQL/OLB:2016.

## Oracle Compliance with SQL/JRT

Oracle fully supports stored routines and SQL types implemented in Java(TM). Oracle provides equivalent support for the creation and maintenance of such types and procedures. Oracle's capabilities are in general a superset of the functionality defined by the standard.

## Oracle Compliance with SQL/XML

The XML data type in the standard is `XML`. The Oracle equivalent data type is `XMLType`. A feature of the standard is considered to be fully supported if the only difference between Oracle and the standard is the spelling of the data type name.

[Table C-3](#) describes Oracle's support for the features of SQL/XML.

**Table C-3 Oracle Support for Features of SQL/XML**

Feature ID, Feature	Support
X010, XML type	Oracle fully supports this feature.
X011, Arrays of XML types	Oracle supports this feature using named array types
X012, Multisets of XML type	The Oracle equivalent of a multiset of XML type is a nested table with a single column of XML type.

**Table C-3 (Cont.) Oracle Support for Features of SQL/XML**

Feature ID, Feature	Support
X013, Distinct types of XML	A distinct type can be emulated using an object type with a single attribute.
X014, Attributes of XML type	In Oracle, attributes of object types may be of type <code>XMLType</code> , but the syntax for creating object types is nonstandard.
X015, Fields of XML type	Oracle object types may be used instead of row types; Oracle supports object types with attributes of <code>XMLType</code> .
X016, Persistent XML values	Oracle fully supports this feature.
X020, XMLConcat	Oracle fully supports this feature.
X025, XMLCast	<p>Oracle supports this feature, with the following restrictions:</p> <ul style="list-style-type: none"> <li>The source expression must be of <code>XMLType</code> and the target data type may not be <code>XMLType</code>. (Since Oracle has only one XML type, there is no need to cast from XML to XML.)</li> <li>Oracle does not support &lt;XML passing mechanism&gt;; the behavior is the same as <code>BY VALUE</code> in the standard.</li> </ul> <p>Oracle extends this feature with the ability to cast to type <code>REF XMLTYPE</code>.</p>
X031, XMLElement	Oracle fully supports this feature.
X032, XMLForest	Oracle fully supports this feature.
X034, XMLAgg	Oracle fully supports this feature.
X035, XMLAgg: ORDER BY option	Oracle fully supports this feature.
X036, XMLComment	Oracle fully supports this feature.
X036, XMLPi	Oracle fully supports this feature.
X038, XMLText	The Oracle <code>XMLCDATA</code> function may be used to create a text node.
X040, Basic table mapping	<p>Oracle table mappings are available through a Java interface and through a package. Oracle table mappings have been generalized to map queries and not just tables. To map only a table: <code>SELECT * FROM table_name</code>. This provides support for the following elements of this feature:</p> <ul style="list-style-type: none"> <li>X041, Basic table mapping: null absent</li> <li>X042, Basic table mapping: null as nil</li> <li>X043, Basic table mapping: table as forest</li> <li>X044, Basic table mapping: table as element</li> <li>X045, Basic table mapping: with target namespace</li> <li>X046, Basic table mapping: data mapping</li> <li>X047, Basic table mapping: metadata mapping</li> <li>X049, Basic table mapping: hex encoding</li> </ul> <p>Oracle does not support the following element of this feature:</p> <ul style="list-style-type: none"> <li>X048, Basic table mapping: base64 encoding</li> </ul>
X041, Basic table mapping: null absent	See X040.
X042, Basic table mapping: null as nil	See X040.

**Table C-3 (Cont.) Oracle Support for Features of SQL/XML**

<b>Feature ID, Feature</b>	<b>Support</b>
X043, Basic table mapping: table as forest	See X040.
X044, Basic table mapping: table as element	See X040.
X045, Basic table mapping: with target namespace	See X040.
X046, Basic table mapping: data mapping	See X040.
X047, Basic table mapping: metadata mapping	See X040.
X049, Basic table mapping: hex encoding	See X040.
X060, XMLParse: Character string input and CONTENT option	Oracle does not support the {PRESERVE   STRIP} WHITESPACE syntax. The behavior is always STRIP WHITESPACE.
X061, XMLParse: Character string input and DOCUMENT option	Oracle does not support the {PRESERVE   STRIP} WHITESPACE syntax. The behavior is always STRIP WHITESPACE.
X069, XMLSERIALIZE: INDENT	Oracle extends this feature with the ability to specify an indent size.
X070, XMLSerialize: Character string serialization and CONTENT option	<p>Oracle supports this feature, with this restriction:</p> <ul style="list-style-type: none"> <li>In the standard, the choice of DOCUMENT or CONTENT is optional; in Oracle, you must specify one of these.</li> </ul> <p>Oracle extends this feature as follows: the standard requires a target data type; Oracle defaults to CLOB.</p>
X071, XMLSerialize: Character string serialization and DOCUMENT option	Oracle fully supports this feature.
X072, XMLSerialize: Character string serialization	Oracle fully supports this feature.
X073, XMLSerialize: BLOB serialization and CONTENT option	Oracle fully supports this feature.
X074, XMLSerialize: BLOB serialization and DOCUMENT option	Oracle fully supports this feature.
X075, XMLSerialize: BLOB serialization	Oracle fully supports this feature.
X076, XMLSerialize: VERSION option	Oracle fully supports this feature.
X077, XMLSerialize: explicit ENCODING option	Oracle fully supports this feature.



**Table C-3 (Cont.) Oracle Support for Features of SQL/XML**

Feature ID, Feature	Support
X080, Namespaces in XML publishing	In the Oracle implementation of <code>XML</code> Element, <code>XML</code> Attributes are used to define namespaces ( <code>XML</code> Namespaces is not implemented). However, <code>XML</code> Attributes is not supported for <code>XML</code> Forest.
X086, XML namespace declarations in <code>XML</code> Table	Oracle fully supports this feature.
X090, XML document predicate	In Oracle, you can test whether an XML value is a document by using the <code>ISFRAGMENT</code> method.
X096, <code>XML</code> Exists	Oracle fully supports this feature, with this exception: Oracle only supports passing by value, so the keywords <code>BY VALUE</code> are optional at the beginning of the <code>PASSING</code> clause, and not supported on individual arguments.
X120, XML parameters in SQL routines	Oracle fully supports this feature.
X121, XML parameters in external routines	Oracle supports XML values passed to external routines using a non-standard interface.
X141, <code>IS VALID</code> predicate: data drive case	The <code>XMLISVALID</code> method is equivalent to the <code>IS VALID</code> predicate, and supports the data-driven case.
X142, <code>IS VALID</code> predicate: <code>ACCORDING TO</code> clause	The <code>XMLISVALID</code> method is equivalent to the <code>IS VALID</code> predicate, and includes the equivalent of the <code>ACCORDING TO</code> clause.
X143, <code>IS VALID</code> predicate: <code>ELEMENT</code> clause	The <code>XMLISVALID</code> method is equivalent to the <code>IS VALID</code> predicate, and includes the equivalent of the <code>ELEMENT</code> clause.
X144, <code>IS VALID</code> predicate: schema location	The <code>XMLISVALID</code> method is equivalent to the <code>IS VALID</code> predicate, and supports the specification of a schema location for a registered XML Schema.
X145, <code>IS VALID</code> predicate outside check constraints	The <code>XMLISVALID</code> method is equivalent to the <code>IS VALID</code> predicate, and may be used outside check constraints.
X151, <code>IS VALID</code> predicate with <code>DOCUMENT</code> option	The <code>XMLISVALID</code> method is equivalent to the <code>IS VALID</code> predicate, and performs validation equivalent to the <code>DOCUMENT</code> clause. ( <code>XMLISVALID</code> does not support "content" validation.)
X156, <code>IS VALID</code> predicate: optional <code>NAMESPACE</code> with <code>ELEMENT</code> clause	The <code>XMLISVALID</code> method is equivalent to the <code>IS VALID</code> predicate, and may be used to validate against an element in any namespace.
X157, <code>IS VALID</code> predicate: <code>NO NAMESPACE</code> with <code>ELEMENT</code> clause	The <code>XMLISVALID</code> method is equivalent to the <code>IS VALID</code> predicate, and may be used to validate against an element in the "no name" namespace.
X160, Basic Information Schema for registered XML Schemas	The Oracle static data dictionary view <code>ALL_XML_SCHEMAS</code> provides a list of the registered XML schemas that are accessible to the current user. The <code>ALL_XML_SCHEMAS.SCHEMA_URL</code> column corresponds to the standard <code>XML_SCHEMAS.XML_SCHEMA_LOCATION</code> column. The target namespace of the registered XML Schemas can be learned by examining <code>ALL_XML_SCHEMAS.SCHEMA</code> . Oracle has no equivalents for the other columns of the standard's <code>XML_SCHEMAS</code> .

**Table C-3 (Cont.) Oracle Support for Features of SQL/XML**

Feature ID, Feature	Support
X161, Advanced Information Schema for registered XML Schemas	Oracle does not have static data dictionary views corresponding to <code>XML_SCHEMA_NAMESPACES</code> and <code>XML_SCHEMA_ELEMENTS</code> in the standard. However, all the information about registered XML Schemas may be learned by examining the actual XML Schema, which is found in the <code>ALL_XML_SCHEMAS.SCHEMA</code> column. This may also be examined to learn whether a registered XML Schema is nondeterministic, and which of its namespaces and elements are nondeterministic.
X191, XML(DOCUMENT (XMLSCHEMA)) type	Oracle does not support this syntax. However, a column of a table can be constrained by a registered XML Schema, in which case all values of the column will be of XML(DOCUMENT(XMLSCHEMA)) type.
X200, XMLQuery	Oracle fully supports the following elements of this feature: <ul style="list-style-type: none"> <li>• X201, XMLQuery: RETURNING CONTENT</li> <li>• X203, XMLQuery: passing a context item</li> <li>• X204, XMLQuery: initializing an XQuery variable</li> <li>• X206, XMLQuery: NULL ON EMPTY option</li> </ul> Oracle only supports passing by value, so the keywords <code>BY VALUE</code> are optional at the beginning of the <code>PASSING</code> clause, and not supported on individual arguments.
X201, XMLQuery: RETURNING CONTENT	See X200.
X203, XMLQuery: passing a context item	See X200.
X204, XMLQuery: initializing an XQuery variable	See X200.
X206, XMLQuery: NULL ON EMPTY option	See X200.
X221, XML passing mechanism <code>BY VALUE</code>	Oracle supports the <code>BY VALUE</code> clause in XMLQuery, XMLTable and XMLExists. In these, <code>BY VALUE</code> is supported as optional syntax at the beginning of an argument list, but not as a modifier on an individual argument or column.
X232, XML(CONTENT(ANY)) type	Oracle does not support this syntax as a type modifier, but the Oracle XMLType supports this data type for transient values. Persistent values are of type XML(DOCUMENT(ANY)), which is a subset of XML(CONTENT(ANY)).
X241, RETURNING CONTENT in XML publishing	Oracle does not support this syntax. In Oracle, the behavior of the publishing functions (XMLAgg, XMLComment, XMLConcat, XMLElement, XMLForest, and XMLPi) is always RETURNING CONTENT.
X251, Persistent XML values of XML(DOCUMENT(UNTYPED)) type	Oracle fully supports this feature.
X252, Persistent values of type XML(DOCUMENT(ANY))	Oracle fully supports this feature.

**Table C-3 (Cont.) Oracle Support for Features of SQL/XML**

Feature ID, Feature	Support
X256, Persistent values of XML(DOCUMENT(XMLSCHEMA)) type	Oracle fully supports this feature.
X260, XML type, ELEMENT clause	Oracle does not support this syntax. However, a column of a table may be constrained by a top-level element in a registered XML Schema.
X263, XML type: NO NAMESPACE with ELEMENT clause	Oracle does not support this syntax. However, a column of a table may be constrained by a top-level element in the "no name" namespace of a registered XML Schema.
X264, XML type: schema location	Oracle does not support this syntax. However, a column of a table may be constrained by a registered XML Schema that is identified by a schema location.
X271, XMLValidate: data driven case	The SCHEMAVALIDATE method is equivalent to XMLValidate, and supports the data-driven case.
X272, XMLValidate: ACCORDING TO clause	The SCHEMAVALIDATE method is equivalent to XMLValidate, and may be used to specify a particular registered XML Schema.
X273, XMLValidate: ELEMENT clause	The SCHEMAVALIDATE method is equivalent to XMLValidate, and may be used to specify a particular element of a particular registered XML Schema.
X274, XMLValidate: schema location	The SCHEMAVALIDATE method is equivalent to XMLValidate, and may be used to specify a particular registered XML Schema by its schema location URL.
X281, XMLValidate with DOCUMENT option	The SCHEMAVALIDATE method is equivalent to XMLValidate. SCHEMAVALIDATE performs validation only of XML documents (not content).
X286, XMLValidate: NO NAMESPACE with ELEMENT clause	The SCHEMAVALIDATE method is equivalent to XMLValidate, and may be used to specify a particular element in the "no name" namespace of a particular registered XML Schema.
X300, XMLTable	<p>Oracle does not support reverse axes in the column path expressions. Aside from that restriction, Oracle fully supports the following elements of this feature:</p> <ul style="list-style-type: none"> <li>• X086, XML namespace declarations in XMLTable</li> <li>• X302, XMLTable with ordinality column</li> <li>• X303, XMLTable: column default option</li> <li>• X304, XMLTable: passing a context item</li> <li>• X305, XMLTable: initializing an XQuery variable</li> </ul> <p>Oracle only supports passing by value, so the keywords BY VALUE are optional at the beginning of the PASSING clause, and not supported on individual arguments.</p>
X302, XMLTable with ordinality column	See X300.
X303, XMLTable: column default option	See X300.
X304, XMLTable: passing a context item	See X300.

**Table C-3 (Cont.) Oracle Support for Features of SQL/XML**

Feature ID, Feature	Support
X305, XMLTable: initializing an XQuery variable	See X300.

## Oracle Compliance with FIPS 127-2

Oracle complied fully with last Federal Information Processing Standard (FIPS), which was FIPS PUB 127-2. That standard is no longer published. However, for users whose applications depend on information about the sizes of some database constructs that were defined in FIPS 127-2, the details of our compliance are listed in [Table C-4](#).

**Table C-4 Sizing for Database Constructs**

Database Constructs	FIPS	Oracle Database
Length of an identifier (in bytes)	18	128
Length of CHARACTER data type (in bytes)	240	2,000
Decimal precision of NUMERIC data type	15	38
Decimal precision of DECIMAL data type	15	38
Decimal precision of INTEGER data type	9	38
Decimal precision of SMALLINT data type	4	38
Binary precision of FLOAT data type	20	126
Binary precision of REAL data type	20	63
Binary precision of DOUBLE PRECISION data type	30	126
Columns in a table	100	1,000
Values in an INSERT statement	100	1,000
SET clauses in an UPDATE statement (Note 1)	20	1,000
Length of a row (Note2, Note 3)	2,000	2,000,000
Columns in a UNIQUE constraint	6	32
Length of a UNIQUE constraint (Note 2)	120	(Note 4)
Length of foreign key column list (Note 2)	120	(Note 4)
Columns in a GROUP BY clause	6	255 (Note 5)
Length of GROUP BY column list	120	(Note 5)
Sort specifications in ORDER BY clause	6	255 (Note 5)
Length of ORDER BY column list	120	(Note 5)
Columns in a referential integrity constraint	6	32
Tables referenced in a SQL statement	15	No limit
Cursors simultaneously open	10	(Note 6)
Items in a SELECT list	100	1,000

**Note 1:** The number of `SET` clauses in an `UPDATE` statement refers to the number items separated by commas following the `SET` keyword.

**Note 2:** The FIPS PUB defines the length of a collection of columns to be the sum of: twice the number of columns, the length of each character column in bytes, decimal precision plus 1 of each exact numeric column, binary precision divided by 4 plus 1 of each approximate numeric column.

**Note 3:** The Oracle limit for the maximum row length is based on the maximum length of a row containing a `LONG` value of length 2 gigabytes and 999 `VARCHAR2` values, each of length 4000 bytes:  $2(254) + 231 + (999(4000))$ .

**Note 4:** The Oracle limit for a `UNIQUE` key is half the size of an Oracle data block (specified by the initialization parameter `DB_BLOCK_SIZE`) minus some overhead.

**Note 5:** Oracle places no limit on the number of columns in a `GROUP BY` clause or the number of sort specifications in an `ORDER BY` clause. However, the sum of the sizes of all the expressions in either a `GROUP BY` clause or an `ORDER BY` clause is limited to the size of an Oracle data block (specified by the initialization parameter `DB_BLOCK_SIZE`) minus some overhead.

**Note 6:** The Oracle limit for the number of cursors simultaneously opened is specified by the initialization parameter `OPEN_CURSORS`. The maximum value of this parameter depends on the memory available on your operating system and exceeds 100 in all cases.

## Oracle Extensions to Standard SQL

Oracle supports numerous features that extend beyond standard SQL. If you are concerned with the portability of your applications to other implementations of SQL, then use Oracle's FIPS Flagger to help identify the use of Oracle extensions to Entry SQL-92 in your embedded SQL programs. The FIPS Flagger is part of the Oracle precompilers and the SQL\*Module compiler. The FIPS Flagger can also be enabled in SQL\*Plus by using `ALTER SESSION SET FLAGGER = ENTRY`. While SQL-92 has been superseded by SQL:2016, there has been no conformance testing authority for any version of SQL since SQL-92; hence, Entry SQL-92 offers you the most assurance of portability.



### See Also:

*Pro\*COBOL Programmer's Guide* and *Pro\*C/C++ Programmer's Guide* for information on how to use the FIPS Flagger

## Oracle Compliance with Older Standards

This release of Oracle Database conforms to SQL:2016, the most recent edition of the SQL standard when this guide was published, as itemized in preceding sections of this appendix. Oracle does not formally claim that this release of the database conforms to SQL-92—and in particular, to SQL-92 Entry Level—or to SQL:1999, because those standards have been superseded by SQL:2016. Some, mostly minor, changes between editions of the SQL standard might affect applications. The SQL standard, or a reference discussing that standard, can be consulted to determine the details of any incompatibilities that have been introduced. One important source is Annex E of SQL/Foundation:1999, SQL/Foundation:2003, SQL/Foundation:2008, SQL/Foundation:2011, and SQL/Foundation:2016.

In some cases, this release of Oracle Database might continue to recognize constructs from older editions of SQL. Such recognition is often allowed as a valid vendor extension. It is the general policy of Oracle to keep incompatibilities between versions of the database as few as possible. This policy extends to retention of older forms when that is feasible. In any case, the differences between older SQL and SQL:2016 (as noted above) are relatively inconsequential.

## Character Set Support

Oracle supports most national, international, and vendor-specific encoded character set standards. A complete list of character sets supported by Oracle appears in *Oracle Database Globalization Support Guide*.

Unicode is a universal encoded character set that lets you store information from any language using a single character set. Unicode is required by modern standards such as XML, Java, JavaScript, and LDAP. Unicode is compliant with ISO/IEC standard 10646. For information on ISO standards, visit the Web site of the International Organization for Standardization:

<http://www.iso.ch/>

Oracle Database Release 23 complies with version 15.0 of the Unicode Standard. For up-to-date information on the Unicode Standard, visit the Web site of the Unicode Consortium:

<http://www.unicode.org>

Oracle supports the UTF-8 encoding scheme of the Unicode Standard through the AL32UTF8 character set, the UTF-16BE encoding scheme through the AL16UTF16 character set, and the UTF-16LE encoding scheme through the AL16UTF16LE character set. AL32UTF8 is valid as the client and database character set on ASCII-based platforms. AL16UTF16 is valid as the national (NCHAR) character set on all platforms. AL16UTF16LE is not valid as the client, database, or national character set.

Oracle implements two deprecated Unicode compatibility encoding forms: CESU-8 through the UTF8 character set and UTF-EBCDIC through the UTFE character set. The UTF8 and UTFE character sets are not guaranteed to include updates to the Unicode standard beyond version 3.0. UTF8 is valid as the client and database character set on ASCII-based platforms and as the national (NCHAR) character set on all platforms. UTFE is valid as the database character set on EBCDIC-based platforms.

All mentioned Oracle character sets are supported in conversion functions.

Oracle recommends that databases on ASCII-based platforms are created with the AL32UTF8 character set and the AL16UTF16 national (NCHAR) character set. Oracle recommends that you avoid the use of the NCHAR data types and the associated national character set as they are not supported by some RDBMS components, such as Oracle Text and Oracle XDB.

### See Also:

*Oracle Database Globalization Support Guide* for details on Oracle character set support

# D

## Oracle Regular Expression Support

Oracle's implementation of regular expressions conforms with the IEEE Portable Operating System Interface (POSIX) regular expression standard and to the Unicode Regular Expression Guidelines of the Unicode Consortium.

This appendix contains the following sections:

- [Multilingual Regular Expression Syntax](#)
- [Regular Expression Operator Multilingual Enhancements](#)
- [Perl-influenced Extensions in Oracle Regular Expressions](#)

### Multilingual Regular Expression Syntax

[Table D-1](#) lists the full set of operators defined in the POSIX standard Extended Regular Expression (ERE) syntax. Oracle follows the exact syntax and matching semantics for these operators as defined in the POSIX standard for matching ASCII (English language) data. For more complete descriptions of the operators, examples of their use, and Oracle multilingual enhancements of the operators, refer to *Oracle Database Development Guide*. Notes following the table provide more complete descriptions of the operators and their functions, as well as Oracle multilingual enhancements of the operators. [Table D-2](#) summarizes Oracle support for and multilingual enhancement of the POSIX operators.

**Table D-1 Regular Expression Operators and Metasymbols**

Operator	Description
\	The backslash character can have four different meanings depending on the context. It can: <ul style="list-style-type: none"><li>• Stand for itself</li><li>• Quote the next character</li><li>• Introduce an operator</li><li>• Do nothing</li></ul>
*	Matches zero or more occurrences
+	Matches one or more occurrences
?	Matches zero or one occurrence
	Alternation operator for specifying alternative matches
^	Matches the beginning of a string by default. In multiline mode, it matches the beginning of any line anywhere within the source string.
\$	Matches the end of a string by default. In multiline mode, it matches the end of any line anywhere within the source string.
.	Matches any character in the supported character set except <code>NULL</code>

**Table D-1 (Cont.) Regular Expression Operators and Metasymbols**

Operator	Description
[ ]	Bracket expression for specifying a matching list that should match any one of the expressions represented in the list. A non-matching list expression begins with a circumflex (^) and specifies a list that matches any character except for the expressions represented in the list.  To specify a right bracket (]) in the bracket expression, place it first in the list (after the initial circumflex (^), if any).  To specify a hyphen in the bracket expression, place it first in the list (after the initial circumflex (^), if any), last in the list, or as an ending range point in a range expression.
( )	Grouping expression, treated as a single subexpression
{m}	Matches exactly m times
{m,}	Matches at least m times
{m,n}	Matches at least m times but no more than n times
\n	The backreference expression (n is a digit between 1 and 9) matches the n <sup>th</sup> subexpression enclosed between '(' and ')' preceding the \n
[..]	Specifies one collation element, and can be a multicharacter element (for example, [.ch.] in Spanish)
[ : ]	Specifies character classes (for example, [:alpha:]). It matches any character within the character class.
[ = ]	Specifies equivalence classes. For example, [=a=] matches all characters having base letter 'a'.

## Regular Expression Operator Multilingual Enhancements

When applied to multilingual data, Oracle's implementation of the POSIX operators extends beyond the matching capabilities specified in the POSIX standard. [Table D-2](#) shows the relationship of the operators in the context of the POSIX standard.

- The first column lists the supported operators.
- The second and third columns indicate whether the POSIX standard (Basic Regular Expression—BRE and Extended Regular Expression—ERE, respectively) defines the operator
- The fourth column indicates whether Oracle's implementation extends the operator's semantics for handling multilingual data.

Oracle lets you enter multibyte characters directly, if you have a direct input method, or you can use functions to compose the multibyte characters. You cannot use the Unicode hexadecimal encoding value of the form '\xxxx'. Oracle evaluates the characters based on the byte values used to encode the character, not the graphical representation of the character. All accented characters are considered word characters.



**Table D-2 POSIX and Multilingual Operator Relationships**

Operator	POSIX BRE syntax	POSIX ERE Syntax	Multilingual Enhancement
\	Yes	Yes	—
*	Yes	Yes	—
+	--	Yes	—
?	—	Yes	—
	—	Yes	—
^	Yes	Yes	Yes
\$	Yes	Yes	Yes
.	Yes	Yes	Yes
[ ]	Yes	Yes	Yes
( )	Yes	Yes	—
{m}	Yes	Yes	—
{m,}	Yes	Yes	—
{m,n}	Yes	Yes	—
\n	Yes	Yes	Yes
[.]	Yes	Yes	Yes
[:]	Yes	Yes	Yes
[==]	Yes	Yes	Yes

## Perl-influenced Extensions in Oracle Regular Expressions

Oracle Database regular expression functions and conditions accept a number of Perl-influenced operators that are in common use, although not part of the POSIX standard. [Table D-3](#) lists those operators. For more complete descriptions with examples, refer to *Oracle Database Development Guide*.

**Table D-3 Perl-influenced Operators in Oracle Regular Expressions**

Operator	Description
\d	A digit character.
\D	A nondigit character.
\w	A word character.
\W	A nonword character.
\s	A whitespace character.
\S	A non-whitespace character.
\A	Matches only at the beginning of a string, or before a newline character at the end of a string.
\Z	Matches only at the end of a string.
*?	Matches the preceding pattern element 0 or more times (nongreedy).

**Table D-3 (Cont.) Perl-influenced Operators in Oracle Regular Expressions**

<b>Operator</b>	<b>Description</b>
<code>+?</code>	Matches the preceding pattern element 1 or more times (nongreedy).
<code>??</code>	Matches the preceding pattern element 0 or 1 time (nongreedy).
<code>{n}?</code>	Matches the preceding pattern element exactly <i>n</i> times (nongreedy).
<code>{n,}?</code>	Matches the preceding pattern element at least <i>n</i> times (nongreedy).
<code>{n,m}?</code>	Matches the preceding pattern element at least <i>n</i> but not more than <i>m</i> times (nongreedy).

# E

## Oracle SQL Reserved Words and Keywords

This appendix contains the following sections:

- [Oracle SQL Reserved Words](#)
- [Oracle SQL Keywords](#)

### Oracle SQL Reserved Words

This section lists Oracle SQL reserved words. You cannot use Oracle SQL reserved words as nonquoted identifiers. Quoted identifiers can be reserved words, although this is not recommended.



#### Note:

In addition to the following reserved words, Oracle uses system-generated names beginning with "SYS\_" for implicitly generated schema objects and subobjects. Oracle discourages you from using this prefix in the names you explicitly provide to your schema objects and subobjects to avoid possible conflict in name resolution.

The `V$RESERVED_WORDS` data dictionary view provides additional information on each reserved word, including whether it is always reserved or is reserved only for particular uses. Refer to *Oracle Database Reference* for more information.

Words followed by an asterisk (\*) are also ANSI reserved words.

```
ACCESS
ADD
ALL *
ALTER *
AND *
ANY *
AS *
ASC
AUDIT
BETWEEN *
BY *
CHAR *
CHECK *
CLUSTER
COLUMN *
COLUMN_VALUE (See Note 1 at the end of this list)
COMMENT
COMPRESS
```

CONNECT \*  
CREATE \*  
CURRENT \*  
DATE \*  
DECIMAL \*  
DEFAULT \*  
DELETE \*  
DESC  
DISTINCT \*  
DROP \*  
ELSE \*  
EXCLUSIVE  
EXISTS \*  
FILE  
FLOAT \*  
FOR \*  
FROM \*  
GRANT \*  
GROUP \*  
HAVING \*  
IDENTIFIED  
IMMEDIATE  
IN \*  
INCREMENT  
INDEX  
INITIAL  
INSERT \*  
INTEGER \*  
INTERSECT \*  
INTO \*  
IS \*  
LEVEL  
LIKE \*  
LOCK  
LONG  
MAXEXTENTS  
MINUS  
MSLABEL  
MODE  
MODIFY  
NESTED\_TABLE\_ID (See Note 1 at the end of this list)  
NOAUDIT  
NOCOMPRESS  
NOT \*  
NOWAIT  
NULL \*  
NUMBER  
OF \*  
OFFLINE

ON \*  
ONLINE  
OPTION  
OR \*  
ORDER \*  
PCTFREE  
PRIOR  
PUBLIC  
RAW  
RENAME  
RESOURCE  
REVOKE \*  
ROW \*  
ROWID (See Note 2 at the end of this list)  
ROWNUM  
ROWS \*  
SELECT \*  
SESSION  
SET \*  
SHARE  
SIZE  
SMALLINT \*  
START \*  
SUCCESSFUL  
SYNONYM  
SYSDATE  
TABLE \*  
THEN \*  
TO \*  
TRIGGER \*  
UID  
UNION \*  
UNIQUE \*  
UPDATE \*  
USER \*  
VALIDATE  
VALUES \*  
VARCHAR \*  
VARCHAR2  
VIEW  
WHENEVER \*  
WHERE \*  
WITH \*

**Note 1:** This keyword is only reserved for use as an attribute name.

**Note 2:** You cannot use the uppercase word `ROWID`, either quoted or nonquoted, as a column name. However, you can use the uppercase word as a quoted identifier that is not a column

name, and you can use the word with one or more lowercase letters (for example, "Rowid" or "rowid") as any quoted identifier, including a column name.

## Oracle SQL Keywords

Oracle SQL keywords are not reserved. However, Oracle uses them internally in specific ways. Therefore, if you use these words as names for objects and object parts, then your SQL statements may be more difficult to read and may lead to unpredictable results.

You can obtain a list of keywords by querying the `V$RESERVED_WORDS` data dictionary view. All keywords in the view that are not listed as always reserved or reserved for a specific use are Oracle SQL keywords. Refer to *Oracle Database Reference* for more information.

# F

## Extended Examples

The body of the *SQL Language Reference* contains examples for almost every reference topic. This appendix contains lengthy examples that are not appropriate in the context of a single SQL statement. These examples are intended to provide uninterrupted the series of steps that you would use to take advantage of particular Oracle functionality. They do not replace the syntax diagrams and semantics found for each individual SQL statement in the body of the reference. Use the cross-references provided to access additional information, such as privileges required and restrictions, as well as syntax.

This appendix contains the following sections:

- [Using Extensible Indexing](#)
- [Using XML in SQL Statements](#)

## Using Extensible Indexing

This section provides examples of the steps entailed in a simple but realistic extensible indexing scenario.

Suppose you want to rank the salaries in the `HR.employees` table and then find those that rank between 10 and 20. You could use the `DENSE_RANK` function, as follows:

```
SELECT last_name, salary FROM
  (SELECT last_name, DENSE_RANK() OVER
     (ORDER BY salary DESC) rank_val, salary FROM employees)
WHERE rank_val BETWEEN 10 AND 20;
```



**See Also:**

[DENSE\\_RANK](#)

This nested query is somewhat complex, and it requires a full scan of the `employees` table as well as a sort. An alternative would be to use extensible indexing to achieve the same goal. The resulting query will be simpler. The query will require only an index scan and a table access by rowid, and will therefore perform much more efficiently.

The first step is to create the implementation type `position_im`, including method headers for index definition, maintenance, and creation. Most of the type body uses PL/SQL, which is shown in italics.

The type must be created with the `AUTHID CURRENT_USER` clause because of the `EXECUTE IMMEDIATE` statement inside the function `ODCIINDEXCREATE()`. By default that function runs with the definer rights. When the function is called in the subsequent creation of the domain index, the invoker does not have the same rights.

 **See Also:**

- [CREATE TYPE and CREATE TYPE BODY](#)
- *Oracle Database Data Cartridge Developer's Guide* for complete information on the ODCI routines in this statement

```

CREATE OR REPLACE TYPE position_im AUTHID CURRENT_USER AS OBJECT
(
  curnum NUMBER,
  howmany NUMBER,
  lower_bound NUMBER,
  upper_bound NUMBER,
  /* lower_bound and upper_bound are used for the
  index-based functional implementation */
  STATIC FUNCTION ODCIGETINTERFACES(ifclist OUT SYS.ODCIOBJECTLIST) RETURN NUMBER,
  STATIC FUNCTION ODCIINDEXCREATE
    (ia SYS.ODCIINDEXINFO, parms VARCHAR2, env SYS.ODCIEnv) RETURN NUMBER,
  STATIC FUNCTION ODCIINDEXTRUNCATE (ia SYS.ODCIINDEXINFO,
    env SYS.ODCIEnv) RETURN NUMBER,
  STATIC FUNCTION ODCIINDEXDROP(ia SYS.ODCIINDEXINFO,
    env SYS.ODCIEnv) RETURN NUMBER,
  STATIC FUNCTION ODCIINDEXINSERT(ia SYS.ODCIINDEXINFO, rid ROWID,
    newval NUMBER, env SYS.ODCIEnv) RETURN NUMBER,
  STATIC FUNCTION ODCIINDEXDELETE(ia SYS.ODCIINDEXINFO, rid ROWID, oldval NUMBER,
    env SYS.ODCIEnv) RETURN NUMBER,
  STATIC FUNCTION ODCIINDEXUPDATE(ia SYS.ODCIINDEXINFO, rid ROWID, oldval NUMBER,
    newval NUMBER, env SYS.ODCIEnv) RETURN NUMBER,
  STATIC FUNCTION ODCIINDEXSTART(SCTX IN OUT position_im, ia SYS.ODCIINDEXINFO,
    op SYS.ODCIPREDINFO, qi SYS.ODCIQUERYINFO,
    strt NUMBER, stop NUMBER, lower_pos NUMBER,
    upper_pos NUMBER, env SYS.ODCIEnv) RETURN NUMBER,
  MEMBER FUNCTION ODCIINDEXFETCH(SELF IN OUT position_im, nrows NUMBER,
    rids OUT SYS.ODCIRIDLIST, env SYS.ODCIEnv)
    RETURN NUMBER,
  MEMBER FUNCTION ODCIINDEXCLOSE(env SYS.ODCIEnv) RETURN NUMBER
);
/

CREATE OR REPLACE TYPE BODY position_im
IS
  STATIC FUNCTION ODCIGETINTERFACES(ifclist OUT SYS.ODCIOBJECTLIST)
    RETURN NUMBER IS
  BEGIN
    ifclist := SYS.ODCIOBJECTLIST(SYS.ODCIOBJECT('SYS','ODCIINDEX2'));
    RETURN ODCICONST.SUCCESS;
  END ODCIGETINTERFACES;
  STATIC FUNCTION ODCIINDEXCREATE (ia SYS.ODCIINDEXINFO, parms VARCHAR2, env SYS.ODCIEnv) RETURN
  NUMBER
  IS
    stmt VARCHAR2(2000);
  BEGIN
  /* Construct the SQL statement */
    stmt := 'Create Table ' || ia.INDEXSCHEMA || '.' || ia.INDEXNAME ||
      '_STORAGE_TAB' || '(col_val, base_rowid, constraint pk PRIMARY KEY ' ||
      '(col_val, base_rowid)) ORGANIZATION INDEX AS SELECT ' ||
      ia.INDEXCOLS(1).COLNAME || ', ROWID FROM ' ||
      ia.INDEXCOLS(1).TABLESCHEMA || '.' || ia.INDEXCOLS(1).TABLERNAME;

```



```
EXECUTE IMMEDIATE stmt;
RETURN ODCICONST.SUCCESS;
END;
STATIC FUNCTION ODCIINDEXDROP(ia SYS.ODCIINDEXINFO, env SYS.ODCIEnv) RETURN NUMBER IS
  stmt VARCHAR2(2000);
BEGIN
/* Construct the SQL statement */
  stmt := 'DROP TABLE ' || ia.INDEXSCHEMA || '.' || ia.INDEXNAME ||
'_STORAGE_TAB';
/* Execute the statement */
EXECUTE IMMEDIATE stmt;
RETURN ODCICONST.SUCCESS;
END;
STATIC FUNCTION ODCIINDEXTRUNCATE(ia SYS.ODCIINDEXINFO, env SYS.ODCIEnv) RETURN NUMBER IS
  stmt VARCHAR2(2000);
BEGIN
/* Construct the SQL statement */
  stmt := 'TRUNCATE TABLE ' || ia.INDEXSCHEMA || '.' || ia.INDEXNAME || '_STORAGE_TAB';

EXECUTE IMMEDIATE stmt;
RETURN ODCICONST.SUCCESS;
END;
STATIC FUNCTION ODCIINDEXINSERT(ia SYS.ODCIINDEXINFO, rid ROWID,
                               newval NUMBER, env SYS.ODCIEnv) RETURN NUMBER IS
  stmt VARCHAR2(2000);
BEGIN
/* Construct the SQL statement */
  stmt := 'INSERT INTO ' || ia.INDEXSCHEMA || '.' || ia.INDEXNAME ||
'_STORAGE_TAB VALUES ('' || newval || '' , '' || rid || '' )';
/* Execute the SQL statement */
EXECUTE IMMEDIATE stmt;
RETURN ODCICONST.SUCCESS;
END;

STATIC FUNCTION ODCIINDEXDELETE(ia SYS.ODCIINDEXINFO, rid ROWID, oldval NUMBER,
                               env SYS.ODCIEnv)
  RETURN NUMBER IS
  stmt VARCHAR2(2000);
BEGIN
/* Construct the SQL statement */
  stmt := 'DELETE FROM ' || ia.INDEXSCHEMA || '.' || ia.INDEXNAME ||
'_STORAGE_TAB WHERE col_val = '' || oldval || '' AND base_rowid = '' || rid || ''';
/* Execute the statement */
EXECUTE IMMEDIATE stmt;
RETURN ODCICONST.SUCCESS;
END;
STATIC FUNCTION ODCIINDEXUPDATE(ia SYS.ODCIINDEXINFO, rid ROWID, oldval NUMBER,
                               newval NUMBER, env SYS.ODCIEnv) RETURN NUMBER IS
  stmt VARCHAR2(2000);
BEGIN
/* Construct the SQL statement */
  stmt := 'UPDATE ' || ia.INDEXSCHEMA || '.' || ia.INDEXNAME ||
'_STORAGE_TAB SET col_val = '' || newval || '' WHERE f2 = '' || rid || ''';
/* Execute the statement */
EXECUTE IMMEDIATE stmt;
RETURN ODCICONST.SUCCESS;
END;
STATIC FUNCTION ODCIINDEXSTART(SCTX IN OUT position_im, ia SYS.ODCIINDEXINFO,
                              op SYS.ODCIPREDINFO, qi SYS.ODCIQUERYINFO,
                              strt NUMBER, stop NUMBER, lower_pos NUMBER,
                              upper_pos NUMBER, env SYS.ODCIEnv) RETURN NUMBER IS
```

```
rid          VARCHAR2(5072);
storage_tab_name VARCHAR2(65);
lower_bound_stmt VARCHAR2(2000);
upper_bound_stmt VARCHAR2(2000);
range_query_stmt VARCHAR2(2000);
lower_bound   NUMBER;
upper_bound   NUMBER;
cnum          INTEGER;
nrows        INTEGER;

BEGIN
/* Take care of some error cases.
The only predicates in which position operator can appear are
    op() = 1    OR
    op() = 0    OR
    op() between 0 and 1
*/
IF (((strt != 1) AND (strt != 0)) OR
    ((stop != 1) AND (stop != 0)) OR
    ((strt = 1) AND (stop = 0))) THEN
    RAISE_APPLICATION_ERROR(-20101,
        'incorrect predicate for position_between operator');
END IF;
IF (lower_pos > upper_pos) THEN
    RAISE_APPLICATION_ERROR(-20101, 'Upper Position must be greater than or
    equal to Lower Position');
END IF;
IF (lower_pos <= 0) THEN
    RAISE_APPLICATION_ERROR(-20101, 'Both Positions must be greater than zero');
END IF;
storage_tab_name := ia.INDEXSCHEMA || '.' || ia.INDEXNAME ||
    '_STORAGE_TAB';
upper_bound_stmt := 'Select MIN(col_val) FROM (Select /*+ INDEX_DESC(' ||
    storage_tab_name || ') */ DISTINCT ' ||
    'col_val FROM ' || storage_tab_name || ' ORDER BY ' ||
    'col_val DESC) WHERE rownum <= ' || lower_pos;
EXECUTE IMMEDIATE upper_bound_stmt INTO upper_bound;
IF (lower_pos != upper_pos) THEN
    lower_bound_stmt := 'Select MIN(col_val) FROM (Select /*+ INDEX_DESC(' ||
    storage_tab_name || ') */ DISTINCT ' ||
    'col_val FROM ' || storage_tab_name ||
    ' WHERE col_val < ' || upper_bound || ' ORDER BY ' ||
    'col_val DESC) WHERE rownum <= ' ||
    (upper_pos - lower_pos);
    EXECUTE IMMEDIATE lower_bound_stmt INTO lower_bound;
ELSE
    lower_bound := upper_bound;
END IF;
IF (lower_bound IS NULL) THEN
    lower_bound := upper_bound;
END IF;
range_query_stmt := 'Select base_rowid FROM ' || storage_tab_name ||
    ' WHERE col_val BETWEEN ' || lower_bound || ' AND ' ||
    upper_bound;
cnum := DBMS_SQL.OPEN_CURSOR;
DBMS_SQL.PARSE(cnum, range_query_stmt, DBMS_SQL.NATIVE);
/* set context as the cursor number */
SCTX := position_im(cnum, 0, 0, 0);
/* return success */
RETURN ODCICONST.SUCCESS;
END;
```

```

MEMBER FUNCTION ODCIINDEXFETCH(SELF IN OUT position_im, nrows NUMBER,
                               rids OUT SYS.ODCIRIDLIST, env SYS.ODCIEnv)

RETURN NUMBER IS
  cnum    INTEGER;
  rid_tab DBMS_SQL.Varchar2_table;
  rlist   SYS.ODCIRIDLIST := SYS.ODCIRIDLIST();
  i       INTEGER;
  d       INTEGER;
BEGIN
  cnum := SELF.curnum;
  IF self.howmany = 0 THEN
    dbms_sql.define_array(cnum, 1, rid_tab, nrows, 1);
    d := DBMS_SQL.EXECUTE(cnum);
  END IF;
  d := DBMS_SQL.FETCH_ROWS(cnum);
  IF d = nrows THEN
    rlist.extend(d);
  ELSE
    rlist.extend(d+1);
  END IF;
  DBMS_SQL.COLUMN_VALUE(cnum, 1, rid_tab);
  for i in 1..d loop
    rlist(i) := rid_tab(i+SELF.howmany);
  end loop;
  SELF.howmany := SELF.howmany + d;
  rids := rlist;
  RETURN ODCICONST.SUCCESS;
END;
MEMBER FUNCTION ODCIINDEXCLOSE(env SYS.ODCIEnv) RETURN NUMBER IS
  cnum INTEGER;
BEGIN
  cnum := SELF.curnum;
  DBMS_SQL.CLOSE_CURSOR(cnum);
  RETURN ODCICONST.SUCCESS;
END;
END;
/

```

The next step is to create the functional implementation `function_for_position_between` for the operator that will be associated with the indextype. (The PL/SQL blocks are shown in parentheses.)

This function is for use with an index-based function evaluation. Therefore, it takes an index context and scan context as parameters.

#### See Also:

- *Oracle Database Data Cartridge Developer's Guide* for information on creating index-based functional implementation
- [CREATE FUNCTION](#) and *Oracle Database PL/SQL Language Reference*

```

CREATE OR REPLACE FUNCTION function_for_position_between
  (col NUMBER, lower_pos NUMBER, upper_pos NUMBER,
   indexctx IN SYS.ODCIIndexCtx,
   scanctx IN OUT position_im,
   scanflg IN NUMBER)

```

```

RETURN NUMBER AS
  rid          ROWID;
  storage_tab_name VARCHAR2(65);
  lower_bound_stmt VARCHAR2(2000);
  upper_bound_stmt VARCHAR2(2000);
  col_val_stmt   VARCHAR2(2000);
  lower_bound    NUMBER;
  upper_bound    NUMBER;
  column_value   NUMBER;
BEGIN
  IF (indexctx.IndexInfo IS NOT NULL) THEN
    storage_tab_name := indexctx.IndexInfo.INDEXSHEMA || '.' ||
      indexctx.IndexInfo.INDEXNAME || '_STORAGE_TAB';
    IF (scanctx IS NULL) THEN
/* This is the first call. Open a cursor for future calls.
   First, do some error checking
*/
      IF (lower_pos > upper_pos) THEN
        RAISE_APPLICATION_ERROR(-20101,
          'Upper Position must be greater than or equal to Lower Position');
      END IF;
      IF (lower_pos <= 0) THEN
        RAISE_APPLICATION_ERROR(-20101,
          'Both Positions must be greater than zero');
      END IF;
/* Obtain the upper and lower value bounds for the range we're interested in.
*/
      upper_bound_stmt := 'Select MIN(col_val) FROM (Select /*+ INDEX_DESC(' ||
        storage_tab_name || ') */ DISTINCT ' ||
        'col_val FROM ' || storage_tab_name || ' ORDER BY ' ||
        'col_val DESC) WHERE rownum <= ' || lower_pos;
      EXECUTE IMMEDIATE upper_bound_stmt INTO upper_bound;
      IF (lower_pos != upper_pos) THEN
        lower_bound_stmt := 'Select MIN(col_val) FROM (Select /*+ INDEX_DESC(' ||
          storage_tab_name || ') */ DISTINCT ' ||
          'col_val FROM ' || storage_tab_name ||
          ' WHERE col_val < ' || upper_bound || ' ORDER BY ' ||
          'col_val DESC) WHERE rownum <= ' ||
          (upper_pos - lower_pos);
        EXECUTE IMMEDIATE lower_bound_stmt INTO lower_bound;
      ELSE
        lower_bound := upper_bound;
      END IF;
      IF (lower_bound IS NULL) THEN
        lower_bound := upper_bound;
      END IF;
/* Store the lower and upper bounds for future function invocations for
   the positions.
*/
      scanctx := position_im(0, 0, lower_bound, upper_bound);
    END IF;
/* Fetch the column value corresponding to the rowid, and see if it falls
   within the determined range.
*/
    col_val_stmt := 'Select col_val FROM ' || storage_tab_name ||
      ' WHERE base_rowid = ''' || indexctx.Rid || '''';
    EXECUTE IMMEDIATE col_val_stmt INTO column_value;
    IF (column_value <= scanctx.upper_bound AND
      column_value >= scanctx.lower_bound AND
      scanflg = ODCICONST.RegularCall) THEN
      RETURN 1;
    END IF;
  END IF;
END;


```

```

ELSE
    RETURN 0;
END IF;
ELSE
    RAISE_APPLICATION_ERROR(-20101, 'A column that has a domain index of' ||
        'Position indextype must be the first argument');
END IF;
END;
/

```

Next, create the `position_between` operator, which uses the `function_for_position_between` function. The operator takes an indexed `NUMBER` column as the first argument, followed by a `NUMBER` lower and upper bound as the second and third arguments.

 **See Also:**  
[CREATE OPERATOR](#)

```

CREATE OR REPLACE OPERATOR position_between
    BINDING (NUMBER, NUMBER, NUMBER) RETURN NUMBER
    WITH INDEX CONTEXT, SCAN CONTEXT position_im
    USING function_for_position_between;

```

In this `CREATE OPERATOR` statement, the `WITH INDEX CONTEXT, SCAN CONTEXT position_im` clause is included so that the index context and scan context are passed in to the functional evaluation, which is index based.

Now create the `position_indextype` indextype for the `position_operator`:


 **See Also:**  
[CREATE INDEXTYPE](#)

```

CREATE INDEXTYPE position_indextype
    FOR position_between(NUMBER, NUMBER, NUMBER)
    USING position_im;

```

The operator `position_between` uses an index-based functional implementation. Therefore, a domain index must be defined on the referenced column so that the index information can be passed into the functional evaluation. So the final step is to create the domain index `salary_index` using the `position_indextype` indextype:

 **See Also:**  
[CREATE INDEX](#)

```
CREATE INDEX salary_index ON employees(salary)
    INDEXTYPE IS position_indectype;
```

Now you can use the `position_between` operator function to rewrite the original query as follows:

```
SELECT last_name, salary FROM employees
    WHERE position_between(salary, 10, 20)=1
    ORDER BY salary DESC, last_name;
```

LAST_NAME	SALARY
Tucker	10000
King	10000
Baer	10000
Bloom	10000
Fox	9600
Bernstein	9500
Sully	9500
Greene	9500
Hunold	9000
Faviet	9000
McEwen	9000
Hall	9000
Hutton	8800
Taylor	8600
Livingston	8400
Gietz	8300
Chen	8200
Fripp	8200
Weiss	8000
Olsen	8000
Smith	8000
Kaufling	7900

## Using XML in SQL Statements

This section describes some of the ways you can use `XMLType` data in the database.

### XMLType Tables

The sample schema `oe` contains a table `warehouses`, which contains an `XMLType` column `warehouse_spec`. Suppose you want to create a separate table with the `warehouse_spec` information. The following example creates a very simple `XMLType` table with one `CLOB` column:

```
CREATE TABLE xwarehouses OF XMLTYPE
    XMLTYPE STORE AS CLOB;
```

You can insert into such a table using `XMLType` syntax, as shown in the next statement. (The data inserted in this example corresponds to the data in the `warehouse_spec` column of the sample table `oe.warehouses` where `warehouse_id = 1`.)

```
INSERT INTO xwarehouses VALUES
    (xmltype('<?xml version="1.0"?>
    <Warehouse>
    <WarehouseId>1</WarehouseId>
    <WarehouseName>Southlake, Texas</WarehouseName>
```

```

    <Building>Owned</Building>
    <Area>25000</Area>
    <Docks>2</Docks>
    <DockType>Rear load</DockType>
    <WaterAccess>true</WaterAccess>
    <RailAccess>N</RailAccess>
    <Parking>Street</Parking>
    <VClearance>10</VClearance>
  </Warehouse>')));

```

### See Also:

*Oracle XML DB Developer's Guide* for information on `XMLType` and its member methods

You can query this table with the following statement:

```
SELECT e.getClobVal() FROM xwarehouses e;
```

CLOB columns are subject to all of the restrictions on LOB columns. To avoid these restrictions, create an XMLSchema-based table. The XMLSchema maps the XML elements to their object-relational equivalents. The following example registers an XMLSchema locally. The XMLSchema (`xwarehouses.xsd`) reflects the same structure as the `xwarehouses` table. (XMLSchema declarations use PL/SQL and the `DBMS_XMLSCHEMA` package, so the example is shown in italics.)

### See Also:

*Oracle XML DB Developer's Guide* for information on creating XMLSchemas

```

begin
  dbms_xmlschema.registerSchema (
    'http://www.example.com/xwarehouses.xsd',
    '<schema xmlns="http://www.w3.org/2001/XMLSchema"
      targetNamespace="http://www.example.com/xwarehouses.xsd"
      xmlns:who="http://www.example.com/xwarehouses.xsd"
      version="1.0">

    <simpleType name="RentalType">
      <restriction base="string">
        <enumeration value="Rented"/>
        <enumeration value="Owned"/>
      </restriction>
    </simpleType>

    <simpleType name="ParkingType">
      <restriction base="string">
        <enumeration value="Street"/>
        <enumeration value="Lot"/>
      </restriction>
    </simpleType>

    <element name = "Warehouse">

```

```

<complexType>
  <sequence>
    <element name = "WarehouseId" type = "positiveInteger"/>
    <element name = "WarehouseName" type = "string"/>
    <element name = "Building" type = "who:RentalType"/>
    <element name = "Area" type = "positiveInteger"/>
    <element name = "Docks" type = "positiveInteger"/>
    <element name = "DockType" type = "string"/>
    <element name = "WaterAccess" type = "boolean"/>
    <element name = "RailAccess" type = "boolean"/>
    <element name = "Parking" type = "who:ParkingType"/>
    <element name = "VClearance" type = "positiveInteger"/>
  </sequence>
</complexType>
</element>
</schema>',
  TRUE, TRUE, FALSE, FALSE);
end;
/

```

Now you can create an XMLSchema-based table, as shown in the following example:

```

CREATE TABLE xwarehouses OF XMLTYPE
  XMLSCHEMA "http://www.example.com/xwarehouses.xsd"
  ELEMENT "Warehouse";

```

By default, Oracle stores this as an object-relational table. Therefore, you can insert into it as shown in the example that follows. (The data inserted in this example corresponds to the data in the `warehouse_spec` column of the sample table `oe.warehouses` where `warehouse_id = 1`.)

```

INSERT INTO xwarehouses VALUES(  xmltype.createxml('<?xml version="1.0"?>
  <who:Warehouse xmlns:who="http://www.example.com/xwarehouses.xsd"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.example.com/xwarehouses.xsd
  http://www.example.com/xwarehouses.xsd">
    <WarehouseId>1</WarehouseId>
    <WarehouseName>Southlake, Texas</WarehouseName>
    <Building>Owned</Building>
    <Area>25000</Area>
    <Docks>2</Docks>
    <DockType>Rear load</DockType>
    <WaterAccess>true</WaterAccess>
    <RailAccess>false</RailAccess>
    <Parking>Street</Parking>
    <VClearance>10</VClearance>
  </who:Warehouse>') );
...

```

You can define constraints on an XMLSchema-based table. To do so, you use the `XMLDATA` pseudocolumn to refer to the appropriate attribute within the `Warehouse` XML element:

```

ALTER TABLE xwarehouses ADD (PRIMARY KEY(XMLDATA."WarehouseId"));

```

Because the data in `xwarehouses` is stored object relationally, Oracle rewrites queries to this `XMLType` table to go to the underlying storage when possible. Therefore the following queries would use the index created by the primary key constraint in the preceding example:



```

SELECT * FROM xwarehouses x
WHERE EXISTSNODE(VALUE(x), '/Warehouse[WarehouseId="1"]',
'xmlns:who="http://www.example.com/xwarehouses.xsd") = 1;

SELECT * FROM xwarehouses x
WHERE EXTRACTVALUE(VALUE(x), '/Warehouse/WarehouseId',
'xmlns:who="http://www.example.com/xwarehouses.xsd") = 1;

```

You can also explicitly create indexes on XMLSchema-based tables, which greatly enhance the performance of subsequent queries. You can create object-relational views on XMLType tables, and you can create XMLType views on object-relational tables.

### See Also:

- [XMLDATA Pseudocolumn](#) for information on the XMLDATA pseudocolumn
- ["Creating an XMLType View: Example"](#)
- [Creating an Index on an XMLType Table: Example](#)

## XMLType Columns

The sample table `oe.warehouses` was created with a `warehouse_spec` column of type XMLType. The examples in this section create a shortened form of the `oe.warehouses` table, using two different types of storage.

The first example creates a table with an XMLType table stored as a CLOB. This table does not require an XMLSchema, so the content structure is not predetermined:

```

CREATE TABLE xwarehouses (
  warehouse_id      NUMBER,
  warehouse_spec    XMLTYPE)
XMLTYPE warehouse_spec STORE AS CLOB
(TABLESPACE example
 STORAGE (INITIAL 6144)
 CHUNK 4000
 NOCACHE LOGGING);

```

The following example creates a similar table, but stores the XMLType data in an object-relational XMLType column whose structure is determined by the specified XMLSchema:

```

CREATE TABLE xwarehouses (
  warehouse_id      NUMBER,
  warehouse_spec    XMLTYPE)
XMLTYPE warehouse_spec STORE AS OBJECT RELATIONAL
XMLSCHEMA "http://www.example.com/xwarehouses.xsd"
ELEMENT "Warehouse";

```

# Index

## Symbols

---

+ (plus sign) in Oracle Automatic Storage Management filenames, [8-34](#)

## Numerics

---

20th century, [2-86](#)

21st century, [2-86](#)

3GL functions and procedures, calling, [14-12](#)

## A

---

ABORT LOGICAL STANDBY clause  
of ALTER DATABASE, [10-93](#)

About SQL Conditions, [6-1](#), [6-43](#)

ABS function, [7-24](#)

ACCESSED GLOBALLY clause  
of CREATE CONTEXT, [13-50](#)

ACCOUNT LOCK clause  
of ALTER USER. See CREATE USER, [12-215](#)

of CREATE USER, [15-207](#)

ACCOUNT UNLOCK clause  
of ALTER USER. See CREATE USER, [12-215](#)

of CREATE USER, [15-207](#)

ACOS function, [7-25](#)

ACTIVATE STANDBY DATABASE clause  
of ALTER DATABASE, [10-89](#)

AD and A.D. datetime format elements, [2-85](#)

ADD clause  
of ALTER DIMENSION, [10-110](#)  
of ALTER INDEXTYPE, [10-180](#)  
of ALTER TABLE, [12-30](#)  
of ALTER VIEW, [12-229](#)

ADD DATAFILE clause  
of ALTER TABLESPACE, [12-188](#)

ADD LOGFILE clause  
of ALTER DATABASE, [10-56](#)

ADD LOGFILE GROUP clause  
of ALTER DATABASE, [10-82](#)

ADD LOGFILE INSTANCE clause  
of ALTER DATABASE, [10-82](#)

ADD LOGFILE MEMBER clause  
of ALTER DATABASE, [10-56](#), [10-83](#)

ADD LOGFILE THREAD clause  
of ALTER DATABASE, [10-82](#)

ADD MEASURES keywords, [19-40](#)

ADD OVERFLOW clause  
of ALTER TABLE, [12-30](#)

ADD PARTITION clause  
of ALTER TABLE, [12-30](#)

ADD PRIMARY KEY clause  
of ALTER MATERIALIZED VIEW LOG, [11-45](#)

ADD ROWID clause  
of ALTER MATERIALIZED VIEW, [11-45](#)

ADD SUPPLEMENTAL LOG DATA clause  
of ALTER DATABASE, [10-84](#)

ADD SUPPLEMENTAL LOG GROUP clause  
of ALTER TABLE, [12-94](#)

ADD TEMPFILE clause  
of ALTER TABLESPACE, [12-188](#)

ADD VALUES clause  
of ALTER TABLE ... MODIFY PARTITION, [12-134](#), [12-135](#)

ADD\_MONTHS function, [7-25](#)

adding a constraint to a table, [12-125](#)

ADMIN USER clause  
of CREATE PLUGGABLE DATABASE, [14-100](#)

ADMINISTER ANY SQL TUNING SET system privilege, [18-45](#)

ADMINISTER KEY MANAGEMENT statement, [10-5](#)

ADMINISTER KEY MANAGEMENT system privilege, [18-48](#)

ADMINISTER SQL MANAGEMENT OBJECT system privilege, [18-45](#)

ADMINISTER SQL TUNING SET system privilege, [18-45](#)

advanced index compression  
definition, [13-151](#)

disabling, [13-151](#)

enabling, [10-168](#)

of index rebuild, [10-168](#)

Advanced Row Compression, [15-86](#)

ADVISE clause  
of ALTER SESSION, [11-111](#)

- aggregate functions, [7-4](#)
- alias
  - for a column, [9-2](#)
  - for an expressions in a view query, [15-219](#)
  - specifying in queries and subqueries, [19-40](#)
- ALL clause
  - of SELECT, [19-66](#)
  - of SET CONSTRAINTS, [19-142](#)
  - of SET ROLE, [19-144](#)
- ALL operator, [6-4](#)
- ALL PRIVILEGES clause
  - of GRANT, [18-40](#)
  - of REVOKE, [19-31](#)
- ALL\_COL\_COMMENTS data dictionary view, [12-254](#)
- ALL\_INDEXTYPE\_COMMENTS data dictionary view, [12-254](#)
- ALL\_MVIEW\_COMMENTS data dictionary view, [12-255](#)
- ALL\_OPERATOR\_COMMENTS data dictionary view, [12-255](#)
- ALL\_ROWS hint, [2-102](#)
- ALL\_TAB\_COMMENTS data dictionary view, [12-254](#)
- all-column wildcard, [19-66](#)
- ALLOCATE EXTENT clause
  - of ALTER CLUSTER, [10-43](#), [10-44](#)
  - of ALTER INDEX, [10-154](#)
  - of ALTER MATERIALIZED VIEW, [11-25](#)
  - of ALTER TABLE, [12-94](#)
- ALLOW CORRUPTION clause
  - of ALTER DATABASE ... RECOVER, [10-70](#)
- ALTER ANALYTIC VIEW statement, [10-35](#)
- ALTER ANY SQL PROFILE system privilege, [18-45](#)
- ALTER ATTRIBUTE DIMENSION statement, [10-37](#)
- ALTER AUDIT POLICY statement, [10-38](#)
- ALTER CLUSTER statement, [10-43](#)
- ALTER DATABASE LINK system privilege, [18-46](#)
- ALTER DATABASE statement, [10-48](#)
- ALTER DIMENSION statement, [10-108](#)
- ALTER DISKGROUP statement, [10-111](#)
- ALTER DOMAIN statement, [10-146](#)
- ALTER FLASHBACK ARCHIVE statement, [10-149](#)
- ALTER FUNCTION statement, [10-152](#)
- ALTER HIERARCHY statement, [10-153](#)
- ALTER INDEX statement, [10-154](#)
- ALTER INDEXTYPE statement, [10-179](#)
- ALTER INMEMORY JOIN GROUP statement, [10-181](#)
- ALTER JAVA CLASS statement, [10-183](#)
- ALTER JAVA SOURCE statement, [10-183](#)
- ALTER LIBRARY statement, [11-1](#)
- ALTER LOCKDOWN PROFILE statement, [11-3](#)
- ALTER MATERIALIZED VIEW LOG statement, [11-40](#)
- ALTER MATERIALIZED VIEW statement, [11-17](#)
- ALTER MATERIALIZED ZONEMAP statement, [11-48](#)
- ALTER MLE ENV, [11-52](#)
- ALTER MLE MODULE, [11-52](#), [11-54](#)
- ALTER object privilege
  - on a SQL translation profile, [18-67](#)
- ALTER OPERATOR statement, [11-55](#)
- ALTER OUTLINE statement, [11-58](#)
- ALTER PACKAGE statement, [11-60](#)
- ALTER PLUGGABLE DATABASE statement, [11-61](#)
- ALTER PROCEDURE statement, [11-92](#)
- ALTER PROFILE statement, [11-93](#)
- ALTER PROPERTY GRAPH statement, [11-96](#)
- ALTER PUBLIC DATABASE LINK system privilege, [18-46](#)
- ALTER RESOURCE COST statement, [11-98](#)
- ALTER ROLE statement, [11-100](#)
- ALTER ROLLBACK SEGMENT statement, [11-102](#)
- ALTER SEQUENCE statement, [11-105](#)
- ALTER SESSION statement, [11-109](#)
- ALTER SNAPSHOT
  - See ALTER MATERIALIZED VIEW
- ALTER SNAPSHOT LOG
  - See ALTER MATERIALIZED VIEW LOG
- ALTER SYSTEM statement, [12-3](#)
- ALTER TABLE statement, [12-30](#)
- ALTER TABLESPACE SET statement, [12-206](#)
- ALTER TABLESPACE statement, [12-188](#)
- ALTER TRIGGER statement, [12-209](#)
- ALTER TYPE statement, [12-211](#)
- ALTER USER statement, [12-213](#)
- ALTER VIEW statement, [12-227](#)
- alter\_external\_table clause
  - of ALTER TABLE, [12-61](#)
- altering storage
  - of PDBs, [11-74](#)
- AM and A.M. datetime format elements, [2-85](#)
- American National Standards Institute (ANSI), [1-1](#)
  - data types, [2-44](#)
    - conversion to Oracle data types, [2-44](#)
  - standards, [1-1](#), [C-1](#)
  - supported data types, [2-1](#)
- analytic functions, [7-6](#)
- analytic views
  - adding measures in a query of, [19-40](#)
  - altering, [10-35](#)
  - creating, [13-6](#)
  - dropping, [15-243](#)

- analytic views (*continued*)
  - filtering facts in a query of, [19-40](#)
  - granting system privileges for, [18-32](#)
  - inline, [19-40](#)
  - measure expressions, [5-4](#)
  - retrieving data from, [19-40](#)
  - transitory, [19-40](#)
- ANALYZE CLUSTER statement, [12-230](#)
- ANALYZE INDEX statement, [12-230](#)
- ANALYZE TABLE statement, [12-230](#)
- ANCILLARY TO clause
  - of CREATE OPERATOR, [14-80](#)
- AND condition, [6-9](#)
- AND DATAFILES clause
  - of DROP TABLESPACE, [18-8](#)
- annotations\_clause, [8-63](#)
- ANSI
  - See American National Standards Institute (ANSI)
- antijoins, [9-16](#)
- ANY operator, [6-4](#)
- ANY\_VALUE function, [7-26](#)
- APPEND hint, [2-102](#)
- APPEND\_VALUES hint, [2-103](#)
- application servers
  - allowing connection as user, [12-213](#)
- applications
  - allowing connection as user, [12-213](#)
  - securing, [13-49](#)
  - validating, [13-49](#)
- APPROX\_COUNT function, [7-27](#)
- APPROX\_COUNT\_DISTINCT function, [7-28](#)
- APPROX\_COUNT\_DISTINCT\_AGG function, [7-29](#)
- APPROX\_COUNT\_DISTINCT\_DETAIL function, [7-30](#)
- APPROX\_MEDIAN function, [7-33](#)
- APPROX\_PERCENTILE function, [7-36](#)
- APPROX\_PERCENTILE\_AGG function, [7-39](#)
- APPROX\_PERCENTILE\_DETAIL function, [7-40](#)
- APPROX\_RANK function, [7-44](#)
- APPROX\_SUM function, [7-45](#)
- ARCHIVE LOG clause
  - of ALTER SYSTEM, [12-3](#)
- archive mode
  - specifying, [13-67](#)
- archived redo logs
  - location, [10-68](#)
- ARCHIVELOG clause
  - of ALTER DATABASE, [10-56](#)
  - of CREATE CONTROLFILE, [13-57](#)
  - of CREATE DATABASE, [13-67](#)
- arguments
  - of operators, [4-1](#)
- arithmetic
  - with DATE values, [2-24](#)
- arithmetic operators, [4-2](#)
- AS CLONE clause
  - of CREATE PLUGGABLE DATABASE, [14-112](#)
- AS source\_char clause
  - of CREATE JAVA, [13-176](#)
- AS subquery clause
  - of CREATE MATERIALIZED VIEW, [14-16](#)
  - of CREATE TABLE, [15-143](#)
  - of CREATE VIEW, [15-223](#)
- ASC clause
  - of CREATE INDEX, [13-150](#)
- ASCII function, [7-46](#)
- ASCIISTR function, [7-46](#)
- ASIN function, [7-47](#)
- ASSOCIATE STATISTICS statement, [12-239](#)
- asterisk
  - all-column wildcard in queries, [19-66](#)
- asynchronous commit, [13-4](#)
- ATAN function, [7-48](#)
- ATAN2 function, [7-48](#)
- ATTRIBUTE clause
  - of ALTER DIMENSION, [10-110](#)
  - of CREATE DIMENSION, [13-83](#), [13-85](#)
- attribute clustering, [15-132](#)
- attribute dimensions
  - altering, [10-37](#)
  - creating, [13-15](#)
  - dropping, [15-244](#)
  - granting system privileges for, [18-32](#)
- attributes
  - adding to a dimension, [10-110](#)
  - dropping from a dimension, [10-111](#)
  - maximum number of in object type, [15-63](#)
  - of dimensions, defining, [13-83](#)
  - of disk groups, [10-111](#), [13-97](#)
- audit policies
  - comments on, [12-254](#)
  - creating, [13-26](#)
  - dropping, [15-245](#)
  - modifying, [10-38](#)
- AUDIT statement, [12-243](#)
  - for unified auditing, [12-243](#)
  - locks, [B-6](#)
- auditing
  - options
    - for SQL statements, [12-243](#)
  - SQL statements
    - stopping, [19-11](#)
- AUTHENTICATED BY clause
  - of CREATE DATABASE LINK, [13-77](#)
- AUTHENTICATED clause
  - of ALTER USER, [12-225](#)
- AUTHENTICATION REQUIRED clause
  - of ALTER USER, [12-224](#)

AUTHID CURRENT\_USER clause  
 of ALTER JAVA, [10-183](#)  
 of CREATE JAVA, [13-176](#), [13-177](#)

AUTHID DEFINER clause  
 of ALTER JAVA, [10-183](#)  
 of CREATE JAVA, [13-176](#), [13-177](#)

AUTOALLOCATE clause  
 of CREATE TABLESPACE, [15-165](#)

AUTOEXTEND clause  
 of ALTER DATABASE, [10-56](#)  
 of CREATE DATABASE, [13-61](#)

automatic segment-space management, [15-180](#)

automatic undo mode, [11-103](#), [13-59](#)

AVG function, [7-49](#)

## B

---

BACKUP CONTROLFILE clause  
 of ALTER DATABASE, [10-59](#), [10-87](#)

backups, [10-97](#)

band joins, [9-13](#)

basic table compression, [15-85](#)

BC and B.C. datetime format elements, [2-85](#)

BECOME USER system privilege, [18-55](#)

BEGIN BACKUP clause  
 of ALTER DATABASE, [10-74](#)  
 of ALTER TABLESPACE, [12-196](#)

BEQUEATH clause  
 of CREATE VIEW, [15-222](#)

BETWEEN condition, [6-38](#)

BFILE  
 data type, [2-31](#)  
 locators, [2-31](#)

BFILENAME function, [7-51](#)

BIN\_TO\_NUM function, [7-52](#)

binary large objects  
 See BLOB

binary operators, [4-1](#)

binary XML format, [15-18](#)

binary XML storage, [15-18](#)

bindings  
 adding to an operator, [11-55](#)  
 dropping from an operator, [11-57](#)

bit vectors  
 converting to numbers, [7-52](#)

BIT\_AND\_AGG function, [7-55](#)

BIT\_OR\_AGG function, [7-59](#)

BIT\_XOR\_AGG function, [7-59](#)

BITAND function, [7-53](#)

BITMAP clause  
 of CREATE INDEX, [13-142](#)

bitmap indexes, [13-142](#)  
 creating join indexes, [13-134](#)

BITMAP\_OR\_AGG function, [7-58](#)

blank padding  
 specifying in format models, [2-87](#)  
 suppressing, [2-87](#)

BLOB data type, [2-31](#)

BLOCKSIZE clause  
 of CREATE TABLESPACE, [15-175](#)

Boolean data type, [2-35](#)

Boolean Expressions  
 in SQL syntax, [5-44](#)

BOOLEAN Test Condition, [6-43](#)

BOOLEAN\_AND\_AGG function, [7-60](#)

BOOLEAN\_OR\_AGG function, [7-61](#)

bottom-N reporting, [7-126](#), [7-338](#), [7-371](#)

buffer cache  
 flushing, [12-12](#)

BUFFER\_POOL parameter  
 of STORAGE clause, [8-60](#)

BUILD DEFERRED clause  
 of CREATE MATERIALIZED VIEW, [14-16](#)

BUILD IMMEDIATE clause  
 of CREATE MATERIALIZED VIEW, [14-16](#)

BYTE character semantics, [2-9](#), [2-12](#)

BYTE length semantics, [12-112](#)

## C

---

CACHE clause  
 of ALTER MATERIALIZED VIEW, [11-31](#)  
 of ALTER MATERIALIZED VIEW LOG, [11-45](#)  
 of ALTER TABLE, [15-134](#)  
 of CREATE CLUSTER, [13-45](#)  
 of CREATE MATERIALIZED VIEW, [14-36](#)  
 of CREATE MATERIALIZED VIEW LOG,  
[14-58](#)

CACHE hint, [2-103](#)

CACHE parameter  
 of ALTER SEQUENCE. See CREATE  
 SEQUENCE, [11-105](#)  
 of CREATE SEQUENCE, [15-6](#)

CACHE READS clause  
 of ALTER TABLE, [12-109](#)  
 of CREATE TABLE, [15-135](#)

cached cursors  
 execution plan for, [18-19](#)

calculated measure expressions, [5-4](#), [5-24](#)

call spec  
 See call specifications

call specifications,  
 in procedures, [14-118](#)

CALL statement, [12-248](#)

calls  
 limiting CPU time for, [14-127](#)  
 limiting data blocks read, [14-127](#)

CARDINALITY function, [7-62](#)

Cartesian products, [9-14](#)

- CASCADE clause
  - of CREATE TABLE, [15-139](#)
  - of DROP PROFILE, [17-18](#)
  - of DROP USER, [18-16](#)
- CASCADE CONSTRAINTS clause
  - of DROP CLUSTER, [15-247](#)
  - of DROP TABLE, [18-5](#)
  - of DROP TABLESPACE, [18-8](#)
  - of DROP VIEW, [18-18](#)
  - of REVOKE, [19-31](#)
- CASE expressions, [5-27](#)
  - searched, [5-28](#)
  - simple, [5-28](#)
- CAST function, [7-62](#)
- CATSEARCH condition, [6-2](#)
- CATSEARCH operator, [4-1](#)
- CDBs,
  - creating, [13-75](#)
  - modifying, [10-49](#)
- CEIL (datetimes) function, [7-70](#)
- CEIL function, [7-72](#)
- CEIL(interval) function, [7-71](#)
- chained rows
  - listing, [12-237](#)
  - of clusters, [12-230](#)
- CHANGE CATEGORY clause
  - of ALTER OUTLINE, [11-59](#)
- CHANGE NOTIFICATION system privilege, [18-56](#)
- CHANGE\_DUPKEY\_ERROR\_INDEX hint, [2-104](#)
- changing state
  - of a PDB, [11-79](#)
  - of multiple PDBs, [11-82](#)
- CHAR character semantics, [2-9](#), [2-12](#)
- CHAR data type, [2-9](#)
  - converting to VARCHAR2, [2-76](#)
- CHAR length semantics, [12-112](#)
- character functions
  - returning character values, [7-16](#)
  - returning number values, [7-17](#)
- character large objects
  - See CLOB
- character length semantics, [12-112](#)
- character literal
  - See text
- character set
  - changing, [10-94](#)
- character set functions, [7-17](#)
- CHARACTER SET parameter
  - of CREATE CONTROLFILE, [13-58](#)
  - of CREATE DATABASE, [13-65](#)
- character sets
  - database, specifying, [13-65](#)
  - multibyte characters, [2-151](#)
  - specifying for database, [13-65](#)
- character strings
  - comparison rules, [2-52](#)
  - exact matching, [2-87](#)
  - fixed-length, [2-9](#)
  - national character set, [2-10](#)
  - variable-length, [2-11](#), [2-17](#)
- CHARTOROWID function, [7-72](#)
- CHECK clause
  - of constraints, [8-3](#)
  - of CREATE TABLE, [15-18](#)
- check constraints, [8-3](#)
- CHECK DATAFILES clause
  - of ALTER SYSTEM, [12-11](#)
- CHECKPOINT clause
  - of ALTER SYSTEM, [12-10](#)
- checkpoints
  - forcing, [12-10](#)
- CHECKSUM function, [7-73](#)
- CHR function, [7-74](#)
- CHUNK clause
  - of ALTER TABLE, [12-109](#)
  - of CREATE TABLE, [15-104](#)
- CLEAR LOGFILE clause
  - of ALTER DATABASE, [10-56](#), [10-80](#)
- CLOB data type, [2-32](#)
- clone databases
  - mounting, [10-65](#)
- CLOSE DATABASE LINK clause
  - of ALTER SESSION, [11-111](#)
- CLUSTER clause
  - of ANALYZE, [12-230](#)
  - of CREATE INDEX, [13-131](#)
  - of CREATE TABLE, [15-100](#)
  - of TRUNCATE, [19-149](#)
- CLUSTER hint, [2-104](#)
- CLUSTER\_DETAILS function, [7-75](#)
- CLUSTER\_DISTANCE function, [7-79](#)
- CLUSTER\_ID function, [7-81](#)
- CLUSTER\_PROBABILITY function, [7-84](#)
- CLUSTER\_SET function, [7-86](#)
- CLUSTERING hint, [2-105](#)
- clusters
  - assigning tables to, [15-100](#)
  - caching retrieved blocks, [13-45](#)
  - cluster indexes, [13-131](#)
  - collecting statistics on, [12-230](#)
  - creating, [13-38](#)
  - deallocating unused extents, [10-44](#)
  - degree of parallelism
    - changing, [10-45](#), [10-46](#)
    - when creating, [13-38](#)
  - dropping tables, [15-247](#)
  - extents, allocating, [10-43](#), [10-44](#)
  - granting system privileges for, [18-32](#)

- clusters (*continued*)
  - hash, [13-44](#)
    - single-table, [13-44](#)
    - sorted, [13-42](#), [15-66](#)
  - indexed, [13-43](#)
  - key values
    - allocating space for, [13-43](#)
    - modifying space for, [10-45](#)
  - migrated and chained rows in, [12-230](#), [12-237](#)
  - modifying, [10-43](#)
  - physical attributes
    - changing, [10-44](#)
    - specifying, [13-38](#)
  - releasing unused space, [10-43](#)
  - removing from the database, [15-246](#)
  - SQL examples, [15-246](#)
  - storage attributes
    - changing, [10-44](#)
  - storage characteristics
    - changing, [10-43](#)
  - tablespace in which created, [13-43](#)
  - validating structure, [12-235](#)
- COALESCE clause
  - for partitions, [12-30](#)
  - of ALTER INDEX, [10-172](#)
  - of ALTER TABLE, [12-101](#), [12-104](#), [12-134](#)
  - of ALTER TABLESPACE, [12-195](#)
- COALESCE function, [7-89](#)
  - as a variety of CASE expression, [7-89](#)
- COALESCE SUBPARTITION clause
  - of ALTER TABLE, [12-134](#)
- COLLATE operator, [4-3](#)
- COLLATION function, [7-91](#)
- collation functions, [7-17](#)
- COLLECT function, [7-92](#)
- collection functions, [7-20](#)
- collection types
  - multilevel, [15-109](#)
- collection-typed values
  - converting to data types, [7-62](#)
- collections
  - inserting rows into, [18-72](#)
  - modifying, [12-30](#)
  - modifying retrieval method, [12-52](#)
  - nested tables, [2-47](#)
  - testing for empty, [6-13](#)
  - treating as a table, [18-72](#), [19-40](#), [19-154](#)
  - unnesting, [19-40](#)
    - examples, [19-136](#)
  - varrays, [2-46](#)
- column expressions, [5-30](#)
- column REF constraints, [8-3](#)
  - of CREATE TABLE, [15-18](#)
- column values
  - unpivoting into rows, [19-78](#)
- COLUMN\_VALUE pseudocolumn, [3-7](#)
- columns
  - adding, [12-30](#)
  - aliases for, [9-2](#)
  - altering storage, [12-107](#)
  - associating statistics types with, [12-239](#)
  - basing an index on, [13-131](#)
  - comments on, [12-254](#)
  - creating comments about, [12-252](#)
  - defining, [15-18](#)
  - disassociating statistics types from, [15-241](#)
  - dropping from a table, [12-117](#)
  - LOB
    - storage attributes, [12-30](#)
  - maximum number of, [15-63](#)
  - modifying existing, [12-110](#)
  - parent-child relationships between, [13-83](#)
  - properties, altering, [12-53](#), [12-107](#)
  - qualifying names of, [9-2](#)
  - REF
    - describing, [8-3](#)
    - renaming, [12-30](#)
    - restricting values for, [8-3](#)
    - specifying
      - as primary key, [8-3](#)
      - constraints on, [15-18](#)
      - default values, [15-67](#)
    - storage properties, [15-101](#)
    - substitutable, identifying type, [7-420](#)
  - virtual
    - adding to a table, [12-107](#)
    - creating, [15-18](#)
    - modifying, [12-107](#)
- COLUMNS clause
  - of ASSOCIATE STATISTICS, [12-239](#), [12-241](#)
  - of DISASSOCIATE STATISTICS, [15-241](#)
- COMMENT clause
  - of COMMIT, [13-3](#)
- COMMENT statement, [12-252](#)
- comments, [2-94](#)
  - adding to objects, [12-252](#)
  - associating with a transaction, [13-5](#)
  - dropping from objects, [12-252](#)
  - in SQL statements, [2-94](#)
  - on editions, [12-254](#)
  - on indextypes, [12-254](#)
  - on mining models, [12-255](#)
  - on operators, [12-255](#)
  - on schema objects, [2-95](#)
  - on table columns, [12-254](#)
  - on tables, [12-254](#)
  - on unified audit policies, [12-254](#)
  - removing from the data dictionary, [12-252](#)

- comments (*continued*)
  - specifying, [2-94](#)
  - viewing, [12-254](#)
- commit
  - asynchronous, [13-4](#)
  - automatic, [13-2](#)
- COMMIT IN PROCEDURE clause
  - of ALTER SESSION, [11-111](#)
- COMMIT statement, [13-1](#)
- COMMIT TO SWITCHOVER clause
  - of ALTER DATABASE, [10-92](#)
- Common SQL DDL Clauses
  - annotations\_clause, [8-63](#)
- comparison conditions, [6-4](#)
- comparison functions, [7-18](#)
- comparison semantics
  - of character strings, [2-52](#)
- COMPILE | RECOMPILE clause
  - of ALTER VIEW, [12-229](#)
- COMPILE clause
  - of ALTER DIMENSION, [10-111](#)
  - of ALTER JAVA SOURCE, [10-185](#)
  - of ALTER MATERIALIZED VIEW, [11-37](#)
  - of CREATE JAVA, [13-178](#)
- COMPOSE function, [7-93](#)
- composite foreign keys, [8-3](#)
- composite partitioning
  - range-list, [12-30](#), [15-127](#)
  - when creating a table, [15-51](#), [15-124](#)
- composite primary keys, [8-3](#)
- composite range partitions, [15-124](#)
- COMPOSITE\_LIMIT parameter
  - of ALTER PROFILE, [11-94](#)
  - of CREATE PROFILE, [14-127](#)
- compound conditions, [6-37](#)
- compound expressions, [5-26](#)
- COMPRESS clause
  - of ALTER INDEX ... REBUILD, [13-151](#)
  - of CREATE TABLE, [15-96](#)
- COMPRESS\_IMMEDIATE hint, [2-105](#)
- compression
  - of index keys, [10-158](#)
  - of tables, [15-85](#)
  - of tablespaces, [15-85](#)
- CON\_DBID\_TO\_ID function, [7-94](#)
- CON\_GUID\_TO\_ID function, [7-95](#)
- CON\_ID\_TO\_CON\_NAME function, [7-95](#)
- CON\_ID\_TO\_DBID function, [7-96](#)
- CON\_ID\_TO\_GUID function, [7-97](#)
- CON\_ID\_TO\_UID function, [7-97](#)
- CON\_NAME\_TO\_ID function, [7-98](#)
- CON\_UID\_TO\_ID function, [7-99](#)
- CONCAT function, [7-99](#)
- concatenation operator, [4-4](#)
- conditions
  - BETWEEN, [6-38](#)
  - comparison, [6-4](#)
  - compound, [6-37](#)
  - EXISTS, [6-22](#), [6-39](#)
  - floating-point, [6-8](#)
  - group comparison, [6-7](#)
  - IN, [6-39](#)
  - in SQL syntax, [6-1](#)
  - interval, [6-38](#)
  - IS ANY, [6-10](#)
  - IS JSON, [6-24](#)
  - IS OF type, [6-42](#)
  - IS PRESENT, [6-11](#)
  - JSON\_EQUAL, [6-30](#)
  - JSON\_EXISTS, [6-31](#)
  - JSON\_TEXTCONTAINS, [6-35](#)
  - LIKE, [6-16](#)
  - logical, [6-9](#)
  - MEMBER, [6-14](#)
  - membership, [6-14](#), [6-39](#)
  - model, [6-10](#)
  - multiset, [6-13](#)
  - IS [NOT] EMPTY, [6-13](#)
  - null, [6-21](#)
  - pattern matching, [6-16](#)
  - range, [6-38](#)
  - REGEXP\_LIKE, [6-19](#)
  - SET, [6-13](#)
  - simple comparison, [6-5](#)
  - SQL For JSON, [6-24](#)
  - SUBMULTISET, [6-15](#)
  - UNDER\_PATH, [6-23](#)
  - XML, [6-22](#)
- CONNECT BY clause
  - of queries and subqueries, [19-40](#)
  - of SELECT, [9-4](#), [19-40](#)
- CONNECT clause
  - of SELECT and subqueries, [19-51](#)
- CONNECT TO clause
  - of CREATE DATABASE LINK, [13-81](#)
- CONNECT\_BY\_ISCYCLE pseudocolumn, [3-1](#)
- CONNECT\_BY\_ISLEAF pseudocolumn, [3-2](#)
- CONNECT\_BY\_ROOT operator, [4-6](#)
- CONNECT\_TIME parameter
  - of ALTER PROFILE, [11-94](#)
  - of ALTER RESOURCE COST, [11-99](#)
- connection qualifier, [2-156](#)
- CONSIDER FRESH clause
  - of ALTER MATERIALIZED VIEW, [11-37](#)
- constant values
  - See literals
- CONSTRAINT(S) session parameter, [11-118](#)
- constraints,
  - adding to a table, [12-125](#)



- constraints (*continued*)
  - altering, [12-52](#)
  - check, [8-3](#)
  - checking
    - at end of transaction, [8-3](#)
    - at start of transaction, [8-3](#)
    - at the end of each DML statement, [8-3](#)
  - column REF, [8-3](#)
  - deferrable, [8-3](#), [19-141](#)
    - enforcing, [11-118](#)
  - defining, [8-3](#), [15-18](#)
    - for a table, [15-18](#)
    - on a column, [15-18](#)
  - disabling, [15-18](#)
    - after table creation, [12-167](#)
    - cascading, [15-139](#)
    - during table creation, [15-55](#)
  - dropping, [12-52](#), [12-126](#), [18-8](#)
  - enabling, [15-18](#), [15-138](#)
    - after table creation, [12-167](#)
    - during table creation, [15-55](#)
  - foreign key, [8-3](#)
  - modifying existing, [12-30](#)
  - on views
    - dropping, [12-229](#), [18-18](#)
  - partitioning referential, [12-125](#), [15-129](#)
  - primary key, [8-3](#)
    - attributes of index, [8-3](#)
    - enabling, [15-138](#)
  - referential integrity, [8-3](#)
  - renaming, [12-126](#)
  - restrictions, [8-8](#)
  - setting state for a transaction, [19-141](#)
  - storing rows in violation, [12-154](#)
  - table REF, [8-3](#)
  - unique
    - attributes of index, [8-3](#)
    - enabling, [15-138](#)
- CONTAINER hint, [2-105](#)
- CONTAINS condition, [6-2](#)
- CONTAINS operator, [4-1](#)
- context namespaces
  - accessible to instance, [13-51](#)
  - associating with package, [13-49](#)
  - initializing using OCI, [13-50](#)
  - initializing using the LDAP directory, [13-50](#)
  - removing from the database, [16-1](#)
- contexts
  - creating namespaces for, [13-49](#)
  - granting system privileges for, [18-32](#)
- control file clauses
  - of ALTER DATABASE, [10-59](#)
- control files
  - allowing reuse, [13-54](#), [13-64](#)
  - backing up, [10-87](#)
- control files (*continued*)
  - force logging mode, [13-57](#)
  - re-creating, [13-52](#)
  - standby, creating, [10-87](#)
- CONTROLFILE REUSE clause
  - of CREATE DATABASE, [13-64](#)
- conversion
  - functions, [7-18](#)
  - rules, string to date, [2-90](#)
- CONVERT function, [7-101](#)
- COPY clause
  - of CREATE PLUGGABLE DATABASE, [14-113](#)
- CORR function, [7-103](#)
- CORR\_K function, [7-106](#)
- CORR\_S function, [7-106](#)
- correlated subqueries, [9-17](#)
- correlation functions
  - Kendall's tau-b, [7-104](#)
  - Pearson's, [7-103](#)
  - Spearman's rho, [7-104](#)
- correlation names
  - in DELETE, [15-230](#)
  - in SELECT, [19-40](#)
- COS function, [7-107](#)
- COSH function, [7-107](#)
- COSINE\_DISTANCE function, [7-108](#)
- COUNT function, [7-109](#)
- COVAR\_POP function, [7-111](#)
- COVAR\_SAMP function, [7-113](#)
- CPU\_PER\_CALL parameter
  - of ALTER PROFILE, [11-94](#)
  - of CREATE PROFILE, [14-127](#)
- CPU\_PER\_SESSION parameter
  - of ALTER PROFILE, [11-94](#)
  - of ALTER RESOURCE COST, [11-99](#)
  - of CREATE PROFILE, [14-127](#)
- CREATE ANALYTIC VIEW statement, [13-6](#)
- CREATE ANY SQL PROFILE system privilege, [18-45](#)
- CREATE ATTRIBUTE DIMENSION statement, [13-15](#)
- CREATE AUDIT POLICY statement, [13-26](#)
- CREATE CLUSTER statement, [13-38](#)
- CREATE CONTEXT statement, [13-49](#)
- CREATE CONTROLFILE statement, [13-52](#)
- CREATE DATABASE LINK statement, [13-77](#)
- CREATE DATABASE statement, [13-59](#)
- CREATE DATAFILE clause
  - of ALTER DATABASE, [10-54](#), [10-75](#)
- CREATE DIMENSION statement, [13-83](#)
- CREATE DIRECTORY statement, [13-89](#)
- CREATE DISKGROUP statement, [13-92](#)
- CREATE DOMAIN statement, [13-102](#)

- CREATE FLASHBACK ARCHIVE statement, [13-122](#)
- CREATE FUNCTION statement, [13-125](#)
- CREATE HIERARCHY statement, [13-127](#)
- CREATE INDEX statement, [13-131](#)
- CREATE INDEXTYPE statement, [13-169](#)
- CREATE INMEMORY JOIN GROUP statement, [13-174](#)
- CREATE JAVA statement, [13-176](#)
- CREATE JSON RELATIONAL DUALITY VIEW, [14-1](#)
- CREATE LIBRARY statement, [14-12](#)
- CREATE LOCKDOWN PROFILE statement, [14-14](#)
- CREATE LOGICAL PARTITION TRACKING statement, [14-16](#)
- CREATE MATERIALIZED VIEW LOG statement, [14-52](#)
- CREATE MATERIALIZED VIEW statement, [14-16](#)
- CREATE MATERIALIZED ZONEMAP statement, [14-65](#)
- CREATE MLE ENV, [14-74](#)
- CREATE MLE MODULE, [14-74](#), [14-75](#)
- CREATE OPERATOR statement, [14-77](#)
- CREATE OUTLINE statement, [14-82](#)
- CREATE PACKAGE BODY statement, [14-87](#)
- CREATE PACKAGE statement, [14-85](#)
- locks, [B-6](#)
- CREATE PFILE statement, [14-89](#)
- CREATE PLUGGABLE DATABASE statement, [14-92](#)
- CREATE PLUGGABLE DATABASE system privilege, [18-51](#)
- CREATE PROCEDURE statement, [14-118](#)
- locks, [B-6](#)
- CREATE PROFILE statement, [14-121](#)
- CREATE PROPERTY GRAPH statement, [14-132](#)
- CREATE RESTORE POINT statement, [14-146](#)
- CREATE ROLE statement, [14-150](#)
- CREATE ROLLBACK SEGMENT statement, [14-155](#)
- CREATE SCHEMA statement, [14-158](#)
- CREATE SEQUENCE statement, [15-1](#)
- CREATE SPFILE statement, [15-9](#)
- CREATE STANDBY CONTROLFILE clause of ALTER DATABASE, [10-59](#), [10-87](#)
- CREATE SYNONYM statement, [15-13](#)
- CREATE TABLE statement, [15-18](#)
- CREATE TABLESPACE SET statement, [15-187](#)
- CREATE TABLESPACE statement, [15-165](#)
- CREATE TRIGGER statement, [15-190](#)
- CREATE TRUE CACHE statement, [15-192](#)
- CREATE TYPE BODY statement, [15-195](#)
- CREATE TYPE statement, [15-193](#)
- CREATE USER statement, [15-197](#)
- CREATE VECTOR INDEX statement, [15-210](#)
- CREATE VIEW statement, [15-212](#)
- cross joins, [19-82](#)
- CUBE clause of SELECT statements, [19-88](#)
- CUBE\_TABLE function, [7-114](#)
- cubes extracting data, [7-114](#)
- CUME\_DIST function, [7-116](#)
- cumulative distributions, [7-116](#)
- currency group separators, [2-77](#)
- currency symbol ISO, [2-77](#) local, [2-77](#) union, [2-78](#)
- CURRENT\_DATE function, [7-117](#)
- CURRENT\_SCHEMA session parameter, [11-118](#)
- CURRENT\_TIMESTAMP function, [7-118](#)
- CURRENT\_USER clause of CREATE DATABASE LINK, [13-81](#)
- CURRVAL pseudocolumn, [3-3](#), [15-2](#)
- CURSOR expressions, [5-30](#)
- CURSOR\_SHARING\_EXACT hint, [2-106](#)
- cursors cached, [18-19](#)
- CV function, [7-119](#)
- CYCLE parameter of ALTER SEQUENCE. See CREATE SEQUENCE, [11-105](#) of CREATE SEQUENCE, [15-6](#)

---

## D

- data aggregation composite columns of GROUP BY, [19-88](#) concatenated grouping sets of **GROUP BY**, [19-88](#) grouping sets, [19-88](#) analyzing a subset, [7-299](#) caching frequently used, [15-134](#) independence, [15-13](#) integrity checking on input, [2-14](#) locks on, [B-3](#) pivoting, [19-77](#) retrieving, [9-1](#) specifying as temporary, [15-57](#) undo preserving, [12-188](#), [15-165](#) unpivoting, [19-78](#)
- data cartridge functions, [7-14](#)

- data conversion, [2-56](#)
  - between character data types, [2-59](#)
  - implicit
    - disadvantages, [2-56](#)
    - implicit versus explicit, [2-56](#)
    - when performed implicitly, [2-57](#), [2-59](#)
    - when specified explicitly, [2-60](#)
- data definition language
  - locks, [B-6](#)
- data definition language (DDL), [10-2](#)
  - statements, [10-2](#)
    - and implicit commit, [10-2](#)
    - causing recompilation, [10-2](#)
    - PL/SQL support, [10-2](#)
  - statements requiring exclusive access, [10-2](#)
- data dictionary
  - adding comments to, [12-252](#)
  - locks, [B-6](#)
- data files
  - bringing online, [10-48](#)
  - changing size of, [10-76](#)
  - creating new, [10-75](#)
  - defining for a tablespace, [15-167](#), [15-171](#)
  - defining for the database, [13-62](#)
  - designing media recovery, [10-67](#)
  - dropping, [12-198](#), [18-8](#)
  - enabling autoextend, [8-34](#)
  - end online backup of, [10-76](#), [12-197](#)
  - extending automatically, [8-34](#)
  - online backup of, [12-196](#)
  - online, updating information on, [12-11](#)
  - putting online, [10-76](#)
  - re-creating lost or damaged, [10-75](#)
  - recover damaged, [10-67](#)
  - recovering, [10-69](#)
  - renaming, [10-75](#)
  - resizing, [10-48](#)
  - reusing, [8-34](#)
  - size of, [8-34](#)
  - specifying, [8-34](#)
    - for a tablespace, [15-173](#)
    - for database, [13-69](#)
  - system generated, [10-75](#)
  - taking offline, [10-48](#), [10-76](#)
  - temporary
    - shrinking, [12-199](#)
- data manipulation language (DML), [10-3](#)
  - allowing during indexing, [10-154](#)
  - operations
    - during index creation, [13-154](#)
    - during index rebuild, [12-161](#)
    - restricting, [12-16](#)
  - parallelizing, [15-18](#)
  - retrieving rows affected by, [15-237](#), [18-82](#), [19-164](#)
- data manipulation language (DML) (*continued*)
  - statements, [10-3](#)
    - PL/SQL support, [10-3](#)
- data quality operators, [4-11](#)
  - FUZZY\_MATCH, [4-12](#)
  - PHONIC\_CODE, [4-14](#)
- data redaction
  - granting system privileges for, [18-32](#)
- data types, [2-1](#)
  - "Any" types, [2-47](#)
  - ANSI-supported, [2-1](#)
  - BFILE, [2-31](#)
  - BLOB, [2-31](#)
  - Boolean, [2-35](#)
  - built-in, [2-5](#)
  - CHAR, [2-9](#)
  - character, [2-8](#)
  - CLOB, [2-32](#)
  - comparison rules, [2-51](#)
  - converting to collection-typed values, [7-62](#)
  - converting to other data types, [7-62](#)
  - DATE, [2-20](#)
  - datetime, [2-19](#)
    - interval, [2-19](#)
  - INTERVAL DAY TO SECOND, [2-24](#)
  - INTERVAL YEAR TO MONTH, [2-23](#)
  - JSON, [2-32](#)
  - length semantics, [2-9](#), [2-12](#)
  - LONG, [2-17](#)
  - LONG RAW, [2-29](#)
  - NCHAR, [2-10](#)
  - NCLOB, [2-32](#)
  - NUMBER, [2-13](#)
    - numeric, [2-13](#)
  - NVARCHAR2, [2-12](#)
  - Oracle-supplied types, [2-47](#)
  - RAW, [2-29](#)
  - ROWID, [2-43](#)
  - SDO\_TOPO\_GEOMETRY, [2-51](#)
  - spatial types, [2-50](#)
  - TIMESTAMP, [2-22](#)
  - TIMESTAMP WITH LOCAL TIME ZONE, [2-23](#)
  - TIMESTAMP WITH TIME ZONE, [2-22](#)
  - UROWID, [2-43](#)
  - user-defined, [2-45](#)
  - VARCHAR, [2-12](#)
  - VARCHAR2, [2-11](#)
  - Vector, [2-40](#)
  - XML types, [2-48](#)
- database links, [9-20](#)
  - altering, [10-107](#)
  - closing, [11-111](#)
  - creating, [2-156](#), [13-77](#)
  - creating synonyms with, [15-13](#)

- database links (*continued*)
  - current user, [13-81](#)
  - granting system privileges for, [18-32](#)
  - naming, [2-156](#)
  - public, [13-79](#)
    - dropping, [16-4](#)
  - referring to, [2-157](#)
  - removing from the database, [16-3](#)
  - shared, [13-79](#)
  - syntax, [2-156](#)
  - updating passwords, [10-107](#)
  - username and password, [2-157](#)
- database objects
  - dropping, [18-16](#)
  - nonschema, [2-147](#)
  - schema, [2-147](#)
- Database Smart Flash Cache, [8-53](#)
- database triggers
  - See triggers
- databases
  - accounts
    - creating, [15-197](#)
  - allowing changes to, [11-109](#)
  - allowing generation of redo logs, [10-48](#)
  - allowing reuse of control files, [13-64](#)
  - allowing unlimited resources to users, [14-126](#)
  - archive mode, specifying, [13-67](#)
  - beginning backup of, [10-74](#)
  - blocks
    - specifying size, [15-175](#)
  - cancel-based recovery
    - terminating, [10-70](#)
  - changing characteristics, [13-52](#)
  - changing global name, [10-96](#)
  - changing name, [13-52](#), [13-55](#)
  - character set, specifying, [13-65](#)
  - committing to standby status, [10-92](#)
  - connect strings, [2-157](#)
  - controlling use, [10-100](#)
  - create script for, [10-48](#)
  - creating, [13-59](#)
  - data files
    - modifying, [10-48](#)
    - specifying, [13-69](#)
  - default edition, setting, [10-94](#)
  - designing media recovery, [10-67](#)
  - dropping, [16-2](#)
  - ending backup of, [10-74](#)
  - erasing all data from, [13-59](#)
  - flashing back, [18-22](#)
  - granting system privileges for, [18-32](#)
  - in FLASHBACK mode, [10-48](#)
  - in FORCE LOGGING mode, [10-79](#), [13-57](#), [13-67](#)
  - instances of, [13-65](#)
- databases (*continued*)
  - limiting resources for users, [14-121](#)
  - log files
    - modifying, [10-48](#)
    - specifying, [13-66](#)
  - managed recovery, [10-53](#)
  - modifying, [10-48](#)
  - mounting, [10-65](#), [13-59](#)
  - moving a subset to a different database, [12-30](#)
  - namespaces, [2-152](#)
  - naming, [10-64](#), [11-71](#)
  - national character set, specifying, [13-65](#)
  - no-data-loss mode, [10-89](#)
  - online
    - adding log files, [10-81](#)
    - opening, [10-65](#), [13-59](#)
    - prepare to re-create, [10-48](#)
    - preventing changes to, [10-48](#)
    - protection mode of, [10-89](#)
    - quiesced state, [12-16](#)
    - re-creating control file for, [13-52](#)
    - read-only, [10-65](#)
    - read/write, [10-65](#)
    - reconstructing damaged, [10-67](#)
    - recovering, [10-48](#), [10-68](#)
  - recovery
    - allowing corrupt blocks, [10-70](#)
    - testing, [10-70](#)
    - using a storage snapshot, [10-69](#)
    - with backup control file, [10-48](#)
  - remote
    - accessing, [9-20](#)
    - authenticating users to, [13-77](#)
    - connecting to, [13-81](#)
    - inserting into, [18-72](#)
    - service name of, [13-77](#)
    - table locks on, [18-94](#)
  - restoring earlier version of, [10-48](#), [12-188](#), [15-165](#)
  - restricting users to read-only transactions, [10-48](#)
  - resuming activity, [12-15](#)
  - returning to a past time, [18-22](#)
  - standby
    - adding log files, [10-81](#)
    - suspending activity, [12-15](#)
    - system user passwords, [13-64](#)
  - temp files
    - modifying, [10-48](#)
  - time zone
    - determining, [7-122](#)
    - setting, valid values for, [10-99](#), [13-59](#)
- DATAFILE clause
  - of CREATE DATABASE, [13-69](#)

- DATAFILE clauses
  - of ALTER DATABASE, [10-54](#), [10-76](#)
- DATAFILE OFFLINE clause
  - of ALTER DATABASE, [10-48](#)
- DATAFILE ONLINE clause
  - of ALTER DATABASE, [10-48](#)
- DATAFILE RESIZE clause
  - of ALTER DATABASE, [10-48](#)
- DATAOBJ\_TO\_MAT\_PARTITION function, [7-121](#)
- DATAOBJ\_TO\_PARTITION function, [7-121](#)
- DATE columns
  - converting to datetime columns, [12-111](#)
- DATE data type, [2-20](#)
  - julian, [2-21](#)
- date format models, [2-79](#), [2-81](#)
  - long, [2-81](#)
  - punctuation in, [2-80](#)
  - short, [2-82](#)
  - text in, [2-80](#)
- date functions, [7-17](#)
- dates
  - arithmetic, [2-24](#)
  - comparison rules, [2-52](#)
- datetime arithmetic, [2-24](#)
  - boundary cases, [11-118](#)
  - calculating daylight saving time, [2-26](#)
- datetime columns
  - creating from DATE columns, [12-111](#)
- datetime data types, [2-19](#)
  - daylight saving time, [2-26](#)
- datetime expressions, [5-32](#)
- datetime field
  - extracting from a datetime or interval value, [7-150](#)
- datetime format elements, [2-80](#)
  - and Globalization Support, [2-85](#)
  - capitalization, [2-80](#)
  - ISO standard, [2-85](#)
  - RR, [2-86](#)
  - suffixes, [2-87](#)
- datetime functions, [7-17](#)
- datetime literals, [2-68](#)
- DAY datetime format element, [2-85](#)
- daylight saving time, [2-26](#)
  - boundary cases, [2-26](#)
  - going into or coming out of effect, [2-26](#)
- DB2 data types, [2-44](#)
  - restrictions on, [2-45](#)
- DBA\_2PC\_PENDING data dictionary view, [11-111](#)
- DBA\_COL\_COMMENTS data dictionary view, [12-254](#)
- DBA\_INDEXTYPE\_COMMENTS data dictionary view, [12-254](#)
- DBA\_MVIEW\_COMMENTS data dictionary view, [12-255](#)
- DBA\_OPERATOR\_COMMENTS data dictionary view, [12-255](#)
- DBA\_ROLLBACK\_SEGS data dictionary view, [17-21](#)
- DBA\_TAB\_COMMENTS data dictionary view, [12-254](#)
- DBMS\_ROWID package
  - and extended rowids, [2-43](#)
- DBTIMEZONE function, [7-122](#)
- DDL
  - See data definition language (DDL)
- DEALLOCATE UNUSED clause
  - of ALTER CLUSTER, [10-43](#), [10-44](#)
  - of ALTER INDEX, [10-156](#)
  - of ALTER TABLE, [12-95](#)
- debugging
  - granting system privileges for, [18-32](#)
- decimal characters
  - specifying, [2-77](#)
- DECODE function, [7-123](#)
- decoding functions, [7-22](#)
- DECOMPOSE function, [7-124](#)
- DEFAULT clause
  - of ALTER TABLE, [12-105](#)
  - of CREATE TABLE, [15-18](#), [15-67](#)
- DEFAULT COST clause
  - of ASSOCIATE STATISTICS, [12-239](#), [12-241](#)
- default index, suppressing, [14-37](#)
- DEFAULT profile
  - assigning to users, [17-18](#)
- DEFAULT ROLE clause
  - of ALTER USER, [12-219](#)
- DEFAULT SELECTIVITY clause
  - of ASSOCIATE STATISTICS, [12-239](#), [12-241](#)
- default tablespace, [13-71](#)
- DEFAULT TABLESPACE clause
  - of ALTER DATABASE, [10-95](#)
  - of ALTER PLUGGABLE DATABASE, [11-73](#)
  - of ALTER USER, [12-218](#)
  - of ALTER USER. See CREATE USER, [12-215](#)
  - of CREATE USER, [15-205](#)
- default tablespaces
  - specifying for a user, [12-218](#)
- DEFAULT TEMPORARY TABLESPACE clause
  - of ALTER DATABASE, [10-95](#)
  - of ALTER PLUGGABLE DATABASE, [11-73](#)
  - of CREATE DATABASE, [13-61](#)
- DEFERRABLE clause
  - of constraints, [8-3](#)
- deferrable constraints, [19-141](#)
- DEFERRED clause
  - of SET CONSTRAINTS, [19-142](#)

- definer's rights views, [15-223](#)
- DELETE statement, [15-230](#)
  - error logging, [15-230](#)
- DELETE STATISTICS clause
  - of ANALYZE, [12-238](#)
- DENSE\_RANK function, [7-126](#)
- DEPTH function, [7-127](#)
- DEREF function, [7-128](#)
- DESC clause
  - of CREATE INDEX, [13-150](#)
- dictionaries
  - granting system privileges for, [18-46](#)
- dimensional objects
  - extracting data, [7-114](#)
- dimensions
  - attributes
    - adding, [10-110](#)
    - changing, [10-108](#)
    - defining, [13-83](#)
    - dropping, [10-111](#)
  - compiling invalidated, [10-111](#)
  - creating, [13-83](#)
  - defining levels, [13-84](#)
  - examples, [13-83](#)
  - extracting data, [7-114](#)
  - granting system privileges for, [18-32](#)
  - hierarchies
    - adding, [10-110](#)
    - changing, [10-108](#)
    - defining, [13-83](#)
    - dropping, [10-111](#)
  - levels
    - adding, [10-110](#)
    - defining, [13-83](#)
    - dropping, [10-111](#)
    - parent-child hierarchy, [13-86](#)
  - removing from the database, [16-4](#)
- direct-path INSERT, [2-102](#), [2-103](#), [18-72](#)
- directories
  - See directory objects
- directory objects,
  - as aliases for operating system directories, [13-89](#)
  - creating, [13-89](#)
  - granting system privileges for, [18-32](#)
  - redefining, [13-90](#)
  - removing from the database, [16-5](#)
- DISABLE ALL TRIGGERS clause
  - of ALTER TABLE, [12-169](#)
- DISABLE clause
  - of ALTER INDEX, [10-171](#)
  - of CREATE TABLE, [15-18](#)
- DISABLE DISTRIBUTED RECOVERY clause
  - of ALTER SYSTEM, [12-11](#)
- DISABLE PARALLEL DML clause
  - of ALTER SESSION, [11-112](#)
- DISABLE QUERY REWRITE clause
  - of ALTER MATERIALIZED VIEW, [11-35](#)
  - of CREATE MATERIALIZED VIEW, [14-45](#)
- DISABLE RESTRICTED SESSION clause
  - of ALTER SYSTEM, [12-19](#)
- DISABLE RESUMABLE clause
  - of ALTER SESSION, [11-113](#)
- DISABLE ROW MOVEMENT clause
  - of ALTER TABLE, [12-30](#)
  - of CREATE TABLE, [15-18](#), [15-37](#)
- DISABLE STORAGE IN ROW clause
  - of ALTER TABLE, [12-109](#)
  - of CREATE TABLE, [15-103](#)
- DISABLE TABLE LOCK clause
  - of ALTER TABLE, [12-168](#)
- DISABLE\_PARALLEL\_DML hint, [2-106](#)
- DISASSOCIATE STATISTICS statement, [15-241](#)
- DISCONNECT SESSION clause
  - of ALTER SYSTEM, [12-13](#)
- disk group files
  - changing permission settings, [10-138](#)
  - setting owner or user group, [10-138](#)
- disk groups
  - altering, [10-111](#)
  - creating, [13-92](#)
    - a tablespace in, [15-173](#)
    - failure groups, [10-124](#), [13-96](#)
    - files in, [8-34](#)
  - dropping, [16-7](#)
  - managing Oracle ADVM volumes, [10-134](#)
  - rebalancing, [10-111](#)
  - setting attributes, [10-111](#), [13-97](#)
  - specifying files in, [8-34](#)
  - specifying files in control files, [13-56](#)
- disks
  - bringing online, [10-126](#)
  - QUORUM, [13-95](#)
  - REGULAR, [13-95](#)
  - replacing, [10-125](#)
  - taking offline, [10-127](#)
- dispatcher processes
  - creating additional, [12-25](#)
  - terminating, [12-25](#)
- DISTINCT clause
  - of SELECT, [19-65](#)
- distinct queries, [19-65](#)
- distributed queries, [9-20](#)
  - restrictions on, [9-20](#)
- distribution
  - hints for, [2-135](#)
- DML
  - See data manipulation language (DML)
- domain functions, [7-23](#)

- domain indexes, [13-131](#), [13-132](#), [13-169](#)
  - and LONG columns, [12-111](#)
  - associating statistics types with, [12-239](#)
  - creating, prerequisites, [13-159](#)
  - determining user-defined CPU and I/O costs, [18-18](#)
  - disassociating statistics types from, [15-241](#), [16-15](#)
  - example, [F-1](#)
  - invoking drop routines for, [18-1](#)
  - local partitioned, [13-159](#)
  - modifying, [10-168](#)
  - parallelizing creation of, [13-160](#)
  - rebuilding, [10-154](#)
  - removing from the database, [16-15](#)
  - system managed, [13-173](#)
- DOMAIN\_CHECK function, [7-129](#)
- DOMAIN\_CHECK\_TYPE function, [7-135](#)
- DOMAIN\_DISPLAY function, [7-139](#)
- DOMAIN\_FUNCTIONS
  - DOMAIN\_CHECK, [7-129](#), [7-135](#)
  - DOMAIN\_DISPLAY, [7-139](#)
  - DOMAIN\_NAME, [7-141](#)
  - DOMAIN\_ORDER, [7-143](#)
- domain\_index\_clause
  - of CREATE INDEX, [13-137](#)
- DOMAIN\_NAME function, [7-141](#)
- DOMAIN\_ORDER function, [7-143](#)
- DOWNGRADE clause
  - of ALTER DATABASE, [10-66](#)
- DROP ANALYTIC VIEW statement, [15-243](#)
- DROP ANY SQL PROFILE system privilege, [18-45](#)
- DROP ATTRIBUTE DIMENSION statement, [15-244](#)
- DROP AUDIT POLICY statement, [15-245](#)
- DROP clause
  - of ALTER DIMENSION, [10-111](#)
  - of ALTER INDEXTYPE, [10-180](#)
- DROP CLUSTER statement, [15-246](#)
- DROP COLUMN clause
  - of ALTER TABLE, [12-117](#)
- DROP constraint clause
  - of ALTER VIEW, [12-229](#)
- DROP CONSTRAINT clause
  - of ALTER TABLE, [12-126](#)
- DROP CONTEXT statement, [16-1](#)
- DROP DATABASE LINK statement, [16-3](#)
- DROP DATABASE statement, [16-2](#)
- DROP DIMENSION statement, [16-4](#)
- DROP DIRECTORY statement, [16-5](#)
- DROP DISKGROUP statement, [16-7](#)
- DROP DOMAIN statement, [16-8](#)
- DROP FLASHBACK ARCHIVE statement, [16-12](#)
- DROP FUNCTION statement, [16-12](#)
- DROP HIERARCHY statement, [16-14](#)
- DROP INDEX statement, [16-15](#)
- DROP INDEXTYPE statement, [16-17](#)
- DROP INMEMORY JOIN GROUP statement, [16-18](#)
- DROP JAVA statement, [16-19](#)
- DROP LIBRARY statement, [17-1](#)
- DROP LOCKDOWN PROFILE statement, [17-2](#)
- DROP LOGFILE clause
  - of ALTER DATABASE, [10-56](#), [10-83](#)
- DROP LOGFILE MEMBER clause
  - of ALTER DATABASE, [10-56](#), [10-84](#)
- DROP MATERIALIZED VIEW LOG statement, [17-5](#)
- DROP MATERIALIZED VIEW statement, [17-3](#)
- DROP MATERIALIZED ZONEMAP statement, [17-7](#)
- DROP MLE ENV, [17-8](#)
- DROP MLE MODULE, [17-8](#), [17-9](#)
- DROP OPERATOR statement, [17-9](#)
- DROP OUTLINE statement, [17-11](#)
- DROP PACKAGE BODY statement, [17-13](#)
- DROP PACKAGE statement, [17-12](#)
- DROP PARTITION clause
  - of ALTER INDEX, [10-154](#)
  - of ALTER TABLE, [12-142](#)
- DROP PLUGGABLE DATABASE statement, [17-13](#)
- DROP PRIMARY constraint clause
  - of ALTER TABLE, [12-126](#)
- DROP PROCEDURE statement, [17-16](#)
- DROP PROFILE statement, [17-17](#)
- DROP PROPERTY GRAPH statement, [17-18](#)
- DROP RESTORE POINT statement, [17-19](#)
- DROP ROLE statement, [17-20](#)
- DROP ROLLBACK SEGMENT statement, [17-21](#)
- DROP SEQUENCE statement, [17-22](#)
- DROP SUPPLEMENTAL LOG DATA clause
  - of ALTER DATABASE, [10-85](#)
- DROP SUPPLEMENTAL LOG GROUP clause
  - of ALTER TABLE, [12-94](#)
- DROP SYNONYM statement, [17-23](#)
- DROP TABLE statement, [18-1](#)
- DROP TABLESPACE SET statement, [18-9](#)
- DROP TABLESPACE statement, [18-5](#)
- DROP TRIGGER statement, [18-10](#)
- DROP TYPE BODY statement, [18-14](#)
- DROP TYPE statement, [18-11](#)
- DROP UNIQUE constraint clause
  - of ALTER TABLE, [12-126](#)
- DROP USER statement, [18-15](#)
- DROP VALUES clause
  - of ALTER TABLE ... MODIFY PARTITION, [12-134](#), [12-135](#)
- DROP VIEW statement, [18-17](#)

DUAL dummy table, [2-150](#), [9-19](#)  
 DUMP function, [7-146](#)  
 DY datetime format element, [2-85](#)  
 DYNAMIC\_SAMPLING hint, [2-107](#)

## E

---

editioning views, [15-217](#)

editions

  comments on, [12-254](#)  
   creating, [13-118](#)  
   dropping, [16-10](#)  
   granting system privileges for, [18-32](#)  
   setting default for a PDB, [11-73](#)  
   setting default for database, [10-94](#)  
   setting for a session, [11-115](#)

embedded SQL, [10-4](#)

  precompiler support, [10-4](#)

EMPTY\_BLOB function, [7-147](#)

EMPTY\_CLOB function, [7-147](#)

ENABLE ALL TRIGGERS clause  
   of ALTER TABLE, [12-168](#)

ENABLE clause

  of ALTER INDEX, [10-170](#)  
   of ALTER TRIGGER, [12-211](#)  
   of CREATE TABLE, [15-18](#)

ENABLE DISTRIBUTED RECOVERY clause  
   of ALTER SYSTEM, [12-11](#)

ENABLE NOVALIDATE constraint state, [8-3](#)

ENABLE PARALLEL DML clause  
   of ALTER SESSION, [11-112](#)

ENABLE QUERY REWRITE clause  
   of ALTER MATERIALIZED VIEW, [11-35](#)  
   of CREATE MATERIALIZED VIEW, [14-45](#)

ENABLE RESTRICTED SESSION clause  
   of ALTER SYSTEM, [12-19](#)

ENABLE RESUMABLE clause  
   of ALTER SESSION, [11-113](#)

ENABLE ROW MOVEMENT clause  
   of ALTER TABLE, [12-30](#)  
   of CREATE TABLE, [15-18](#), [15-37](#)

ENABLE STORAGE IN ROW clause  
   of ALTER TABLE, [12-109](#)  
   of CREATE TABLE, [15-103](#)

ENABLE TABLE LOCK clause  
   of ALTER TABLE, [12-168](#)

ENABLE VALIDATE constraint state, [8-3](#)

ENABLE\_PARALLEL\_DML hint, [2-108](#)

encoding functions, [7-22](#)

encryption, [15-70](#)  
   of tablespaces, [8-53](#)

encryption keys  
   managing, [10-5](#)

END BACKUP clause  
   of ALTER DATABASE, [10-74](#)

END BACKUP clause (*continued*)  
   of ALTER DATABASE ... DATAFILE, [10-48](#)  
   of ALTER TABLESPACE, [12-197](#)

enterprise users  
   allowing connection as database users,  
   [12-213](#)

environment functions, [7-23](#)

equality test, [6-4](#)

equijoins, [9-13](#)  
   defining for a dimension, [13-83](#)

equivalency tests, [6-39](#)

error logging  
   of DELETE operations, [15-230](#)  
   of INSERT operations, [18-85](#)  
   of MERGE operations, [19-1](#)

ERROR\_ON\_OVERLAP\_TIME session  
   parameter, [11-118](#)

EVERY function, [7-148](#)

EXCEPTIONS INTO clause  
   of ALTER TABLE, [12-154](#)

EXCHANGE PARTITION clause  
   of ALTER TABLE, [12-30](#), [12-75](#)

EXCHANGE SUBPARTITION clause  
   of ALTER TABLE, [12-30](#), [12-75](#)

exchanging partitions  
   restrictions on, [12-155](#)

EXCLUDING NEW VALUES clause  
   of ALTER MATERIALIZED VIEW LOG, [11-46](#)  
   of CREATE MATERIALIZED VIEW LOG,  
   [14-61](#)

EXCLUSIVE lock mode, [18-97](#)

exclusive locks  
   row locks (TX), [B-3](#)  
   table locks (TM), [B-3](#)

EXECUTE object privilege  
   on a directory, [18-64](#)

execution plans  
   determining, [18-18](#)  
   dropping outlines for, [17-11](#)  
   saving, [14-82](#)

EXISTS condition, [6-22](#), [6-39](#)

EXISTSNODE function, [7-148](#)

EXP function, [7-149](#)

EXPLAIN PLAN statement, [18-18](#)

explicit data conversion, [2-56](#), [2-60](#)

expressions  
   analytic view, [5-4](#), [5-24](#)  
   CASE, [5-27](#)  
   changing declared type of, [7-470](#)  
   column, [5-30](#)  
   comparing, [7-123](#)  
   compound, [5-26](#)  
   computing with the DUAL table, [9-19](#)  
   CURSOR, [5-30](#)  
   datetime, [5-32](#)



expressions (*continued*)

- in SQL syntax, [5-1](#)
- interval, [5-34](#)
- JSON Object Access Expressions, [5-35](#)
- lists of, [5-43](#)
- model, [5-37](#)
- object access, [5-39](#)
- placeholder, [5-40](#)
- scalar subqueries as, [5-41](#)
- simple, [5-3](#)
- type constructor, [5-41](#)

extended rowids

- base 64, [2-43](#)
- not directly available, [2-43](#)

extensible indexing

- example, [F-1](#)

EXTENT MANAGEMENT clause

- of CREATE DATABASE, [13-62](#)
- of CREATE TABLESPACE, [15-165](#), [15-170](#)

EXTENT MANAGEMENT DICTIONARY clause

- of CREATE TABLESPACE, [15-179](#)

EXTENT MANAGEMENT LOCAL clause

- of CREATE DATABASE, [13-68](#)

extents

- allocating for partitions, [12-94](#)
- allocating for subpartitions, [12-94](#)
- allocating for tables, [12-94](#)
- restricting access by instances, [10-154](#)
- specifying maximum number for an object, [8-58](#)
- specifying number allocated upon object creation, [8-57](#)
- specifying the first for an object, [8-56](#)
- specifying the percentage of size increase, [8-57](#)
- specifying the second for an object, [8-57](#)

external functions, [13-125](#), [14-118](#)

external LOBs, [2-29](#)

external procedures, [14-118](#)

external tables, [15-94](#)

- access drivers, [15-99](#)
- altering, [12-30](#)
- creating, [15-18](#)
- ORACLE\_DATAPUMP access driver, [15-99](#)
- ORACLE\_HDFS access driver, [15-99](#)
- ORACLE\_HIVE access driver, [15-99](#)
- ORACLE\_LOADER access driver, [15-99](#)
- restrictions on, [15-98](#)

external users, [14-153](#), [15-202](#)

EXTRACT (datetime) function, [7-150](#)

EXTRACT (XML) function, [7-153](#)

EXTRACTVALUE function, [7-154](#)

---

## F

FACT hint, [2-108](#)

FAILED\_LOGIN\_ATTEMPTS parameter

- of ALTER PROFILE, [11-94](#)
- of CREATE PROFILE, [14-128](#)

failure groups

- creating for a disk group, [10-124](#), [13-96](#)

fast refresh, [14-52](#)

FEATURE\_DETAILS function, [7-157](#)

FEATURE\_ID function, [7-160](#)

FEATURE\_SET function, [7-162](#)

FEATURE\_VALUE function, [7-165](#)

FETCH

- row\_limiting\_clause, [19-40](#)

files

- specifying as a redo log file group, [8-34](#)
- specifying as data files, [8-34](#)
- specifying as temp files, [8-34](#)

FILTER FACT keywords, [19-40](#)

FIPS

- compliance, [C-32](#)
- flagging, [11-118](#)

FIRST function, [7-168](#)

FIRST\_ROWS(n) hint, [2-108](#)

FIRST\_VALUE function, [7-170](#)

FLAGGER session parameter, [11-118](#)

flash cache, [8-53](#)

FLASH\_CACHE parameter

- of STORAGE clause, [8-53](#)

FLASHBACK ARCHIVE object privilege, [18-64](#)

flashback data archives

- creating, [13-122](#)
- dropping, [16-12](#)
- modifying, [10-149](#)
- privileges for, [18-32](#)
- specifying for a table, [12-97](#), [15-141](#)

FLASHBACK DATABASE statement, [18-22](#)

flashback queries, [19-40](#)

- pseudocolumns for, [3-6](#)
- using with inserts, [18-72](#), [19-154](#)

FLASHBACK TABLE statement, [18-25](#)

floating-point conditions, [6-8](#)

floating-point numbers, [2-15](#)

- converting to, [7-429](#), [7-431](#)
- handling NaN, [7-275](#)

FLOOR function, [7-174](#)

FLOOR(datetime) function, [7-172](#)

FLOOR(interval) function, [7-173](#)

FLUSH BUFFER\_CACHE clause

- of ALTER SYSTEM, [12-12](#)

FLUSH GLOBAL CONTEXT clause

- of ALTER SYSTEM, [12-12](#)

FLUSH REDO clause

- of ALTER SYSTEM, [12-12](#)

- FLUSH SHARED\_POOL clause
  - of ALTER SYSTEM, [12-11](#)
- FM format model modifier, [2-87](#)
- FOR clause
  - of CREATE INDEXTYPE, [13-172](#)
  - of EXPLAIN PLAN, [18-20](#), [18-25](#)
- FOR UPDATE clause
  - of SELECT, [19-40](#), [19-56](#)
- FORCE clause
  - of COMMIT, [13-5](#)
  - of CREATE VIEW, [15-216](#)
  - of DISASSOCIATE STATISTICS, [15-243](#)
  - of DROP INDEX, [16-16](#)
  - of DROP INDEXTYPE, [16-18](#)
  - of DROP OPERATOR, [17-10](#)
  - of DROP TYPE, [18-13](#)
  - of REVOKE, [19-31](#)
  - of ROLLBACK, [18-25](#), [19-39](#)
- force full database caching, [10-98](#)
- FORCE LOGGING clause
  - of ALTER DATABASE, [10-79](#)
  - of ALTER TABLESPACE, [12-199](#)
  - of CREATE CONTROLFILE, [13-57](#)
  - of CREATE DATABASE, [13-67](#)
  - of CREATE TABLESPACE, [15-176](#)
- FORCE PARALLEL DML clause
  - of ALTER SESSION, [11-112](#)
- foreign key constraints, [8-3](#)
- foreign tables
  - rowids of, [2-43](#)
- format models, [2-75](#)
  - changing the return format, [2-89](#)
  - date, [2-79](#)
    - changing, [2-79](#)
    - default format, [2-79](#)
    - format elements, [2-80](#)
    - maximum length, [2-79](#)
  - modifiers, [2-87](#)
  - number, [2-76](#)
  - number, elements of, [2-77](#)
  - specifying, [2-88](#)
  - XML, [2-91](#)
- formats
  - for dates and numbers. See format models, [2-75](#)
  - of return values from the database, [2-75](#)
  - of values stored in the database, [2-75](#)
- free lists
  - specifying for a table, partition, cluster, or index, [8-59](#)
  - specifying for LOBs, [15-105](#)
- FREELIST GROUPS parameter
  - of STORAGE clause, [8-59](#)
- FREELISTS parameter
  - of STORAGE clause, [8-59](#)
- FREEPOOLS parameter
  - of LOB storage, [15-105](#)
- FRESH\_MV hint, [2-109](#)
- FROM clause
  - of CREATE PLUGGABLE DATABASE, [14-107](#)
  - of queries, [9-14](#)
- FROM COLUMNS clause
  - of DISASSOCIATE STATISTICS, [15-242](#)
- FROM FUNCTIONS clause
  - of DISASSOCIATE STATISTICS, [15-242](#)
- FROM INDEXES clause
  - of DISASSOCIATE STATISTICS, [15-242](#)
- FROM INDEXTYPES clause
  - of DISASSOCIATE STATISTICS, [15-242](#)
- FROM PACKAGES clause
  - of DISASSOCIATE STATISTICS, [15-242](#)
- FROM TYPES clause
  - of DISASSOCIATE STATISTICS, [15-242](#)
- FROM\_TZ function, [7-175](#)
- FROM\_VECTOR function, [7-175](#)
- FULL hint, [2-109](#)
- full indexes, [13-131](#)
- full outer joins, [19-40](#)
- function expressions
  - built-in, [5-33](#)
  - user-defined, [5-33](#)
- function-based indexes, [13-131](#)
  - creating, [13-131](#)
  - disabling, [10-154](#), [10-171](#)
  - enabling, [10-154](#), [10-170](#)
  - refreshing, [10-93](#)
- functions, [7-532](#)
  - 3GL, calling, [14-12](#)
  - associating statistics types with, [12-239](#)
  - avoiding run-time compilation, [10-152](#)
  - built\_in
    - as expressions, [5-33](#)
  - calling, [12-248](#)
  - changing the declaration of, [13-126](#)
  - changing the definition of, [13-126](#)
  - defining an index on, [13-131](#)
  - disassociating statistics types from, [15-241](#)
  - executing, [12-248](#)
  - external, [13-125](#), [14-118](#)
  - inverse distribution, [7-304](#), [7-306](#)
  - issuing COMMIT or ROLLBACK statements, [11-111](#)
  - linear regression, [7-360](#)
  - naming rules, [2-153](#)
  - OLAP, [7-15](#)
  - re-creating, [13-126](#), [13-177](#)
  - recompiling invalid, [10-152](#)
  - removing from the database, [16-13](#)
  - statistics, assigning default cost, [12-241](#)

functions (*continued*)  
 statistics, defining default selectivity, [12-241](#)  
 stored, [13-125](#)  
 storing return value of, [12-248](#)  
 synonyms for, [15-13](#)  
 user-defined, [7-532](#)  
   as expressions, [5-33](#)  
 XML, [7-21](#)  
   See also SQL functions

FUNCTIONS clause  
 of ASSOCIATE STATISTICS, [12-239](#), [12-241](#)  
 of DISASSOCIATE STATISTICS, [15-241](#)

FUZZY\_MATCH operator, [4-12](#)

FX format model modifier, [2-87](#)

## G

---

GATHER\_OPTIMIZER\_STATISTICS hint, [2-110](#)

general comparison functions, [7-18](#)

general recovery clause  
 of ALTER DATABASE, [10-52](#), [10-67](#)

geoimaging, [2-50](#)

global indexes  
 See indexes, globally partitioned

GLOBAL parameter  
 of CREATE SEQUENCE, [15-8](#)

GLOBAL PARTITION BY HASH clause  
 of CREATE INDEX, [13-155](#)

GLOBAL PARTITION BY RANGE clause  
 of CREATE INDEX, [13-138](#), [13-155](#)

global sequences, [15-8](#)

GLOBAL TEMPORARY clause  
 of CREATE TABLE, [15-57](#)

global users, [14-153](#), [15-203](#)

GLOBAL\_TOPIC\_ENABLED system parameter,  
[12-25](#)

globally partitioned indexes, [13-131](#), [13-155](#)

GRANT CONNECT THROUGH clause  
 of ALTER USER, [12-213](#), [12-215](#)

GRANT statement  
 locks, [B-6](#)

Graph Table Operator, [4-40](#)

GRAPH\_TABLE Operator, [4-15](#), [4-19](#), [4-22](#), [4-25](#),  
[4-27](#), [4-29](#), [4-33-4-35](#), [4-41](#), [4-44](#), [4-49](#),  
[4-51](#)  
 Graph Pattern, [4-20](#), [4-48](#)

GRAPHIC data type  
 DB2, [2-45](#)  
 SQL/DS, [2-45](#)

greater than or equal to tests, [6-4](#)

greater than tests, [6-4](#)

GREATEST function, [7-177](#)

GROUP BY clause  
 CUBE extension, [19-88](#)  
 identifying duplicate groupings, [7-178](#)

GROUP BY clause (*continued*)  
 of SELECT and subqueries, [19-40](#), [19-51](#)  
 ROLLUP extension of, [19-87](#)

group comparison conditions, [6-7](#)

group separator  
 specifying, [2-77](#)

GROUP\_ID function, [7-178](#)

GROUPING, [2-110](#)

GROUPING function, [7-179](#)

GROUPING Hint, [2-110](#)

grouping sets, [19-88](#)

GROUPING SETS clause  
 of SELECT and subqueries, [19-88](#)

GROUPING\_ID function, [7-180](#)

groupings  
 filtering out duplicate, [7-178](#)

GUARD ALL clause  
 of ALTER DATABASE, [10-100](#)

GUARD clause  
 of ALTER DATABASE, [10-48](#)  
 overriding, [11-109](#)

GUARD NONE clause  
 of ALTER DATABASE, [10-100](#)

GUARD STANDBY clause  
 of ALTER DATABASE, [10-100](#)

## H

---

hash clusters  
 creating, [13-44](#)  
 range-partitioned, [13-45](#)  
 single-table, creating, [13-44](#)  
 specifying hash function for, [13-38](#)

HASH hint, [2-111](#)

HASH IS clause  
 of CREATE CLUSTER, [13-38](#)

hash partitioning clause  
 of CREATE TABLE, [15-18](#), [15-55](#)

hash partitions  
 adding, [12-30](#)  
 coalescing, [12-134](#)

HASHKEYS clause  
 of CREATE CLUSTER, [13-44](#)

HAVING condition  
 of GROUP BY clause, [19-89](#)

heap-organized tables  
 creating, [15-18](#)

hexadecimal value  
 returning, [2-78](#)

HEXTORAW function, [7-181](#)

hierarchical functions, [7-20](#)

hierarchical queries, [9-2](#), [19-40](#)  
 child rows, [3-2](#), [9-4](#)  
 illustrated, [3-3](#)  
 leaf rows, [3-2](#)

hierarchical queries (*continued*)

- operators in, [4-5](#)
  - CONNECT\_BY\_ROOT, [4-6](#)
  - PRIOR, [4-5](#)
- ordering, [19-95](#)
- parent rows, [3-2](#), [9-4](#)
- pseudocolumns in, [3-1](#)
  - CONNECT\_BY\_ISCYCLE, [3-1](#)
  - CONNECT\_BY\_ISLEAF, [3-2](#)
  - LEVEL, [3-2](#)
- retrieving root and node values, [7-405](#)

## hierarchical query clause

- of SELECT and subqueries, [19-51](#)

## hierarchies

- adding to a dimension, [10-110](#)
- altering, [10-153](#)
- creating, [13-127](#)
- dropping, [16-14](#)
- dropping from a dimension, [10-111](#)
- granting system privileges for, [18-32](#)
- of dimensions, defining, [13-83](#)
- retrieving data from, [19-40](#)

## HIERARCHY clause

- of CREATE DIMENSION, [13-83](#), [13-84](#)

## hierarchy expressions

- analytic view, [5-4](#)

## high water mark

- of clusters, [10-43](#)
- of indexes, [10-154](#)
- of tables, [12-95](#), [12-233](#)

hints, [9-2](#)

- ALL\_ROWS, [2-102](#)
- APPEND, [2-102](#)
- APPEND\_VALUES, [2-103](#)
- CACHE, [2-103](#)
- CLUSTER, [2-104](#)
- CLUSTERING, [2-105](#)
- COMPRESS\_IMMEDIATE, [2-105](#)
- CONTAINER, [2-105](#)
- CURSOR\_SHARING\_EXACT, [2-106](#)
- DISABLE\_PARALLEL\_DML, [2-106](#)
- DYNAMIC\_SAMPLING, [2-107](#)
- ENABLE\_PARALLEL\_DML, [2-108](#)
- FACT, [2-108](#)
- FIRST\_ROWS(n), [2-108](#)
- FRESH\_MV, [2-109](#)
- FULL, [2-109](#)
- GATHER\_OPTIMIZER\_STATISTICS, [2-110](#)
- HASH, [2-111](#)
- in SQL statements, [2-95](#)
- INDEX, [2-112](#)
- INDEX\_ASC, [2-113](#)
- INDEX\_COMBINE, [2-113](#)
- INDEX\_DESC, [2-113](#)
- INDEX\_FFS, [2-114](#)

hints (*continued*)

- INDEX\_JOIN, [2-114](#)
- INDEX\_SS, [2-115](#)
- INDEX\_SS\_ASC, [2-115](#)
- INDEX\_SS\_DESC, [2-116](#)
- INMEMORY, [2-116](#)
- INMEMORY\_PRUNING, [2-116](#)
- LEADING, [2-117](#)
- location syntax, [2-95](#)
- MERGE, [2-117](#)
- MODEL\_MIN\_ANALYSIS, [2-118](#)
- MONITOR, [2-118](#)
- NO\_CLUSTERING, [2-119](#)
- NO\_EXPAND, [2-120](#)
- NO\_FACT, [2-120](#)
- NO\_GATHER\_OPTIMIZER\_STATISTICS, [2-120](#)
- NO\_INDEX, [2-121](#)
- NO\_INDEX\_FFS, [2-122](#)
- NO\_INDEX\_SS, [2-122](#)
- NO\_INMEMORY, [2-122](#)
- NO\_INMEMORY\_PRUNING, [2-122](#)
- NO\_MERGE, [2-123](#)
- NO\_MONITOR, [2-123](#)
- NO\_PARALLEL, [2-124](#)
- NO\_PARALLEL\_INDEX, [2-124](#)
- NO\_PQ\_CONCURRENT\_UNION, [2-125](#)
- NO\_PQ\_SKEW, [2-125](#)
- NO\_PUSH\_PRED, [2-125](#)
- NO\_PUSH\_SUBQ, [2-126](#)
- NO\_PX\_JOIN\_FILTER, [2-126](#)
- NO\_QUERY\_TRANSFORMATION, [2-126](#)
- NO\_RESULT\_CACHE, [2-126](#)
- NO\_REWRITE, [2-127](#)
- NO\_STAR\_TRANSFORMATION, [2-127](#)
- NO\_STATEMENT\_QUEUING, [2-127](#)
- NO\_UNNEST, [2-128](#)
- NO\_USE\_BAND, [2-128](#)
- NO\_USE\_CUBE, [2-128](#)
- NO\_USE\_HASH, [2-129](#)
- NO\_USE\_MERGE, [2-129](#)
- NO\_USE\_NL, [2-129](#)
- NO\_XML\_QUERY\_REWRITE, [2-130](#)
- NO\_XMLINDEX\_REWRITE, [2-130](#)
- NO\_ZONEMAP, [2-130](#)
- NOAPPEND, [2-119](#)
- NOCACHE, [2-119](#)
- NOPARALLEL, [2-124](#)
- NOPARALLEL\_INDEX, [2-124](#)
- NOREWRITE, [2-127](#)
- OPT\_PARAM, [2-131](#)
- ORDERED, [2-131](#)
- PARALLEL, [2-132](#)
- PARALLEL\_INDEX, [2-134](#)
- passing to the optimizer, [19-154](#)

hints (*continued*)

PQ\_CONCURRENT\_UNION, [2-135](#)  
 PQ\_DISTRIBUTE, [2-135](#)  
 PQ\_FILTER, [2-138](#)  
 PQ\_SKEW, [2-138](#)  
 PUSH\_PRED, [2-138](#)  
 PUSH\_SUBQ, [2-139](#)  
 PX\_JOIN\_FILTER, [2-139](#)  
 QB\_NAME, [2-139](#)  
 REWRITE, [2-142](#)  
 specifying a query block, [2-95](#)  
 STAR\_TRANSFORMATION, [2-142](#)  
 STATEMENT\_QUEUEING, [2-142](#)  
 syntax, [2-99](#)  
 UNNEST, [2-143](#)  
 USE\_BAND, [2-143](#)  
 USE\_CONCAT, [2-144](#)  
 USE\_CUBE, [2-144](#)  
 USE\_HASH, [2-145](#)  
 USE\_MERGE, [2-145](#)  
 USE\_NL, [2-145](#)  
 USE\_NL\_WITH\_INDEX, [2-146](#)

histograms

- creating equiwidth, [7-505](#)

Hybrid Columnar Compression, [15-86](#)

## I

## IDENTIFIED BY clause

- of ALTER ROLE. See CREATE ROLE, [11-100](#)
- of CREATE DATABASE LINK, [13-81](#)

IDENTIFIED EXTERNALLY clause

- of ALTER ROLE. See CREATE ROLE, [11-100](#), [14-153](#)
- of ALTER USER. See CREATE USER, [15-202](#)
- of CREATE ROLE, [14-153](#)
- of CREATE USER, [15-202](#)

## IDENTIFIED GLOBALLY clause

- of ALTER ROLE. See CREATE ROLE, [11-100](#)
- of CREATE ROLE, [14-153](#)
- of CREATE USER, [15-203](#)

identifier functions, [7-23](#)identity column, [15-69](#)

## IDLE\_TIME parameter

- of ALTER PROFILE, [11-94](#)

## IEEE754

- floating-point arithmetic, [2-16](#)
- Oracle conformance with, [2-16](#)

IGNORE\_ROW\_ON\_DUPKEY\_INDEX hint, [2-111](#)

## IMMEDIATE clause

- of SET CONSTRAINTS, [19-142](#)

implicit data conversion, [2-56](#), [2-57](#), [2-59](#)IN conditions, [6-39](#)

## in-doubt transactions

- forcing, [13-5](#)
- forcing commit of, [13-5](#)
- forcing rollback, [18-25](#), [19-39](#)
- rolling back, [19-37](#)

## INCLUDING CONTENTS clause

- of DROP TABLESPACE, [18-7](#)

## INCLUDING DATAFILES clause

- of ALTER DATABASE TEMPFILE DROP clause, [10-78](#)

## INCLUDING NEW VALUES clause

- of ALTER MATERIALIZED VIEW LOG, [11-46](#)
- of CREATE MATERIALIZED VIEW LOG, [14-61](#)

## INCLUDING TABLES clause

- of DROP CLUSTER, [15-247](#)

incomplete object types, [15-193](#)

- creating, [15-193](#)

## INCREMENT BY clause

- of ALTER SEQUENCE. See CREATE SEQUENCE, [11-106](#)

## INCREMENT BY parameter

- of CREATE SEQUENCE, [15-5](#)

## incremental

- and block change tracking, [10-97](#)

## INDEX clause

- of ANALYZE, [12-233](#)
- of CREATE CLUSTER, [13-43](#)

INDEX hint, [2-112](#)

## index keys

- compression, [10-158](#)

## index partitions

- creating subpartitions, [13-141](#)

index subpartitions, [13-141](#)INDEX\_ASC hint, [2-113](#)INDEX\_COMBINE hint, [2-113](#)INDEX\_DESC hint, [2-113](#)INDEX\_FFS hint, [2-114](#)INDEX\_JOIN hint, [2-114](#)INDEX\_SS hint, [2-115](#)INDEX\_SS\_ASC hint, [2-115](#)INDEX\_SS\_DESC hint, [2-116](#)

## index-organized tables

- bitmap indexes on, creating, [15-95](#)

- creating, [15-18](#)

- mapping tables, [12-162](#)

- creating, [15-95](#)

- moving, [12-137](#)

- merging contents of index blocks, [12-104](#)

- modifying, [12-30](#), [12-103](#)

- moving, [12-162](#)

## overflow segments

- specifying storage, [12-102](#), [15-124](#)

- index-organized tables (*continued*)
  - partitioned, updating secondary indexes, [10-175](#)
  - PCT\_ACCESS\_DIRECT statistics, [12-232](#)
  - primary key indexes
    - coalescing, [12-101](#)
  - rebuilding, [12-30](#)
  - rowids of, [2-43](#)
  - secondary indexes, updating, [10-173](#)
- indexed clusters
  - creating, [13-43](#)
- indexes, [10-154](#)
  - advanced index compression of, [13-151](#)
  - advanced index compression, enabling, [10-168](#)
  - allocating new extents for, [10-154](#)
  - application-specific, [13-169](#)
  - ascending, [13-150](#)
  - B-tree, [13-131](#)
  - based on indextypes, [13-131](#)
  - bitmap, [13-142](#)
  - bitmap join, [13-131](#)
  - changing attributes, [10-154](#)
  - changing parallelism of, [10-154](#)
  - collecting statistics on, [12-233](#)
  - creating, [13-131](#)
  - creating as usable or unusable, [13-162](#)
  - creating on a cluster, [13-134](#)
  - creating on a table, [13-134](#)
  - deallocating unused space from, [10-154](#)
  - descending, [13-150](#)
    - and query rewrite, [13-150](#)
    - as function-based indexes, [13-150](#)
  - direct-path inserts, logging, [10-154](#)
  - domain, [13-131](#), [13-132](#), [13-169](#)
  - domain, example, [F-1](#)
  - dropping index partitions, [16-15](#)
  - examples, [13-131](#)
  - full, [13-131](#)
  - full fast scans, [2-114](#)
  - function-based, [13-131](#)
    - creating, [13-131](#)
  - global partitioned, creating, [13-138](#)
  - globally partitioned, [13-131](#), [13-155](#)
    - updating, [12-30](#)
  - granting system privileges for, [18-32](#)
  - invisible to the optimizer, [10-171](#), [13-153](#)
  - join, bitmap, [13-131](#)
  - local domain, [13-159](#)
  - locally partitioned, [13-131](#)
  - logging rebuild operations, [10-154](#)
  - marking as USABLE or UNUSABLE, [10-171](#)
  - merging block contents, [10-154](#)
  - merging contents of index blocks, [10-172](#)
- indexes (*continued*)
  - merging contents of index partition blocks, [10-174](#)
  - modifying attributes, [10-154](#)
  - moving, [10-154](#)
  - on clusters, [13-131](#)
  - on composite-partitioned tables, [13-131](#)
  - on composite-partitioned tables, creating, [13-141](#)
  - on hash-partitioned tables, [13-131](#)
    - creating, [13-140](#)
  - on index-organized tables, [13-131](#)
  - on list-partitioned tables
    - creating, [13-140](#)
  - on nested table storage tables, [13-131](#)
  - on partitioned tables, [13-131](#)
  - on range-partitioned tables, [13-131](#)
  - on range-partitioned tables, creating, [13-140](#)
  - on scalar typed object attributes, [13-131](#)
  - on table columns, [13-131](#)
  - on XMLType tables, [13-164](#)
  - online, [13-154](#)
  - parallelizing creation of, [13-154](#)
  - partial, [13-131](#)
  - partitioned, [2-158](#), [13-131](#)
    - user-defined, [13-155](#)
  - partitioning, [13-155](#)
  - partitions, [13-155](#)
    - adding hash, [10-154](#)
    - adding new, [10-154](#)
    - changing default attributes, [10-154](#)
    - changing physical attributes, [10-154](#)
    - changing storage characteristics, [10-154](#)
    - coalescing hash partitions, [10-154](#)
    - deallocating unused space from, [10-154](#)
    - dropping, [10-154](#)
    - marking UNUSABLE, [10-154](#), [12-156](#)
    - modifying the real characteristics, [10-154](#)
    - preventing use of, [10-171](#)
    - re-creating, [10-154](#)
    - rebuilding, [10-154](#)
    - rebuilding unusable, [12-156](#)
    - removing, [10-154](#)
    - renaming, [10-154](#)
    - specifying tablespace for, [10-154](#), [10-168](#)
    - splitting, [10-154](#)
  - prefix compression of, [13-151](#)
  - prefix compression, enabling, [10-168](#)
  - preventing use of, [10-171](#)
  - purging from the recycle bin, [19-21](#)
  - re-creating, [10-154](#)
  - rebuilding, [10-154](#)
  - removing from the database, [16-15](#)
  - renaming, [10-154](#), [10-171](#)

- indexes (*continued*)
  - reverse, [10-154](#), [10-167](#), [10-168](#), [13-153](#)
  - specifying tablespace for, [10-154](#), [10-168](#)
  - statistics on usage, [10-172](#)
  - subpartitions
    - allocating extents for, [10-154](#)
    - changing default attributes, [10-154](#)
    - changing physical attributes, [10-154](#)
    - changing storage characteristics, [10-154](#)
    - deallocating unused space from, [10-154](#)
    - marking UNUSABLE, [10-154](#)
    - modifying, [10-154](#)
    - moving, [10-154](#)
    - preventing use of, [10-171](#)
    - re-creating, [10-154](#)
    - rebuilding, [10-154](#)
    - renaming, [10-154](#)
    - specifying tablespace for, [10-154](#), [10-168](#)
  - tablespace containing, [13-151](#)
  - unique, [13-142](#)
  - unsorted, [13-152](#)
  - used to enforce constraints, [12-126](#), [15-18](#)
  - validating structure, [12-235](#)
- INDEXES clause
  - of ASSOCIATE STATISTICS, [12-239](#), [12-241](#)
  - of DISASSOCIATE STATISTICS, [15-241](#)
- indexing property, [15-18](#)
- INDEXTYPE clause
  - of CREATE INDEX, [13-131](#), [13-137](#)
- indextypes
  - adding operators, [10-179](#)
  - altering, [10-179](#)
  - associating statistics types with, [12-239](#)
  - changing implementation type, [10-179](#)
  - comments on, [12-254](#)
  - creating, [13-169](#)
  - disassociating statistics types from, [15-241](#), [16-18](#)
  - drop routines, invoking, [16-15](#)
  - granting system privileges for, [18-32](#)
  - indexes based on, [13-131](#)
  - instances, [13-132](#)
  - removing from the database, [16-17](#)
- INDEXTYPES clause
  - of ASSOCIATE STATISTICS, [12-239](#), [12-241](#)
  - of DISASSOCIATE STATISTICS, [15-241](#)
- inequality test, [6-4](#)
- INHERIT PRIVILEGES object privilege
  - on a user, [18-68](#)
- INITCAP function, [7-182](#)
- INITIAL parameter
  - of STORAGE clause, [8-56](#)
- initialization parameters
  - changing session settings, [11-109](#)
- initialization parameters (*continued*)
  - setting using ALTER SESSION, [11-117](#)
- INITIALIZED EXTERNALLY clause
  - of CREATE CONTEXT, [13-50](#)
- INITIALIZED GLOBALLY clause
  - of CREATE CONTEXT, [13-50](#)
- INITIALLY DEFERRED clause
  - of constraints, [8-3](#)
- INITIALLY IMMEDIATE clause
  - of constraints, [8-3](#)
- INITRANS parameter
  - of ALTER CLUSTER, [10-43](#)
  - of ALTER INDEX, [10-154](#)
  - of ALTER MATERIALIZED VIEW LOG, [11-41](#)
  - of ALTER TABLE, [12-30](#)
  - of CREATE INDEX. See CREATE TABLE, [13-150](#)
  - of CREATE MATERIALIZED VIEW LOG. See CREATE TABLE, [14-52](#)
  - of CREATE MATERIALIZED VIEW. See CREATE TABLE, [14-16](#)
  - of CREATE TABLE, [8-52](#)
- inline analytic views, [19-40](#)
- inline constraints
  - of ALTER TABLE, [12-30](#)
  - of CREATE TABLE, [15-18](#)
- inline views, [9-17](#)
  - lateral, [19-69](#)
- INMEMORY hint, [2-116](#)
- INMEMORY\_PRUNING hint, [2-116](#)
- inner joins, [9-14](#), [19-40](#)
- INNER\_PRODUCT function, [7-183](#)
- inner-N reporting, [7-371](#)
- INSERT
  - direct-path versus conventional, [18-72](#)
- INSERT clause
  - of MERGE, [19-3](#)
- INSERT statement, [18-72](#)
  - append, [2-102](#), [2-103](#), [2-119](#)
  - error logging, [18-85](#)
- insert\_into\_clause, [18-72](#)
- inserts
  - and simultaneous update, [19-1](#)
  - conditional, [18-72](#)
  - conventional, [18-72](#)
  - direct-path, [18-72](#)
  - multi-table, [18-72](#)
    - examples, [18-89](#)
  - multitable, [18-72](#)
  - single-table, [18-72](#)
  - using MERGE, [19-3](#)
- instance recovery
  - continue after interruption, [10-67](#)
- INSTANCE session parameter, [11-118](#)

instances  
 making index extents available to, [10-154](#)  
 setting parameters for, [12-20](#)

INSTR function, [7-183](#)

INSTR2 function, [7-183](#)

INSTR4 function, [7-183](#)

INSTRB function, [7-183](#)

INSTRC function, [7-183](#)

integers  
 generating unique, [15-1](#)  
 in SQL syntax, [2-65](#)  
 precision of, [2-65](#)  
 syntax of, [2-65](#)

integrity constraints  
 See constraints

internal LOBs, [2-29](#)

International Organization for Standardization (ISO), [1-1](#)  
 standards, [1-1](#), [C-1](#)

INTERSECT set operator, [4-6](#)

interval  
 arithmetic, [2-24](#)  
 data types, [2-19](#)  
 literals, [2-72](#)

interval conditions, [6-38](#)

INTERVAL DAY TO SECOND data type, [2-24](#)

INTERVAL expressions, [5-34](#)

interval partitioning, [12-130](#), [15-117](#)  
 changing the interval, [12-130](#)

INTERVAL YEAR TO MONTH data type, [2-23](#)

INTO clause  
 of EXPLAIN PLAN, [18-20](#)  
 of INSERT, [18-72](#)

INVALIDATE GLOBAL INDEXES clause  
 of ALTER TABLE, [12-30](#)

inverse distribution functions, [7-304](#), [7-306](#)

invoker rights  
 altering for a Java class, [10-183](#)  
 defining for a Java class, [13-176](#), [13-177](#)

invoker's rights views, [15-222](#)

IS [NOT] EMPTY conditions, [6-13](#)

IS ANY condition, [6-10](#)

IS JSON condition, [6-24](#)

IS OF type condition, [6-42](#)

IS PRESENT condition, [6-11](#)

ISO  
 See International Organization for Standardization (ISO)

ITERATION\_NUMBER function, [7-185](#)

## J

---

Java  
 class  
 creating, [13-176](#), [13-178](#)

Java (*continued*)  
 class (*continued*)  
 dropping, [16-19](#)  
 resolving, [10-183](#), [13-178](#)

Java source schema object  
 creating, [13-178](#)

resource  
 creating, [13-176](#), [13-178](#)  
 dropping, [16-19](#)

schema object  
 name resolution of, [13-180](#)

source  
 compiling, [10-183](#), [13-178](#)  
 creating, [13-176](#)  
 dropping, [16-19](#)

job scheduler object privileges, [18-32](#)

JOIN clause  
 of CREATE DIMENSION, [13-85](#)

join groups  
 altering, [10-181](#)  
 creating, [13-174](#)  
 dropping, [16-18](#)

JOIN KEY clause  
 of ALTER DIMENSION, [10-110](#)  
 of CREATE DIMENSION, [13-83](#)

join views  
 example, [15-227](#)  
 making updatable, [15-225](#)  
 modifying, [15-236](#), [18-78](#), [19-158](#)

joins, [9-12](#)  
 antijoins, [9-16](#)  
 band, [9-13](#)  
 conditions  
 defining, [9-13](#)  
 cross, [19-82](#)  
 equijoins, [9-13](#)  
 full outer, [19-40](#)  
 inner, [9-14](#), [19-40](#)  
 left outer, [19-40](#)  
 natural, [19-83](#)  
 outer, [9-14](#)  
 and data densification, [9-15](#)  
 on grouped tables, [9-15](#)  
 restrictions, [9-15](#)

parallel, [2-135](#)  
 right outer, [19-40](#)  
 self, [9-14](#)  
 semijoins, [9-16](#)  
 without join conditions, [9-14](#)

JSON data type, [2-32](#)

JSON Object Access Expressions, [5-35](#)

JSON Type Constructor function, [7-245](#)

JSON\_ARRAY function, [7-187](#)

JSON\_ARRAYAGG function, [7-190](#)

JSON\_DATAGUIDE function, [7-192](#)



JSON\_EQUAL condition, [6-30](#)  
 JSON\_EXISTS condition, [6-31](#)  
 JSON\_MERGEPATCH function, [7-194](#)  
 JSON\_OBJECT function, [7-195](#)  
 JSON\_OBJECTAGG function, [7-201](#)  
 JSON\_QUERY function, [7-204](#)  
 JSON\_SCALAR function, [7-210](#)  
 JSON\_SERIALIZE function, [7-211](#)  
 JSON\_TABLE function, [7-213](#)  
 JSON\_TEXTCONTAINS condition, [6-35](#)  
 JSON\_TRANSFORM function, [7-225](#)  
 JSON\_VALUE function, [7-237](#)  
 Julian dates, [2-21](#)

## K

KEEP DATAFILES clause  
   of DROP PLUGGABLE DATABASE, [17-15](#)  
 KEEP keyword  
   of FIRST function, [7-169](#)  
   of LAST function, [7-169](#)  
   with aggregate functions, [7-5](#)  
 KEEP parameter  
   of CREATE SEQUENCE, [15-6](#)  
 KEEP SEQUENCE object privilege  
   on a sequence, [18-67](#)  
 key compression  
   See prefix compression  
 key management framework  
   granting system privileges for, [18-32](#)  
   managing, [10-5](#)  
 key-preserved tables, [15-225](#)  
 keys, eliminating repetition, [10-154](#)  
 keywords, [2-150](#)  
   in object names, [2-150](#)  
   optional, [A-3](#)  
   required, [A-2](#)  
 KILL SESSION clause  
   of ALTER SYSTEM, [12-14](#)  
 KURTOSIS\_POP function, [7-245](#)  
 KURTOSIS\_SAMP function, [7-246](#)

## L

L1\_DISTANCE function, [7-246](#)  
 L2\_DISTANCE function, [7-247](#)  
 LAG function, [7-248](#)  
 large object functions, [7-19](#)  
 large objects  
   See LOB data types  
 LAST function, [7-249](#)  
 LAST\_DAY function, [7-250](#)  
 LAST\_VALUE function, [7-251](#)  
 lateral inline views, [19-69](#)  
 LEAD function, [7-254](#)

LEADING hint, [2-117](#)  
 LEAST function, [7-255](#)  
 left outer joins, [19-40](#)  
 LENGTH function, [7-256](#)  
 LENGTH2 function, [7-256](#)  
 LENGTH4 function, [7-256](#)  
 LENGTHB function, [7-256](#)  
 LENGTHC function, [7-256](#)  
 less than tests, [6-4](#)  
 LEVEL clause  
   of ALTER DIMENSION, [10-109](#)  
   of CREATE DIMENSION, [13-83](#), [13-84](#)  
 level columns  
   specifying default values, [15-18](#)  
 LEVEL pseudocolumn, [3-2](#), [19-40](#)  
 levels  
   adding to a dimension, [10-110](#)  
   dropping from a dimension, [10-111](#)  
   of dimensions, defining, [13-83](#)  
 libraries  
   creating, [14-12](#)  
   granting system privileges for, [18-32](#)  
   re-creating, [14-13](#)  
   removing from the database, [17-1](#)  
 library units  
   See Java schema objects  
 LIKE conditions, [6-16](#)  
 linear regression functions, [7-360](#)  
 LIST CHAINED ROWS clause  
   of ANALYZE, [12-237](#)  
 list partitioning  
   adding default partition, [12-30](#)  
   adding partitions, [12-30](#)  
   adding values, [12-134](#), [12-135](#)  
   creating a default partition, [15-18](#)  
   creating partitions, [15-18](#)  
   dropping values, [12-134](#), [12-135](#)  
   merging default with nondefault partitions,  
     [12-30](#)  
   splitting default partition, [12-146](#)  
 list subpartitions  
   adding, [12-30](#)  
 LISTAGG function, [7-257](#)  
 listeners  
   registering, [12-20](#)  
 literals, [2-63](#)  
   datetime, [2-68](#)  
   interval, [2-72](#)  
 LN function, [7-261](#)  
 LNNVL function, [7-262](#)  
 LOB columns  
   adding, [12-30](#)  
   compressing, [15-106](#)  
   creating from LONG columns, [2-17](#), [12-111](#)  
   deduplication, [15-105](#)

- LOB columns (*continued*)
  - defining properties
    - for materialized views, [14-26](#)
  - encrypting, [15-106](#)
  - modifying, [12-110](#)
  - modifying storage, [12-30](#)
  - restricted in joins, [9-13](#)
  - restrictions on, [2-29](#)
  - storage characteristics of materialized views, [11-17](#)
- LOB data types, [2-29](#)
- LOB storage clause
  - for partitions, [12-30](#)
  - of ALTER MATERIALIZED VIEW, [11-17](#), [11-22](#)
  - of ALTER TABLE, [12-30](#), [12-56](#)
  - of CREATE MATERIALIZED VIEW, [14-16](#), [14-26](#), [14-28](#)
  - of CREATE TABLE, [15-18](#), [15-33](#)
- LOBs
  - attributes, initializing, [2-30](#)
  - columns
    - difference from LONG and LONG RAW, [2-30](#)
    - populating, [2-30](#)
  - external, [2-29](#)
  - internal, [2-29](#)
  - locators, [2-30](#)
  - logging attribute, [15-18](#)
  - modifying physical attributes, [12-30](#)
  - number of bytes manipulated in, [15-104](#)
  - saving old versions, [15-104](#)
  - saving values in a cache, [12-109](#), [15-135](#)
  - specifying directories for, [13-89](#)
  - storage
    - attributes, [15-18](#)
    - characteristics, [8-50](#)
    - in-line, [15-18](#)
  - tablespace for
    - defining, [15-84](#)
- LOCAL clause
  - of CREATE INDEX, [13-131](#), [13-139](#)
- local users, [14-153](#), [15-201](#)
- locale independent, [2-81](#)
- locally managed tablespaces
  - altering, [12-194](#)
  - storage attributes, [8-56](#)
- locally partitioned indexes, [13-131](#)
- LOCALTIMESTAMP function, [7-263](#)
- location transparency, [15-13](#)
- LOCK TABLE statement, [18-94](#)
- locking, overriding automatic, [18-94](#)
- locks, [18-94](#)
  - data, [B-3](#)
  - dictionary, [B-6](#)
- locks (*continued*)
  - row (TX), [B-3](#)
  - table (TM), [B-3](#)
    - See also table locks
- log data
  - collection during update operations, [10-84](#)
- log file clauses
  - of ALTER DATABASE, [10-56](#)
- log files
  - adding, [10-48](#)
  - dropping, [10-48](#)
  - modifying, [10-48](#)
  - registering, [10-90](#)
  - renaming, [10-75](#)
  - specifying for the database, [13-66](#)
- LOG function, [7-264](#)
- log groups
  - adding, [12-94](#)
  - dropping, [12-94](#)
- LOGFILE clause
  - OF CREATE DATABASE, [13-66](#)
- LOGFILE GROUP clause
  - of CREATE CONTROLFILE, [13-52](#)
- logging
  - and redo log size, [8-46](#)
  - specifying minimal, [8-46](#)
  - supplemental
    - dropping, [10-85](#)
    - supplemental, adding log groups, [12-30](#)
    - supplemental, dropping log groups, [12-30](#)
- LOGGING clause,
  - of ALTER INDEX, [10-154](#)
  - of ALTER MATERIALIZED VIEW, [11-31](#)
  - of ALTER MATERIALIZED VIEW LOG, [11-40](#)
  - of ALTER TABLE, [12-88](#)
  - of ALTER TABLESPACE, [12-188](#)
  - of CREATE MATERIALIZED VIEW, [14-16](#)
  - of CREATE MATERIALIZED VIEW LOG, [14-58](#)
  - of CREATE TABLE, [15-18](#)
  - of CREATE TABLESPACE, [15-165](#)
- logical conditions, [6-9](#)
- logical standby database
  - aborting, [10-93](#)
  - activating, [10-89](#)
  - stopping, [10-93](#)
- LOGICAL\_READS\_PER\_CALL parameter
  - of ALTER PROFILE, [11-94](#)
- LOGICAL\_READS\_PER\_SESSION parameter
  - of ALTER PROFILE, [11-94](#)
  - of ALTER RESOURCE COST, [11-99](#)
- LogMiner
  - granting system privileges for, [18-32](#)
  - supplemental logging, [12-30](#), [15-18](#)

LONG columns  
 and domain indexes, [12-111](#)  
 converting to LOB, [2-17](#), [12-111](#)  
 restrictions on, [2-18](#)  
 to store text strings, [2-17](#)  
 to store view definitions, [2-17](#)  
 where referenced from, [2-18](#)

LONG data type, [2-17](#)  
 in triggers, [2-19](#)

LONG RAW data type, [2-29](#)  
 converting from CHAR data, [2-29](#)

LONG VARCHAR data type  
 DB2, [2-45](#)  
 SQL/DS, [2-45](#)

LOWER function, [7-264](#)

LPAD function, [7-265](#)

LTRIM function, [7-266](#)

## M

---

MAKE\_REF function, [7-267](#)

managed recovery  
 of database, [10-53](#)

managed standby recovery  
 as background process, [10-71](#)  
 create a logical standby from the physical  
 standby, [10-73](#)  
 overriding delays, [10-71](#)  
 returning control during, [10-72](#), [10-73](#)  
 terminating existing, [10-72](#), [10-74](#)

MANAGED STANDBY RECOVERY clause  
 of ALTER DATABASE, [10-71](#)

MAPPING TABLE clause  
 of ALTER TABLE, [12-137](#), [12-162](#)

mapping tables  
 of index-organized tables, [12-162](#), [15-95](#)  
 modifying, [12-30](#)

master databases, [14-16](#)

master tables, [14-16](#)

MATCH  
 row\_pattern\_clause, [19-40](#)

MATCH\_RECOGNIZE  
 of row\_pattern\_clause of SELECT, [19-56](#)  
 row\_pattern\_clause, [19-40](#)

MATCHES condition, [6-2](#)

MATCHES operator, [4-1](#)

materialized join views, [14-53](#)

materialized view logs, [14-52](#)  
 creating, [14-52](#)  
 excluding new values from, [11-46](#)  
 logging changes to, [11-40](#)  
 object ID based, [11-45](#)  
 parallelizing creation, [14-52](#)  
 partition attributes, changing, [11-40](#)  
 partitioned, [14-52](#)

materialized view logs (*continued*)  
 physical attributes  
 changing, [11-40](#)  
 specifying, [14-52](#)

purging, [11-47](#), [14-61](#)

refreshing, [11-47](#), [14-62](#)

removing from the database, [17-5](#)

required for fast refresh, [14-52](#)

required for synchronous refresh, [14-52](#)

rowid based, [11-46](#)

saving new values in, [11-46](#)

saving old values in, [14-61](#)

staging logs, [14-52](#)

storage attributes  
 specifying, [14-52](#)

materialized views, [14-37](#)  
 changing from rowid-based to primary-key-  
 based, [11-34](#)  
 changing to primary-key-based, [11-46](#)  
 complete refresh, [11-33](#), [14-39](#)  
 compression of, [11-29](#), [14-34](#)  
 constraints on, [8-3](#)  
 creating, [14-16](#)  
 creating comments about, [12-252](#)  
 degree of parallelism, [11-17](#), [11-40](#)  
 during creation, [14-16](#)  
 enabling and disabling query rewrite, [14-45](#)  
 examples, [14-16](#), [14-52](#)  
 fast refresh, [11-32](#), [14-38](#), [14-39](#)  
 for data warehousing, [14-17](#)  
 for replication, [14-17](#)  
 forced refresh, [11-33](#)  
 granting system privileges for, [18-32](#)  
 index characteristics  
 changing, [11-30](#)  
 indexes that maintain, [14-37](#)  
 join, [14-53](#)  
 LOB storage attributes, [11-17](#)  
 logging changes to, [11-31](#)  
 master table, dropping, [17-5](#)  
 object type, creating, [14-16](#)  
 partitions, [11-17](#)  
 compression of, [11-29](#), [14-34](#)  
 physical attributes, [14-16](#)  
 changing, [11-17](#), [11-48](#)  
 primary key, [14-41](#)  
 recording values in master table, [11-45](#)  
 query rewrite  
 eligibility for, [8-3](#)  
 enabling and disabling, [11-35](#)  
 re-creating during refresh, [11-33](#)  
 refresh, [10-93](#)  
 after DML on master table, [11-33](#), [14-39](#)  
 mode, changing, [11-17](#)  
 on next COMMIT, [11-33](#), [14-39](#)

- materialized views (*continued*)
  - refresh (*continued*)
    - using trusted constraints, [14-43](#)
  - refresh, time, changing, [11-17](#)
  - refreshing, [10-93](#)
  - removing from the database, [17-3](#)
  - restricting scope of, [14-16](#)
  - retrieving data from, [19-40](#)
  - revalidating, [11-37](#)
  - rowid, [14-16](#)
  - rowid values
    - recording in master table, [11-45](#)
  - saving blocks in a cache, [11-31](#)
  - storage attributes, [14-16](#)
    - changing, [11-17](#), [11-48](#)
  - subquery, [14-16](#)
  - suppressing creation of default index, [14-37](#)
  - synonyms for, [15-13](#)
  - when to populate, [14-16](#)
- MAX function, [7-268](#)
- MAXDATAFILES parameter
  - of CREATE CONTROLFILE, [13-57](#)
  - of CREATE DATABASE, [13-65](#)
- MAXEXTENTS parameter
  - of STORAGE clause, [8-58](#)
- MAXINSTANCES parameter
  - of CREATE CONTROLFILE, [13-57](#)
  - OF CREATE DATABASE, [13-65](#)
- MAXLOGFILES parameter
  - of CREATE CONTROLFILE, [13-56](#)
  - of CREATE DATABASE, [13-67](#)
- MAXLOGHISTORY parameter
  - of CREATE CONTROLFILE, [13-57](#)
  - of CREATE DATABASE, [13-67](#)
- MAXLOGMEMBERS parameter
  - of CREATE CONTROLFILE, [13-56](#)
  - of CREATE DATABASE, [13-67](#)
- MAXSIZE clause
  - of ALTER DATABASE, [10-56](#)
- MAXTRANS parameter
  - of physical\_attributes\_clause, [8-52](#)
- MAXVALUE parameter
  - of ALTER SEQUENCE. See CREATE SEQUENCE, [11-106](#)
  - of CREATE SEQUENCE, [15-5](#)
- measure expressions
  - analytic view, [5-4](#)
- MEASURES
  - query\_block, [19-40](#)
- media recovery
  - avoid on startup, [10-76](#)
  - designing, [10-67](#)
  - disabling, [10-74](#)
  - from specified redo logs, [10-67](#)
  - of data files, [10-67](#)
  - media recovery (*continued*)
    - of database, [10-67](#)
    - of standby database, [10-67](#)
    - of tablespaces, [10-67](#)
    - performing ongoing, [10-71](#)
    - preparing for, [10-79](#)
    - restrictions, [10-67](#)
    - sustained standby recovery, [10-71](#)
- MEDIAN function, [7-269](#)
- median values, [7-306](#)
- MEMBER conditions, [6-14](#)
- membership conditions, [6-14](#), [6-39](#)
- MERGE ANY VIEW system privilege, [18-55](#)
- MERGE hint, [2-117](#)
- MERGE PARTITIONS clause
  - of ALTER TABLE, [12-30](#)
- MERGE statement, [19-1](#)
  - deletes during, [19-1](#)
  - error logging, [19-1](#)
  - inserts during, [19-1](#)
  - updates during, [19-1](#)
- MERGE VIEW object privilege on a view, [18-68](#)
- merge\_insert\_clause
  - of MERGE, [19-1](#)
- migrated rows
  - listing, [12-237](#)
  - of clusters, [12-230](#)
- MIN function, [7-272](#)
- MINEXTENTS parameter
  - of STORAGE clause, [8-57](#)
- MINIMIZE RECORDS PER BLOCK clause
  - of ALTER TABLE, [12-96](#)
- MINIMUM EXTENT clause
  - of ALTER TABLESPACE, [12-194](#)
  - of CREATE TABLESPACE, [15-175](#)
- mining models
  - comments on, [12-255](#)
- MINUS set operator, [4-6](#)
- MINVALUE parameter
  - of ALTER SEQUENCE. See CREATE SEQUENCE, [11-105](#)
  - of CREATE SEQUENCE, [15-5](#)
- MOD function, [7-273](#)
- MODE clause
  - of LOCK TABLE, [18-94](#)
- MODEL clause
  - of SELECT, [19-40](#), [19-53](#)
- model conditions, [6-10](#)
  - IS ANY, [6-10](#)
  - IS PRESENT, [6-11](#)
- model expression, [5-37](#)
- model functions, [7-14](#)
- MODEL\_MIN\_ANALYSIS hint, [2-118](#)
- MODIFY clause
  - of ALTER TABLE, [12-110](#)

MODIFY CONSTRAINT clause  
   of ALTER TABLE, [12-30](#), [12-52](#)  
   of ALTER VIEW, [12-229](#)  
 MODIFY DEFAULT ATTRIBUTES clause  
   of ALTER INDEX, [10-154](#), [10-159](#)  
   of ALTER TABLE, [12-30](#)  
 MODIFY LOB storage clause  
   of ALTER MATERIALIZED VIEW, [11-17](#),  
     [11-23](#)  
   of ALTER TABLE, [12-30](#)  
 MODIFY NESTED TABLE clause  
   of ALTER TABLE, [12-30](#), [12-52](#)  
 MODIFY PARTITION clause  
   of ALTER INDEX, [10-154](#)  
   of ALTER MATERIALIZED VIEW, [11-30](#)  
   of ALTER TABLE, [12-131](#)  
 MODIFY scoped\_table\_ref\_constraint clause  
   of ALTER MATERIALIZED VIEW, [11-17](#)  
 MODIFY SUBPARTITION clause  
   of ALTER INDEX, [10-154](#)  
 MODIFY VARRAY clause  
   of ALTER TABLE, [12-30](#), [12-59](#)  
 MON datetime format element, [2-85](#)  
 MONITOR hint, [2-118](#)  
 MONITORING USAGE clause  
   of ALTER INDEX, [10-172](#)  
 MONTH datetime format element, [2-85](#)  
 MONTHS\_BETWEEN function, [7-274](#)  
 MOUNT clause  
   of ALTER DATABASE, [10-65](#)  
 MOVE clause  
   of ALTER TABLE, [12-30](#), [12-82](#)  
   of CREATE PLUGGABLE DATABASE,  
     [14-113](#)  
 MOVE ONLINE clause  
   of ALTER TABLE, [12-161](#)  
 MOVE SUBPARTITION clause  
   of ALTER TABLE, [12-30](#)  
 MTS  
   See shared server  
 multi-table inserts  
   examples, [18-89](#)  
 multi-threaded server  
   See shared server  
 multilevel collections, [15-109](#)  
 multiset conditions, [6-13](#)  
 MULTISSET EXCEPT operator, [4-7](#)  
 MULTISSET INTERSECT operator, [4-8](#)  
 MULTISSET keyword  
   of CAST function, [7-63](#)  
 multiset operators, [4-7](#)  
   MULTISSET EXCEPT, [4-7](#)  
   MULTISSET INTERSECT, [4-8](#)  
   MULTISSET UNION, [4-9](#)  
 MULTISSET UNION operator, [4-9](#)

multitable inserts, [18-72](#)  
   conditional, [18-72](#)  
   unconditional, [18-72](#)  
 multitenant container databases  
   See CDBs

## N

---

NAME clause  
   of SET TRANSACTION, [19-147](#)  
 NAMED clause  
   of CREATE JAVA, [13-179](#)  
 namespaces  
   and object naming rules, [2-151](#)  
   database, [2-152](#)  
   for nonschema objects, [2-152](#)  
   for schema objects, [2-151](#)  
 NANVL function, [7-275](#)  
 national character set  
   changing, [10-94](#)  
   multibyte character data, [2-32](#)  
   variable-length strings, [2-12](#)  
 NATIONAL CHARACTER SET parameter  
   of CREATE DATABASE, [13-65](#)  
 natural joins, [19-83](#)  
 NCHAR data type, [2-10](#)  
 NCHR function, [7-276](#)  
 NCLOB data type, [2-32](#)  
 nested subqueries, [9-17](#)  
 NESTED TABLE clause  
   of ALTER TABLE, [12-30](#), [12-54](#)  
   of CREATE TABLE, [15-18](#), [15-32](#)  
 nested tables, [2-47](#), [6-13](#), [7-309](#), [7-378](#)  
   changing returned value, [12-30](#)  
   combining, [4-7](#)  
   compared with varrays, [2-56](#)  
   comparison rules, [2-56](#)  
   creating, [15-193](#)  
   creating from existing columns, [7-92](#)  
   defining as index-organized tables, [12-30](#)  
   determining hierarchy, [6-15](#)  
   dropping the body of, [18-14](#)  
   dropping the specification of, [18-11](#)  
   in materialized views, [14-26](#), [14-27](#)  
   indexing columns of, [13-131](#)  
   modifying, [12-30](#)  
   modifying column properties, [12-54](#)  
   multilevel, [15-109](#)  
   partitioned nested table columns, [12-146](#)  
   storage characteristics of, [12-30](#), [15-18](#)  
 NEW\_TIME function, [7-276](#)  
 NEXT clause  
   of ALTER MATERIALIZED VIEW ...  
     REFRESH, [11-34](#)

- NEXT parameter  
of STORAGE clause, [8-57](#)
- NEXT\_DAY function, [7-277](#)
- NEXTVAL pseudocolumn, [3-3](#), [15-2](#)
- NLS\_CHARSET\_DECL\_LEN function, [7-278](#)
- NLS\_CHARSET\_ID function, [7-278](#)
- NLS\_CHARSET\_NAME function, [7-279](#)
- NLS\_COLLATION\_ID function, [7-280](#)
- NLS\_COLLATION\_NAME function, [7-280](#)
- NLS\_DATE\_LANGUAGE initialization parameter, [2-85](#)
- NLS\_INITCAP function, [7-282](#)
- NLS\_LANGUAGE initialization parameter, [2-85](#)
- NLS\_LOWER function, [7-283](#)
- NLS\_TERRITORY initialization parameter, [2-85](#)
- NLS\_UPPER function, [7-283](#)
- NLSSORT function, [7-284](#)
- NO FORCE LOGGING clause  
of ALTER DATABASE, [10-79](#)  
of ALTER TABLESPACE, [12-199](#)
- NO\_CLUSTERING hint, [2-119](#)
- NO\_EXPAND hint, [2-120](#)
- NO\_FACT hint, [2-120](#)
- NO\_GATHER\_OPTIMIZER\_STATISTICS hint, [2-120](#)
- NO\_INDEX hint, [2-121](#)
- NO\_INDEX\_FFS hint, [2-122](#)
- NO\_INDEX\_SS hint, [2-122](#)
- NO\_INMEMORY hint, [2-122](#)
- NO\_INMEMORY\_PRUNING hint, [2-122](#)
- NO\_MERGE hint, [2-123](#)
- NO\_MONITOR hint, [2-123](#)
- NO\_PARALLEL hint, [2-124](#)
- NO\_PARALLEL\_INDEX, [2-124](#)
- NO\_PQ\_CONCURRENT\_UNION hint, [2-125](#)
- NO\_PQ\_SKEW hint, [2-125](#)
- NO\_PUSH\_PRED hint, [2-125](#)
- NO\_PUSH\_SUBQ hint, [2-126](#)
- NO\_PX\_JOIN\_FILTER hint, [2-126](#)
- NO\_QUERY\_TRANSFORMATION hint, [2-126](#)
- NO\_RESULT\_CACHE hint, [2-126](#)
- NO\_REWRITE hint, [2-127](#)
- NO\_STAR\_TRANSFORMATION hint, [2-127](#)
- NO\_STATEMENT\_QUEUEING hint, [2-127](#)
- NO\_UNNEST hint, [2-128](#)
- NO\_USE\_BAND hint, [2-128](#)
- NO\_USE\_CUBE hint, [2-128](#)
- NO\_USE\_HASH hint, [2-129](#)
- NO\_USE\_MERGE hint, [2-129](#)
- NO\_USE\_NL hint, [2-129](#)
- NO\_XML\_QUERY\_REWRITE hint, [2-130](#)
- NO\_XMLINDEX\_REWRITE hint, [2-130](#)
- NO\_ZONEMAP hint, [2-130](#)
- NOAPPEND hint, [2-119](#)
- NOARCHIVELOG clause  
of ALTER DATABASE, [10-56](#)  
of CREATE CONTROLFILE, [13-57](#)  
OF CREATE DATABASE, [10-67](#), [13-67](#)
- NOAUDIT statement, [19-11](#)  
for unified auditing, [19-16](#)  
locks, [B-6](#)
- NOCACHE clause  
of ALTER MATERIALIZED VIEW, [11-31](#)  
of ALTER MATERIALIZED VIEW LOG, [11-45](#)  
of ALTER SEQUENCE. See CREATE SEQUENCE, [11-106](#)  
of ALTER TABLE, [15-135](#)  
of CREATE CLUSTER, [13-45](#)  
of CREATE MATERIALIZED VIEW, [14-36](#)  
of CREATE MATERIALIZED VIEW LOG, [14-58](#)  
of CREATE SEQUENCE, [15-6](#)
- NOCACHE hint, [2-119](#)
- NOCOMPRESS clause  
of ALTER INDEX ... REBUILD, [13-151](#)  
of CREATE TABLE, [15-96](#)
- NOCOPY clause  
of CREATE PLUGGABLE DATABASE, [14-113](#)
- NOCYCLE parameter  
of ALTER SEQUENCE. See CREATE SEQUENCE, [11-105](#)  
of CREATE SEQUENCE, [15-6](#)
- NOFORCE clause  
of CREATE JAVA, [13-178](#)  
of CREATE VIEW, [15-216](#)
- NOKEEP parameter  
of CREATE SEQUENCE, [15-7](#)
- NOLOGGING mode  
and force logging mode, [8-45](#)  
for nonpartitioned objects, [8-45](#)  
for partitioned objects, [8-45](#)
- NOMAXVALUE parameter  
of ALTER SEQUENCE. See CREATE SEQUENCE, [11-105](#)  
of CREATE SEQUENCE, [15-5](#)
- NOMINIMIZE RECORDS PER BLOCK clause  
of ALTER TABLE, [12-96](#)
- NOMINVALUE parameter  
of ALTER SEQUENCE. See CREATE SEQUENCE, [11-105](#)  
of CREATE SEQUENCE, [15-5](#)
- NOMONITORING USAGE clause  
of ALTER INDEX, [10-172](#)
- NONE clause  
of SET ROLE, [19-145](#)
- nonempty subsets of, [7-309](#)
- nonequivalency tests, [6-39](#)

nonschema objects  
 list of, [2-147](#)  
 namespaces, [2-152](#)

NOORDER parameter  
 of ALTER SEQUENCE. See CREATE SEQUENCE, [11-106](#)  
 of CREATE SEQUENCE, [15-6](#)

NOPARALLEL clause  
 of CREATE INDEX, [8-49](#), [15-137](#)

NOPARALLEL hint, [2-124](#)

NOPARALLEL\_INDEX hint, [2-124](#)

NORELY clause  
 of constraints, [8-3](#)

NORESETLOGS clause  
 of CREATE CONTROLFILE, [13-56](#)

NOREVERSE parameter  
 of ALTER INDEX ... REBUILD, [10-167](#),  
[10-168](#)

NOREWRITE hint, [2-127](#)

NOROWDEPENDENCIES clause  
 of CREATE CLUSTER, [13-45](#)  
 of CREATE TABLE, [15-137](#)

NOSORT clause  
 of ALTER INDEX, [13-152](#)

NOT condition, [6-9](#)

NOT DEFERRABLE clause  
 of constraints, [8-3](#)

NOT IDENTIFIED clause  
 of ALTER ROLE. See CREATE ROLE, [11-100](#)  
 of CREATE ROLE, [14-152](#)

NOT IN subqueries  
 converting to NOT EXISTS subqueries, [7-262](#)

NOT NULL clause  
 of CREATE TABLE, [15-18](#)

NOWAIT clause  
 of LOCK TABLE, [18-97](#)

NTH\_VALUE function, [7-287](#)

NTILE function, [7-289](#)

null, [2-92](#)  
 difference from zero, [2-92](#)  
 in conditions, [2-93](#)  
 table of, [2-93](#)  
 in functions, [7-2](#)  
 with comparison conditions, [2-93](#)

null conditions, [6-21](#)

NULL-related functions, [7-22](#)

NULLIF function, [7-290](#)  
 as a form of CASE expression, [7-290](#)

NUMBER data type, [2-13](#)  
 converting to VARCHAR2, [2-76](#)  
 precision, [2-13](#)  
 scale, [2-13](#)

number format models, [2-76](#)

number functions, [7-15](#)

numbers  
 comparison rules, [2-51](#)  
 floating-point, [2-13](#), [2-15](#)  
 in SQL syntax, [2-65](#)  
 precision of, [2-66](#)  
 spelling out, [2-87](#)  
 syntax of, [2-66](#)

numeric data type, [2-13](#)

numeric functions, [7-15](#)

numeric precedence, [2-17](#)

NUMTODSINTERVAL function, [7-291](#)

NUMTOYMINTERVAL function, [7-292](#)

NVARCHAR2 data type, [2-12](#)

NVL function, [7-293](#)

NVL2 function, [7-294](#)

## O

object access expressions, [5-39](#)

OBJECT IDENTIFIER clause  
 of CREATE TABLE, [15-18](#)

object identifiers, [2-46](#)  
 contained in REFS, [2-46](#)  
 primary key, [15-18](#)  
 specifying, [15-18](#)  
 specifying an index on, [15-18](#)  
 system-generated, [15-18](#)

object instances  
 types of, [6-42](#)

object privileges  
 granting, [14-150](#)  
 multiple, [14-158](#)  
 on specific columns, [18-32](#)  
 on a database object  
 revoking, [19-25](#)  
 revoking, [19-28](#)  
 from a role, [19-25](#), [19-31](#)  
 from a user, [19-25](#), [19-30](#)  
 from PUBLIC, [19-31](#)

object reference functions, [7-15](#)

object tables  
 adding rows to, [18-72](#)  
 as part of hierarchy, [15-18](#)  
 creating, [15-18](#), [15-21](#)  
 querying, [15-18](#)  
 system-generated column name, [15-146](#),  
[15-147](#), [15-220](#), [15-222](#)  
 updating to latest version, [12-30](#)  
 upgrading, [12-30](#)

object type columns  
 defining properties  
 for materialized views, [14-26](#)  
 in a type hierarchy, [15-18](#)  
 membership in hierarchy, [12-30](#)

- object type columns (*continued*)
  - modifying properties
    - for tables, [12-30, 12-53](#)
  - substitutability, [12-30](#)
- object type materialized views
  - creating, [14-16](#)
- object types, [2-46](#)
  - associating statistics types with, [12-239](#)
  - attributes, [2-160](#)
    - in a type hierarchy, [15-18](#)
    - membership in hierarchy, [12-30](#)
    - substitutability, [12-30](#)
  - bodies
    - creating, [15-195](#)
    - re-creating, [15-196](#)
  - comparison rules, [2-56](#)
    - MAP function, [2-56](#)
    - ORDER function, [2-56](#)
  - components of, [2-46](#)
  - creating, [15-193](#)
  - defining member methods of, [15-195](#)
  - disassociating statistics types from, [15-241, 18-11](#)
  - dropping the body of, [18-14](#)
  - dropping the specification of, [18-11](#)
  - granting system privileges for, [18-32](#)
  - identifiers, [3-8](#)
  - incomplete, [15-193](#)
  - methods, [2-160](#)
  - privileges on subtypes, [18-42](#)
  - references to. See [REFs, 2-46](#)
  - statistics types, [12-239](#)
  - values of, [3-8](#)
- object views, [15-212](#)
  - base tables
    - adding rows, [18-72](#)
  - creating, [15-220](#)
  - defining, [15-212](#)
  - querying, [15-212](#)
- OBJECT\_ID pseudocolumn, [3-8, 15-146, 15-147, 15-220, 15-222](#)
- OBJECT\_VALUE pseudocolumn, [3-8](#)
- objects
  - See [object types or database objects](#)
- ODCIIndexInsert method
  - indextype support of, [10-179, 13-169](#)
- OF clause
  - of CREATE VIEW, [15-220](#)
- of CREATE OPERATOR, [14-78](#)
- OFFLINE clause
  - of ALTER TABLESPACE, [12-200](#)
  - of CREATE TABLESPACE, [15-179](#)
- OFFSET
  - row\_limiting\_clause, [19-40](#)
- OIDINDEX clause
  - of CREATE TABLE, [15-18](#)
- OIDs
  - See [object identifiers](#)
- OLAP functions, [7-15](#)
- ON clause
  - of CREATE OUTLINE, [14-84](#)
- ON COMMIT clause
  - of CREATE TABLE, [15-81](#)
- ON DEFAULT clause
  - of NOAUDIT, [19-11](#)
- ON DELETE CASCADE clause
  - of constraints, [8-3](#)
- ON DELETE SET NULL clause
  - of constraints, [8-3](#)
- ON DIRECTORY clause
  - of NOAUDIT, [19-11](#)
- ON object clause
  - of NOAUDIT, [19-11](#)
  - of REVOKE, [19-25](#)
- ON PREBUILT TABLE clause
  - of CREATE MATERIALIZED VIEW, [14-32](#)
- online backup
  - of tablespaces, ending, [12-197](#)
- ONLINE clause
  - of ALTER TABLESPACE, [12-200](#)
  - of CREATE INDEX, [13-154](#)
  - of CREATE TABLESPACE, [15-178](#)
- online indexes, [13-154](#)
  - rebuilding, [12-161](#)
- online redo logs
  - reinitializing, [10-80](#)
- OPEN clause
  - of ALTER DATABASE, [10-65](#)
- OPEN READ ONLY clause
  - of ALTER DATABASE, [10-48](#)
- OPEN READ WRITE clause
  - of ALTER DATABASE, [10-48](#)
- operands, [4-1](#)
- operating system files
  - dropping, [18-8](#)
  - removing, [10-78](#)
- operators, [4-1](#)
  - adding to indextypes, [10-180](#)
  - altering, [11-55](#)
  - arithmetic, [4-2](#)
  - binary, [4-1](#)
  - COLLATE, [4-3](#)
  - comments on, [12-255](#)
  - concatenation, [4-4](#)
  - CONNECT\_BY\_ROOT, [4-6](#)
  - dropping from indextypes, [10-180](#)
  - granting system privileges for, [18-32](#)



- operators (*continued*)
- GRAPH\_TABLE, [4-15](#), [4-19](#), [4-20](#), [4-22](#), [4-25](#), [4-27](#), [4-29](#), [4-33–4-35](#), [4-44](#), [4-48](#), [4-49](#), [4-51](#)
  - MULTISET EXCEPT, [4-7](#)
  - MULTISET INTERSECT, [4-8](#)
  - MULTISET UNION, [4-9](#)
  - precedence, [4-2](#)
  - PRIOR, [4-5](#)
  - set, [4-6](#)
  - SHARD\_CHUNK\_ID, [4-10](#)
  - specifying implementation of, [14-78](#)
  - unary, [4-1](#)
  - user-defined, [4-11](#)
    - binding to a function, [11-55](#), [14-77](#)
    - compiling, [11-55](#)
    - creating, [14-77](#)
    - dropping, [17-9](#)
    - how bindings are implemented, [14-80](#)
    - implementation type, [14-80](#)
- Operators
- Graph Table Operator, [4-40](#)
  - GRAPH\_TABLE, [4-41](#)
- OPT\_PARAM hint, [2-131](#)
- OPTIMAL parameter
- of STORAGE clause, [8-60](#)
- OR condition, [6-10](#)
- OR REPLACE clause
- of CREATE CONTEXT, [13-49](#)
  - of CREATE DIRECTORY, [13-90](#)
  - of CREATE FUNCTION, [13-126](#), [13-177](#)
  - of CREATE LIBRARY, [14-13](#)
  - of CREATE OUTLINE, [14-83](#)
  - of CREATE PACKAGE, [14-86](#)
  - of CREATE PACKAGE BODY, [14-89](#)
  - of CREATE PROCEDURE, [14-120](#)
  - of CREATE TRIGGER, [15-191](#)
  - of CREATE TYPE, [15-195](#)
  - of CREATE TYPE BODY, [15-196](#)
  - of CREATE VIEW, [15-216](#)
- ORA\_DST\_AFFECTED function, [7-297](#)
- ORA\_DST\_CONVERT function, [7-297](#)
- ORA\_DST\_ERROR function, [7-298](#)
- ORA\_HASH function, [7-299](#)
- ORA\_INVOKING\_USER function, [7-300](#)
- ORA\_INVOKING\_USERID function, [7-300](#)
- ORA\_ROWSCN pseudocolumn, [3-9](#)
- Oracle ADVM volumes, [10-134](#)
- Oracle Automatic Storage Management
- migrating nodes in a cluster, [12-17](#)
- Oracle Call Interface, [1-3](#)
- oracle machine learning for SQL functions, [7-20](#)
- Oracle reserved words, [E-1](#)
- Oracle Text
- built-in conditions, [6-2](#)
- Oracle Text (*continued*)
- CATSEARCH, [6-2](#)
  - CONTAINS, [6-2](#)
  - creating domain indexes, [13-159](#)
  - MATCHES, [6-2](#)
  - operators, [4-1](#)
    - CATSEARCH, [4-1](#)
    - CONTAINS, [4-1](#)
    - MATCHES, [4-1](#)
    - SCORE, [4-1](#)
- Oracle Tools
- support of SQL, [1-3](#)
- ORDER BY clause
- of queries, [9-12](#)
  - of SELECT, [9-12](#), [19-40](#), [19-55](#)
    - with ROWNUM, [3-12](#)
- ORDER clause
- of ALTER SEQUENCE. See CREATE SEQUENCE, [11-106](#)
- ORDER parameter
- of CREATE SEQUENCE, [15-6](#)
- ORDER SIBLINGS BY clause
- of SELECT, [19-95](#)
- ORDERED hint, [2-131](#)
- ordinal numbers
- specifying, [2-87](#)
  - spelling out, [2-87](#)
- ORGANIZATION EXTERNAL clause
- of CREATE TABLE, [15-18](#), [15-94](#)
- ORGANIZATION HEAP clause
- of CREATE TABLE, [15-94](#)
- ORGANIZATION INDEX clause
- of CREATE TABLE, [15-94](#)
- out-of-line constraints
- of CREATE TABLE, [15-18](#)
- outer joins, [9-14](#)
- restrictions, [9-15](#)
- outlines
- assign to a different category, [11-59](#)
  - assigning to a different category, [11-58](#), [11-60](#)
  - copying, [14-84](#)
  - creating, [14-82](#)
  - creating on statements, [14-84](#)
  - dropping from the database, [17-11](#)
  - enabling and disabling dynamically, [14-83](#)
  - for use by current session, [14-83](#)
  - for use by PUBLIC, [14-83](#)
  - granting system privileges for, [18-32](#)
  - private, use by the optimizer, [11-118](#)
  - rebuilding, [11-58](#), [11-60](#)
  - recompiling, [11-59](#)
  - renaming, [11-58–11-60](#)
  - replacing, [14-83](#)
  - storing groups of, [14-84](#)

outlines (*continued*)  
 use by the optimizer, [12-24](#)  
 use to generate execution plans, [11-118](#)  
 used to generate execution plans, [14-82](#)

OVER clause  
 of analytic functions, [7-6](#)

OVERFLOW clause  
 of ALTER INDEX, [10-161](#)  
 of ALTER TABLE, [12-30](#)  
 of CREATE TABLE, [15-96](#)

## P

P.M. datetime format element, [2-85](#)

package bodies  
 creating, [14-87](#)  
 re-creating, [14-89](#)  
 removing from the database, [17-13](#)

packaged procedures  
 dropping, [17-16](#)

packages  
 associating statistics types with, [12-239](#)  
 creating, [14-85](#)  
 disassociating statistics types from, [15-241](#),  
[17-12](#)  
 redefining, [14-86](#)  
 removing from the database, [17-12](#)  
 synonyms for, [15-13](#)

PACKAGES clause  
 of ASSOCIATE STATISTICS, [12-239](#), [12-241](#)  
 of DISASSOCIATE STATISTICS, [15-241](#)

PARALLEL clause  
 of ALTER CLUSTER, [10-45](#), [10-46](#)  
 of ALTER INDEX, [10-154](#)  
 of ALTER MATERIALIZED VIEW, [11-17](#),  
[11-24](#)  
 of ALTER MATERIALIZED VIEW LOG,  
[11-40](#), [11-42](#)  
 of ALTER TABLE, [12-30](#)  
 of CREATE CLUSTER, [13-38](#)  
 of CREATE INDEX, [13-154](#)  
 of CREATE MATERIALIZED VIEW, [14-16](#),  
[14-29](#)  
 of CREATE MATERIALIZED VIEW LOG,  
[14-52](#), [14-56](#)  
 of CREATE TABLE, [15-18](#), [15-55](#)

parallel execution, [8-47](#)  
 hints, [2-132](#)  
 of DDL statements, [11-112](#)  
 of DML statements, [11-112](#)

PARALLEL hint, [2-132](#)

PARALLEL\_INDEX hint, [2-134](#)

parameter files  
 creating, [14-89](#)  
 from memory, [14-91](#)

parameters  
 in syntax  
 optional, [A-3](#)  
 required, [A-2](#)

PARAMETERS clause  
 of CREATE INDEX, [13-160](#)

partial indexes, [13-131](#)

PARTITION ... LOB storage clause  
 of ALTER TABLE, [12-30](#)

PARTITION BY HASH clause  
 of CREATE TABLE, [15-18](#), [15-44](#)

PARTITION BY LIST clause  
 of CREATE TABLE, [15-18](#), [15-44](#)

PARTITION BY RANGE clause  
 of CREATE TABLE, [15-18](#), [15-43](#)

PARTITION BY REFERENCE clause  
 of CREATE TABLE, [15-46](#), [15-129](#)

PARTITION clause  
 of ANALYZE, [12-233](#)  
 of CREATE INDEX, [13-156](#)  
 of CREATE TABLE, [15-119](#)  
 of DELETE, [15-234](#)  
 of INSERT, [18-79](#)  
 of LOCK TABLE, [18-94](#)  
 of UPDATE, [19-159](#)

partition-extended table names  
 in DML statements, [2-159](#)  
 restrictions on, [2-158](#)  
 syntax, [2-158](#)

partitioned index-organized tables  
 secondary indexes, updating, [10-175](#)

partitioned indexes, [2-158](#), [13-131](#)

local, creating, [13-139](#)  
 user-defined, [13-155](#)

partitioned tables, [2-158](#)

partitioning  
 by hash, [15-18](#), [15-44](#)  
 by list, [15-18](#), [15-44](#)  
 by range, [15-18](#), [15-43](#)  
 by reference, [15-46](#), [15-129](#)

clauses  
 of ALTER INDEX, [10-159](#)  
 of ALTER TABLE, [12-128](#)

interval, [15-117](#)

of materialized view logs, [11-40](#), [14-52](#)

of materialized views, [11-17](#), [14-16](#), [14-21](#)

range with interval partitions, [15-117](#)

referential constraint, [12-125](#), [15-129](#)

system, [15-130](#)

partitions  
 adding, [12-128](#)  
 adding rows to, [18-72](#)  
 allocating extents for, [12-94](#)  
 based on literal values, [15-18](#)

- partitions (*continued*)
  - composite
    - specifying, [15-124](#)
  - converting into nonpartitioned tables, [12-30](#)
  - deallocating unused space from, [12-95](#)
  - dropping, [12-142](#)
  - exchanging with tables, [12-75](#)
  - extents
    - allocating for an index, [10-154](#)
  - hash
    - adding, [12-30](#)
    - coalescing, [12-30](#)
    - specifying, [15-18](#)
  - index, [13-155](#)
  - inserting rows into, [18-79](#)
  - list, adding, [12-30](#)
  - LOB storage characteristics of, [12-30](#)
  - locking, [18-94](#)
  - logging attribute, [15-18](#)
  - logging insert operations, [12-88](#)
  - merging, [12-30](#)
  - modifying, [12-128](#), [12-131](#)
  - physical attributes
    - changing, [12-87](#)
  - range
    - adding, [12-30](#)
    - specifying, [15-18](#)
  - removing rows from, [12-30](#), [15-234](#)
  - renaming, [12-30](#)
  - revising values in, [19-159](#)
  - splitting, [12-146](#)
  - storage characteristics, [8-50](#)
  - tablespace for
    - defining, [15-84](#)
- PASSWORD EXPIRE clause
  - of ALTER USER. See CREATE USER, [12-215](#)
  - of CREATE USER, [15-207](#)
- PASSWORD\_GRACE\_TIME parameter
  - of ALTER PROFILE, [11-94](#)
  - of CREATE PROFILE, [14-129](#)
- PASSWORD\_LIFE\_TIME parameter
  - of ALTER PROFILE, [11-94](#)
  - of CREATE PROFILE, [14-128](#)
- PASSWORD\_LOCK\_TIME parameter
  - of ALTER PROFILE, [11-94](#)
  - of CREATE PROFILE, [14-129](#)
- PASSWORD\_REUSE\_MAX parameter
  - of ALTER PROFILE, [11-94](#)
  - of CREATE PROFILE, [14-128](#)
- PASSWORD\_REUSE\_TIME parameter
  - of ALTER PROFILE, [11-94](#)
  - of CREATE PROFILE, [14-128](#)
- PASSWORD\_VERIFY\_FUNCTION parameter
  - of ALTER PROFILE, [11-94](#)
  - PASSWORD\_VERIFY\_FUNCTION parameter (*continued*)
    - of CREATE PROFILE, [14-129](#)
- passwords
  - expiration of, [15-207](#)
  - grace period, [14-121](#)
  - guaranteeing complexity, [14-121](#)
  - limiting use and reuse, [14-121](#)
  - locking, [14-121](#)
  - making unavailable, [14-121](#)
  - parameters
    - of CREATE PROFILE, [14-123](#)
    - special characters in, [15-201](#)
- PATH function, [7-301](#)
- PATH\_VIEW, [6-22](#), [6-23](#)
- PATTERN
  - row\_pattern\_clause, [19-40](#)
- pattern-matching conditions, [6-16](#)
- PCT\_ACCESS\_DIRECT statistics
  - for index-organized tables, [12-232](#)
- PCTFREE parameter
  - of ALTER CLUSTER, [10-43](#)
  - of ALTER INDEX, [10-154](#)
  - of ALTER MATERIALIZED VIEW LOG, [11-41](#)
  - of ALTER TABLE, [12-30](#)
  - of CREATE MATERIALIZED VIEW LOG. See CREATE TABLE., [14-52](#)
  - of CREATE MATERIALIZED VIEW. See CREATE TABLE., [14-16](#)
  - of CREATE TABLE, [8-51](#)
- PCTINCREASE parameter
  - of STORAGE clause, [8-57](#)
- PCTTHRESHOLD parameter
  - of CREATE TABLE, [15-18](#)
- PCTUSED parameter
  - of ALTER CLUSTER, [10-43](#)
  - of ALTER INDEX, [10-154](#)
  - of ALTER MATERIALIZED VIEW LOG, [11-41](#)
  - of ALTER TABLE, [12-30](#)
  - of CREATE INDEX. See CREATE TABLE, [13-150](#)
  - of CREATE MATERIALIZED VIEW LOG. See CREATE TABLE., [14-52](#)
  - of CREATE MATERIALIZED VIEW. See CREATE TABLE., [14-16](#)
  - of CREATE TABLE, [8-51](#)
- PCTVERSION parameter
  - of LOB storage, [15-104](#)
  - of LOB storage clause, [12-123](#)
- PDBs, [14-92](#)
  - administrative user, [14-100](#)
  - backup, [11-78](#)
  - changing
    - global name, [11-73](#)
    - state, [11-79](#), [11-82](#)
    - storage limits, [11-74](#)

- PDBs (*continued*)
  - cloning, [14-106](#)
  - creating
    - by cloning a source PDB, [14-106](#)
    - using the seed database, [14-100](#)
  - default edition, setting, [11-73](#)
  - examples
    - creating, [14-92](#)
    - dropping, [17-13](#)
    - modifying, [11-61](#)
  - generating file names, [14-101](#)
  - granting system privileges for, [18-32](#)
  - modifying data files, [11-73](#)
  - modifying temporary files, [11-73](#)
  - plugging into a CDB, [14-111](#)
  - recovery, [11-78](#)
  - setting the time zone of, [11-73](#)
  - storage limits, [14-101](#)
  - unplugging, [11-71](#)
  - XML file for plugging in, [14-112](#)
- PERCENT\_RANK function, [7-302](#)
- PERCENTILE\_CONT function, [7-304](#)
- PERCENTILE\_DISC function, [7-306](#)
- PERMANENT clause
  - of ALTER TABLESPACE, [12-202](#)
- PHONIC\_CODE operator, [4-14](#)
- physical attributes clause
  - of ALTER CLUSTER, [10-44](#)
  - of ALTER INDEX, [10-154](#)
  - of ALTER MATERIALIZED VIEW LOG, [11-41](#)
  - of ALTER TABLE, [12-87](#)
  - of CREATE CLUSTER, [13-39](#)
  - of CREATE MATERIALIZED VIEW, [14-23](#)
  - of CREATE TABLE, [15-18](#), [15-38](#)
- physical standby database
  - activating, [10-89](#)
  - converting to snapshot standby database, [10-93](#)
- pivot operations, [19-77](#)
  - examples, [19-129](#)
  - syntax, [19-47](#)
- placeholder expressions, [5-40](#)
- plan management
  - granting system privileges for, [18-32](#)
- plan stability, [14-82](#)
- PLAN\_TABLE sample table, [18-18](#)
- pluggable databases
  - See PDBs
- PM datetime format element, [2-85](#)
- POSIX regular expression standard, [D-1](#)
- POWER function, [7-308](#)
- POWERMULTISET function, [7-309](#)
- POWERMULTISET\_BY\_CARDINALITY function, [7-310](#)
- PQ\_CONCURRENT\_UNION hint, [2-135](#)
- PQ\_DISTRIBUTE hint, [2-135](#)
- PQ\_FILTER hint, [2-138](#)
- PQ\_SKEW hint, [2-138](#)
- precedence
  - of conditions, [6-3](#)
  - of numbers, [2-17](#)
  - of operators, [4-2](#)
- precision
  - number of digits of, [2-66](#)
  - of NUMBER data type, [2-13](#)
- precompilers, [1-3](#)
- predefined roles, [18-32](#)
- PREDICTION function, [7-311](#)
- PREDICTION\_BOUNDS function, [7-316](#)
- PREDICTION\_COST function, [7-317](#)
- PREDICTION\_DETAILS function, [7-321](#)
- PREDICTION\_PROBABILITY function, [7-326](#)
- PREDICTION\_SET function, [7-330](#)
- prefix compression, [15-96](#)
  - definition, [13-151](#)
  - disabling, [13-151](#)
  - enabling, [10-168](#)
  - of index rebuild, [10-168](#)
  - of index-organized tables, [15-96](#)
- PREPARE TO SWITCHOVER clause
  - of ALTER DATABASE, [10-92](#)
- PRESENTNNV function, [7-334](#)
- PRESENTV function, [7-335](#)
- pretty-printing of XML output, [7-526](#)
- PREVIOUS function, [7-336](#)
- primary database
  - converting to physical standby database, [10-93](#)
- PRIMARY KEY clause
  - of constraints, [8-3](#)
  - of CREATE TABLE, [15-18](#)
- primary key constraints, [8-3](#)
  - enabling, [15-138](#)
  - index on, [15-18](#)
- primary keys
  - generating values for, [15-1](#)
- PRIOR clause
  - of hierarchical queries, [9-2](#)
- PRIOR operator, [4-5](#)
- PRIVATE clause
  - of CREATE OUTLINE, [14-83](#)
- private outlines
  - use by the optimizer, [11-118](#)
- PRIVATE\_SGA parameter
  - of ALTER PROFILE, [11-94](#)
  - of ALTER RESOURCE COST, [11-99](#)
- privileges, [14-150](#)
  - on subtypes of object types, [18-42](#)
  - revoking from a grantee, [19-27](#)
  - See also system privileges or object privileges

procedures

- 3GL, calling, [14-12](#)
- calling, [12-248](#)
- creating, [14-118](#)
- executing, [12-248](#)
- external, [14-118](#)
- granting system privileges for, [18-32](#)
- invalidating local objects dependent on, [17-16](#)
- issuing COMMIT or ROLLBACK statements, [11-111](#)
- naming rules, [2-153](#)
- re-creating, [14-120](#)
- recompiling, [11-92](#)
- removing from the database, [17-16](#)
- synonyms for, [15-13](#)

PROFILE clause

- of ALTER USER. See CREATE USER, [12-215](#)
- of CREATE USER, [15-206](#)

profiles

- adding resource limits, [11-93](#)
- assigning to a user, [15-206](#)
- changing resource limits, [11-93](#)
- creating, [14-121](#)
  - examples, [14-121](#)
- deassigning from users, [17-18](#)
- dropping resource limits, [11-93](#)
- granting system privileges for, [18-32](#)
- modifying, examples, [11-95](#)
- removing from the database, [17-17](#)

proxy clause

- of ALTER USER, [12-213](#), [12-215](#)

pseudocolumns, [3-1](#)

- COLUMN\_VALUE, [3-7](#)
- CONNECT\_BY\_ISCYCLE, [3-1](#)
- CONNECT\_BY\_ISLEAF, [3-2](#)
- CURRVAL, [3-3](#)
- flashback queries, [3-6](#)
- in hierarchical queries, [3-1](#)
- LEVEL, [3-2](#)
- NEXTVAL, [3-3](#)
- OBJECT\_ID, [3-8](#), [15-146](#), [15-147](#), [15-220](#), [15-222](#)
- OBJECT\_VALUE, [3-8](#)
- ORA\_ROWSCN, [3-9](#)
- ROWID, [3-10](#)
- ROWNUM, [3-11](#)
- version queries, [3-6](#)
- XMLDATA, [3-13](#)

PUBLIC clause

- of CREATE OUTLINE, [14-83](#)
- of CREATE SYNONYM, [15-15](#)
- of DROP DATABASE LINK, [16-4](#)

public database links

- dropping, [16-4](#)

public synonyms, [15-15](#)

- dropping, [17-23](#)

PURGE statement, [19-21](#)

PUSH\_PRED hint, [2-138](#)

PUSH\_SUBQ hint, [2-139](#)

PX\_JOIN\_FILTER hint, [2-139](#)

## Q

QB\_NAME hint, [2-139](#)

queries, [9-1](#), [19-40](#)

- comments in, [9-2](#)
- compound, [9-12](#)
- correlated
  - left correlation, [19-40](#)
- default locking of, [B-5](#)
- defined, [9-1](#)
- distributed, [9-20](#)
- grouping returned rows on a value, [19-40](#)
- hierarchical, ordering, [19-95](#)
- hierarchical. See hierarchical queries, [9-2](#)
- hints in, [9-2](#)
- join, [9-12](#), [19-40](#)
- locking rows during, [19-40](#)
- multiple versions of rows, [19-40](#)
- of past data, [19-40](#)
- ordering returned rows, [19-40](#)
- outer joins in, [19-76](#)
- referencing multiple tables, [9-12](#)
- select lists of, [9-2](#)
- selecting all columns, [19-66](#)
- selecting from a random sample of rows, [19-40](#)
- sorting results, [9-12](#)
- syntax, [9-1](#)
- top-level, [9-1](#)
- top-N, [3-12](#), [19-40](#)

query rewrite

- and dimensions, [13-83](#)
- defined, [19-41](#)

QUIESCE RESTRICTED clause

- of ALTER SYSTEM, [12-16](#)

QUOTA clause

- of ALTER USER. See CREATE USER, [12-215](#)
- of CREATE USER, [15-206](#)

## R

range conditions, [6-38](#)

range partitioning

- converting to interval partitioning, [12-130](#)

- range partitions
  - adding, [12-30](#)
  - creating, [15-18](#)
  - values of, [15-18](#)
- RANK function, [7-337](#)
- RATIO\_TO\_REPORT function, [7-339](#)
- RAW data type, [2-29](#)
  - converting from CHAR data, [2-29](#)
- RAWTOHEX function, [7-340](#)
- RAWTONHEX function, [7-341](#)
- READ ANY TABLE system privilege, [18-53](#), [18-62](#)
- READ object privilege
  - on a materialized view, [18-65](#)
  - on a table, [18-67](#)
  - on a view, [18-68](#)
- READ ONLY clause
  - of ALTER TABLESPACE, [12-201](#)
  - of ALTER VIEW, [12-229](#)
- READ WRITE clause
  - of ALTER TABLESPACE, [12-201](#)
  - of ALTER VIEW, [12-229](#)
- REBUILD clause
  - of ALTER INDEX, [10-154](#)
  - of ALTER OUTLINE, [11-59](#)
- REBUILD PARTITION clause
  - of ALTER INDEX, [10-166](#)
- REBUILD SUBPARTITION clause
  - of ALTER INDEX, [10-167](#)
- REBUILD UNUSABLE LOCAL INDEXES clause
  - of ALTER TABLE, [12-156](#)
- RECOVER AUTOMATIC clause
  - of ALTER DATABASE, [10-68](#)
- RECOVER CANCEL clause
  - of ALTER DATABASE, [10-52](#), [10-70](#)
- RECOVER clause
  - of ALTER DATABASE, [10-67](#)
- RECOVER CONTINUE clause
  - of ALTER DATABASE, [10-52](#), [10-70](#)
- RECOVER DATABASE clause
  - of ALTER DATABASE, [10-52](#), [10-68](#)
- RECOVER DATAFILE clause
  - of ALTER DATABASE, [10-52](#), [10-69](#)
- RECOVER LOGFILE clause
  - of ALTER DATABASE, [10-52](#), [10-70](#)
- RECOVER MANAGED STANDBY DATABASE clause
  - of ALTER DATABASE, [10-53](#)
- RECOVER TABLESPACE clause
  - of ALTER DATABASE, [10-52](#), [10-69](#)
- RECOVERABLE, [10-165](#), [15-94](#)
  - See also LOGGING clause
- recovery
  - discarding data, [10-65](#)
  - distributed, enabling, [12-11](#)
  - recovery (*continued*)
    - instance, continue after interruption, [10-67](#)
    - media, designing, [10-67](#)
    - media, performing ongoing, [10-71](#)
    - of database, [10-52](#)
  - recovery clauses
    - of ALTER DATABASE, [10-52](#)
  - recursive subquery factoring, [19-62](#)
  - recycle bin
    - purging objects from, [19-21](#)
  - redo log files
    - specifying, [8-34](#)
    - specifying for a control file, [13-53](#)
  - redo logs, [10-65](#)
    - adding, [10-48](#), [10-81](#)
    - applying to logical standby database, [10-93](#)
    - archive location, [12-10](#)
    - automatic archiving, [12-3](#)
    - automatic name generation, [10-67](#), [10-68](#)
    - clearing, [10-48](#)
    - dropping, [10-48](#), [10-83](#)
    - enabling and disabling thread, [10-48](#)
    - manual archiving, [12-3](#)
      - all, [12-10](#)
      - by group number, [12-9](#)
      - by SCN, [12-9](#)
      - current, [12-9](#)
      - next, [12-10](#)
      - with sequence numbers, [12-9](#)
    - members
      - adding to existing groups, [10-83](#)
      - dropping, [10-84](#)
      - renaming, [10-75](#)
    - remove changes from, [10-65](#)
    - reusing, [8-34](#)
    - size of, [8-34](#)
    - specifying, [8-34](#), [13-66](#)
      - for media recovery, [10-70](#)
      - specifying archive mode, [13-67](#)
      - switching groups, [12-15](#)
  - REF columns
    - rescoping, [11-17](#)
    - specifying, [15-18](#)
    - specifying from table or column, [15-18](#)
  - REF constraints
    - defining scope, for materialized views, [11-27](#)
    - of ALTER TABLE, [12-30](#)
  - REF function, [7-341](#)
  - reference partitioning, [15-129](#)
  - reference-partitioned tables, [12-128](#)
    - maintenance operations, [12-155](#)
  - REFERENCES clause
    - of CREATE TABLE, [15-18](#)
  - referential integrity constraints, [8-3](#)

- REFRESH clause
  - of ALTER MATERIALIZED VIEW, [11-17](#), [11-27](#)
  - of CREATE MATERIALIZED VIEW, [14-22](#)
- REFRESH COMPLETE clause
  - of ALTER MATERIALIZED VIEW, [11-33](#)
  - of CREATE MATERIALIZED VIEW, [14-16](#)
- REFRESH FAST clause
  - of ALTER MATERIALIZED VIEW, [11-32](#)
  - of CREATE MATERIALIZED VIEW, [14-16](#)
- REFRESH FORCE clause
  - of ALTER MATERIALIZED VIEW, [11-33](#)
  - of CREATE MATERIALIZED VIEW, [14-16](#)
- REFRESH ON COMMIT clause
  - of ALTER MATERIALIZED VIEW, [11-33](#)
  - of CREATE MATERIALIZED VIEW, [14-16](#)
- REFRESH ON DEMAND clause
  - of ALTER MATERIALIZED VIEW, [11-33](#)
  - of CREATE MATERIALIZED VIEW, [14-16](#)
- REFs, [2-46](#), [8-3](#)
  - as containers for object identifiers, [2-46](#)
  - dangling, [12-235](#)
  - updating, [12-235](#)
  - validating, [12-235](#)
- REFTOHEX function, [7-342](#)
- REGEXP\_COUNT function, [7-343](#)
- REGEXP\_INSTR function, [7-348](#)
- REGEXP\_LIKE condition, [6-19](#)
- REGEXP\_REPLACE function, [7-351](#)
- REGEXP\_SUBSTR function, [7-357](#)
- REGISTER clause
  - of ALTER SYSTEM, [12-20](#)
- REGISTER LOGFILE clause
  - of ALTER DATABASE, [10-90](#)
- REGR\_AVGX function, [7-360](#)
- REGR\_AVGY function, [7-360](#)
- REGR\_COUNT function, [7-360](#)
- REGR\_INTERCEPT function, [7-360](#)
- REGR\_R2 function, [7-360](#)
- REGR\_SLOPE function, [7-360](#)
- REGR\_SXX function, [7-360](#)
- REGR\_SXY function, [7-360](#)
- REGR\_SYY function, [7-360](#)
- regular expressions
  - multilingual syntax, [D-1](#)
  - operators, multilingual enhancements, [D-2](#)
  - Oracle support of, [D-1](#)
  - Perl-influenced operators, [D-3](#)
  - subexpressions, [7-349](#), [7-358](#)
- relational tables
  - creating, [15-18](#), [15-20](#)
- RELY clause
  - of constraints, [8-3](#)
- REMAINDER function, [7-365](#)
- RENAME clause
  - of ALTER INDEX, [10-171](#)
  - of ALTER OUTLINE, [11-59](#)
  - of ALTER TABLE, [12-98](#)
  - of ALTER TABLESPACE, [12-195](#)
  - of ALTER TRIGGER, [12-211](#)
- RENAME CONSTRAINT clause
  - of ALTER TABLE, [12-126](#)
- RENAME DATAFILE clause
  - of ALTER TABLESPACE, [12-188](#)
- RENAME FILE clause
  - of ALTER DATABASE, [10-48](#), [10-75](#)
- RENAME GLOBAL\_NAME clause
  - of ALTER DATABASE, [10-96](#)
  - of ALTER PLUGGABLE DATABASE, [11-73](#)
- RENAME PARTITION clause
  - of ALTER INDEX, [10-154](#)
  - of ALTER TABLE, [12-30](#)
- RENAME statement, [19-23](#)
- RENAME SUBPARTITION clause
  - of ALTER INDEX, [10-154](#)
  - of ALTER TABLE, [12-30](#)
- REPLACE function, [7-366](#)
- replication
  - row-level dependency tracking, [13-45](#), [15-137](#)
- reserved words, [2-150](#), [E-1](#)
- reset sequence of, [10-65](#)
- RESETLOGS parameter
  - of CREATE CONTROLFILE, [13-55](#)
- RESOLVE clause
  - of ALTER JAVA CLASS, [10-185](#)
  - of CREATE JAVA, [13-178](#)
- RESOLVER clause
  - of CREATE JAVA, [13-180](#)
- Resource Manager, [12-16](#)
- resource parameters
  - of CREATE PROFILE, [14-122](#)
- RESOURCE\_VIEW, [6-22](#), [6-23](#)
- response time
  - optimizing, [2-108](#)
- restore points
  - guaranteed, [14-149](#)
  - preserved, [14-149](#)
  - using
    - to flash back a table, [18-28](#)
    - to flashback the database, [18-25](#)
- result cache, [15-135](#)
- RESULT\_CACHE hint, [2-140](#)
- resumable space allocation, [11-113](#)
- RESUME clause
  - of ALTER SYSTEM, [12-15](#)
- RETENTION parameter
  - of LOB storage, [15-104](#)
- RETRY\_ON\_ROW\_CHANGE hint, [2-141](#)

- RETURNING clause
  - of DELETE, [15-230](#)
  - of INSERT, [18-74](#)
  - of UPDATE, [19-157](#), [19-164](#)
- REUSE clause
  - of CREATE CONTROLFILE, [13-54](#)
  - of file specifications, [8-34](#)
- REVERSE clause
  - of CREATE INDEX, [13-153](#)
- reverse indexes, [13-153](#)
- REVERSE parameter
  - of ALTER INDEX ... REBUILD, [10-167](#), [10-168](#)
- REVOKE CONNECT THROUGH clause
  - of ALTER USER, [12-213](#), [12-215](#)
- REVOKE statement, [19-25](#)
  - locks, [B-6](#)
- REWRITE hint, [2-141](#)
- right outer joins, [19-40](#)
- roles, [18-32](#)
  - authorization
    - by a password, [14-153](#)
    - by an external service, [14-153](#)
    - by the database, [14-152](#)
    - by the enterprise directory service, [14-153](#)
  - changing, [11-100](#)
  - creating, [14-150](#)
  - disabling
    - for the current session, [19-143](#), [19-145](#)
  - enabling
    - for the current session, [19-143](#), [19-144](#)
  - granting, [18-32](#)
    - system privileges for, [18-32](#)
    - to a user, [18-36](#)
    - to another role, [18-37](#)
    - to PUBLIC, [18-37](#)
  - identifying by password, [14-153](#)
  - identifying externally, [14-153](#)
  - identifying through enterprise directory service, [14-153](#)
  - identifying using a package, [14-153](#)
  - removing from the database, [17-20](#)
  - revoking, [19-25](#)
    - from another role, [17-20](#), [19-29](#)
    - from PUBLIC, [19-29](#)
    - from users, [17-20](#), [19-29](#)
- ROLES clause
  - of CREATE PLUGGABLE DATABASE, [14-100](#)
- rollback segments
  - removing from the database, [17-21](#)
  - specifying optimal size of, [8-60](#)
- rollback segments granting
  - system privileges for, [18-32](#)
- ROLLBACK statement, [19-37](#)
  - rollback undo, [11-103](#), [13-59](#)
- ROLLUP clause
  - of SELECT statements, [19-87](#)
- ROUND (date) function, [7-367](#)
  - format models, [7-530](#)
- ROUND (number) function, [7-369](#)
- ROUND(interval) function, [7-368](#)
- routines
  - calling, [12-248](#)
  - executing, [12-248](#)
- row constructor, [5-43](#)
- ROW EXCLUSIVE lock mode, [18-96](#)
- row limiting, [19-40](#)
- row locking, [B-3](#)
- ROW SHARE lock mode, [18-96](#)
- row value constructor, [5-43](#)
- row values
  - pivoting into columns, [19-77](#)
- ROW\_NUMBER function, [7-371](#)
- row-level dependency tracking, [13-45](#), [15-137](#)
- row-level locking, [B-3](#)
- ROWDEPENDENCIES clause
  - of CREATE CLUSTER, [13-45](#)
  - of CREATE TABLE, [15-137](#)
- ROWID data type, [2-43](#)
- ROWID pseudocolumn, [2-43](#), [3-10](#)
- rowids, [2-43](#)
  - description of, [2-43](#)
  - extended
    - base 64, [2-43](#)
    - not directly available, [2-43](#)
  - nonphysical, [2-43](#)
  - of foreign tables, [2-43](#)
  - of index-organized tables, [2-43](#)
  - uses for, [3-11](#)
- ROWIDTOCHAR function, [7-373](#)
- ROWIDTONCHAR function, [7-373](#)
- ROWNUM pseudocolumn, [3-11](#)
- rows
  - adding to a table, [18-72](#)
  - allowing movement of between partitions, [15-37](#)
  - inserting
    - into partitions, [18-79](#)
    - into remote databases, [18-72](#)
    - into subpartitions, [18-79](#)
  - locking, [B-3](#)
  - locks on, [B-3](#)
  - movement between partitions, [15-18](#)
  - removing
    - from a cluster, [19-148](#), [19-150](#)
    - from a table, [19-148](#), [19-150](#)
    - from partitions and subpartitions, [15-234](#)
    - from tables and views, [15-230](#)



rows (*continued*)  
 selecting in hierarchical order, [9-2](#)  
 specifying constraints on, [8-3](#)  
 storing if in violation of constraints, [12-154](#)

RPAD function, [7-374](#)

RR datetime format element, [2-86](#)

RTRIM function, [7-375](#)

run-time compilation

avoiding, [11-92](#), [12-227](#)

## S

SAMPLE clause

of SELECT, [19-40](#)

of SELECT and subqueries, [19-48](#)

SAVEPOINT statement, [19-39](#)

savepoints

erasing, [13-1](#)

rolling back to, [19-38](#)

specifying, [19-39](#)

scalar subqueries, [5-41](#)

scale

greater than precision, [2-14](#)

of NUMBER data type, [2-13](#)

SCHEMA clause

of CREATE JAVA, [13-179](#)

schema objects, [2-147](#)

defining default buffer pool for, [8-60](#)

dropping, [18-15](#)

in other schemas, [2-155](#)

list of, [2-147](#)

name resolution, [2-154](#)

namespaces, [2-151](#)

naming

examples, [2-153](#)

guidelines, [2-153](#)

rules, [2-148](#)

object types, [2-46](#)

on remote databases, [2-156](#)

partitioned indexes, [2-158](#)

partitioned tables, [2-158](#)

parts of, [2-148](#)

protecting location, [15-13](#)

protecting owner, [15-13](#)

providing alternate names for, [15-13](#)

reauthorizing, [10-2](#)

recompiling, [10-2](#)

referring to, [2-153](#), [11-118](#)

remote, accessing, [13-77](#)

validating structure, [12-235](#)

schemas

changing for a session, [11-118](#)

creating, [14-158](#)

definition of, [2-147](#)

scientific notation, [2-77](#)

SCN\_TO\_TIMESTAMP function, [7-376](#)

SCOPE FOR clause

of ALTER MATERIALIZED VIEW, [11-27](#)

of CREATE MATERIALIZED VIEW, [14-16](#)

SCORE operator, [4-1](#)

SDO\_GEOMETRY data type, [2-50](#)

SDO\_GEORASTER data type, [2-50](#)

SDO\_TOPO\_GEOMETRY data type, [2-51](#)

security

enforcing, [15-190](#)

security clauses

of ALTER SYSTEM, [12-19](#)

segment attributes clause

of CREATE TABLE, [15-37](#)

SEGMENT MANAGEMENT clause

of CREATE TABLESPACE, [15-165](#)

segments

space management

automatic, [15-165](#)

manual, [15-165](#)

using bitmaps, [15-165](#)

using free lists, [15-165](#)

table

compacting, [10-163](#), [11-31](#), [11-45](#), [12-98](#)

select lists, [9-2](#)

ordering, [9-12](#)

SELECT object privilege

granting on a view, [18-40](#)

SELECT statement, [9-1](#), [19-40](#)

self joins, [9-14](#)

semijoins, [9-16](#)

sequences, [3-3](#), [15-2](#)

accessing values of, [15-2](#)

changing

the increment value, [11-105](#)

creating, [15-1](#)

creating without limit, [15-4](#)

global, [15-8](#)

granting system privileges for, [18-32](#)

guarantee consecutive values, [15-6](#)

how to use, [3-4](#)

increment value, setting, [15-5](#)

incrementing, [15-1](#)

initial value, setting, [15-5](#)

keeping values during transaction replay,  
[15-6](#)

maximum value

eliminating, [11-106](#)

setting, [15-5](#)

setting or changing, [11-105](#)

minimum value

eliminating, [11-106](#)

setting, [15-5](#)

setting or changing, [11-105](#)

number of cached values, changing, [11-105](#)

- sequences (*continued*)
  - ordering values, [11-105](#)
  - preallocating values, [15-6](#)
  - recycling values, [11-105](#)
  - removing from the database, [17-22](#)
  - renaming, [19-23](#)
  - restarting, [17-22](#)
    - at a predefined limit, [15-4](#)
    - values, [15-6](#)
  - reusing, [15-2](#)
  - session, [15-8](#)
  - stopping at a predefined limit, [15-4](#)
  - synonyms for, [15-13](#)
  - where to use, [3-4](#)
- server parameter files
  - creating, [15-9](#)
    - from memory, [15-12](#)
- service name
  - of remote database, [13-77](#)
- session control statements, [10-4](#)
  - PL/SQL support of, [10-4](#)
- session locks
  - releasing, [12-14](#)
- SESSION parameter
  - of CREATE SEQUENCE, [15-8](#)
- session parameters
  - changing settings, [11-118](#)
  - INSTANCE, [11-118](#)
- session sequences, [15-8](#)
- SESSION\_ROLES view, [19-143](#)
- sessions
  - calculating resource cost limits, [11-98](#)
  - changing resource cost limits, [11-98](#)
  - disconnecting, [12-13](#)
  - granting system privileges for, [18-32](#)
  - limiting CPU time, [11-99](#)
  - limiting data block reads, [11-99](#)
  - limiting inactive periods, [11-93](#)
  - limiting private SGA space, [11-99](#)
  - limiting resource costs, [11-98](#)
  - limiting total elapsed time, [11-99](#)
  - limiting total resources, [11-93](#)
  - modifying characteristics of, [11-109](#)
  - restricting, [12-16](#)
  - restricting to privileged users, [12-19](#)
  - switching to a different instance, [11-118](#)
  - terminating, [12-14](#)
  - terminating across instances, [12-14](#)
  - time zone setting, [11-118](#)
- SESSIONS\_PER\_USER parameter
  - of ALTER PROFILE, [11-94](#)
- SESSIONTIMEZONE function, [7-377](#)
- SET clause
  - of ALTER SESSION, [11-109](#)
  - of ALTER SYSTEM, [12-20](#)
- SET conditions, [6-13](#)
- SET CONSTRAINT(S) statement, [19-141](#)
- SET CONTAINER system privilege, [18-51](#)
- SET DANGLING TO NULL clause
  - of ANALYZE, [12-235](#)
- SET DATABASE clause
  - of CREATE CONTROLFILE, [13-55](#)
- SET function, [7-378](#)
- set operators, [4-6](#)
  - INTERSECT, [4-6](#)
  - MINUS, [4-6](#)
  - UNION, [4-6](#)
  - UNION ALL, [4-6](#)
- SET ROLE statement, [19-143](#)
- SET STANDBY DATABASE clause
  - of ALTER DATABASE, [10-89](#)
- SET STATEMENT\_ID clause
  - of EXPLAIN PLAN, [18-20](#)
- SET TIME\_ZONE clause
  - of ALTER DATABASE, [10-62](#), [10-99](#)
  - of ALTER PLUGGABLE DATABASE, [11-73](#)
  - of ALTER SESSION, [11-118](#)
  - of CREATE DATABASE, [13-62](#)
- SET TRANSACTION statement, [19-145](#)
- SET UNUSED clause
  - of ALTER TABLE, [12-117](#)
- SGA
  - See system global area (SGA)
- SHARD\_CHUNK\_ID Operator, [4-10](#)
- SHARE ROW EXCLUSIVE lock mode, [18-96](#)
- SHARE UPDATE lock mode, [18-96](#)
- SHARED clause
  - of CREATE DATABASE LINK, [13-79](#)
- shared pool
  - flushing, [12-11](#)
- shared server,
  - processes
    - creating additional, [12-25](#)
    - terminating, [12-25](#)
    - system parameters, [12-25](#)
- short-circuit evaluation
  - DECODE function, [7-123](#)
- SHRINK SPACE clause
  - of ALTER INDEX, [10-163](#)
  - of ALTER MATERIALIZED VIEW, [11-31](#)
  - of ALTER MATERIALIZED VIEW LOG, [11-45](#)
  - of ALTER TABLE, [12-98](#)
- SHUTDOWN clause
  - of ALTER SYSTEM, [12-19](#)
- siblings
  - ordering in a hierarchical query, [19-95](#)
- SIGN function, [7-379](#)
- simple comparison conditions, [6-5](#)
- simple expressions, [5-3](#)
- SIN function, [7-379](#)

- SINGLE TABLE clause
  - of CREATE CLUSTER, [13-44](#)
- single-row functions, [7-15](#)
- single-table insert, [18-72](#)
- SINH function, [7-380](#)
- SIZE clause
  - of ALTER CLUSTER, [10-45](#)
  - of CREATE CLUSTER, [13-43](#)
  - of file specifications, [8-34](#)
- SKEWNESS\_POP function, [7-381](#)
- SKEWNESS\_SAMP function, [7-381](#)
- SOME operator, [6-4](#)
- SOUNDEX function, [7-382](#)
- SOURCE\_FILE\_NAME\_CONVERT clause
  - of CREATE PLUGGABLE DATABASE, [14-112](#)
- SP datetime format element suffix, [2-87](#)
- special characters
  - in passwords, [14-129](#)
- spelled numbers
  - specifying, [2-87](#)
- SPLIT PARTITION clause
  - of ALTER INDEX, [10-154](#)
  - of ALTER TABLE, [12-146](#)
- SPTH datetime format element suffix, [2-87](#)
- SQL
  - See Structured Query Language (SQL)
- SQL Developer, [1-3](#)
- SQL For JSON
  - conditions, [6-24](#)
- SQL Function
  - FEATURE\_COMPARE, [7-155](#)
  - Oracle Machine Learning for SQL, [7-155](#)
- SQL functions, [7-2](#), [7-532](#)
  - ABS, [7-24](#)
  - ACOS, [7-25](#)
  - ADD\_MONTHS, [7-25](#)
  - aggregate functions, [7-4](#)
  - analytic functions, [7-6](#)
  - applied to LOB columns, [7-2](#)
  - APPROX\_COUNT, [7-27](#)
  - APPROX\_COUNT\_DISTINCT, [7-28](#)
  - APPROX\_COUNT\_DISTINCT\_AGG, [7-29](#)
  - APPROX\_COUNT\_DISTINCT\_DETAIL, [7-30](#)
  - APPROX\_MEDIAN, [7-33](#)
  - APPROX\_PERCENTILE, [7-36](#)
  - APPROX\_PERCENTILE\_AGG, [7-39](#)
  - APPROX\_PERCENTILE\_DETAIL, [7-40](#)
  - APPROX\_RANK, [7-44](#)
  - APPROX\_SUM, [7-45](#)
  - ASCII, [7-46](#)
  - ASCIISTR, [7-46](#)
  - ASIN, [7-47](#)
  - ATAN, [7-48](#)
  - ATAN2, [7-48](#)
- SQL functions (*continued*)
  - AVG, [7-49](#)
  - BFILENAME, [7-51](#)
  - BIN\_TO\_NUM, [7-52](#)
  - BITAND, [7-53](#)
  - BOOLEAN\_AND\_AGG, [7-60](#)
  - BOOLEAN\_OR\_AGG, [7-61](#)
  - CARDINALITY, [7-62](#)
  - CAST, [7-62](#)
  - CEIL, [7-72](#)
  - CEIL (datetimes), [7-70](#)
  - CEIL(interval), [7-71](#)
  - character functions
    - returning character values, [7-16](#)
    - returning number values, [7-17](#)
  - character set functions, [7-17](#)
  - CHARTOROWID, [7-72](#)
  - CHR, [7-74](#)
  - CLUSTER\_DETAILS, [7-75](#)
  - CLUSTER\_DISTANCE, [7-79](#)
  - CLUSTER\_ID, [7-81](#)
  - CLUSTER\_PROBABILITY, [7-84](#)
  - CLUSTER\_SET, [7-86](#)
  - COALESCE, [7-89](#)
  - COLLATION, [7-91](#)
  - collation functions, [7-17](#)
  - COLLECT, [7-92](#)
  - collection functions, [7-20](#)
  - COMPOSE, [7-93](#)
  - CON\_DBID\_TO\_ID, [7-94](#)
  - CON\_GUID\_TO\_ID, [7-95](#)
  - CON\_ID\_TO\_CON\_NAME, [7-95](#)
  - CON\_ID\_TO\_DBID, [7-96](#)
  - CON\_ID\_TO\_GUID, [7-97](#)
  - CON\_ID\_TO\_UID, [7-97](#)
  - CON\_NAME\_TO\_ID, [7-98](#)
  - CON\_UID\_TO\_ID, [7-99](#)
  - CONCAT, [7-99](#)
  - conversion functions, [7-18](#)
  - CONVERT, [7-101](#)
  - CORR, [7-103](#)
  - CORR\_K, [7-106](#)
  - CORR\_S, [7-106](#)
  - COS, [7-107](#)
  - COSH, [7-107](#)
  - COSINE\_DISTANCE, [7-108](#)
  - COUNT, [7-109](#)
  - COVAR\_POP, [7-111](#)
  - COVAR\_SAMP, [7-113](#)
  - CUBE\_TABLE, [7-114](#)
  - CUME\_DIST, [7-116](#)
  - CURRENT\_DATE, [7-117](#)
  - CURRENT\_TIMESTAMP, [7-118](#)
  - CV, [7-119](#)
  - data cartridge functions, [7-14](#)

SQL functions (*continued*)

DATAOBJ\_TO\_MAT\_PARTITION, [7-121](#)  
 DATAOBJ\_TO\_PARTITION, [7-121](#)  
 datetime functions, [7-17](#)  
 DBTIMEZONE, [7-122](#)  
 DECODE, [7-123](#)  
 DECOMPOSE, [7-124](#)  
 DENSE\_RANK, [7-126](#)  
 DEPTH, [7-127](#)  
 Deref, [7-128](#)  
 domain functions, [7-23](#)  
 DUMP, [7-146](#)  
 EMPTY\_BLOB, [7-147](#)  
 EMPTY\_CLOB, [7-147](#)  
 encoding and decoding functions, [7-22](#)  
 environment and identifier functions, [7-23](#)  
 EVERY, [7-148](#)  
 EXISTSNODE, [7-148](#)  
 EXP, [7-149](#)  
 EXTRACT (datetime), [7-150](#)  
 EXTRACT (XML), [7-153](#)  
 EXTRACTVALUE, [7-154](#)  
 FEATURE\_DETAILS, [7-157](#)  
 FEATURE\_ID, [7-160](#)  
 FEATURE\_SET, [7-162](#)  
 FEATURE\_VALUE, [7-165](#)  
 FIRST, [7-168](#)  
 FIRST\_VALUE, [7-170](#)  
 FLOOR, [7-174](#)  
 FLOOR(datetime), [7-172](#)  
 FLOOR(interval), [7-173](#)  
 FROM\_TZ, [7-175](#)  
 FROM\_VECTOR, [7-175](#)  
 general comparison functions, [7-18](#)  
 GREATEST, [7-177](#)  
 GROUP\_ID, [7-178](#)  
 GROUPING, [7-179](#)  
 GROUPING\_ID, [7-180](#)  
 HEXTORAW, [7-181](#)  
 hierarchical functions, [7-20](#)  
 INITCAP, [7-182](#)  
 INNER\_PRODUCT, [7-183](#)  
 INSTR, [7-183](#)  
 INSTR2, [7-183](#)  
 INSTR4, [7-183](#)  
 INSTRB, [7-183](#)  
 INSTRC, [7-183](#)  
 ITERATION\_NUMBER, [7-185](#)  
 JSON Type Constructor, [7-245](#)  
 JSON\_ARRAY, [7-187](#)  
 JSON\_ARRAYAGG, [7-190](#)  
 JSON\_DATAGUIDE, [7-192](#)  
 JSON\_MERGEPATCH, [7-194](#)  
 JSON\_OBJECT, [7-195](#)  
 JSON\_OBJECTAGG, [7-201](#)

SQL functions (*continued*)

JSON\_QUERY, [7-204](#)  
 JSON\_SCALAR, [7-210](#)  
 JSON\_SERIALIZE, [7-211](#)  
 JSON\_TABLE, [7-213](#)  
 JSON\_TRANSFORM, [7-225](#)  
 JSON\_VALUE, [7-237](#)  
 L1\_DISTANCE, [7-246](#)  
 L2\_DISTANCE, [7-247](#)  
 LAG, [7-248](#)  
 large object functions, [7-19](#)  
 LAST, [7-249](#)  
 LAST\_DAY, [7-250](#)  
 LAST\_VALUE, [7-251](#)  
 LEAD, [7-254](#)  
 LEAST, [7-255](#)  
 LENGTH, [7-256](#)  
 LENGTH2, [7-256](#)  
 LENGTH4, [7-256](#)  
 LENGTHB, [7-256](#)  
 LENGTHC, [7-256](#)  
 linear regression, [7-360](#)  
 LISTAGG, [7-257](#)  
 LN, [7-261](#)  
 LNNVL, [7-262](#)  
 LOCALTIMESTAMP, [7-263](#)  
 LOG, [7-264](#)  
 LOWER, [7-264](#)  
 LPAD, [7-265](#)  
 LTRIM, [7-266](#)  
 MAKE\_REF, [7-267](#)  
 MAX, [7-268](#)  
 MEDIAN, [7-269](#)  
 MIN, [7-272](#)  
 MOD, [7-273](#)  
 model functions, [7-14](#)  
 MONTHS\_BETWEEN, [7-274](#)  
 NANVL, [7-275](#)  
 NCHR, [7-276](#)  
 NEW\_TIME, [7-276](#)  
 NEXT\_DAY, [7-277](#)  
 NLS\_CHARSET\_DECL\_LEN, [7-278](#)  
 NLS\_CHARSET\_ID, [7-278](#)  
 NLS\_CHARSET\_NAME, [7-279](#)  
 NLS\_COLLATION\_ID, [7-280](#)  
 NLS\_COLLATION\_NAME, [7-280](#)  
 NLS\_INITCAP, [7-282](#)  
 NLS\_LOWER, [7-283](#)  
 NLS\_UPPER, [7-283](#)  
 NLSSORT, [7-284](#)  
 NTH\_VALUE, [7-287](#)  
 NTILE, [7-289](#)  
 NULL-related functions, [7-22](#)  
 NULLIF, [7-290](#)  
 numeric functions, [7-15](#)

SQL functions (*continued*)

NUMTODSINTERVAL, [7-291](#)  
 NUMTOYMINTERVAL, [7-292](#)  
 NVL, [7-293](#)  
 NVL2, [7-294](#)  
 object reference functions, [7-15](#)  
 OLAP functions, [7-15](#)  
 ORA\_DM\_PARTITION\_NAME, [7-295](#)  
 ORA\_DST\_AFFECTED, [7-297](#)  
 ORA\_DST\_CONVERT, [7-297](#)  
 ORA\_DST\_ERROR, [7-298](#)  
 ORA\_HASH, [7-299](#)  
 ORA\_INVOKING\_USER, [7-300](#)  
 ORA\_INVOKING\_USERID, [7-300](#)  
 oracle machine learning for SQL functions,  
     [7-20](#)  
 PATH, [7-301](#)  
 PERCENT\_RANK, [7-302](#)  
 PERCENTILE\_CONT, [7-304](#)  
 PERCENTILE\_DISC, [7-306](#)  
 POWER, [7-308](#)  
 POWERMULTISET, [7-309](#)  
 POWERMULTISET\_BY\_CARDINALITY,  
     [7-310](#)  
 PREDICTION, [7-311](#)  
 PREDICTION\_BOUNDS, [7-316](#)  
 PREDICTION\_COST, [7-317](#)  
 PREDICTION\_DETAILS, [7-321](#)  
 PREDICTION\_PROBABILITY, [7-326](#)  
 PREDICTION\_SET, [7-330](#)  
 PRESENTNNV, [7-334](#)  
 PRESENTV, [7-335](#)  
 PREVIOUS, [7-336](#)  
 RANK, [7-337](#)  
 RATIO\_TO\_REPORT, [7-339](#)  
 RAWTOHEX, [7-340](#)  
 RAWTONHEX, [7-341](#)  
 REF, [7-341](#)  
 REFTOHEX, [7-342](#)  
 REGEXP\_COUNT, [7-343](#)  
 REGEXP\_INSTR, [7-348](#)  
 REGEXP\_REPLACE, [7-351](#)  
 REGEXP\_SUBSTR, [7-357](#)  
 REGR\_AVGX, [7-360](#)  
 REGR\_AVGY, [7-360](#)  
 REGR\_COUNT, [7-360](#)  
 REGR\_INTERCEPT, [7-360](#)  
 REGR\_R2, [7-360](#)  
 REGR\_SLOPE, [7-360](#)  
 REGR\_SXX, [7-360](#)  
 REGR\_SXY, [7-360](#)  
 REGR\_SYY, [7-360](#)  
 REMAINDER, [7-365](#)  
 REPLACE, [7-366](#)  
 ROUND (date), [7-367](#)

SQL functions (*continued*)

ROUND (number), [7-369](#)  
 ROUND(interval), [7-368](#)  
 ROW\_NUMBER, [7-371](#)  
 ROWIDTOCHAR, [7-373](#)  
 ROWIDTONCHAR, [7-373](#)  
 RPAD, [7-374](#)  
 RTRIM, [7-375](#)  
 SCN\_TO\_TIMESTAMP, [7-376](#)  
 SESSIONTIMEZONE, [7-377](#)  
 SET, [7-378](#)  
 SIGN, [7-379](#)  
 SIN, [7-379](#)  
 single-row functions, [7-15](#)  
 Single-Row Functions, [7-23](#)  
 SINH, [7-380](#)  
 SOUNDEX, [7-382](#)  
 SQRT, [7-383](#)  
 STANDARD\_HASH, [7-383](#)  
 STATS\_BINOMIAL\_TEST, [7-384](#)  
 STATS\_CROSSTAB, [7-386](#)  
 STATS\_F\_TEST, [7-387](#)  
 STATS\_KS\_TEST, [7-388](#)  
 STATS\_MODE, [7-389](#)  
 STATS\_MW\_TEST, [7-391](#)  
 STATS\_ONE\_WAY\_ANOVA, [7-392](#)  
 STATS\_T\_TEST\_INDEP, [7-394](#), [7-396](#)  
 STATS\_T\_TEST\_INDEPU, [7-394](#), [7-396](#)  
 STATS\_T\_TEST\_ONE, [7-394](#), [7-395](#)  
 STATS\_T\_TEST\_PAIRED, [7-394](#), [7-395](#)  
 STATS\_WSR\_TEST, [7-397](#)  
 STDDEV, [7-398](#)  
 STDDEV\_POP, [7-399](#)  
 STDDEV\_SAMP, [7-401](#)  
 SUBSTR, [7-402](#)  
 SUBSTR2, [7-402](#)  
 SUBSTR4, [7-402](#)  
 SUBSTRB, [7-402](#)  
 SUBSTRC, [7-402](#)  
 SUM, [7-404](#)  
 SYS\_CONNECT\_BY\_PATH, [7-405](#)  
 SYS\_CONTEXT, [7-406](#)  
 SYS\_DBURIGEN, [7-415](#)  
 SYS\_EXTRACT\_UTC, [7-416](#)  
 SYS\_GUID, [7-417](#)  
 SYS\_OP\_ZONE\_ID, [7-417](#)  
 SYS\_ROW\_ETAG, [7-419](#)  
 SYS\_TYPEID, [7-420](#)  
 SYS\_XMLAGG, [7-421](#)  
 SYS\_XMLGEN, [7-422](#)  
 SYSDATE, [7-423](#)  
 SYSTIMESTAMP, [7-424](#)  
 t-test, [7-394](#)  
 TAN, [7-425](#)  
 TANH, [7-425](#)

SQL functions (*continued*)

TIMESTAMP\_TO\_SCN, [7-426](#)  
 TO\_APPROX\_COUNT\_DISTINCT, [7-427](#)  
 TO\_APPROX\_PERCENTILE, [7-428](#)  
 TO\_BINARY\_DOUBLE, [7-429](#)  
 TO\_BINARY\_FLOAT, [7-431](#)  
 TO\_BLOB (bfile), [7-432](#)  
 TO\_BLOB (raw), [7-433](#)  
 TO\_BOOLEAN, [7-434](#)  
 TO\_CHAR (bfile|blob), [7-435](#)  
 TO\_CHAR (character), [7-436](#)  
 TO\_CHAR (datetime), [7-438](#)  
 TO\_CHAR (number), [7-443](#)  
 TO\_CHAR(boolean), [7-435](#)  
 TO\_CLOB (bfile|blob), [7-446](#)  
 TO\_CLOB (character), [7-446](#)  
 TO\_DATE, [7-447](#)  
 TO\_DSINTERVAL, [7-449](#)  
 TO\_LOB, [7-451](#)  
 TO\_MULTI\_BYTE, [7-453](#)  
 TO\_NCHAR (character), [7-454](#)  
 TO\_NCHAR (datetime), [7-455](#)  
 TO\_NCHAR (number), [7-456](#)  
 TO\_NCHAR(boolean), [7-453](#)  
 TO\_NCLOB, [7-456](#)  
 TO\_NUMBER, [7-457](#)  
 TO\_SINGLE\_BYTE, [7-458](#)  
 TO\_TIMESTAMP, [7-459](#)  
 TO\_TIMESTAMP\_TZ, [7-460](#)  
 TO\_UTC\_TIMESTAMP\_TZ, [7-462](#)  
 TO\_VECTOR, [7-464](#)  
 TO\_YMINTERVAL, [7-465](#)  
 TRANSLATE, [7-467](#)  
 TRANSLATE ... USING, [7-468](#)  
 TREAT, [7-470](#)  
 TRIM, [7-471](#)  
 TRUNC (date), [7-472](#)  
 TRUNC (number), [7-475](#)  
 TRUNC(interval), [7-474](#)  
 TZ\_OFFSET, [7-476](#)  
 UID, [7-477](#)  
 UNISTR, [7-477](#)  
 UPPER, [7-478](#)  
 USER, [7-479](#)  
 USERENV, [7-479](#)  
 VALIDATE\_CONVERSION, [7-481](#)  
 VALUE, [7-484](#)  
 VAR\_POP, [7-484](#)  
 VAR\_SAMP, [7-486](#)  
 VARIANCE, [7-487](#)  
 VECTOR, [7-488](#)  
 VECTOR\_CHUNKS, [7-489](#)  
 VECTOR\_DIMENSION\_COUNT, [7-500](#)  
 VECTOR\_DIMS, [7-499](#)  
 VECTOR\_DISTANCE, [7-497](#)

SQL functions (*continued*)

VECTOR\_EMBEDDING, [7-501](#)  
 VECTOR\_NORM, [7-503](#)  
 VECTOR\_SERIALIZE, [7-504](#)  
 VSIZE, [7-505](#)  
 WIDTH\_BUCKET, [7-505](#)  
 XML functions, [7-21](#)  
 XMLAGG, [7-507](#)  
 XMLCAST, [7-508](#)  
 XMLCDATA, [7-509](#)  
 XMLCOLATTVAL, [7-510](#)  
 XMLCOMMENT, [7-511](#)  
 XMLCONCAT, [7-511](#)  
 XMLDIFF, [7-512](#)  
 XMLELEMENT, [7-514](#)  
 XMLEXISTS, [7-517](#)  
 XMLFOREST, [7-517](#)  
 XMLISVALID, [7-518](#)  
 XMLPARSE, [7-519](#)  
 XMLPATCH, [7-520](#)  
 XMLPI, [7-521](#)  
 XMLQUERY, [7-522](#)  
 XMLSEQUENCE, [7-523](#)  
 XMLSERIALIZE, [7-525](#)  
 XMLTABLE, [7-526](#)  
 XMLTRANSFORM, [7-529](#)

## SQL statements

ALTER FLASHBACK ARCHIVE, [10-149](#)  
 auditing  
     stopping, [19-11](#)  
 CREATE FLASHBACK ARCHIVE, [13-122](#)  
 DDL, [10-2](#)  
 determining the execution plan for, [18-18](#)  
 DML, [10-3](#)  
 DROP FLASHBACK ARCHIVE, [16-12](#)  
 organization of, [10-4](#)  
 rolling back, [19-37](#)  
 session control, [10-4](#)  
 space allocation, resumable, [11-113](#)  
 storage in the result cache, [15-135](#)  
 suspending and completing, [11-113](#)  
 system control, [10-4](#)  
 transaction control, [10-3](#)  
 type of, [10-1](#)  
 undoing, [19-37](#)

## SQL translation profiles

granting object privileges for, [18-67](#), [18-68](#)  
 granting system privileges for, [18-52](#), [18-62](#)

SQL\*Loader inserts, logging, [10-154](#)SQL/DS data types, [2-44](#)

restrictions on, [2-45](#)

SQRT function, [7-383](#)staging log, [14-52](#)

## standalone procedures

dropping, [17-16](#)

- standard SQL, [C-1](#)
  - Oracle extensions to, [C-33](#)
- STANDARD\_HASH function, [7-383](#)
- standby database
  - synchronizing with primary database, [11-114](#)
- standby databases
  - activating, [10-89](#)
  - and Data Guard, [10-93](#)
  - committing to primary status, [10-92](#)
  - controlling use, [10-100](#)
  - converting to physical standby, [10-93](#)
  - designing media recovery, [10-67](#)
  - mounting, [10-65](#)
  - recovering, [10-48](#)
- STAR\_TRANSFORMATION hint, [2-142](#)
- START LOGICAL STANDBY APPLY clause
  - of ALTER DATABASE, [10-93](#)
- START WITH clause
  - of ALTER MATERIALIZED VIEW ... REFRESH, [11-34](#)
  - of queries and subqueries, [19-40](#)
  - of SELECT and subqueries, [19-51](#)
- START WITH parameter
  - of CREATE SEQUENCE, [15-5](#)
- startup\_clauses
  - of ALTER DATABASE, [10-52](#)
- STATEMENT\_QUEUEING hint, [2-142](#)
- statistics
  - collection during index rebuild, [10-154](#)
  - deleting from the data dictionary, [12-238](#)
  - forcing disassociation, [15-243](#)
  - gathering for bulk loads, [2-110](#), [2-120](#)
  - on index usage, [10-172](#)
  - on scalar object attributes
    - collecting, [12-230](#)
  - on schema objects
    - collecting, [12-230](#)
    - deleting, [12-230](#)
  - user-defined
    - dropping, [16-15](#), [16-18](#), [17-12](#), [18-1](#), [18-11](#)
- statistics types
  - associating
    - with columns, [12-239](#)
    - with domain indexes, [12-239](#)
    - with functions, [12-239](#)
    - with indextypes, [12-239](#)
    - with object types, [12-239](#)
    - with packages, [12-239](#)
  - disassociating
    - from columns, [15-241](#)
    - from domain indexes, [15-241](#)
    - from functions, [15-241](#)
    - from indextypes, [15-241](#)
    - from object types, [15-241](#)
- statistics types (*continued*)
  - disassociating (*continued*)
    - from packages, [15-241](#)
  - STATS\_BINOMIAL\_TEST function, [7-384](#)
  - STATS\_CROSSTAB function, [7-386](#)
  - STATS\_F\_TEST function, [7-387](#)
  - STATS\_KS\_TEST function, [7-388](#)
  - STATS\_MODE function, [7-389](#)
  - STATS\_MW\_TEST function, [7-391](#)
  - STATS\_ONE\_WAY\_ANOVA function, [7-392](#)
  - STATS\_T\_TEST\_INDEP function, [7-394](#), [7-396](#)
  - STATS\_T\_TEST\_INDEPU function, [7-394](#), [7-396](#)
  - STATS\_T\_TEST\_ONE function, [7-394](#), [7-395](#)
  - STATS\_T\_TEST\_PAISED function, [7-394](#), [7-395](#)
  - STATS\_WSR\_TEST function, [7-397](#)
  - STDDEV function, [7-398](#)
  - STDDEV\_POP function, [7-399](#)
  - STDDEV\_SAMP function, [7-401](#)
  - STOP LOGICAL STANDBY clause
    - of ALTER DATABASE, [10-93](#)
  - STORAGE clause
    - of ALTER CLUSTER, [10-43](#)
    - of ALTER INDEX, [10-154](#)
    - of ALTER MATERIALIZED VIEW LOG, [11-41](#)
    - of CREATE MATERIALIZED VIEW LOG. See [CREATE TABLE](#), [14-52](#)
    - of CREATE TABLE, [8-50](#)
  - storage parameters
    - resetting, [19-148](#), [19-150](#)
  - Storage Snapshot Optimization, [10-69](#)
  - STORE IN clause
    - of ALTER TABLE, [12-102](#), [15-124](#)
  - stored functions, [13-125](#)
  - string literals
    - See [text literals](#).
  - strings, [2-63](#)
    - converting to ASCII values, [7-46](#)
    - converting to unicode, [7-93](#)
      - See *also* [text literals](#).
  - Structured Query Language (SQL),
    - description, [1-1](#)
    - functions, [7-2](#)
    - keywords, [A-2](#)
    - Oracle Tools support of, [1-3](#)
    - parameters, [A-2](#)
    - standards, [1-1](#), [C-1](#)
    - statements
      - determining the cost of, [18-18](#)
      - syntax, [10-4](#), [A-1](#)
  - structures
    - locking, [B-6](#)
  - subexpressions
    - of regular expressions, [7-349](#), [7-358](#)
  - SUBMULTISET condition, [6-15](#)

- SUBPARTITION BY HASH clause
  - of CREATE TABLE, [15-18](#), [15-51](#)
- SUBPARTITION BY LIST clause
  - of CREATE TABLE, [15-127](#)
- SUBPARTITION clause
  - of ANALYZE, [12-233](#)
  - of DELETE, [15-234](#)
  - of INSERT, [18-79](#)
  - of LOCK TABLE, [18-94](#)
  - of UPDATE, [19-159](#)
- subpartition template
  - creating, [12-30](#)
  - replacing, [12-30](#)
- subpartition-extended table names
  - in DML statements, [2-159](#)
  - restrictions on, [2-158](#)
  - syntax, [2-158](#)
- subpartitions
  - adding, [12-30](#)
  - adding rows to, [18-72](#)
  - allocating extents for, [12-94](#)
  - coalescing, [12-134](#)
  - converting into nonpartitioned tables, [12-30](#)
  - creating, [15-51](#)
  - creating a template for, [12-30](#), [15-18](#)
  - deallocating unused space from, [12-95](#)
  - exchanging with tables, [12-75](#)
  - hash, [15-18](#)
  - inserting rows into, [18-79](#)
  - list, [15-127](#)
  - list, adding, [12-30](#)
  - locking, [18-94](#)
  - logging insert operations, [12-88](#)
  - moving to a different segment, [12-30](#)
  - physical attributes
    - changing, [12-87](#)
  - removing rows from, [12-30](#), [15-234](#)
  - renaming, [12-30](#)
  - revising values in, [19-159](#)
  - specifying, [15-124](#)
  - template, creating, [15-18](#)
  - template, dropping, [12-30](#)
  - template, replacing, [12-30](#)
- subqueries, [9-1](#), [9-17](#), [19-40](#), [19-42](#)
  - containing subqueries, [9-17](#)
  - correlated, [9-17](#)
  - defined, [9-1](#)
  - extended subquery unnesting, [9-19](#)
  - inline views, [9-17](#)
  - nested, [9-17](#)
  - of past data, [19-40](#)
  - scalar, [5-41](#)
  - to insert table data, [15-143](#)
  - unnesting, [9-18](#)
  - using in place of expressions, [5-41](#)
- SUBSTR function, [7-402](#)
- SUBSTR2 function, [7-402](#)
- SUBSTR4 function, [7-402](#)
- SUBSTRB function, [7-402](#)
- SUBSTRC function, [7-402](#)
- subtotal values
  - deriving, [19-87](#)
- subtypes
  - dropping safely, [18-13](#)
- SUM function, [7-404](#)
- supplemental logging
  - identification key (full), [10-84](#)
  - minimal, [10-84](#)
- SUSPEND clause
  - of ALTER SYSTEM, [12-15](#)
- sustained standby recovery mode, [10-71](#)
- SWITCH LOGFILE clause
  - of ALTER SYSTEM, [12-15](#)
- SYNC WITH PRIMARY
  - clause of ALTER SESSION, [11-114](#)
- synchronous refresh, [14-52](#)
- synonyms
  - changing the definition of, [17-23](#)
  - creating, [15-13](#)
  - granting system privileges for, [18-32](#)
  - local, [15-13](#)
  - private, dropping, [17-23](#)
  - public, [15-15](#)
    - dropping, [17-23](#)
  - remote, [15-13](#)
  - removing from the database, [17-23](#)
  - renaming, [19-23](#), [19-24](#)
  - synonyms for, [15-13](#)
- syntax diagrams, [A-1](#)
  - loops, [A-4](#)
  - multipart diagrams, [A-4](#)
- SYS user
  - assigning password for, [13-64](#)
- SYS\_CONNECT\_BY\_PATH function, [7-405](#)
- SYS\_CONTEXT function, [7-406](#)
- SYS\_DBURIGEN function, [7-415](#)
- SYS\_EXTRACT\_UTC function, [7-416](#)
- SYS\_GUID function, [7-417](#)
- SYS\_NC\_ROWINFO\$ column, [15-18](#), [15-212](#)
- SYS\_OP\_ZONE\_ID function, [7-417](#)
- SYS\_ROW\_ETAG function, [7-419](#)
- SYS\_SESSION\_ROLES namespace, [7-407](#)
- SYS\_TYPEID function, [7-420](#)
- SYS\_XMLAGG function, [7-421](#)
- SYS\_XMLGEN function, [7-422](#)
- SYSAUX clause
  - of CREATE DATABASE, [13-70](#)
- SYSAUX tablespace
  - creating, [13-70](#)
- SYSDATE function, [7-423](#)



system change numbers  
   obtaining, 3-9  
 system control statements, 10-4  
   PL/SQL support of, 10-4  
 system global area  
   flushing, 12-11, 12-12  
   updating, 12-11  
 system parameters  
   GLOBAL\_TOPIC\_ENABLED, 12-25  
 system partitioning, 15-130  
 system privileges  
   ADMINISTER ANY SQL TUNING SET,  
     18-45  
   ADMINISTER KEY MANAGEMENT, 18-48  
   ADMINISTER SQL MANAGEMENT  
     OBJECT, 18-45  
   ADMINISTER SQL TUNING SET, 18-45  
   ALTER ANY SQL PROFILE, 18-45  
   ALTER DATABASE LINK, 18-46  
   ALTER PUBLIC DATABASE LINK, 18-46  
   BECOME USER, 18-55  
   CHANGE NOTIFICATION, 18-56  
   CREATE ANY SQL PROFILE, 18-45  
   CREATE PLUGGABLE DATABASE, 18-51  
   DROP ANY SQL PROFILE, 18-45  
   for job scheduler tasks, 18-32  
   for the Advisor framework, 18-45  
   granting, 14-150, 18-32  
     to a role, 18-36  
     to a user, 18-36  
     to PUBLIC, 18-36  
   MERGE ANY VIEW, 18-55  
   READ ANY TABLE, 18-53, 18-62  
   revoking, 19-25  
     from a role, 19-29  
     from a user, 19-29  
     from PUBLIC, 19-29  
   SET CONTAINER, 18-51  
 SYSTEM tablespace  
   locally managed, 13-68  
 SYSTEM user  
   assigning password for, 13-64  
 SYSTIMESTAMP function, 7-424

## T

TABLE clause  
   of ANALYZE, 12-232  
   of INSERT, 18-72  
   of SELECT, 19-40  
   of TRUNCATE, 19-151  
   of UPDATE, 19-154  
 TABLE collection expression, 19-40  
 table compression, 11-29, 12-88, 14-34, 15-85  
   Advanced Row Compression, 15-86

table compression (*continued*)  
   basic, 15-85  
   during bulk load operations, 15-86  
   for archiving data, 15-86  
   Hybrid Columnar, 15-86  
 table locks,  
   and queries, 18-94  
   disabling, 12-168  
   duration of, 18-94  
   enabling, 12-168  
   EXCLUSIVE, 18-94, 18-97  
   modes of, 18-94  
   on partitions, 18-94  
   on remote database, 18-94  
   on subpartitions, 18-94  
   ROW EXCLUSIVE, 18-94, 18-96  
   ROW SHARE, 18-94, 18-96  
   SHARE, 18-94  
   SHARE ROW EXCLUSIVE, 18-96  
   SHARE UPDATE, 18-96  
 table partitions  
   compression of, 12-88, 15-85  
 table REF constraints, 8-3  
   of CREATE TABLE, 15-18  
 tables  
   adding a constraint to, 12-125  
   adding rows to, 18-72  
   aliases, 2-160  
     in DELETE, 15-230  
   allocating extents for, 12-94  
   assigning to a cluster, 15-100  
   changing degree of parallelism on, 12-30  
   changing existing values in, 19-154  
   collecting statistics on, 12-232  
   comments on, 12-254  
   compression of, 12-88, 15-85  
   creating, 15-18  
     multiple, 14-158  
   creating comments about, 12-252  
   data stored outside database, 15-18  
   deallocating unused space from, 12-95  
   default physical attributes  
     changing, 12-87  
   degree of parallelism  
     specifying, 15-18  
   disassociating statistics types from, 18-1  
   dropping  
     along with cluster, 15-247  
     along with owner, 18-16  
     indexes of, 18-1  
     partitions of, 18-1  
   enabling tracking, 15-141  
   external, 15-94  
     creating, 15-18  
     restrictions on, 15-98

tables (*continued*)

- externally organized, [15-94](#)
- flashing back to an earlier version, [18-25](#)
- granting system privileges for, [18-32](#)
- heap organized, [15-94](#)
- index-organized, [15-94](#)
  - overflow segment for, [15-96](#)
  - space in index block, [15-95](#)
- inserting rows with a subquery, [15-143](#)
- inserting using the direct-path method, [18-72](#)
- joining in a query, [19-40](#)
- LOB storage of, [8-50](#)
- locking, [18-94](#)
- logging
  - insert operations, [12-88](#)
  - table creation, [15-18](#)
- migrated and chained rows in, [12-237](#)
- moving, [12-82](#)
- moving to a new segment, [12-30](#)
- moving, index-organized, [12-162](#)
- nested
  - storage characteristics, [15-18](#)
- object
  - creating, [15-21](#)
  - querying, [15-18](#)
- of XMLType, creating, [15-18](#)
- organization, defining, [15-94](#)
- parallel creation of, [15-18](#)
- parallelism
  - setting default degree, [15-18](#)
- partition attributes of, [12-30](#)
- partitioning, [2-158](#), [15-18](#)
  - allowing rows to move between partitions, [12-30](#)
  - default attributes of, [12-30](#)
- physical attributes
  - changing, [12-87](#)
- purging from the recycle bin, [19-21](#)
- read-only mode, [12-99](#)
- read/write mode, [12-99](#)
- reference-partitioned, [12-128](#), [12-155](#), [15-129](#)
- relational
  - creating, [15-20](#)
- remote, accessing, [13-77](#)
- removing from the database, [18-1](#)
- removing rows from, [15-230](#)
- renaming, [12-98](#), [19-23](#)
- restricting
  - records in a block, [12-96](#)
- retrieving data from, [19-40](#)
- saving blocks in a cache, [15-134](#)
- SQL examples, [15-18](#)
- storage attributes
  - defining, [15-18](#)

tables (*continued*)

- storage characteristics
  - defining, [8-50](#)
- storage properties of, [15-18](#), [15-101](#)
- subpartition attributes of, [12-30](#)
- synonyms for, [15-13](#)
- tablespace for
  - defining, [15-18](#), [15-84](#)
- temporary
  - duration of data, [15-81](#)
  - session-specific, [15-57](#)
  - transaction specific, [15-57](#)
- unclustering, [15-246](#)
- updating through views, [15-224](#)
- validating structure, [12-235](#)
- XMLType, querying, [15-18](#)

TABLESPACE clause

- of ALTER INDEX ... REBUILD, [10-168](#)
- of CREATE CLUSTER, [13-43](#)
- of CREATE INDEX, [13-151](#)
- of CREATE MATERIALIZED VIEW, [14-34](#)
- of CREATE MATERIALIZED VIEW LOG, [14-58](#)
- of CREATE TABLE, [15-84](#)

tablespaces

- allocating space for users, [15-206](#)
- allowing write operations on, [12-201](#)
- automatic segment-space management, [15-180](#)
- backing up data files, [12-196](#)
- bigfile, [15-172](#)
  - database default, [13-65](#)
  - default temporary, [13-71](#)
  - resizing, [12-195](#)
  - undo, [13-59](#)
- bringing online, [12-200](#), [15-178](#)
- coalescing free extents, [12-195](#)
- converting
  - from permanent to temporary, [12-202](#)
  - from temporary to permanent, [12-202](#)
- creating, [15-165](#)
- data files
  - adding, [12-188](#)
  - renaming, [12-188](#)
- default, [10-95](#)
  - specifying for a user, [12-218](#)
- default permanent, [13-71](#)
- default temporary, [10-95](#)
  - learning name of, [10-95](#)
- designing media recovery, [10-67](#)
- dropping contents, [18-7](#)
- encrypting, [8-53](#)
- ending online backup, [12-197](#)
- extent size, [15-175](#)
- granting system privileges for, [18-32](#)

- tablespaces (*continued*)
  - in FLASHBACK mode, [12-188](#), [15-165](#)
  - in FORCE LOGGING mode, [12-199](#), [15-176](#)
  - locally managed, [8-56](#)
    - altering, [12-194](#)
  - logging attribute, [12-188](#), [15-165](#)
  - managing extents of, [15-165](#)
  - read only, [12-201](#)
  - reconstructing lost or damaged, [10-67](#), [10-75](#)
  - recovering, [10-67](#), [10-69](#)
  - removing from the database, [18-5](#)
  - renaming, [12-195](#)
  - size of free extents in, [12-194](#)
  - smallfile, [15-172](#)
    - database default, [13-65](#)
    - default temporary, [13-71](#)
    - undo, [13-59](#)
  - specifying
    - data files for, [15-173](#)
    - for a table, [15-18](#)
    - for a user, [15-205](#)
    - for index rebuild, [12-162](#)
  - taking offline, [12-200](#), [15-179](#)
- temp files
  - adding, [12-188](#)
- temporary
  - creating, [15-183](#)
  - defining for the database, [13-61](#)
  - shrinking, [12-195](#)
  - specifying for a user, [12-218](#), [15-205](#)
- undo
  - altering, [12-194](#)
  - creating, [13-59](#), [15-182](#)
  - dropping, [18-7](#)
- TAN function, [7-425](#)
- TANH function, [7-425](#)
- TDE
  - See Transparent Data Encryption
- temp files
  - bringing online, [10-78](#)
  - defining for a tablespace, [15-167](#), [15-171](#)
  - defining for the database, [13-62](#)
  - disabling autoextend, [10-78](#)
  - dropping, [10-78](#), [12-198](#)
  - enabling autoextend, [8-34](#), [10-78](#)
  - extending automatically, [8-34](#)
  - renaming, [10-75](#)
  - resizing, [10-78](#)
  - reusing, [8-34](#)
  - shrinking, [12-199](#)
  - size of, [8-34](#)
  - specifying, [8-34](#)
  - taking offline, [10-78](#)
- TEMPFILE clause
  - of ALTER DATABASE, [10-54](#), [10-78](#)
- TEMPORARY clause
  - of ALTER TABLESPACE, [12-202](#)
  - of CREATE TABLESPACE, [15-183](#)
- temporary tables
  - creating, [15-18](#), [15-57](#)
  - session-specific, [15-57](#)
  - transaction-specific, [15-57](#)
- TEMPORARY TABLESPACE clause
  - of ALTER USER, [12-218](#)
  - of ALTER USER. See CREATE USER, [12-215](#)
  - of CREATE USER, [15-205](#)
- temporary tablespace groups
  - reassigning for a user, [12-218](#)
  - specifying for a user, [15-205](#)
- temporary tablespaces
  - creating, [15-183](#)
  - default, [10-95](#)
  - specifying extent management during database creation, [13-62](#)
  - specifying for a user, [12-218](#), [15-205](#)
- TEST clause
  - of ALTER DATABASE ... RECOVER, [10-70](#)
- testing for a set, [6-13](#)
- text, [2-63](#)
  - date and number formats, [2-75](#)
  - literals
    - in SQL syntax, [2-63](#)
  - properties of CHAR and VARCHAR2 data types, [2-64](#)
  - syntax of, [2-63](#)
- text literals
  - conversion to database character set, [2-64](#)
- TH datetime format element suffix, [2-87](#)
- throughput
  - optimizing, [2-102](#)
- THSP datetime format element suffix, [2-87](#)
- TIME data type
  - DB2, [2-45](#)
  - SQL/DS, [2-45](#)
- time format models
  - short, [2-78](#), [2-83](#)
- time zone
  - changing time zone data file, [7-297](#)
  - converting data to particular, [5-32](#)
  - determining for session, [7-377](#)
  - formatting, [2-83](#)
  - setting for the database, [13-59](#)
- TIME\_ZONE session parameter, [11-118](#)
- timestamp
  - converting to local time zone, [5-32](#)
- TIMESTAMP data type, [2-22](#)
  - DB2, [2-45](#)
  - SQL/DS, [2-45](#)

- TIMESTAMP WITH LOCAL TIME ZONE data type, [2-23](#)
- TIMESTAMP WITH TIME ZONE data type, [2-22](#)
- TIMESTAMP\_TO\_SCN function, [7-426](#)
- TO SAVEPOINT clause
  - of ROLLBACK, [19-38](#)
- TO\_APPROX\_COUNT\_DISTINCT function, [7-427](#)
- TO\_APPROX\_PERCENTILE function, [7-428](#)
- TO\_BINARY\_DOUBLE function, [7-429](#)
- TO\_BINARY\_FLOAT function, [7-431](#)
- TO\_BLOB (bfile) function, [7-432](#)
- TO\_BLOB (raw) function, [7-433](#)
- TO\_BOOLEAN function, [7-434](#)
- TO\_CHAR (bfile|blob) function, [7-435](#)
- TO\_CHAR (character) function, [7-436](#)
- TO\_CHAR (datetime) function, [7-438](#)
  - format models, [2-79](#), [2-87](#)
- TO\_CHAR (number) function, [7-443](#)
  - format models, [2-76](#), [2-87](#)
- TO\_CHAR(boolean) function, [7-435](#)
- TO\_CLOB (bfile|blob) function, [7-446](#)
- TO\_CLOB (character) function, [7-446](#)
- TO\_DATE function, [7-447](#)
  - format models, [2-79](#), [2-86](#), [2-87](#)
- TO\_DSINTERVAL function, [7-449](#)
- TO\_LOB function, [7-451](#)
- TO\_MULTI\_BYTE function, [7-453](#)
- TO\_NCHAR (character) function, [7-454](#)
- TO\_NCHAR (datetime) function, [7-455](#)
- TO\_NCHAR (number) function, [7-456](#)
- TO\_NCHAR(boolean) function, [7-453](#)
- TO\_NCLOB function, [7-456](#)
- TO\_NUMBER function, [7-457](#)
  - format models, [2-76](#)
- TO\_SINGLE\_BYTE function, [7-458](#)
- TO\_TIMESTAMP function, [7-459](#)
- TO\_TIMESTAMP\_TZ function, [7-460](#)
- TO\_UTC\_TIMESTAMP\_TZ function, [7-462](#)
- TO\_VECTOR function, [7-464](#)
- TO\_YMINTERVAL function, [7-465](#)
- top-N reporting, [3-12](#), [7-126](#), [7-338](#), [7-371](#), [19-40](#)
- tracking
  - enabling for a table, [12-97](#), [15-141](#)
- transaction control statements, [10-3](#)
  - PL/SQL support of, [10-3](#)
- transactions
  - allowing to complete, [12-13](#)
  - assigning
    - rollback segment to, [19-145](#)
  - automatically committing, [13-2](#)
  - changes, making permanent, [13-1](#)
  - commenting on, [13-3](#)
  - distributed, forcing, [11-111](#)
  - ending, [13-1](#)
  - transactions (*continued*)
    - implicit commit of, [10-2–10-4](#)
    - in-doubt
      - committing, [13-2](#)
      - forcing, [13-5](#)
      - resolving, [19-147](#)
    - isolation level, [19-145](#)
    - locks, releasing, [13-1](#)
    - naming, [19-147](#)
    - read-only, [19-145](#)
    - read/write, [19-145](#)
    - rolling back, [12-14](#), [19-37](#)
      - to a savepoint, [19-38](#)
    - savepoints for, [19-39](#)
- TRANSLATE ... USING function, [7-468](#)
- TRANSLATE function, [7-467](#)
- TRANSLATE SQL object privilege
  - on a user, [18-68](#)
- Transparent Data Encryption, [15-70](#)
  - key management, [10-5](#)
- TREAT function, [7-470](#)
- triggers,
  - compiling, [12-209](#)
  - creating, [15-190](#)
  - database
    - altering, [12-209](#)
    - dropping, [18-10](#), [18-16](#)
  - disabling, [12-169](#), [12-209](#)
  - enabling, [12-168](#), [12-209](#), [12-211](#), [15-190](#)
  - granting system privileges for, [18-32](#)
  - INSTEAD OF
    - dropping, [15-216](#)
    - re-creating, [15-191](#)
    - removing from the database, [18-10](#)
    - renaming, [12-211](#)
- TRIM function, [7-471](#)
- TRUNC (date) function, [7-472](#)
  - format models, [7-530](#)
- TRUNC (number) function, [7-475](#)
- TRUNC(interval) function, [7-474](#)
- TRUNCATE PARTITION clause
  - of ALTER TABLE, [12-30](#)
- TRUNCATE SUBPARTITION clause
  - of ALTER TABLE, [12-30](#)
- TRUNCATE\_CLUSTER statement, [19-148](#)
- TRUNCATE\_TABLE statement, [19-150](#)
- type constructor expressions, [5-41](#)
- types
  - See object types or data types
- TYPES clause
  - of ASSOCIATE STATISTICS, [12-239](#), [12-241](#)
  - of DISASSOCIATE STATISTICS, [15-241](#)
- TZ\_OFFSET function, [7-476](#)

## U

- UID function, [7-477](#)
- unary operators, [4-1](#)
- UNDER object privilege
  - on a view, [18-69](#)
- UNDER\_PATH condition, [6-23](#)
- undo
  - rollback, [11-103](#), [13-59](#)
  - system managed, [11-103](#), [13-59](#)
- UNDO tablespace clause
  - of CREATE DATABASE, [13-59](#)
  - of CREATE TABLESPACE, [15-182](#)
- undo tablespaces
  - creating, [13-59](#), [15-182](#)
  - dropping, [18-7](#)
  - modifying, [12-194](#)
  - preserving unexpired data, [12-188](#), [15-165](#)
- UNDO\_RETENTION initialization parameter
  - setting with ALTER SYSTEM, [18-25](#)
- unified audit policies
  - comments on, [12-254](#)
  - creating, [13-26](#)
  - dropping, [15-245](#)
  - modifying, [10-38](#)
- unified auditing
  - ALTER AUDIT POLICY statement, [10-38](#)
  - AUDIT statement, [12-243](#)
  - CREATE AUDIT POLICY statement, [13-26](#)
  - DROP AUDIT POLICY statement, [15-245](#)
  - NOAUDIT statement, [19-16](#)
- UNIFORM clause
  - of CREATE TABLESPACE, [15-165](#)
- UNION ALL set operator, [4-6](#)
- UNION set operator, [4-6](#)
- UNIQUE clause
  - of CREATE INDEX, [13-142](#)
  - of CREATE TABLE, [15-18](#)
  - of SELECT, [19-65](#)
- unique constraints
  - conditional, [13-166](#)
  - enabling, [15-138](#)
  - index on, [15-18](#)
- unique elements of, [7-378](#)
- unique indexes, [13-142](#)
- unique queries, [19-65](#)
- UNISTR function, [7-477](#)
- universal rowids
  - See [urowids](#)
- UNNEST hint, [2-143](#)
- unnesting collections, [19-40](#)
  - examples, [19-136](#)
- unnesting subqueries, [9-18](#)
- unpivot operations, [19-78](#)
  - examples, [19-129](#)
- unpivot operations (*continued*)
  - syntax, [19-48](#)
- UNQUIESCE clause
  - of ALTER SYSTEM, [12-16](#)
- UNRECOVERABLE, [10-165](#), [15-94](#)
  - See also [NOLOGGING](#) clause
- unsorted indexes, [13-152](#)
- UNUSABLE clause
  - of ALTER INDEX, [10-171](#)
- UNUSABLE LOCAL INDEXES clause
  - of ALTER MATERIALIZED VIEW, [11-30](#)
  - of ALTER TABLE, [12-156](#)
- UPDATE BLOCK REFERENCES clause
  - of ALTER INDEX, [10-173](#), [10-175](#)
- UPDATE GLOBAL INDEXES clause
  - of ALTER TABLE, [12-30](#)
- update operations
  - collecting supplemental log data for, [10-84](#)
- UPDATE SET clause
  - of MERGE, [19-3](#)
- UPDATE statement, [19-154](#)
- updates
  - and simultaneous insert, [19-1](#)
  - using MERGE, [19-1](#), [19-3](#)
- UPGRADE clause
  - of ALTER DATABASE, [10-66](#)
  - of ALTER TABLE, [12-30](#)
- UPPER function, [7-478](#)
- URLs
  - generating, [7-415](#)
- UROWID data type, [2-43](#)
- urowids, [2-43](#)
  - and foreign tables, [2-43](#)
  - and index-organized tables, [2-43](#)
  - description of, [2-43](#)
- USABLE clause
  - of ALTER INDEX, [10-171](#)
- USE object privilege
  - on a SQL translation profile, [18-67](#)
- USE\_BAND hint, [2-143](#)
- USE\_CONCAT hint, [2-144](#)
- USE\_CUBE hint, [2-144](#)
- USE\_HASH hint, [2-145](#)
- USE\_MERGE hint, [2-145](#)
- USE\_NL hint, [2-145](#)
- USE\_NL\_WITH\_INDEX hint, [2-146](#)
- USE\_PRIVATE\_OUTLINES session parameter, [11-118](#)
- USE\_STORED\_OUTLINES session parameter, [11-118](#), [12-24](#)
- USER function, [7-479](#)
- user groups
  - adding or dropping a member, [10-136](#)
  - adding to a disk group, [10-136](#)
  - dropping from a disk group, [10-137](#)

USER SYS clause  
   of CREATE DATABASE, [13-64](#)  
 USER SYSTEM clause  
   of CREATE DATABASE, [13-64](#)  
 USER\_COL\_COMMENTS data dictionary view,  
   [12-254](#)  
 USER\_INDEXTYPE\_COMMENTS data  
   dictionary view, [12-254](#)  
 USER\_MVIEW\_COMMENTS data dictionary  
   view, [12-255](#)  
 USER\_OPERATOR\_COMMENTS data  
   dictionary view, [12-255](#)  
 USER\_TAB\_COMMENTS data dictionary view,  
   [12-254](#)  
 user-defined functions, [7-532](#)  
   name precedence of, [7-533](#)  
   naming conventions, [7-534](#)  
 user-defined operators, [4-11](#)  
 user-defined statistics  
   dropping, [16-15](#), [16-18](#), [17-12](#), [18-1](#), [18-11](#)  
 user-defined types, [2-45](#)  
 USERENV function, [7-479](#)  
 USERENV namespace, [7-407](#)  
 users  
   allocating space for, [15-206](#)  
   and database links, [13-81](#)  
   assigning  
     default roles, [12-219](#)  
     profiles, [15-206](#)  
   authenticating, [12-224](#)  
   authenticating to a remote server, [13-77](#)  
   changing authentication, [12-225](#)  
   creating, [15-197](#)  
   default tablespaces for, [12-218](#), [15-205](#)  
   denying access to tables and views, [18-94](#)  
   external, [14-153](#), [15-202](#)  
   global, [14-153](#), [15-203](#)  
   granting system privileges for, [18-32](#)  
   local, [14-153](#), [15-201](#)  
   locking accounts, [15-207](#)  
   operating system  
     adding to a disk group, [10-137](#)  
     dropping from a disk group, [10-137](#)  
   password expiration of, [15-207](#)  
   removing from the database, [18-15](#)  
   SQL examples, [15-197](#)  
   temporary tablespaces for, [12-218](#), [15-205](#)

USING clause (*continued*)  
   of CREATE INDEXTYPE, [13-172](#)  
   of CREATE PLUGGABLE DATABASE,  
     [14-112](#)  
 USING CLOB clause  
   of CREATE JAVA, [13-180](#)  
 USING INDEX clause  
   of ALTER MATERIALIZED VIEW, [11-32](#)  
   of ALTER TABLE, [12-84](#)  
   of constraints, [8-3](#)  
   of CREATE MATERIALIZED VIEW, [14-37](#)  
   of CREATE TABLE, [15-18](#)  
 USING NO INDEX clause  
   of CREATE MATERIALIZED VIEW, [14-37](#)  
 USING ROLLBACK SEGMENT clause  
   of ALTER MATERIALIZED VIEW ...  
     REFRESH, [11-34](#)  
   of CREATE MATERIALIZED VIEW, [14-42](#)  
 UTC  
   extracting from a datetime value, [7-416](#)  
 UTC offset  
   replacing with time zone region name, [2-71](#)  
 UTLCHN.SQL script, [12-237](#)  
 UTLEXPT1.SQL script, [12-154](#)  
 UTLXPLAN.SQL script, [18-18](#)

## V

VALIDATE clause  
   of DROP TYPE, [18-13](#)  
 VALIDATE REF UPDATE clause  
   of ANALYZE, [12-235](#)  
 VALIDATE STRUCTURE clause  
   of ANALYZE, [12-235](#)  
 VALIDATE\_CONVERSION function, [7-481](#)  
 validation  
   of clusters, [12-235](#)  
   of database objects  
     offline, [12-236](#)  
   of database objects, online, [12-236](#)  
   of indexes, [12-235](#)  
   of tables, [12-235](#)  
 VALUE function, [7-484](#)  
 VALUES clause  
   of CREATE INDEX, [13-156](#)  
   of INSERT, [18-72](#)  
 VALUES LESS THAN clause  
   of CREATE TABLE, [15-18](#)  
 VAR\_POP function, [7-484](#)  
 VAR\_SAMP function, [7-486](#)  
 VARCHAR data type, [2-12](#)  
 VARCHAR2 data type, [2-11](#)  
   converting to NUMBER, [2-76](#)  
 VARGRAPHIC data type  
   DB2, [2-45](#)

- VARGRAPHIC data type (*continued*)
    - SQL/DS, [2-45](#)
  - VARIANCE function, [7-487](#)
  - VARRAY clause
    - of ALTER TABLE, [12-55](#), [12-56](#)
  - VARRAY column properties
    - of ALTER TABLE, [12-30](#), [12-55](#), [12-56](#)
    - of CREATE MATERIALIZED VIEW, [14-27](#)
    - of CREATE TABLE, [15-18](#), [15-32](#)
  - varrays, [2-46](#)
    - changing returned value, [12-30](#)
    - compared with nested tables, [2-56](#)
    - comparison rules, [2-56](#)
    - creating, [15-193](#)
    - dropping the body of, [18-14](#)
    - dropping the specification of, [18-11](#)
    - modifying column properties, [12-59](#)
    - storage characteristics, [12-30](#), [15-18](#)
    - storing out of line, [2-47](#)
  - varying arrays
    - See varrays
  - Vector data type, [2-40](#)
  - VECTOR function, [7-488](#)
  - Vector Functions, [7-23](#)
  - VECTOR\_CHUNKS function, [7-489](#)
  - VECTOR\_DIMENSION\_COUNT function, [7-500](#)
  - VECTOR\_DIMS function, [7-499](#)
  - VECTOR\_DISTANCE function, [7-497](#)
  - VECTOR\_EMBEDDING function, [7-501](#)
  - VECTOR\_NORM function, [7-503](#)
  - VECTOR\_SERIALIZE function, [7-504](#)
  - version queries
    - pseudocolumns for, [3-6](#)
  - view constraints, [8-3](#), [15-220](#)
    - and materialized views, [8-3](#)
    - dropping, [18-18](#)
    - modifying, [12-229](#)
  - views
    - base tables
      - adding rows, [18-72](#)
    - changing
      - definition, [18-17](#)
      - values in base tables, [19-154](#)
    - creating
      - before base tables, [15-216](#)
      - comments about, [12-252](#)
      - multiple, [14-158](#)
    - definer's rights, [15-223](#)
    - defining, [15-212](#)
    - dropping constraints on, [12-229](#)
    - editioning, [15-217](#)
    - granting system privileges for, [18-32](#)
    - invoker's rights, [15-222](#)
    - modifying constraints on, [12-229](#)
    - object, creating, [15-220](#)
  - views (*continued*)
    - re-creating, [15-216](#)
    - recompiling, [12-227](#)
    - remote, accessing, [13-77](#)
    - removing
      - from the database, [18-17](#)
      - rows from the base table of, [15-230](#)
    - renaming, [19-23](#)
    - retrieving data from, [19-40](#)
    - subquery of, [15-223](#)
      - restricting, [15-212](#)
    - synonyms for, [15-13](#)
    - updatable, [15-224](#)
    - with joins
      - and key-preserved tables, [15-225](#)
      - making updatable, [15-225](#)
    - XMLType, [15-212](#)
    - XMLType, creating, [15-229](#)
    - XMLType, querying, [15-212](#)
  - virtual columns
    - adding to a table, [12-107](#)
    - creating, [15-18](#)
    - modifying, [12-107](#)
  - VSIZE function, [7-505](#)
- ## W
- 
- WHERE clause
    - of DELETE, [15-237](#)
    - of queries and subqueries, [19-40](#)
    - of SELECT, [9-4](#)
    - of UPDATE, [19-154](#)
  - WIDTH\_BUCKET function, [7-505](#)
  - WITH ... AS clause
    - of SELECT, [19-40](#)
  - WITH ADMIN OPTION clause
    - of GRANT, [18-38](#)
  - WITH CHECK OPTION clause
    - of CREATE VIEW, [15-212](#), [15-215](#)
    - of DELETE, [15-230](#)
    - of INSERT, [18-72](#)
    - of SELECT, [19-49](#)
    - of UPDATE, [19-154](#)
  - WITH clause
    - of SELECT, [19-61](#)
  - WITH GRANT OPTION clause
    - of GRANT, [18-42](#)
  - WITH HIERARCHY OPTION
    - of GRANT, [18-42](#)
  - WITH INDEX CONTEXT clause
    - of CREATE OPERATOR, [14-80](#)
  - WITH OBJECT ID clause
    - of CREATE MATERIALIZED VIEW LOG, [14-59](#)

WITH PRIMARY KEY clause  
 of ALTER MATERIALIZED VIEW, [11-34](#)  
 of CREATE MATERIALIZED VIEW ...  
   REFRESH, [14-41](#)  
 of CREATE MATERIALIZED VIEW LOG,  
   [14-59](#)

WITH READ ONLY clause  
 of CREATE VIEW, [15-212](#), [15-215](#)  
 of DELETE, [15-230](#)  
 of INSERT, [18-72](#)  
 of SELECT, [19-49](#)  
 of UPDATE, [19-154](#)

WITH ROWID clause  
 of column ref constraints, [8-3](#)  
 of CREATE MATERIALIZED VIEW ...  
   REFRESH, [14-16](#)  
 of CREATE MATERIALIZED VIEW LOG,  
   [14-59](#)

WITH SEQUENCE clause  
 of CREATE MATERIALIZED VIEW LOG,  
   [14-59](#)

WRITE clause  
 of COMMIT, [13-4](#)

## X

---

XML  
 conditions, [6-22](#)  
 data  
   storage of, [15-18](#)  
 database repository  
   SQL access to, [6-22](#), [6-23](#)  
 documents  
   producing from XML fragments, [7-421](#)  
   retrieving from the database, [7-415](#)  
 examples, [F-8](#)  
 format models, [2-91](#)  
 fragments, [7-153](#)  
 functions, [7-21](#)

XMLAGG function, [7-507](#)  
 XMLCAST function, [7-508](#)  
 XMLCDATA function, [7-509](#)

XMLCOLATTVAL function, [7-510](#)  
 XMLCOMMENT function, [7-511](#)  
 XMLCONCAT function, [7-511](#)  
 XMLDATA pseudocolumn, [3-13](#)  
 XMLDIFF function, [7-512](#)  
 XMLELEMENT function, [7-514](#)  
 XMLEXISTS function, [7-517](#)  
 XMLFOREST function, [7-517](#)  
 XMLGenFormatType object, [2-91](#)  
 XMLIndex  
   creating, [13-160](#)  
   modifying, [10-168](#)  
 XMLISVALID function, [7-518](#)  
 XMLPARSE function, [7-519](#)  
 XMLPATCH function, [7-520](#)  
 XMLPI function, [7-521](#)  
 XMLQUERY function, [7-522](#)  
 XMLSchemas  
   adding to a table, [15-18](#)  
   single and multiple, [15-18](#)  
 XMLSEQUENCE function, [7-523](#)  
 XMLSERIALIZE function, [7-525](#)  
 XMLTABLE function, [7-526](#)  
 XMLTRANSFORM function, [7-529](#)  
 XMLType columns  
   properties of, [12-30](#), [15-18](#)  
   storage of, [15-18](#)  
   storing in binary XML format, [15-18](#)  
 XMLType storage clause  
   of CREATE TABLE, [15-18](#)  
 XMLType tables  
   creating, [15-18](#), [15-155](#)  
   creating index on, [13-164](#)  
 XMLType views, [15-212](#)  
   querying, [15-212](#)

## Z

---

zone maps  
 creating, [14-65](#)  
 modifying, [11-48](#)  
 removing from the database, [17-7](#)